

# **Catalog and Bibliography of Longhorned Beetles from Borneo (Coleoptera: Cerambycidae)**

**Daniel J. Heffern - Electronic Version, 2005.1**

## **Abstract**

The genus-group and species-group names for Cerambycidae occurring in Borneo are summarized. All genus-group names, including synonyms and subgenera, are given with their type species. All species-group names and synonyms, specify their original genus. For each species and subspecies from Borneo, their extralimital distributions are included, if applicable. Citations are presented for each name. References for identification keys and illustrations are cited, if available. Complete bibliographies for all cited references are given. There are no proposed changes to nomenclature. Comments about biogeography and taxonomic problems are given. Species that are excluded from the Bornean fauna are listed. An index is included for all genus-group names.

## **Table of Contents**

Introduction . . . . .	2
Biogeographical Relationships . . . . .	2
Taxonomy and Literature Discussion . . . . .	3
Acknowledgements . . . . .	5
List of Subfamilies and Tribes from Borneo . . . . .	6
List of Genera and Species from Borneo . . . . .	8
Excluded Records . . . . .	68
Important Nomenclatural Definitions . . . . .	68
Catalog Notes . . . . .	69
Bibliography . . . . .	72
Bibliographical Comments . . . . .	95
Index of Generic Level Names . . . . .	97

## Introduction

This catalog and bibliography covers the original nomenclature for the longhorned beetles of Borneo. Longhorned beetles include the family Cerambycidae, although some taxonomists treat certain subfamilies as families. In this catalog, the work of Lawrence and Newton (1995) is followed which recognizes thirteen subfamilies in the world: Oxypeltinae, Disteniinae, Philinae, Anoplodermatinae, Parandrinae, Prioninae, Spondylidinae, Vesperinae, Apatophyseinae, Necydalinae, Lepturinae, Cerambycinae and Lamiinae. There has been, and certainly will always be disagreement on the number and relationships of these subfamilies. Eight of these subfamilies are represented on Borneo.

Along with a list of all valid taxa, included are the synonyms and subgenera (including extralimital subgenera), type species of genus-group names and a comprehensive bibliography of original descriptions, revisions, identification keys, taxonomic changes and distributional information. The literature has been examined, whenever possible, to verify original spelling, generic combination, type species, and year of description for each taxon in an effort to stabilize nomenclature and proper usage. Various errors and omissions were discovered while reviewing previous catalogs, lists, and other literature. Some older literature was unavailable and it was necessary to rely on secondary sources (i.e. earlier catalogs, checklists, revisions, etc.) to compile information.

In recent years the number of species known from Borneo has significantly increased, however the reference literature is fragmented, obscure, inaccurate, or out-of-date which creates confusion for researchers, coleopterists, and curators. This work provides accurate names and complete references to facilitate research. As such, abbreviations of places, titles, journals, and author names are kept to a minimum.

Nomenclatural changes are not proposed in this work and nomenclatural mistakes generated by various authors (i.e. Breuning) need to be corrected in separate scientific publications. Some unidentified or undescribed taxa are noted for reference, particularly when they represent new genera or species in Borneo. Due to differences in opinions among specialists, and because many genera have not been adequately studied, it is impossible to place all tribes and genera in a classification that everyone will agree with. Genera such as *Oplatocera* and *Clytellus* are a couple of examples of genera which do not fit well into their current tribal placements.

Species distributions are compiled from literature and recent, unpublished collection records. Small, offshore islands (i.e. Labuan) are included with Borneo. Some literature records may be based on misidentified specimens because errors are common when dealing with species from an area which has numerous undescribed and poorly known species. Future studies will uncover many new species and determine that some taxa are synonyms and some synonyms are valid taxa.

## Biogeographical Relationships

With an area of about 740,000 sq. km, Borneo is controlled by Malaysia, Indonesia and Brunei. It is the third largest island in the world after Greenland and New Guinea. The southern two-thirds (2/3) of Borneo is the Indonesian part called Kalimantan, which is divided into four states called West, Central, South and East Kalimantan. The northern, Malaysian part consists of two states, Sarawak and Sabah, located on the northwest coast and northern tip, respectively. Brunei is a small independent country located on the northwest coast between Sarawak and the South China Sea. The island is mainly mountainous, with numerous ranges of low to moderate elevation. The most significant range is the Crocker Range in Sabah, which has the highest peak in all of Southeast Asia, Mt. Kinabalu, at 4,100m. Some of the oldest rainforests in the world, approximately 130 million years old, are located in West Malaysia and Borneo. No attempt has been made to qualify which species are known to occur in the particular political divisions of Borneo. Prior to the recent and ongoing deforestation of this island, it was covered with continuous tropical forest and had essentially no natural barriers that would prevent species from occurring anywhere on the island.

## Checklist and Bibliography of Longhorned Beetles from Borneo

The cerambycid fauna of Borneo is closely related to the fauna of the Malaysian Peninsula, Sumatra and Java, with a distinct overlap of species and a strong commonality of tribes and genera. Heaney (1986) discussed mammalian biogeography of Southeast Asia in an attempt to explain the distribution of non-volant mammals based on prehistoric land bridges. Many of his observations apply to Cerambycidae, as well. Some Cerambycidae have dispersed from island to island by flight, and many have undoubtedly traveled as larvae in floating wood. But, nearly all tribes and many genera which occur in Southeast Asia are found in Borneo. This is expected since Borneo, Sumatra and Java, along with many smaller islands, have been intermittently connected by a land bridge to continental Southeast Asia in recent geological time due to ocean levels falling and rising as a result of glacial periods. This former region is known as the Sunda Shelf, and the islands which were formed by the rising sea level are referred to as the Sunda Islands. The latest connection between Borneo and West Malaysia was during the last glacial period of the Pleistocene around 18,000 years ago. The cerambycid fauna of Borneo is also closely related to the Philippine island of Palawan, since it was part of the Sunda Shelf around 160,000 years ago when sea levels were at their lowest, permitting dispersion of ancestral fauna to that island via a land bridge.

Mindanao and Borneo are relatively close to each other and share numerous genera but few species. These two islands have never been joined by a land bridge, yet the distance between them is short enough to permit some species movement. Borneo is also close to Sulawesi, and like Mindanao, it has never been connected by a land bridge, so there is a limited number of common species between these two islands, as well. The Philippine Islands, with the exception of Palawan, have always been disconnected from the mainland of Asia and, overall, have a mostly indigenous cerambycid fauna.

Wallace's Line, a term used since the 19th century, is the boundary separating the Indo-Malayan and Australasian biogeographical areas. Sulawesi, the Moluccas, and the Lesser Sunda Islands are east of Wallace's Line, while Borneo, Java and Sumatra are west of the line. For Cerambycidae, there are many distinct cases where tribes and genera occur on one side of the line and not the other. Records for species occurring on both sides of Wallace's Line should be questioned. Currently, there are twenty (20) species known from Borneo and Sulawesi. It is possible that some of these records are the result of misidentification, mislabeling or introduced species.

Borneo is, essentially, at the extreme eastern edge of the rich Oriental cerambycid faunal region bordered by Wallace's Line. Numerous tribes decrease significantly, if not completely, east of this line toward the Moluccas and New Guinea, such as the Lamiini, Callichromatini, Lepturinae, and Cerambycini, while one of the most successful tribes from New Guinea, the Tmesisternini, is nearly absent in the Sunda Islands. The Batocerini, relatively robust flyers, have successfully populated all suitable habitat throughout the Australasian and Indo-Malayan regions. The Clytini are found on nearly every major island, and species-wise, they become increasingly scarcer as one goes from Southeast Asia to Australia. The lamiine tribe Hyborhabdini, with one genus and one species, is apparently the only endemic tribe from Borneo. While further studies will provide better data for analysis, the tribes Aegosomatini, Lamiini, Mesosini, Cerambycini, Callichromatini, Clytini, Prothemiini, Pyrestini, Cleomenini, Molorchini, Pteropliini, Astathini and Saperdini are relatively abundant in terms of species and are very characteristic of the Bornean and Indo-Malaysian fauna.

## Taxonomy and Literature Discussion

The longhorned beetles from Southeast Asia, Indonesia and New Guinea are poorly described or documented with many species awaiting discovery, study and description. Significant collections of material have been made in this area but much of it is uncurated and located in numerous public and private collections around the world. Using available literature, it is difficult or impossible to identify many species, especially Lamiinae, because the literature is inadequate for separating similar genera and species. Many of the identification keys are outdated, deficient, or omit some or all of the species which may be found on Borneo. Comparison to type material or authoritatively identified specimens is the best, and frequently the only method for reliably identifying all but the most distinctive species. Some species show great variability while other species may be very similar. In recent years, the availability of high quality photographs and digital images of type and

## Checklist and Bibliography of Longhorned Beetles from Borneo

reference specimens is making it easier to share information among specialists to identify specimens.

Prior to his retirement in 2000, Dr. Karl-Ernst Hüdepohl assisted the author to identify Southeast Asian Cerambycidae. Later, other specialists (C. Holzschuh, E. Vives, D. Dauber, A. Drumont, and Z. Komiya) were sought to help identify specimens. Currently, over one thousand three hundred (1,300) described species are known from Borneo, with over three-fifths (>60%) of the species appearing to be endemic. The total number of described and undescribed species in Borneo probably exceeds two thousand (2,000) and could be greatly higher.

Two individuals, Francis Pascoe and Stephan Breuning, have described a significant portion of the known species from Borneo. Pascoe published descriptions of tropical Old World Cerambycidae from 1856 to 1888. Over 320 species which he described are known from Borneo. Pascoe's "Longicornia Malayana", published in seven parts from 1864 to 1869, is an important reference for this region. The type specimens of Pascoe's species are in the British Museum of Natural History (BMNH), London.

In a career spanning almost 50 years, Breuning published descriptions for a great number of worldwide Cerambycidae, nearly all Lamiinae, including more than 300 species known to occur in Borneo. But his descriptions are sometimes quite brief and lack details, usually without illustration, and based on single specimens or a short series of specimens from one locality. Nomenclaturally, his practice of describing or listing species-group names as "varieties", "aberrations" or "morphs" in his papers and catalogs is confusing because it is sometimes difficult to determine if the name is available for scientific usage. Because there are numerous undescribed Lamiinae in Borneo, his publications are not very useful, or may actually be misleading in the identification process. The type specimens of Breuning's species are deposited in numerous European museums.

Hiroshi Makihara (1999) published a list and photographs of about 700 species collected from a lowland forest reserve in East Kalimantan. This publication has some errors including mis-spellings and misidentified species. Numerous species are identified only to tribe or genus. Aside from North Borneo, this is the only other area where a significant number of Cerambycidae has been reported, so it is a valuable record for this island facing further deforestation.

There is an Internet web site (<http://www.arbec.com.my/cerambycinae>) about the subfamily Cerambycinae from Sarawak by Dr. Fatimah Abang. This web site contains descriptions, photographs, and identification keys to tribes, genera and species. A few of the species are misidentified and some illustrations are inadequate for separating similar species. Only species specifically recorded from Sarawak are included on this web site. Unfortunately, relatively few of the known Bornean species have been recorded from Sarawak since it has not been extensively collected. Therefore, the information on this web site is incomplete when one considers the fauna of the entire island, and using the keys for anything more than determination to tribal level is unreliable. The descriptions of the new species which appear on this web site are not available and not valid by rules (Article 8.6) of the International Commission on Zoological Nomenclature (1999). These unavailable names are not included in this catalog and are discussed no further.

Gressitt & Rondon (1970) and Rondon & Breuning (1970) published monographs on the cerambycid fauna of Laos. While there is only a limited species overlap, there are a significant number of tribes and genera occurring in both Laos and Borneo. Hüdepohl (1985b, 1987a, 1987b, 1988a, 1990a, 1992a) published keys and information on Philippine Prioninae, some tribes of Cerambycinae, and several genera of Lamiinae but did not review the entire family. Some of the keys in his publications are useful for a study of Bornean species.

Numerous identification keys are noted in this catalog, but many do not include taxa for Borneo. Still, these keys could be useful for understanding which characters have been recognized by other researchers as being important for separating taxa of a particular group and it possibly allows one to identify specimens to tribe or genus level.

## Checklist and Bibliography of Longhorned Beetles from Borneo

Because it is the largest subfamily with many small or drab-colored species, the Lamiinae have received the least amount of study and have many taxonomic problems. In this list, the Saperdini includes genera that are sometimes placed in Phytoecini, Obereini, and Gleneini. The Desmiphorini includes genera that have frequently been included in Rhodopini and other tribes. A major analysis of the Lamiinae on a worldwide basis is required for proper tribal assignments.

For convenience in this catalog:

- subfamilies and tribes are in boldface type and listed in sequence similar to other catalogues and checklists of Cerambycidae
- valid genus-group names are in boldface type and listed alphabetically under tribes
- valid species-group names are in boldface type and listed alphabetically under genera
- synonyms are italicized and listed from oldest to newest
- type species are listed in italics for all genus-group names

The general format used in this catalog is as follows:

[Genus] [Author], [year]:[page # of description] (type species: *Genus species Author*)  
[Synonym] [Author], [year]:[page # of description] (type species: *Genus species Author*)

[species] [subspecies] [Author], [year]:[page # of description] [original genus]  
[distribution]  
[synonym] [Author], [year]:[page # of description] [original genus]

### Acknowledgements

This project would not have been possible without the assistance from many colleagues around the world who provided literature, nomenclatural advice, translations, comments, proof-reading, specimens, determinations, photographs and field data. The following are gratefully acknowledged:

Karl Adlbauer (Austria), Alain Audureau (France), Josef Beierl (California - deceased), Charles Bellamy (California), Larry Bezark (California), John Chemsak (California), Steven Chew Kea Foo (Sabah), James Cope (California), Diethard Dauber (Austria), Gontran Drouin (Quebec), Alain Drumont (Belgium), Philippe Garreau (France), Carolus Holzschuh (Austria), Karl-Ernst Hüdepohl (Germany), Michæl Huet (France), Eric Jiroux (France), Ziro Komiya (Japan), Boris Kondratieff (Colorado), Steve Lingafelter (Washington, DC), Ole Mehl (Denmark), Jeannine Morati (France), Hajime Nara (Japan), Tatsuya Niisato (Japan), Ulf Nylander (Sweden), Edward Riley (Texas), Gianfranco Sama (Italy), G. A. Samuelson (Hawaii), Antonio Santos-Silva (Brazil), Gérard Tavakilian (France), Robert Vigneault (Quebec), Eduard Vives (Spain), James Wappes (Texas), and James Zablotny (Michigan).

**List of Subfamilies and Tribes from Borneo**

The subfamilies and tribes appear in the following order:

**CERAMBYCIDAE**

Disteniinae . . . . .	8
Cyrtoponopini . . . . .	8
Disteniini . . . . .	8
Philinae . . . . .	8
Philini . . . . .	8
Parandrinae . . . . .	9
Parandrini . . . . .	9
Prioninae . . . . .	9
Macrotomini . . . . .	9
Euryopodini . . . . .	9
Aegosomatini . . . . .	10
Prionini . . . . .	11
Anacolini . . . . .	11
Necydalinae . . . . .	12
Necydalini . . . . .	12
Lepturinae . . . . .	12
Xylosteini . . . . .	12
Rhagiini . . . . .	12
Lepturini . . . . .	12
Cerambycinae . . . . .	14
Oemini . . . . .	14
Methiini . . . . .	14
Xystrocerini . . . . .	14
Achrysonini . . . . .	14
Cerambycini . . . . .	14
Hesperophanini . . . . .	17
Phoracanthini . . . . .	17
Dejanirini . . . . .	18
Callidiopini . . . . .	18
Obriini . . . . .	18
Prothemiini . . . . .	19
Molorchini . . . . .	19
Stenopterini . . . . .	20
Callichromatini . . . . .	20
Thrauniini . . . . .	22
Rosaliiini . . . . .	22
Glaucytini . . . . .	22
Clytini . . . . .	23
Anaglyptini . . . . .	25
Tillomorphini . . . . .	25
Pyrestini . . . . .	25
Cleomenini . . . . .	26
Rhopalophorini . . . . .	27
Trachyderini . . . . .	27

Checklist and Bibliography of Longhorned Beetles from Borneo

Lamiinae . . . . .	28
Xylorhizini . . . . .	28
Homoneini . . . . .	28
Gyaritini . . . . .	28
Morimopsini . . . . .	29
Lamiini . . . . .	29
Batocerini . . . . .	36
Mesosini . . . . .	37
Gnomini . . . . .	40
Ancylonotini . . . . .	41
Dorcaschematini . . . . .	41
Apomecynini . . . . .	42
Agapanthiini . . . . .	45
Xenoleini . . . . .	46
Hecyrini . . . . .	47
Ceroplesini . . . . .	47
Nyctimenini . . . . .	47
Hyborhabdini . . . . .	47
Pteropliini . . . . .	47
Desmiphorini . . . . .	54
Acanthocinini . . . . .	56
Astathini . . . . .	58
Saperdini . . . . .	59
undetermined. . . . .	67

## List of Genera and Species from Borneo

### Family Cerambycidae

{key to subfamilies: Gressitt & Rondon, 1970:6, 11; Hüdepohl, 1990a:46, 47}

#### Subfamily Disteniinae

{key to tribes: Gressitt & Rondon, 1970:7}

##### Tribe Cyrtonopini

**Cyrtionops** White, 1853:32 (type species: *Cyrtionops punctipennis* White) {key to species: Gressitt & Rondon, 1970:7}

<i>Cladopalpus</i> Lansberge, 1886:35 (type species: <i>Cladopalpus hageni</i> Lansberge)	
<b>insularis</b> Villiers, 1958:263 [ <i>Cyrtionops</i> ]	Borneo, Java
<b>metallica</b> Hüdepohl, 1990c:306 [ <i>Cyrtionops</i> ]	Borneo
<b>punctipennis</b> White, 1853:33 [ <i>Cyrtionops</i> ]	Borneo, Sumatra, SE Asia, Burma, India
<i>hageni</i> (Lansberge, 1886:36) [ <i>Cladopalpus</i> ]	

##### Tribe Disteniini

{key to genera: Gressitt & Rondon, 1970:7}

**Distenia** Lepelletier & Audinet-Serville in Latreille, 1828:485 (type species: *Distenia columbina* Audinet-Serville) {key to species: Gressitt & Rondon, 1970:8}

<i>Antinoe</i> J. Thomson, 1864:225 (type species: <i>Antinoe bicolor</i> J. Thomson)	
<i>Thelxiope</i> J. Thomson, 1864:226 (type species: <i>Thelxiope viridicyanea</i> J. Thomson)	
<i>Apheles</i> Blessig, 1873:165 (type species: <i>Apheles gracilis</i> Blessig)	
<i>Sakuntala</i> Lameere, 1890c:213 (type species: <i>Sakuntala kalidasae</i> Lameere)	
<b>dayak</b> Villiers, 1958:265 [ <i>Distenia</i> ]	Borneo
<b>metallica</b> Villiers, 1958:265 [ <i>Distenia</i> ]	Borneo
<b>pryeri</b> Pascoe, 1885:57 [ <i>Distenia</i> ]	Borneo, W. Malaysia

**Melegena** Pascoe, 1869b:659 (type species: *Melegena pubipennis* Pascoe) {key to species: Gressitt & Rondon, 1970:10}

<b>pubipennis</b> Pascoe, 1869b:659 [ <i>Melegena</i> ]	Borneo, Sumatra
---	-----------------

**Nericonia** Pascoe, 1869b:657 (type species: *Nericonia trifasciata* Pascoe) {key to species: Gressitt & Rondon, 1970:11}

<b>trifasciata</b> Pascoe, 1869b:658 [ <i>Nericonia</i> ]	Borneo
---	--------

**Noemia** Pascoe, 1857:111 (type species: *Noemia flavidicornis* Pascoe) {key to species: Gressitt & Rondon, 1970:10}

<b>apicalis</b> Villiers, 1958:268 [ <i>Noemia</i> ]	Borneo
<b>brunnea</b> Hüdepohl, 1998a:229 [ <i>Noemia</i> ]	Borneo
<b>cupreoviridana</b> Hayashi, 1977:94 [ <i>Noemia</i> ]	Borneo {Note 5}, W. Malaysia
<b>flavidicornis</b> Pascoe, 1857:111 [ <i>Noemia</i> ]	Borneo, Sumatra, W. Malaysia
<b>stevensi</b> Pascoe, 1857:111 [ <i>Noemia</i> ]	Borneo
<b>n. sp.</b> {Note 41}	Borneo

**Typodryas** J. Thomson, 1864:227 (type species: *Typodryas callichromoides* J. Thomson) {key to species: Gressitt & Rondon, 1970:10}

<i>Psalanta</i> Pascoe, 1869b:659 (type species: <i>Noemia chalybeata</i> Pascoe)	
<b>chalybeata</b> (Pascoe, 1866a:509) [ <i>Noemia</i> ]	Borneo, Java, Sumatra, W. Malaysia

#### Subfamily Philinae

##### Tribe Philini

**Philus** Saunders, 1853:110 (type species: *Philus inconspicua* Saunders) {key to species: Gressitt & Rondon, 1970:22}

<b>ophthalmicus</b> Pascoe, 1886:239 [ <i>Philus</i> ]	Borneo, Sumatra
--	-----------------

Checklist and Bibliography of Longhorned Beetles from Borneo

Subfamily **Parandrinae**

Tribe **Parandrini** {Note 43}

**Parandra** Latreille, 1804:134 (type species: *Parandra laevis* Latreille)  
**janus** Bates, 1875:47 [*Parandra*] Borneo, New Guinea, Moluccas,  
Sulawesi, Java, Ceram, Philippines,  
Taiwan

Subfamily **Prioninae**  
{key to tribes: Gressitt & Rondon, 1970:12; Hüdepohl, 1987b:118}

Tribe **Macrotomini**  
{key to genera: Gressitt & Rondon, 1970:12; Quentin & Villiers, 1981:361; Hüdepohl, 1987b:118}

**Anomophysis** Quentin & Villiers, 1981:374 (type species: *Prionus spinosus* Fabricius) {key to species:  
Quentin & Villiers, 1981:375; Hüdepohl, 1987b:124}  
**malasiaca** Quentin & Villiers, 1981:379 [*Anomophysis*] Borneo, Sumatra, W. Malaysia

**Armiger** Voet, 1778:4 (type species: *Armiger grassator* Voet) {key to species: Quentin & Villiers,  
1981:372; Hüdepohl, 1987b:122} {Note 22}  
**grassator** Voet, 1778:3 [*Armiger*] {Note 22} Borneo, Sumatra, Philippines  
*castanea* (Olivier, 1795:66) [*Hovatoma*]  
*ritsemai* (Lameere, 1903c:173) [*Macrotoma*] {Note 20}  
*lansbergei* (Lameere, 1903c:130) [*Macrotoma*] {Note 22} Borneo, Laos

**Bandar** Lameere, 1912c:144 (type species: *Macrotoma pascoei* Lansberge)  
**kurosawai** Komiya, 2001d:299 [*Bandar*] Borneo  
**pascoei pascoei** (Lansberge, 1884:144) [*Prinobius*] Borneo, Java, Sumatra, Philippines, SE  
Asia  
*fisheri* (C. Waterhouse, 1884b:382) [*Macrotoma*]

**Paroplites** Lameere, 1903c:54 (type species: *Macrotoma australis* Erichson)  
**inermis** (Aurivillius, 1910a:143) [*Raphipodus*] {Note 23} Borneo

**Pingblax** Komiya & Drumont, 2001b:537 (type species: *Pingblax rufescens* Komiya & Drumont)  
*rufescens* Komiya & Drumont, 2001b:538 [*Pingblax*] Borneo

**Remphan** G. Waterhouse, 1834:67 (type species: *Remphan hopei* G. Waterhouse)  
**hopei** G. Waterhouse, 1834:67 [*Remphan*] Borneo, Sumatra, Philippines, SE Asia  
*alteni* Nonfried, 1892:376 [*Remphan*]  
*guineensis* Lameere, 1893a:39 [*Remphan*]

**Raphipodus** Audinet-Serville, 1832:168 (type species: *Raphipodus suturalis* Audinet-Serville) {Note 24}  
*Raphipodus* (subsequent incorrect spelling)  
**suturalis** Audinet-Serville, 1832:169 [*Raphipodus*] Borneo, Java, Sumatra  
*blumei* Lansberge, 1884:150 [*Raphipodus*]  
**wallacii** (Pascoe, 1869b:669) [*Raphipodus*] Borneo, W. Malaysia  
*wallacei*; Lansberge, 1884:150 {unjustified emendation}

**Tagalog** Hüdepohl, 1987b:119 (type species: *Tagalog lumawigi* Hüdepohl)  
**minor** Hüdepohl, 1994b:253 [*Tagalog*] Borneo

**Xixuthrus** J. Thomson, 1864:296 (type species: *Macrotoma microcerus* White) {key to species: Komiya,  
2000a:7}  
*Daemonarthra* Lameere, 1903d:316 (type species: *Daemonarthra helleri* Lameere)

**Xixuthrus (Xixuthrus)** J. Thomson  
**microcerus microcerus** (White, 1853:40) [*Macrotoma*] Borneo, Philippines, Sumatra, W.  
Malaysia

Tribe **Eurypodini**

**Eurypoda** Saunders, 1853:109 (type species: *Eurypoda antennata* Saunders)  
 Zarax Pascoe, 1867e:410 (type species: *Zarax eurypodooides* Pascoe)  
*Neopriion* Lacordaire, 1869a:131 (type species: *Neopriion parandraeformis* Lacordaire)

**Eurypoda (Eurypoda)** Saunders

*Zarax* Pascoe

*nigrita* Thomson, 1865:577 [*Eurypoda*]

*eurypodooides* (Pascoe, 1867e:410) [*Zarax*]

Borneo, Sumatra, W. Malaysia

**Hystatus** J. Thomson, 1860:321 (type species: *Hystatus javanus* J. Thomson) {Note 16}  
 sp. {Note 16} Borneo

Tribe **Aegosomatini**

**Aegolipton** Gressitt, 1940a:22 (type species: *Cerambyx marginalis* Fabricius) {key to species: Komiya, 2005:177}

*bawangum* Komiya, 2005:160 [*Aegolipton*]

Borneo

*fimbriatum* (Lansberge, 1884:157) [*Aegosoma*]

Borneo, Sumatra, Java

*gracile* Komiya, 2005:175 [*Aegolipton*]

Borneo

*kinabalum* Komiya, 2005:158 [*Aegolipton*]

Borneo

*kollerii nisikawai* Komiya, 2005:162 [*Aegolipton*]

Borneo

*marginale* (Fabricius, 1775:169) [*Cerambyx*]

Borneo, Sumatra, Java, China, SE Asia,  
 ?Sulawesi

*javanicum* (Redtenbacher, 1868:202) [*Aegosoma*]

*pustuliferum pustuliferum* Komiya, 2005:169 [*Aegolipton*]

Borneo

*pustuliferum lineatigranulatum* Komiya, 2005:173 [*Aegolipton*]

Borneo

**Aegosoma** Audinet-Serville, 1832:162 (type species: *Prionus scabicornis* Scopoli)

*annulicornis* (Komiya, 2001b:343) [*Megopis*]

Borneo

*gigantea* Lansberge, 1884:156 [*Aegosoma*]

Borneo, Sumatra, W. Malaysia

*incertum* Gahan, 1907:68 [*Aegosoma*]

*ossea* Aurivillius, 1897:242 [*Aegosoma*]

Borneo

n. sp. 1 {Note 41}

Borneo

n. sp. 2 {Note 41}

Borneo

**Aerogrammus** Bates, 1875:50 (type species: *Aerogrammus rufus* Bates) {review of genus: Komiya, 2004b}

*procerus* (Pascoe, 1866:536) [*Megopis*]

Borneo

*rufus* Bates, 1875:51 [*Aerogrammus*]

Borneo

**Baralipont** J. Thomson, 1857g:341 (type species: *Baralipont maculosum* J. Thomson) {key to species: Komiya, 2003a:53}

*cheworum* Komiya, 2003a:48 [*Baralipont*]

Borneo

**Megobaraalipont** Lepesme & Breuning, 1952:140 (type species: *Aegosoma bicoloripes* Ritsema) {key to species: Komiya, 2002:233}

*bicoloripes* (Ritsema, 1881e:151) [*Aegosoma*]

Borneo, Sumatra, Java, W. Malaysia,  
 Myanmar

*itohi* Komiya, 2002:224 [*Megobaraalipont*]

Borneo

*kalimantanum* (Komiya & Makihara, 2001:37) [*Megopis*]

Borneo, W. Malaysia, Thailand

*lansbergei* (Lameere, 1909a:154) [*Megopis*]

Borneo

*suturale* (Fisher, 1935:581) [*Megopis*]

Borneo

**Cyanolipont** Komiya, 2004:421 (type species: *Aegosoma metallicum* Aurivillius)  
*metallicum* (Aurivillius, 1910a:144) [*Aegosoma*]

Borneo

**Nepiodes** Pascoe, 1867e:410 type species: *Nepiodes cognata* Pascoe)  
*cognata* Pascoe, 1867e:410 [*Nepiodes*]

Borneo

**Rhineimegopis** Komiya & Drumont, 2001a:392 (type species: *Eurypoda cordieri* Lameere)  
*sabahensis* (Hüdepohl, 1997:45) [*Megopis*]

Borneo

**Ziglipont** Komiya, 2003e:308 (type species: *Megopis sanchezi* Schultze) {key to species: Komiya & Drumont, 2004}

## Checklist and Bibliography of Longhorned Beetles from Borneo

jirouxi Komiya, 2003e:312 [Ziglipton]

Borneo

### Tribe Prionini

**Dorysthenes** Vigors, 1826:514 (type species: *Prionus rostratus* Fabricius)

*Dissosternus* Hope, 1833:64 (type species: *Dissosternus pertii* Hope)

*Cyrtognathus* Faldermann, 1835:431 (type species: *Prionus paradoxus* Faldermann)

*Baladeva* G. Waterhouse, 1840:225 (type species: *Baldeva walkeri* G. Waterhouse)

*Lophosternus* Guérin-Méneville, 1844:209 (type species: *Lophosternus buqueti* Guerin-Meneville)

*Cyrtosternus* Guérin-Méneville, 1844:210 (type species: *Prionus indicus* Hope)

*Paraphrus* J. Thomson, 1860:330 (type species: *Paraphrus granulosus* J. Thomson)

*Opisognathus* J. Thomson, 1860:330 (type species: *Opisognathus forcicatus* J. Thomson)

*Prionomimus* Lameere, 1912c:176 (type species: *Prionomimus pici* Lameere)

**Dorysthenes (Paraphrus)** J. Thomson

*planicollis* (Bates, 1878a:272) [*Cyrtognathus*]  
*weyersi* Lameere, 1911b:337 [*Dorysthenes*]

Borneo, Sumatra, W. Malaysia

**Neosarmydus** Fisher, 1935:583 (type species: *Neosarmydus costipennis* Fisher)

*costipennis* Fisher, 1935:583 [*Neosarmydus*]

Borneo

**Priotyrannus** J. Thomson, 1857c:120 (type species: *Prionus mordax* White)

*Chollides* J. Thomson, 1877:264 (type species: *Chollides closteroides* J. Thomson)

*Cnethocerus* Bates, 1878a:273 (type species: *Cnethocerus messi* Bates)

*Kinibalua* Bates, 1889:391 (type species: *Kinibalua megalops* Bates)

*Prionacus* Fairmaire, 1896a:127 (type species: *Prionacus strigicornis* Fairmaire)

**Priotyrannus (Kinibalua)** J. Thomson

*Cnethocerus* Bates  
*Prionacus* Fairmaire  
*megalops* (Bates, 1889:391) [*Kinibalua*]

Borneo, Sumatra, Philippines

### Tribe Anacolini {Note 29}

**Erythraenus** Bates, 1875:52 (type species: *Erythraenus borneensis* Bates)

*borneensis* Bates, 1875:53 [*Erythraenus*]

Borneo

**Psephactus** Harold, 1879b:367 (type species: *Psephactus remiger* Harold)

*pariditarsus* Komiya & Heffern, 2005:29 [*Psephactus*]

Borneo

**Sarmydus** Pascoe, 1867e:410 (type species: *Sarmydus antennatus* Pascoe)

*antennatus* Pascoe, 1867e:410 [*Sarmydus*]

Borneo, Java, Sumatra, SE Asia

Checklist and Bibliography of Longhorned Beetles from Borneo

Subfamily **Necydalinae**

Tribe **Necydalini**

**Necydalis** Linné, 1758:421 (type species: *Necydalis major* Linné)

*Necydalisca* Plavilstshikov, 1936:469 (type species: *Necydalis ebenina* Bates)

*Eonecydalidis* K. Ohbayashi, 1961:17 (type species: *Necydalis formosana* Kano)

*Calonecydalidis* Takakuwa, 1992:10 (type species: *Necydalis malayana* Hayashi)

**Necydalis (Calonecydalidis)** Takakuwa

*itoi* Takakuwa, 1992:11 [*Necydalis*]

Borneo

**Psebena** Gahan in Shelford, 1902:277 (type species: *Psebena brevipennis* Gahan)

*brevipennis* Gahan in Shelford, 1902:278 [*Psebena*]

Borneo

*n. sp.* {Note 41}

Borneo

Subfamily **Lepturinae**

{key to tribes: Gressitt & Rondon, 1970:26}

Tribe **Xylosteini**

{key to genera: Gressitt & Rondon, 1970:26; Hayashi & Villiers, 1985:27}

**Capnolymma** Pascoe, 1858a:265 (type species: *Capnolymma stygia* Pascoe) {key to species: Gressitt & Rondon, 1970:32}

*Capnocalymma* Gemminger & Harold, 1872:2856 (subsequent incorrect spelling)

*borneana* N. Ohbayashi, 1994:276 [*Capnolymma*]

Borneo

*capreola* Pascoe, 1866a:504 [*Capnolymma*]

Borneo, Sumatra, W. Malaysia

*stygia* Pascoe, 1858a:266 [*Capnolymma*]

Borneo

**Caraphia** Gahan, 1906:75 (type species: *Caraphia cibrata* Gahan) {key to species: Hayashi & Villiers, 1985:24}

*borneana* Vives, 2005:305 [*Caraphia*]

Borneo

**Formosotoxotus** Hayashi, 1960b:1 (type species: *Artelida asiatica* Matsushita) {key to species: Hayashi & Villiers, 1985:32}

*uenoi* N. Ohbayashi, 1995:437 [*Formosotoxotus*]

Borneo

**Trypogeus** Lacordaire, 1869b:236 (type species: *Trypogeus albicornis* Lacordaire) {key to species: Hayashi & Villiers, 1985:29}

*Paranthophylax* Gressitt, 1951a:48 (type species: *Paranthophylax sericeus* Gressitt)

*sp.* (probably undescribed)

Borneo {Note 8}

Tribe **Rhagiini**

**Heffernia** Vives, 2001a:121 (type species: *Heffernia borneana* Vives)

*borneana* Vives, 2001a:122 [*Heffernia*]

Borneo

Tribe **Lepturini**

{key to genera: Gressitt & Rondon, 1970:34}

**Asilaris** Pascoe, 1866a:505 (type species: *Asilaris zonatus* Pascoe) {key to species: Hayashi & Villiers, 1989:9}

*bicolor* Vives, 2005:306 [*Asilaris*]

Borneo

*hayashii* Vives, 2001a:123 [*Asilaris*]

Borneo

*semiconicollis* Hayashi & Villiers, 1989:13 [*Asilaris*]

Borneo

*zonatus* Pascoe, 1866a:505 [*Asilaris*]

Borneo, W. Malaysia

*n. sp.* {Note 41}

Borneo

**Elacomia** Heller, 1916a:298 (type species: *Elacomia collaris* Heller)

*Acantholeptura* Gressitt, 1935c:274 (type species: *Acantholeptura glabropleura* Gressitt)

*borneensis* (Pic, 1933b:25) [*Strangalia*]

Borneo, Sumatra

*femorata* (Pascoe, 1869b:558) [*Leptura*]

Borneo, Sumatra, W. Malaysia

*glabropleura* (Gressitt, 1935c:275) [*Acantholeptura*]

*histrionica* (Pascoe, 1869b:557) [*Leptura*]

Sulawesi {Note 4}, Borneo, W. Malaysia

*joanivivesi* (Vives & Heffern, 2001:621) [*Parastrangalis*]

Borneo

*trusmadiana* Vives, 2003:10 [*Elacomia*]

Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

**Ephies** Pascoe, 1866a:506 (type species: *Ephies cruentus* Pascoe) {key to species: Hayashi & Villiers, 1989:19}

<b>abangae</b> Vives, 2003:11 [ <i>Ephies</i> ]	Borneo
<b>dilaticornis</b> Pascoe, 1869b:560 [ <i>Ephies</i> ]	Borneo, Sumatra
<b>gressitti</b> Vives, 2003 [ <i>Ephies</i> ]	Borneo
<b>nagaii</b> N. Ohbayashi & Satô, 1982:123 [ <i>Ephies</i> ]	Borneo
<b>n. sp.</b> {Note 41}	Borneo

**Gnathostrangalia** Hayashi & Villiers, 1985:13 (type species: *Strangalia aurivillei* Pic)  
**longiceps** (Aurivillius, 1913a:229) [*Strangalia*] {Note 17} Borneo

**Hayashiella** Vives & N. Ohbayashi, 2001:29 (type species: *Hayashiella malayana* Vives & N. Ohbayashi)  
**malayana** Vives & N. Ohbayashi, 2001:30 [*Hayashiella*] Borneo

**Leptostrangalia** Nakane & K. Ohbayashi, 1959:64 (type species: *Strangalia hosohana* K. Ohbayashi) {key to species: Hayashi, 1979:9}

<b>malasiaca</b> Hayashi, 1979:7 [ <i>Leptostrangalia</i> ]	Borneo, W. Malaysia
<b>marginipennis</b> Hayashi, 1979:7 [ <i>Leptostrangalia</i> ]	Borneo, W. Malaysia

**Metalloleptura** Gressitt & Rondon, 1970:35 (type species: *Strangalia virescens* Aurivillius) {key to species: Hayashi & Villiers, 1987:10}

<b>ohbayashii</b> Vives, 2003:6 [ <i>Metalloleptura</i> ]	Borneo
<b>virescens</b> (Aurivillius, 1911:187) [ <i>Strangalia</i> ]	Borneo
<b>n. sp.</b> {Note 41}	Borneo

**Ocalemia** Pascoe, 1858a:264 (type species: *Ocalemia vigilans* Pascoe) {key to species: Hayashi & Villiers, 1989:6}

<b>borneensis</b> (Hayashi & Villiers, 1989:16) [ <i>Asilaris</i> ]	Borneo
<b>hayashii</b> N. Ohbayashi in N. Ohbayashii & Satô, 1999:115 [ <i>Ocalemia</i> ]	Borneo

**Pseudalosterna** Plavilstshikov, 1934:131 (type species: *Pseudalosterna orientalis* Plavilstshikov)

**crinitosulcata** N. Ohbayashi & Shimomura, 1986:45 [*Pseudalosterna*] Borneo, W. Malaysia

**Pseudoparanaspia** Hayashi, 1977:98 (type species: *Pseudoparanaspia parallelipennis* Hayashi) {key to species: Hayashi & Villiers, 1985:72}

<b>chewi</b> Vives & Heffern, 2001:623 [ <i>Pseudoparanaspia</i> ]	Borneo
<b>lepturoides</b> (Pascoe, 1869b:560) [ <i>Ephies</i> ]	Borneo, W. Malaysia
<b>hefferni</b> Vives, 2003:14 [ <i>Pseudoparanaspia</i> ]	Borneo
<b>n. sp.</b> {Note 41}	Borneo

**Stenoleptura** Gressitt, 1935c:269 (type species: *Stenoleptura sandakanus* Gressitt) {key to Malaysian species: Hayashi, 1979:11}

**Philippinostrangalia** N. Ohbayashi & Satô, 1974:57 (type species: *Strangalia apoensis* N. Ohbayashi & Satô)

**Stenoleptura (Stenoleptura)** Gressitt

<b>flavovittata</b> (Aurivillius, 1910a:149) [ <i>Leptura</i> ]	Borneo
<b>hefferni</b> Vives, 2001b:6 [ <i>Stenoleptura</i> ]	Borneo
<b>longitarsus</b> Gressitt, 1935c:273 [ <i>Stenoleptura</i> ]	Borneo
<b>producticollis</b> Gressitt, 1935c:272 [ <i>Stenoleptura</i> ]	Borneo, W. Malaysia
<b>rufoanticus</b> Gressitt, 1935c:271 [ <i>Stenoleptura</i> ]	Borneo
<b>sandakanus</b> Gressitt, 1935c:270 [ <i>Stenoleptura</i> ]	Borneo

**Strangalia** Audinet-Serville, 1835b:220 (type species: *Leptura luteicornis* Fabricius)

*Ophistomis* J. Thomson, 1857f:319 (type species: *Ophistomis flavocinctus* J. Thomson)

**Strangalina** Aurivillius, 1912:245 (type species: *Leptura luteicornis* Fabricius) (unnecessary replacement name for *Strangalia* Audinet-Serville)

**Sulcatostrangalia** K. Ohbayashi, 1961:17 (type species: *Strangalia gracilis* Gressitt)

**baluensis** Fisher, 1935:587 [*Strangalia*]

**conicollis** (Aurivillius, 1910a:149) [*Leptura*]

## Checklist and Bibliography of Longhorned Beetles from Borneo

### Subfamily Cerambycinae

{key to tribes: Gressitt & Rondon, 1970:42; Hüdepohl, 1990a:52}

#### Tribe Oemini

{key to genera: Gressitt & Rondon, 1970:43; Hüdepohl, 1990a:54}

**Hyphus** Lacordaire, 1869a:226 (type species: *Hyphus aurantiacus* Lacordaire)

**apicalis** Pascoe, 1869a:505 [*Hyphus*] Borneo, Thailand, Laos, Vietnam

**n. sp.** {Note 41} Borneo

**Noserius** Pascoe, 1857:95 (type species: *Noserius tibialis* Pascoe)

**Hypoescrus** J. Thomson, 1864:249 (type species: *Stenochorus strigosus* Gyllenhal) {synonymy, see Martins, 1980:115}

**borneensis** (Aurivillius, 1913a:229) [*Hypoescrus*] Borneo

**femoralis** Aurivillius, 1910a:145 [*Noserius*] Borneo

**ovatipennis** Pascoe, 1869a:500 [*Noserius*] Borneo

**tibialis** Pascoe, 1857:95 [*Noserius*] Borneo, Sumatra, Java, SE Asia

**Senorius** Hüdepohl, 1992b:410 (type species: *Senorius smetanai* Hüdepohl)

**smetanai** Hüdepohl, 1992b:410 [*Senorius*] Borneo

**Tetraommatus** Perroud, 1855:390 (type species: *Tetraommatus filiformis* Perroud)

**Deuteromma** Pascoe, 1857:98 (type species: *Deuteromma callidoides* Pascoe)

**basifemoralis** Heller, 1926:22 [*Tetraommatus*] Borneo

**brunneus** Hayashi, 1977:105 [*Tetraommatus*] Borneo {Note 6}, W. Malaysia

**callidoides** (Pascoe, 1857:98) [*Deuteromma*] Borneo

**niger** Gahan, 1907:69 [*Tetraommatus*] Borneo {Note 6}, Sumatra

**nigriceps** Pascoe, 1869a:502 [*Tetraommatus*] Borneo {Note 5}, W. Malaysia, Mynamar

**testaceus** (Pascoe, 1857:111) [*Deuteromma*] Borneo

#### Tribe Methiini

**Oplatocera** White, 1853:121 (type species: *Oplatocera callidoides* White)

**Epioplatocera** Gressitt, 1951a:131 (type species: *Oplatocera oberthuri* Gahan)

**Oplatocera (Epioplatocera)** Gressitt

**shibatai** Hayashi, 1977:106 [*Oplatocera*] Borneo, W. Malaysia

#### Tribe Xystrocerini

**Xystrocera** Audinet-Serville, 1834:69 (type species: *Cerambyx globosa* Olivier) {key to species: Martins, 1978:223}

**alcyonea** Pascoe, 1866a:534 [*Xystrocera*] Borneo, W. Malaysia

**promecoides** Pascoe, 1888:492 [*Xystrocera*]

**brunnea** Aurivillius, 1924b:25 [*Xystrocera*] Borneo, Sumatra, W. Malaysia

**festiva** J. Thomson, 1860:228 [*Xystrocera*] Borneo, Sumatra, Java, SE Asia, India

**globosa** (Olivier, 1795:27) [*Cerambyx*] Borneo, Sumatra, New Guinea, SE Asia

**marginalis** (Goldfuss, 1805:44) [*Callidium*]

**viridipicta** Fairmaire, 1896b:367 [*Xystrocera*]

**invittata** Breuning, 1957i:1241 [*Xystrocera*]

**mediovitticollis** Breuning, 1957i:1241 [*Xystrocera*]

**onomichiensis** K. Ohbayashi, 1963:10 [*Xystrocera*]

**diehli** Heyrovsky, 1967:39 [*Xystrocera*]

**n. sp.** {Note 41} Borneo

#### Tribe Achrysonini

**Nortia** J. Thomson, 1864:252 (type species: *Nortia cavicornis* J. Thomson)

**fusipes** Holzschuh, 2005:1 [*Nortia*] Borneo

#### Tribe Cerambycini

{key to genera: Gressitt & Rondon, 1970:55; Hüdepohl, 1990a:57}

**Aeolesthes** Gahan, 1890b:250 (type species: *Hammaticherus aurifaber* White) {key to species: Hüdepohl, 1990a:63}

**Pseudaeolesthes** Plavilstshikov, 1931a:73 (type species: *Neocerambyx chrysotrix* Bates)

**Niphocerambyx** Matsushita, 1933:244 (type species: *Neocerambyx chrysotrix* Bates)

**achilles** J. Thomson, 1865b:576 [*Pachydissus*] Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>aurifaber</b> (White, 1853:128) [ <i>Hammaticherus</i> ] aeneas J. Thomson, 1860:195 [ <i>Pachydissus</i> ] <i>lambii</i> Pascoe, 1866a:527 [ <i>Neocerambyx</i> ] <i>alexis</i> Pascoe, 1869a:512 [ <i>Neocerambyx</i> ]	Borneo
<b>curticornis</b> Hüdepohl, 1988b:406 [ <i>Aeolesthes</i> ]	Borneo
<b>holosericea</b> (Fabricius, 1787:135) [ <i>Cerambyx</i> ]	Borneo
<b>induta</b> (Newman, 1842a:245) [ <i>Hammaticherus</i> ]	Borneo, Sumatra, Philippines, SE Asia
<b>mariae</b> (J. Thomson, 1878a:2) [ <i>Aeolesthes</i> ]	Borneo
<b>nishikawai</b> Hayashi, 1975:176 [ <i>Aeolesthes</i> ]	Borneo, W. Malaysia
<b>sticheri</b> Hüdepohl, 1989a:46 [ <i>Aeolesthes</i> ]	Borneo
 <b>Calpazia</b> Pascoe, 1857:93 (type species: <i>Calpazia vermicularis</i> Pascoe) <b>vermicularis</b> Pascoe, 1857:93 [ <i>Calpazia</i> ]	Borneo, Laos
 <b>Cyriopalus</b> Pascoe, 1866a:530 (type species: <i>Cyriopalus wallacei</i> Pascoe) <b>pascoei</b> J. Thomson, 1878a:2 [ <i>Cyriopalus</i> ] <b>wallacei</b> Pascoe, 1866a:530 [ <i>Cyriopalus</i> ]	Borneo, W. Malaysia Borneo, Sumatra, W. Malaysia, Laos
 <b>Derolus</b> Gahan, 1891:26 (type species: <i>Hammaticherus mauritanicus</i> Buquet) <i>Capnocerambyx</i> Reitter, 1894:356 (type species: <i>Hammaticherus mauritanicus</i> Buquet)	Borneo
<b>fulgens</b> Holzschuh, 2005:5 [ <i>Derolus</i> ]	Borneo
<b>trifulvofasciatus</b> Hayashi, 1975:178 [ <i>Derolus</i> ]	Borneo
<b>pexus</b> Hüdepohl, 1998a:210 [ <i>Derolus</i> ]	Borneo, Sumatra
 <b>Derolydnus</b> Hüdepohl, 1989a:51 (type species: <i>Elydnus bisulcatus</i> Aurivillius) <b>bisulcatus</b> (Aurivillius, 1914:269) [ <i>Elydnus</i> ]	Borneo
 <b>Dialeges</b> Pascoe, 1856:46 (type species: <i>Dialeges pauper</i> Pascoe) {key to species: Hüdepohl, 1990a:76} <b>egenus</b> Pascoe, 1869a:522 [ <i>Dialeges</i> ]	Borneo
<b>pauper</b> Pascoe, 1856:47 [ <i>Dialeges</i> ]	Borneo, W. Malaysia, SE Asia, India
<b>pauperoides</b> Holzschuh, 1984c:346 [ <i>Dialeges</i> ]	Borneo, W. Malaysia
<b>scabricornis</b> Schwarzer, 1929:355 [ <i>Dialeges</i> ]	Borneo
<b>tenuicornis</b> Pascoe, 1869a:522 [ <i>Dialeges</i> ]	Borneo
 <b>Dymasius</b> J. Thomson, 1864:234 (type species: <i>Dymasius strigosus</i> J. Thomson) {key to species: Hüdepohl, 1990a:63; Hüdepohl, 1998a:214; <i>Microdymasius</i> Pic, 1946a:110 (type species: <i>Dymasius angustatus</i> Pic)}	
 <b>Dymasius (Dymasius)</b> J. Thomson	
<b>cuneatulus</b> Holzschuh, 2005:9 [ <i>Dymasius</i> ]	Borneo
<b>flavimembris</b> Hüdepohl, 1989c:474 [ <i>Dymasius</i> ]	Borneo
<b>gracilicornis</b> Hüdepohl, 1998a:211 [ <i>Dymasius</i> ]	Borneo, W. Malaysia
<b>hefferni</b> Holzschuh, 2005:10 [ <i>Dymasius</i> ]	Borneo
<b>mandibularis</b> (Gahan, 1891:21) [ <i>Imbrius</i> ] <i>obscurus</i> Hüdepohl, 1998a:212 [ <i>Dymasius</i> ]	Borneo, W. Malaysia
<b>moestulus</b> Holzschuh, 2005:13 [ <i>Dymasius</i> ]	Borneo
<b>nimbatus</b> Holzschuh, 1991a:37 [ <i>Dymasius</i> ]	Borneo {Note 5}, Thailand
<b>nodifer</b> Holzschuh, 2005:11 [ <i>Dymasius</i> ]	Borneo
<b>pascoei</b> Gahan, 1891:23 [ <i>Dymasius</i> ]	Borneo
<b>vitreus</b> Pascoe, 1885:53 [ <i>Dymasius</i> ]	Borneo, Sumatra
<b>sp.</b> ( <i>Iepidus</i> Holzschuh, 2005:15 [Thailand], or near)	Borneo
 <b>Dymasius (Microdymasius)</b> J. Thomson	
<b>lundbergi</b> Hüdepohl, 1998a:213 [ <i>Dymasius</i> ]	Borneo
 <b>Elydnus</b> Pascoe, 1869a:516 (type species: <i>Elydnus amictus</i> Pascoe) {key to species: Hüdepohl, 1998a:214}	
<b>amictus</b> Pascoe, 1869a:517 [ <i>Elydnus</i> ]	Borneo, Philippines, W. Malaysia
<b>crinicornis</b> Hüdepohl, 1989c:476 [ <i>Elydnus</i> ]	Borneo
<b>grossescapus</b> Hüdepohl, 1989a:52 [ <i>Elydnus</i> ]	Borneo
<b>ochraceovittatus</b> Hüdepohl, 1989a:56 [ <i>Elydnus</i> ]	Borneo
<b>n. sp.</b> {Note 41}	Borneo
 <b>Hoplocerambyx</b> J. Thomson, 1864:229 (type species: <i>Hammaticherus spinicornis</i> Newman)	
<b>aramis</b> J. Thomson, 1865b:575 [ <i>Hoplocerambyx</i> ] {Note 30}	?Borneo, W. Malaysia
<b>spinicornis</b> (Newman, 1842a:245) [ <i>Hammaticherus</i> ]	Borneo, Sumatra, Philippines, SE Asia
<i>morosus</i> (Pascoe, 1857:92) [ <i>Cerambyx</i> ]	

Checklist and Bibliography of Longhorned Beetles from Borneo

*relictus* Pascoe, 1866a:528 [*Hoplocerambyx*]

**Imbrius** Pascoe, 1866a:528 (type species: *Imbrius lineatus* Pascoe) {key to species: Hüdepohl, 1990a:65}

<b>acutipennis</b> (Fisher, 1935:586) [ <i>Dymasius</i> ]	Borneo
<b>allardi</b> Hüdepohl, 1992b:411 [ <i>Imbrius</i> ]	Borneo
<b>diehli</b> Hüdepohl, 1989a:48 [ <i>Imbrius</i> ]	Borneo, Sumatra
<b>ephebus</b> Pascoe, 1866a:529 [ <i>Imbrius</i> ]	Borneo, Java, W. Malaysia
<b>geminatus</b> Holzschuh, 2005:6 [ <i>Imbrius</i> ]	Borneo
<b>lineatus</b> Pascoe, 1866a:529 [ <i>Imbrius</i> ]	Borneo, Sumatra
<b>micaceus</b> (Pascoe, 1858a:237) [ <i>Cerambyx</i> ]	Borneo
<b>simulator</b> Holzschuh, 2005:7 [ <i>Imbrius</i> ]	Borneo
<b>n. sp. 1</b> {Note 41}	Borneo
<b>n. sp. 2</b> {Note 41}	Borneo

**Massicus** Pascoe, 1867b:319 (replacement name for *Conothorax* J. Thomson, 1864) (type species: *Cerambyx pascoei* J. Thomson)

<i>Conothorax</i> J. Thomson, 1864:230 (type species: <i>Cerambyx pascoei</i> J. Thomson) (pre-occupied by <i>Conothorax</i> Jekel, 1854, Coleoptera)	
<i>Falsomassicus</i> Pic, 1946a:7 (type species: <i>Falsomassicus theresae</i> Pic)	
<b>fryi</b> Gahan, 1890b:260 [ <i>Massicus</i> ]	Borneo, ?Thailand, ?Myanmar
<b>pascoei</b> (J. Thomson, 1857c:122) [ <i>Cerambyx</i> ]	Borneo, W. Malaysia, SE Asia, E. India
<b>scapulatus</b> Hüdepohl, 1994a:188 [ <i>Massicus</i> ]	Borneo
<b>subregularis</b> Schwarzer, 1931a:60 [ <i>Massicus</i> ]	Borneo, Sumatra
<b>trilineatus</b> (Pic, 1933b:12) [ <i>Dymasius</i> ]	Borneo, Vietnam, Laos

**Nadezhdiella** Plavilstshikov, 1931a:71 (type species: *Cerambyx cantori* Hope)  
*spadix* Holzschuh, 2005:4 [*Nadezhdiella*]

Borneo

**Neocerambyx** J. Thomson, 1860:194 (type species: *Cerambyx paris* Wiedemann) {key to species: Hüdepohl, 1990b:255}

*Hemadius* Fairmaire, 1889:57 (type species: *Hemadius oenochrous* Fairmaire)  
*Mesocerambyx* Breuning & Itzinger, 1943:37 (type species: *Mesocerambyx pellitus* Breuning & Itzinger)  
*Mallambyx* Bates, 1873:152 (type species: *Pachydissus japonicus* Bates)

<b>Neocerambyx (Neocerambyx)</b> J. Thomson	
<b>gigas</b> (J. Thomson, 1878a:3) [ <i>Pachydissus</i> ]	Borneo, Java, W. Malaysia, Thailand
<b>luzonicus pseudoparis</b> Hüdepohl, 1990b:243 [ <i>Neocerambyx</i> ]	Borneo, Sumatra, W. Malaysia
<b>vitalisi</b> Pic, 1923b:12 [ <i>Neocerambyx</i> ]	Borneo {Note 5}, Vietnam, Laos

**Neoplocaederus** Sama, 1991:123 (type species: *Plocaederus cyanipennis* J. Thomson)  
*ruficornis* (Newman, 1842a:245) [*Cerambyx*]

Borneo, Sumatra, Philippines, SE Asia

**Pneumida** J. Thomson, 1864:191 (type species: *Pneumida argenteofasciata* J. Thomson)  
*argentella* Holzschuh, 1995:17 [*Pneumida*]

Borneo, Thailand

**n. sp.** {Note 41}

Borneo

**Rhytidodera** White, 1853:132 (type species: *Rhytidodera bowringii* White)  
*cristata* Pascoe, 1866a:531 [*Rhytidodera*]

Borneo, W. Malaysia

**grandis** J. Thomson, 1865b:576 [*Rhytidodera*]

Borneo, Laos

**integra** Kolbe, 1886:237 [*Rhytidodera*]

Borneo

**simulans** (White, 1853:132) [*Hammaticherus*]

Borneo, W. Malaysia, Thailand, Myanmar

**n. sp.** {Note 41}

Borneo

**Sebasmia** Pascoe, 1859:18 (type species: *Sebasmia templetoni* Pascoe)  
*curticornis* Holzschuh, 2005:22 [*Sebasmia*]

Borneo, Sumatra

**longissima** Holzschuh, 2005:17 [*Sebasmia*]

Borneo

**pexula** Holzschuh, 2005:19 [*Sebasmia*]

Borneo

**speculifera** Holzschuh, 2005:18 [*Sebasmia*]

Borneo

**n. sp.** {Note 41}

Borneo

**Trachylophus** Gahan, 1888b:59 (type species: *Trachylophus sinensis* Gahan)  
*approximator* Gahan, 1888b:60 [*Trachylophus*]

Borneo, Java

**Trirachys** Hope, 1845a:11 (type species: *Trirachys orientalis* Hope)  
*Trirachis*; Gemminger & Harold, 1873:2801 (subsequent incorrect spelling)

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>bilobulartus</b> Gressitt & Rondon, 1970:68 [ <i>Trirachys</i> ]	Borneo {Note 5}, Laos
<b>Utopia</b> J. Thomson, 1864:233 (type species: <i>Utopia castelnaudi</i> J. Thomson) <b>castelnaudi</b> J. Thomson, 1864:233 [ <i>Utopia</i> ]	Borneo, Sumatra
<b>Xoanodera</b> Pascoe, 1857:92 (type species: <i>Xoanodera trigona</i> Pascoe) {Note 37} <i>Lajoyeia</i> Pic, 1933b:10 (type species: <i>Lajoyeia interrupta</i> Pic)	
<b>Xoanodera (Xoanodera)</b> Pascoe	
<b>asphyxa</b> Franz, 1972:233 [ <i>Xoanodera</i> ]	Borneo, "SE Asia"
<b>laticornis</b> Gahan, 1891:32 [ <i>Xoanodera</i> ]	Borneo
<b>marmorata</b> Gressitt & Rondon, 1970:89 [ <i>Xoanodera</i> ]	Borneo, Laos
<b>serraticornis</b> Holzschuh, 2005:26 [ <i>Xoanodera</i> ]	Borneo
<b>similis</b> Hüdepohl, 1998a:214 [ <i>Xoanodera</i> ]	Borneo, Sumatra, W. Malaysia
<b>striata</b> Gressitt & Rondon, 1970:91 [ <i>Xoanodera</i> ]	Borneo {Note 5}, W. Malaysia, Laos, Thailand
<b>subdita</b> Holzschuh, 2005:23 [ <i>Xoanodera</i> ]	Borneo
<b>suturella</b> Holzschuh, 2005:24 [ <i>Xoanodera</i> ]	Borneo
<b>trigona trigona</b> Pascoe, 1857:92 [ <i>Xoanodera</i> ]	Borneo, W. Malaysia
<b>vermiculata</b> Hüdepohl, 1989c:482 [ <i>Xoanodera</i> ]	Borneo, Sumatra
<b>n. sp.</b> {Note 41}	Borneo
<b>Xoanodera (Lajoyeia)</b> Pic	
<b>interrupta</b> (Pic, 1933b:10) [ <i>Lajoyeia</i> ]	Borneo, Sumatra, W. Sumatra, Vietnam, Thailand
<b>vitticollis</b> Gahan, 1891:32 [ <i>Xoanodera</i> ]	Borneo
<b>Xoanotrephus</b> Hüdepohl, 1989c:479 (type species: <i>Xoanotrephus v-signatus</i> Hüdepohl) <b>v-signatus</b> Hüdepohl, 1989c:480 [ <i>Xoanotrephus</i> ]	Borneo
<b>Zatrepheus</b> Pascoe, 1857:94 (type species: <i>Zatrepheus pannosus</i> Pascoe)	
<b>inscitus</b> Pascoe, 1857:94 [ <i>Zatrepheus</i> ]	Borneo
<b>pannosus</b> Pascoe, 1857:94 [ <i>Zatrepheus</i> ]	Borneo
<b>spinosus</b> Brongniart, 1890:183 [ <i>Zatrepheus</i> ]	Borneo
<b>Zegriades</b> Pascoe, 1869a:525 (type species: <i>Xoanodera magister</i> Pascoe) <b>magister</b> (Pascoe, 1857:93) [ <i>Xoanodera</i> ]	Borneo
<b>Tribe Hesperophanini</b>	
{key to genera: Gressitt & Rondon, 1970:52; Hüdepohl, 1990a:84}	
<b>Eburiomorpha</b> Fisher, 1935:584 (type species: <i>Eburiomorpha guttata</i> Fisher) <b>guttata</b> Fisher, 1935:585 [ <i>Eburiomorpha</i> ] <i>diehli</i> (Hüdepohl, 1992b:412) [ <i>Gnatholea</i> ]	Borneo, Sumatra
<b>Examnes</b> Pascoe, 1869a:539 (type species: <i>Examnes longicornis</i> Pascoe) <b>frontalis</b> Pascoe, 1869a:540 [ <i>Examnes</i> ]	Borneo, Thailand
<b>Gnatholea</b> J. Thomson, 1860:375 (type species: <i>Gnatholea eburifera</i> J. Thomson) <b>eburifera</b> J. Thomson, 1860:375 [ <i>Gnatholea</i> ] <b>subnuda</b> Lacordaire, 1869a:284 [ <i>Gnatholea</i> ]	Bornea, W. Malaysia, SE Asia Borneo, W. Malaysia, Laos
<b>Stromatiodes</b> J. Thomson, 1878a:1 (type species: <i>Stromatiodes brunneus</i> J. Thomson) <b>brunneus</b> J. Thomson, 1878a:1 [ <i>Stromatiodes</i> ]	Borneo
<b>Stromatium</b> Audinet-Serville, 1834:80 (type species: <i>Callidium barbatum</i> Fabricius) {key to species: Hüdepohl, 1990a:84}	
<b>Selenophorus</b> Mulsant, 1839:65 (type species: <i>Callidium strepens</i> Fabricius) <b>longicorne</b> Newman, 1842a:246 [ <i>Arhopalus</i> ]	Borneo, Sumatra, Philippines, SE Asia, N. Africa
<i>abeillei</i> Pic, 1891:44 [ <i>Hesperophanes</i> ] <i>asperulum</i> White, 1855:300 [ <i>Stromatium</i> ]	
<b>Zoodes</b> Pascoe, 1867b:319 (type species: <i>Stromatium maculatum</i> White) <b>cornutus</b> Lacordaire, 1869a:282 [ <i>Zoodes</i> ]	Borneo, W. Malaysia

Tribe Phoracanthini

Checklist and Bibliography of Longhorned Beetles from Borneo

**Allotraeus** Bates, 1877:37 (type species: *Allotraeus sphaerioninus* Bates)

*Nysina* Gahan, 1906a:153 (type species: *Sphaerion orientalis* White)

*Pseudallotraeus* Pic, 1923a:13 (type species: *Pseudallotraeus rufescens* Pic)

*Neosphaerion* Schwarzer, 1925:21 (type species: *Neosphaerion asiaticum* Schwarzer)

n. sp. 1 {Note 41} Borneo

n. sp. 2 {Note 41} Borneo

n. gen. {Note 41}

n. sp. {Note 41} Borneo

**Tribe Dejanirini**

{key to species: Villers, 1966:355}

**Dejanira** J. Thomson, 1864:134 (type species: *Dejanira quadripunctata* J. Thomson)

*quadripunctata* J. Thomson, 1864:134 [*Dejanira*] Borneo, Sumatra, Java, W.Malaysia, Thailand

**Janidera** Heffern, 2005:84 (type species: *Dejanira biapiculata* Pascoe)

*Janidera* Hüdepohl, 1988b:409 (unavailable, type species not specified)

*biapiculata* (Pascoe, 1866a:507) [*Dejanira*] Borneo, W. Malaysia

*fossulata* (Villiers, 1966:358) [*Dejanira*]

*plagiata* (Villiers, 1966:359) [*Dejanira*] Borneo, Thailand

*hayekae* (Villiers, 1966:357) [*Dejanira*]

**Tribe Callidiopini**

{key to genera: Gressitt & Rondon, 1970:92; Hüdepohl, 1990a:86}

**Ceresium** Newman, 1842e:322 (type species: *Ceresium rariplum* Newman) {key to genera: Hüdepohl, 1990a:93} {Notes 35}

*Diatomocephala* Blanchard in d'Urville, 1853:266 (type species: *Diatomocephala maculicollis* Blanchard)

*Paraceresium* Matsushita, 1932a:71 (type species: *Paraceresium saipanicum* Matsushita)

*Rhaphidera* Perroud, 1855: 336 (type species: *Rhaphidera gracile* Perroud)

*Rhaphidodera* Gemminger & Harold, 1872:2831 (subsequent incorrect spelling)

*cribrum* Holzschuh, 1991a:40 [*Ceresium*] Borneo, W. Malaysia

*flavicorne* Aurivillius, 1927a:529 [*Ceresium*] Borneo

*flavipes* (Fabricius, 1792:397) [*Callidium*] Borneo, Sumatra, Philippines, SE Asia, New Guinea

*furtivum* Pascoe, 1869a:538 [*Ceresium*] Borneo

*humeralis* Schwarzer, 1931b:197 [*Ceresium*] Borneo

*quadrimaculatum* Gahan in Andrews, 1900:121 [*Ceresium*] Borneo {Note 5}, Laos, Christmas Is.

*rariplum* Newman, 1842e:322 [*Ceresium*] Borneo {Note 5}, W. Malaysia, Java, Philippines

*versutum* (Pascoe, 1866a:532) [*Ceresium*] [Note 7] Borneo, W. Malaysia

n. sp. 1 {Note 41} Borneo {Note 8}

n. sp. 2 {Note 41} Borneo {Note 8}

n. sp. 3 {Note 41} Borneo {Note 8}

n. sp. 4 {Note 41} Borneo {Note 8}

**Falsoibidion** Pic, 1922d:24 (type species: *Falsoibidion fasciatum* Pic)

sp. Borneo {Note 8}

**Lasiophanes** Aurivillius, 1916a:335 (type species: *Lasiophanes cristulatus* Aurivillius)

*cristulatus* Aurivillius, 1916a:336 [*Lasiophanes*] Borneo, Laos

n. sp. {Note 41}

**Salpinia** Pascoe, 1869a:546 (type species: *Salpinia diluta* Pascoe)

*diluta* Pascoe, 1869a:546 [*Salpinia*] Borneo, Java, Philippines

*kinabaluensis* Hayashi, 1975:179 [*Salpinia*] Borneo

**Tethionea** Pascoe, 1869a:543 (type species: *Tethionea unicolor* Pascoe) {key to species: Gressitt, 1955:411; Gressitt, 1959:118}

n. sp. {Note 41} Borneo {Note 8}

**Trinophylum** Bates, 1878b:720 (type species: *Trinophylum cibratrum* Bates)

sp. Borneo {Note 8}

Checklist and Bibliography of Longhorned Beetles from Borneo

**Tribe Obriini**

{key to genera: Gressitt & Rondon, 1970:105}

**Comusia** Thomson, 1864:249 (type species: *Comusia obriumoides* Thomson) {key to species: Gressitt & Rondon, 1970:48}

*Ciopera* Pascoe, 1866:510 (type species: *Ciopera decolorata* Pascoe)

*Chapaon* Pic, 1922d:24 (type species: *Chapaon rufum* Pic)

*Ogasawara* Gressitt, 1937d:320 (type species: *Ogasawara testacea* Gressitt)

*Oemospiloides* Fisher, 1940:197 (type species: *Oemospiloides bengalensis* Fisher)

*fumifera* Holzschuh, 2005:28 [*Comusia*] Borneo

*metallica* Holzschuh, 2005:31 [*Comusia*] Borneo

*simillima* Holzschuh, 2005:27 [*Comusia*] Borneo

*n. sp. 1* {Note 41} Borneo

*n. sp. 2* {Note 41} Borneo

**Iphra** Pascoe, 1869a:552 (type species: *Iphra tillomorphoides* Pascoe)

*quadriguttata* Heller, 1924b:196 [*Iphra*] Borneo

**Longipalpus** Montrouzier, 1861:275 (type species: *Longipalpus palazyanus* Montrouzier)

*Iphrobrium* Gressitt, 1935d:150 (type species: *Iphrobrium dilatipennis* Gressitt)

*Nerida* McKeown, 1940:293 (type species: *Nerida carabiformis* McKeown)

*apicalis* (Pic, 1926k:155) [*Ibidionidum*] Borneo {Note 5}, Vietnam, Laos

**Obrium** Dejean, 1821:110 (type species: *Cerambyx cantharinus* Linné) {key to Malaysian species: Hayashi, 1977:112}

*Phyton* Newman, 1840:19 (type species: *Phyton limum* Newman)

*Diozodes* Haldeman, 1847:42 (type species: *Callidium pallidum* Say)

*annulicorne* Pascoe, 1869a:551 [*Obrium*] Borneo

**Stenhomalus** White, 1855:243 (type species: *Stenhomalus fenestratus* White)

*Stenomalus* Gemminger & Harold, 1872:2841 (subsequent incorrect spelling)

*cephalotes* Pic, 1928b:25 [*Stenhomalus*] Borneo {Note 5}, Vietnam, Laos

*sericeus* Aurivillius, 1922a:407 [*Stenhomalus*] Borneo

*wakejimaorum* Niisato, 1989a:125 [*Stenhomalus*] Borneo

**Tribe Prothemiini**

**Euryarthrum** Blanchard, 1845:149 (type species: *Euryarthrum albocinctum* Blanchard) {key to species: Hüdepohl, 1988b:413}

*Blemmya* Pascoe, 1856:42 (type species: *Blemmya whitei* Pascoe)

*albocinctum* Blanchard, 1845:170 [*Euryarthrum*] Borneo, W. Malaysia

*whitei* (Pascoe, 1856:42) [*Blemmya*]

Borneo

*bifasciatum* (Pascoe, 1856:43) [*Blemmya*]

Borneo

*elegans* Hayashi, 1977:120 [*Euryarthrum*]

Borneo, W. Malaysia

*lambii* Pascoe, 1866a:525 [*Euryarthrum*]

Borneo, W. Malaysia

*nodicolle* Pascoe, 1866a:525 [*Euryarthrum*]

Borneo, W. Malaysia

*n. sp. 1* {Note 41}

Borneo

*n. sp. 2* {Note 41}

Borneo

*n. sp. 3* {Note 41}

Borneo

**Mesophaea** Pascoe, 1869b:581 (type species: *Mesophaea lachrymosa* Pascoe)

*lachrymosa* Pascoe, 1869b:581 [*Mesophaea*] Borneo

**Prothema** Pascoe, 1856:43 (type species: *Prothema signata* Pascoe)

*Sigillum* Pascoe, 1866a:523 (type species: *Blemmya humeralis* Pascoe)

*angulifera* Aurivillius, 1916b:216 [*Prothema*] Borneo, Philippines: Luzon

*fasciolata* Aurivillius, 1925b:484 [*Prothema*] {Note 38}

Borneo

*plagifera* Aurivillius, 1925b:484 [*Prothema*] {Note 38}

Borneo

*variicornis* Pascoe, 1886:240 [*Prothema*]

Borneo

**Tribe Molorchini**

{key to genera: Gressitt & Rondon, 1970:109}

**Epania** Pascoe, 1858a:237 (type species: *Odontocera singaporesis* J. Thomson) {Note 35}

*Molorchoepania* Pic, 1949:9 (type species: *Molorchoepania barbieri* Pic)

*brevipennis* Pascoe, 1869b:567 [*Epania*] Borneo {Note 5}, W. Malaysia

*paulla* Pascoe, 1869b:568 [*Epania*]

Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>petra</b> Heller, 1924a:29 [ <i>Epania</i> ]	Borneo
<b>pusio</b> Pascoe, 1869b:567 [ <i>Epania</i> ]	Borneo {Note 5}, W. Malaysia
<b>sarawackensis</b> (J. Thomson, 1857c:124) [ <i>Odontocera</i> ]	Borneo
<b>singaporensis</b> (J. Thomson, 1857c:124) [ <i>Odontocera</i> ]	Borneo, W. Malaysia
<b>n. sp. 1</b> {Note 41}	Borneo
<b>n. sp. 2</b> {Note 41}	Borneo
 <b>Euchlanis</b> Pascoe, 1869b:569 (type species: <i>Euchlanis collaris</i> Pascoe)	
<b>collaris</b> Pascoe, 1869b:570 [ <i>Euchlanis</i> ]	Borneo
 <b>Glaphyra</b> Newman, 1840:19 (type species: <i>Glaphyra semiusta</i> Newman) {Note 48}	
<i>Linomius</i> Mulsant, 1862:226 (type species: <i>Necydalis umbellatorum</i> Mulsant)	
<i>Sinolus</i> Mulsant, 1862:228 (type species: <i>Molorchus kiesenwetteri</i> Mulsant & Rey)	
<i>Conchopterus</i> Fairmaire in Jacquelin du Val, 1864:153 (type species: <i>Necydalis umbellatarum</i> Schreber)	
<b>n. sp.</b> {Note 41}	Borneo
 <b>Merionoeda</b> Pascoe, 1858a:237 (type species: <i>Merionoeda puella</i> Pascoe) {Note 35}	
<i>Ocytasia</i> Pascoe, 1869b:575 (type species: <i>Ocytasia fulvipennis</i> Pascoe)	
<i>Macromolorchus</i> Pic, 1922a:28 (type species: <i>Macromolorchus curtipennis</i> Pic)	
<i>Hakata</i> Mitono & Nishimura, 1936:33 (type species: <i>Hakata hirsuta</i> Mitono & Nishimura)	
<b>acuta</b> Pascoe, 1866a:509 [ <i>Merionoeda</i> ]	Borneo {Note 5}, W. Malaysia
<b>atricollis</b> Heller, 1924a:31 [ <i>Merionoeda</i> ]	Borneo
<b>brachyptera</b> Pascoe, 1869b:574 [ <i>Merionoeda</i> ]	Borneo, W. Malaysia
<b>calcarata</b> Pascoe, 1869b:573 [ <i>Merionoeda</i> ]	Borneo
<b>coerulea</b> Aurivillius, 1923a:443 [ <i>Merionoeda</i> ]	Borneo, Sumatra, W. Malaysia
<b>longicollis</b> Holzschuh, 1989b:372 [ <i>Merionoeda</i> ]	Borneo, Thailand
<b>nigricollis</b> Aurivillius, 1923a:443 [ <i>Merionoeda</i> ]	Borneo
<b>punctifrons</b> Heller, 1924a:31 [ <i>Merionoeda</i> ]	Borneo
<b>scitella</b> Pascoe, 1858a:238 [ <i>Merionoeda</i> ]	Borneo
<b>subulata</b> Pascoe, 1869b:574 [ <i>Merionoeda</i> ]	Borneo
<b>n. sp. 1</b> {Note 41}	Borneo
<b>n. sp. 2</b> {Note 41}	Borneo
 <b>Molorchus</b> Fabricius, 1792:356 (type species: <i>Necydalis minor</i> Linné) {Note 48}	
<i>Caenoptera</i> C. G. Thomson, 1859:150 (type species: <i>Necydalis minor</i> Linné)	
<b>viridicollis</b> Heller, 1924a:27 [ <i>Molorchus</i> ]	Borneo
 Tribe <b>Stenopterini</b>	
 <b>Pectinocallimus</b> Niisato, 1989b:566 (type species: <i>Pectinocallimus sericeus</i> Niisato)	
<b>sericeus</b> Niisato, 1989b:569 [ <i>Pectinocallimus</i> ]	Borneo
 Tribe <b>Callichromatini</b>	
{keys to genera: Podaný, 1968:42; Gressitt & Rondon, 1970:135; Podaný, 1971:253; Podaný, 1978:376; Hüdepohl, 1992a:299; Morati & Huet, 2004a:25}	
 <b>Amblyontium</b> Bates, 1879:409 (type species: <i>Amblyontium inerme</i> Bates)	
<b>inerme</b> Bates, 1879:410 [ <i>Amblyontium</i> ]	Borneo
 <b>Anubis</b> J. Thomson, 1864:177 (type species: <i>Saperda clavicornis</i> Fabricius) {key to species: Podaný, 1980:220;}	
<b>n. sp.</b> {Note 41}	Borneo
 <b>Asmedia</b> Pascoe, 1866a:525 (type species: <i>Asmedia mimetes</i> Pascoe)	
<b>flavofasciata</b> Abang & Vives, 2004:236 [ <i>Asmedia</i> ]	Borneo
<b>mimetes</b> Pascoe, 1866a:526 [ <i>Asmedia</i> ]	Borneo, Sumatra, W. Malaysia
 <b>Bradygnemis</b> C. Waterhouse, 1877:12 (type species: <i>Bradygnemis velutina</i> C. Waterhouse)	
<b>velutina</b> C. Waterhouse, 1877:12 [ <i>Bradygnemis</i> ]	Borneo, W. Malaysia
<b>anomala</b> C. Waterhouse, 1877:12 [ <i>Bradygnemis</i> ]	
 <b>Chelidolum</b> J. Thomson, 1864:175 (type species: <i>Cerambyx argentatum</i> Dalman) {key to species: Podaný, 1974:2; Gressitt & Rondon, 1970:150; Hüdepohl, 1992a:306}	
<b>bryanti</b> Podaný, 1974:15 [ <i>Chelidolum</i> ]	Borneo
<b>gahani</b> Achard, 1911:280 [ <i>Chelidolum</i> ]	Borneo, Sumatra
<b>punctigerum</b> (Pascoe, 1869b:595) [ <i>Leontium</i> ]	Borneo {Note 5}, W. Malaysia

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>Chloridolum</b> J. Thomson, 1864:174 (type species: <i>Callichroma bivittatum</i> White) {key to species: Gressitt & Rondon, 1970:167; Hüdepohl, 1992a:302}	
<i>Leontium</i> J. Thomson, 1864:175 (type species: <i>Leontium viride</i> J. Thomson)	
<i>Parachloridolum</i> Plavilstshikov, 1934:112 (type species: <i>Callichroma japonicum</i> Harold)	
<b>bivittaticollis</b> Hayashi, 1977:123 [ <i>Chloridolum</i> ] Borneo	
<b>borneense</b> Aurivillius, 1910a:155 [ <i>Chloridolum</i> ] Borneo	
<b>ceycinum</b> Pascoe, 1869b:587 [ <i>Chloridolum</i> ] Borneo {Note 5}, W. Malaysia	
<b>cinnyrus</b> Pascoe, 1866a:518 [ <i>Chloridolum</i> ] Borneo, Java, W. Malaysia, Burma	
<b>plicatulum</b> (Aurivillius, 1910a:155) [ <i>Chelidonium</i> ] Borneo	
<b>radiatum</b> Pascoe, 1869b:586 [ <i>Chloridolum</i> ] Borneo	
<b>scytalicum</b> Pascoe, 1869b:584 [ <i>Chloridolum</i> ] Borneo	
<b>thomsoni</b> (Pascoe, 1859:24) [ <i>Callichroma</i> ] Borneo	
<b>viridipenne</b> Pascoe, 1869b:588 [ <i>Chloridolum</i> ] Borneo	
<b>vittigerum</b> Bates, 1879:407 [ <i>Chloridolum</i> ] Borneo?, Cambodia	

**Dubianella** Morati & Huet, 2004a:90 (type species: *Callichroma chrysogaster* Ritsema)  
**podanyi** Vives & Bentanachs, 2005:151 [*Dubianella*] Borneo

**Embrikstrandia** Plavilstshikov, 1931b:278 (type species: *Callichroma bimaculatum* White) {key to species: Podaný, 1968:113; Gressitt & Rondon, 1970:136}  
**unifasciata** (Ritsema, 1897:376) [*Zonopterus*] ?Borneo, China, Vietnam

**Gauresthes** Bates, 1889:392 (type species: *Gauresthes rufipes* Bates) {key to species: Hayashi, 1987:164}  
*Falsoipothalia* Podaný, 1978:363 (type species: *Ipothalia elegans* Fisher)  
**aureopurpureus** Hayashi, 1987:161 [*Gauresthes*] Borneo  
**rufipes** Bates, 1889:392 [*Gauresthes*] Borneo

**Huedepohliana** Heffern, 2002:256 (replacement name for *Euchitonnia* Kolbe, 1894) (type species: *Zonopterus suspectus* Ritsema) {key to species: Podaný, 1968:102}  
*Euchitonnia* Kolbe, 1894:7 (type species: *Zonopterus suspectus* Ritsema) (pre-occupied by *Euchitonnia* Ehrenberg, 1861, Protozoa)  
**superba** (Aurivillius, 1910a:152) [*Euchitonnia*] Borneo

**Ipothalia** Pascoe, 1867b:314 (type species: *Ipothalia femorata* Pascoe) {key to species: Gressitt & Rondon, 1970:175; Podaný, 1978:376; Hüdepohl, 1992a:307}  
**bicolor** Podaný, 1978:377 [*Ipothalia*] Borneo  
**esmeralda** Bates, 1879:418 [*Ipothalia*] Borneo, Sumatra  
**metallica** Podaný, 1978:381 [*Ipothalia*] Borneo

**Leptosiella** Morati & Huet, 2004a:97 (type species: *Pachyteria parallela* Ritsema) {key to species: Morati & Huet, 2004a:99; illustrations of species: Morati & Huet, 2004a:139}  
**parallela** (Ritsema, 1881b:36) [*Pachyteria*] Borneo, Sumatra

**Pachyteria** Audinet-Serville, 1833:553 (type species: *Cerambyx fasciatus* Fabricius) {key to species: Morati & Huet, 2004a:27; illustrations of species: Morati & Huet, 2004a:133-137}  
**basalis** C. Waterhouse, 1878:137 [*Pachyteria*] Borneo  
*polychroma* Harold, 1879a:228 [*Pachyteria*]  
*batesi* Ritsema, 1893:14 [*Pachyteria*]  
**chewi** Morati & Huet, 2004a:32 [*Pachyteria*] Borneo  
**dimidiata** Westwood, 1848:60 [*Pachyteria*] Borneo, Sumatra, W. Malaysia, "Assam"  
*scheepmakeri* Ritsema, 1881a:38 [*Pachyteria*]  
*sheepmakeri*; Aurivillius, 1912:300 (subsequent incorrect spelling)  
*oberthueri* Ritsema, 1888a:190 [*Pachyteria*]  
*luteofasciata* Pic, 1946c:7 [*Pachyteria*]  
*timorensis* Hayashi, 1994:65 [*Pachyteria*]  
**pryeri** Ritsema, 1888a:183 [*Pachyteria*] Borneo  
**ruficollis** C. Waterhouse, 1878:137 [*Pachyteria*] Borneo  
*collaris* Harold, 1879a:228 [*Pachyteria*]  
**samarahanensis** Abang & Vives, 2004:234 [*Pachyteria*] Borneo

**Parandrocephalus** Heller, 1916b:101 (type species: *Parandrocephalus evensor* Heller)  
**evensor** Heller, 1916b:102 [*Parandrocephalus*] Borneo, Sumatra, W. Malaysia

**Psephania** Morati & Huet, 2004a:87 (type species: *Pachyteria malayana* Podaný) {illustrations of species: Morati & Huet, 2004a:139}  
**moultoni** (Aurivillius, 1910a:153) [*Pachyteria*] Borneo

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Scalenus** Gistl, 1848:130 (replacement name for *Colobus* Audinet-Serville, 1833) (type species: *Cerambyx hemipterus* Olivier) {key to species: Podaný, 1968:43; Gressitt & Rondon, 1970:24}
- Colobus* Audinet-Serville, 1833:554 (type species: *Cerambyx hemipterus* Olivier) (pre-occupied by *Colobus* Illiger, 1811, Mammalia)
- Nothopeus* Pascoe, 1864:287 (unnecessary replacement name for *Colobus* Audinet-Serville, 1833)
- Coloborhombus* J. Thomson, 1865a:486 (unnecessary replacement name for *Colobus* Audinet-Serville, 1833)
- Colorhomboides* Hüdepohl, 1983b:117 (type species: *Colorhomboides schererii* Hüdepohl)
- fasciatipennis** (C. Waterhouse in Pryer, 1885:369) [*Coloborhombus*] Borneo, Sumatra
- hemipterus** (Olivier, 1795:127) [*Cerambyx*] Borneo, Java, Sumatra
- intermedius** (Gahan in Shelford, 1902:277) [*Nothopeus*] Borneo
- Schmidtiana** Podaný, 1971:306 (replacement name for *Luzonia* Podaný, 1968) (type species: *Pachyteria ilocana* Schultze) {key to species: Hayashi, 1992:143; illustrations of species: Morati & Huet, 2004a:137}
- Luzonia* Podaný, 1968:53 (type species: *Pachyteria ilocana* Schultze) (pre-occupied by *Luzonia* Dall & Smith, 1889, Mollusca)
- apicalis apicalis** (Neervoort van de Poll, 1889:219) [*Pachyteria*] Borneo
- borneensis** (Podaný, 1968:57) [*Luzonia*] Borneo
- borneoensis** (Ritsema, 1892b:218) [*Pachyteria*] Borneo
- ochracea** (C. Waterhouse, 1878:136) [*Pachyteria*] Borneo
- spinicollis** (Pascoe, 1866a:519) [*Pachyteria*] Borneo, W. Malaysia
- Thompsoniana** Podaný, 1971:306 (replacement name for *Aurivillia* Podaný, 1968) (type species: *Zonopterus imitans* Aurivillius) {illustrations of species: Morati & Huet, 2004a:138; Morati & Huet, 2004b:749; key to species: Podaný, 1968:98}
- Aurivillia* Podaný, 1968:98 (type species: *Zonopterus imitans* Aurivillius) (pre-occupied by *Aurivillia* Tutt, 1902, Lepidoptera)
- imitans** (Aurivillius, 1910a:152) [*Zonopterus*] Borneo
- bogenbergeri** Hüdepohl, 1983b:124 [*Thompsoniana*] Borneo
- magnifica** (Bates, 1889:391) [*Zonopterus*] Borneo
- nieuwenhuisii** (Ritsema, 1909:248) [*Pachyteria*] Borneo
- vodozi** Morati & Huet, 2004a:95 [*Thompsoniana*] Borneo
- sp.** {Note 25} Borneo, Sumatra
- Zonopterus** Hope, 1843:110 (type species: *Zonopterus flavitarsis* Hope) {key to species: Podaný, 1968:104; Gressitt & Rondon, 1970:136}
- Zonopteroides* Podaný, 1968:105 (type species: *Zonopterus diversus* Gahan)
- Zonopterus (Zonopterus)** Hope
- bosschae** Ritsema, 1894:107 [*Zonopterus*] Borneo
- Tribe Thraniini**
- Thranius** Pascoe, 1859:22 (type species: *Thranius gibbosus* Pascoe) {key to species: Gressitt, 1954}
- Singalia* Lacordaire, 1872:834 (type species: *Singalia spinipennis* Lacordaire)
- bimaculatus** Pascoe, 1859:23 [*Thranius*] Borneo, W. Malaysia
- sumatrensis** Gahan, 1907:71 [*Thranius*] Borneo, Sumatra
- Tribe Rosaliini**
- Callichromopsis** Chevrolat, 1863:255 (type species: *Cerambyx telephoroides* Westwood)
- furcifera** (Aurivillius, 1922a:413) [*Demonax*] Borneo
- Rosalia** Audinet-Serville, 1833:561 (type species: *Cerambyx alpinus* Linné) {illustration of species: Takakuwa, 1998}
- Eurybatus* J. Thomson, 1860:250 (type species: *Eurybatus hariolus* J. Thomson)
- Eurybatodes* Semenov-Tian-Shanskij, 1911:121 (type species: *Rosalia bouvieri* Boppe)
- Eurybatorosalia* Plavilstshikov, 1934:142 (type species: *Lamia lateritia* Hope)
- Rosalia (Eurybatus)** J. Thomson
- Eurybatorosalia* Plavilstshikov
- borneensis** (Rothschild & Jordan, 1893:455) [*Eurybatus*] Borneo
- oberthueri** Vuillet, 1911:248 [*Rosalia*] Borneo
- Tribe Glaucytini**
- {key to genera: Breuning, 1970a:17}

Checklist and Bibliography of Longhorned Beetles from Borneo

**Paracleonice** Breuning, 1970a:22 (type species: *Cleonice bivittata* Gahan)  
**bivittata** (Gahan, 1893:379) [*Cleonice*] Borneo

**Polyphida** Pascoe, 1869b:652, (type: *Polyphida clytoides* Pascoe) {key to species: Breuning, 1970a:19;  
Hüdepohl, 1992a:323}  
**argenteofasciata** Aurivillius, 1910a:163 [*Polyphida*] Borneo  
**clytoides** Pascoe, 1869b:652 [*Polyphida*] Borneo  
**fulvitarsis** Holzschuh, 2005:37 [*Polyphida*] Borneo  
**modesta** Gahan, 1906b:113 [*Polyphida*] Borneo, Sumatra, Java, W. Malaysia  
**tenebrosa** Holzschuh, 2005:39 [*Polyphida*] Borneo

Tribe **Clytini**

{keys to genera: Gressitt & Rondon, 1970:194; Hüdepohl, 1992a:308}

**Acrocyrta** Pascoe, 1856:44 (type species: *Acrocyrta clytoides* Pascoe)  
**clytoides** Pascoe, 1856:44 [*Acrocyrta*] Borneo  
**rufofemorata** Aurivillius, 1910a:162 [*Acrocyrta*] Borneo

**Amamiclytus** K. Ohbayashi, 1964:21 (type species: *Amamiclytus nobuoi* K. Ohbayashi)  
sp. Borneo {Note 8}

**Chlorophorus** Chevrolat, 1863:290 (type species: *Callidium annulare* Fabricius) {key to species:  
Hüdepohl, 1992a:310}

<b>annularis</b> (Fabricius, 1787:156) [ <i>Callidium</i> ] Borneo, Sumatra, Philippines, Java, Moluccas, New Guinea, SE Asia, India, China, Japan, Australia
<b>bidens</b> (Weber, 1801:90) [ <i>Callidium</i> ] Borneo
<b>borneensis</b> Fisher, 1935:589 [ <i>Chlorophorus</i> ] Borneo
<b>curvatofasciatus</b> Aurivillius, 1922a:410 [ <i>Chlorophorus</i> ] Borneo
<b>decoratus</b> (Pascoe, 1869b:611) [ <i>Xylotrechus</i> ] Borneo
<b>dimidiatus</b> Aurivillius, 1922a:409 [ <i>Chlorophorus</i> ] Borneo
<b>eximus</b> Aurivillius, 1911:191 [ <i>Chlorophorus</i> ] Borneo
<b>hefferni</b> Dauber, 2002:803 [ <i>Chlorophorus</i> ] Borneo
<b>lineatus medioconunctus</b> Dauber, 2004:208 [ <i>Chlorophorus</i> ] Borneo, W. Malaysia
<b>lituratus</b> (Laporte & Gory, 1841:77) [ <i>Clytus</i> ] Borneo
<b>minutus</b> Aurivillius, 1922a:409 [ <i>Chlorophorus</i> ] Borneo
<b>moultoni</b> Aurivillius, 1911:192 [ <i>Chlorophorus</i> ] Borneo
<b>scenicus</b> (Pascoe, 1869b:611) [ <i>Xylotrechus</i> ] Borneo
<b>seclusus</b> (Pascoe, 1869b:603) [ <i>Clytanthus</i> ] Borneo
<b>sumatrensis</b> (Laporte & Gory, 1841:96) [ <i>Clytus</i> ] Borneo, Sumatra, Java
<b>torquilla</b> Pascoe, 1869b:603 [ <i>Clytanthus</i> ] Borneo, W. Malaysia
<b>vicus</b> Dauber, 2002:801 [ <i>Chlorophorus</i> ] Borneo

**Demonax** J. Thomson, 1860:226 (type species: *Demonax nigrofasciatus* J. Thomson) {key to species:  
Hüdepohl, 1992a:313}

<b>Grammographus</b> Chevrolat, 1863:285 (type species: <i>Grammographus lineatus</i> Chevrolat) <b>Elezira</b> Pascoe, 1869b:637 (type species: <i>Clytus balyi</i> Pascoe)
<b>alcellus</b> Pascoe, 1869b:631 [ <i>Demonax</i> ] Borneo, Java, W. Malaysia
<b>algebraicus</b> Pascoe, 1869b:629 [ <i>Demonax</i> ] Borneo, W. Malaysia
<b>apicalis</b> Pascoe, 1869b:627 [ <i>Demonax</i> ] Borneo, Aru
<b>bakeri</b> Aurivillius, 1922a:421 [ <i>Demonax</i> ] Borneo
<b>basiviridis</b> Dauber, 2003b:142 [ <i>Demonax</i> ] Borneo
<b>borneensis</b> Fisher, 1935:591 [ <i>Demonax</i> ] Borneo
<b>cinereus</b> Dauber, 2004:209 [ <i>Demonax</i> ] Borneo, Sumatra, Java, Sulawesi, Philippines: Luzon ?
<b>collaris</b> Pascoe, 1869b:636 [ <i>Demonax</i> ] Borneo
<b>damalis</b> Pascoe, 1869b:632 [ <i>Demonax</i> ] Borneo
<b>detortus</b> Pascoe, 1869b:624 [ <i>Demonax</i> ] Borneo, Sumatra, Philippines
<b>erythrops</b> Chevrolat, 1863:261 [ <i>Acrocyrta</i> ] Borneo
<b>exilis</b> Pascoe, 1869b:636 [ <i>Demonax</i> ] Borneo {Note 5}, Java
<b>flavofasciatus</b> Dauber, 2002:808 [ <i>Demonax</i> ] Borneo
<b>humeratus</b> Dauber, 2003b:141 [ <i>Demonax</i> ] Borneo
<b>humerovittatus</b> Dauber, 2003b:137 [ <i>Demonax</i> ] Borneo
<b>inscriptus</b> Gressitt, 1951c:208 [ <i>Demonax</i> ] Borneo
<b>latevittatus</b> Dauber, 2003b:143 [ <i>Demonax</i> ] Borneo
<b>macilentoides</b> Dauber, 2003b:140 [ <i>Demonax</i> ] Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>martes</b> Pascoe, 1869b:622 [ <i>Demonax</i> ]	Borneo
<b>mulio</b> Pascoe, 1869b:635 [ <i>Demonax</i> ]	Borneo, W. Malaysia, Laos, "Assam"
<i>testaceoannulatus</i> Pic, 1935a:15 [ <i>Demonax</i> ]	
<b>musivus</b> Pascoe, 1869b:630 [ <i>Demonax</i> ]	Borneo {Note 9}, Sumatra, SE Asia
<b>mustela</b> (Pascoe, 1858a:239) [ <i>Clytus</i> ]	Borneo
<b>nawatai</b> Hayashi, 1975:182 [ <i>Demonax</i> ]	Borneo
<b>nigropiceus</b> Dauber, 2003b:138 [ <i>Demonax</i> ]	Borneo, W. Malaysia
<b>octavus</b> Aurivillius, 1922a:420 [ <i>Demonax</i> ]	Borneo
<b>pendleburyi</b> Fisher, 1935:593 [ <i>Demonax</i> ]	Borneo
<b>planatus</b> Pascoe, 1869b:626 [ <i>Demonax</i> ]	Borneo, New Guinea
<b>polyzonus</b> Pascoe, 1869b:637 [ <i>Demonax</i> ]	Borneo, Sumatra, W. Malaysia
<i>carinatus</i> Aurivillius, 1922a:419 [ <i>Demonax</i> ]	
<b>quadraticollis</b> Dauber, 2003b:136 [ <i>Demonax</i> ]	Borneo, W. Malaysia
<b>quinquecinctus</b> Aurivillius, 1922a:418 [ <i>Demonax</i> ]	Borneo
<b>reticulatus</b> (Jordan, 1894c:498) [ <i>Acrocyrta</i> ]	Borneo
<b>saltarius</b> Pascoe, 1869b:625 [ <i>Demonax</i> ]	Borneo {Note 5}, W. Malaysia, Ceram
<b>simulatus</b> Dauber, 2003b:139 [ <i>Demonax</i> ]	Borneo
<b>tipularius</b> Pascoe, 1869b:632 [ <i>Demonax</i> ]	Borneo
<b>transversalis</b> Aurivillius, 1910a:161 [ <i>Demonax</i> ]	Borneo
<b>triaculeatus</b> Aurivillius, 1922a:417 [ <i>Demonax</i> ]	Borneo, Philippines: Mindanao, Basilan
<b>unicolor</b> Aurivillius, 1923a:449 [ <i>Demonax</i> ]	Borneo
<b>ventralis</b> Gahan, 1906b:113 [ <i>Demonax</i> ]	Borneo, W. Malaysia
<b>viverra</b> Pascoe, 1858a:240 [ <i>Clytus</i> ]	Borneo, W. Malaysia, Moluccas

**Perissus** Chevrolat, 1863:262 (type species: *Perissus x-littera* Chevrolat)  
**aemulus** Pascoe, 1869b:618 [*Perissus*]

Borneo

**Psilomerus** Chevrolat, 1963:257 (type species: *Psilomerus angustus* Chevrolat) {key to species:  
Hüdepohl, 1992a:312}

<b>albifrons</b> Aurivillius, 1923a:444 [ <i>Psilomerus</i> ]	Borneo
<b>gracilis</b> Gahan, 1906b:112 [ <i>Psilomerus</i> ]	Borneo, W. Malaysia
<b>kishimotoi</b> Hayashi, 1975:184 [ <i>Psilomerus</i> ]	Borneo
<b>simplex</b> Aurivillius, 1923a:445 [ <i>Psilomerus</i> ]	Borneo
<b>n. sp.</b> {Note 41}	Borneo

**Raphuma** Pascoe, 1858a:240 (type species: *Clytus quadricolor* Laporte & Gory) {key to species:  
Hüdepohl, 1992a:311}

<i>Raphuma</i> J. Thomson, 1860:221 (subsequent incorrect spelling)	
<i>Arcyphorus</i> Chevrolat, 1863:287 (type species: <i>Arcyphorus histrio</i> Chevrolat)	
<i>Arcyphorus</i> Gemminger & Harold, 1873:2938 (subsequent incorrect spelling)	
<b>argentogrisea</b> Dauber, 2003a:16 [ <i>Raphuma</i> ]	Borneo
<b>atrata</b> Fisher, 1935:590 [ <i>Raphuma</i> ]	Borneo
<b>bivittata</b> Aurivillius, 1916a:343 [ <i>Raphuma</i> ]	Borneo
<b>chewi</b> Dauber, 2003b:133 [ <i>Raphuma</i> ]	Borneo
<b>conformis</b> (Gahan, 1906b:112) [ <i>Arcyphorus</i> ]	Borneo, W. Malaysia
<b>connexa</b> Aurivillius, 1916a:343 [ <i>Raphuma</i> ]	Borneo {Note 5}, Java
<b>histrio</b> (Chevrolat, 1863:288) [ <i>Arcyphorus</i> ]	Borneo, Sumatra, Java
<b>phiale</b> Gahan, 1906a:273 [ <i>Raphuma</i> ]	Borneo, Burma
<b>reticulata</b> (Jordan, 1894c:499) [ <i>Arcyphorus</i> ]	Borneo
<b>retrofasciata</b> Dauber, 2004:208 [ <i>Raphuma</i> ]	Borneo, W. Malaysia, Thailand
<b>signata</b> (Gahan, 1907:75) [ <i>Arcyphorus</i> ]	Borneo, Sumatra
<b>subvarimaculata</b> Gressitt & Rondon, 1970:245 [ <i>Raphuma</i> ]	Borneo, Laos
<b>superba</b> Dauber, 2002:806 [ <i>Raphuma</i> ]	Borneo
<b>tenuigrisea</b> Dauber, 2003b:132 [ <i>Raphuma</i> ]	Borneo

**Sclethrus** Newman, 1842a:247 (type species: *Ibidion amoenum* Gory)

<b>amoenus</b> (Gory, 1833:plate 58) [ <i>Ibidion</i> ]	Borneo, Sumatra, W. Malaysia, Laos Vietnam
---	---

**Xylotrechus** Chevrolat, 1860:456 (type species: *Clytus sartorii* Chevrolat) {key to species: Hüdepohl,  
1992a:309}

<i>Xyloclytus</i> Reitter, 1913:46 (type species: <i>Clytus chinensis</i> Chevrolat)	
<i>Rusticoclytus</i> Vives, 1977:130 (type species: <i>Leptura rustica</i> Linné)	
<b>affinis</b> Gahan, 1906b:111 [ <i>Xylotrechus</i> ]	Borneo, W. Malaysia
<b>australis</b> (Laporte & Gory, 1841:99) [ <i>Clytus</i> ]	Borneo {Note 5}, Australia to W. Malaysia
<b>brevicornis</b> Pascoe, 1869b:608 [ <i>Xylotrechus</i> ]	Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>fluctuosus</b> (Pascoe, 1869b:617) [ <i>Perissus</i> ]	Borneo
<b>gestroi gestroi</b> Gahan, 1895:19 [ <i>Xylotrechus</i> ] {Note 46}	Borneo, ?Burma
<b>idoneus</b> Gahan, 1907:72 [ <i>Xylotrechus</i> ]	?Borneo, Sumatra
<b>imperfectus</b> Chevrolat, 1863:313 [ <i>Xylotrechus</i> ]	Borneo
<p><i>pedestris</i> Pascoe, 1869b:608 [<i>Xylotrechus</i>]</p>	
<p><i>famelicus</i> Pascoe, 1869b:612 [<i>Xylotrechus</i>]</p>	
<b>javanicus</b> (Laporte & Gory, 1841:87) [ <i>Clytus</i> ]	Borneo, Java, W. Malaysia
<p><i>sappho</i> Pascoe, 1858a:239 [<i>Clytus</i>]</p>	
<p><i>quadripes</i> Chevrolet, 1863:615 [<i>Xylotrechus</i>]</p>	
<p><i>lyratus</i> Pascoe, 1869b:610 [<i>Xylotrechus</i>]</p>	
<b>mehli</b> Dauber, 2004:205 [ <i>Xylotrechus</i> ]	Borneo
<b>pilosus</b> Aurivillius, 1927b:550 [ <i>Xylotrechus</i> ]	Borneo
<b>ranaensis</b> Dauber, 2003a:14 [ <i>Xylotrechus</i> ]	Borneo
<b>sandakanus</b> Aurivillius, 1927b:550 [ <i>Xylotrechus</i> ]	Borneo
<b>vagefasciatus</b> Dauber, 2004:207 [ <i>Xylotrechus</i> ]	Borneo

**Tribe Anaglyptini**

<b>Anaglyptus</b> Mulsant, 1839:91 (type species: <i>Callidium gibbosum</i> Fabricius) sp.	Borneo {Note 8}
<b>Oligoenoplus</b> Chevrolat, 1863:337 (type species: <i>Oligoenoplus ventralis</i> Chevrolat) {key to Malaysian species: Hayashi, 1979:29}	
<p><b>variicornis</b> Aurivillius, 1923a:448 [<i>Oligoenoplus</i>]</p>	Borneo
n. sp. {Note 41}	Borneo
<b>Hirticlytus</b> K. Ohbayashi, 1960:9 (type species: <i>Anaglyptus comosus</i> Matsushita) sp.	Borneo {Note 8}

**Tribe Tillomorphini**

{key to genera: Gressitt & Rondon, 1970:281}

<b>Bicon</b> Pascoe, 1866a:522 (type species: <i>Bicon sanguineus</i> Pascoe)	
<p><b>sanguineus</b> Pascoe, 1866a:522 [<i>Bicon</i>]</p>	Borneo, W. Malaysia
n. sp. {Note 41}	Borneo
<b>Centrotoclytus</b> Motschulsky, 1863:496 (type species: <i>Centrotoclytus quadridens</i> Motschulsky) {key to species: Aurivillius, 1925b:486}	
<p><i>Plangone</i> J. Thomson, 1864:154 (type species: <i>Plangone biseburata</i> J. Thomson)</p>	
<p><b>asperatus</b> Aurivillius, 1925b:486 [<i>Centrotoclytus</i>]</p>	Borneo
<p><b>dubius</b> Aurivillius, 1925b:485 [<i>Centrotoclytus</i>]</p>	Borneo
<p><b>interruptus</b> Aurivillius, 1925b:486 [<i>Centrotoclytus</i>]</p>	Borneo
<p><b>nigriceps</b> Aurivillius, 1925b:485 [<i>Centrotoclytus</i>]</p>	Borneo
<p><b>ruficeps</b> Aurivillius, 1925b:484 [<i>Centrotoclytus</i>]</p>	Borneo
<p><b>spinifer</b> Aurivillius, 1925b:485 [<i>Centrotoclytus</i>]</p>	Borneo
n. sp. {Note 41}	Borneo

<b>Clytellus</b> Westwood, 1853:240 (type species: <i>Clytellus methocoides</i> Westwood) {key to species: Hayashi, 1977:128}	
<p><b>kiyoyamai</b> Hayashi, 1977:124 [<i>Clytellus</i>]</p>	Borneo {Note 5}, W. Malaysia
<p><b>westwoodii</b> Pascoe, 1857:97 [<i>Clytellus</i>]</p>	Borneo
<p><i>metallescens</i> Hayashi, 1975:185 [<i>Clytellus</i>]</p>	

<b>Epipedocera</b> Chevrolat, 1863:339 (type species: <i>Epipedocera zona</i> Chevrolat)	
<p><b>abdominalis</b> Pascoe, 1869b:640 [<i>Epipedocera</i>]</p>	Borneo, Sumatra, W. Malaysia
<p><b>cruentata</b> (Pascoe, 1858a:239) [<i>Clytus</i>]</p>	Borneo {Note 5}, W. Malaysia
<p><b>leucaspis</b> Pascoe, 1886:241 [<i>Epipedocera</i>]</p>	Borneo
<p><b>subatra</b> Gressitt &amp; Rondon, 1970:282 [<i>Epipedocera</i>]</p>	Borneo {Note 5}, Laos

<b>Halme</b> Pascoe, 1869b:641 (type species: <i>Halme cleriformis</i> Pascoe)	
<p><i>cleriformis</i> Pascoe, 1869b:642 [<i>Halme</i>]</p>	Borneo, Mysol

<b>n. gen.</b> Zablotny {in manuscript}	
n. sp. 1 Zablotny {in manuscript}	Borneo
n. sp. 2 {Note 41}	Borneo

**Tribe Pyrestini**

Checklist and Bibliography of Longhorned Beetles from Borneo

**Cymaterus** Pascoe, 1885:55 (type species: *Cymaterus torridus* Pascoe)  
**torridus** Pascoe, 1885:55 [*Cymaterus*] Borneo  
**recens** Holzschuh, 2005:35 [*Cymaterus*] Borneo

**Erythresthes** Thomson, 1864:160 (type species: *Erythrus bowringii* Pascoe)  
*Etyrrhus* Holzschuh, 1989b:378 (type species: *Erythresthes shimomurai* Holzschuh)

**Erythresthes (Etyrrhus)** Holzschuh  
**sericellus** Holzschuh, 2005:36 [*Erythresthes*] Borneo

**Erythrus** White, 1853:142 (type species: *Erythrus championi* White)  
*Disidaema* J. Thomson, 1860:147 (type species: *Erythrus fortunei* White)  
**apiculatus** Pascoe, 1866a:515 [*Erythrus*] Borneo?, W. Malaysia  
**assimilis** Aurivillius, 1910a:151 [*Erythrus*] Borneo  
**axillaris** Aurivillius, 1910a:150 [*Erythrus*] Borneo  
**biapicatus** Gahan in Shelford, 1902:276 [*Erythrus*] Borneo  
**bimaculatus** Aurivillius, 1910a:150 [*Erythrus*] Borneo  
**ignitus** Pascoe, 1866a:514 [*Erythrus*] Borneo {Note 5}, W. Malaysia  
**rotundicollis** Gahan in Shelford, 1902:275 [*Erythrus*] Borneo  
**sternalis** Gahan in Shelford, 1902:275 [*Erythrus*] Borneo  
**viridipennis** Gahan in Shelford, 1902:276 [*Erythrus*] Borneo  
**n. sp. 1** {Note 41} Borneo  
**n. sp. 2** {Note 41} Borneo  
**n. sp. 3** {Note 41} Borneo  
**n. sp. 4** {Note 41} Borneo

**Pyrestes** Pascoe, 1857:96 (type species: *Pyrestes haematicus* Pascoe)  
**eximus** Pascoe, 1857:96 [*Pyrestes*] Borneo  
**politus** Pascoe, 1866a:516 [*Pyrestes*] Borneo, W. Malaysia  
**virgatus** Pascoe, 1866a:517 [*Pyrestes*] Borneo, W. Malaysia  
*praeceps* Holzschuh, 2005:32 [*Pyrestes*] Borneo

**Tribe Cleomenini**

{key to genera: Gressitt & Rondon, 1970:288}

**Artimpaza** J. Thomson, 1864:160 (type species: *Artimpaza odontoceroides* J. Thomson)  
*Falsodebilis* Pic, 1918c:9 (type species: *Falsodebilis metallica* Pic)  
*Cleomenida* Schwarzer, 1925a:29 (type species: *Cleomenida setigera* Schwarzer)  
**formosa** Pascoe, 1885:55 [*Artimpaza*] Borneo  
**odontoceroides** J. Thomson, 1864:161 [*Artimpaza*] Borneo, Sumatra, W. Malaysia  
**n. sp. 1** {Note 41} Borneo  
**n. sp. 2** {Note 41} Borneo  
**n. sp. 3** {Note 41} Borneo

**Cleomenes** J. Thomson, 1864:161 (type species: *Cleomenes dihammaphoroides* J. Thomson)  
**dihammaphoroides** J. Thomson, 1864:161 [*Cleomenes*] Borneo, W. Malaysia, Philippines  
**robustior** Holzschuh, 1995:32 [*Cleomenes*] Borneo, W. Malaysia, Thailand  
**n. sp. 1** {Note 41} Borneo  
**n. sp. 2** {Note 41} Borneo

**Dere** White, 1855:248 (type species: *Dere thoracica* White)  
**bivittata** Hayashi, 1976a:28 [*Dere*] Borneo  
**coeruleipennis** Aurivillius, 1925b:488 [*Dere*] Borneo, Sumatra, W. Malaysia

**Eodalis** Pascoe, 1869b:648 (type species: *Eodalis lepidus* Pascoe)  
**lepidus** Pascoe, 1869b:648 [*Eodalis*] Borneo  
**n. sp. {Note 41}** Borneo

**Epianthe** Pascoe, 1866a:511 (type species: *Epianthe viridis* Pascoe)  
**funesta** Pascoe, 1869b:649 [*Epianthe*] Borneo, W. Malaysia  
**viridis** Pascoe, 1866a:511 [*Epianthe*] Borneo, W. Malaysia

**Mimistena** Pascoe, 1866a:513 (type species: *Mimistena femorata* Pascoe)  
**biplagiata quadrimaculata** Hayashi, 1975:186 [*Mimistena*] Borneo

**Mydasta** Pascoe, 1866a:512 (type species: *Mydasta discoidea* Pascoe)

## Checklist and Bibliography of Longhorned Beetles from Borneo

**n. sp.** {Note 41} Borneo

**Nidella** Gressitt & Rondon, 1970:299 (type species: *Nidella coomani* Gressitt & Rondon)  
**n. sp.** {Note 41} Borneo

**Paramimistena** Fisher, 1940:204 (type species: *Paramimistena polyalthiae* Fisher)  
**brevis** Niisato & Makihara, 1999:331 [*Paramimistena*] Borneo  
**immaculicollis** Niisato & Makihara, 1999:328 [*Paramimistena*] Borneo  
**watanabei** Niisato, 2002:393 [*Paramimistena*] Borneo

**Plutonesthes** J. Thomson, 1864:160 (type species: *Plutonesthes rufipennis* J. Thomson)  
**amoena** Pascoe, 1869b:577 [*Plutonesthes*] Borneo, W. Malaysia  
**n. sp. 1** {Note 41} Borneo  
**n. sp. 2** {Note 41} Borneo  
**n. sp. 3** {Note 41} Borneo

**Procleomenes** Gressitt & Rondon, 1970:309 (type species: *Procleomenes elongatithorax* Rondon)  
**borneensis** Niisato, 1986:100 [*Procleomenes*] Borneo  
**longicollis** Niisato, 1986:103 [*Procleomenes*] Borneo  
**tenuiformis** Niisato, 1986:106 [*Procleomenes*] Borneo

**Sestyla** Pascoe, 1866a:513 (type species: *Sestyla cephalotes* Pascoe) {Note 15}  
**cephalotes** Pascoe, 1866:513 [*Sestyla*] Borneo, W. Malaysia  
*apicalis* Aurivillius, 1925b:488 [*Sestyla*]

## Tribe Rhopalophorini

**Camelocerambyx** Pic, 1922b:32 (type species: *Camelocerambyx singularis* Pic)  
*Sphinctodere Aurivillius*, 1923a:449 (type species: *Sphinctodere coerulescens* Aurivillius)  
**coerulescens** (Aurivillius, 1923a:450) [Sphinctodere] Borneo  
**vittatus** (Aurivillius, 1923a:450) [Sphinctodere] Borneo  
**D. sp.** {Note 41} Borneo

## Tribe Trachyderini

{key to genera: Gressitt & Rondon, 1970:177}

**Erythroclea** Aurivillius, 1914:275 (type species: *Erythroclea bimaculata* Aurivillius) {Note 27}  
**bimaculata** Aurivillius, 1914:276 [*Erythroclea*] {Note 27} Borneo

**Euryclelia** Aurivillius, 1912:461 (replacement name for *Euryclea* J. Thomson) (type species: *Eurycephalus cardinalis* J. Thomson)  
*Euryclea* J. Thomson, 1864:196 (type species: *Eurycephalus cardinalis* J. Thomson) (pre-occupied by  
*Euryclea* Robineau-Desvoidy, 1863, Diptera)  
**cardinalis** (J. Thomson, 1860:211) [*Eurycephalus*] Borneo, Sumatra, W. Malaysia

**Euryphagus** J. Thomson, 1864:196 (type species: *Cerambyx maxillosus* Olivier)  
**lundii** (Fabricius, 1792:258) [*Cerambyx*] Borneo, Sumatra, Java, SE Asia  
**nigripes** (Olivier, 1795:52) [*Cerambyx*]  
**ustulatus** Achard, 1912:220 [*Euryphagus*] Borneo

**Falsanoplistes** Pic, 1915e:27 (type species: *Falsanoplistes guerryi* Pic)  
*Falsoanoplistes* (subsequent incorrect spelling)  
**borneensis** Hayashi, 1969:32 [*Falsoanoplistes*] Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

Subfamily **Lamiinae**

{key to tribes: Rondon & Breuning, 1970:316}

Tribe **Xylorhizini**

{key to genera: Rondon & Breuning, 1970:344}

**Grammoxyla** Aurivillius, 1911:207 (type species: *Xylorhiza hieroglyphicum* Redtenbacher)

*Grammoxylon*, Breuning, 1950a:380, 405 (subsequent incorrect spelling)

**hieroglyphica** (Redtenbacher, 1868:178) [*Xylorhiza*] Borneo, Java

**Thylactus** Pascoe, 1866a:242 (type species: *Thylactus angularis* Pascoe) {keys to species: Breuning, 1950o; Hüdepohl 1987b}

**lateralis** Jordan, 1894a:120 [*Thylactus*]

Borneo, Sumatra

**sumatreensis** Hüdepohl, 1987d:176 [*Thylactus*]

Borneo, Sumatra

**n. sp.** {Note 41}

Borneo

**Xylorhiza** Laporte, 1840:476 (type species: *Xylorhiza venosa* Laporte)

**adusta** (Wiedemann, 1819:182) [*Lamia*]

Borneo, Sumatra, SE Asia

*venosa* Laporte, 1840:476 [*Xylorhiza*]

Tribe **Homonoeini**

**Bumetopia** Pascoe, 1858a:252 (type species: *Bumetopia oscitans* Pascoe)

*Yochostyla* J. Thomson, 1868b:151 (type species: *Yochostyla japonica* J. Thomson)

**Homoneaeomorpha** Aurivillius, 1911:209 (type species: *Homoneaeomorpha flavovariegata* Aurivillius)

**Brachyhomoneoa** Aurivillius, 1923a:466 (type species: *Brachyhomoneoa conspersa* Aurivillius)

*Microabryna* Pic, 1925b:28 (type species: *Microabryna mediodentata* Pic)

**Bumetopia (Bumetopia)** Pascoe

**borneensis** Breuning, 1969i:655 [*Bumetopia*]

Borneo

**flavovariegata** **flavovariegata** (Aurivillius, 1911:209) [*Homoneaeomorpha*]

Borneo

**Homoneoa** Newman, 1842e:319 (type species: *Homoneoa patrona* Newman)

*Urocalymma* Westwood, 1842:58 (type species: *Urocalymma longimana* Westwood)

**Homoneoa (Homoneoa)** Newman

**praecisa** Newman, 1842e:320 [*Homoneoa*]

Borneo, Philippines

**uniformis** Jordan, 1894a:117 [*Homoneoa*]

Borneo, Sanghir

**Paramulciber** Breuning, 1939b:164 (type species: *Paramulciber flavosignatus* Breuning)

**flavosignatus** **flavosignatus** Breuning, 1939b:164 [*Paramulciber*]

Borneo

**Micromulciber** Aurivillius, 1913a:253 (type species: *Mulciber biguttatus* Pascoe)

**albosetosus** Heller, 1923b:40 [*Micromulciber*]

Borneo

**biguttatus** (Pascoe, 1867a:453) [*Mulciber*]

Borneo, W. Malaysia

**flavolineatus** (Breuning, 1947d:53) [*Notomulciber*]

Borneo

**fuscomarginatus** Aurivillius, 1914:292 [*Micromulciber*]

Borneo

**quadrimaculatus** (Breuning & de Jong, 1941:70) [*Notomulciber*]

Borneo

**variegatus** Aurivillius, 1914:292 [*Micromulciber*]

Borneo

**Trachelophora** Perroud, 1855:357 (type species: *Trachelophora curvicollis* Perroud)

**affinis** Breuning, 1982e:143 [*Trachelophora*]

Borneo

**lineata** Aurivillius, 1923a:465 [*Trachelophora*]

Borneo

**maculosa** Aurivillius, 1923a:465 [*Trachelophora*]

Borneo

Tribe **Gyaritini**

{revision of tribe: Breuning, 1979c; key to genera: Breuning, 1979c:3}

**Apatelarthron** J. Thomson, 1864:89 (type species: *Apatelarthron heteroclitum* J. Thomson)

**heteroclitum** J. Thomson, 1864:89 [*Apatelarthron*]

Borneo, Sumatra, W. Malaysia, Thailand

**n. sp.** {Note 41}

Borneo

**Gyaritodes** Breuning, 1947d:37 (type species: *Gyaritodes inspinosus* Breuning) {key to species: Breuning, 1979c:9}

**bispinosus** Breuning, 1960e:13 [*Gyaritoides*]

Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

**Gyaritus** Pascoe, 1858a:244 (type species: *Gyaritus hamatus* Pascoe) {key to subgenera: Breuning, 1979c:4}  
*Axinyllium* Pascoe, 1864c:46 (type species: *Axinyllium varium* Pascoe)

**Gyaritus (Gyaritus)** Pascoe {key to species: Breuning, 1979c:4}

<i>aurescens</i> Breuning, 1940e:425 [ <i>Gyaritus</i> ]	Borneo
<i>bangueyensis</i> Breuning, 1958j:20 [ <i>Gyaritus</i> ]	Banguey
<i>cinnamomeus</i> Pascoe, 1864c:46 [ <i>Gyaritus</i> ]	Borneo
<i>fulvopictus</i> Pascoe, 1864c:46 [ <i>Gyaritus</i> ]	Borneo
<i>giganteus</i> Breuning, 1938c:392 [ <i>Gyaritus</i> ]	Borneo
<i>hamatus</i> Pascoe, 1858a:244 [ <i>Gyaritus</i> ]	Borneo
<i>spinosus</i> Breuning, 1939b:201 [ <i>Gyaritus</i> ]	Borneo
<i>viduus</i> (Pascoe, 1886:246) [ <i>Zeargyra</i> ]	Borneo
<i>transversevittatus</i> Breuning, 1939b:201 [ <i>Gyaritus</i> ]	

**Gyaritus (Axinyllium)** Pascoe

<i>varius</i> (Pascoe, 1864c:47) [ <i>Axinyllium</i> ]	Borneo
--	--------

**Tribe Morimopsini**

{key to genera: Breuning, 1950i}

**Anexodus** Pascoe, 1886:242 (type species: *Anexodus aquilus* Pascoe, 1886)

<i>aquilus</i> Pascoe, 1886:242 [ <i>Anexodus</i> ]	Borneo
<i>kuntzeni</i> Kriesche, 1924b:291 [ <i>Anexodus</i> ]	
<i>sarawakensis</i> Sudre, 1997:253 [ <i>Anexodus</i> ]	Borneo

**Dolichostyrax** Aurivillius, 1911:194 (type species: *Dolichostyrax moultoni* Aurivillius)

<i>longipes</i> Aurivillius, 1913a:239 [ <i>Dolichostyrax</i> ]	Borneo
<i>moultoni</i> Aurivillius, 1911:195 [ <i>Dolichostyrax</i> ]	Borneo

**Pantilema** Aurivillius, 1911:196 (type species: *Pantilema angustum* Aurivillius)

<i>angustum</i> Aurivillius, 1911:196 [ <i>Pantilema</i> ]	Borneo
--	--------

**Tribe Lamiini**

{key to genera: Rondon & Breuning, 1970:421}

**Acalolepta** Pascoe, 1858a:247 (type species: *Acalolepta pusio* Pascoe) {key to species: Hüdepohl, 1988a:251}

<i>Cypriola</i> J. Thomson, 1864:16 (type species: <i>Cypriola acanthocinoides</i> J. Thomson)	
<i>Dihammus</i> J. Thomson, 1864:80 (type species: <i>Monochamus longicornis</i> J. Thomson)	
<i>Neanthes</i> Pascoe, 1878:372 (type species: <i>Monohammus curialis</i> Pascoe)	
<i>Haplohammus</i> Bates, 1884:239 (type species: <i>Monohammus luxuriosus</i> Bates)	
<i>Astynoscelis</i> Pic, 1904c:8 (type species: <i>Astynoscelis longicornis</i> Pic)	
<i>Niphohammus</i> Matsushita, 1932b:170 (type species: <i>Niphohammus korolensis</i> Matsushita)	
<i>Saitoa</i> Matsushita, 1937:104 (type species: <i>Saitoa tenebrosa</i> Matsushita)	
<i>atra</i> (Fisher, 1935:603) [ <i>Dihammus</i> ]	Borneo
<i>bicolor</i> (Breuning, 1935d:250) [ <i>Dihammus</i> ]	Borneo {Note 5}, W. Malaysia
<i>borneensis</i> (Breuning, 1935f:54) [ <i>Dihammus</i> ]	Borneo
<i>bryanti</i> (Breuning, 1938:187) [ <i>Dihammus</i> ]	Borneo
<i>cariosa</i> (Pascoe, 1866d:309) [ <i>Orsidis</i> ]	Borneo, W. Malaysia
<i>dentiferoides</i> (Breuning, 1936c:109) [ <i>Dihammus</i> ]	Borneo
<i>dispar</i> (Pascoe, 1866d:308) [ <i>Orsidis</i> ]	Borneo, Sumatra, Java
<i>flavithorax</i> (Breuning, 1936b:289) [ <i>Dihammus</i> ]	Borneo
<i>fulvoscutellata</i> (Breuning, 1935d:251) [ <i>Dihammus</i> ]	Borneo
<i>fuscomarmorata</i> (Breuning, 1940e:412) [ <i>Dihammus</i> ]	Borneo
<i>laevifrons</i> (Aurivillius, 1923a:455) [ <i>Dihammus</i> ]	Borneo, Sumatra
<i>marmorata</i> (Fisher, 1935:602) [ <i>Dihammus</i> ]	Borneo
<i>misella</i> (Breuning, 1936b:289) [ <i>Dihammus</i> ]	Borneo
<i>opposita</i> (Pascoe, 1866d:307) [ <i>Orsidis</i> ]	Borneo
<i>pontianakensis</i> (Breuning, 1958d:266) [ <i>Cypriola</i> ]	Borneo
<i>puncticollis</i> (Fisher, 1935:596) [ <i>Trachystola</i> ]	Borneo
<i>pustulatus</i> (Breuning, 1940e:412) [ <i>Dihammus</i> ]	Borneo
<i>pusio</i> Pascoe, 1858a:247 [ <i>Acalolepta</i> ]	
<i>rusticatrix rusticatrix</i> (Fabricius, 1801:294) [ <i>Lamia</i> ]	Borneo, Sumatra, Java, Sulawesi, Philippines, Taiwan, SE Asia, India

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>fistulator</b> (Germar, 1824:478) [ <i>Lamia</i> ]	
<b>bianor</b> (Newman, 1842b:277) [ <i>Monohammus</i> ]	
<b>musivus</b> (Pascoe, 1866a:251) [ <i>Monochamus</i> ]	
<b>sobria</b> (Pascoe, 1858a:246) [ <i>Monohammus</i> ]	Borneo
<b>subaurata</b> (Schwarzer, 1931a:68) [ <i>Dihammus</i> ]	Borneo
<b>sumatrana</b> (Breuning, 1940e:412) [ <i>Dihammus</i> ]	Borneo, Sumatra
<b>tarsalis</b> (Pascoe, 1866d:294) [ <i>Monochamus</i> ]	Borneo {Note 5}, Sumatra, W. Malaysia
<b>unicolor</b> (Fisher, 1935:605) [ <i>Orsidis</i> ]	Borneo
 <b>Achthophora</b> Newman, 1842c:292 (type species: <i>Achthophora tristis</i> Newman)	
<i>Dissomatus</i> Heller, 1916a:305 (type species: <i>Dissomatus humeralis</i> Heller)	
<b>sandakana</b> Heller, 1924c:428 [ <i>Achthophora</i> ]	Borneo
<b>tristis</b> Newman 1842c:292 [ <i>Achthophora</i> ]	?Borneo, Philippines
 <b>Agniohammus</b> Breuning, 1936b:303 (type species: <i>Agniohammus olivaceus</i> Breuning)	
<i>Elongatorsidis</i> Breuning, 1967j:183 (type species: <i>Elongatorsidis brunneus</i> Breuning)	
<b>brunneus</b> (Breuning, 1967j:183) [ <i>Elongatorsidis</i> ]	Borneo
 <b>Agniopsis</b> Breuning, 1936b:303 (type species: <i>Agniopsis flavovittatus</i> Breuning)	
<b>flavovittatus</b> Breuning, 1936b:303 [ <i>Agniopsis</i> ]	Borneo
 <b>Amechana</b> J. Thomson, 1864:85 (type species: <i>Amechana nobilis</i> J. Thomson)	
<i>Amesisa</i> Pascoe, 1866d:235 (type species: <i>Amesisa consularis</i> Pascoe)	
<b>nobilis</b> J. Thomson, 1864:85 [ <i>Amechana</i> ]	Borneo, Sumatra, W. Malaysia
<i>consularis</i> (Pascoe, 1866d:236) [ <i>Amesisa</i> ]	
 <b>Anameromorpha</b> Pic, 1923c:10 (type species: <i>Anameromorpha metallica</i> Pic)	
<b>metallica</b> Pic, 1923c:10 [ <i>Anameromorpha</i> ]	Borneo (Note 32), Laos, Vietnam
 <b>Anhammus</b> J. Thomson, 1860:94 (type species: <i>Monochamus dalenii</i> Guérin-Méneville)	
<b>dalenii borneensis</b> de Jong, 1942:27 [ <i>Anhammus</i> ] {Note 42}	Borneo
<b>n. sp.</b> {Note 41}	Borneo
 <b>Annamanum</b> Pic, 1925b:23 (type species: <i>Annamanum vitalisi</i> Pic)	
<i>Uraechopsis</i> Breuning, 1935e:67 (type species: <i>Uraecha chebana</i> Gahan)	
<b>plagiatum</b> (Aurivillius, 1913a:240) [ <i>Orsidis</i> ]	Borneo
 <b>Anoplophora</b> Hope, 1839:43 (type species: <i>Anoplophora stanleyana</i> Hope) {key to species: Lingafelter & Hoebeke, 2002:35}	
<i>Oplophora</i> Hope, 1839:42 (type species: <i>Oplophora solii</i> Hope) (pre-occupied by <i>Oplophorus</i> Milne-Edwards, 1837, Crustacea: Decapoda)	
<i>Callophophora</i> J. Thomson, 1864:76 (type species: <i>Oplophora solii</i> Hope) (replacement name for <i>Oplophora</i> Hope, 1839)	
<i>Melanauster</i> J. Thomson, 1868b:181 (type species: <i>Cerambyx chinensis</i> Forster)	
<i>Cyriocrates</i> J. Thomson, 1868b:181 (type species: <i>Oplophora horsfieldi</i> Hope)	
<i>Micromelanauster</i> Pic, 1931a:49 (type species: <i>Monohammus bowringii</i> White)	
<i>Falsocyriocrates</i> Pic, 1953a:2 (type species: <i>Cyriocrates elegans</i> Gahan)	
<b>amoena</b> (Jordan, 1895:269) [ <i>Cyriocrates</i> ]	Borneo, Sumatra, W. Malaysia
<b>graafi</b> (Ritsema, 1880:246) [ <i>Callophophora</i> ]	Borneo, Sumatra, W. Malaysia
<b>irregularis</b> (Aurivillius, 1923a:455) [ <i>Melanauster</i> ]	?Borneo
<b>medenbachii</b> (Ritsema, 1881c:39) [ <i>Melanauster</i> ]	Borneo, Sumatra, W. Malaysia
<i>medembachi</i> , Breuning, 1944b:292 (subsequent incorrect spelling)	
<b>zonator</b> (J. Thomson, 1878b:50) [ <i>Cyriocrates</i> ]	Borneo, W. Malaysia, Thailand, Laos, Myanmar
<b>fasciatus</b> (Pic, 1925b:20) [ <i>Melanauster</i> ]	
<b>zonatrix</b> , Breuning, 1944b:292 (unjustified emendation)	
<b>major</b> Breuning, 1968h:23 [ <i>Anoplophora</i> ]	
 <b>Archidice</b> J. Thomson, 1864:79 (type species: <i>Archidice castelnaudi</i> J. Thomson)	
<b>castelnaudi borneotica</b> (Kriesche, 1924a:287) [ <i>Leprodera</i> ]	Borneo
 <b>Aristobia</b> J. Thomson, 1868b:178 (type species: <i>Cerambyx testudo</i> Voet)	

Checklist and Bibliography of Longhorned Beetles from Borneo

<i>Eunithera</i> Pascoe, 1875a:65 (type species: <i>Eunithera viduata</i> Pascoe)	
<b>pallida</b> Aurivillius, 1924b:28 [ <i>Aristobia</i> ]	Borneo, Sumatra
<b>pendleburyi</b> Fisher, 1935:606 [ <i>Aristobia</i> ]	Borneo
<b>Blepephaeus</b> Pascoe, 1866d:291 (type species: <i>Monohammus succinctor</i> Chevrolat)	
<i>Perihammus</i> Aurivillius, 1923a:457 (type species: <i>Perihammus bifasciatus</i> Aurivillius)	
<i>Parablepephaeus</i> Breuning, 1980i:171 (type species: <i>Parablepephaeus lumawigi</i> Breuning)	
<b>banksi</b> Breuning, 1936b:297 [ <i>Blepephaeus</i> ]	Borneo
<b>borneensis</b> Breuning, 1944b:362 [ <i>Blepephaeus</i> ]	Borneo
<b>malaccensis</b> Breuning, 1935f:70 [ <i>Blepephaeus</i> ]	Borneo, W. Malaysia
<b>sumatrensis</b> Breuning, 1938e:33 [ <i>Blepephaeus</i> ]	Borneo, Sumatra
<b>Celosterna</b> Blanchard, 1845:158 (type species: <i>Lamia scabrador</i> Fabricius)	
<i>Coelosterna</i> (subsequent unjustified emendation)	
<i>Psaromaia</i> Pascoe, 1866d:289 (type species: <i>Psaromaia tigrina</i> Pascoe)	
<i>Toxosterna</i> J. Thomson, 1868b:178 (type species: <i>Lamia spinator</i> Fabricius)	
<i>Falsapriona</i> Pic, 1925b:3 (type species: <i>Falsapriona luteopubens</i> Pic)	
<i>Loxotropoides</i> Fisher, 1935:600 (type species: <i>Loxotropoides brunnea</i> Fisher)	
<i>Trichocelosterna</i> Breuning, 1965k:45 (type species: <i>Celosterna rouyeri</i> Ritsema)	
<b>Celosterna (Celosterna)</b> Blanchard	
<b>perakensis</b> Breuning, 1976a:739 [ <i>Celosterna</i> ]	Borneo, W. Malaysia
<b>pollinosa sulphurea</b> Heller, 1907:54 [ <i>Coelosterna</i> ]	Borneo, Sumatra, Java, Laos
<b>stolzii</b> Ritsema, 1911:4 [ <i>Celosterna</i> ]	Borneo, Sumatra, W. Malaysia
<i>brunnea</i> (Fisher, 1935:601) [ <i>Loxotropoides</i> ]	
<b>variegata</b> (Aurivillius, 1911:197) [ <i>Coelosterna</i> ]	Borneo
<b>Cereopsius</b> Pascoe, 1862a:344 (type species: <i>Cereopsius exoletus</i> Pascoe) {Note 19}	
<i>Etymestia</i> Pascoe, 1866d:236 (type species: <i>Cereopsius helena</i> White )	
<i>Vitticereopsius</i> Breuning, 1961c:143 (type species: <i>Epepeotes vittipennis</i> Fisher)	
<b>alboguttatus</b> (C. Waterhouse, 1878:138) [ <i>Etymestia</i> ]	Borneo
<b>amabilis</b> Aurivillius, 1913a:239 [ <i>Ceropsius</i> ]	Borneo, Thailand
<b>arbiter</b> Pascoe, 1885:50 [ <i>Cereopsius</i> ]	Borneo
<b>cinereus</b> Breuning, 1936b:299 [ <i>Cereopsius</i> ]	Borneo
<b>elongatus</b> Breuning & de Jong, 1941:53 [ <i>Cereopsius</i> ]	Borneo {Note 33}, Sumatra, Java
<i>reductemaculatus</i> Breuning, 1959d:174 [ <i>Creeopsius</i> ]	
<b>exoletus</b> Pascoe, 1857:105 [ <i>Cereopsius</i> ]	Borneo
<b>guttulatus</b> Aurivillius, 1923a:458 [ <i>Cereopsius</i> ]	Borneo
<i>ornata</i> (Fisher, 1935:607) [ <i>Combe</i> ]	
<b>helena</b> White, 1858b:412 [ <i>Cereopsius</i> ]	Borneo
<b>javanicus</b> Breuning, 1936b:299 [ <i>Cereopsius</i> ]	Borneo {Note 33}, Java
<b>kulzeri</b> Breuning, 1936b:299 [ <i>Cereopsius</i> ]	Borneo
<b>nigrofasciatus</b> Aurivillius, 1913a:239 [ <i>Cereopsius</i> ]	Borneo
<b>obliquemaculatus</b> Hüdepohl, 1989c:500 [ <i>Cereopsius</i> ]	Borneo
<b>satelles</b> Pascoe, 1885:51 [ <i>Cereopsius</i> ]	Borneo
<i>immaculipennis</i> Breuning, 1960d:31 [ <i>Cereopsius</i> ] {Note 1}	
<b>sexmaculatus</b> Aurivillius, 1907a:108 [ <i>Cereopsius</i> ]	Borneo, Sumatra, W. Malaysia
<i>immaculithorax</i> Breuning, 1974m:238 [ <i>Cereopsius</i> ]	
<b>sexnotatus</b> J. Thomson, 1865b:556 [ <i>Cereopsius</i> ]	Borneo, Java, W. Malaysia
<i>octonotatus</i> Breuning, 1944b:351 [ <i>Cereopsius</i> ] {Note 1}	
<i>quadriplagiatus</i> Breuning, 1944b:351 [ <i>Cereopsius</i> ] {Note 1}	
<i>niasicus</i> Breuning, 1952e:1 [ <i>Cereopsius</i> ] {Note 1}	
<b>spilotus</b> Pascoe, 1885:51 [ <i>Cereopsius</i> ]	Borneo
<i>octomaculatus</i> Aurivillius, 1923a:458 [ <i>Cereopsius</i> ]	
<b>vittipennis</b> (Fisher, 1935:599) [ <i>Epepeotes</i> ]	Borneo
<b>Cyriotasastes</b> Heller, 1924c:426 (type species: <i>Cyriotasastes hepaticus</i> Heller)	
<b>rhetenor</b> (Newman, 1842b:276) [ <i>Monochamus</i> ]	Borneo, Philippines
<i>hepaticus</i> Heller, 1924c:426 [ <i>Cyriotasastes</i> ]	
<i>unicoloripennis</i> Breuning, 1950r:515 [ <i>Cyriotasastes</i> ]	

Checklist and Bibliography of Longhorned Beetles from Borneo

- Epepeotes** Pascoe, 1866a:249 (type species: *Lamia lusca* Fabricius)  
*Diochares* Pascoe, 1866d:303 (type species: *Cerambyx fimbriata* Olivier)  
*Mengelotes* Dillon & Dillon, 1941:43 (type species: *Mengelotes ambiguus* Dillon & Dillon)  
*Falsomonochamus* Pic, 1943f:3 (type species: *Falsomonochamus diverseglabrus* Pic)  
***lateralis*** ***lateralis*** (Guérin-Méneville, 1831:68) [Monochamus] Borneo, Sumatra, Java, Sulawesi, Timor,  
W. Malaysia, SE Asia  
*spinosa* (J. Thomson, 1857e:179) [Leprodera]  
*meridianus* Pascoe, 1866d:302 [Epepeotes]  
*bimaculatus* Breuning, 1943b:225 [Epepeotes] {Note 1}  
***luscus*** ***luscus*** (Fabricius, 1787:139) [Lamia] Borneo, S and SE Asia  
*fumosus* Pascoe, 1866d:301 [Epepeotes]  
*enganensis* Gahan, 1907:80 [Epepeotes]  
*flavomaculatus* Aurivillius, 1924b:27 [Epepeotes]  
*soembanicus* Schwarzer, 1931a:66 [Epepeotes]  
*densemaculatus* Breuning, 1943b:223 [Epepeotes] {Note 1}  
*ochreosticticus* Breuning, 1943b:223 [Epepeotes] {Note 1}  
*interruptus* Breuning, 1943b:223 [Epepeotes] {Note 1}  
*alorenensis* Breuning, 1960d:29 [Epepeotes] {Note 1}  
***plorator*** ***uniformis*** Breuning, 1943:225 [Epepeotes] Banguey I.  
***vestigialis*** ***vestigialis*** Pascoe, 1866d:301 [Epepeotes] Borneo, Sumatra, W. Malaysia
- Epicedia** J. Thomson, 1864:78 (type species: *Leprodera pleuricosta* J. Thomson)  
***maculatrix*** (Perty, 1831:42) [Lamia] Borneo, Sumatra, Java  
*carceli* (Guérin-Méneville in Bélanger, 1834:491) [Lamia]  
*pleuricosta* (J. Thomson, 1857e:179) [Leprodera]  
***trimaculata*** (Chevrolat, 1856b:87) [Leprodera] Borneo, Java, W. Malaysia  
*plagiata* (J. Thomson, 1857e:178) [Leprodera]
- Eryalus** Pascoe, 1888:501 (type species: *Eryalus polyspilus* Pascoe)  
*Pseudagnia* Aurivillius, 1916b:216 (type species: *Pseudagnia tigrina* Aurivillius)  
***tigrinus*** (J. Thomson, 1878c:19) [Cereopsius] Borneo, Sumatra  
*polyspilus* Pascoe, 1888:501 [Eryalus]  
*tigrinus* (Aurivillius, 1916b:217) [Pseudagnia] (pre-occupied by *Cereopsius tigrinus* J. Thomson, 1878)
- Eusyntheta** Bates, 1889:392 (type species: *Eusyntheta brevicornis* Bates)  
***brevicornis*** Bates 1889:393 [Eusyntheta] Borneo
- Eutaenia** J. Thomson, 1857e:184 (type species: *Ceroplesia javeti* Thomson)  
*Eutaeniopsis* Gahan, 1888a:277 (type species: *Lamia trifasciella* White)  
***borneensis*** Aurivillius, 1911:198 [Eutaenia] Borneo
- Euthyastus** Pascoe, 1866d:252 (type species: *Euthyastus binotatus* Pascoe)  
***binotatus*** Pascoe, 1866d:253 [Euthyastus] Borneo, Java, Sumatra, W. Malaysia
- Hoplothrix** Gahan, 1888a:278 (type species: *Hoplothrix simplex* Gahan)  
***pulcher*** Hüdepohl, 1998a:227 [Hoplothrix] Borneo
- Notarionomus** J. Thomson, 1857b:78 (type species: *Monohammus blattooides* Pascoe)  
*Otarionomus* Pascoe, 1866d:234 (subsequent incorrect spelling)  
***blattooides*** ***blattooides*** (Pascoe, 1856:48) [Monohammus] Borneo
- Jeanvoinea** Pic, 1934c:10 (type species: *Jeanvoinea annulipes* Pic)  
***borneensis*** Breuning, 1961r:311 [Jeanvoinea] Borneo
- Laelida** Pascoe, 1866d:257 (type species: *Laelida antennata* Pascoe)  
***alboochracea*** Hüdepohl, 1998a:228 [Laelida] ?Borneo, W. Malaysia  
***antennata*** Pascoe, 1866d:257 [Laelida] Borneo {Note 5}, W. Malaysia
- Leprodera** J. Thomson, 1857e:177 (type species: *Leprodera elongata* J. Thomson)  
***elongata*** J. Thomson, 1857e:177 [Leprodera] Borneo, Sumatra, Java, W. Malaysia  
*equestris* Pascoe, 1866d:285 [Leprodera]

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>verrucosa</b> Pascoe, 1866d:286 [ <i>Leprodera</i> ] <i>arista</i> J. Thomson, 1878b:46 [ <i>Leprodera</i> ]	Borneo, Sumatra
<b>Macrochenus</b> Guérin-Méneville, 1843:59 (type species: <i>Cerambyx tigrinus</i> Olivier) <i>Mecotagus</i> Pascoe, 1866a:252 (type species: <i>Cerambyx tigrinus</i> Olivier) <b>melanospilus</b> Gahan, 1906b:114 [ <i>Macrochenus</i> ]	Borneo, W. Malaysia
<b>Marmoroglypha</b> Redtenbacher, 1868:182 (type species: <i>Marmoroglypha nicobarica</i> Redtenbacher) <b>densepunctata</b> Breuning, 1948b:13 [ <i>Marmoroglypha</i> ] <b>fasciata</b> (Pascoe, 1869c:204) [ <i>Achthophora</i> ] <b>sumatrana</b> Ritsema, 1888b:204 [ <i>Marmoroglypha</i> ] <b>vermiculata</b> Breuning, 1948b:13 [ <i>Marmoroglypha</i> ]	Borneo Borneo Borneo, Sumatra Borneo
<b>Metopides</b> Pascoe, 1866a:248 (type species: <i>Metopides occipitalis</i> Pascoe) <b>occipitalis</b> Pascoe 1866a:249 [ <i>Metopides</i> ] <b>paradoxus</b> Hüdepohl, 1992b:415 [ <i>Metopides</i> ]	Borneo, Sumatra, W. Malaysia Borneo, Sulawesi
<b>Mimohammus</b> Aurivillius, 1911:198 (type species: <i>Mimohammus flavescentia</i> Aurivillius) <b>flavescentia</b> Aurivillius, 1911:199 [ <i>Mimohammus</i> ]	Borneo
<b>Mimolaelida</b> Breuning, 1947d:12 (type species: <i>Mimolaelida flavolineata</i> Breuning) <b>flavolineata</b> Breuning, 1947d:13 [ <i>Mimolaelida</i> ]	Borneo
<b>Mimorsidis</b> Breuning, 1938e:33 (type species: <i>Mimorsidis lemoulti</i> Breuning) <b>sarawakensis</b> Hayashi, 1976a:34 [ <i>Mimorsidis</i> ]	Borneo
<b>Monochamus</b> Dejean, 1821:106 (type species: <i>Cerambyx sutor</i> Linné) <i>Monohamus</i> (subsequent incorrect spelling) <i>Monohammus</i> (subsequent incorrect spelling) <i>Monochammus</i> (subsequent incorrect spelling) <i>Lophoptera</i> Perroud, 1855:352 (type species: <i>Lophoptera spectabilis</i> Perroud) (pre-occupied by <i>Lophoptera</i> Guenée, 1852, Lepidoptera) <i>Meges</i> Pascoe, 1866d:272, 292 (type species: <i>Monohammus gravidus</i> Pascoe) <i>Anthores</i> Pascoe, 1868b:13 (type species: <i>Monohammus leuconotus</i> White) <i>Opepharus</i> Pascoe, 1868b:13 (type species: <i>Opepharus signator</i> Pascoe) <i>Phygas</i> Fåhraeus, 1872a:31 (type species: <i>Phygas fasciatus</i> Fåhraeus) (pre-occupied by <i>Phygas</i> Treitschke, 1833, Lepidoptera) <i>Herpetophygas</i> Fåhraeus, 1872b:194 (type species: <i>Phygas fasciatus</i> Fåhraeus) (replacement name for <i>Phygas</i> Fåhraeus) <i>Noserocera</i> Bates, 1884b:17 (type species: <i>Noserocera tuberosa</i> Bates) <i>Tibetobia</i> Frivaldszky, 1892:118 (type species: <i>Tibetobia szechenyana</i> Frivaldszky ) <i>Penhammus</i> Kolbe, 1893:259 (type species: <i>Penhammus pauper</i> Kolbe) <b>aberrans</b> (Ritsema, 1881d:146) [ <i>Anhammus</i> ] <b>fisheri</b> Breuning, 1944b:438 [ <i>Monochamus</i> ] <i>variegatus</i> (Fisher, 1935:596) [ <i>Anhammus</i> ] <b>kinabaluensis</b> Hüdepohl, 1996:5 [ <i>Monochamus</i> ] <b>regularis</b> (Aurivillius, 1924b:26) [ <i>Anhammus</i> ]	Borneo Borneo Borneo Borneo Borneo Borneo Borneo Borneo Borneo Borneo Borneo Borneo Borneo, Sumatra
<b>Myagrus</b> Pascoe, 1878:372 (type species: <i>Myagrus hynesi</i> Pascoe) <i>Neopharsalia</i> Neervoort van de Poll, 1886:27 (type species: <i>Neopharsalia costeri</i> Neervoort van de Poll) <b>alboplagiatus</b> (Gahan, 1888a:279) [ <i>Pharsalia</i> ] <b>hynesi</b> Pascoe, 1878:372 [ <i>Myagrus</i> ] <i>costeri</i> (Neervoort van de Poll, 1886:27) [ <i>Neopharsalia</i> ] <b>vinosus</b> (Pascoe, 1866d:251) [ <i>Pharsalia</i> ] <i>vagans</i> (Kannegieter, 1891:189) [ <i>Neopharsalia</i> ]	Borneo Borneo, Sumatra, W. Malaysia, India Borneo, Sumatra, W. Malaysia, Philippines
<b>Nanohammus</b> Bates, 1884:243 (type species: <i>Nanohammus rufescens</i> Bates) <i>Microcycos</i> Pic, 1934c:9 (type species: <i>Microcycos annulicornis</i> Pic) <i>Pararhodopis</i> Breuning, 1935c:174 (type species: <i>Rhodopis aberrans</i> Gahan) <i>Rarasanus</i> Matsushita, 1941:156 (type species: <i>Rarasanus subfasciatus</i> Matsushita)	Borneo, Sumatra, Sulawesi, W. Malaysia, Philippines

Checklist and Bibliography of Longhorned Beetles from Borneo

- alboplagiatus** Breuning, 1944b:372 [*Nanohammus*] Borneo, Malaysia
- Nephelotus** Pascoe, 1866d:306 (type species: *Nephelotus licheneus* Pascoe)  
**conspersus** (J. Thomson, 1865b:555) [*Anhammus*] Borneo, Sumatra, W. Malaysia  
*licheneus* Pascoe, 1866d:307 [*Nephelotus*]
- Omocyrius** Pascoe, 1866a:245 (type species: *Omocyrius fulvisparsus* Pascoe)  
**jansoni** Ritsema, 1888b:201 [*Omocyrius*] Borneo  
*invirgatus* (Heller, 1923b:34) [*Otarionomus*]
- Orsidis** Pascoe, 1866d:307 (type species: *Monohammus proletarius* Pascoe)  
**acutipennis** Breuning, 1938c:187 [*Paradihammus*] Borneo  
**flavosticticus** Breuning, 1938c:195 [*Orsidis*] Borneo  
**proletarius** (Pascoe, 1858a:246) [*Monohammus*] Borneo, Sulawesi  
*incomptus* Pascoe, 1866d:309 [*Orsidis*]
- Paracyriothasastes** Breuning, 1978a:5 (type species: *Cereopsius marmoreus* Pascoe)  
**marmoreus** (Pascoe, 1857:105) [*Cereopsius*] Borneo, W. Malaysia  
*mysticus* (J. Thomson, 1865b:556) [*Cereopsius*]
- Paraleprodera** Breuning, 1935g:253 (type species: *Lamia crucifera* Fabricius)  
**epicedioides** (Pascoe, 1866d:287) [*Leprodera*] Borneo, W. Malaysia  
*vaticina* (Pascoe, 1866d:287) [*Leprodera*]
- Paranamera** Breuning, 1935f:66 (type species: *Paranamera malaccensis* Breuning)  
**malaccensis** Breuning, 1935f:66 [*Paranamera*] Borneo {Note 5}, W. Malaysia
- Parathyastus** Aurivillius, 1913a:240 (type species: *Parathyastus alboconspersus* Aurivillius)  
**alboconspersus** Aurivillius, 1913a:241 [*Parathyastus*] Borneo
- Paraepopeotes** Pic, 1935a:16 (type species: *Paraepopeotes breuningi* Pic)  
*Parepopeotes* Breuning, 1938c:182 (subsequent incorrect spelling)  
*gigas* (Aurivillius, 1897:246) [*Epepeotes*] Borneo
- Parepicedia** Breuning, 1943b:212 (type species: *Leprodera fimbriata* Chevrolat)  
**fimbriata fimbriata** (Chevrolat, 1856b:87) [*Leprodera*] Borneo, W. Malaysia  
*pascoei* (J. Thomson, 1868b:183) [*Archidice*]
- Parhaplothrix** Breuning, 1935g:255 (type species: *Parhoplothrix strandi* Breuning)  
**sp.** {Note 41} Borneo
- Pelargoderus** Audinet-Serville, 1835a:72 (type species: *Pelargoderus vittatus* Audinet-Serville)  
*Paragnoma* Blanchard in d'Urville, 1853:298 (type species: *Paragnoma acuminipennis* Blanchard)  
*Rhamses* J. Thomson, 1857e:177 (type species: *Rhamses arouensis* J. Thomson)  
*Nanyohammus* Matsushita, 1935:119 (type species: *Nanyohammus luteosparsus* Matsushita)  
*cincticornis* Ritsema, 1895:33 [*Pelargoderus*] Borneo
- Peribasis** J. Thomson, 1864:86 (type species: *Monohammus aspersa* Pascoe)  
*albisparsa* Ritsema, 1888b:203 [*Peribasis*] Borneo  
*pubicollis* Pascoe, 1866d:231 [*Peribasis*] Borneo, W. Malaysia, Bhutan
- Pericycos** Breuning, 1944b:339 (type species: *Peribasis princeps* Pascoe)  
**princeps princeps** (Pascoe, 1878:373) [*Peribasis*] Borneo  
**princeps flavoapicalis** Breuning, 1979d:100 [*Pericycos*] Borneo  
*teragramus* Gilmour, 1950:221 [*Pericycos*] Borneo
- Pharsalia** J. Thomson, 1864:85 (type species: *Pharsalia malasiaca* J. Thomson)  
*Cycos* Pascoe, 1866a:244 (type species: *Monochamus subgemmatus* J. Thomson)  
*Eopharsalia* Breuning, 1944b:336 (type species: *Pharsalia granulipennis* Breuning & de Jong)  
*Antennopharsalia* Breuning, 1944b:339 (type species: *Pharsalia antennata* Gahan)

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>Pharsalia (Pharsalia)</b> J. Thomson	
<code>andoi</code> Hayashi, 1975:197 [ <i>Pharsalia</i> ]	Borneo
<code>borneensis</code> Breuning, 1936b:301 [ <i>Pharsalia</i> ]	Borneo
<code>cincticornis</code> Pascoe, 1866d:249 [ <i>Pharsalia</i> ]	Borneo {Note 5}, Sumatra
<code>duplicata</code> Pascoe, 1866d:250 [ <i>Pharsalia</i> ]	Borneo {Note 5}, Java, W. Malaysia
<code>lentiginosa</code> Pascoe, 1866d:249 [ <i>Pharsalia</i> ]	Borneo, India
<code>malasiaca</code> Thomson, 1864:85 [ <i>Pharsalia</i> ]	Borneo, Sumatra
<code>matangensis</code> Breuning, 1958j:22 [ <i>Pharsalia</i> ]	Borneo
<code>pulchra pulchra</code> Gahan, 1888a:280 [ <i>Pharsalia</i> ]	Borneo, Sumatra, S.E. Asia
<code>ferruginea</code> Gahan, 1906b:116 [ <i>Pharsalia</i> ]	
<code>nigrofasciata</code> Aurivillius, 1911:200 [ <i>Pharsalia</i> ]	
<code>albofasciata</code> Pic, 1932a:34 [ <i>Pharsalia</i> ]	
<code>saperdoides</code> Pascoe, 1866d:251 [ <i>Pharsalia</i> ]	Borneo, Sumatra, Java, W. Malaysia
<code>supposita</code> Pascoe, 1866d:250 [ <i>Pharsalia</i> ]	Borneo, Java
<b>Pharsalia (Eopharsalia)</b> Breuning	
<code>biplagiata</code> Breuning, 1950r:516 [ <i>Pharsalia</i> ]	Borneo
<code>claroides</code> Breuning, 1958d:263 [ <i>Pharsalia</i> ]	Borneo
<b>Pseudodihammus</b> Breuning, 1936b:293 (type species: <i>Pseudodihammus albicans</i> Breuning)	
<code>albicans</code> Breuning, 1936b:293 [ <i>Pseudodihammus</i> ]	Borneo
<b>Pseudomyagrus</b> Breuning, 1944b:319 (type species: <i>Cyriocrates waterhousei</i> Gahan)	
<code>waterhousei</code> (Gahan, 1888a:276) [ <i>Cyriocrates</i> ]	Borneo, Sumatra, W. Malaysia
<code>eupholoides</code> (Nonfried, 1894b:47) [ <i>Nemophas</i> ]	
<code>borneensis</code> Breuning, 1950r:514 [ <i>Pseudomyagrus</i> ] {Note 1}	
<b>Pseudonemophas</b> Breuning, 1944b:281 (type species: <i>Monochamus baluanus</i> Aurivillius)	
<code>baluanus</code> (Aurivillius, 1923a:453) [ <i>Monochamus</i> ]	Borneo
<b>Pseudothestus</b> Breuning, 1943:207 (type species: <i>Thestus niveovittatus</i> Aurivillius)	
<code>niveovittatus</code> (Aurivillius, 1910a:174) [ <i>Thestus</i> ]	Borneo, Sumatra
<b>Rufohammus</b> Breuning, 1939e:147 (type species: <i>Rufohammus rufescens</i> Breuning)	
<code>rufifrons</code> (Aurivillius, 1927a:534) [ <i>Mimohammus</i> ]	Borneo
<b>Sarothrocera</b> White, 1846:47 (type species: <i>Sarothrocera lowi</i> White)	
<code>lowi</code> White, 1846:47 [ <i>Sarothrocera</i> ]	Borneo, Sumatra, W. Malaysia, Myanmar
<b>Stegenagapanthia</b> Pic, 1924b:18 (type species: <i>Stegenagapanthia albovittata</i> Pic)	
n. sp. {Note 41}	Borneo
<b>Stegenus</b> Pascoe, 1857:104 (type species: <i>Stegenus dactylon</i> Pascoe)	
<code>dactylon</code> Pascoe, 1857:104 [ <i>Stegenus</i> ]	Borneo, W. Malaysia
<b>Sternohammus</b> Breuning, 1935d:253 (type species: <i>Dihammus femoralis</i> Aurivillius)	
<code>femoralis</code> (Aurivillius, 1927b:553) [ <i>Dihammus</i> ]	Borneo, Philippines
<b>Sternorsidis</b> Breuning, 1959e:126 (type species: <i>Sternosidis brunnea</i> Breuning)	
<code>brunnea</code> Breuning 1959e:126 [ <i>Sternosidis</i> ]	Borneo
<b>Striatorsidis</b> Breuning, 1960d:33 (type species: <i>Striatorsidis striatipennis</i> Breuning)	
<code>striatipennis</code> Breuning, 1960d:33 [ <i>Striatorsidis</i> ]	Borneo
<b>Superagnia</b> Breuning, 1968f:53 (type species: <i>Superagnia fuchsii</i> Breuning)	
<code>fuchsii</code> Breuning, 1968f:53 [ <i>Superagnia</i> ]	Borneo, Sumatra
<b>Thermonotus</b> Gahan, 1888c:399 (type species: <i>Thermonotus nigripes</i> Gahan)	
<code>Gibbanamera</code> Pic, 1923c:19 (type species: <i>Gibbanamera rubra</i> Pic)	
<code>cylindricus</code> Aurivillius, 1911:200 [ <i>Thermonotus</i> ]	Borneo
<code>nigripennis</code> Ritsema, 1896:205 [ <i>Thermonotus</i> ]	Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

*coeruleipennis* Aurivillius, 1911:199 [*Thermonotus*]

**Thestus** Pascoe, 1866a:247 (type species: *Thestus oncideroides* Pascoe)  
*Anammophas* Heller, 1916b:107 (type species: *Archidice alexandrae* J. Thomson)  
**alexandra** (J. Thomson, 1878b:47) [*Archidice*] Borneo, Sumatra  
*armatus* Gahan, 1893:381 [*Thestus*]

**Thylactomimus** Breuning, 1959h:150 (type species: *Thylactomimus albolateralis* Breuning)  
*albolateralis* Breuning, 1959h:150 [*Thylactomimus*] Borneo, Sumatra  
**n. sp.** {Note 41} Borneo

**Trachystola** Pascoe, 1862a:350 (type species: *Trachystola granulata* Pascoe)  
*granulata* Pascoe, 1862a:351 [*Trachystola*] Borneo, Sumatra, SE Asia  
*granulosa* Pascoe, 1866d:226 [*Trachystola*] (mis-spelling)  
**scabripennis** Pascoe, 1862a:351 [*Trachystola*] Borneo {Note 5}, Java, Vietnam

**Triammatus** Chevrolat, 1856a:48 (type species: *Triammatus saundersi* Chevrolat)  
*chevrolati* Pascoe, 1860d:47 [*Triammatus*] Borneo, Sumatra  
*saundersi* Chevrolat, 1856a:48 [*Triammatus*] Borneo  
*subinermis* Breuning, 1955e:60 [*Triammatus*] Borneo  
*tristis* Pascoe, 1860e:121 [*Triammatus*] Borneo {Note 33}, Batchian Is.

**Tympanopalpus** Redtenbacher, 1868:180 (type species: *Tympanopalpus dorsalis* Redtenbacher)  
*dorsalis* Redtenbacher, 1868:180 [*Tympanopalpus*] Borneo, Sumatra  
*obscurus* Aurivillius, 1923a:456 [*Thestus*]

**Xoes** Pascoe, 1866d:245 (type species: *Xoes egeria* Pascoe)  
**egeria** Pascoe, 1866d:246 [*Xoes*] Borneo

#### Tribe Batocerini

{key to genera: Gilmour, 1963:475}

**Apriona** Chevrolat, 1852:414 (type species: *Lamia germari* Hope) {key to species: Gilmour, 1958a}  
*Cylindrapriona* Breuning, 1949d:7 (type species: *Apriona cylindrica* J. Thomson)  
*Mesapriona* Breuning, 1949d:8 (type species: *Apriona punctatissima* Kaup)  
*Humeroapriona* Breuning, 1949d:8 (type species: *Lamia swainsoni* Hope)  
**elsa** Kriesche, 1920:193 [*Apriona*] Borneo, Sumatra  
**flavescens** *flavescens* Kaup, 1866:7 [*Apriona*] Borneo, Sumatra, Java, W. Malaysia, Thailand  
*malaccana* J. Thomson, 1878b:58 [*Apriona*]  
**marcusiana** Kriesche, 1920:194 [*Apriona*] Borneo, Sumatra, W. Malaysia  
**neglectissima** de Jong, 1936:75 [*Apriona*] Borneo  
**rixator** (Newman, 1842b:275) [*Batocera*] Borneo, Philippines, Sulawesi  
*borneensis* Aurivillius, 1920:375 [*Apriona*]

**Batocera** Dejean, 1835:341 (type species: *Cerambyx rubus* Linné) {species illustrations: Rigout, 1981}  
*Semibatocera* Kriesche, 1915:115 (type species: *Batocera calanus* Parry)  
*Tyrannolamia* Kriesche, 1915:115 (type species: *Batocera wallacei* J. Thomson)  
**numitor** Newman, 1842b:275 [*Batocera*] Borneo, Sumatra, SE Asia  
*ajax* J. Thomson, 1858a:455 [*Batocera*]  
*ferruginea* J. Thomson, 1858a:456 [*Batocera*]  
*titana* J. Thomson, 1859:82 [*Batocera*]  
*javanica* J. Thomson, 1859:83 [*Batocera*]  
*loki* Kriesche, 1915:143 [*Batocera*]  
*sumatrensis* Aurivillius, 1922c:126 [*Batocera*]  
*palawanicola* Kriesche, 1928:47 [*Batocera*]  
*rufopunctata* Breuning, 1956e:1 [*Batocera*] {Note 1}  
**parryi** (Hope, 1845b:77) [*Lamia*] Borneo, Sumatra, Java, SE Asia  
*calanus* (Parry, 1845:86) [*Lamia*]  
*guttata* Snellen van Vollenhoven, 1871:110 [*Batocera*]  
*fabricii* Thomson, 1878b:54) [*Batocera*]  
*bimaculata* Schwarzer, 1914:280 [*Batocera*]  
*immaculata* Schwarzer, 1914:280 [*Batocera*]  
*narada* Kriesche, 1928:45 [*Batocera*]

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>rubus</b> (Linné, 1758:390) [Cerambyx]	Borneo, Sumatra, Java, Philippines, SE Asia
<i>stigma</i> (Voet, 1778:15) [ <i>Lamia</i> ]	
<i>albofasciata</i> (Degeer, 1775:106) [Cerambyx]	
<i>albomaculatus</i> (Retzius, 1783:138) [unknown]	
<i>octomaculata</i> (Fabricius, 1792:290) [ <i>Lamia</i> ]	
<i>downesii</i> Hope, 1845b:76 [ <i>Lamia</i> ]	
<i>sarawakensis</i> J. Thomson, 1858a:452 [Batocera]	
<i>mniszechi</i> J. Thomson, 1859:79 [Batocera]	
<i>sabina</i> J. Thomson, 1878b:52 [Batocera]	
<i>coreana</i> Kolbe, 1886:238 [Batocera]	
<i>bipunctata</i> Kriesche, 1915:134 [Batocera]	
<i>punctatella</i> Kriesche, 1915:135 [Batocera]	
<i>formosana</i> Kriesche, 1915:136 [Batocera]	
<i>palawanica</i> Schwarzer, 1926:12 [Batocera]	
<i>siporensis</i> Schwarzer, 1930b:122 [Batocera]	
<i>immaculipennis</i> Breuning, 1947d:16 [Batocera]	
<i>lombokensis</i> Breuning, 1947d:16 [Batocera]	
<i>dividopunctata</i> Gilmour & Dibb, 1948:61 [Batocera] {Note 1}	
<b>thomsoni</b> Javet, 1858:412 [Batocera]	Borneo, Sumatra, W. Malaysia
<i>bipunctulata</i> Breuning in Gilmour & Dibb, 1948:65 [Batocera] {Note 1}	
<i>impunctata</i> Breuning in Gilmour & Dibb, 1948:65 [Batocera] {Note 1}	
<b>tigris</b> (Voet, 1778:16) [ <i>Lamia</i> ]	Borneo, Sumatra, Java, Thailand
<i>maculata</i> (Schönherr, 1817:369) [unknown]	
<i>hector</i> J. Thomson, 1858a:455 [Batocera]	
<i>helena</i> J. Thomson, 1865b:552 [Batocera]	
<i>attila</i> Pascoe, 1866d:270 [Batocera]	
<i>borneensis</i> Schwarzer, 1929:366 [Batocera]	
<i>baluana</i> Kriesche, 1940:116 [Batocera]	
<i>menelaus</i> Breuning, 1948b:14 [Batocera] {Note 1}	
<i>odysseus</i> Gilmour & Dibb, 1948:35 [Batocera] {Note 1}	
<b>victoriana</b> J. Thomson, 1856:529 [Batocera]	Borneo, Sumatra, Philippines, SE Asia
<i>velleda</i> Kriesche, 1915:138 [Batocera]	
<b>Megaciodes</b> Pascoe, 1866d:271 (type species: <i>Megaciodes saundersi</i> Pascoe) {species illustrations: Rigout, 1981; Devecis, 1993}	
<i>herbuloti</i> Devecis, 1993:27 [Megaciodes]	Borneo
<i>saundersi</i> Pascoe, 1866d:272 [Megaciodes]	Borneo, Sumatra
<b>Parapriona</b> Breuning, 1948b:17 (type species: <i>Parapriona brunneomarginata</i> Breuning)	
<i>brunneomarginata</i> Breuning, 1948b:18 [Parapriona]	Borneo
<b>Tribe Mesosini</b>	
{key to genera: Rondon & Breuning, 1970:317}	
<b>Aemocia</b> J. Thomson, 1864:61 (type species: <i>Aemocia ichthyosomoides</i> Thomson)	
<i>borneana</i> Breuning, 1974f:78 [Aemocia]	Borneo
<b>Aesopida</b> J. Thomson, 1864:62 (type species: <i>Aesopida malasiaca</i> J. Thomson)	
<i>malasiaca</i> J. Thomson, 1864:62 [Aesopida]	Borneo, Sumatra, Java, W. Malaysia, SE Asia
<b>Agelasta</b> Newman, 1842c:288 (type species: <i>Agelasta transversa</i> Newman) {key to species: Hüdepohl, 1985b:352; Hüdepohl, 1987e:250}	
<i>Dissosira</i> Pascoe, 1865b:124 (type species: <i>Agelasta catenata</i> Pascoe)	
<i>Mesolophus</i> Gahan, 1895:56 (type species: <i>Mesolophus humeralis</i> Gahan) {Note 46}	
<i>Mimocoptops</i> Pic, 1925b:32 (type species: <i>Mimocoptops laosensis</i> Pic)	
<i>Paragelasta</i> Breuning, 1935g:273 (type species: <i>Choeromorpha robinsoni</i> Gahan)	
<i>Parasaimia</i> Breuning, 1935g:267 (type species: <i>Mimocoptops laosensis</i> Pic) (replacement name for <i>Mimocoptops</i> Pic)	
<i>Pseudagelasta</i> Breuning, 1939a:487 (type species: <i>Agelasta bifasciana</i> White)	
<i>Metagelasta</i> Breuning, 1939a:491 (type species: <i>Choeromorpha albomaculata</i> Aurivillius)	
<i>Epagelasta</i> Breuning, 1939a:492 (type species: <i>Agelasta newmani</i> White)	
<i>Antennagelasta</i> Breuning, 1968k:696 (type species: <i>Agelasta perakensis</i> Breuning)	
<b>Agelasta (Dissosira)</b> Pascoe	
<i>catenata</i> Pascoe, 1862a:336 [Agelasta]	Borneo, Cambodia, Laos, Vietnam
<i>infasciata</i> (Pic, 1932a:34) [Anagelasta]	

Checklist and Bibliography of Longhorned Beetles from Borneo

*postmaculata* (Pic, 1936b:15) [*Choeromorpha*]  
*dubiosa* (Breuning, 1938c:211) [*Dissosira*]

<b>Agelasta (Epagelasta)</b> Breuning <i>newmani</i> White, 1856:410 [ <i>Agelasta</i> ]	Borneo
<b>Anancylus</b> J. Thomson, 1864:61 (type species: <i>Anancylus calceatus</i> J. Thomson) <i>Pseudanancylus</i> Breuning, 1935g:268 (type species: <i>Anancylus birmanicus</i> Breuning) <i>Paranancylus</i> Breuning, 1939a:472 (type species: <i>Anancylus socius</i> Pascoe)	
<b>Anancylus (Anancylus)</b> J. Thomson <i>calceatus</i> J. Thomson, 1864:61 [ <i>Anancylus</i> ]	Borneo, Sumatra, Java
<b>Anancylus (Paranancylus)</b> Breuning <i>griseatus</i> (Pascoe, 1858a:243) [ <i>Mesosa</i> ] <i>granulosus</i> Schwarzer, 1924:237 [ <i>Anancylus</i> ] <i>malasiacus</i> Breuning, 1982e:139 [ <i>Anancylus</i> ] <b>socius socius</b> Pascoe, 1865b:99 [ <i>Anancylus</i> ] <i>simulans</i> Pascoe, 1865b:99 [ <i>Anancylus</i> ] <i>strix</i> Heller, 1915b:241 [ <i>Anancylus</i> ] <i>vicarius</i> Heller, 1922:538 [ <i>Anancylus</i> ] <i>dissolutus</i> Kriesche, 1936:69 [ <i>Anancylus</i> ]	Borneo, Sumatra, W. Malaysia Borneo Borneo, Philippines, W. Malaysia
<b>Cacia</b> Newman, 1842c:290 (type species: <i>Cacia spinigera</i> Newman) <i>Coreothrophora</i> Blanchard in d'Urville, 1853:301 (type species: <i>Coreothrophora semiluctuosa</i> Blanchard) <i>Ipocregyes</i> Pascoe, 1865b:113 (type species: <i>Cacia newmanni</i> Pascoe) <i>Acanthocacia</i> Aurivillius, 1911:202 (type species: <i>Cacia bispinosa</i> Aurivillius) <i>Falsoereis</i> Pic, 1925b:25 (type species: <i>Falsoereis cephalotes</i> Pic) <i>Pseudocacia</i> Breuning, 1939a:436 (type species: <i>Cacia tonkinensis</i> Pic) <i>Spinocacia</i> Breuning, 1939a:439 (type species: <i>Cacia olivacea</i> Breuning) <i>Pericacia</i> Breuning, 1939a:459 (type species: <i>Lamia cretifera</i> Hope)	
<b>Cacia (Cacia)</b> Newman <i>anancyloides</i> Breuning, 1958j:6 [ <i>Cacia</i> ] <i>confusa</i> Pascoe, 1857:101 [ <i>Cacia</i> ] <i>inculta inculta</i> Pascoe, 1857:102 [ <i>Cacia</i> ] <i>kinabaluensis</i> Breuning, 1982e:139 [ <i>Cacia</i> ] <i>sarawakensis</i> Breuning, 1938c:207 [ <i>Cacia</i> ]	Borneo Borneo, W. Malaysia Borneo Borneo Borneo
<b>Cacia (Acanthocacia)</b> Aurivillius <i>bispinosa</i> Aurivillius, 1911:202 [ <i>Cacia</i> ] <i>collarti</i> Breuning, 1960e:3 [ <i>Cacia</i> ] <i>compta</i> Pascoe, 1865b:112 [ <i>Cacia</i> ] <i>melanopsis</i> Pascoe, 1866a:232 [ <i>Cacia</i> ] <i>pistor</i> Pascoe, 1866a:232 [ <i>Cacia</i> ] <i>picticornis</i> Pascoe, 1858a:249 [ <i>Cacia</i> ] <i>undulata</i> Heller, 1923a:419 [ <i>Cacia</i> ]	Borneo Borneo Borneo Borneo, W. Malaysia Borneo
<b>Cacia (Coreothrophora)</b> Blanchard <i>parelegans</i> Breuning, 1982e:140 [ <i>Cacia</i> ]	Borneo
<b>Cacia (Ipocregyes)</b> Pascoe <i>Falsoereis</i> Pic <i>newmanni</i> Pascoe, 1857:102 [ <i>Cacia</i> ] <i>unda</i> Heller, 1923b:36 [ <i>Cacia</i> ]	Borneo Borneo
<b>Choeromorpha</b> Chevrolat, 1849:613 (type species: <i>Choeromorpha pigra</i> Aurivillius) <i>Achoeromorpha</i> Breuning, 1935g:271 (type species: <i>Achoeromorpha brunneomaculata</i> Breuning)	
<b>Choeromorpha (Choeromorpha)</b> Chevrolat <i>amica</i> (White, 1856:410) [ <i>Agelasta</i> ] <i>callizona</i> (White, 1856:409) [ <i>Agelasta</i> ] <i>mediofasciata</i> Breuning, 1939a:521 [ <i>Choeromorpha</i> ] <i>multivittata</i> Breuning, 1974f:77 [ <i>Choeromorpha</i> ] <i>polynesa</i> (White, 1856:410) [ <i>Agelasta</i> ] <i>wallacei</i> (White, 1856:409) [ <i>Agelasta</i> ]	Borneo Borneo Borneo Borneo Borneo, W. Malaysia Borneo
<b>Clyzomedus</b> Pascoe, 1865b:115 (type species: <i>Coptops nanus</i> Pascoe)	

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>annularis</b> Pascoe, 1866a:234 [ <i>Clyzomedus</i> ] <b>borneensis</b> Breuning, 1936b:312 [ <i>Clyzomedus</i> ]	Borneo, Sumatra, Philippines, SE Asia Borneo
<b>Coptops</b> Audinet-Serville, 1835a:64 (type species: <i>Coptops parallela</i> Audinet-Serville) <b>undulata undulata</b> Pascoe, 1865b:121 [ <i>Coptops</i> ]	Borneo
<b>Demodes</b> Newman, 1842e:322 (type species: <i>Demodes immunda</i> Newman) <i>Phemone</i> Pascoe, 1859:48 (type species: <i>Apomecyna frenata</i> Pascoe) <b>conspersa</b> (Aurivillius, 1914:278) [ <i>Phemone</i> ] <b>subconspersa</b> Breuning, 1950c:265 [ <i>Demodes</i> ]	Borneo Borneo
<b>Elelea</b> Pascoe, 1865b:113 (type species: <i>Cacia concinna</i> Pascoe) <b>concinna</b> (Pascoe, 1857:101) [ <i>Cacia</i> ] <b>multipunctata</b> Heller, 1923a:415 [ <i>Elelea</i> ]	Borneo Borneo
<b>Ereis</b> Pascoe, 1865b:105 (replacement name for <i>Eris</i> Pascoe, 1857) (type species: <i>Eris anthriboides</i> Pascoe) <i>Eris</i> Pascoe, 1857:110 (type species: <i>Eris anthriboides</i> Pascoe) (pre-occupied by <i>Eris</i> Koch, 1846, Arachnida) <b>anthriboides anthriboides</b> (Pascoe, 1857:110) [ <i>Eris</i> ]	Borneo, Sumatra
<b>Eurymesosa</b> Breuning, 1938i:391 (type species: <i>Ereis ventralis</i> Pascoe) <b>ventralis</b> (Pascoe, 1865b:105) [ <i>Ereis</i> ]	Borneo, Java, SE Asia
<b>Falsomesosella</b> Pic, 1925b:27 (type species: <i>Falsomesosella minor</i> Pic) sp.	Borneo {Note 8}
<b>Golsinda</b> J. Thomson, 1860:344 (type species: <i>Golsinda corallina</i> J. Thomson) <b>corallina</b> J. Thomson, 1860:344 ( <i>Golsinda</i> )	Borneo, Sumatra, ?Laos
<b>Mesosa</b> Latreille in Cuvier, 1829:124 (type species: <i>Cerambyx curculionoides</i> Linné) <i>Aplocnemia</i> Stephens, 1831:236 (type species: <i>Cerambyx nubilus</i> Olivier) <i>Aphelocnemia</i> Stephens, 1831:414 (unjustified emendation of <i>Aplocnemia</i> Stephens, 1831) <i>Samia</i> Pascoe, 1865b:121 (type species: <i>Samia albidorsalis</i> Pascoe) (pre-occupied by <i>Samia</i> Hübner, 1819, Lepidoptera) <i>Helioxea</i> Pascoe, 1865b:124 (type species: <i>Agelasta rupta</i> Pascoe) <i>Saimia</i> Pascoe, 1866a:234 (replacement name for <i>Samia</i> Pascoe) (type species: <i>Samia albidorsalis</i> Pascoe) <i>Anthriboscyla</i> J. Thomson, 1868b:165 (type species: <i>Anthriboscyla mima</i> J. Thomson) <i>Pachyosa</i> Fairmaire, 1897:71 (type species: <i>Pachyosa cervinopicta</i> Fairmaire) <i>Perimesosa</i> Breuning, 1939a:409 (type species: <i>Mesosa hirsuta</i> Bates) <i>Metamesosa</i> Breuning, 1939a:411 (type species: <i>Mesosa basinodosa</i> Pic)	
<b>Mesosa (Anthriboscyla)</b> J. Thomson <b>illecideosa</b> Breuning, 1967j:185 [ <i>Mesosa</i> ] <b>lecidiosa</b> (Pascoe, 1865b:120) [ <i>Coptops</i> ] <b>mima</b> (J. Thomson, 1868b:165) [ <i>Anthriboscyla</i> ]	Borneo Borneo, Sumatra, W. Malaysia Borneo
<b>Mesosa (Saimia)</b> Pascoe <i>Pachyosa</i> Fairmaire <b>albidorsalis</b> (Pascoe, 1865b:122) [ <i>Samia</i> ] <b>incongrua</b> Pascoe, 1885:52 [ <i>Mesosa</i> ] <b>lineata</b> Breuning, 1939a:517 [ <i>Mesosa</i> ] <b>plurinigrosignata</b> Breuning, 1982e:139 [ <i>Mesosa</i> ] <b>pontianakensis</b> Breuning, 1967j:184 [ <i>Mesosa</i> ] <b>postfasciata</b> Breuning, 1974f:74 [ <i>Mesosa</i> ] <b>revoluta</b> (Pascoe, 1865b:122) [ <i>Samia</i> ]	Borneo, Philippines, W. Malaysia Borneo Borneo, Sumatra Borneo Borneo Borneo Borneo Borneo
<b>Metacoptops</b> Breuning, 1939a:502 (type species: <i>Aesopida fasciculata</i> Aurivillius) <b>fasciculata</b> (Aurivillius, 1911:203) [ <i>Aesopida</i> ]	Borneo
<b>Microcacia</b> Breuning, 1939a:434 (type species: <i>Microcacia longiscapa</i> Breuning) <b>longiscapa</b> Breuning, 1939a:434 [ <i>Microcacia</i> ]	Borneo
<b>Mimanancylus</b> Breuning, 1968k:695 (type species: <i>Mimanancylus borneensis</i> Breuning) <b>borneensis</b> Breuning, 1968k:695 [ <i>Mimanancylus</i> ]	Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

**Mimocacia** Breuning, 1937b:57 (type species: *Mimocacia ferruginea* Breuning)  
**ferruginea** Breuning, 1937b:57 [*Mimocacia*] Borneo

**Mnemea** Pascoe, 1865b:114 (type species: *Mnemea phalerata* Pascoe)  
**phalerata** Pascoe, 1865b:115 [*Mnemea*] Borneo

**Mutatocoptops** Pic, 1925b:28 (type species: *Mutatocoptops alboapicalis* Pic)  
*Paracoptops* Heller, 1926:36 (type species: *Saimia tuberosa* Heller)  
*Pseudaemocia* Breuning, 1935g:269 (type species: *Pseudaemocia rufa* Breuning)

**Mutatocoptops (Mutatocoptops)** Pic  
**bituberosa** (Pascoe, 1866a:235) [*Saimia*] Borneo, W. Malaysia  
*tuberosa* Heller, 1926:36 [*Saimia*]  
**borneensis** Breuning, 1968k:698 [*Mutatocoptops*] Borneo  
**diversa** (Pascoe, 1865b:123) [*Saimia*] Borneo

**Planodes** Newman, 1842e:323 (type species: *Planodes quaternarius* Newman)  
*Calymnophis* J. Thomson, 1864:59 (type species: *Calymnophis flavovariegata* J. Thomson)  
**deterrens** Pascoe, 1865b:102 [*Planodes*] Borneo, W. Malaysia  
*bifasciatus* Aurivillius, 1911:201 [*Planodes*]  
**Ieporinus** Pascoe, 1865b:102 [*Planodes*] Borneo  
*turbatus* Pascoe, 1865b:104 [*Planodes*] Borneo  
*variegatus* Aurivillius, 1911:200 [*Planodes*] Borneo

**Pseudochoeromorpha** Breuning, 1936b:310 (type species: *Agelasta lar* Pascoe)  
**lar** (Pascoe, 1865b:124) [*Agelasta*] Borneo  
*sobrina* Pascoe, 1865b:127 [*Agelasta*]

**Pseudozelota** Breuning, 1936b:307 (type species: *Pseudozelota annamensis* Breuning)  
*Parazelota* Breuning, 1938c:206 (type species: *Acanthocacia punctipennis* Schwarzer)

**Pseudozelota (Pseudozelota)** Breuning  
**capito** (Pascoe, 1865b:112) [*Cacia*] Borneo, W. Malaysia, SE Asia  
*annamensis* Breuning, 1936b: 307 [*Pseudozelota*]

**Pseudozelota (Parazelota)** Breuning  
**mima** (Breuning, 1938c:306) [*Parazelota*] Borneo

**Sorbia** Pascoe, 1865b:130 (type species: *Sorbia tarsalis* Pascoe)  
*Paraemocia* Breuning, 1935g:269 (type species: *Paraemocia malaccensis* Breuning)  
**affinis** Breuning, 1964g:92 [*Sorbia*] Borneo  
**tarsalis** Pascoe, 1865b:131 [*Sorbia*] Borneo, W. Malaysia  
*substrigosa* (Pascoe, 1866a:236) [*Agelasta*]  
*malaccensis* (Breuning, 1935g:270) [*Paraemocia*]

**Syrrhopoeus** Pascoe, 1865b:129 (type species: *Syrrhopoeus agelastoides* Pascoe)  
**agelastoides** Pascoe, 1865b:130 [*Syrrhopoeus*] Borneo

**Trichomesosa** Breuning, 1938i:389 (type species: *Ereis bifasciata* Pic)  
**sp. {Note 41}** Borneo

**Zelota** Gahan in Shelford, 1902:273 (type species: *Zelota spathomelina* Gahan)  
**bryanti** Breuning, 1938c:205 [*Zelota*] Borneo  
**spathomelina** Gahan in Shelford, 1902:274 [*Zelota*] Borneo

**Tribe Gnomini**

**Gnoma** Fabricius, 1801:315 (type species: *Cerambyx longicollis* Fabricius)  
**longicollis** (Fabricius, 1787:135) [*Cerambyx*] Borneo, Sumatra, W. Malaysia  
*sumatrensis* Dillon & Dillon, 1951:40 [*Gnoma*]  
*casnonioides* J. Thomson, 1860:106 [*Gnoma*]  
*confusa* J. Thomson, 1865b:555 [*Gnoma*]  
*longitarsis* Pascoe, 1866d:314 [*Gnoma*]  
*vittaticollis* Aurivillius, 1923a:459 [*Gnoma*] Borneo, Philippines

**Imantocera** J. Thomson, 1857e:188 (type species: *Lamia penicillata* Hope)  
*Himantocera* Pascoe, 1866d:288 (subsequent incorrect spelling)  
**plumosa** (Olivier, 1792:463) [*Cerambyx*] Borneo, Sumatra, Java, W. Malaysia

Checklist and Bibliography of Longhorned Beetles from Borneo

*acmoceroides* J. Thomson, 1865b:555 [*Imantocera*]  
*borneotica* Breuning, 1940e:414 [*Imantocera*]

**Psectrocera** Pascoe, 1862a:345 (type species: *Gnoma plumigera* Westwood)  
*plumigera* (Westwood, 1848:11) [*Gnoma*] Borneo, Sumatra, Java, New Guinea  
*plumosa* Pascoe, 1866d:311 [*Psectrocera*]

Tribe **Ancylonotini**

{key to genera: Rondon & Breuning, 1970:471}

**Palimna** Pascoe, 1862a:346 (type species: *Golsinda tessellata* Pascoe)  
*Cylanca* J. Thomson, 1864:58, 131 (type species: *Golsinda tessellata* Pascoe)  
*Goniages* Pascoe, 1865b:135 (type species: *Goniages infausta* Pascoe)  
*Apalimna* Bates, 1884:241 (type species: *Apalimna liturata* Bates)  
*annulata* (Olivier, 1792:465) [*Cerambyx*] Borneo, Sumatra, Java, SE Asia  
*nodulosa* (Schönherr, 1817:395) [*Lamia*]  
*tesselata* (Pascoe, 1857:49) [*Golsinda*]  
*mouhoti* Pascoe, 1866a:237 [*Palimna*]  
*infausta* (Pascoe, 1859:41) [*Goniages*] Borneo

Tribe **Dorcaschematini**

{key to genera: Rondon & Breuning, 1970:477}

**Brachyolene** Breuning, 1948b:27 (type species: *Brachyolene campatus banksi* Breuning)  
*banksi* Breuning, 1948b:28 [*Brachyolene campatus*] Borneo  
*fuscosticticus* Breuning, 1948b:29 [*Brachyolene campatus*] Borneo

**Cylindrepomus** Blanchard in d'Urville, 1853:268 (type species: *Cylindrepomus nigrofasciatus* Blanchard)  
{key to species: Hüdepohl, 1987a:73}

<i>Hippardium</i> Pic, 1925a:21 (type species: <i>Hippardium vittatum</i> Pic)	
<i>albicornis</i> Nonfried, 1894a:212 [ <i>Cylindrepomus</i> ]	"Iles de la Sonde"
<i>albovittatus</i> Breuning, 1960e:8 [ <i>Cylindrepomus</i> ]	Borneo
<i>aureolineatus</i> Dillon & Dillon, 1948:276 [ <i>Cylindrepomus</i> ]	Borneo
<i>comis</i> Pascoe, 1858a:241 [ <i>Cylindrepomus</i> ]	Borneo
<i>flavosignatus</i> Breuning, 1947d:28 [ <i>Cylindrepomus</i> ]	Borneo
<i>laetus shelfordi</i> Aurivillius, 1922c:213 [ <i>Cylindrepomus</i> ]	Borneo
<i>mantiformis</i> Hüdepohl, 1989c:502 [ <i>Cylindrepomus</i> ]	Borneo
<i>peregrinus peregrinus</i> Pascoe, 1858a:241 [ <i>Cylindrepomus</i> ]	Borneo, Sumatra, Java, Philippines
<i>connexa</i> Gilmour, 1950:222 [ <i>Cylindrepomus</i> ]	
<i>samarensis</i> Dillon & Dillon, 1948:264 [ <i>Cylindrepomus</i> ]	
<i>rubriceps</i> Aurivillius, 1907:123 [ <i>Cylindrepomus</i> ]	Borneo, Sumatra, Java
<i>vittatum</i> (Pic, 1925a:22) [ <i>Hippardium</i> ]	
<i>sexlineatus</i> Schultze, 1934:312 [ <i>Cylindrepomus</i> ]	Borneo, Philippines
<i>m. reductevittatus</i> Breuning, 1947d:26 [ <i>Cylindrepomus</i> ]	
<i>m. ininterruptus</i> Breuning, 1950r:527 [ <i>Cylindrepomus</i> ]	
<i>n. sp.</i> {Note 41}	Borneo

**Olenecamptus** Chevrolat, 1835:134 (type species: *Olenecamptus serratus* Chevrolat)

<i>Authades</i> J. Thomson, 1857e:191 (type species: <i>Authades indianus</i> J. Thomson)	
<i>Ibidimorphum</i> Motschulsky, 1860:152 (type species: <i>Ibidimorphum octopustulatum</i> Motschulsky)	
<i>affinis</i> Breuning, 1936b:319 [ <i>Olenecamptus</i> ]	Borneo
<i>albovittatus</i> Breuning, 1936b:319 [ <i>Olenecamptus</i> ]	Borneo
<i>bilobus borneensis</i> Pic, 1916h:6 [ <i>Olenecamptus</i> ] {Note 39}	Borneo
<i>rouyeri</i> Pic, 1916h:6 [ <i>Olenecamptus</i> ]	
<i>optatus optatoides</i> Dillon & Dillon, 1948:202 [ <i>Olenecamptus</i> ]	Borneo
<i>sandacanus</i> Heller, 1923b:38 [ <i>Olenecamptus</i> ]	Borneo
<i>sarawakensis</i> Breuning, 1936b:319 [ <i>Olenecamptus</i> ]	Borneo
<i>n. sp.</i> {Note 41}	Borneo

Tribe **Apomecynini**

{key to genera: Breuning, 1964i:1}

**Ancornallis** Fisher, 1935:612 (type species: *Ancornallis cristatus* Fisher)  
*cristatus* Fisher, 1935:613 [*Ancornallis*] Borneo

**Anxylotoles** Fisher, 1935:594 (type species: *Anxylotoles caudatus* Fisher)  
*caudatus* Fisher, 1935:595 [*Anxylotoles*] Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

**Apomecyna** Dejean, 1821:108 (type species: *Saperda alboguttata* Megerle)  
*Mecynapus* J. Thomson, 1858b:187 (type species: *Apomecyna parumpunctata* Chevrolat)  
*Vocula* Lacordaire, 1872:587 (type species: *Vocula guttifera* Lacordaire)  
*Pseudalbana* Pic, 1895c:77 (type species: *Pseudalbana lameerei* Pic)  
*Anapomecyna* Pic, 1925b:29 (type species: *Anapomecyna luteomaculata* Pic)  
*Crassapomecyna* Breuning, 1958m:492 (type species: *Apomecyna crassiuscula* Fairmaire)

**Apomecyna (Apomecyna)** Latreille

<i>Mecynapus</i> J. Thomson	
<i>Vocula</i> Lacordaire	
<i>Pseudalbana</i> Pic	
<i>Anapomecyna</i> Pic	
<b>borneotica</b> Breuning, 1982e:142 [ <i>Apomecyna</i> ]	Borneo
<b>histrio</b> (Fabricius, 1792:288) [ <i>Lamia</i> ]	Borneo, Sumatra, Moluccas, SE Asia
<i>alboguttata</i> (Megerle, 1802:473) [ <i>Saperda</i> ]	
<i>quadrifasciata</i> J. Thomson, 1868a:59 [ <i>Apomecyna</i> ]	
<i>maculaticollis</i> Pic, 1918d:6 [ <i>Apomecyna</i> ]	
<b>tigrina tigrina</b> J. Thomson, 1857g:343 [ <i>Apomecyna</i> ]	Borneo, Sumatra, Java

**Athylia** Pascoe, 1864c:42 (type species: *Athylia avara* Pascoe)

<i>Enispia</i> Pascoe, 1864c:50 (type species: <i>Enispia venosa</i> Pascoe)	
<i>Sodomorphon</i> Pic, 1927a:14 (type species: )	
<b>pulchra</b> (Fisher, 1925:206) [ <i>Enispia</i> ]	Borneo
<b>similis</b> (Fisher, 1925:207) [ <i>Enispia</i> ]	Borneo
<b>venosa</b> (Pascoe, 1864c:51) [ <i>Enispia</i> ]	Borneo {Note 5}, Sumatra, Java
<b>viduata</b> (Pascoe, 1864c:52) [ <i>Ebaeides</i> ]	Borneo, Vietnam

**Atimura** Pascoe, 1863a:548 (type species: *Atimura terminata* Pascoe)

<b>bacillina</b> Pascoe, 1865b:158 [ <i>Atimura</i> ]	Borneo, Sumatra
<b>punctissima</b> Pascoe, 1865b:158 [ <i>Atimura</i> ]	Borneo, Sumatra, W. Malaysia

**Atrichocera** Aurivillius, 1911:220 (type species: *Atrichocera moultoni* Aurivillius)

<b>moultoni</b> Aurivillius, 1911:220 [ <i>Atrichocera</i> ]	Borneo
--	--------

**Baudona** Breuning, 1963h:6 (type species: *Baudona ochreovittata* Breuning)

<b>borneotica</b> Breuning, 1969i:659 [ <i>Baudona</i> ]	Borneo
--	--------

**Bybe** Pascoe, 1866d:225 (type species: *Bybe parmenoides* Pascoe)

<b>parmenoides</b> Pascoe, 1866d:225 [ <i>Bybe</i> ]	Borneo
--	--------

**Diaxenes** C. Waterhouse, 1884a:128 (type species: *Diaxenes taylori* C. Waterhouse)

<b>dendrobii</b> Gahan, 1894:520 [ <i>Diaxenes</i> ]	Borneo, India, Myanmar
--	------------------------

**Dymascus** Pascoe, 1865b:155 (type species: *Dymascus porosus* Pascoe)

<b>porosus</b> Pascoe, 1865b:156 [ <i>Dymascus</i> ]	Borneo
--	--------

**Dyemus** Pascoe, 1864c:54 (type species: *Dyemus puncticollis* Pascoe)

<b>puncticollis</b> Pascoe, 1864c:54 [ <i>Dyemus</i> ]	Borneo
--	--------

**Ebaeides** Pascoe, 1864c:51 (type species: *Ebaeides exigua* Pascoe)

<i>Argodia</i> Belon, 1891:54 (type species: <i>Argodia grouvellei</i> Belon)	
<b>borneensis</b> Fisher, 1925:225 [ <i>Ebaeides</i> ]	Borneo
<b>fulva</b> Fisher, 1925:226 [ <i>Ebaeides</i> ]	Borneo
<b>monstrosa</b> Pascoe, 1864c:52 [ <i>Ebaeides</i> ]	Borneo
<b>palliata</b> Pascoe, 1864c:53 [ <i>Ebaeides</i> ]	Borneo
<b>rufula</b> Pascoe, 1864c:52 [ <i>Ebaeides</i> ]	Borneo

**Epilysta** Pascoe, 1865b:148 (type species: *Epilysta mucida* Pascoe)

<b>mucida</b> Pascoe, 1865b:149 [ <i>Epilysta</i> ]	Borneo
---	--------

**Epilystoides** Breuning, 1939b:244 (type species: *Epilystoides bispinosus* Breuning)

<b>bispinosus</b> Breuning, 1939b:244 [ <i>Epilystoides</i> ]	Borneo
---	--------

**Eremosybra** Breuning, 1942c:153 (type species: *Eremosybra flavolineata* Breuning)

<b>albosignata</b> Breuning, 1960j:479 [ <i>Eremosybra</i> ]	Borneo
<b>flavolineata</b> Breuning, 1942c:153 [ <i>Eremosybra</i> ]	Borneo

- Eunidia** Erichson, 1843:261 (type species: *Eunidia nebulosa* Erichson)  
*Frixus* J. Thompson, 1857f:313 (type species: *Frixus variegata* Thomson)  
*Friscus* (subsequent incorrect spelling)  
*Anomoesia* Pascoe, 1858a:255 (type species: *Anomoesia fulvida* Pascoe)  
*Syessita* Pascoe, 1864b:284 (type species: *Syessita divisa* Pascoe)  
*Tritomicrus* Fairmaire, 1892:125 (type species: *Tritomicrus marmoreus* Fairmaire)  
*Paphraecia* Fairmaire, 1894:332 (type species: *Paphraecia obliquepicta* Fairmaire)  
*Semiclinia* Fairmaire, 1898:254 (type species: *Semiclinia denseguttata* Fairmaire)  
*Mycerinella* Heller, 1924b:203 (type species: *Mycerinella subbifasciata* Heller)  
*Boucardia* Pic, 1925b:31 (type species: *Boucardia nigroapicalis* Pic)  
*Aserixia* Pic, 1925b:31 (type species: *Aserixia savioi* Pic)  
**lateraloides** Breuning, 1963a:82 [*Eunidia*] Borneo {Note 5}, W. Malaysia  
**nigroapicalis** (Pic, 1925b:31) [*Boucardia*] Borneo {Note 5}, Sumatra
- Euryzeargyreia** Breuning, 1957c:115 (type species: *Euryzeargyreia fuscostictica* Breuning)  
**fuscostictica** Breuning, 1957c:115 [*Euryzeargyreia*] Borneo
- Microplacia** Heller, 1924b:208 (type species: *Microplacia puncticollis* Heller)  
**borneensis** Breuning, 1956a:247 [*Microplacia*] Borneo
- Mimoropica** Breuning & de Jong, 1941:101 (type species: *Mimoropica biplagiata* Breuning & de Jong)  
**biplagiata** Breuning & de Jong, 1941:102 [*Mimoropica*] Borneo, W. Malaysia  
**fascicollis** (Breuning, 1940b:149) [*Mimoropica*] Borneo  
**spinipennis** Breuning, 1942c:137 [*Mimoropica*] Borneo
- Mimosybra** Breuning, 1939b:278 type species: *Atelais surigaonis* Heller)  
**mediomaculata** Breuning, 1939b:279 [*Mimosybra*] Borneo, W. Malaysia
- Neosybra** Breuning, 1939b:276 (type species: *Neosybra ropicoides* Breuning)  
**fuscosignata** Breuning, 1940b:164 [*Neosybra*] Borneo  
**strandi** Breuning, 1939b:278 [*Neosybra*] Borneo
- Niphoropica** Breuning, 1947d:50 (type species: *Niphoropica albipennis* Breuning)  
**albipennis** Breuning, 1947d:50 [*Niphoropica*] Borneo
- Parathyria** Breuning, 1958e:32 (type species: *Parathyria diversicornis* Breuning)  
**diversicornis** Breuning, 1958e:33 [*Parathyria*] Borneo
- Parepilysta** Breuning, 1939:243 (type species: *Parepilysta strandi* Breuning)  
*Spinepilysta* Breuning, 1947d:46 (type species: *Parepilysta mindoroensis* Breuning)  
*Fasciatepilysta* Breuning, 1964:91 (type species: *Plocia subfasciata* Schwarzer)  
*Granosepilysta* Breuning, 1964:92 (type species: *Atelais basigranosus* Schwarzer)  
*Striatepilysta* Breuning, 1949:10 (type species: *Parepilysta striatipennis* Breuning)
- Parepilysta (Spinepilysta)** Breuning  
**borneana** Breuning, 1961c:152 [*Parepilysta*] Borneo
- Pariproca** Breuning, 1968k:702 (type species: *Pariproca spinipennis* Breuning)  
**spinipennis** Breuning, 1968k:702 [*Pariproca*] Borneo
- Poromecyna** Aurivillius, 1911:213 (type species: *Poromecyna foveolata* Aurivillius)  
**foveolata** Aurivillius, 1911:213 [*Poromecyna*] Borneo
- Pseudepilysta** Hüdepohl, 1996:2 (type species: *Pseudepilysta loebli* Hüdepohl)  
**loebli** Hüdepohl, 1996:2 [*Pseudepilysta*] Borneo
- Ropica** Pascoe, 1858a:247 (type species: *Ropica piperata* Pascoe)  
**albotecta** Breuning, 1961k:332 [*Ropica*] Borneo  
**angusticollis** Pascoe, 1865b:189 [*Ropica*] Borneo  
**borneotica** Breuning, 1939b:222 [*Ropica*] Borneo  
**honesta** Pascoe, 1865b:190 [*Ropica*] Borneo, Sumatra, Java, New Guinea, Philippines, SE Asia, Taiwan, China  
*burketi* Gressitt, 1937c:609 [*Ropica*]  
*langana* Pic, 1945c:3 [*Ropica*]  
*dorsalis* Schwarzer, 1925c:145 [*Ropica*]  
*rufescens* Pic, 1926b:5 [*Ropica*]

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>illiterata</b> Pascoe, 1865b:195 [ <i>Ropica</i> ]	Borneo, Sumatra
<b>marmorata sarawakiana</b> Hayashi, 1976a:32 [ <i>Ropica</i> ]	Borneo
<b>nigrovittata</b> Breuning, 1940e:426 [ <i>Ropica</i> ]	Borneo
<b>ochreomaculata</b> Breuning, 1969i:656 [ <i>Ropica</i> ]	Borneo
<b>paruniformis</b> Breuning, 1969l:104 [ <i>Ropica</i> ] (replacement name for <i>Ropica uniformis</i> Breuning, 1968)	Borneo
<i>uniformis</i> Breuning, 1968k:701 [ <i>Ropica</i> ] (pre-occupied by <i>Ropica uniformis</i> Breuning, 1948)	Borneo
<b>piperata</b> Pascoe, 1858a:248 [ <i>Ropica</i> ]	W. Malaysia
<i>posticalis</i> Pascoe, 1858a:248 [ <i>Ropica</i> ]	
<b>sparsepunctata</b> Breuning, 1940e:426 [ <i>Ropica</i> ]	Borneo
<b>vinacea</b> Pascoe, 1865b:194 [ <i>Ropica</i> ]	Sumatra, W. Malaysia

**Rucentra** Schwarzer, 1931b:198 (type species: *Rucentra dammermani* Schwarzer)  
**smetanai** Hüdepohl in Hüdepohl & Smetana, 1992:179 [*Rucentra*] Borneo

<b>Sybra</b> Pascoe, 1865b:198 (type species: <i>Ropica stigmatica</i> Pascoe)
<i>Myronoma</i> Pascoe, 1865b:219 (type species: <i>Myronoma eunidioides</i> Pascoe)
<i>Pithodia</i> Pascoe, 1865b:220 (type species: <i>Pithodia tessellata</i> Pascoe)
<i>Bityle</i> Pascoe, 1865b:221 (type species: <i>Bityle bicolor</i> Pascoe)
<i>Rhadia</i> Pascoe, 1867a:450 (type species: <i>Rhadia pusio</i> Pascoe)
<i>Atelais</i> Pascoe, 1867a:457 (type species: <i>Atelais illaesa</i> Pascoe)
<i>Bitylissa</i> J. Thomson, 1868c:201 (unnecessary replacement name for <i>Bityle</i> Pascoe, 1865)
<i>Sybrinura</i> Gahan, 1907:88 (type species: <i>Sybrinura biapicata</i> Gahan)
<i>Cylindroplocia</i> Heller, 1924b:205 (type species: <i>Cylindroplocia pseudonotyle</i> Heller)
<i>Lamprosybra</i> Aurivillius, 1928b:144 (type species: <i>Lamprosybra suleata</i> Aurivillius)
<i>Ropicomorpha</i> Pic, 1944b:8 (type species: <i>Ropicomorpha inermis</i> Pic)
<i>Fasciculosybra</i> Breuning, 1942c:151 (type species: <i>Sybra fasciculata</i> Breuning)
<i>Pilosybra</i> Breuning, 1942c:151 (type species: <i>Sybra pallens</i> Breuning)
<i>Cristosybra</i> Breuning, 1950d:268 (type species: <i>Sybra bifasciculosa</i> Breuning)
<i>Microopsis</i> Dillon & Dillon, 1952:81 (type species: <i>Microopsis dimidiatus</i> Dillon & Dillon)
<i>Paroopsis</i> Dillon & Dillon, 1952:67 (type species: <i>Paroopsis eumilis</i> Dillon & Dillon)
<i>Gracisybra</i> Dillon & Dillon, 1952:97 (type species: <i>Gracisybra flava</i> Dillon & Dillon)
<i>Sybrodiboma</i> Breuning, 1953a:16 (type species: <i>Sybra subfasciata</i> Bates)
<i>Trichatela</i> Breuning, 1953b:105 (type species: <i>Sybra invia</i> Pascoe)
<i>Microzotale</i> Hayashi, 1956:17 (type species: <i>Microzotale uenoii</i> Hayashi)
<i>Kirishimoopsis</i> Hayashi, 1958:48 (type species: <i>Kirishimoopsis sakamotoi</i> Hayashi)
<i>Paratela</i> Breuning, 1964i:306 (type species: <i>Sybra putida</i> Pascoe)
<i>Pseudathela</i> Breuning, unknown (type species: unknown )

**Sybra (Sybra)** Pascoe

<i>Myronoma</i> Pascoe	
<i>Pithodia</i> Pascoe	
<i>Bityle</i> Pascoe	
<i>Bitylissa</i> J. Thomson	
<i>Rhadia</i> Pascoe	
<i>Sybrinura</i> Gahan	
<i>Cylindroplocia</i> Heller	
<i>Lamprosybra</i> Aurivillius	
<i>Ropicomorpha</i> Pic	
<i>Microopsis</i> Dillon & Dillon	
<i>Paroopsis</i> Dillon & Dillon	
<i>Gracisybra</i> Dillon & Dillon	
<b>bifuscoplagiata</b> Breuning, 1940e:428 [ <i>Sybra</i> ]	Borneo {Note 5}, Java
<b>binotata</b> Gahan, 1907:88 [ <i>Sybra</i> ]	Borneo, Sumatra, Philippines
<i>philippinarum</i> (Aurivillius, 1927b:26) [ <i>Oopsis</i> ]	
<i>nigrofasciata</i> Aurivillius, 1927b:18 [ <i>Sybra</i> ]	
<i>palawanica</i> (Aurivillius, 1927b:26) [ <i>Oopsis</i> ]	
<i>truncatipennis</i> Breuning, 1950d:268 [ <i>Sybra</i> ] {Note 1}	
<b>borneotica</b> Breuning, 1939b:256 [ <i>Sybra</i> ]	Borneo
<b>elongatissima</b> Breuning, 1939:277 [ <i>Sybra</i> ]	Borneo {Note 5}, W. Malaysia
<b>fervida</b> Pascoe, 1865b:202 [ <i>Sybra</i> ]	Borneo
<i>cretifera</i> Pascoe, 1865b:205 [ <i>Sybra</i> ] {Note 10}	
<b>geminatooides</b> Breuning, 1940e:429 [ <i>Sybra</i> ]	Borneo
<b>javana</b> Breuning, 1939b:267 [ <i>Sybra</i> ]	Borneo {Note 5}, Java
<b>laetula</b> Breuning, 1939b:256 [ <i>Sybra</i> ]	Borneo
<b>laterivitta</b> Breuning, 1940e:428 [ <i>Sybra</i> ]	Borneo
<b>lineolata</b> Breuning, 1942c:148 [ <i>Sybra</i> ]	Borneo
<b>minutior</b> Breuning, 1939b:264 [ <i>Sybra</i> ]	Borneo {Note 5}, W. Malaysia

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>multicoloripennis</b> Breuning, 1971e:46 [Sybra] (replacement name for <i>Sybra tricoloripennis</i> Breuning, 1969)	Borneo
<i>tricoloripennis</i> Breuning, 1969i:657 [Sybra] (pre-occupied by <i>Sybra tricoloripennis</i> Breuning, 1961)	
<b>nigrobivittata</b> Breuning, 1939b:256 [Sybra]	Borneo
<b>nigromarmorata</b> Breuning, 1939b:255 [Sybra]	Borneo
<b>odiosa</b> Pascoe, 1865b:218 [Sybra]	Borneo
<b>palliata</b> Pascoe, 1865b:212 [Sybra]	Borneo
<b>pluriguttata</b> Breuning, 1942c:150 [Sybra]	Borneo
<b>propinquua</b> Breuning, 1939b:265 [Sybra]	Borneo {Note 5}, W. Malaysia
<b>proximata</b> Breuning, 1942c:149 [Sybra]	Borneo
<b>pseudalterans</b> Breuning, 1939b:256 [Sybra]	Borneo, Sulawesi
<i>binigromaculipennis</i> Breuning, 1968k:703 [Sybra] {Note 1}	
<b>pulla</b> Breuning, 1939b:255 [Sybra]	Borneo, Philippines
<b>quinquevittata</b> Breuning, 1942c:149 [Sybra]	Borneo, W. Malaysia
<b>rouyeri</b> Pic, 1938:12 [Sybra]	Borneo, Java
<b>sarawakensis</b> Breuning, 1939b:257 [Sybra]	Borneo
<b>umbratica umbratica</b> Pascoe, 1865b:203 [Sybra]	Borneo, Moluccas
<b>uniformipennis</b> Breuning, 1966n:242 [Sybra]	Borneo
<b>variefasciata</b> Breuning, 1973d:41 [Sybra]	Borneo
<b>Xylosybra</b> Breuning, 1939b:280 (type species: <i>Xylosybra fasciculosa</i> Breuning)	
<b>fasciculosa</b> Breuning, 1939b:281 [Xylosybra]	Borneo
<b>Zeargyrodes</b> Fisher, 1925:223 (type species: <i>Zeargyrodes fasciatus</i> Fisher)	
<b>fasciatus</b> Fisher, 1925:224 [Zeargyrodes]	Borneo
<b>Zorilispe</b> Pascoe, 1865b:156 (type species: <i>Zorilispe fulvisparsa</i> Pascoe)	
<b>fulvisparsa</b> Pascoe, 1865b:157 [Zorilispe]	Borneo
<b>seriepunctata</b> Breuning, 1939b:237 [Zorilispe]	Borneo, W. Malaysia, Laos

**Tribe Agapanthiini**

<b>Aegoprepes</b> Pascoe, 1871:277 (type species: <i>Aegoprepes antennator</i> Pascoe)	
<b>antennator</b> Pascoe, 1871:278 [Aegoprepes]	Borneo, W. Malaysia
<b>Aliboron</b> J. Thomson, 1864:98 (type species: <i>Aliboron antennatum</i> J. Thomson)	
<b>antennatum</b> J. Thomson, 1864:98 [Aliboron]	Borneo, W. Malaysia
<b>granulatum</b> Breuning, 1966o:49 [Aliboron]	Borneo
<b>Anandra</b> J. Thomson, 1864:96 (type species: <i>Anandra capriciosa</i> J. Thomson)	
<b>capriciosa</b> J. Thomson, 1864:96 [Anandra]	Borneo, W. Malaysia
<i>niveoplagiata</i> Aurivillius, 1916a:355 [Anandra]	
<b>strandii</b> Breuning, 1940b:203 [Anandra]	Borneo
<b>Cleptometopus</b> J. Thomson, 1864:96 (type species: <i>Cleptometopus terrestris</i> J. Thomson)	
<i>Apophrena</i> Pascoe, 1866d:324 (type species: <i>Apophrena filifera</i> Pascoe)	
<i>Smermus</i> Lacordaire, 1872:692 (type species: <i>Smermus mniszechi</i> Lacordaire)	
<i>Acroama</i> Jordan, 1894c:501 (type species: <i>Acroama armata</i> Jordan)	
<i>Anopophrena</i> Pic, 1925b:28 (type species: <i>Anopophrena luteonotata</i> Pic)	
<i>Mimocleptometopus</i> Pic, 1934c:36 (type species: <i>Mimocleptometopus undulatus</i> Pic)	
<i>Metopoplectus</i> Gressitt, 1936:104 (type species: <i>Metopoplectus taiwanensis</i> Gressitt)	
<i>Itohigea</i> Matsushita, 1938:102 (type species: <i>Itohigea bimaculata</i> Matsushita)	
<b>angustifrons</b> Breuning, 1940b:205 [Cleptometopus]	Borneo
<b>armatus</b> (Jordan, 1894c:501) [Acroama]	Borneo
<b>basifossulatus</b> Breuning, 1940e:437 [Cleptometopus]	Borneo
<b>filiferus</b> (Pascoe, 1866d:324) [Apophrena]	Borneo
<b>grossepunctatus</b> Breuning, 1940e:436 [Cleptometopus]	Borneo
<b>terrestris</b> J. Thomson, 1864:96 [Cleptometopus]	Borneo, Sumatra, Java, W. Malaysia
<i>truncatus</i> Aurivillius, 1925c:3 [Cleptometopus]	
<b>Ectinogramma</b> J. Thomson, 1864:96 (type species: <i>Ectinogramma isosceloides</i> J. Thomson )	
<b>isosceloides</b> J. Thomson, 1864:96 [Ectinogramma]	Borneo, W. Malaysia
<i>collare</i> Pascoe, 1866a:266 [Ectinogramma]	
<b>Hyllisia</b> Pascoe, 1864b:285 (type species: <i>Hyllisia stenideoides</i> Pascoe)	
<i>Falsonandra</i> Pic, 1924b:17 (type species: <i>Falsonandra albocincta</i> Pic)	
<b>sumatrana</b> Breuning, 1940b:199 [Hyllisia]	Borneo {Note 5}, Sumatra

Checklist and Bibliography of Longhorned Beetles from Borneo

**Paranandra** Breuning, 1940b:190 (type species: *Paranandra andamanensis* Breuning)  
**vittula** (Schwarzer, 1931b:209) [*Phelipara*] Borneo, Sumatra

**Phelipara** Pascoe, 1866d:322 (type species: *Phelipara marmorata* Pascoe)  
*Oncideropsis* Aurivillius, 1922b:165 (type species: *Oncideropsis nebulosa* Aurivillius)  
*Falsopothyne* Pic, 1932b:24 (type species: *Falsopothyne pilosa* Pic)  
*Diaxenopsis* Breuning, 1939b:202 (type species: *Diaxenopsis apomecynoides* Breuning)  
*Paraphelipara* Breuning, 1940b:204 (type species: *Paraphelipara indica* Breuning)  
*Balteophelipara* Breuning, 1966a:69 (type species: *Phelipara balteata* Aurivillius)

**Phelipara (Phelipara)** Pascoe

<i>Oncideropsis</i> Aurivillius	
<i>Falsopothyne</i> Pic	
<i>Diaxenopsis</i> Breuning	
<i>Paraphelipara</i> Breuning	
<b>confusa</b> Schwarzer, 1931b:209 [ <i>Phelipara</i> ]	Borneo
<b>lineata</b> (Schwarzer, 1930a:106) [ <i>Anandra</i> ]	Borneo
<b>marmorata</b> Pascoe, 1866d:322 [ <i>Phelipara</i> ]	Borneo, Nias I.
<b>sabahensis</b> Hüdepohl, 1995:286 [ <i>Phelipara</i> ]	Borneo

**Phelipara (Balteophelipara)** Breuning  
**balteata** Aurivillius, 1913a:256 [*Phelipara*]

Borneo

**Pothyne** J. Thomson, 1864:97 (type species: *Pothyne variegata* J. Thomson)

<i>Neopothyne</i> Matsushita, 1931:46 (type species: <i>Neopothyne variegata</i> Matsushita)	
<b>borneotica</b> Breuning, 1940e:433 [ <i>Pothyne</i> ]	Borneo
<b>kualabokensis</b> Hayashi, 1976a:30 [ <i>Pothyne</i> ]	Borneo
<b>mamutensis</b> Hayashi, 1975:191 [ <i>Pothyne</i> ]	Borneo
<b>sabahensis</b> Hayashi, 1975:192 [ <i>Pothyne</i> ]	Borneo
<b>variegata</b> J. Thomson, 1864:97 [ <i>Pothyne</i> ]	Borneo {Note 5}, Sumatra, Taiwan, SE Asia
<i>niveosparsa</i> Pic, 1908d:16 [ <i>Pothyne</i> ]	
<i>variegata</i> (Matsushita, 1931:46) [ <i>Neopothyne</i> ]	(pre-occupied by <i>Pothyne variegata</i> J. Thomson)

**Tetraglenes** Newman, 1842d:300 (type species: *Tetraglenes insignis* Newman)  
**fusiformis** Pascoe, 1866d:326 [*Tetraglenes*]

Borneo

**Trichopothyne** Breuning, 1942c:168 (type species: *Trichopothyne strandiella* Breuning)  
**strandiella** Breuning, 1942c:168 [*Trichopothyne*]

Borneo

**Tribe Xenoleini**

**Hirteschopalaea** Pic, 1925a:22 (type species: *Hirteschopalaea albolineata* Pic)  
**albolineata** Pic, 1925a:22 [*Hirteschopalaea*]

Bornea, Laos, Vietnam, India

**borneensis** Breuning, 1963a:78 [*Hirteschopalaea*]

Borneo

**Xenolea** J. Thomson, 1864:91 (type species: *Xenolea collaris* J. Thomson)

<i>Aeschopalaea</i> Pascoe, 1864c:24 (type species: <i>Aeschopalaea agraria</i> Pascoe)	
<b>collaris collaris</b> J. Thomson, 1864:91 [ <i>Xenolea</i> ]	Borneo, Sulawesi, Moluccas, New Guinea, Taiwan, Philippines,

*agraria* Pascoe, 1864:24 [*Aeschopalaea*]

*grisella* Pascoe, 1864:25 [*Aeschopalaea*]

*laticollis* Pascoe, 1864:25 [*Aeschopalaea*]

**tomentosa** (Pascoe, 1864c:25) [*Aeschopalaea*]

Borneo, Sumatra, W. Malaysia, Andaman Is.

Checklist and Bibliography of Longhorned Beetles from Borneo

Tribe **Hecyrini** {Note 47}

{key to genera: Rondon & Breuning, 1970:483}

- Moechotypa** J. Thomson, 1864:55 (type species: *Moechotypa arida* J. Thomson)  
*Scotinauges* Pascoe, 1871:277 (type species: *Scotinauges diphysis* Pascoe)  
*Tylophorus* Blessig, 1873:213 (type species: *Tylophorus wulffusi* Blessig)  
**thoracica** (White, 1858a:266) [*Nyphona*] Borneo, Sumatra, Java, SE Asia

Tribe **Ceroplesini**

- Diastocera** Dejean, 1835:342 (type species: *Lamia tricincta* Duncan)  
*Thysia* J. Thomson, 1860:96 (type species: *Lamia wallichii* Hope)  
*Thysiotes* J. Thomson, 1868c:201 (unnecessary replacement name for *Thysia* J. Thomson)  
**wallichi tricincta** (Duncan, 1835:254) [*Lamia*] Borneo, Sumatra, Java, W. Malaysia  
*trivittata* Gistl in Gistl & Bromme, 1850:624 [*Lamia*]  
*insularis* Fisher, 1935:596 [*Diastocera*]

Tribe **Nyctimeniini**

- Nyctimenius** Gressitt, 1951a:629 (type species: *Nyctimene agriloides* J. Thomson) (replacement name for *Nyctimene* J. Thomson) {key to species: Breuning, 1970c:78}  
*Nyctimene* J. Thomson, 1857f:314 (type species: *Nyctimene agriloides* J. Thomson) (pre-occupied by *Nyctimene* Borkenhausen, 1797, Pteropodidae)  
**ochraceovittata ochraceovittata** (Aurivillius, 1922a:423) [*Nyctimene*] Borneo, Mindanao  
*intermedia* (Aurivillius, 1923a:468) [*Nyctimene*]  
*extrema* (Aurivillius, 1923a:468) [*Nyctimene*]  
*griseolineata* Breuning, 1970c:80 [*Nyctimenius*] {Note 1}  
**subsericea** (Pascoe, 1866d:331) [*Nyctimene*] Borneo, Sulawesi  
**varicornis** (Fabricius, 1801:325) [*Saperda*] Borneo, Sumatra, W. Malaysia  
*agriloides* (J. Thomson, 1857g:314) [*Nyctimene*]

Tribe **Hyborhabdini**

- Hyborhabdus** Aurivillius, 1911:208 (type species: *Hyborhabdus singularis* Aurivillius)  
*singularis* Aurivillius, 1911:209 [*Hyborhabdus*] Borneo

Tribe **Pteropliini**

{key to genera: Hüdepohl, 1995:294}

- Abryna** Newman, 1842c:289 (type species: *Abryna coenosa* Newman)  
*Faustabryna* Breuning, 1961a:238 (type species: *Abryna fausta* Newman)

- Abryna (Abryna)** Newman  
**regispetri** Paiva, 1860:5 [*Abryna*] Borneo, W. Malaysia, Laos, Myanmar  
**rubeta** Pascoe, 1864c:84 [*Abryna*] Borneo

- Acanthetaxalus** Breuning, 1961e:133 (type species: *Acanthetaxalus bostrychoides* Breuning)  
*bostrychoides* Breuning, 1961e:133 [*Acanthetaxalus*] Borneo

- Callimetopus** Blanchard, 1853:303 (type species: *Callimetopus pantherinus* Blanchard)  
*paracasta* Breuning, 1965e:84 [*Callimetopus*] Borneo

- Cenodocus** J. Thomson, 1864:47 (type species: *Cenodocus antennatus* J. Thomson)  
**antennatus** J. Thomson, 1864:48 [*Cenodocus*] Borneo, Sumatra, Java, W. Malaysia  
*adustus* Pascoe, 1865b:142 [*Cenodocus*]  
**borneensis** Gilmour & Breuning, 1963:124 [*Cenodocus*] Borneo  
*granulosus* Pascoe, 1866a:238 [*Cenodocus*] Borneo {Note 5}, W. Malaysia

- Cyarium** Pascoe, 1866a:239 (type species: *Cyarium cibrosum* Pascoe)  
*Nicomia* J. Thomson, 1864:49 (type species: *Nicomia castelnaudi* J. Thomson) (pre-occupied by *Nicomia* Walker, 1857)  
*Ixais* Pascoe, 1866a:239 (type species: *Ixais episomoides* Pascoe)  
**cibrosum** Pascoe, 1866a:240 [*Cyarium*] Borneo, Sumatra, W. Malaysia  
**variegatum** Aurivillius, 1913a:254 [*Cyarium*] Borneo  
**obscurum** Aurivillius, 1925b:495 [*Cyarium*] Borneo, Sumatra

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>Daxata</b> Pascoe, 1864c:88 (type species: <i>Daxata camelus</i> Pascoe)	
<i>Taxada</i> Breuning, 1961a:277 (type species: <i>Daxata confusa</i> Pascoe)	
<i>Laodaxata</i> Breuning, 1950r:532 (type species: <i>Daxata laosensis</i> Breuning, 1950)	
<b>Daxata (Daxata)</b> Pascoe	
<i>camelus</i> Pascoe, 1864c:88 [ <i>Daxata</i> ]	Borneo
<b>Daxata (Taxada)</b> Breuning	
<i>confusa</i> Pascoe, 1869c:206 [ <i>Daxata</i> ]	Borneo {Note 5}, Java, W. Malaysia
<i>ustulata</i> Pascoe, 1866a:230 [ <i>Daxata</i> ]	Borneo, Sumatra, W. Malaysia, Thailand
<b>Demodiooides</b> Breuning, 1947d:17 (type species: <i>Demodiooides transversevittata</i> Breuning)	
<i>transversevittata</i> Breuning, 1947d:18 [ <i>Demodiooides</i> ]	Borneo
<b>Desisa</b> Pascoe, 1865b:163 (type species: <i>Praonetha subfasciata</i> Pascoe)	
<i>Cylindrostyrax</i> Aurivillius, 1911:212 (type species: <i>Cylindrostyrax apomecynoides</i> Aurivillius)	
<i>Mesopenthea</i> Schwarzer, 1925b:67 (type species: <i>Mesopenthea variabilis</i> Schwarzer)	
<i>Mesodesisa</i> Breuning, 1974g:164 (type species: <i>Mesosa reseolata</i> Breuning)	
<b>Desisa (Desisa)</b> Pascoe	
<i>Mesopenthea</i> Schwarzer	
<i>Iuzonica</i> Breuning, 1938c:372 [ <i>Desisa</i> ]	Borneo, Philippines, Thailand
<i>malaccensis</i> Breuning, 1938c:373 [ <i>Desisa</i> ]	Borneo {Note 5}, W. Malaysia
<b>Desisa (Cylindrostyrax)</b> Aurivillius	
<i>lunulata</i> (Pascoe, 1885a:52) [ <i>Sthenias</i> ]	Borneo
<i>apomecynoides</i> (Aurivillius, 1911:212) [ <i>Cylindrostyrax</i> ] {Note 14}	
<b>Desisa (Mesodesisa)</b> Breuning	
<i>reseolata</i> Breuning, 1974g:164 [ <i>Desisa</i> ] {Note 28}	Borneo
<b>Dystasia</b> Pascoe, 1864c:89 (type species: <i>Dystasia circulata</i> Pascoe)	
<i>Spiniscapus</i> Aurivillius, 1927b:14 (type species: <i>Spiniscapus sibuyana</i> Aurivillius)	
<i>Mimospiniscapus</i> Pic, 1930a:17 (type species: <i>Mimospiniscapus tonkinea</i> Pic)	
<i>circulata</i> Pascoe, 1864c:89 [ <i>Dystasia</i> ]	Borneo, W. Malaysia
<i>nubila</i> Pascoe, 1886:245 [ <i>Dystasia</i> ]	Borneo, Sumatra
<i>proxima</i> Breuning, 1938c:377 [ <i>Dystasia</i> ]	Borneo
<i>sibuyana</i> Aurivillius, 1927b:15 [ <i>Spiniscapus</i> ]	Borneo, W. Malaysia, Philippines: Sibuyan
<i>curvipes</i> Breuning, 1938c:377 [ <i>Dystasia</i> ]	
<i>subuniformis</i> Breuning, 1938c:376 [ <i>Dystasia</i> ]	Borneo
<i>valida</i> Breuning, 1937b:57 [ <i>Dystasia</i> ]	Borneo
<b>Egesina</b> Pascoe, 1864c:49 (type species: <i>Egesina rigida</i> Pascoe)	
<i>Cuphisia</i> Pascoe, 1866a:229 (type species: <i>Cuphisia callosa</i> Pascoe)	
<i>Callienispia</i> Fisher, 1925:210 (type species: <i>Callienispia elegans</i> Fisher)	
<i>Platyzeargyra</i> Fisher, 1925:213 (type species: <i>Platyzeargyra bakeri</i> Fisher)	
<i>Neoegesina</i> Fisher, 1925:215 (type species: <i>Neoegesina ornata</i> Fisher)	
<i>Nijimaia</i> Matsushita, 1933:386 (type species: <i>Nijimaia bifasciana</i> Matsushita)	
<i>Pseudenispia</i> Breuning, 1938c:388 (type species: <i>Egesina picta</i> Breuning)	
<i>Larica</i> Breuning, 1938c:388 (type species: <i>Egesina cleroides</i> Breuning)	
<i>Callegesina</i> Breuning, 1943c:34 (type species: <i>Egesina vitticollis</i> Breuning)	
<b>Egesina (Egesina)</b> Pascoe	
<i>Platyzeargyra</i> Fisher	
<i>Neoegesina</i> Fisher	
<i>albolineata</i> Breuning, 1942g:132 [ <i>Egesina</i> ]	Borneo {Note 5}, W. Malaysia
<i>albomaculata</i> (Fisher, 1925:220) [ <i>Neoegesina</i> ]	Borneo, Sumatra, Java
<i>bakeri</i> (Fisher, 1925:214) [ <i>Platyzeargyrea</i> ]	Borneo
<i>fusca</i> (Fisher, 1925:219) [ <i>Neoegesina</i> ]	Borneo, Sumatra, Java
<i>ornata</i> (Fisher, 1925:216) [ <i>Neoegesina</i> ]	Borneo, W. Malaysia
<i>postvittata</i> Breuning, 1940b:146 [ <i>Egesina</i> ]	Borneo
<i>varia</i> (Fisher, 1925:217) [ <i>Neoegesina</i> ]	Borneo
<b>Egesina (Callegesina)</b> Breuning	
<i>sarawakensis</i> Breuning, 1943c:34 [ <i>Egesina</i> ]	Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

**Egesina (Callienispia) Fisher**

*Larica* Breuning

**mystica** Breuning, 1938c:389 [*Egesina*]

Borneo

**pascoei** Breuning, 1961b:284 [*Egesina*] (replacement name for *Egesina cleroides* Breuning, 1938c)

Borneo

*cleroides* Breuning, 1938c:388 [*Egesina*] (pre-occupied by *Enispia cleroides* Gahan, 1890)

**Egesina (Cuphisia) Pascoe**

**mjobergi** Breuning, 1950d:266 [*Egesina*]

Borneo

**Egesina (Nijjamaia) Breuning**

*Pseudenispia* Breuning

**picta** Breuning, 1940e:425 [*Egesina*]

Borneo

**Etaxalus** Pascoe, 1865b:153 (type species: *Etaxalus iliacus* Pascoe)

*iliacus* Pascoe, 1865b:153 [*Etaxalus*]

Borneo, Java

**Exarrhenodes** Breuning, 1938c:234 (type species: *Exarrhenodes flavosticticus* Breuning)

*flavosticticus* Breuning, 1938c:235 [*Exarrhenodes*]

Borneo

**Grammoechus** J. Thomson, 1864:59 (type species: *Grammoechus polygrammus* J. Thomson)

*Atossa* J. Thomson, 1864:100 (type species: *Atossa strenua* J. Thomson)

*Paratossa* Breuning, 1935g:272 (type species: *Grammoechus ligatus* Pascoe)

**Grammoechus (Grammoechus) J. Thomson**

*Atossa* J. Thomson

**bipartitus** Ritsema, 1890b:250 [*Atossa*]

Borneo, Java

*vittatus* Fisher, 1936:185 [*Atossa*]

**javanicus** Breuning, 1938c:238 [*Grammoechus*]

Borneo {Note 5}, Java

**leucosticticus** (Breuning, 1936b:312) [*Atossa*]

Borneo

**polygrammus polygrammus** J. Thomson, 1864:60 [*Grammoechus*]

Borneo, Sumatra, Java, W. Malaysia

*univittatus* Breuning, 1961a:538 [*Grammoechus*] {Note 1}

*fulvus* Breuning, 1962g:419 [*Grammoechus*] {Note 1}

**Grammoechus (Paratossa) Breuning**

**albosparsus** Breuning, 1947d:32 [*Grammoechus*]

Borneo

**ligatus** Pascoe, 1888:503 [*Grammoechus*]

Borneo, Sumatra

*cordiger* Ritsema, 1890a:137 [*Phemone*]

*subspecularis* (Heller, 1923b:41) [*Atossa*]

**triangulifer** (Ritsema, 1908:261) [*Phemone*]

Borneo

**Metagnoma** Aurivillius, 1925b:493 (type species: *Metagnoma singularis* Aurivillius)

**singularis** Aurivillius, 1925b:493 [*Metagnoma*]

Borneo

**strandii** Breuning, 1943c:19 [*Metagnoma*]

Borneo

**Micropraonetha** Breuning, 1939b:197 (type species: *Micropraonetha carinipennis* Breuning)

**multituberculata** Breuning, 1982e:143 [*Micropraonetha*]

Borneo

**Mimabryna** Breuning, 1938c:237 (type species: *Mimabryna nicobarica* Breuning)

**borneotica** Breuning, 1966l:9 [*Mimabryna*]

Borneo

**Mimatossa** Breuning, 1943c:15 (type species: *Mimatossa flavolineata* Breuning)

**flavolineata** Breuning, 1943c:15 [*Mimatossa*]

Borneo

**Mispila** Pascoe, 1864c:90 (type species: *Mispila venosa* Pascoe)

*Diatylus* Lacordaire, 1872:552 (type species: *Diatylus zonarius* Lacordaire)

*Trichomispila* Breuning, 1939c:71 (type species: *Mispila picta* Breuning)

*Dryusa* Pascoe, 1864c:91 (type species: *Dryusa dotata* Pascoe)

**Mispila (Mispila) Pascoe**

*Diatylus* Lacordaire

**apicalis** Heller, 1923a:424 [*Mispila*]

Borneo

*transversefasciata* Breuning, 1950r:532 [*Mispila*] {Note 1}

**parallela** Breuning, 1937b:57 [*Mispila*]

Borneo

**venosa** Pascoe, 1864c:90 [*Mispila*]

Borneo, Java, Sulawesi, Vietnam, Andamans

*augaralis* Pascoe, 1878:376 [*Mispila*]

Checklist and Bibliography of Longhorned Beetles from Borneo

*tenuevittata* (Pic, 1930a:19) [Sodus]

**Mispilodes** Breuning, 1938c:382 (type species: *Mispilodes borneensis* Breuning)  
**borneensis** Breuning, 1938c:382 [*Mispilodes*] Borneo

**Moron** Pascoe, 1858a:249 (type species: *Moron distigma* Pascoe)  
**distigma** Pascoe, 1858a:249 [*Moron*] Borneo

**Niphona** Mulsant, 1839:169 (type species: *Niphona picticornis* Mulsant)  
*Nyphona* (subsequent incorrect spelling)  
*Campocnema* J. Thomson, 1864:54 (type species: *Niphona lateralis* White)  
*Ocheutes* J. Thomson, 1864:54 (type species: *Ocheutes scopolifera* J. Thomson)  
*Aelara* J. Thomson, 1864:55 (type species: *Niphona regis-fernandi* Paiva)  
*Falsoniphona* Pic, 1925b:27 (type species: *Falsoniphona lutea* Pic)

**Niphona (Niphona)** Mulsant  
*Camptocnema* J. Thomson  
*Ocheutes* J. Thomson  
*Aelara* J. Thomson  
**albosignatipennis** Breuning, 1968k:704 [*Niphona*] Borneo  
**arrogans** Pascoe, 1862a:338 [*Niphona*] Borneo, W. Malaysia  
**borneana** Breuning, 1973e:653 [*Niphona*] Borneo  
**borneensis** Breuning, 1938c:240 [*Niphona*] Borneo, Philippines: Luzon  
**hepaticolor** (Heller, 1923:422) [*Mylothris*] Borneo, Java, Moluccas, Philippines: Mindanao  
**lateralis** White, 1858a:267 [*Nyphona*] Borneo {Note 5}, SE Asia  
**malaccensis** Breuning, 1938c:240 [*Niphona*] Borneo {Note 5}, SE Asia  
**plagifera** Aurivillius, 1925b:495 [*Niphona*] Borneo, Sumatra, Philippines

**Paradesisa** Breuning, 1938c:375 (type species: *Paradesisa borneensis* Breuning)  
**borneensis** Breuning, 1938c:375 [*Paradesisa*] Borneo

**Paramesosella** Breuning, 1940b:143 (type species: *Paramesosella fasciculata* Breuning)  
**gigantea** Breuning, 1948c:3 [*Paramesosella*] Borneo

**Parazosmotes** Breuning, 1959a:172 (type species: *Parazosmotes borneensis* Breuning)  
**borneensis** Breuning, 1959a:172 [*Parazosmotes*] Borneo

**Paretaxalus** Breuning, 1938c:246 (type species: *Paretaxalus sandacanus* Breuning)  
**mucronatus** (Schwarzer, 1931b:207) [*Niphona*] Borneo  
**sandacanus** Breuning, 1938c:246 [*Paretaxalus*] Borneo

**Phesates** Pascoe, 1865b:155 (type species: *Phesates ferrugatus* Pascoe)  
**ferrugatus** Pascoe, 1865b:155 [*Phesates*] Borneo

**Prosoplus** Blanchard *in d'Urville*, 1853:290 (type species: *Prosoplus sinuatoasciatus* Blanchard)  
*Prosacanthus* Fauvel, 1862:163 (type species: *Prosacanthus chevrolati* Fauvel)  
*Escharodes* Pascoe, 1864c:70 (type species: *Escharodes interruptus* Pascoe)  
*Axiothea* Pascoe, 1864c:72 (type species: unknown)  
*Micracantha* Montrouzier, 1861:271 (type species: *Penthea woodlarkiana* Montrouzier)  
*Aegomomus* Pascoe, 1864c:59 (type species: *Aegomomus encaustus* Pascoe)  
*Atyporis* Pascoe, 1864c:67 (type species: *Atyporis jubata* Pascoe)  
*Zaeeralia* Pic, 1934c:28 (type species: *Zaerra vaulgeri* Pic)  
*Ochreoprosoplus* Breuning, 1940e:424 (type species: *Prosoplus ochreopictus* Breuning)

**Prosoplus (Prosoplus)** Blanchard  
*Micracantha* Montrouzier  
*Prosacanthus* Fauvel  
*Aegomomus* Pascoe  
*Atyporis* Pascoe  
*Zaeeralia* Pic  
**bankii** (Fabricius, 1775:176) [*Lamia*] Borneo, Sumatra, Java, New Guinea, Australia, Marianas, Philippines, Vietnam  
*hollandicus* (Boisduval *in d'Urville*, 1835:491) [*Acanthocinus*]  
*insularis* (Pascoe, 1859:39) [*Nyphona*]  
*iratus* (Pascoe, 1862b:464) [*Niphona*]  
*miscellus* (Pascoe, 1863a:529) [*Niphona*]

Checklist and Bibliography of Longhorned Beetles from Borneo

- torosus* (Pascoe, 1864a:223) [*Niphona*]  
*musivus* (Pascoe, 1864c:65) [*Aegomomus*]  
*nutans* (Sharp, 1878:209) [*Micracantha*]  
*vaulogeri* (Pic, 1934c:28) [*Zaerra*]  
*uchiyamai* Matsushita, 1935:120 [*Prosoplus*]  
**costatus** Hüdepohl, 1996:3 [*Prosoplus*] Borneo  
**kinabaluensis** Breuning 1966n:247 [*Prosoplus*] Borneo
- Pseudelasma** Breuning, 1968l:230 (type species: *Pseudelasma curticornis* Breuning)  
**curticornis** Breuning, 1968l:231 [*Pseudelasma*] Borneo
- Pseudeuclea** Schwarzer, 1931b:205 (type species: *Pseudeuclea cibrosa* Schwarzer)  
**cibrosa** Schwarzer, 1931b:206 [*Pseudeuclea*] Borneo
- Pseudolophia** Breuning, 1938c:368 (type species: *Pseudolophia uniformis* Breuning)  
**nigrosignata** Breuning, 1969h:189 [*Pseudolophia*] Borneo
- Pterolophia** Newman, 1842f:370 (type species: *Mesosa bigibbera* Newman) (nomen protectum) {key to subgenera: Breuning, 1935c:162}  
*Praonetha* Dejean, 1835:370 (type species: *Lamia crassipes* Wiedemann) (nomen oblitum)  
*Prioneta* Blanchard in d'Urville, 1853:292 (type species: *Prioneta albosignata* Blanchard)  
*Theticus* J. Thomson, 1858b:190 (type species: *Theticus biarcuatus* J. Thomson)  
*Alyattes* J. Thomson, 1864:48 (type species: *Alyattes guennensis* J. Thomson)  
*Prionetopsis* J. Thomson, 1864:49 (type species: *Prionetopsis balteata* J. Thomson)  
*Cormia* Pascoe, 1864b:283 (type species: *Cormia ingrata* Pascoe)  
*Ale* Pascoe, 1865b:131 (type species: *Ale agraria* Pascoe)  
*Anaches* Pascoe, 1865b:160 (type species: *Sthenias dorsalis* Pascoe)  
*Lychrosis* Pascoe, 1866e:89 (type species: *Hathlia zebrina* Pascoe)  
*Hylobrotus* Lacordaire, 1872:522 (type species: *Hylobrotus ploemi* Lacordaire)  
*Eurycotyle* Blessig, 1873:210 (type species: *Eurycotyle maacki* Blessig)  
*Chaetostigme* Pascoe, 1875a:69 (type species: *Chaetostigme casta* Pascoe)  
*Achriotypa* Pascoe, 1875a:71 (type species: *Achriotypa basalis* Pascoe)  
*Acroptycha* Quedenfeldt, 1888:209 (type species: *Acroptycha spinifera* Quedenfeldt)  
*Pseudale* Schwarzer, 1925b:67 (type species: *Pseudale fasciata* Schwarzer)  
*Incamelomorpha* Pic, 1926b:4 (type species: *Pterolophia depensis* Pic)  
*Mimoron* Pic, 1934c:26 (type species: *Mimoron phungi* Pic)  
*Australopraonetha* Breuning, 1957m:683 (type species: *Pterolophia australis* Breuning)  
*Paramimoron* Breuning, 1961a:539 (type species: *Pterolophia albolateralis* Breuning)  
*Armatopraonetha* Breuning, 1961a:549 (type species: *Pterolophia armata* Gahan)  
*Pilosipraonetha* Breuning, 1961a:540 (type species: *Pterolophia pilosipes* Pic)  
*Sordidopraonetha* Breuning, 1961a:540 (type species: *Praonetha sordidata* Pascoe)  
*Villosopraonetha* Breuning, 1961a:540 (type species: *Pterolophia villosa* Pascoe)  
*Trichopraonetha* Breuning, 1961a:540 (type species: *Pterolophia albofasciata* Breuning)  
*Annobonopraonetha* Breuning, 1961a:540 (type species: *Pterolophia annobona* Aurivillius)  
*Insularepraonetha* Breuning, 1961a:541 (type species: *Pterolophia insularis* Breuning)  
*Principipraonetha* Breuning, 1961a:541 (type species: *Pterolophia principis* Aurivillius)  
*Gibbopraonetha* Breuning, 1961a:541 (type species: *Pterolophia quadrigibbosa* Pic)  
*Canopraonetha* Breuning, 1961a:541 (type species: *Pterolophia cana* Breuning)  
*Scapopraonetha* Breuning, 1961a:541 (type species: *Pterolophia spiniscapus* Breuning)  
*Ovalopraonetha* Breuning, 1961a:541 (type species: *Pterolophia ovalis* Breuning)  
*Undulatopraonetha* Breuning, 1961a:542 (type species: *Praonetha undulata* Pascoe)  
*Sociopraonetha* Breuning, 1961a:542 (type species: *Sociopraonetha nigrocincta* Gahan)  
*Prosopopraonetha* Breuning, 1961j:13 (type species: *Pterolophia prosoploides* Breuning)  
*Trichomimoron* Breuning, 1963d:56 (type species: *Pterolophia trichtibialis* Breuning)  
*Guineopraonetha* Breuning & Heyrovsky, 1964:28 (type species: *Pterolophia aeneipennis* Breuning & Heyrovsky)  
*Fernandopraonetha* Breuning, 1966n:233 (type species: *Pterolophia tuberculicollis* Breuning)  
*Tricholychrosis* Breuning, 1973e:659 (type species: *Pterolophia albosignata* Breuning)  
*Curtolophia* Breuning, 1974g:165 (type species: *Pterolophia curticornis* Breuning)  
*Arabopraonetha* Téocchi in Holzschuh & Téocchi, 1991:302 (type species: *Pterolophia arabica* Téocchi)
- Pterolophia (Pterolophia)** Newman  
*Albana* Mulsant  
*Prioneta* Blanchard  
*Theticus* J. Thomson  
*Praonetha* Pascoe  
*Alyattes* J. Thomson  
*Prionetopsis* J. Thomson

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>Cormia</b> Pascoe	
<i>Anaches</i> Pascoe	
<i>Eurycotyle</i> Blessig	
<i>Acroptycha</i> Quedenfeldt	
<i>Incamelomorpha</i> Pic	
<b>alboantennata</b> Breuning, 1938e:45 [ <i>Pterolophia</i> ]	Borneo, Myanmar
<b>albovitticollis</b> Breuning, 1961j:8 [ <i>Pterolophia</i> ]	Borneo {Note 5}, Sumatra
<b>annulitarsis</b> (Pascoe, 1865b:185) [ <i>Praonetha</i> ]	Borneo, Sumatra
<b>apiceplagiata</b> Breuning, 1938c:262 [ <i>Pterolophia</i> ]	Borneo
<b>banksi</b> Breuning, 1938c:290 [ <i>Pterolophia</i> ]	Borneo
<b>bigibbulosoides</b> Breuning, 1968k:706 [ <i>Pterolophia</i> ]	Borneo
<b>bilunata</b> Breuning, 1938c:335 [ <i>Pterolophia</i> ]	Borneo, Sumatra, W. Malaysia
<b>bituberculatithorax</b> Breuning, 1968a:851 [ <i>Pterolophia</i> ]	Borneo
<b>bryanti</b> Breuning, 1938c:315 [ <i>Pterolophia</i> ]	Borneo
<b>circulata</b> Schwarzer, 1931b:207 [ <i>Pterolophia</i> ]	Borneo {Note 5}, Sumatra, Java, W. Malaysia
<b>angustelineata</b> Pic, 1934c:13 [ <i>Pterolophia</i> ]	
<b>crassipes</b> (Wiedemann, 1823:111) [ <i>Lamia</i> ]	Borneo, Sumatra, Java, W. Malaysia, Philippines
<i>imbuta</i> Newman, 1842g:381 [ <i>Pterolophia</i> ]	
<i>iliaca</i> (Pascoe, 1865b:178) [ <i>Praonetha</i> ]	
<b>ferrugata</b> (Pascoe, 1865b:179) [ <i>Praonetha</i> ]	Borneo, Sumatra
<b>ferruginea</b> Breuning, 1938c:256 [ <i>Pterolophia</i> ]	Borneo
<b>flavolineata</b> Breuning, 1938c:334 [ <i>Pterolophia</i> ]	Borneo
<b>holorufa</b> Breuning, 1969i:660 [ <i>Pterolophia</i> ]	Borneo
<b>horridula</b> Breuning, 1968l:227 [ <i>Pterolophia</i> ]	Borneo
<b>illicta</b> (Pascoe, 1865b:169) [ <i>Praonetha</i> ]	Borneo, Sulawesi, Moluccas, Timor
<i>monticola</i> Fisher, 1935:610 [ <i>Pterolophia</i> ]	
<b>kinabaluensis</b> Breuning, 1982e:144 [ <i>Pterolophia</i> ]	Borneo
<b>medioalbocollis</b> Breuning, 1965g:181 [ <i>Pterolophia</i> ]	Borneo, Thailand, W. Malaysia
<b>mediovittata</b> Breuning & de Jong, 1941:91 [ <i>Pterolophia</i> ]	Borneo
<b>melanura</b> (Pascoe, 1857:106) [ <i>Praonetha</i> ]	Borneo, W. Malaysia, Vietnam
<i>montana</i> (Pascoe, 1865b:165) [ <i>Praonetha</i> ]	
<i>quadraticollis</i> (Pascoe, 1865b:168) [ <i>Praonetha</i> ]	
<i>moensi</i> (Ritsema, 1881a:15) [ <i>Praonetha</i> ]	
<b>nigroornatipennis</b> Breuning, 1965e:84 [ <i>Pterolophia</i> ]	Borneo
<b>nigrosignata</b> Breuning, 1969h:189 [ <i>Pterolophia</i> ]	Borneo
<b>obliquefasciculata</b> Breuning & de Jong, 1941:76 [ <i>Pterolophia</i> ]	Borneo {Note 5}, Java
<b>pontianakensis</b> Breuning, 1974g:165 [ <i>Pterolophia</i> ]	Borneo
<b>postmedioalba</b> Breuning, 1961k:329 [ <i>Pterolophia</i> ]	Borneo
<b>praeapicemaculata</b> Breuning, 1966l:6 [ <i>Pterolophia</i> ]	Borneo
<b>propinqua</b> (Pascoe, 1865b:177) [ <i>Praonetha</i> ]	Borneo
<b>punctigera</b> (Pascoe, 1865b:171) [ <i>Praonetha</i> ]	Borneo
<b>quadricristata</b> Breuning, 1938c:334 [ <i>Pterolophia</i> ]	Borneo
<b>riouensis</b> Breuning, 1938c:277 [ <i>Pterolophia</i> ]	Borneo, "Riouw Archipel, Doerian"
<b>rubra</b> Breuning, 1938c:249 [ <i>Pterolophia</i> ]	Borneo
<b>scopulifera</b> (Pascoe, 1865b:175) [ <i>Praonetha</i> ]	Borneo
<b>secuta</b> (Pascoe, 1865b:167) [ <i>Praonetha</i> ]	Borneo, Sulawesi, Philippines
<b>simulans</b> Breuning & de Jong, 1941:80 [ <i>Pterolophia</i> ]	Borneo {Note 5}, Java
<b>subaequalis</b> Breuning & de Jong, 1941:84 [ <i>Pterolophia</i> ]	Borneo {Note 5}, Java
<b>subtincta</b> (Pascoe, 1865b:170) [ <i>Praonetha</i> ]	Borneo, Java, Vietnam
<b>Pterolophia</b> (Ale) Pascoe	
<i>Achriotypa</i> Pascoe	
<i>anoplagiata</i> Aurivillius, 1911:209 [ <i>Pterolophia</i> ]	Borneo
<i>fractilinea</i> (Pascoe, 1865b:178) [ <i>Praonetha</i> ]	Borneo
<i>fuscostictica</i> Breuning, 1938c:332 [ <i>Pterolophia</i> ]	Borneo
<i>rufoloides</i> Breuning, 1940e:421 [ <i>Pterolophia</i> ]	Borneo
<i>uniformipennis</i> Breuning, 1966n:233 [ <i>Pterolophia</i> ]	Borneo
<i>viridegrisea</i> Breuning, 1938c:263 [ <i>Pterolophia</i> ]	Borneo {Note 5}, Sumatra, Java
<b>Pterolophia</b> (Armatopraonetha) Breuning	
<i>borneensis</i> Fisher, 1935:611 [ <i>Pterolophia</i> ]	Borneo
<b>Pterolophia</b> (Hylobrotus) Lacordaire	
<i>albivenosa</i> (Pascoe, 1865b:171) [ <i>Praonetha</i> ]	Borneo, Sumatra, Java, W. Malaysia, Vietnam

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>anticemaculata</b> Breuning, 1938c:316 [ <i>Pterolophia</i> ]	Borneo
<b>apicespinosa</b> Breuning, 1938c:290 [ <i>Pterolophia</i> ]	Borneo
<b>indistinctemaculata</b> Breuning, 1968a:856 [ <i>Pterolophia</i> ]	Borneo
<b>lateralis</b> Gahan, 1895:65 [ <i>Pterolophia</i> ] {Note 46}	Borneo, SE Asia
<i>lunigera</i> Aurivillius, 1913a:253 [ <i>Pterolophia</i> ]	
<i>formosana</i> Schwarzer, 1925b:66 [ <i>Pterolophia</i> ]	
<b>mediocarinata</b> Breuning, 1939c:63 [ <i>Pterolophia</i> ]	Borneo {Note 5}, Sumatra, Java
<i>excavatipennis</i> Breuning, 1939c:65 [ <i>Pterolophia</i> ] {Note 1}	
<i>rubida</i> Breuning & de Jong, 1941:77 [ <i>Pterolophia</i> ] {Note 1}	
<i>medioalba</i> Breuning & de Jong, 1941:78 [ <i>Pterolophia</i> ] {Note 1}	
<i>immaculata</i> Breuning & de Jong, 1941:78 [ <i>Pterolophia</i> ] {Note 1}	
<b>partealboantenata</b> Breuning, 1966n:232 [ <i>Pterolophia</i> ]	Borneo
<b>ploemi</b> (Lacordaire, 1872:539) [ <i>Hylobrotus</i> ]	Borneo, Java, W. Malaysia
<i>koehleri</i> (Ritsema, 1876:47) [ <i>Praonetha</i> ]	
<i>cristata</i> (Jordan, 1894b:241) [ <i>Praonetha</i> ]	
<i>fasciculosa</i> Aurivillius, 1913a:254 [ <i>Pterolophia</i> ]	
<b>Pterolophia (Trichopraonetha)</b> Breuning	
<b>subalbofasciata</b> Gilmour & Breuning, 1963:124 [ <i>Pterolophia</i> ]	Borneo
<b>Pterolophia</b> (subgenus not specified)	
<b>detersa</b> (Pascoe, 1865b:166) [ <i>Praonetha</i> ]	Borneo
<b>Sesiosa</b> Pascoe, 1865b:154 (type species: <i>Sesiosa subfasciata</i> Pascoe)	
<b>subfasciata</b> Pascoe, 1865b:154 [ <i>Sesiosa</i> ]	Borneo, W. Malaysia
<b>n. sp.</b> {Note 41}	Borneo
<b>Similosodus</b> McKeown, 1945:292 (type species: <i>Sodus verticalis</i> Pascoe) (replacement name for <i>Sodus</i> Pascoe, 1865)	
<b>Sodus</b> Pascoe, 1865b:137 (type species: <i>Sodus verticalis</i> Pascoe) (pre-occupied by <i>Sodus</i> Amyot, 1846, Hemiptera)	
<i>Venosodus</i> Breuning, 1961b:282 (type species: <i>Sodus venosus</i> Pascoe)	
<i>Transversesodus</i> Breuning, 1961b:283 (type species: <i>Sodus transversefasciatus</i> Breuning)	
<b>Similosodus (Similosodus)</b> McKeown	
<b>castaneus</b> (Aurivillius, 1911:211) [ <i>Sodus</i> ]	Borneo
<b>chujoji</b> Breuning, 1982e:141 [ <i>Similosodus</i> ]	Borneo
<b>flavicornis</b> Breuning, 1961j:19 [ <i>Similosodus</i> ]	Borneo {Note 5}, Sumatra, W. Malaysia
<b>fuscosignatus</b> (Breuning, 1939b:200) [ <i>Sodus</i> ]	Borneo, Java, W. Malaysia
<b>Similosodus (Transverseosodus)</b> Breuning	
<b>burckhardti</b> Hüdepohl, 1996:4 [ <i>Similosodus</i> ]	Borneo
<b>Spinegesina</b> Breuning, 1974g:163 (type species: <i>Spinegesina hiekei</i> Breuning)	
<b>hiekei</b> Breuning, 1974g:163 [ <i>Spinegesina</i> ]	Borneo (Banguey)
<b>Spinosodus</b> Breuning & de Jong, 1941:96 (type species: <i>Spinosodus spinicollis</i> Breuning & de Jong)	
<b>spinicollis</b> Breuning & de Jong, 1941:96 [ <i>Spinosodus</i> ]	Borneo {Note 5}, Java
<b>Stesilea</b> Pascoe, 1865b:185 (type species: <i>Stesilea prolata</i> Pascoe)	
<b>borneotica</b> Breuning & de Jong, 1941:92 [ <i>Stesilea</i> ]	Borneo
<b>prolata bangkeiensis</b> Breuning, 1958j:18 [ <i>Stesilea</i> ]	Banguey
<b>Sthenias</b> Laporte, 1840:466 (type species: <i>Lamia grisator</i> Fabricius)	
<i>Thysanodes</i> Newman, 1842c:292 (type species: <i>Thysanodes jucunda</i> Newman)	
<i>Chalarus</i> Fähraeus, 1872a:45 (type species: <i>Chalarus leucaspis</i> Fähraeus) (pre-occupied by <i>Chalarus</i> Walker, 1834, Diptera)	
<i>Amonamomus</i> Fähraeus, 1872b:194 (type species: <i>Chalarus leucaspis</i> Fähraeus) (replacement name for <i>Chalarus</i> Fähraeus, 1872)	
<i>Albosthenias</i> Breuning, 1961a:538 (type species: <i>Sthenias albicollis</i> Gahan)	
<b>Sthenias (Sthenias)</b> Laporte	
<i>Thysanodes</i> Newman	
<b>borneanus</b> Breuning, 1982e:141 [ <i>Sthenias</i> ]	Borneo
<b>franciscanus</b> J. Thomson, 1865b:550 [ <i>Sthenias</i> ]	Borneo, Sumatra, Java, W. Malaysia
<b>Sybropis</b> Pascoe, 1885:52 (type species: <i>Sybropis frontalis</i> Pascoe)	
<b>frontalis</b> Pascoe, 1885:52 [ <i>Sybropis</i> ]	Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

- Synelasma** Pascoe, 1858a:248 (type species: *Synelasma bufo* Pascoe)  
**anolius** Pascoe, 1865b:144 [*Synelasma*] Borneo  
**baramensis** Heyden, 1897:578 [*Synelasma*] Borneo, Sumatra  
**bufo bufo** Pascoe, 1858a:248 [*Synelasma*] Borneo  
**scincus** Pascoe, 1865b:145 [*Synelasma*] Borneo  
**stellio** Pascoe, 1865b:144 [*Synelasma*] Borneo
- Synixais** Aurivillius, 1911:210 (type species: *Synixais fuscomaculata* Aurivillius)  
**banksi** Breuning, 1938c:246 [*Synixais*] Borneo  
**fuscomaculata** Aurivillius, 1911:211 [*Synixais*] Borneo
- Thita** Aurivillius, 1914:298 (type species: *Thita glauca* Aurivillius)  
**glauca** Aurivillius, 1914:298 [*Thita*] Borneo
- Tricheczemotes** Breuning, 1938c:232 (type species: *Tricheczemotes dystasioides* Breuning)  
**dystasioides** Breuning, 1938c:233 [*Tricheczemotes*] Borneo
- Zosmotes** Pascoe, 1865b:145 (type species: *Zosmotes plumula* Pascoe)  
**plumula** Pascoe, 1865b:145 [*Zosmotes*] Borneo
- Tribe **Desmiphorini** {Note 26}  
{key to genera: Rondon & Breuning, 1970:486; Breuning, 1975b:1}
- Amymoma** Pascoe, 1866d:332 (type species: *Amymoma pulchella* Pascoe)  
**pulchella** Pascoe, 1866d:332 [*Amymoma*] Borneo
- Anacasta** Aurivillius, 1916b:221 (type species: *Anacasta conspersa* Aurivillius)  
**conspersa** Aurivillius, 1916b:221 [*Anacasta*] Borneo
- Anaesthetobrium** Pic, 1923c:20 (type species: *Anaesthetobrium luteipenne* Pic)  
*Paraphidola* Matsushita, 1933:376 (type species: *Paraphidola fuscoflava* Matsushita)  
sp. Borneo {Note 8}
- Chaetacanthidius** Gilmour, 1948:17 (type species: *Chaetacanthidius unifasciatus* Gilmour)  
sp. Borneo {Note 8}
- Diboma** J. Thomson, 1864:46 (type species: *Diboma tranquilla* J. Thomson) {key to species: Rondon & Breuning, 1970:491}  
*Zotalemimon* Pic, 1925b:29 (type species: *Zotalemimon apicale* Pic)  
*Donyzia* Gressitt, 1940a:179 (type species: *Sydonia costata* Matsushita)  
*Sybrocentrura* Breuning, 1947d:57 (type species: *Sybrocentrura obscura* Breuning)  
**borneotica** Breuning, 1969h:192 [*Diboma*] Borneo
- Ectatosia** Pascoe, 1857:109 (type species: *Ectatosia moorei* Pascoe)  
**maculosa** Fisher, 1935:614 [*Ectatosia*] Borneo  
**moorei** Pascoe, 1857:109 [*Ectatosia*] Borneo, Sumatra, Java
- Epicasta** J. Thomson, 1864:90 (type species: *Epicasta ocellata* J. Thomson)  
*Psaumis* Pascoe, 1866d:246 (type species: *Psaumis turbida* Pascoe)  
**turbida** (Pascoe, 1866d:246) [*Psaumis*] Borneo
- Iphiothe** Pascoe, 1866d:254 (type species: *Iphiothe criopsoides* Pascoe)  
**criopsoides** Pascoe, 1866d:255 [*Iphiothe*] Borneo, Sumatra, W. Malaysia
- Languriomorpha** Fisher, 1925:273 (type species: *Languriomorpha bicolor* Fisher)  
**bicolor** Fisher, 1925:274 [*Languriomorpha*] Borneo, W. Malaysia
- Mimepaphra** Breuning, 1976j:101 (type species: *Mimepaphra borneana* Breuning)  
**borneana** Breuning, 1976j:101 [*Mimepaphra*] Borneo
- Microrhodopina** Breuning, 1982:145 (type species: *Microrhodopina flavescens* Breuning)  
**flavescens** Breuning, 1982:146 [*Microrhodopina*] Negros

Checklist and Bibliography of Longhorned Beetles from Borneo

**Mimodystasia** Breuning, 1956d:356 (type species: *Mimodystasia mjoebergi* Breuning)  
*mjoebergi* Breuning, 1956d:356 [*Mimodystasia*]  
 Borneo

**Mimogyaritus** Fisher, 1925:221 (type species: *Mimogyaritus fasciatus* Fisher)  
*fasciatus* Fisher, 1925:222 [*Mimogyaritus*]  
 Borneo

**Nedine** J. Thomson, 1864:27 (type species: *Nedine longipes* J. Thomson)  
*Opsioleus* Pascoe, 1864c:17 (type species: *Opsioleus adversus* Pascoe)  
*Parazygocera* Heller, 1924b:200 (type species: *Parazygocera spaethi* Heller)  
*adversa* (Pascoe, 1864c:17) [*Opsioleus*] Borneo, Sumatra, Java  
*flavolineata* (Breuning, 1943c:18) [*Parazygocera*]

**Neopaphra** Fisher, 1935:615 (type species: *Neopaphra pulchella* Fisher)  
*pulchella* Fisher, 1935:616 [*Neopaphra*]  
 Borneo

**Parasophronica** Breuning, 1982e:145 (type species: *Parasophronica phlyaroides* Breuning)  
*phlyaroides* Breuning, 1982e:145 [*Parasophronica*]  
 Borneo

**Parectatosia** Breuning, 1940b:207 (type species: *Parectatosia valida* Breuning)  
*borneensis* Breuning, 1940b:208 [*Parectatosia*]  
*robusta* (Aurivillius, 1911:221) [*Ectatina*]  
 Borneo

**Phlyarus** Pascoe, 1858a:244 (type species: *Phlyarus basalis* Pascoe)  
*Bulbophlyarus* Breuning, 1961d:249 (type species: *Phlyarus bulbicollis* Breuning)  
*Tuberophlyarus* Breuning, 1966b:128 (type species: *Phlyarus tubericollis* Breuning)

**Phlyarus (Phlyarus)** Pascoe  
*basalis* Pascoe, 1858a:245 [*Phlyarus*]  
*tubericollis* Breuning, 1967j:187 [*Phlyarus*]  
 Borneo  
 Borneo

**Phlyarus (Bulbophlyarus)** Breuning  
*basirufipennis* Breuning, 1961d:249 [*Phlyarus*]  
 Borneo {Note 40}

**Phlyarus (Tuberophlyarus)** Breuning  
*tubericollis* Breuning, 1966b:128 [*Phlyarus*]  
 Borneo

**Pseudopharsalia** Breuning, 1969h:194 (type species: *Pseudopharsalia flavostictica* Breuning)  
*flavostictica* Breuning, 1969h:194 [*Pseudopharsalia*]  
 Borneo

**Rhodopina** Gressitt, 1951a:349 (type species: *Rhodopis pubera* J. Thomson) (replacement name for  
*Rhodopis* J. Thomson)  
*Rhodopis* J. Thomson, 1857e:174 (type species: *Rhodopis pubera* J. Thomson) (pre-occupied by  
*Rhodopis* Reichenbach, 1854, Aves)  
*seriata* (Aurivillius, 1913a:252) [*Rhodopis*]  
*tubericollis* (Breuning, 1943c:16) [*Rhodopis*]  
 Borneo, Sumatra, Java  
 Borneo

**Sophronica** Blanchard, 1845:160 (type species: *Sophronica carbonaria* Pascoe) {key to species: Rondon  
 & Breuning, 1970:489; Breuning, 1975b:10}  
*Dasyo* Pascoe, 1858a:253 (type species: *Dasyo lineata* Pascoe)  
*Lasiapheles* Bates, 1873:382 (type species: *Lasiapheles obrioides* Bates)  
*Phunginus* Pic, 1922e:15 (type species: *Phunginus apicalis* Pic)  
*Mimanaesthetis* Pic, 1926:16 (type species: *Mimanaesthetis atripennis* Pic)  
*Eupogonioides* Fisher, 1930:275 (type species: *Eupogonioides gardneri* Fisher)  
*nigrovittata nigrovittata* Breuning, 1982e:144 [*Sophronica*]  
*nigrovittata malasiaca* Breuning, 1982e:145 [*Sophronica*]  
 Borneo  
 Borneo

**Spinosophroniella** Breuning, 1961r:320 (type species: *Spinosophroniella rufa* Breuning)  
 sp.  
 Borneo {Note 8}

**Striatanaesthetis** Breuning, 1957c:117 (type species: *Striatanaesthetis lineatipennis* Breuning)  
*lineatipennis* Breuning, 1957c:118 [*Striatanaesthetis*]  
 Borneo

Tribe **Acanthocinini**

{key to genera: Rondon & Breuning, 1970:497; Breuning, 1977d:111}

- Chydaeopsis** Pascoe, 1864c:13 (type species: *Chydaeopsis fragilis* Pascoe)  
*fragilis* Pascoe, 1864c:13 [*Chydaeopsis*] Borneo, W. Malaysia  
*multilineata* Pic, 1936a:20 [*Chydaeopsis*]  
*ruficollis* Aurivillius, 1922a:428 [*Chydaeopsis*] Borneo
- Clavemeopodus** Breuning, 1969h:197 (type species: *Clavemeopodus aureosignatus* Breuning)  
*aureosignatus* Breuning, 1969h:198 [*Clavemeopodus*] Borneo
- Driopea** Pascoe, 1858a:243 (type species: *Driopea clytina* Pascoe) {key to subgenera: Rondon & Breuning, 1970:504}  
*Inermodriopea* Breuning, 1957h:12 (type species: *Driopea inermis* Pascoe)  
*Fasciatodriopea* Breuning, 1963h:15 (type species: *Driopea nigrofasciata* Pic)  
*Trichodriopea* Breuning, 1965h:39 (type species: *Driopea excavatipennis* Breuning)  
*Luteodriopea* Breuning in Rondon & Breuning, 1970:505 (type species: *Driopea luteolineata* Breuning)
- Driopea (Driopea)** Pascoe  
*setosa* Aurivillius, 1922a:427 [*Driopea*] Borneo
- Driopea (Inermodriopea)** Breuning  
*cyrtomera* Aurivillius, 1922a:428 [*Driopea*] Borneo, W. Malaysia
- Emeopedus** Pascoe, 1864c:47 (type species: *Emeopedus solutus* Pascoe)  
*Papuemeopodus* Breuning, 1959h:116 (type species: *Emeopedus papuanus* Breuning)  
*Longicornemeopodus* Breuning, 1977g:233 (type species: *Emeopedus longicornis* Fisher)  
*Variegatemeopodus* Breuning, 1977g:234 (type species: *Emeopedus variegatus* Fisher)
- Emeopedus (Longicornemeopodus)** Breuning  
*alboguttatus* Fisher, 1935:619 [*Emeopedus*] Borneo  
*longicornis* Fisher, 1925:275 [*Emeopedus*] Borneo
- Eoporis** Pascoe, 1864c:15 (type species: *Eoporis elegans* Pascoe)  
*Eoporimimus* Schwarzer, 1925c:147 (type species: *Eoporis bifasciana* Schwarzer)
- Eoporis (Eoporis)** Pascoe  
*elegans elegans* Pascoe, 1864c:16 [*Eoporis*] Borneo, W. Malaysia, Sulawesi, Philippines, New Guinea
- Exocentrus** Dejean, 1835:339 (type species: *Callidium lusitanicum* Olivier) {key to subgenera: Breuning, 1958l:212; Rondon & Breuning, 1970:509}  
*Camptomyne* Pascoe, 1864c:43 (type species: *Camptomyne calliooides* Pascoe)  
*Oligopsis* J. Thomson, 1864:111 (type species: *Oligopsis exocentroides* J. Thomson)  
*Ispaterus* Fairmaire, 1892:122 (type species: *Ispaterus longipilis* Fairmaire)  
*Pseudocentrus* Fairmaire, 1901:230 (type species: *Pseudocentrus lineelus* Fairmaire)  
*Dentexocentrus* Breuning, 1956h:135 (type species: *Exocentrus dentipes* Breuning)  
*Woodlarkexocentrus* Breuning, 1957f:16 (type species: *Exocentrus woodlarkianus* Breuning)  
*Centenexocentrus* Breuning, 1957f:17 (type species: *Exocentrus centenes* Pascoe)  
*Barbierexocentrus* Breuning, 1958l:288 (type species: *Exocentrus barbieri* Pic)  
*Formosexocentrus* Breuning, 1958l:322 (type species: *Camptomyne variepennis* Schwarzer)  
*Tuberculexocentrus* Breuning, 1958l:323 (type species: *Exocentrus basituberculatus* Pic)  
*Pseudexocentroides* Breuning, 1971:678 (type species: *Exocentrus flavescentis* Breuning)
- Exocentrus (Exocentrus)** Mulsant {key to species: Breuning, 1958l:213}  
*lachrymosus* Pascoe, 1864c:29 [*Exocentrus*] Borneo  
*moerens* Pascoe, 1864c:30 [*Exocentrus*] Borneo {Note 5}, W. Malaysia
- Exocentrus (Camptomyne)** Pascoe {key to species: Breuning, 1958l:216; Rondon & Breuning, 1970:510}  
*hirtus* Fisher, 1925:245 [*Exocentrus*] Borneo  
*subglaber* Fisher, 1925:238 [*Exocentrus*] Borneo
- Exocentrus (Pseudocentrus)** Fairmaire {key to species: Breuning, 1958l:221; Rondon & Breuning, 1970:512}  
*rufohumeralis* Breuning, 1957h:13 [*Exocentrus*] Borneo {Note 5}, Sumatra  
*toekanensis borneensis* Breuning, 1968l:231 [*Exocentrus*] Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

- Maculileiopus** Breuning, 1958j:31 (type species: *Maculileiopus maculipennis* Breuning)  
**maculipennis** Breuning, 1958j:31 [*Maculileiopus*] Borneo {Note 5}, Sumatra
- Myromeus** Pascoe, 1864c:36 (type species: *Myromeus subpictus* Pascoe)  
**fulvonotatus** (Fisher, 1925:251) [*Myromeus*] Borneo
- Ostedes** Pascoe, 1859:43 (type species: *Ostedes pauperata* Pascoe) {key to subgenera: Rondon & Breuning, 1970:498}  
*Dentatostedes* Breuning, 1961d:249 (type species: *Eoporis bidentatus* Pic)  
*Trichostedes* Breuning, 1961e:135 (type species: *Ostedes assamana* Breuning)
- Ostedes (Ostedes)** Pascoe {key to species: Rondon & Breuning: 1970:498}  
**borneana** Breuning, 1964g:95 [*Ostedes*] Borneo  
**brunneovariegata** Breuning, 1961k:337 [*Ostedes*] Borneo  
**griseoapicaloides** Breuning, 1977d:122 [*Ostedes*] (replacement name for *Ostedes griseoapicalis* Breuning, 1969) Borneo  
*griseoapicalis* Breuning, 1969i:667 [*Ostedes*] (pre-occupied by *Ostedes griseoapicalis* Pic, 1944b)  
**laterifusca** Breuning, 1969h:195 [*Ostedes*] Borneo  
**pauperata** Pascoe, 1859:44 [*Ostedes*] Borneo, Sulawesi, New Guinea, Philippines  
**variegata** Aurivillius, 1913a:257 [*Ostedes*] Borneo
- Paraegocidnus** Breuning, 1956a:253 (type species: *Paraegocidnus feai* Breuning)  
sp. Borneo {Note 8}
- Pseudoleiopus** Breuning, 1970h:487 (type species: *Pseudoleiopus borneanus* Breuning)  
**borneanus** Breuning, 1970h:487 [*Pseudoleiopus*] Borneo {Note 44}
- Rondibilis** J. Thomson, 1857f:306 (type species: *Rondibilis bispinosa* J. Thomson)  
*Polimeta* Pascoe, 1864c:13 (type species: *Ostedes spinosula* Pascoe)
- Rondibilis (Rondibilis)** J. Thomson {key to species: Rondon & Breuning: 1970:500}  
*Polimeta* Pascoe  
**lineaticollis** (Pic, 1922d:26) [*Eryssamena*] Borneo, Laos, Vietnam, Hainan  
*seatoni* Gressitt, 1940a:189 [*Rondibilis*]  
**spinosula spinosula** (Pascoe, 1860d:62) [*Ostedes*] Borneo, Sulawesi, Moluccas, New Guinea  
*simplex* Pascoe, 1864c:14 [*Polimeta*]
- Sciades** Pascoe, 1864c:30 (type species: *Leiopus suffusus* Pascoe)  
*Miaenia* Pascoe, 1864c:38 (type species: *Miaenia marmorea* Pascoe)  
*Aegocidnus* Pascoe, 1864c:40 (type species: *Aegocidnus grammicus* Pascoe)  
*Nonymoides* Blair, 1940:154 (type species: *Nonymoides carolinensis* Blair)  
*Estoliops* Matsushita, 1943:574 (type species: *Estoliops fasciatus* Matsushita)  
*Acanthosciades* Gressitt, 1956a:159 (type species: *Nonymoides latior* Blair)  
*Indoaegocidnus* Breuning, 1956d:361 (type species: *Aegocidnus indicus* Breuning)  
*Micronesiella* Gressitt, 1956a:166 (type species: *Sciadella esakii* Gressitt)  
*Pomeranaegocidnus* Breuning, 1957f:14 (type species: *Aegocidnus neopomerianus* Breuning)  
*Pseudocidnus* Breuning, 1957c:122 (type species: *Exocentrus tonsus* Bates)  
*Tonkinomiaenia* Breuning in Rondon & Breuning, 1970:507 (type species: *Aegocidnus tonkinensis* Pic)  
*Sibuyomiaenoides* Breuning, 1977g:259 (type species: *Sciades sibuyensis* Fisher)  
*Granuuilmaenia* Breuning, 1977g:259 (type species: *Miaenia granulicollis* Gressitt)  
*Truncatomiaenia* Breuning, 1977g:253 (type species: *Nonymoides botelensis* Gressitt)
- Sciades (Miaenia)** Pascoe  
*Pseudocidnus* Breuning  
**quadriplagiata** (Breuning, 1964g:96) [*Miaenia*] Borneo  
**retrospinosis** Breuning, 1963a:86 [*Miaenia*] Borneo {Note 5}, Java  
**rufulus** (Fisher, 1925:267) [*Miaenia*] Borneo
- Spinexocentrus** Breuning, 1958j:41 (type species: *Spinexocentrus spinipennis* Breuning)  
**spinipennis** Breuning, 1958j:42 [*Spinexocentrus*] Borneo
- Spinopterolophia** Breuning, 1965e:90 (type species: *Spinopterolophia pterolophioides* Breuning)  
sp. Borneo {Note 2}
- Striatacanthocinus** Breuning, 1970h:485 (type species: *Striatacanthocinus borneensis* Breuning)

Checklist and Bibliography of Longhorned Beetles from Borneo

**borneensis** Breuning, 1970h:485 [*Striatacanthocinus*] Borneo

**Xaenapta** Pascoe, 1864c:38 (type species: *Xaenapta latimana* Pascoe)  
**bakeri** Fisher, 1925:265 [*Xaenapta*] Borneo, Java  
**nigrosignata** Pic, 1936a:20 [*Xaenapta*]  
**denticollis** Fisher, 1925:264 [*Xaenapta*] Borneo  
**latimana** Pascoe, 1864c:38 [*Xaenapta*] Borneo

Tribe **Astathini**

{key to genera: Rondon & Breuning, 1970:516}

**Astathes** Newman, 1842d:299 (type species: *Astathes perplexa* Newman)  
*Tetraophthalmus* Guérin-Méneville, 1844:244 (type species: *Cerambyx splendida* Fabricius)

**Astathes (Tetraophthalmus)** Guérin-Méneville {key to species: Rondon & Breuning, 1970:522}

<b>caloptera</b> Pascoe, 1860d:63 [ <i>Astathes</i> ]	Borneo
<b>cyanipennis</b> J. Thomson, 1865b:557 [ <i>Astathes</i> ]	
<b>nigrobasiantennalis</b> Breuning, 1956o:498 [ <i>Astathes</i> ] {Note 1}	
<b>rufosternalis</b> Breuning, 1956o:498 [ <i>Astathes</i> ] {Note 1}	
<b>costipennis</b> Fisher, 1935:629 [ <i>Astathes</i> ]	Borneo
<b>dimidiata</b> (Guérin-Méneville, 1844:244) [ <i>Tetraopes</i> ]	Borneo, Java, W. Malaysia, Burma, Thailand
<b>flaviventris</b> Pascoe, 1867a:352 [ <i>Astathes</i> ]	Borneo
<b>borneensis</b> Aurivillius, 1911:227 [ <i>Astathes</i> ]	
<b>medioviolacea</b> Breuning, 1950t:388 [ <i>Astathes</i> ] {Note 1}	
<b>apicerufa</b> Breuning, 1956o:494 [ <i>Astathes</i> ] {Note 1}	
<b>violaceoreducta</b> Breuning, 1956o:494 [ <i>Astathes</i> ] {Note 1}	
<b>fulgida</b> (Fabricius, 1801:280) [ <i>Cerambyx</i> ]	Borneo, Sumatra
<b>ignorantina</b> (J. Thomson, 1857a:51) [ <i>Tetraophthalmus</i> ]	Borneo, Java
<b>posticalis</b> J. Thomson, 1865b:558 [ <i>Astathes</i> ]	
<b>kuekenthali</b> Heyden, 1897:578 [ <i>Astathes</i> ]	
<b>rufinipes</b> Breuning, 1956o:497 [ <i>Astathes</i> ] {Note 1}	
<b>reductemaculata</b> Breuning, 1956o:497 [ <i>Astathes</i> ] {Note 1}	
<b>japonica</b> (J. Thomson, 1857a:51) [ <i>Tetraophthalmus</i> ]	Borneo, Philippines
<b>unicolor</b> Pascoe, 1867a:349 [ <i>Astathes</i> ]	
<b>coccinea</b> Pascoe, 1867a:350 [ <i>Astathes</i> ]	
<b>instabilis</b> Gahan, 1901:51 [ <i>Astathes</i> ]	
<b>montana</b> Gahan, 1901:52 [ <i>Astathes</i> ]	
<b>dohertyi</b> Aurivillius, 1923b:582 [ <i>Astathes</i> ]	
<b>bakeri</b> Aurivillius, 1927b:589 [ <i>Astathes</i> ]	
<b>opalescens</b> Fisher, 1935:630 [ <i>Astathes</i> ]	
<b>nigrosetosa</b> Breuning, 1956o:503 [ <i>Astathes</i> ] {Note 1}	
<b>nitens</b> (Fabricius, 1801:279) [ <i>Cerambyx</i> ]	Borneo, Sumatra, W. Malaysia, Thailand
<b>ignitus</b> (Illiger, 1805:109) [ <i>Cerambyx</i> ]	
<b>fabricii</b> J. Thomson, 1865b:558 [ <i>Astathes</i> ]	
<b>apicalis</b> J. Thomson, 1865b:558 [ <i>Astathes</i> ]	
<b>flavipennis</b> Breuning, 1956o:492 [ <i>Astathes</i> ] {Note 1}	
<b>flavipes</b> Breuning, 1956o:492 [ <i>Astathes</i> ] {Note 1}	
<b>thomsoni</b> Breuning, 1956o:492 [ <i>Astathes</i> ] {Note 1}	
<b>nigroapicalis</b> Breuning, 1956o:492 [ <i>Astathes</i> ] {Note 1}	
<b>vagamaculata</b> Breuning, 1960h:149 [ <i>Astathes</i> ] {Note 1}	
<b>splendida</b> (Fabricius, 1792:263) [ <i>Cerambyx</i> ]	Borneo, Sumatra, Java
<b>decipiens</b> Pascoe, 1859:46 [ <i>Astathes</i> ]	
<b>splendidula</b> Aurivillius, 1923b:583 [ <i>Astathes</i> ]	
<b>flavicornis</b> Pic, 1939f:31 [ <i>Astathes</i> ]	
<b>terminata</b> Pascoe, 1857:109 [ <i>Astathes</i> ]	Borneo, Sumatra, Java, W. Malaysia
<b>sumptuosa</b> Gahan, 1901:48 [ <i>Astathes</i> ]	
<b>westermannii</b> Gahan, 1901:48 [ <i>Astathes</i> ]	
<b>javanica</b> Aurivillius, 1923b:583 [ <i>Astathes</i> ]	
<b>flavoscapus</b> Breuning, 1956o:496 [ <i>Astathes</i> ] {Note 1}	
<b>rufoabdominalis</b> Breuning, 1956o:496 [ <i>Astathes</i> ] {Note 1}	

**Bacchisa** Pascoe, 1867a:342 (type species: *Bacchisa coronata* Pascoe) {key to subgenera : Rondon & Breuning, 1970:516}

*Cyanastus* Pascoe, 1867a:355 (type species: *Cyanastus aulicus* Pascoe)  
*Chreonomia* Pascoe, 1867a:357 (type species: *Chreonomia venusta* Pascoe)  
*Fasciatobacchisa* Breuning, 1956o:457 (type species: *Chreonomia fasciata* Schwarzer )

Checklist and Bibliography of Longhorned Beetles from Borneo

**Atrobacchisa** Breuning, 1956o:457 (type species: *Chreonomma atrocoerulea* Gressitt)  
**Bulbocabchisa** Breuning, 1956o:460 (type species: *Chreonomma cavernifera* Aurivillius)

- Bacchisa (Bacchisa)** Pascoe {key to species: Rondon & Breuning, 1970:516}
- |   |                          |
|---|--------------------------|
| <b>curticornis</b> Breuning, 1956o:439 [Bacchisa]                                 | Borneo {Note 5}, Sumatra |
| <b>cyanicollis</b> Breuning, 1956o:446 [Bacchisa]                                 | Borneo                   |
| <b>nigriventris</b> (J. Thomson, 1865b:559) [Astathes]                            | Borneo, W. Malaysia      |
| <i>tabida</i> (Pascoe, 1867a:361) [ <i>Chreonomma</i> ]                           |                          |
| <i>parteflavosternalis</i> Breuning, 1956o:451 [Bacchisa] {Note 1}                |                          |
| <b>testacea</b> J. Thomson, 1857a:55 [ <i>Tetraophthalmus</i> ]                   | Borneo, Java             |
| <i>seminuda</i> (Fisher, 1935:628) [ <i>Chreonomma</i> ]                          |                          |
| <b>violacea</b> (Aurivillius, 1923b:580) [ <i>Chreonomma</i> ] {Note 12}{Note 13} | Borneo                   |
- Bacchisa (Cyanastus)** Pascoe
- |  |        |
|--|--------|
| <b>borneotica</b> Breuning, 1956o:459 [Bacchisa] | Borneo |
|--|--------|
- Chreomysis** Breuning, 1956o:464 (type species: *Chreomysis flava* Breuning)
- |  |        |
|--|--------|
| <b>flava</b> Breuning, 1956o:465 [ <i>Chreomysis</i> ] | Borneo |
|--|--------|
- Hispastathes** Breuning, 1956o:474 (type species: *Plaxomicrus hispoides* Aurivillius)
- |   |        |
|---|--------|
| <b>hispoides</b> (Aurivillius, 1911:227) [ <i>Plaxomicrus</i> ] | Borneo |
|---|--------|
- Momisis** Pascoe, 1867a:348 (type species: *Momisis aegrota* Pascoe) {key to species: Rondon & Breuning, 1970:519}
- |  |                       |
|--|-----------------------|
| <b>longicornis</b> (Pic, 1912p:10) [ <i>Lasiophrys</i> ] | Borneo{Note 32}, Laos |
| <b>sp.</b> {Heffern coll}                                | Borneo                |
- Ochrocesis** Pascoe, 1867a:357 (type species: *Ochrocesis evanida* Pascoe)
- |  |        |
|--|--------|
| <b>evanida</b> Pascoe, 1867a:357 [ <i>Ochrocesis</i> ]                     | Borneo |
| <i>nigroabdominalis</i> Breuning, 1950t:388 [ <i>Ochrocesis</i> ] {Note 1} |        |
| <i>sandakana</i> Breuning, 1956o:473 [ <i>Ochrocesis</i> ] {Note 1}        |        |
- Parastathes** Breuning, 1956o:479 (type species: *Eustathes basalis* Gahan)
- |   |  |
|---|--|
| <b>Antennastathes</b> Breuning, 1956o:481 (type species: <i>Eustathes apicalis</i> Aurivillius) |  |
|---|--|
- Parastathes (Parastathes)** Breuning
- |  |        |
|--|--------|
| <b>moultoni</b> (Aurivillius, 1914:317) [ <i>Eustathes</i> ] | Borneo |
|--|--------|
- Parastathes (Antennastathes)** Breuning
- |  |        |
|--|--------|
| <b>apicalis</b> (Aurivillius, 1925b:484) [ <i>Eustathes</i> ]  | Borneo |
| <i>fuscoamplata</i> Breuning, 1956o:482 [ <i>Parastathes</i> ] |        |
- Tropimetopa** J. Thomson, 1864:118 (type species: *Astathes simulator* Pascoe)
- |  |        |
|--|--------|
| <b>simulator</b> (Pascoe, 1857:44) [ <i>Astathes</i> ] | Borneo |
|--|--------|
- Tribe **Saperdini** {Note 18}
- {key to genera: Rondon & Breuning, 1970:523}
- Chlorisanis** Pascoe, 1867a:413 (type species: *Chlorisanis viridis* Pascoe)
- |  |                           |
|--|---------------------------|
| <b>viridis</b> Pascoe, 1867a:413 [ <i>Chlorisanis</i> ]                      | Borneo, Java, W. Malaysia |
| <i>violaceosuturalis</i> Breuning, 1954i:454 [ <i>Chlorisanis</i> ] {Note 1} |                           |
- Clavoserixia** Breuning, 1954i:440 (type species: *Serixia bifasciata* Aurivillius)
- |   |        |
|---|--------|
| <b>bifasciata</b> (Aurivillius, 1913a:257) [ <i>Serixia</i> ] | Borneo |
|---|--------|
- Cyaneophytoecia** Breuning, 1950t:379 (type species: *Glenea sospita* Pascoe)
- |  |                     |
|--|---------------------|
| <b>sospita</b> (Pascoe, 1867a:409) [ <i>Glenea</i> ] | Borneo, W. Malaysia |
|--|---------------------|
- Entelopes** Guérin-Méneville, 1844:245 (type species: *Entelopes glauca* Guérin-Méneville)
- |  |  |
|--|--|
| <b>Wallaceentelopes</b> Breuning, 1954i:478 (type species: <i>Entelopes wallacei</i> Pascoe) |  |
| <b>Shelfordia</b> Breuning, 1954i:479 (type species: <i>Entelopes shelfordi</i> Aurivillius) |  |
- Entelopes (Entelopes)** Guérin-Méneville
- |   |                                    |
|---|------------------------------------|
| <b>glauca</b> Guérin-Méneville, 1844:245 [ <i>Entelopes</i> ]         | Borneo, Sumatra, Java, W. Malaysia |
| <i>nigroreducta</i> Breuning, 1954i:477 [ <i>Entelopes</i> ] {Note 1} |                                    |
| <b>ionoptera ionoptera</b> Pascoe, 1857:108 [ <i>Entelopes</i> ]      | Borneo                             |
| <i>jonoptea</i> (subsequent incorrect spelling)                       |                                    |

Checklist and Bibliography of Longhorned Beetles from Borneo

*amoena* Pascoe, 1866d:335 [*Entelopes*]

**Entelopes (Wallaceentelopes)** Breuning

*griseipennis* Breuning, 1954i:479 [*Entelopes*]  
*wallacei* Pascoe, 1856:46 [*Entelopes*]

Borneo  
Borneo

**Entelopes (Shelfordia)** Breuning

*fuscotarsalis* Breuning, 1954i:480 [*Entelopes*]  
*shelfordi* Aurivillius, 1923:492 [*Entelopes*] {Note 12}

Borneo  
Borneo

**Glenea** Newman, 1842d:301 (type species: *Sphenura novemguttata* Laporte) {key to subgenera: Rondon & Breuning, 1970:527; Hüdepohl, 1996:16;} {Note 35}

*Sphenura* Laporte, 1840:489 (type species: *Sphenura novemguttata* Laporte) (pre-occupied by *Sphenura* Lichtenstein, 1823, Aves)

*Volumnia* J. Thomson, 1860:58 (type species: *Saperda apicalis* Chevrolat)

*Tanylecta* Pascoe, 1866a:263 (type species: *Tanylecta lambii* Pascoe)

*Cryllis* Pascoe, 1867a:417 (type species: *Cryllis clytoides* Pascoe)

*Moraegamus* J. Thomson, 1868b:188 (type species: *Sphenura flavicapilla* Chevrolat)

*Accola* Jordan, 1894c:503 (type species: *Accola citrina* Jordan) (pre-occupied by *Accola* Simon, 1889, Araneae)

*Euglenea* Heller, 1896:24 (type species: *Glenea sarasinorum* Heller)

*Heteroglenea* Gahan, 1897:490 (type species: *Glenea nigromaculata* J. Thomson)

*Macroglenea* Aurivillius, 1920:390 (type species: *Saperda elegans* Olivier)

*Poeciloglenea* Aurivillius, 1920:391 (type species: *Glenea celia* Pascoe)

*Stiroglenea* Aurivillius, 1920:391 (type species: *Lamia cantor* Fabricius)

*Parazosne* Aurivillius, 1926a:114 (type species: *Colobothea leucospilota* Westwood)

*Accolona* Strand, 1942:392 (replacement name for *Accola* Jordan, 1894) (type species: *Accola citrina* Jordan)

*Lineatoglenea* Breuning, 1950t:384 (type species: *Glenea lineatopunctata* Breuning)

*Luteoglenea* Breuning, 1950t:385 (type species: *Glenea maculicollis* Breuning)

*Sassaglenea* Breuning, 1952b:317 (type species: *Glenea sassensis* Breuning)

*Jordanoglenea* Breuning, 1952b:317 (type species: *Glenea jordani* Lepesme & Breuning)

*Bajoglenea* Breuning, 1952b:318 (type species: *Glenea baja* Jordan)

*Elongatoglenea* Breuning, 1952b:320 (type species: *Glenea elongatipennis* Breuning)

*Fasciculoglenea* Breuning, 1952b:322 (type species: *Glenea fasciculosa* Breuning)

*Rufoglenea* Breuning, 1956f:93 (type species: *Glenea rufopunctata* Gahan)

*Grossoglenea* Breuning, 1956f:95 (type species: *Glenea grandis* Schwarzer)

*Subgrossoglenea* Breuning, 1956f:96 (type species: *Glenea subgrandis* Breuning)

*Metaglenea* Breuning, 1956f:97 (type species: *Glenea pseudograndis* Breuning)

*Mesoglenea* Breuning, 1956f:98 (type species: *Glenea invitticollis* Breuning)

*Pseudotanylecta* Breuning, 1956f:101 (type species: *Glenea keili* Ritsema)

*Porphyrioglenea* Breuning, 1956f:107 (type species: *Glenea porphyrio* Pascoe)

*Punctoglenea* Breuning, 1956f:108 (type species: *Glenea sexpunctata* Aurivillius)

*Rubroglenea* Breuning, 1956f:109 (type species: *Colobothea rubricollis* Hope)

*Vittiglenea* Breuning, 1956f:120 (type species: *Glenea kraatzi* J. Thomson)

*Vanikoroglenea* Breuning, 1956f:124 (type species: *Glenea vanikorensis* Breuning)

*Reginoglenea* Breuning, 1956f:125 (type species: *Glenea regina* J. Thomson)

*Acutoglenea* Breuning, 1958n:838 (type species: *Saperda acuta* Fabricius)

*Spiniglenea* Breuning, 1958n:850 (type species: *Glenea spinosipennis* Breuning)

*Brunneoglenea* Breuning, 1958n:852 (type species: *Daphisia brunnea* Aurivillius)

*Cylindroglenea* Breuning, 1958n:866 (type species: *Glenea cylindrica* Aurivillius)

*Aridoglenea* Breuning, 1958n:869 (type species: *Glenea arida* J. Thomson)

*Citrinoglenea* Breuning, 1958n:885 (type species: *Glenea citrina* J. Thomson)

*Annuliglenea* Breuning, 1958n:892 (type species: *Paraglenea annuliventris* Pic)

*Laoglenea* Breuning, 1968h:36 (type species: *Glenea anterufipennis* Breuning)

*Formosoglenea* Breuning, 1969b:36 (type species: *Glenea ochreomaculata* Breuning)

*Menesioglenea* Breuning, 1969h:191 (type species: *Glenea menesioides* Breuning)

*Acronioglenea* Breuning, 1974b:74 (type species: *Glenea besucheti* Breuning)

**Glenea (Glenea)** Newman {key to species: Rondon & Breuning, 1970:528; Hüdepohl, 1996:17}

*Chryllis* Pascoe

*Heteroglenea* Gahan

*albocingulata* Aurivillius, 1925d:516 [*Glenea*]

Borneo, Java

*signaticornis* Breuning, 1956i:838 [*Glenea*] {Note 1}

*alboplagiata* Breuning, 1958c:272 [*Glenea*]

Borneo

*albotarsalis* Breuning, 1956f:152 [*Glenea*]

Borneo

*algebraica* (J. Thomson, 1857d:144) [*Stibara*]

Borneo, Sumatra, Java, W. Malaysia

*analytica* Pascoe, 1867a:399 [*Glenea*]

Checklist and Bibliography of Longhorned Beetles from Borneo

<i>griseosuturalis</i> Pic, 1943c:8 [Glenea]	
<i>mediovittata</i> Pic, 1943d:12 [Glenea]	
<i>tenuefasciata</i> Breuning, 1956f:863 [Glenea] {Note 1}	
<i>griseofrontalis</i> Breuning, 1956f:863 [Glenea] {Note 1}	
<b>anticepunctata anticepunctata</b> (J. Thomson, 1857d:142) [Stibara]	Borneo
<i>janthoides</i> Breuning, 1958c:343 [Glenea] {Note 1}	
<b>aspasia</b> Pascoe, 1867a:384 [Glenea]	Borneo
<b>atriceps</b> Aurivillius, 1911:222 [Glenea]	Borneo
<i>anticeimpunctata</i> Breuning, 1956f:130 [Glenea] {Note 1}	
<b>aurivillii</b> Fisher, 1935:620 [Glenea]	Borneo
<b>bakeriana</b> Breuning, 1958c:330 [Glenea]	Borneo
<i>discoprolongata</i> Breuning, 1958c:330 [Glenea] {Note 1}	
<b>bangueyensis</b> Aurivillius, 1920:395 [Glenea]	Borneo (Banguey Is.)
<b>baramensis</b> Breuning, 1950t:382 [Glenea]	Borneo
<b>bellona albomaculata</b> (Gahan, 1889:214) [Macroglenea]	Borneo
<i>borneana</i> Breuning, 1956f:141 [Glenea] {Note 1}	
<b>bimaculipennis</b> Breuning, 1961k:339 [Glenea]	Borneo
<b>blandina</b> Pascoe, 1858a:259 [Glenea]	Borneo
<i>pseudoblandina</i> Breuning, 1950c:177 [Glenea]	
<i>subblandina</i> Breuning, 1956l:809 [Glenea] {Note 1}	
<b>borneensis</b> Fisher, 1935:62 [Glenea]	Borneo
<b>bryanti</b> Breuning, 1958c:286 [Glenea]	Borneo
<i>ochreoscutellaris</i> Breuning, 1964g:97 [Glenea] {Note 1}	
<b>calypso</b> Pascoe, 1867a:382 [Glenea]	Borneo
<i>gloriosa</i> Heller, 1916b:112 [Glenea]	
<b>camelina</b> Pascoe, 1867a:392 [Glenea]	Borneo
<b>clavifera</b> Aurivillius, 1925b:517 [Glenea]	Borneo
<b>clytoides clytoides</b> (Pascoe, 1867a:417) [Cryllis]	Borneo, Sumatra, W. Malaysia
<b>collaris</b> Pascoe, 1858a:258 [Glenea]	Borneo, W. Malaysia
<i>biparticollis</i> Pic, 1943d:11 [Glenea]	
<i>discolineatipennis</i> Breuning, 1958c:327 [Glenea] {Note 1}	
<b>consanguis</b> Aurivillius, 1925b:518 [Glenea]	Borneo
<i>medionigra</i> Breuning, 1958c:329 [Glenea] {Note 1}	
<i>disolatevittata</i> Breuning, 1958c:330 [Glenea] {Note 1}	
<b>despecta</b> Pascoe, 1858a:259 [Glenea]	Borneo, Sumatra, Vietnam
<i>guttigera</i> J. Thomson, 1865b:563 [Glenea]	
<i>sophia</i> J. Thomson, 1879:15 [Glenea]	
<i>lumulumentis</i> Fisher, 1935:623 [Glenea]	
<i>albitarsis</i> Pic, 1943d:11 [Glenea]	
<b>dimidiata dimidiata</b> (Fabricius, 1801:327) [Saperda]	Borneo, Sumatra, W. Malaysia
<i>oudetera</i> (J. Thomson, 1857d:143) [Stibara]	
<i>egeria</i> Pascoe, 1867a:383 [Glenea]	
<i>semipartita</i> Pic, 1943d:12 [Glenea]	
<i>niasica</i> Breuning, 1950c:180 [Glenea] {Note 1}	
<b>dimidiata semigrisea</b> Aurivillius, 1913a:258 [Glenea]	Borneo
<b>disa</b> Aurivillius, 1911:222 [Glenea]	Borneo
<b>discoidalis</b> Pascoe, 1867a:399 [Glenea]	Borneo, W. Malaysia
<i>simplex</i> J. Thomson, 1879:20 [Glenea]	
<b>doriae</b> Breuning, 1950c:178 [Glenea]	Borneo
<i>discomediopunctata</i> Breuning, 1956l:781 [Glenea] {Note 1}	
<i>infraflavovittata</i> Breuning, 1956l:781 [Glenea] {Note 1}	
<b>extensa</b> Pascoe, 1858a:258 [Glenea]	Borneo, W. Malaysia
<i>mima</i> J. Thomson, 1865b:561 [Glenea]	
<i>jubaea</i> Pascoe, 1866a:260 [Glenea]	
<i>bipunctulipennis</i> Breuning, 1958n:844 [Glenea]	
<b>fatalis</b> Pascoe, 1867a:382 [Glenea]	Borneo, Sumatra, W. Malaysia
<i>biapicalis</i> J. Thomson, 1879:11 [Glenea]	
<i>fuscofemorata</i> Breuning, 1958c:281 [Glenea] {Note 1}	
<i>infrapartealba</i> Breuning, 1958c:281 [Glenea] {Note 1}	
<b>flavovittata</b> Aurivillius, 1920:394 [Glenea]	Borneo
<b>funerula funerula</b> (J. Thomson, 1857d:141) [Stibara]	Borneo, Sumatra, W. Malaysia
<i>accessoria</i> Breuning, 1958c:282 [Glenea] {Note 1}	
<b>humeroinvittata</b> Breuning, 1956l:869 [Glenea]	Borneo
<b>infraflava</b> Breuning, 1969h:190 [Glenea]	Borneo
<b>infragrisea</b> Breuning, 1958c:280 [Glenea]	Borneo
<b>iresine</b> Pascoe, 1867a:406 [Glenea]	Borneo
<b>iridescens</b> Pascoe, 1867a:371 [Glenea]	Borneo, W. Malaysia
<i>aerata</i> Aurivillius, 1922a:429 [Glenea]	

Checklist and Bibliography of Longhorned Beetles from Borneo

<i>rufofemorata</i> Breuning, 1956f:145 [Glenea] {Note 1}	
<b>kinabaluensis</b> Fisher, 1935:622 [Glenea]	Borneo
<b>labuanensis</b> Breuning, 1956l:782 [Glenea]	Borneo
<b>latevittata</b> Aurivillius, 1920:395 [Glenea]	Borneo
<b>laudata</b> Pascoe, 1867a:370 [Glenea]	Borneo
<b>manto</b> Pascoe, 1866a:262 [Glenea]	Borneo, Sumatra, Java, W. Malaysia
<i>collaroides</i> Breuning, 1958c:285 [Glenea] {Note 1}	
<b>matangensis</b> Aurivillius, 1911:223 [Glenea]	Borneo
<i>rufimembris</i> Breuning, 1953a:25 [Glenea]	
<b>mathematica</b> <i>anona</i> Pascoe, 1867a:393 [Glenea]	Borneo, W. Malaysia
<i>obscura</i> Aurivillius, 1923b:498 [Glenea]	
<b>medea</b> Pascoe, 1867a:410 [Glenea]	Borneo
<b>melia</b> Pascoe, 1867a:385 [Glenea]	Borneo
<b>mimoscalaris</b> Breuning, 1969i:669 [Glenea]	Borneo
<b>moultoni</b> Aurivillius, 1913a:260 [Glenea]	Borneo
<b>mounieri</b> <i>latefascicollis</i> Breuning, 1982c:26 [Glenea]	Borneo
<b>myrsine</b> Pascoe, 1867a:367 [Glenea]	Borneo, W. Malaysia
<i>areca</i> Pascoe, 1867a:369 [Glenea]	
<i>cryllis</i> J. Thomson, 1879:17 [Glenea]	
<i>malaccensis</i> Breuning, 1956l:752 [Glenea] {Note 1}	
<b>nigrifrons</b> Aurivillius, 1920:395 [Glenea]	Borneo
<b>niobe</b> J. Thomson, 1879:9 [Glenea]	Borneo, Burma
<i>biocellata</i> Breuning, 1956f:161 [Glenea] {Note 1}	
<b>nobilis</b> Schwarzer, 1931a:78 [Glenea]	Borneo, Java
<b>ochraceolineata</b> Schwarzer, 1931a:77 [Glenea]	Borneo, W. Malaysia
<b>ochraceovittata</b> <i>ochraceovittata</i> J. Thomson, 1865b:565 [Glenea]	Borneo
<i>bakeri</i> Aurivillius, 1925b:517 [Glenea]	
<i>borneotica</i> Breuning, 1950c:179 [Glenea]	
<i>discotriangularis</i> Breuning, 1956l:757 [Glenea]	
<b>ochreicollis</b> Breuning, 1950t:383 [Glenea]	Borneo
<b>ochreosuturalis</b> Breuning, 1958c:330 [Glenea]	Borneo
<b>ochreovittata</b> Breuning, 1950t:384 [Glenea]	Borneo
<b>oriformis</b> Breuning, 1958c:279 [Glenea]	Borneo
<b>pascoei</b> Aurivillius, 1923b:504 [Glenea] (replacement name for <i>Glenea pulchella</i> Pascoe, 1867)	
<i>pulchella</i> Pascoe, 1867a:370 [Glenea] (pre-occupied by <i>Glenea pulchella</i> Pascoe, 1858)	
<b>pendleburyi</b> Fisher, 1935:626 [Glenea]	Borneo
<b>plagicollis</b> Aurivillius, 1925b:519 [Glenea]	Borneo
<i>laterinigricollis</i> Breuning, 1958c:329 [Glenea] {Note 1}	
<i>plagioreducta</i> Breuning, 1958c:329 [Glenea] {Note 1}	
<i>vitticeps</i> Breuning, 1958c:329 [Glenea] {Note 1}	
<b>plagifera</b> Aurivillius, 1913a:258 [Glenea]	Borneo
<i>unimaculata</i> Breuning, 1958c:278 [Glenea] {Note 1}	
<b>propinquua</b> Gahan, 1897:480 [Glenea]	Borneo, W. Malaysia, "Annam"
<b>proserpina</b> J. Thomson, 1865b:561 [Glenea]	Borneo, Sumatra, W. Malaysia, Laos
<i>honora</i> Pascoe, 1867a:373 [Glenea]	
<i>sutureindicata</i> Breuning, 1956f:133 [Glenea] {Note 1}	
<b>pseudadelia</b> Breuning, 1956l:750 [Glenea]	Borneo
<b>pseudolaudata</b> Breuning, 1956l:806 [Glenea]	Borneo
<i>flavovitroides</i> Breuning, 1956l:806 [Glenea] {Note 1}	
<b>pseudomysrine</b> Breuning, 1956l:752 [Glenea]	Borneo
<b>pulchella</b> Pascoe, 1858a:260 [Glenea]	Borneo, Sumatra, Java, Philippines, W. Malaysia, Moluccas
<i>vesta</i> Pascoe, 1866a:260 [Glenea] {Note 51}	
<i>vestalis</i> Heller, 1934:284 [Glenea]	
<i>postmediopunctata</i> Breuning, 1956f:196 [Glenea] {Note 1}	
<i>preapiceconjuncta</i> Breuning, 1956f:197 [Glenea] {Note 1}	
<i>transversevittata</i> Breuning, 1956f:197 [Glenea] {Note 1}	
<b>pustulata</b> <i>pustulata</i> J. Thomson, 1865b:564 [Glenea]	Borneo, Sumatra, Java
<i>adelia</i> Pascoe, 1867a:367 [Glenea]	
<i>cleanthe</i> J. Thomson, 1879:15 [Glenea]	
<b>quinquevittata</b> <i>fuscotibialis</i> Breuning, 1964g:97 [Glenea]	Borneo
<b>rubrobasicornis</b> Breuning, 1962m:16 [Glenea] (replacement name for <i>Glenea rufobasicornis</i> Breuning, 1961r)	Borneo
<i>rufobasicornis</i> Breuning, 1961r:325 [Glenea] (pre-occupied by <i>Glenea rufobasicornis</i> Breuning, 1956)	
<i>rufulibasicornis</i> Breuning, 1963o:5 [Glenea]	
<b>rufa</b> Breuning, 1956l:717 [Glenea]	Borneo
<b>rufifrons</b> Aurivillius, 1920:396 [Glenea]	Borneo

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>saperdoides saperdoides</b> J. Thomson, 1860:50 [ <i>Glenea</i> ] <i>humerovittata</i> Breuning, 1950t:383 [ <i>Glenea</i> ] {Note 1}	Borneo, W. Malaysia
<b>scalaris sandakensis</b> Breuning, 1956l:872 [ <i>Glenea</i> ] <i>regularefasciata</i> Breuning, 1956l:872 [ <i>Glenea</i> ] {Note 1}	Borneo
<b>schwarzeri</b> Fisher, 1935:624 [ <i>Glenea</i> ]	Borneo
<b>sedecimmaculata</b> Breuning, 1950t:381 [ <i>Glenea</i> ]	Borneo
<b>sexplagiata</b> Aurivillius, 1913a:259 [ <i>Glenea</i> ]	Borneo
<b>sejuncta</b> Pascoe, 1867a:387 [ <i>Glenea</i> ]	Borneo
<b>sexguttata</b> Aurivillius, 1925b:520 [ <i>Glenea</i> ]	Borneo
<b>subadelia</b> Breuning, 1969h:189 [ <i>Glenea</i> ]	Borneo
<b>subsimilis thetis</b> J. Thomson, 1879:7 [ <i>Glenea</i> ] {Note 49} <i>rufipes</i> Ritsema, 1892a:12 [ <i>Glenea</i> ] {Note 1}	Borneo
<b>substellata</b> Breuning, 1956l:869 [ <i>Glenea</i> ]	Borneo
<b>suturefasciata</b> Breuning, 1956l:807 [ <i>Glenea</i> ] <i>fuscofemoralis</i> Breuning, 1956l:808 [ <i>Glenea</i> ] {Note 1}	Borneo
<b>suturevittata</b> Breuning, 1958c:269 [ <i>Glenea</i> ]	Borneo
<b>taeniata</b> J. Thomson, 1860:54 [ <i>Glenea</i> ] <i>stellata</i> J. Thomson, 1865b:563 [ <i>Glenea</i> ] <i>sandakana</i> Aurivillius, 1925b:520 [ <i>Glenea</i> ] <i>sulla</i> Aurivillius, 1925b:520 [ <i>Glenea</i> ] <i>latelineata</i> Pic, 1943d:12 [ <i>Glenea</i> ] <i>rouyeri</i> Pic, 1943d:12 [ <i>Glenea</i> ] <i>externedivisa</i> Pic, 1943d:12 [ <i>Glenea</i> ] <i>humeroalbolineata</i> Breuning, 1956l:868 [ <i>Glenea</i> ] {Note 1} <i>sandakanensis</i> Breuning, 1956l:868 [ <i>Glenea</i> ] {Note 1}	Borneo, Sumatra, Java, W. Malaysia
<b>tenuilineata laterigriseicollis</b> Breuning, 1956l:856 [ <i>Glenea</i> ]	Borneo
<b>theodosia</b> J. Thomson, 1879:13 [ <i>Glenea</i> ] <i>palawensis</i> Aurivillius, 1903:325 [ <i>Glenea</i> ]	Borneo, Palawan
<b>trivittata</b> Aurivillius, 1911:222 [ <i>Glenea</i> ]	Borneo
<b>vittulata</b> Aurivillius, 1920:396 [ <i>Glenea</i> ]	Borneo
<b>wallacei</b> Gahan, 1897:482 [ <i>Glenea</i> ]	Borneo
<b>wegneri</b> Gilmour & Breuning, 1963:127 [ <i>Glenea</i> ]	Borneo
 <b>Glenea (Acutoglenea)</b> Breuning <i>acuta montana</i> Jordan, 1894c:503 [ <i>Glenea</i> ] <i>numerifera</i> J. Thomson, 1865b:561 [ <i>Glenea</i> ]	Borneo Borneo {Note 5}, Sumatra, W. Malaysia
 <b>Glenea (Citrinoglenea)</b> Breuning <i>citrina</i> J. Thomson, 1865b:566 [ <i>Glenea</i> ]	Borneo {Note 5}, Sumatra, Java, W. Malaysia
 <b>Glenea (Lineatoglenea)</b> Breuning <i>lineatopunctata</i> Breuning, 1950t:384 [ <i>Glenea</i> ]	Borneo
 <b>Glenea (Luteoglenea)</b> Breuning <i>maculicollis</i> Breuning, 1950t:385 [ <i>Glenea</i> ]	Borneo
 <b>Glenea (Macroglenea)</b> Aurivillius {key to species: Hüdepohl, 1996:16} <i>elegans</i> (Olivier, 1795:15) [ <i>Saperda</i> ] <i>chalybaea</i> (Illiger, 1800:138) [ <i>Saperda</i> ] <i>pictus</i> (Fabricius, 1801:306) [ <i>Stenocorus</i> ] <i>delia</i> J. Thomson, 1860:48 [ <i>Glenea</i> ] <i>clytia</i> J. Thomson, 1879:3 [ <i>Glenea</i> ] <i>juno</i> J. Thomson, 1865b:560 [ <i>Glenea</i> ] <i>nymphha</i> J. Thomson, 1865b:560 [ <i>Glenea</i> ]	Borneo, Sumatra, Java, W. Malaysia
 <b>Glenea (Menesioglenea)</b> Breuning <i>mensesioides</i> Breuning, 1969h:191 [ <i>Glenea</i> ]	Borneo
 <b>Glenea (Poeciloglenea)</b> Aurivillius <i>celia</i> Pascoe, 1888:509 [ <i>Glenea</i> ] <i>cyanescens</i> Pic, 1947c:13 [ <i>Glenea</i> ] <i>bipuncticollis</i> Breuning, 1958n:890 [ <i>Glenea</i> ] {Note 1}	Borneo, Sumatra, Java
 <b>Glenea (Porphyrioglenea)</b> Breuning <i>porphyrio</i> Pascoe, 1866a:259 [ <i>Glenea</i> ]	Borneo, ?W. Malaysia
 <b>Glenea (Pseudotanylecta)</b> Breuning	

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>aterrima</b> Breuning, 1956f:106 [ <i>Glenea</i> ]	Borneo
<b>itzingeri</b> Breuning, 1956f:105 [ <i>Glenea</i> ]	Borneo
<b>ochreoplagiata</b> Breuning, 1956f:104 [ <i>Glenea</i> ]	Borneo
<b>Glenea (Reginoglenea)</b> Breuning	
<b>perakensis</b> Breuning, 1956f:126 [ <i>Glenea</i> ]	Borneo, W. Malaysia
<b>regina</b> J. Thomson, 1865b:566 [ <i>Glenea</i> ]	Borneo
<b>neanthes</b> Pascoe, 1866a:259 [ <i>Glenea</i> ]	
<b>Glenea (Spiniglenea)</b> Breuning	
<b>spinosipennis</b> Breuning, 1958n:850 [ <i>Glenea</i> ]	Borneo
<b>Glenea (Stiroglenea)</b> Aurivillius {key to species: Hüdepohl, 1996:24}	
<b>angerona</b> <b>angerona</b> J. Thomson, 1865:565 [ <i>Glenea</i> ] {Note 50} Borneo {Note 5}, Java, Nias	
<b>intermedipes</b> Breuning 1971e:45 [ <i>Glenea</i> ] {Note 1} (replacement name for <i>Glenea (Stiroglenea) angerona</i> Thomson m. <i>intermedia</i> Breuning, 1969)	
<b>intermedia</b> Breuning, 1969i:669 [ <i>Glenea</i> ] {Note 1} (pre-occupied by <i>Glenea diverselineata intermedia</i> Breuning, 1968)	
<b>Glenea (Subgrossoglenea)</b> Breuning	
<b>wongi</b> Hüdepohl, 1987d:183 [ <i>Glenea</i> ]	Borneo, W. Malaysia
<b>Glenea (Tanylecta)</b> Pascoe	
<b>aegoprepiformis</b> Breuning, 1950c:177 [ <i>Glenea</i> ]	Borneo
<b>Menesia</b> Mulsant, 1856:157 (type species: <i>Menesia perrisi</i> Mulsant)	
<b>Daphisia</b> Lacordaire, 1872:842 (type species: <i>Daphisia pulchella</i> Pascoe)	
<b>Tephrocoma</b> Pascoe, 1867:419 (type species: <i>Tephrocoma livia</i> Pascoe)	
<b>Zephrocoma</b> (subsequent incorrect spelling of <i>Tephrocoma</i> by Breuning)	
<b>Menesia (Menesia)</b> Mulsant	
<b>Daphisia</b> Lacordaire	
<b>bimaculata</b> Breuning, 1954i:423 [ <i>Menesia</i> ]	Borneo
<b>biguttata</b> (Aurivillius, 1925b:522) [ <i>Daphisia</i> ]	
<b>latevitticollis</b> Breuning, 1954i:424 [ <i>Menesia</i> ] {Note 1}	
<b>prolongatevittata</b> Breuning, 1954i:424 [ <i>Menesia</i> ] {Note 1}	
<b>cana</b> (Aurivillius, 1925b:522) [ <i>Daphisia</i> ]	Borneo
<b>clytoides</b> (Gahan, 1912:79) [ <i>Daphisia</i> ]	Borneo
<b>eclectica</b> (Pascoe, 1867a:399) [ <i>Glenea</i> ]	Borneo
<b>fasciolata</b> (Aurivillius, 1922a:431) [ <i>Daphisia</i> ]	Borneo
<b>flavoantennata</b> Breuning, 1954i:420 [ <i>Menesia</i> ]	Borneo
<b>guttata</b> (Aurivillius, 1920:397) [ <i>Daphisia</i> ]	Borneo
<b>latevittata</b> Breuning, 1954i:425 [ <i>Menesia</i> ]	Borneo
<b>longipes</b> Breuning, 1954i:417 [ <i>Menesia</i> ]	Borneo
<b>longitarsis</b> Breuning, 1954i:417 [ <i>Menesia</i> ]	Borneo, Sumatra, W. Malaysia
<b>nigra</b> (Aurivillius, 1922a:430) [ <i>Daphisia</i> ]	Borneo
<b>nigricornis</b> (Aurivillius, 1913a:258) [ <i>Glenea</i> ]	Borneo
<b>niveoguttata</b> (Aurivillius, 1925b:522) [ <i>Daphisia</i> ]	Borneo
<b>ocreicollis</b> Breuning, 1954i:422 [ <i>Menesia</i> ]	Borneo
<b>pulchella</b> (Pascoe, 1867a:419) [ <i>Daphisia</i> ]	Borneo, W. Malaysia
<b>shelfordi</b> (Aurivillius, 1923b:512) [ <i>Daphisia</i> ] {Note 12}	Borneo
<b>subguttata</b> Breuning, 1954i:414 [ <i>Menesia</i> ]	Borneo
<b>vittata</b> (Aurivillius, 1920:397) [ <i>Daphisia</i> ]	Borneo
<b>Menesida</b> Gahan, 1907:110 (type species: <i>Menesida nigrita</i> Gahan)	
<b>carinifrons</b> Aurivillius, 1922a:433 [ <i>Menesida</i> ]	Borneo
<b>Nedytisis</b> Pascoe, 1866a:266 (type species: <i>Nedytisis obrioides</i> Pascoe)	
<b>fuscoapicalis</b> Breuning, 1950t:388 [ <i>Nedytisis</i> ]	Borneo
<b>obrioides</b> Pascoe, 1866a:267 [ <i>Nedytisis</i> ]	Borneo, W. Malaysia
<b>Nupserha</b> J. Thomson, 1860:41 (type species: <i>Stibara cosmopolita</i> J. Thomson)	
<b>elongata</b> Aurivillius, 1913a:261 [ <i>Nupserha</i> ]	Borneo
<b>pallescens</b> Aurivillius, 1913a:261 [ <i>Nupserha</i> ]	
<b>fricator fricator</b> (Dalman, 1817:183) [ <i>Saperda</i> ]	Borneo, Sumatra, Java, Philippines, SE Asia, India
<b>sexmaculata</b> Pic, 1928c:21 [ <i>Nupserha</i> ]	

Checklist and Bibliography of Longhorned Beetles from Borneo

<i>lineatipes</i> Pic, 1928c:22 [ <i>Nupserha</i> ]	
<i>rufopicea</i> Schwarzer, 1930:127 [ <i>Nupserha</i> ]	
<i>producta</i> Schwarzer, 1931b:212 [ <i>Nupserha</i> ]	
<i>haddeni</i> Gressitt, 1940b:419 [ <i>Nupserha</i> ]	
<i>bipartipennis</i> Pic, 1943f:3 [ <i>Nupserha</i> ]	
<i>inopinata</i> Gilmour, 1965:482 [ <i>Nupserha</i> ]	
<i>tibialis</i> Gilmour, 1965:482 [ <i>Nupserha</i> ]	
<b>fumata</b> (Heyden, 1897:579) [ <i>Oberea</i> ]	Borneo
<b>nigricornis</b> Fisher, 1935:627 [ <i>Nupserha</i> ]	Borneo
<b>oxyura</b> (Pascoe, 1867a:416) [ <i>Scytasis</i> ]	Borneo, Sumatra
<i>sexmaculata</i> Pic, 1928c:21 [ <i>Nupserha</i> ]	
<b>punctigera</b> (Pascoe, 1867a:415) [ <i>Scytasis</i> ]	Borneo
<b>ustulata borneensis</b> Breuning, 1960g:49 [ <i>Nupserha</i> ]	Borneo
 <b>Oberea</b> Dejean, 1835:351 (type species: <i>Cerambyx oculatus</i> Linné)	
<i>Isosceles</i> Newman, 1842:318 (type species: <i>Isosceles macilenta</i> Newman)	
<i>Amaurostoma</i> J. Müller, 1906:223 (type species: <i>Cerambyx erythrocephalus</i> Schrank)	
<i>anguina</i> Pascoe, 1867a:433 [ <i>Oberea</i> ]	Borneo
<i>auriventris</i> Breuning, 1961s:118 [ <i>Oberea</i> ]	Borneo, Sumatra
<i>bangueyensis</i> Breuning, 1950b:25 [ <i>Oberea</i> ]	Banguey
<i>bivittata bivittata</i> Aurivillius, 1911:226 [ <i>Oberea</i> ]	Borneo
<i>clara</i> Pascoe, 1866a:265 [ <i>Oberea</i> ]	? Borneo, Sumatra, SE Asia
<i>armata</i> Gahan, 1895:95 [ <i>Oberea</i> ] {Note 46}	
<i>compta</i> Pascoe, 1867a:429 [ <i>Oberea</i> ]	Borneo
<i>macrocerca</i> Pascoe, 1867a:429 [ <i>Oberea</i> ]	
<i>macroceroides</i> Breuning, 1961s:109 [ <i>Oberea</i> ] {Note 1}	
<i>consentanea</i> Pascoe, 1867a:426 [ <i>Oberea</i> ]	Borneo
<i>posticata</i> Pic, 1926b:16 [ <i>Oberea</i> ] (pre-occupied by <i>Oberea posticata</i> Gahan, 1895:95)	
<i>imbrevicollis</i> Pic, 1928a:16 [ <i>Oberea</i> ]	
<i>posticalis</i> Breuning, 1962q:162 [ <i>Oberea</i> ] (replacement name for <i>Oberea posticata</i> Pic, 1926)	
<i>rufopyga</i> Pic, 1926b:10 [ <i>Oberea</i> ]	
<i>mausoni</i> Breuning, 1950d:274 [ <i>Oberea</i> ] {Note 1}	
<i>unicolor</i> Breuning, 1956j:236 [ <i>Oberea</i> ] {Note 1}	
<i>curialis</i> Pascoe, 1866a:264 [ <i>Oberea</i> ]	Borneo
<i>denominata</i> Plavilstshikov, 1926:64 [ <i>Oberea</i> ]	Borneo
<i>limbata</i> Pascoe, 1867a:433 [ <i>Oberea</i> ]	
<i>formosana</i> Pic, 1911d:20 [ <i>Oberea</i> ]	Borneo, SE Asia, Myanmar, Taiwan, China
<i>ruficornis</i> Breuning, 1956j:235 [ <i>Oberea</i> ] { Note 1}	
<i>spinipennis</i> Breuning, 1962q:163 [ <i>Oberea</i> ] {Note 1}	
<i>clarior</i> Breuning, 1962q:163 [ <i>Oberea</i> ] {Note 1}	
<i>insolata</i> Pascoe, 1867a:424 [ <i>Oberea</i> ]	Borneo
<i>kualabokensis</i> Hayashi, 1976a:37 [ <i>Oberea</i> ]	Borneo
<i>matangensis matangensis</i> Breuning, 1962q:179 [ <i>Oberea</i> ]	Borneo
<i>mediofusciventris</i> Breuning, 1962q:171 [ <i>Oberea</i> ]	Borneo
<i>monticola</i> Fisher, 1935:627 [ <i>Oberea</i> ]	Borneo
<i>mutata</i> Pascoe, 1867a:425 [ <i>Oberea</i> ]	Borneo, Sumatra, SE Asia
<i>acicularis</i> Pascoe, 1867:435 [ <i>Oberea</i> ]	
<i>longulipennis</i> Fairmaire, 1895:190 [ <i>Oberea</i> ]	
<i>nigrescens</i> Breuning, 1961s:110 [ <i>Oberea</i> ]	Borneo
<i>nigroapiciventris</i> Breuning, 1962q:167 [ <i>Oberea</i> ]	Borneo
<i>octava kuchingensis</i> Breuning, 1962q:197 [ <i>Oberea</i> ]	Borneo
<i>ophidiana</i> Pascoe, 1858a:262 [ <i>Oberea</i> ]	Borneo, Philippines
<i>flavoterminata</i> Heller, 1915a:37 [ <i>Oberea</i> ]	
<i>parteflavoantennalis</i> Breuning, 1961s:101 [ <i>Oberea</i> ]	Borneo
<i>pictipes</i> Pascoe, 1867a:434 [ <i>Oberea</i> ]	Borneo
<i>nigrofemorata</i> Breuning, 1956e:23 [ <i>Oberea</i> ] {Note 1}	
<i>rubripes</i> Breuning, 1961s:108 [ <i>Oberea</i> ] {Note 1}	
<i>tenasserimensis</i> Breuning, 1961s:108 [ <i>Oberea</i> ] {Note 1}	
<i>pontianakensis</i> Breuning, 1962q:176 [ <i>Oberea</i> ]	Borneo
<i>praedita</i> Pascoe, 1867a:434 [ <i>Oberea</i> ]	Borneo
<i>antenigripes</i> Breuning, 1961s:116 [ <i>Oberea</i> ] {Note 1}	
<i>pseudolacana</i> Breuning, 1956q:700 [ <i>Oberea</i> ]	Borneo
<i>rubetra</i> Pascoe, 1858a:261 [ <i>Oberea</i> ]	Borneo, Sumatra, W. Malaysia
<i>lusciosa</i> Pascoe, 1867:422 [ <i>Oberea</i> ]	
<i>insularis</i> Fisher, 1937:198 [ <i>Oberea</i> ]	
<i>parterufipes</i> Breuning, 1961s:113 [ <i>Oberea</i> ] {Note 1}	
<i>mediorufinipes</i> Breuning, 1961s:113 [ <i>Oberea</i> ] {Note 1}	

Checklist and Bibliography of Longhorned Beetles from Borneo

<b><i>basinigricollis</i></b> Breuning, 1961s:113 [ <i>Oberea</i> ] {Note 1}	
<b><i>rufiventris</i></b> Aurivillius, 1914:313 [ <i>Oberea</i> ]	Borneo
<b><i>sericeiventris</i></b> Breuning, 1950t:386 [ <i>Oberea</i> ]	Borneo
<b><i>subterraurea</i></b> Breuning, 1961s:118 [ <i>Oberea</i> ]	Borneo
<b><i>truncatipennis</i></b> Breuning, 1962q:170 [ <i>Oberea</i> ] {Note 35}	Borneo
<b><i>Obereopsis</i></b> Chevrolat, 1855:289 (type species: <i>Obereopsis obscuritarsis</i> Chevrolat) <b><i>pseudannulicornis</i></b> Breuning, 1957o:113 [ <i>Obereopsis</i> ]	Borneo
<b><i>Ossonis</i></b> Pascoe, 1867a:417 (type species: <i>Ossonis clytomima</i> Pascoe) <b><i>clytomima</i></b> Pascoe, 1867a:418 [ <i>Ossonis</i> ]	Borneo
<i>flavotibialis</i> Breuning, 1954i:430 [ <i>Ossonis</i> ] {Note 1}	
<b><i>hirsutipes</i></b> Aurivillius, 1922a:434 [ <i>Ossonis</i> ]	Borneo
<b><i>Paradystus</i></b> Aurivillius, 1923b:516 (replacement name for <i>Dystus</i> Pascoe) (type species: <i>Dystus notator</i> Pascoe)	
<i>Dystus</i> Pascoe, 1867a:416 (type species: <i>Dystus notator</i> Pascoe) (pre-occupied by <i>Dystus</i> Stål, 1862, Heteroptera)	
<b><i>innotatus</i></b> Breuning, 1954i:459 [ <i>Paradystus</i> ]	Borneo, Sumatra
<b><i>notator</i></b> (Pascoe, 1867a:416) [ <i>Dystus</i> ]	Borneo, Sumatra, W. Malaysia
<i>fuscoampliatus</i> Breuning, 1954i:459 [ <i>Paradystus</i> ] {Note 1}	
<i>sericeoprolongatus</i> Breuning, 1954i:459 [ <i>Paradystus</i> ] {Note 1}	
<b><i>Paraschoenionta</i></b> Breuning, 1950t:387 (type species: <i>Schoenionta shelfordi</i> Aurivillius) <b><i>shelfordi</i></b> (Aurivillius, 1923b:522) [ <i>Schoenionta</i> ] {Note 12}	Borneo
<b><i>Paraserixia</i></b> Breuning, 1954i:442 (type species: <i>Paraserixia flava</i> Breuning) <b><i>borneensis</i></b> Breuning, 1982c:28 [ <i>Paraserixia</i> ]	Borneo
<b><i>Pseudochlorisanis</i></b> Breuning, 1954i:454 (type species: <i>Chlorisanis similis</i> Gahan) <b><i>similis</i></b> (Gahan, 1907:108) [ <i>Chlorisanis</i> ]	Borneo, Sumatra, Luzon
<i>benguetanus</i> (Schultze, 1920:199) [ <i>Chlorisanis</i> ]	
<b><i>Pseudoglenea</i></b> Gilmour & Breuning, 1963:129 (type species: <i>Pseudoglenea densepuncticollis</i> Gilmour & Breuning)	
<b><i>densepuncticollis</i></b> Gilmour & Breuning, 1963:130 [ <i>Pseudoglenea</i> ]	Borneo
<b><i>Saperdoglenea</i></b> Breuning, 1964n:22 (type species: <i>Saperdoglenea glenoides</i> Breuning, 1964) sp. {Note 41}	Borneo
<b><i>Schoenionta</i></b> J. Thomson, 1868b:185 (type species: <i>Schoenionta vespiventri</i> J. Thomson)	
<i>dehiscens</i> (Aurivillius, 1911:226) [ <i>Oberea</i> ]	Borneo
<b><i>necydalioides</i></b> (Pascoe, 1867a:428) [ <i>Oberea</i> ]	Borneo, Sulawesi, W. Malaysia
<i>famelica</i> (Pascoe, 1867a:429) [ <i>Oberea</i> ]	
<i>testaceorufa</i> J. Thomson, 1868b:185 [ <i>Schoenionta</i> ]	
<b><i>strigosa</i></b> (Pascoe, 1867a:438) [ <i>Oberea</i> ]	Borneo, Sumatra, W. Malaysia
<b><i>Scytasis</i></b> Pascoe, 1867a:414 (type species: <i>Scytasis nitida</i> Pascoe)	
<i>Scythasis</i> (subsequent incorrect spelling by Breuning)	
<b><i>nitida</i></b> <b><i>nitida</i></b> Pascoe, 1867a:415 [ <i>Scytasis</i> ]	Borneo, Sumatra
<i>anticerufa</i> Breuning, 1949c:245 [ <i>Scythasis</i> ]	
<b><i>Serixa</i></b> Pascoe, 1856:45 (type species: <i>Serixa apicalis</i> Pascoe)	
<i>Iole</i> Pascoe, 1858a:254 (type species: not designated in original paper ) (pre-occupied by <i>Iole</i> Blyth, 1844, Aves)	
<i>Iolea</i> Pascoe, 1858a:266 (type species: not designated in original paper ) (replacement name for <i>Iole</i> Pascoe)	
<i>Xyaste</i> Pascoe, 1866a:257 (type species: <i>Iole nigripes</i> Pascoe)	
<i>Nigroserixia</i> Breuning, 1958a:253 (type species: <i>Serixa atripes</i> Breuning)	
<b><i>Serixa (Serixa)</i></b> Pascoe	
<i>Iolea</i> Pascoe	
<b><i>albofemorata</i></b> Aurivillius, 1927b:580 [ <i>Serixa</i> ]	Borneo
<b><i>albosternalis</i></b> Breuning, 1958a:208 [ <i>Serixa</i> ]	Borneo, Sumatra, W. Malaysia
<b><i>annulata</i></b> Breuning, 1958a:227 [ <i>Serixa</i> ]	Borneo
<b><i>apicalis</i></b> Pascoe, 1856:45 [ <i>Serixa</i> ]	Borneo, W. Malaysia

Checklist and Bibliography of Longhorned Beetles from Borneo

<i>lychnura</i> Pascoe, 1867a:338 [Serixia]	
<i>apicenigra</i> Breuning, 1958a:223 [Serixia]	Borneo
<i>argenteifrons</i> Breuning, 1958a:226 [Serixia]	Borneo
<i>argenteipennis</i> Breuning, 1950t:374 [Serixia]	Borneo
<i>aureovittata</i> Breuning, 1950t:373 [Serixia]	Borneo
<i>nigritipennis</i> Breuning, 1958a:204 [Serixia] {Note 1}	
<i>aurulenta</i> Pascoe, 1867a:337 [Serixia]	Borneo
<i>fuscifrons</i> Breuning, 1958a:204 [Serixia] {Note 1}	
<i>curta</i> Breuning, 1950t:374 [Serixia]	Borneo
<i>elongatula</i> Breuning, 1950t:377 [Serixia]	Borneo
<i>flavicans</i> Breuning, 1950t:377 [Serixia]	Borneo
<i>fulvida</i> Pascoe, 1867a:341 [Serixia]	Borneo, Philippines
<i>philippina</i> Breuning, 1958a:237 [Serixia] {Note 1}	
<i>literata</i> (Pascoe, 1858a:255) [ <i>Iole</i> ]	Borneo, W. Malaysia, Sulawesi
<i>reductesignata</i> Breuning, 1958a:229 [Serixia] {Note 1}	
<i>matangensis</i> Breuning, 1958a:225 [Serixia]	Borneo
<i>laterinigra</i> Breuning, 1958a:226 [Serixia] {Note 1}	
<i>modesta</i> Pascoe, 1856:45 [Serixia]	Borneo
<i>rufodiscalis</i> Breuning, 1958a:202 [Serixia] {Note 1}	
<i>rufina</i> Breuning, 1958a:202 [Serixia] {Note 1}	
<i>multipunctata</i> Breuning, 1958a:225 [Serixia]	Borneo
<i>nigritarsis</i> Breuning, 1950t:376 [Serixia]	Borneo
<i>nigrotibialis</i> Breuning, 1950t:376 [Serixia]	Borneo
<i>prasinata</i> Pascoe, 1866a:257 [Serixia]	Borneo, W. Malaysia
<i>prolata prolata</i> (Pascoe, 1858a:254) [ <i>Iole</i> ]	Borneo, Sumatra, Philippines, W. Malaysia, Laos, Vietnam
<i>tonkinea</i> Pic, 1922:14 [Serixia]	
<i>abbreviata</i> Gressitt, 1940a:200 [Serixia]	
<i>major</i> Breuning, 1955f:73 [Serixia]	
<i>pseudoplagiata</i> Breuning, 1950t:375 [Serixia]	Borneo
<i>punctipennis</i> Breuning, 1950t:373 [Serixia]	Borneo
<i>ranaeuensis</i> Hayashi, 1975:207 [Serixia]	Borneo
<i>robusta</i> Breuning, 1950t:378 [Serixia]	Borneo
<i>rufula</i> Breuning, 1950t:375 [Serixia]	Borneo
<i>sandakana</i> Breuning, 1958a:225 [Serixia]	Borneo
<i>sarawakensis</i> Breuning, 1958a:223 [Serixia]	Borneo
<i>variicornis</i> Breuning, 1958a:227 [Serixia]	Borneo
 <b>Serixia (Xyaste)</b> Pascoe	
<i>fumosa</i> (Pascoe, 1867a:347) [ <i>Xyaste</i> ]	Borneo, Sumatra
<i>peraffinis</i> Breuning, 1958a:251 [Serixia] {Note 1}	
<i>invida</i> (Pascoe, 1867a:343) [ <i>Xyaste</i> ]	Borneo
<i>nigripes</i> (Pascoe, 1858a:255) [ <i>Iole</i> ]	Borneo, W. Malaysia, SE Asia
<i>subminiaecea</i> (Pascoe, 1867a:344) [ <i>Xyaste</i> ]	
<i>paradoxa</i> (Pascoe, 1867a:343) [ <i>Xyaste</i> ]	Borneo, W. Malaysia
<i>fuscipennis</i> Breuning, 1950t:378 [Serixia] {Note 1}	
<i>paradoxoides</i> Breuning, 1958a:251 [Serixia]	Borneo
<i>torrida</i> (Pascoe, 1867a:344) [ <i>Xyaste</i> ]	Borneo
 <b>Serxiophytoecia</b> Breuning, 1950t:380 (type species: <i>Serxiophytoecia vitticollis</i> Breuning)	
<i>vitticollis</i> Breuning, 1950t:380 [Serxiophytoecia]	Borneo
 <b>Zosne</b> Pascoe, 1866a:263 (type species: <i>Zosne cincticornis</i> Pascoe)	
<i>cachita</i> Heller, 1922:535 [ <i>Zosne</i> ]	Borneo, Philippines
<i>vitticollis</i> Breuning, 1954i:486 [ <i>Zosne</i> ] {Note 1}	
<i>matangensis</i> Breuning, 1950t:378 [ <i>Zosne</i> ]	Borneo

**Lamiinae presently without definite tribal assignment**

<b>Heteropalpoides</b> Fisher, 1935:617 (type species: <i>Heteropalpoides aberrans</i> Fisher) {Note 3}	
<i>aberrans</i> Fisher, 1935:618 [ <i>Heteropalpoides</i> ] {Note 3}	Borneo

**Excluded Records**

Tribe Prionini

## Checklist and Bibliography of Longhorned Beetles from Borneo

**Emphiesmenu**s Lansberge, 1884:137 (type species: *Emphiesmenu schageni* Lansberge)  
*Prionallus* Gahan, 1907:66 (type species: *Prionallus nodicollis* Gahan)  
**schageni** Lansberge, 1884:138 [*Emphiesmenu*] Sumatra {Note 21}

### Tribe Lepturini

**Metalloleptura** Gressitt & Rondon, 1970:35  
**ochraceovittata** Hayashi, 1979:11 [*Metalloleptura*] W. Malaysia {Note 11}

### Tribe Callidiopini

**Ceresium** Newman, 1842e:322  
**zeylanicum** White, 1855:246 [*Ceresium*] Sri Lanka, India {Note 31}

### Tribe Batocerini

**Aprionella** Gilmour, 1959:820 (type species: *Aprionella unicolor* Gilmour) {Note 34}  
**unicolor** Gilmour, 1959:822 [*Aprionella*] Sumatra {Note 34}

## Important Nomenclatural Definitions

In addition to some common nomenclatural phrases below, the reader can visit the following web site for a complete glossary: [www.biosis.org/support/glossary/](http://www.biosis.org/support/glossary/)

available name: any name which conforms to all mandatory provisions of the Code. There are general requirements of publication and date, language, name formation etc. An available name is not necessarily a valid name, as an available name may be in synonymy. Conversely, a valid name must always be an available one. Available names include *nomen inviolatum*, *nomen conservandum*, *nomen perfectum*, *nomen vanum*, *nomen correctum*, *nomen substitutum*, *nomen imperfectum*.

Code: International Code of Zoological Nomenclature. An authoritative document containing a system of rules and recommendations to be followed in giving a scientific name to an animal or animal group. Adopted by the International Congresses of Zoology (more recently the International Union of Biological Sciences) and Administered by the International Commission on Zoological Nomenclature. The most recent version of the Code is the Fourth Edition published in September 1999 and taking effect on January 1, 2000.

family group: the highest-ranking group of taxa whose names are fully regulated by the Code. The family group includes taxa at the ranks of superfamily, family, subfamily, tribe, and any other rank below superfamily and above the genus group that may be required, such as subtribe.

genus-group: the taxonomic categories of genus and subgenus.

invalid name: any name (available or unavailable) given to a taxon which is not the valid name.

species-group: the taxonomic categories of species and subspecies.

type species: the nominal species that is the name-bearing type of a nominal genus or subgenus.

unavailable name: a name which does not meet all mandatory provisions of the Code, Articles 10-20, or that is an excluded name under Article 1.3. An unavailable name has no status in nomenclature. See also: available name. Unavailable names include *nomen nudum*, *nomen negatum*, *nomen vetitum*, *nomen nullum*, and *nomen oblitum*.

valid name: the correct name for a given taxon, which may have several available names, one of which (usually the oldest) is chosen as the valid name. The valid name is always an available name (the reverse is not always true). An invalid name may be either an available or unavailable name.

## Catalog Notes

- 1) Some varieties described by various authors, especially Breuning, may not be available names per ICZN rules. The current scope of this catalog does not attempt to clarify this matter.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- 2) Makihara (1999) lists *Spinopterocephalia feai* Breuning, but no taxa by that name has been located in the literature. *S. pterophoides* occurs in Sumatra.
- 3) Neither *Heteropalpoides* Fisher, 1935:617 or *Heteropalpoides aberrans* Fisher, 1935:618 appear to be listed in Breuning's catalogues. Tribal placement is undetermined at present.
- 4) *Elacomia histrionica* (Pascoe) was described from Macassar (Sulawesi). Vives & Abang (2003) reported this species from Borneo and West Malaysia. The presence of this small lepturine on both sides of Wallace's Line seems unlikely. Possibly, the type locality is erroneous.
- 5) Recorded from Borneo by Makihara (1999).
- 6) Recorded from Borneo by Makihara (1999) with questionable identification.
- 7) C. Holzschuh (pers. comm.) states that this species might be better placed in Hesperophanini, perhaps near *Examnes*.
- 8) Unidentified species recorded by Makihara (1999).
- 9) This record is from Hayashi, 1975:183.
- 10) Makihara lists *Sybra cretifera* Pascoe as valid species.
- 11) This species was reported from Sabah, Borneo by Vives & Heffern (2001). Later, Vives (2003) described *Metalloleptura ohbayashii* based on these specimens.
- 12) This new name was proposed in the Aurivillius catalog for an unnamed species illustrated by Gahan, 1902, *in Shelford*.
- 13) This name appears to be mis-spelled as "**violacca**" in the text of the catalogue, but appears as "**violacea**" in the index of the catalogue.
- 14) Breuning's catalogue (Part 4, 1961) and index (Part 10, 1967) list *Cylindrothorax* in place of *Cylindrostyrax*. Breuning also used the names *Cylindrostyrax* and *Cylindrothorax* somewhat interchangeably in his Revision of Pteropliini, part II (1963). *Cylindrothorax* is an African genus of Sternotomini. Makihara's book lists *Desisa apomecynoides* as a valid species. However this is possibly a result of the confusing error in Breuning's catalogue.
- 15) Gressitt & Rondon (1970:300) prefer placing *Sestyla* Pascoe to be a Cleomenini whereas Aurivillius' catalog used Sestyrini.
- 16) According to Komiya (pers. comm.) the name of this species can not be applied at this time, pending examination of holotypes. The species of *Hystatus* from Borneo appears to be indigenous and is different from another *Hystatus* species known from Java, Sumatra and W. Malaysia. Three names are available for use in this genus: *javanus* J. Thomson, 1860; *thomsoni* Lacordaire, 1869; and *bouchardi* Fairmaire, 1897. The type of *Hystatus javanus* J. Thomson has not been located which is needed to resolve part of this problem.
- 17) Hayashi & Villiers, 1985:67, transferred *Strangalia longiceps* Aurivillius to the genus *Gnathostangalia* Hayashi & Villiers. They apparently did not examine the type specimen, and thus, their conclusion requires verification.
- 18) In this catalog, Phytoecini, Obereini and Gleneini are included with Saperdini, following the catalog of Breuning (1967) because there has not been a recent or scientific study of the Oriental genera.
- 19) According to Pascoe (1862a, p. 344), he states "Cereopsius was a manuscript name in use at the British Museum, and adopted by me a few years ago, but has not been published to the present time." As shown in this catalog, the species *Cereopsius exoletus* Pascoe, 1857 and *Cereopsius helena* White, 1858 were described before the genus *Cereopsius* was described in 1862.
- 20) According to Komiya (pers. comm.), this is a valid species known only from Sumatra.
- 21) Offered by insect dealers, reportedly from Borneo, however, pictures indicate that the specimen was a female of *Neosarmydus costipennis* Fisher, 1935. This species may occur in Borneo.
- 22) According to Komiya (pers. comm.), he and A. Drumont (Belgium) believe this genus is not valid, and therefore *A. grassator* is not valid and, therefore, this species does not occur in Borneo. *Macrotoma lansbergei* Lameere, 1903, will have be placed in a different, or new genus. They are planning a forthcoming publication on this nomenclatural action.

Checklist and Bibliography of Longhorned Beetles from Borneo

- 23) According to Komiya (pers. comm.), this species does not belong in this genus, and will be placed in a new genus close to *Rhaphipodus*.
- 24) According to Komiya (pers. comm.), *Rhaphipodus bonni* of Borneo is different from typical *R. bonni* from Sumatra and seem to show hybridism with *suturalis*. *Rhaphipodus manillae* is difficult to separate from *wallacii*, and thus it may prove to be synonymous.
- 25) A species near *T. vandepolli* in the collection of J. Morati & M. Huet (France).
- 26) The tribe Desmiphorini here includes a diverse, and probably multi-tribal assemblage of genera previously listed in Rhodopinini. There must be a study on a worldwide basis to clarify the tribal relationships.
- 27) An image of the holotype of *Erythroclea bimaculatus* Aurivillius indicates that this species may be better placed in or near *Erythrus*.
- 28) Breuning probably intended to name this species "*roseolata*", based on his description. The actual spelling as published is "*reseolata*".
- 29) There has not been any modern analysis of the Anacolini for the African or Oriental Region. Bates originally created the tribe Erythraenini for the genus *Erythraenus*. Lameere considered many Old World genera, including *Erythraenus*, to be in Anacolini, which may or may not be correct.
- 30) Pascoe (1866a:515) states that this is possibly the same species as *H. morosus* (Pascoe).
- 31) *Ceresium zeylanicum* has been reported from many locations, including SE Asia. According to C. Holzschuh, pers. comm., its actual range is probably limited to Sri Lanka and India, with records from other areas likely being similar or undescribed species in the genus.
- 32) Tentatively identified (Heffern Collection).
- 33) Specimens in Heffern Collection identified by K.-E. Hüdepohl.
- 34) This species was described from Sumatra. In Breuning's catalogue (1962, p. 388), he cites this species from only Borneo. This is apparently an error in Breuning's catalogue. Certainly, this species could occur on Borneo.
- 35) There are numerous undescribed species in this genus.
- 36) This genus needs a great deal of study. Some authors consider *Leontium* to be a subgenus or synonymous with *Chloridolum*. There appear to be many undescribed species.
- 37) According to C. Holzschuh (pers. comm.), in Makihara (1999), the species illustrated as *Xoanodera regularis* Gahan, 1890 is not correct; the species illustrated as *X. striata* Gressitt & Rondon, 1970, is probably incorrect; the species illustrated as *X. trigona javana* is probably *X. subdita* Holzschuh; the species illustrated as *X. vitticollis* is actually *X. interrupta* Pic.
- 38) According to Holzschuh (pers. comm.), *Prothema fasciolata* Aurivillius and *Prothema plagifera* Aurivillius are the same species. The type of *P. fasciolata* is female and the type of *P. plagifera* is male. *P. fasciolata* was described first and will have priority.
- 39) *Olenecamptus bilobus* is widespread across this region and is variably marked leading to the description of many subspecies. Whether any subspecies should be recognized is arguable.
- 40) In the original description, the type locality was incorrectly cited as "Burma". According to C. Holzschuh, who has examined the holotype, the label reads "Borneo"
- 41) Specimen(s) in the collection of Heffern, Holzschuh, Komiya and/or Vives.
- 42) The original spelling appears to be "*dalenii*" not "*daleni*". I have not examined the original publication to verify this.
- 43) Dr. Antonio Santos-Silva has recently reviewed the genera and species of Parandrini from the Western Hemisphere. He has not reviewed species from Oceania (Hawaii, Fiji, New Caledonia), New Guinea, Indonesia, Borneo, Philippines, Taiwan, or Africa. It is very probable that these species, including *Parandra janus* Bates, should be removed from *Parandra* s. str. into different or new genera and subgenera (Santos-Silva, pers. comm.). Furthermore, the wide distribution currently reported for *P. janus* is atypical of other Bornean species and may likely involve multiple taxa.

Checklist and Bibliography of Longhorned Beetles from Borneo

- 44) According to Dr. G. Tavakilian (pers. comm, 2004), *Pseudoleiopus borneanus* Breuning is a Neotropical species and will be removed from this list when that correction is published.
- 45) Horn & Schenkling (1928-1929) erroneously reported the year of this publication as 1835. According to Dr. G. Tavakilian (pers. comm, 2004), the correct year is 1841.
- 46) The year of publication has not been verified. It may also be 1894 instead of 1895.
- 47) The tribe Hecyrini here includes the tribe Crossotini.
- 48) *Glaphyra* Newman is sometimes considered a synonym of *Molorchus* Fabricius. Generic listings follows Sama (2002).
- 49) Breuning's revision of *Glenea* lists this subspecies under *G. voluptuosa*, not *G. subsimilis*.
- 50) In Thomson (1865, p. 565) he notes "Dej Cat 1837, p 376". This has not been researched to determine if Dejean was the author of "*angerona*".
- 51) Pascoe (1866a:260) stated that this name was to replace "*pulchella* Hope".

## Bibliography

- Abang, F. & E. Vives. 2004. Two new species of Callichromatini from Sarawak, South-Western Borneo (Coleoptera: Cerambycidae). *Lambillionea*. 104(2):233-237.
- Achard, J. 1911. Description d'une nouvelle espèce de *Chelidonium* Thoms. [Col. Cerambycidae]. *Bulletin de la Société Entomologique de France*. Paris. 1911(14):280-281.
- Achard, J. 1912. Description d'une nouvelle espèce d'*Euryphagus* [Col. Cerambycidae]. *Bulletin de la Société Entomologique de France*. Paris. 1912(10):220-221.
- Andrews, C. W. 1900. A Monograph of Christmas Island (Indian Ocean). *Bulletin of the British Museum. Natural History. Geology Series*. 13:1-337.
- Audinet-Serville, J. G. 1832. Nouvelle classification de la famille des longicornes. *Annales de la Société Entomologique de France*. 1:118-201.
- Audinet-Serville, J. G. 1833. Nouvelle classification de la famille des longicornes (suite). *Annales de la Société Entomologique de France*, Paris. (1). 2:528-573.
- Audinet-Serville, J. G. 1834. Nouvelle classification de la famille des longicornes (suite). *Annales de la Société Entomologique de France*, Paris. (1). 3:5-110.
- Audinet-Serville, J. G. 1835a. Nouvelle classification de la famille des longicornes (suite). *Annales de la Société Entomologique de France*, Paris. (1). 4:5-100.
- Audinet-Serville, J. G. 1835b. Nouvelle classification de la famille des longicornes (suite et fin). *Annales de la Société Entomologique de France*, Paris. (1). 4:197-228.
- Aurivillius, C. 1897. Neue oder wenig bekannte Coleoptera Longicornia. *Entomologisk Tidskrift*. 18:241-248. 1 pl.
- Aurivillius, C. 1903. Neue oder wenig bekannte Coleoptera Longicornia. 8. *Arkiv För Zoologi*, Uppsala. 1:314-328.
- Aurivillius, C. 1907a. Neue oder wenig bekannte Coleoptera Longicornia. 9. *Arkiv för Zoologi*, Uppsala. 3(18):93-131. 9. fig.
- Aurivillius, C. 1910a. Neue oder wenig bekannte Coleoptera Longicornia. 11. *Arkiv för Zoologi*, Uppsala. 7(3):143-187, 1 fig.
- Aurivillius, C. 1911. Neue oder wenig bekannte Coleoptera Longicornia. 12. *Arkiv för Zoologi*, Uppsala. 7(19):187-227, fig. 49-57.
- Aurivillius, C. 1912. Coleoptorum Catalogus, pars 39 [vol. 22], Cerambycidae: Cerambycinae. Berlin, W. Junk & S. Schencking. 574 pp.
- Aurivillius, C. 1913a. Neue oder wenig bekannte Coleoptera Longicornia. 13. *Arkiv för Zoologi*, Uppsala. 8(22):229-263, 11 figs.
- Aurivillius, C. 1914. Neue oder wenigen bekannte Coleoptera Longicornia. 14. *Arkiv för Zoologi*. Uppsala. 8(29):265-318. 1 pl. 9 fig.
- Aurivillius, C. 1916a. Neue oder wenig bekannte Coleoptera Longicornia. 16. *Arkiv för Zoologi*, Uppsala, 10(19):335-360, fig. 69-72, 1 pl.
- Aurivillius, C. 1916b. Neue Cerambyciden aus der Sammlung G. van Roon. *Tijdschrift voor Entomologie*, Amsterdam. 59:214-224. 1 pl.
- Aurivillius, C. 1920. Neue oder wenig bekannte Coleoptera Longicornia. 17. *Arkiv för Zoologi*, Uppsala. 13(9):361-403, 9 figs.
- Aurivillius, C. 1922a. Neue oder wenig bekannte Coleoptera Longicornia. 18. *Arkiv för Zoologi*, Uppsala. 14(18):405-436, 30 figs.
- Aurivillius, C. 1922b. Neue Cerambyciden aus der Sammlung G. van Roon. 3. *Tijdschrift voor Entomologie*. 65:160-173.
- Aurivillius, C. 1922c. Coleopterorum Catalogus, pars 73, Cerambycidae: Lamiinae. I. Berlin, W. Junk & S. Schenckling. 322 p.
- Aurivillius, C. 1923a. Neue oder wenig bekannte Coleoptera Longicornia. 19. *Arkiv för Zoologi*, Uppsala. 15(25):437-479, 21 figs.
- Aurivillius, C. 1923b. Coleopterorum Catalogus, pars 74 [vol. 23], Cerambycidae: Lamiinae. II. Berlin, W. Junk & S. Schenckling. pp. 323-704.
- Aurivillius, C. 1924b. Cerambyciden aus Sumatra gesammelt von Edw. Jacobson bestimmt und beschrieben. *Zoologische Mededeelingen*, Leiden. 8:24-35.
- Aurivillius, C. 1925b. Neue oder wenig bekannte Coleoptera Longicornia. 20. *Arkiv för Zoologi*, Uppsala. 17A(12):481-501, fig. 134-140.
- Aurivillius, C. 1925c. Dr. E. Mjöberg's Zoological Collections from Sumatra. 3. Cerambyciden. *Arkiv för Zoologi*, Uppsala. 17B(1):1-4.
- Aurivillius, C. 1925d. Neue oder wenig bekannte Coleoptera Longicornia. 21. *Arkiv för Zoologi*, Uppsala. 18A(9):503-524, fig. 141-163.
- Aurivillius, C. 1926a. Revision of the Philippine species of the Gleniini. *Philippine Journal of Science*. 30:89-115.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Aurivillius, C. 1927a. Neue oder wenig bekannte Coleoptera Longicornia. 22. Arkiv för Zoologi, Uppsala. 19A(17): 525-547, fig. 164-177. 1 pl.
- Aurivillius, C. 1927b. Neue oder wenig bekannte Coleoptera Longicornia. 23. Arkiv för Zoologi, Uppsala. 19A(23):549-589. fig. 178-202.
- Aurivillius, C. 1928b. Cerambycidae. In: *Insects of Samoa and Other Samoan Terrestrial Arthropoda*. British Museum (Natural History), London. 4(2):135-154. 1 pl.
- Bates, H. W. 1873. On the longicorn Coleoptera of Japan. The Annals and Magazine of Natural History, London. (4)12:148-156, 193-201, 308-318, 380-390.
- Bates, H. W. 1875. New genera and species of Prionidae (Longicorn Coleoptera). The Entomologist's Monthly Magazine. 12:47-53.
- Bates, H. W. 1877. Three new species of longicorn Coleoptera from Japan. The Entomologist's Monthly Magazine. 14(2):37-38.
- Bates, H. W. 1878a. New genera and species of longicorn Coleoptera. The Entomologist's Monthly Magazine. 14:272-274
- Bates, H. W. 1878b. On new species of coleopterous insects (Geodephaga and Longicornia) taken by Dr. Stoliczka during the Forsyth Expedition to Kashgar in 1873-74. Proceedings of the Zoological Society of London. 1878:713-721.
- Bates, H. W. 1879. New genera and species of Callichrominae (Coleoptera Longicornia). Cistula Entomologica. 2:395-419.
- Bates, H. W. 1884a. Longicorn beetles of Japan. Additions, chiefly from the later collections of Mr. George Lewis; and notes on the synonymy, distribution, and habits of the previously known species. The Journal of the Linnean Society of London. 18: 205-262. 2 pl.
- Bates, H. W. 1884b. New longicorn Coleoptera of the Monohamminae group from tropical West Africa. The Entomologist's Monthly Magazine. 21:14-18.
- Bates, H. W. 1889. On new genera and species of coleopterous insects from Mount Kinibalu, North Borneo. Proceedings of the Scientific Meetings of the Zoological Society of London. [1889]:383-393.
- Belon, P. 1891. (Description d'un genre nouveau de Longicorne Lamiide: *Argodia*). Annales de la Société Entomologique de France. 60:54-55.
- Blackburn, T. 1894. Notes on Australian Coleoptera, with descriptions of new species. Transactions of the Royal Society of South Australia. 18:138-168, 200-240.
- Blair, K. G. 1940. Coleoptera from the Caroline Islands. Occasional Papers of Bernice P. Bishop Museum, Honolulu. 16(6):131-157.
- Blanchard, E. 1845. Histoire des insectes, traitant de leurs moeurs et de leurs métamorphoses en général, et comprenant une nouvelle classification fondée sur leurs rapports naturels. 2:1-524.
- Blanchard, E. 1853. Zoologie. Description des insectes. In: J. Dumont D'Urville. Voyage au pôle sud et dans l'océanie sur les corvettes l'Astrolabe et la Zélée; exécuté par ordre du roi pendant les années 1837-1838-1839-1840, sous le commandement de M.J. Dumont-d'Urville, Capitaine de Vaisseau; publié par ordre du gouvernement, sous la direction supérieure de M. Jacquinot, Capitaine de Vaisseau, commandant de la Zélée. Gide et J. Baudry, Paris. 422 pp.
- Blessig, C. 1873. Zur Kenntnis der käferfauna süd-ost-sibirien insbesondere des Amur-Landes. Longicornia. Horae Societatis Entomologicae Rossicae. 1872. (1873). 9:161-260.
- Boisduval, J. B. A. 1835. Voyage de découvertes de l'Astrolabe. Exécuté par ordre du Roi, pendant les années 1826-1827-1828-1829, sous le commandement de M. J. Dumont D'Urville. Faune entomologique de l'Océan Pacifique, avec l'illustration des insectes nouveaux recueillis pendant le voyage, deuxième partie, coléoptères et autres ordres. 716 pp. Paris.
- Breuning, S. 1935c. Novae species Cerambycidarum. Folia Zoologica et Hydrobiologica. Riga. 7(2):153-174.
- Breuning, S. 1935d. Novae species Cerambycidarum. II. Folia Zoologica et Hydrobiologica. Riga. 7(2):241-254.
- Breuning, S. 1935e. Description d'un nouveau Longicorne. Bollettino della Società Entomologica Italiana. Firenze, Genova. 67:76-77.
- Breuning, S. 1935f. Novae species Cerambycidarum. III. Folia Zoologica et Hydrobiologica. Riga. 8(1):51-71.
- Breuning, S. 1935g. Novae species Cerambycidarum. IV. Folia Zoologica et Hydrobiologica. Riga. 8(2):251-276.
- Breuning, S. 1936b. Novae species Cerambycidarum. V. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand. Riga. 1:274-326.
- Breuning, S. 1936c. Results of the Oxford Expedition to Sarawak (Borneo), 1932; A new species of Lamiidae. The Entomologist's Monthly Magazine. London. 72:109.
- Breuning, S. 1937b. Results of the Oxford Expedition to Sarawak (Borneo), 1932; Three new species of Lamiidae. The Entomologist's Monthly Magazine. London. 73:57-58.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Breuning, S. 1938c. Novae species Cerambycidarum. VI. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand. Riga. 4:180-392.
- Breuning, S. 1938e. Nouveaux Cerambycidae (Col.) Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Paris. 8(4-8):30-64.
- Breuning, S. 1938i. Études sur les Lamiaires (Coleoptera: Cerambycidae). Huitième Tribu: Mesosini Thomson. Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Troisième Supplément. Paris. 8(46-49):365-392.
- Breuning, S. 1939a. Études sur les Lamiaires (Coleoptera: Cerambycidae). Huitième Tribu: Mesosini Thomson. Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Troisième Supplément. Paris. 9(50-66):393-526.
- Breuning, S. 1939b. Novae species Cerambycidarum VII. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand. Riga. 5:144-290.
- Breuning, S. 1939c. Neue Lamiinae aus dem Museo civico di Storia naturale in Genoa. Memoire della Società Entomologica Italiana. Genova. 18:53-79.
- Breuning, S. 1939e. Deux nouvelles espèces de Longicornes. Notes d'entomologie chinoise. Musée Heude, Chang-Hai. 6(8):147-148.
- Breuning, S. 1940b. Novae species Cerambycidarum. IX. Folia Zoologica et Hydrobiologica. Riga. 10(1):115-214.
- Breuning, S. 1940e. Novae species Cerambycidarum. X. Folia Zoologica et Hydrobiologica. Riga. 10(2):407-437.
- Breuning, S. 1942c. Novae species Cerambycidarum. XI. Folia Zoologica et Hydrobiologica. Riga. 11(2):113-175.
- Breuning, S. 1942g. Nonullae species novae Cerambycidarum. Ac nova natio generis *Carabus*. Sborník Entomologického Oddelení Národního Muzea v Praze. 20(239):132-134.
- Breuning, S. 1943b. Études sur les Lamiaires (Coleoptera: Cerambycidae). Douzième tribu: Agniini Thomson. Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Troisième Supplément. Paris. 13(89-106):137-280. fig. 1-157.
- Breuning, S. 1943c. Novae species Cerambycidarum. XII. Folia Zoologica et Hydrobiologica. Riga. 12(1):12-66.
- Breuning, S. 1944b. Études sur les Lamiaires (Coleoptera: Cerambycidae). Douzième tribu : Agniini Thomson. Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Troisième Supplément. Paris. 14(107-135):281-512. fig. 158-305.
- Breuning, S. 1947d. Nouvelles formes de Longicornes du Musée de Stockholm. Arkiv för Zoologi. Stockholm. 39A(6):1-68.
- Breuning, S. 1948b. Nouvelles formes de Lamiaires (première partie). Bulletin du Musée Royal d'Histoire Naturelle de Belgique. Bruxelles. 24(38):1-44.
- Breuning, S. 1948c. Nouvelles formes de Lamiaires (deuxième partie). Bulletin du Musée Royal d'Histoire Naturelle de Belgique. Bruxelles. 24(47):1-47.
- Breuning, S. 1949c. Nouveaux Lamiaires du Musée de Milan. Atti della Società Italiana di Scienze Naturali. 88:243-245.
- Breuning, S. 1949d. Notes systématiques sur les Lamiaires. Bulletin de Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 25(38):1-32.
- Breuning, S. 1950b. Nouvelles formes de Lamiaires (3<sup>ème</sup> partie). Bulletin Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 26(12):1-32.
- Breuning, S. 1950c. Nouveaux Lamiaires du Musée de Gènes. Annali del Museo Civico di Storia Naturale di Genova. 64:170-201.
- Breuning, S. 1950d. Quelques nouveaux Lamiaires du Riksmuseum. Arkiv för Zoologi. Stockholm. (Ser. 2). 1(19):265-274.
- Breuning, S. 1950i. Révision des Morimopsini. Longicornia. Paris. 1:161-262. 19 fig.
- Breuning, S. 1950o. Révision des Xylorhizini. Longicornia. Paris. 1:379-410. 8 fig.
- Breuning, S. 1950r. Lamiaires nouveaux de la collection Lepesme. Longicornia. Paris. 1:511-535. 8 fig.
- Breuning, S. 1950t. Nouvelles formes de Lamiaires. Sarawak Museum Journal. 5:373-388.
- Breuning, S. 1952b. Lamiaires nouv. du Congo Belge appartenant au genre *Glenea*. Revue de Zoologie et de Botanique Africaines. 45:313-323.
- Breuning, S. 1952e. Lamiaires nouveaux de la collection du Museo civico di Storia Naturale, Genova. Doriane. 1(31):1-3.
- Breuning, S. 1953a. Nouvelles formes de Lamiaires (4<sup>e</sup> partie). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 29(8):1-38.
- Breuning, S. 1953b. Note sur les Lamiaires de Nouvelle Guinée et de quelques îles limitrophes du Musée d'Histoire Naturelle de Budapest. Annales Historico-Naturales Musei Nationalis Hungarici. (series nova) 4:95-111.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Breuning, S. 1954i. Revision von 35 Gattungen aus der Gruppe der Saperdini Muls. (Col. Cerambycidae). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 5:401-567.
- Breuning, S. 1955e. Nouveaux Lamiaires du Muséum national d'Histoire naturelle (2<sup>e</sup> note) (Col. Cerambycidae). Bulletin de la Société Entomologique de France. Paris. 60:59-64. fig. 1-4.
- Breuning, S. 1955f. Nouveaux Lamiaires du Muséum national d'Histoire naturelle (2<sup>e</sup> note) (Col. Cerambycidae) (suite). Bulletin de la Société Entomologique de France. Paris. 60:70-77. fig. 5-8.
- Breuning, S. 1956a. Longicornes nouveaux de la collection du Museo civico di Storia Naturale - Genova (Coleoptera, Cerambycidae). Annali del Museo Civico di Storia Naturale di Genova. 68:244-258.
- Breuning, S. 1956d. Nouveaux Lamiaires du Riksmuseum. Arkiv för Zoologi. Stockholm. (Ser. 2) 9(12):355-361.
- Breuning, S. 1956e. Nouvelles formes de Lamiaires (8<sup>ème</sup> partie). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 32(25):1-23.
- Breuning, S. 1956f. Revision der Gattung *Glenea* Newm. Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 7(1):1-199.
- Breuning, S. 1956h. Lamiaires nouveaux du Musée Royal du Congo belge. Bulletin et Annales de la Société Entomologique de Belgique. Bruxelles. 92:120-136.
- Breuning, S. 1956j. Die Ostasien-Cerambyciden im Museum A. Koenig, Bonn. Bonner Zoologische Beiträge, Bonn. 1-3:229-236.
- Breuning, S. 1956l. Revision der Gattung *Glenea* Newm. (1. fortsetzung). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 7(2):671-893. 1 fig.
- Breuning, S. 1956o. Révision des Astathini. Longicornia, Paris. 3:417-519. 18 fig.
- Breuning, S. 1956q. Lamiaires nouveaux de la Collection Lepesme (2<sup>e</sup> note). Longicornia. Paris. 3:665-702. 12 fig.
- Breuning, S. 1957c. Nouveaux Lamiaires du Riksmuseum van Natuurlijke Historie. Zoologische Mededeelingen, Leiden. 35:113-123.
- Breuning, S. 1957f. Nouvelles formes de Lamiaires (9<sup>ème</sup> partie). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 33(8):1-24.
- Breuning, S. 1957h. Neue Lamiinae aus der Sammlung F. Tippmann. Entomologisches Nachrichtenblatt für osterreichische und schweizerische Entomologie. 8(3):10-16.
- Breuning, S. 1957i. Révision du genre *Xystrocera* Serv. Bulletin de l'Institut Fondamental d'Afrique Noire. 19A:1223-1271.
- Breuning, S. 1957m. Sechs neue Lamiiden aus dem Museum G. Frey (Ceramb., Col.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 8(2):683-686.
- Breuning, S. 1957o. Révision du genre *Obereopsis* Chvr. (Coleoptera, Cerambycidae). Indian Forest Records. (new series) Entomology. [1955]. 9(3):17-122.
- Breuning, S. 1958a. Revision der Gattung *Sericia* Pasc. Arkiv för Zoologi. Stockholm. 11(14):193-254.
- Breuning, S. 1958c. Revision der Gattung *Glenea* Newm. (Col. Ceramb.) (2. fortsetzung). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 9(1):229-351.
- Breuning, S. 1958d. Nouveaux Lamiaires du Muséum national d'Histoire naturelle (3<sup>e</sup> note) (Col. Cerambycidae). Bulletin de la Société Entomologique de France. Paris. 62:261-270.
- Breuning, S. 1958e. Nouveaux Lamiaires du Muséum national d'Histoire naturelle (3<sup>e</sup> note) [Col. Cerambycidae] (suite et fin). Bulletin de la Société Entomologique de France. Paris. 63:31-37.
- Breuning, S. 1958j. Nouvelles formes de Lamiaires (dixième partie). Bulletin de Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 34(22):1-47.
- Breuning, S. 1958l. Révision du genre *Exocentrus* Mulsant (Col., Cerambycidae). Bulletin of the British Museum (Natural History). Entomology. 7(5):211-320. 5 fig.
- Breuning, S. 1958m. Bemerkungen zu einigen Lamiiden des Deutschen Entomologischen Instituts (Coleoptera: Cerambycidae). Beiträge zur Entomologie. 8(3/4):491-494.
- Breuning, S. 1958n. Revision der Gattung *Glenea* Newm. (Col. Ceramb.) (3. Fortsetzung und Schluß). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 9(3):804-907.
- Breuning, S. 1959e. Neue und bemerkenswerte Käfer-Formen aus der Sammlung des zoologischen Forschungsinstituts und Museums Alexander Koenig. 5. Lamiiden. Bonner Zoologische Beiträge, Bonn. 10(1-2):126-131.
- Breuning, S. 1959h. Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae). Mitteilungen aus dem Zoologischen Museum in Berlin. 35:149-175.
- Breuning, S. 1960d. Nouveaux Longicornes du Muséum national d'Histoire naturelle (4<sup>e</sup> note) (Col. cerambycidae) (suite et fin). Bulletin de la Société Entomologique de France. Paris. 65:29-36.
- Breuning, S. 1960e. Nouvelles formes de Lamiaires (douzième partie). Bulletin de l'Institut royal des Sciences naturelles de Belgique, Bruxelles. 36(7):1-30.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Breuning, S. 1960g. Révision des espèces asiatiques du genre *Nupserha* Thomson (Coleoptera, Cerambycidae). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 36(10):1-62.
- Breuning, S. 1960h. Nouveaux Longicornes du Muséum national d'Histoire naturelle (4<sup>e</sup>me note) [Col. Cerambycidae] (suite et fin). Bulletin de la Société Entomologique de France. Paris. 65:143-149.
- Breuning, S. 1960j. Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) zweiter teil. Mitteilungen aus dem Zoologischen Museum in Berlin. 36(2):463-486.
- Breuning, S. 1961a. Nouveaux Cerambycidae des collections du Muséum de Paris. Bulletin du Muséum National d'Histoire Naturelle. (2<sup>e</sup> série). 32(6):536-548.
- Breuning, S. 1961b. Catalogue des Lamiaires du monde (Col. Céramb.). 4 Lieferung. Im Verlag des Museums G. Frey, Tutzing bei München. p. 183-284.
- Breuning, S. 1961c. Neue oder schlecht bekannte Cerambyciden (Col.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 12:140-160.
- Breuning, S. 1961d. Neue Lamiiden aus dem Museum G. Frey (Col. Cerabm.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 12(1):245-250.
- Breuning, S. 1961e. Einige interessante neue Lamiinen der Sammlung Obering. F. P. Tippmann - Wien. Zeitschrift der Arbeitsgemeinschaft österreichischer Entomologen. 12(3):133-135.
- Breuning, S. 1961j. Nouvelles formes de Lamiaires (treizième partie). Bulletin de Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 37(20):1-44.
- Breuning, S. 1961k. Neue Lamiinae aus dem Museum G. Frey (Col. Cerambycidae). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 12(2):326-342.
- Breuning, S. 1961r. Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) dritter teil. Mitteilungen aus dem Zoologischen Museum in Berlin. 37(2):297-328.
- Breuning, S. 1961s. Révision systématique des espèces du genre *Oberea* Mulsant du globe (Coleoptera Cerambycidae) deuxième partie. Frustula Entomologica. 4(3):61-140.
- Breuning, S. 1962g. Bestimmungstabelle der Lamiiden-Triben nebst Revision der Pteropliini der asiatischen Region. (Col. Ceramb.) I. Teil. Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 13(2):371-493. 8 fig.
- Breuning, S. 1962m. Nouvelles formes de Lamiaires (quatorzième partie). Bulletin Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 38(40):1-16. 5 fig.
- Breuning, S. 1962q. Révision systématique des espèces du genre *Oberea* Mulsant du globe (Coleoptera Cerambycidae) troisième partie. Frustula Entomologica. 5(4):141-232.
- Breuning, S. 1963a. Neue Lamiinae aus dem Museum G. Frey (Col. Cerabm.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 14(1):76-90.
- Breuning, S. 1963d. Contribution à la connaissance des Lamiens du Laos, 4. partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 5:47-62.
- Breuning, S. 1963h. Contribution à la connaissance des Lamiens du Laos (Coll. Ceramb.), sixième partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 7:3-22. 19 fig.
- Breuning, S. 1963o. Nouvelles formes de Lamiaires (quinzième partie). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 39(34):1-11.
- Breuning, S. 1964g. Neue Lamiiden aus dem Museum G. Frey (Col. Cerabm.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 15(1):91-97.
- Breuning, S. 1964i. Tribus Apomecynini, Revision der Apomecynini der asiatisch-australischen Region. Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden. 30:1-528. 11 pl.
- Breuning, S. 1964n. Contribution à la connaissance des Lamiens du Laos (Coll. Céramb.) neuvième partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 10:13-24. 12 fig.
- Breuning, S. 1965c. Revision der 35. Gattung der Pteropliini der asiatischen Region (Col. Cerambycidae). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 16:161-472.
- Breuning, S. 1965e. Neue Cerambyciden aus den Sammlungen des Zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) vierter teil. Mitteilungen aus dem Zoologischen Museum in Berlin. 41(1):81-93.
- Breuning, S. 1965g. Neue Cerambyciden aus den Sammlungen des Zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) fünfer teil. Mitteilungen aus dem Zoologischen Museum in Berlin. 41(2):177-182.
- Breuning, S. 1965h. Contribution à la connaissance des Lamiens du Laos (Coll. Céramb.) dixième partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 11:29-41. 16 fig.
- Breuning, S. 1965k. Contribution à la connaissance des Lamiens du Laos, 13. partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 14:31-62.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Breuning, S. 1966b. Neue Lamiinae aus den Beständen des Museums für Tierkunde in Dresden (Coleoptera, Cerambycidae). *Reichenbachia*. 6(14):119-128.
- Breuning, S. 1966l. Nouvelles formes de Lamiaires (dix-septième partie). *Bulletin de l'Institut royal des Sciences naturelles de Belgique*, Bruxelles. 42(21):1-22.
- Breuning, S. 1966n. Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, cerambycidae). *Mitteilungen aus dem Zoologischen Museum in Berlin*. 42(2):229-258.
- Breuning, S. 1966o. Revision der Agapanthiini der eurasiatisch-australischen Region (Coleoptera, Cerambycidae). *Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden*. 34:1-144. 23 fig.
- Breuning, S. 1967j. Nouveaux Cerambycidae Lamiinae des collections du Muséum national d'Histoire naturelle de Paris (Col.). *Bulletin de la Société Entomologique de France*. Paris. 72:183-189.
- Breuning, S. 1968a. Nouveaux Pteropliini des collections du Museum de Paris (Col. Cerambycidae Lamiinae). *Bulletin du Muséum National d'Histoire Naturelle*. 2e série. 39(5):851-860.
- Breuning, S. 1968f. Nouveaux Lamiaires de la collection Fuchs (Col. Cerambycidae). *Bulletin de la Société Entomologique de Mulhouse*. 1968(Juillet – Aout):53-57.
- Breuning, S. 1968h. Contribution à la connaissance des Lamiaires du Laos (15ème partie et fin). *Bulletin de la Société Royale des Sciences Naturelles du Laos*. 16:4-44, 63-64.
- Breuning, S. 1968k. Nouveaux coléoptères Cerambycidae Lamiinae des collections du Muséum de Paris. *Bulletin du Muséum National d'Histoire Naturelle*. 2e Série. 40(4):692-709.
- Breuning, S. 1968l. Nouveaux Cerambycides Lamiinae des collections du Muséum de Paris. *Bulletin de la Société Entomologique de France*. Paris. 73:225-232.
- Breuning, S. 1969h. Nouveaux coléoptères Cerambycidae Lamiinae des collections du Muséum de Paris. *Bulletin du Muséum National d'Histoire Naturelle*. 2<sup>e</sup> Série. 41(1):187-199.
- Breuning, S. 1969i. Nouveaux coléoptères Cerambycidae des collections du Muséum de Paris. *Bulletin du Muséum National d'Histoire Naturelle*. 2<sup>e</sup> Série. 41(3):655-670.
- Breuning, S. 1970a. Révision des Glaucytini de la région asiato-australienne (Col. Cerambycidae). *Bulletin de la Société Entomologique de Mulhouse*. 1970(Mars-Avril):17-30.
- Breuning, S. 1970c. Révision des Nyctimenini, Hyborabdini et Zygocerini (Coleoptera, Cerambycidae, Lamiinae). *Bulletin et Annales Société Entomologique de Belgique*. Bruxelles. 106:77-117.
- Breuning, S. 1970h. Nouveaux coléoptères Cerambycides Lamiinae des collections du Muséum de Paris (suite). *Bulletin du Muséum National d'Histoire Naturelle*. 2<sup>e</sup> Série. 42(3):460-488.
- Breuning, S. 1971a. Nouveaux coléoptères Cerambycidae malgaches des collections du Muséum de Paris. *Bulletin du Muséum National d'Histoire Naturelle*. 2e Série. 42(4):662-684.
- Breuning, S. 1971e. Quelques rectifications systématiques sur les Lamiaires (Coleoptera, Cerambycidae). *Bulletin de la Société Entomologique de Mulhouse*. 1971(Mai-Juin):45-46.
- Breuning, S. 1973d. Neue formen von Lamiinae (Coleoptera). *Mitteilungen aus dem Zoologischen Museum in Berlin*. 49(1):41-45.
- Breuning, S. 1973e. Lamiaires nouveaux ou peu connus du Muséum de Paris [Col. Cerambycidae]. *Annales de la Société Entomologique de France*. Paris. 9(3):647-665.
- Breuning, S. 1974f. Nouveaux Mesosini des collections du Muséum national d'Histoire naturelle [Col. Cerambycidae Lamiinae]. *Bulletin de la Société Entomologique de France*. Paris. 79:72-79.
- Breuning, S. 1974g. Neue arten und gattungen von Iamiiden (Coleoptera, Cerambycidae). *Mitteilungen aus dem Zoologischen Museum in Berlin*. 50(1):149-165.
- Breuning, S. 1974m. Neue Lamiinae (Coleoptera, Cerambycidae). *Mitteilungen aus dem Zoologischen Museum in Berlin*. 50(2):237-241.
- Breuning, S. 1975b. Révision de la tribu des Rhodopinini Gress. de la région asiato-australienne (Coleoptera, Cerambycidae) première partie. *Editions Sciences Nat.* pp. 1-70. 7 fig.
- Breuning, S. 1976a(f). Quelques nouvelles espèces de Lamiinae du Muséum d'Histoire naturelle de Genève. III (Coleoptera, Cerambycidae). *Revue Suisse d'entomologie*. 83(3):737-741.
- Breuning, S. 1976j. Révision de la tribu des Rhodopinini Gress. de la région asiato-australienne (Coleoptera, Cerambycidae), deuxième partie. *Editions Sciences Nat.* pp. 71-151. 5 fig.
- Breuning, S. 1977d. Révision de la tribu des Acanthocinini de la région asiato-australienne (Coleoptera: Cerambycidae). Première partie. *Mitteilungen aus dem Zoologischen Museum in Berlin*. 53(1):111-155. 7 fig.
- Breuning, S. 1977g. Révision de la tribu des Acanthocinini de la région asiato-australienne (Coleoptera: Cerambycidae). Deuxième partie. *Mitteilungen aus dem Zoologischen Museum in Berlin*. 53(2):199-276. 16 fig.
- Breuning, S. 1978a. Descriptions de nouveaux genres et espèces de Lamiinae (Col. Cerambycidae). *Bulletin de la Société Entomologique de Mulhouse*. 1978(Jan-Mars):5-7.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Breuning, S. 1978d. Révision de la tribu des Acanthocinini de la région asiato-australienne (Coleoptera: Cerambycidae) Troisième partie. Mitteilungen aus dem Zoologischen Museum in Berlin. 54(1):3-78. 22 fig.
- Breuning, S. 1979c. Révision de la tribu des Gyaritini Breun. (Coleoptera Cerambycidae). Editions Sciences Nat. pp. 1-20. 1 pl.
- Breuning, S. 1979d. Nouveaux Coléoptères Cerambycidae Lamiinae des collections du Muséum de Paris (1<sup>re</sup> note). Revue Francaise d'Entomologie. 1(2):99-100.
- Breuning, S. 1980i. Description de nouvelles espèces de Lamiaires des Philippines (Coleoptera, Cerambycidae). Mitteilungen aus dem Zoologischen Museum in Berlin. 56(2):157-182.
- Breuning, S. 1982c. Diagnoses préliminaires de nouveaux Lamiinae du Muséum National d'Histoire Naturelle de Paris. (Coleoptera, Cerambycidae). Annales de la Société Entomologique de France. 18(1):9-29.
- Breuning, S. 1982e. Descriptions de nouvelles formes de Lamiinae de l'Asie orientale. Special Issue in Memory of the Retirement of Emeritus Professor Michio Chûjô. 1982:139-149. 23 fig.
- Breuning, S. and L. Hevovsky. 1964. Cérambycides nouveaux de la collection Heyrovsky (deuxième partie). Bulletin de la Société Entomologique Mulhouse. 1964:27-30.
- Breuning S. & K. Itzinger. 1943. Cerambycidi birmani del Museo di Milano. Atti della Società Italiana di Scienze Naturali. 82:36-54.
- Breuning, S. & C. de Jong. 1941. Neue und seltene Lamiinae (Coleoptera, Cerambycidae). Zoologische Mededeelingen, Leiden. 23:47-106.
- Brongniart, C. 1890. (Description de quelques longicornes nouveaux de l'Indo-Chine). Annales de la Société Entomologique de France. (6) 10:183-185.
- Chevrolat, L. A. A. 1835. Description de l'*Olenecamptus serratus*. in F. E. Guérin-Méneville, d'Anatomie comparée et de Palaeontologie. Magasin de Zoologie. Paris. (1)5:pl. 134
- Chevrolat, L. A. A. 1849. In C. D. d'Orbigny, Dictionnaire universel d'Histoire Naturelle. Paris. 13 vols.+3 vols., plates.
- Chevrolat, L. A. A. 1852. Description de Coléoptères nouveaux. Revue et Magasin de Zoologie, Paris. (2) 4:414-422.
- Chevrolat, L. A. A. 1855. Description de Longicornes nouveaux du vieux Calabar sur la côte occidental d'Afrique. Revue et Magasin de Zoologie, Paris. (2) 7:183-187, 282-290, 513-523.
- Chevrolat, L. A. A. 1856a. Diagnoses d'espèces nouvelles qui seront décrites et figurées prochainement. Revue et Magasin de Zoologie, Paris. (2) 3:47-48.
- Chevrolat, L. A. A. 1856b. Coléoptères nouveaux. Revue et Magasin de Zoologie, Paris. (2) 8:84-89.
- Chevrolat, L. A. A. 1857. Description de trois Longicornes nouveaux. Revue et Magasin de Zoologie, Paris. 2(9):103-106.
- Chevrolat, M. A. 1860. Description d'espèces de *Clytus* propres au Mexique. Annales de la Société Entomologique de France, Paris. (3) 8:451-504
- Chevrolat, A. 1863. Clytides d'Asie e d'Océanie. Mémoires de la Société Royale des Sciences de Liège. 18(4):254-350.
- Dalman, J. W. 1817. In C. J. Schoenherr, Synonymia insectorum, oder: Versuch einer Synonymie aller bisher bekannten Insecten; nach Fabricii Systema Eleutheratorum & c. geordnet, Eleutherata oder Käfer. Skara, Lewerentzichen Buch., Stockholm, 1(3): xi + 506 pp.
- Dauber, D. 2002. Acht neue Clytini aus Malaysia und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 34(1): 801-813.
- Dauber, D. 2003a. Drei neue Clytini aus Borneo und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 35(1):13-18.
- Dauber, D. 2003b. Vierzehn neue Clytini aus Malaysia und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 35(1):131-149.
- Dauber, D. 2004. Sechs neue Clytini aus Malaysia, Celebes, Ceram und Thailand (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 36(1):205-214.
- de Jong, C. 1936. Some new Cerambycidae. Zoologische Mededeelingen, Leiden. 19:75-78, 3 figs.
- de Jong, C. 1942. Notes on Cerambycidae, I-XIV. Zoologische Mededeelingen, Leiden. 24(1-2):18-48, 5 figs, pls I-V.
- Degeer, C. 1775. Mémoires pour servir à l'histoire des insectes. Stockholm, Imp. Pierre Hesselberg, 5: vii + 448 pp., 16 pls.
- Dejean, P. F. M. A. 1821. Catalogue de la collection de coléoptères de M. le baron Dejean. Crevot, Librairie, Paris. pp. viii + 136 +[ii]
- Dejean, P. F. M. A. 1835. Catalogue des coléoptères de la collection de M. le Comte Dejean. Méquignon-Marvis Père & Fils, 2e ed. livraison 4: 257-360. Paris.
- Devecis, J. 1993. Un Batocerini nouveau du Sabah (Borneo septentrional) et observation sur *Megacriodes saundersi* Pascoe. Bulletin de la Société Sciences Nat. 79:27-28. 1 fig.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Dillon, L. S. & E. S. Dillon. 1941. The tribe Monochamini in the Western Hemisphere (Coleoptera: Cerambycidae). Scientific Publications Reading Public Museum and Art Gallery, Pennsylvania. 1:1-135, 5 pls.
- Dillon, L. S. & E. S. Dillon. 1948. The tribe Dorcaschematini (Coleoptera: Cerambycidae). Transactions of the American Entomological Society. 73:173-298. 14 pl.
- Dillon, L. S. & E. S. Dillon. 1950. The lamiine tribe Gnomini (Coleoptera: Cerambycidae). Philippine Journal of Science. 79(1):11-57. 3 pl.
- Dillon, L. S. & E. S. Dillon. 1952. Cerambycidae of the Fiji islands. Bernice P. Bishop Museum Bulletin 206. 114 pp. 17 fig.
- Duncan, J. 1835. The Naturalist's Library (W. Jardine), Entomology. II. Beetles, 269 pp., 30 plates, Edinburgh, W. H. Lizars.
- Erichson, W. F. 1843. Beitrag zur Insecten-Fauna von Angola, in besonderer Beziehung zur geographischen Verbreitung der Insecten in Africa. Archiv für Naturgeschichte, Berlin. 9:199-267
- Fabricius, J. C. 1775. Systema Entomologiae, sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus. Officina Libraria Kortii, Flensburgi et Lipsiae. 832 pp.
- Fabricius, J. C. 1787. Mantissa insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis, emendationibus, observationibus. Hafniae, Proft 1: xx + 348 pp.
- Fabricius, J. C. 1792. Entomologia systematica emenda et aucta. Secundum classes ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. Hafniae, Proft 1(2): xx + 538 pp.
- Fabricius, J. C. 1801. Systema eleutherorum secundum ordines, genera, species: adiectis synonymis, locis, observationibus, descriptionibus. Bibliopoli Academic Novi, Kiliae. 2: 1-687.
- Fåhraeus, O. I. 1872a. Coleoptera Caffrariae, annis 1838-1854 a J. A. Wahlberg collecta. Longicornia. Nr. 2. Öfversigt af Kongliga Svenska Vetenskaps-Akademiens Förhandlingar. 29(2):29-61.
- Fåhraeus, O. I. 1872b. Memorandum betreffend die im Druck neulich erschiene Abhandlung: Coleoptera Caffrariae, Longicornia. Col. Hefte. 9-10:194-196.
- Fairmaire, L. 1864. In P. N. Jacquelin du Val, Genera des Coléoptères d'Europe comprenant leur classification en famille naturelle. 4:1-295, 376 figs., 78 pls.
- Fairmaire, L. 1889. Coléoptères de l'intérieur de la Chine 5e partie. Annales de la Société Entomologique de France, Paris. 9(6):5-84.
- Fairmaire, L. 1892. Coléoptères d'Obock. Troisième partie. [Note sur les Coléoptères recueillis par M. Laligant à Obock.] Revue d'Entomologie, Caen. 11:77-127.
- Fairmaire, L. 1894. Coléoptères de l'Afrique intertropicale et australe, (deuxième note). Annales de la Société Entomologique de Belgique. 38:314-335.
- Fairmaire, L. 1895. Deuxième note sur quelques Coléoptères des environs de Lang-Song. Annales de la Société Entomologique de Belgique. 1895:173-190.
- Fairmaire, L. 1896a. Coléoptères de l'Inde boréale, Chine et Malaisie. Notes from the Leyden Museum. 18:81-129.
- Fairmaire, L. 1896b. Matériaux pour la faune coléoptérique de la région malgache. Annales de la Société Entomologique de Belgique. 40:336-398, 452-480.
- Fairmaire, L. 1897. Description de six coléoptères de l'île Ishigaki-Sima [*Onthophagus*, *Eurylampyris*, *Amarygmus*, *Pachyrhynchus*, *Camtorhinus* et *Pachyosa*]. Bulletin de la Société Entomologique de France. 1897:68-72.
- Fairmaire, L. 1898. Matériaux pour la faune coléoptérique de la région malgache. Annales de la Société Entomologique de Belgique. 42:222-260.
- Fairmaire, L. 1901. Matériaux pour la faune coléoptérique de la région malgache (11e note). Revue d'Entomologie, Caen. 20: 101-248.
- Faldermann, F. 1835. Coleopterorum ab ill. Bungio in China boreali, Mongolia et montibus Altaicis collectorum, nec non ab ill. Turczaninoffio et Stschukino e provincia Irkutzk missorum illustrationes. Mémoires de l'Académie Impériale des Sciences de St.-Pétersbourg (6) 2:337-464.
- Fauvel, A. 1862. Coléoptères de la Nouvelle-Calédonie recueillis par M. E. Deplanche, chirurgien de la marine impériale 1858-59-60. Bulletin de la Société Linnéenne de Normandie. 7:120-185. pl. 9-10.
- Fisher, W. S. 1925. New Malaysian Cerambycidae: Subfamily Lamiinae. The Philippine Journal of Science. 28(2): 205-275.
- Fisher, W. S. 1930. On some Indian Coleoptera. A new genus and two new species of longhorn beetles from India (Coleoptera: Cerambycidae: subfamily Lamiinae). Indian Forest Records. Dehra Dun. 14:275-278.
- Fisher, W. S. 1935. Cerambycidae from Mount Kinabalu. Journal of the Malayan States Museums. 17:581-631.
- Fisher, W. S. 1936. Fauna Javanica. New Cerambycidae from Java. Tijdschrift voor Entomologie. 79:169-198.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Fisher, W. S. 1940. New Cerambycidae from India, II (Coleoptera). Indian Forest Records (New Series) Entomology. 6(5):197-202.
- Franz, E. 1972. *Xoanodera asphyxa* n. sp. aus dem indo-australischen Raum. Senckenbergiana Biologica. Frankfurt. 53(3-4): 233-235.
- Frivaldszky, J. 1892. Coleoptera in expeditione D. Comitis Belae Széchenyi in China, praecipue boreali, a Dominis Gustavo Kreitner et Ludovico Lóczy anno 1879 collecte. Paris secunda. Természettudományi Füzetek. Budapest. 15:114-125.
- Gahan, C. J. 1888a. On Longicorn Coleoptera of the Family Lamiidæ. The Annals and Magazine of Natural History, London. (6) 1(4):270-281. 1 pl. 5 fig.
- Gahan, C. J. 1888b. On new longicorn Coleoptera from China. The Annals and Magazine of Natural History, London. (6) 2(7):59-67.
- Gahan, C. J. 1888c. On new lamiide Coleoptera belonging to the *Monohammus* group. The Annals and Magazine of Natural History, London. (6) 2(11):389-401.
- Gahan, C. J. 1889. Descriptions of new or little-known species of *Glenea* in the collection of the British Museum. The Transactions of the Entomological Society of London. 1889:213-225.
- Gahan, C. J. 1890a. Descriptions of new species of Longicornia from India and Ceylon. The Annals and Magazine of Natural History, London. (6) 5(25):48-66. 1 pl. 8 fig.
- Gahan, C. J. 1890b. Notes on longicorn Coleoptera of the group Cerambycinae with description of new genera and species. The Annals and Magazine of Natural History, London. (6) 6:247-261.
- Gahan, C. J. 1891. Notes on longicorn Coleoptera of the group Cerambycinae with description of new genera and species. The Annals and Magazine of Natural History, London. (6) 7:19-34.
- Gahan, C. J. 1893. Descriptions of some new Longicorn Coleoptera from the Indian Region. The Annals and Magazine of Natural History, London (6) 11:377-390. pl. 19.
- Gahan, C. J. 1894. Description of a new longicorn beetle of the genus *Diaxenes*, which has been found injuring some imported orchids. The Annals and Magazine of Natural History, London (6) 13:520-521. 1 fig.
- Gahan, C. J. 1895. A list of the longicorn Coleoptera collected by Signor Fea in Burma and the adjoining regions with descriptions of the new genera and species. Viaggio di Leonardo Fea in Birmania e regioni vicine. Annali del Museo Civico di Storia Naturale di Genova. (2a) 14(44):5-104. pl. 1.
- Gahan, C. J. 1897. Notes on the longicorn genus *Glenea*, Newm., with descriptions of new species. The Annals and Magazine of Natural History, London. (6) 19:473-493.
- Gahan, C. J. 1901. A Revision of *Astathes*, Newm., and allied genera of longicorn Coleoptera. Transactions of the Entomological Society of London. 1901:37-74. 1 pl.
- Gahan, C. J. 1902. in Shelford, R; Observations on some mimetic insects and spiders from Borneo and Singapore. Proceedings of the Entomological Society of London. 1902(2):230-284. 5 pl.
- Gahan, C. J. 1906a. Coleoptera. Vol. I. (Cerambycidae). The Fauna of British India including Ceylon and Burma. C. T. Bingham, ed. London. xviii+329 pp. 107 fig.
- Gahan, C. J. 1906b. On a collection of Longicorn Coleoptera from Selangor and Perak. Journal of the Federated Malay States Museums. Kuala Lumpur. 1:109-121. 1 pl.
- Gahan, C. J. 1907. Descriptions of new genera and species of Longicorn Coleoptera from Sumatra. Annali del Museo Civico di Storia Naturale, Genova. (ser. 3) 3:66-112.
- Gahan, C. J. 1912. in Moulton, J. C. Instances of mimicry exhibited by certain Sarawak insects. Communication read by Professor Edward B. Poulton. The Proceedings of the Entomological Society of London for the Year 1911:78-79. [Appendix by C. J. Gahan, pp. 79-80].
- Gemminger, M. and E. von Harold. 1872. Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Sumptu E. H. Gummi (G. Beck). Monachii. 9:2669-2988.
- Gemminger, M. and E. von Harold. 1873. Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Munich. 10: 2989-3232 & index
- Germar, E. F. 1824. Insectorum species novae aut minus cognitae, descriptionibus illustratae. Coleopterorum Species. Hendelii et filii, Halae Volumen primum. Coleoptera: xxiv + 1-624, 2 pls.
- Gilmour, E. F. 1948. On East Indian Lamiinae (Col., Cerambycidae). The Entomologist's Monthly Magazine. 84:17-21
- Gilmour, E. F. 1950. New Dutch East Indian lamiinae (Col., Cerambycidae). Tijdschrift voor Entomologie, Amsterdam. 92:219-247.
- Gilmour, E. F. 1958a. Revision of the genus *Apriona* Chevrolat (Coleoptera, Cerambycidae, Lamiinae, Batocerini). IDEA, Journal of the Entomological Society of Indonesia. 11(2/3):35-93. 5 pl.
- Gilmour, E. F. 1958b. Revision of the genus *Apriona* Chevrolat (Coleoptera, Cerambycidae, Lamiinae, Batocerini). IDEA, Journal of the Entomological Society of Indonesia. 11(4):93-131.
- Gilmour, E. F. 1959. The Batocerini of Borneo with the description of a new genus and species from Sumatra (Coleoptera, Cerambycidae, Lamiinae). Sarawak Museum Journal. 7(12):775-831.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Gilmour, E. F. 1963. Revision of the Batocerini. Genera *Doesburgia*, *Aprionella*, *Microcriodes*, *Pseudapriona*, *Parapriona* and *Anapriona* (Coleoptera, Cerambycidae, Lamiinae). Entomologische Abhandlungen. 29(7):475-485.
- Gilmour, E. F. 1965. New Indian forms of *Nupserha* Thomson (Coleoptera, Cerambycidae, Lamiinae). Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden. 31:459-482. 4 pl.
- Gilmour, E. F. & S. Breuning. 1963. New Indonesian Lamiinae (Coleoptera, Cerambycidae). Treubia. 26:123-130
- Gilmour, E. F. & J. R. Dibb. 1948. Revision of the Batocerini (Coleoptera, Cerambycidae, Lamiinae). Spolia Zeylanica. Colombo Museum, Colombo. 25(1):1-121. 10 pl.
- Gistl, J. N. F. 1848. Naturgeschichte des Thierreichs für höhere Schulen. Stuttgart, Hoffmann. xvi + 216 pp., 32 pls.
- Gistl, J. N. F. & T. Bromme. 1850. Handbuch der Naturgeschichte aller drei Reiche. Stuttgart. 1037 pp.
- Goldfuss, G. A. 1805. *Enumeratio insectorum eleuteratorum capitis bonae spei totiusque Africæ, descriptione iconibusque nonnullarum specierum novarum illustrata*. Erlangae, Walther. 8. pg. 44. tab. 1 col. {from Hagen}
- Gory, H. L. 1833. [Descriptions] Magasin de Zoologie. Paris. Volume 3. Pls. 56-100.
- Gressitt, J. L. 1935c. New longicorn beetles from the Philippines, Borneo and Siam (Coleoptera: Cerambycidae). Philippine Journal of Science. Manila. 58(2):267-280
- Gressitt, J. L. 1935d. The Obriini of the Japanese Empire (Coleopt., Cerambycidae). Insecta Matsumurana. Sapporo. 9(4):144-153.
- Gressitt, J. L. 1936. New longicorn beetles from Formosa, III (Coleoptera: Cerambycidae), Philippine Journal of Science. Manila. 61(1):89-112. 1 pl.
- Gressitt, J. L. 1937c. New longicorn beetles from China. IV. Lingnan Science Journal. Canton. 16(4):595-621. pls. 19-20.
- Gressitt, J. L. 1937d. New Japanese longicorn beetles, II (Coleoptera, Cerambycidae). Kontyû. Entomological Society of Japan. Tokyo. 11:317-326. 1 pl.
- Gressitt, J. L. 1940a. The longicorn beetles of Hainan Island. Philippine Journal of Science. Manila. 72(1/2):1-239. 8 pl.
- Gressitt, J. L. 1940b. New longicorn beetles from islands in the southwestern Pacific (Coleoptera, Cerambycidae). Proceedings of the Hawaiian Entomological Society. Honolulu. 10(3):415-419
- Gressitt, J. L. 1951a. Longicorn beetles of China. Longicornia, Paris. 2:1-667. 22 pl.
- Gressitt, J. L. 1951c. Longicorn beetles from New Guinea and the South Pacific (Coleoptera: Cerambycidae) Part II. Annals of the Entomological Society of America. 44(2):201-212, 1 pl.
- Gressitt, J. L. 1954. The longicorn genus *Thranius* (Coleoptera: Cerambycidae). Proceedings of the Hawaiian Entomological Society. Honolulu. 15(2):317-326, 5 fig.
- Gressitt, J. L. 1955. The longicorn genus *Tethionea* (Coleoptera: Cerambycidae). Proceedings of the Hawaiian Entomological Society. Honolulu. 15(3):411-417, 21 fig.
- Gressitt, J. L. 1956a. Insects of Micronesia. Coleoptera: Cerambycidae. Bernice P. Bishop Museum. 17(2):61-183. 33 figs.
- Gressitt, J. L. 1959. Longicorn beetles from New Guinea, I. (Cerambycidae). Pacific Insects. 1(1):59-171, 50 fig.
- Gressitt, J. L. & J. A. Rondon. 1970. Cerambycidae of Laos (Disteniidae, Prioninae, Philinae, Aseminae, Lepturinae, Cerambycinae). Pacific Insects Monograph. Bishop Museum, Honolulu. 24:1-314.
- Guérin-Méneville, F. E. 1831. *in* Bory de Saint-Vincent, J. P. G. M. (ed.). Dictionnaire classique d'histoire naturelle. Ray et Gravier [&] Baudoin Frères, Paris. 17:vii+161.
- Guérin-Méneville, F. E. 1834. Insectes. *in* C. Bélanger. (ed.). Voyage aux Indes-Orientales, par le nord de l'Europe, les provinces du Caucase, la Géorgie, l'Arménie et la Perse, suivi de détails topographiques, statistiques et autres sur le Pégou, les îles de Java, de Maurice et de Bourbon, sur le Cap-de-bonne-Espérance et Sainte-Hélène pendant les années 1825, 1826, 1827, 1828 et 1829. Arthus Bertrand, Paris. 1834. pp. 441-512.
- Guérin-Méneville, F. E. 1843. Descriptions des Insectes. *in* Ad. Delesserts Souvenirs d'un Voyage dans l'Inde. pp. 33-98. pl. 11-27.
- Guérin-Méneville, F. E. 1844. Iconographie du Règne Animal de Georges Cuvier ou représentation d'après nature de l'une des espèces le plus remarquables et souvent non figurées de chaque genre d'animaux. Insectes. Paris. J. B. Baillière. 7: i-iv + 5-576, 110 pls.
- Haldeman, S. S. 1847. Material towards a history of the Coleoptera Longicornia of the United States. Transactions of the American Philosophical Society. (2)10: 27-66.
- Harold, E. von. 1879a. II. Diagnosen neuer Arten. Coleopterologische. 16:225-232.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Harold, E. von. 1879b. Nachtrag zu Stuck IV. der Beitrage zur Kaferfauna von Japan. Deutsche Entomologische Zeitschrift. Berlin. 23:366-368.
- Hayashi, M. 1956. Entomological results from the scientific survey of the Tokara Islands, V (Col., Ceramb.). Bulletin of the Osaka Municipal Museum of Natural History. 9:11-22. 2 pl.
- Hayashi, M. 1958. Studies on Cerambycidae from Japan and its adjacent regions, IX. Entomological Review of Japan. 9:46-50. 2 fig.
- Hayashi, M. 1960b. Study of the Lepturinae (Col.: Cerambycidae). Nipponius, Takamatsu. 1(6):1-26.
- Hayashi, M. 1968. Some longicorn beetles from Indonesian SW Borneo (Coleoptera: Cerambycidae). Research Report No. 4. Osaka Private Junior College Association. pp. 37-38.
- Hayashi, M. 1969. A new *Falsoanoplistes* species found from an imported Bornean log (Col., Ceramb.). Entomological Review of Japan. 22(1):32
- Hayashi, M. 1975. On some longicorn beetles from Borneo and Malaya, chiefly from the entomological result of Dr. M. Hayashi's S. E. Asian Expedition in 1970 (Col.: Cerambycidae). Bulletin of the Osaka Jonan Women's Junior College. 10(May):167-209. 6 pls.
- Hayashi, M. 1976a. On some longicorn beetles from Malaysia with descriptions of six new species (Col.: Ceramb.). Bulletin of the Japan Entomological Academy. 9(2):24-41. 37 figs.
- Hayashi, M. 1976b. Studies on Asian Cerambycidae (Coleoptera) I. Bulletin of the Osaka Jonan Women's Junior College. 11(November):1-24.
- Hayashi, M. 1977. Study on Cerambycidae from West Malaysia (Col.) Part I. Bulletin of the Osaka Jonan Women's Junior College. 12:93-128.
- Hayashi, M. 1979. Study on Cerambycidae from West Malaysia (Col.) Part II. Bulletin of the Osaka Jonan Women's Junior College. 13:1-37.
- Hayashi, M. 1987. Study of Asian Cerambycidae (Col.) IX. Entomological Review of Japan. 42(2):153-169. 2 pls.
- Hayashi, M. 1992. Study of Asian Cerambycidae, X. (Coleoptera). Entomological Review of Japan. 47(2):137-152. 2 pls.
- Hayashi, M. & A. Villiers. 1985. Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) with special reference to the type specimens' inspection. Part I. Bulletin of the Osaka Jonan Women's Junior College. 19-20:1-75. 15 pls.
- Hayashi, M. and A. Villiers. 1987. Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) with special reference to the type specimens' inspection. Part II. Bulletin of the Osaka Jonan Women's Junior College. 22:1-20. 3 pls.
- Hayashi, M. & A. Villiers. 1989. Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) with special reference to the type specimens' inspection. Part III. Bulletin of the Osaka Jonan Women's Junior College. 24:1-43. 4 pls.
- Heaney, L. R. 1986. Biogeography of mammals in SE Asia: estimates of rates of colonization, extinction and speciation. Biological Journal of the Linnean Society. 28:127-165. 8 fig.
- Heffern, D. J. 2002. Replacement name for *Euchitonita* Kolbe, 1894 (Coleoptera, Cerambycidae, Cerambycinae, Callichromatini). Insecta Mundi, Gainesville. 15(4):256.
- Heffern, D. J. 2005. Validation and type-species designation for the genus *Janidera* sensu Hüdepohl, 1988. (Coleoptera: Cerambycidae: Cerambycinae: Dejanirini). Insecta Mundi, Gainesville. 19(1-2):84.
- Heller, K. M. 1896. Neue Käfer von Celébes gesammelt von den Herren Dr. P. und Dr. F. Sarasin. Abhandlungen und Berichte des Königl. Zoologischen und Anthropologisch-Ethnographischen Museums zu Dresden. 6(1896/1897):1-24. 1 plate.
- Heller, K. M. 1907. Zwei neue Arten der Gattung *Coelosterna* (Coleoptera) aus Sumatra. Notes from the Leyden Museum. 29:54-56.
- Heller, K. M. 1915a. Neue Käfer von den Philippinen. II. Philippine Journal of Science. 10(1):19-45.
- Heller, K. M. 1915b. Neue käfer von den Philippinen, III. Philippine Journal of Science. 10(4):236-248.
- Heller, K. M. 1916a. Philippinische Käfer, gesammelt von Prof. C. Fuller-Baker, Los Baños. Deutsche Entomologische Zeitschrift. 1916:269-311, pl. 3.
- Heller, K. M. 1916b. Neue bockkäfer aus Niederländisch Indien. Tijdschrift voor Entomologie. 58(supl):101-114, 1 pl.
- Heller, K. M. 1922. New Philippine Coleoptera. Philippine Journal of Science. (1921). 19:523-627. 3 pl.
- Heller, K. M. 1923a. Neue Bockkäfer von den Philippinen und aus Borneo. Deutsche Entomologische Zeitschrift. 1923:414-425. 6 fig.
- Heller, K. M. 1923b. Neue malayische, meist philippinische Bockkäfer und ein neuer Rüsselkafer. Tijdschrift voor Entomologie. 66:33-48, pl. 1.
- Heller, K. M. 1924a. Bestimmungsschlüssel außereuropäischer käfer. Cerambicidae, Molorchini: genera *Epania* und *Merionoeda*. Entomologische Blätter. 20(1):26-34.
- Heller, K. M. 1924b. Neue, vorwiegend philippinische Bockkäfer. Entomologische Mitteilungen. 13(4-5):195-214. 16 fig.
- Heller, K. M. 1924c. Philippinische Bockkäfer. Deutsche Entomologische Zeitschrift. 1924:424-436.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Heller, K. M. 1926. Neue, altweltliche Bockkäfer. *Tijdschrift voor Entomologie*. 69:19-50, pl. 5.
- Heller, K. M. 1934. New and little-known Philippine Coleoptera. *Philippine Journal of Science*. 54:279-307.
- Heyden, L. von. 1897. Ergebnisse einer zoologischen Forschungsreise in den Molukken und Borneo...  
Ausgeführt von Dr. Willy Küenthal. Zweiter-Teil: Wissenschaftliche Reise-ergebnisse. Insecta, I,  
Coleoptera; II, Hymenopter; III, Diptera. Abhandlungen hrsg. von der Senckenbergischen  
naturforschenden Gesellschaft. Frankfurt. 23:537-590.
- Heyne, A. & O. Taschenberg. 1907. Die exotischen Käfer in Wort und Bild. Leipzig. 25/26: vii + 262 p., 39  
pls.
- Heyrovsky, L. 1967. Cerambycides capturés par le docteur Diehl dans le nord de Sumatra en 1961-1963.  
(Col. Cerambycidae). *Bulletin de la Société Entomologique de Mulhouse*. 1967(avril-mai):39.
- Holzschuh, C. 1984c. Beschreibung von 24 neuen Bockkäfern aus Europa und Asien, vorwiegend aus dm  
Himalaya (Coleoptera, Cerambycidae). *Entomologica Basiliensis*. 9:340-372. 27 fig.
- Holzschuh, C. 1989b. Beschreibung von 20 neuen Bockkäfern aus Thailand, Vietnam und Taiwan  
(Coleoptera, Cerambycidae). *Entomologica Basiliensis*. 13:361-390. 29 fig.
- Holzschuh, C. 1991a. Neue Bockkäfer aus Europa und Asien. 33 neue Bockkäfer aus der palaearktischen  
und orientalischen Region (Coleoptera, Cerambycidae). 45 neue Bockkäfer aus Asien, vorwiegend aus  
Thailand (Coleoptera: Disteniidae und Cerambycidae). FBVA Berichte, Schriftenreihe der Forstlichen  
Bundesversuchsanstalt. Vol. 51. Wien, Austria. 75 pp., 92 ill.
- Holzschuh, C. 1995. Beschreibung von 65 neuen Bockkäfern aus Europa und Asien, vorwiegend aus  
Thailand und China (Coleoptera: Disteniidae und Cerambycidae). FBVA Berichte, Schriftenreihe der  
Forstlichen Bundesversuchsanstalt. Vol. 84. Wien, Austria. 63 pp., 72 ill.
- Holzschuh, C. 2005. Beschreibung von neuen Bockkäfern aus SE Asien, vorwiegend aus Borneo  
(Coleoptera, Cerambycidae). *Les Cahiers Magellanes*. 46:1-40. 2 pl.
- Holzschuh, C. & P. Téocchi. 1991. Cerambycidae (Coleoptera) of Saudia Arabia: Part I, Lamiinae. Fauna  
of Saudia Arabia. 12:295-311.
- Hope, F. W. 1833. On the characters of several new genera and species of coleopterous insects.  
*Proceedings of the Zoological Society of London*. 1:61-64.
- Hope, F. W. 1839. Descriptions of some new insects collected in Assam, by William Griffith, Esw.,  
Assistant Surgeon on the Madras Medical Establishment. *Proceedings of the Linnean Society of  
London*. 1:42-44.
- Hope, F. W. 1843. On some rare and beautiful insects from Silhet, chiefly in the collection of Frederick  
John Parry. (Coleopt., Lepidopt., Hemipt.). *Transactions of the Linnean Society of London*. 19:103-  
112; 131-136. tab. 3.
- Hope, F. W. 1845a. On the Entomology of China, with descriptions of the new species sent to England by  
Dr. Cantor from Chusan and Canton. Descriptions of the new Coleoptera sent from Chusan by Dr.  
Cantor. *The Transactions of the Entomological Society of London*. 4:4-13.
- Hope, F. W. 1845b. Descriptions of new species of Coleoptera, from the Kasyah Hills, near the boundary  
of Assam, in the East Indies, lately received from Dr. Cantor. *The Transactions of the Entomological  
Society of London*. 4:73-77.
- Hüdepohl, K.-E. 1983b. Vier neue Callichromatinen aus Südostasien sowie Anmerkungen zu einigen  
Arten. *Entomologische Arbeiten aus dem Museum G. Frey*. 31/32:117-130.
- Hüdepohl, K.-E. 1985b. Revision der Untergattung *Agelasta* Newman s. str. (Coleoptera, Cerambycidae,  
Lamiinae, Mesosini). *Entomologische Arbeiten aus dem Museum G. Frey*, Tutzing bei München.  
33/34:349-379, 9 fig.
- Hüdepohl, K.-E. 1987a. Die philippinischen Arten der Gattung *Cylindrepomus* Blanchard (Cerambycidae,  
Lamiinae, Dorcaschematini). *Entomologische Arbeiten aus dem Museum G. Frey*, Tutzing bei  
München. 35/36:73-79, 3 fig.
- Hüdepohl, K.-E. 1987b. The Longhorn Beetles of the Philippines (Cerambycidae, Prioninae) Part I:  
Prioninae. *Entomologische Arbeiten aus dem Museum G. Frey*. 35/36:117-135, 25 fig.
- Hüdepohl, K.-E. 1987d. Neue Cerambyciden aus Südost-Asien I. (Coleoptera, Cerambycidae).  
*Entomofauna: Zeitschrift für Entomologie*. 8(8):169-197
- Hüdepohl, K.-E. 1987e. Nachtrag zur Revision der Untergattung *Agelasta* Newman s. str. (Coleoptera,  
Cerambycidae). *Entomofauna: Zeitschrift für Entomologie*. 8(15):249-255
- Hüdepohl, K.-E. 1988a. Über südostasiatische Cerambyciden II. Die philippinischen Arten der Gattung  
*Acalolepta* Pascoe, 1858. (Coleoptera, Cerambycidae, Lamiinae, Lamiini). *Entomofauna: Zeitschrift für  
Entomologie*. 9(11):241-254.
- Hüdepohl, K.-E. 1988b. Über südostasiatische Cerambycidae III. (Coleoptera, Cerambycidae,  
Cerambycinae). *Entomofauna: Zeitschrift für Entomologie*. 9(21):405-417, 3 fig.
- Hüdepohl, K.-E. 1989a. Über südostasiatische Cerambycidae IV. *Entomofauna: Zeitschrift für  
Entomologie*. 10(5):45-72
- Hüdepohl, K.-E. 1989c. Über südostasiatische Cerambycidae VI. (Coleoptera, Cerambycidae).  
*Entomofauna: Zeitschrift für Entomologie*. 10(31):473-505, 14 fig.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Hüdepohl, K.-E. 1990a. The Longhorn Beetles of the Philippines, Part II. Entomofauna: Zeitschrift für Entomologie. 11(3/1-2):45-102, 42 fig.
- Hüdepohl, K.-E. 1990b. Über südostasiatische Cerambycidae VII. Über die Gattung *Neocerambyx* Thomson, 1860 (Coleoptera, Cerambycidae, Cerambycini). Entomofauna: Zeitschrift für Entomologie. 11(14):241-257, 6 fig.
- Hüdepohl, K.-E. 1990c. Über südostasiatische Cerambycidae VIII. (Coleoptera, Cerambycidae and Disteniidae). Entomofauna: Zeitschrift für Entomologie. 11(18):285-309, 9 fig.
- Hüdepohl, K.-E. 1992a. The Longhorn Beetles of the Philippines, Part III. Entomofauna: Zeitschrift für Entomologie. 13(21):297-340, 49 fig.
- Hüdepohl, K.-E. 1992b. Über südostasiatische Cerambycidae X. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 13(25):409-424, 11 fig.
- Hüdepohl, K.-E. 1994a. Über südostasiatische Cerambycidae XII. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 15(15):185-196, 6 fig.
- Hüdepohl, K.-E. 1994b. Eine neue Art der Gattung *Tagalog* Hüdepohl, 1987 aus Ost-Malaysia, Sabah. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 15(21):253-256, 1 fig.
- Hüdepohl, K.-E. 1995. Über südostasiatische Cerambycidae XIII. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 16(14):281-316, 18 fig.
- Hüdepohl, K.-E. 1996. Über südostasiatische Cerambycidae XIV. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 17(1):1-24, 16 fig.
- Hüdepohl, K.-E. 1997. Eine neue Art der Gattung *Megopis*

Hüdepohl, K.-E. 1998a. Über südostasiatische Cerambyciden XV und Disteniiden. (Coleoptera; Cerambycidae, Disteniidae). Entomofauna: Zeitschrift für Entomologie. 19(12):209-232, 20 fig.

Hüdepohl, K.-E. & D. Heffern. 2004. Notes on Oriental Lamiinae (Coleoptera: Cerambycidae: Lamiinae). Insecta Mundi, Gainesville. (2002). 16(4):247-249.

Hüdepohl, K.-E. and A. Smetana. 1992. A new apterous Lamiinae from the Mt. Kinabalu National Park, Sabah, Borneo (Coleoptera: Cerambycidae). Koleopterologische Rundschau. 62:179-182. 7 fig.

Illiger, J. C. W. 1800. Vierzig neue Insecten aus der Hellwigschen Sammlung. Wiegmann, Archiv für Zoologie 1:103-150, 2 color plates; 1801, 2:229-230.

Illiger, J. C. W. 1805. Zusätze, Berichtigungen und Bemerkungen zu Fabricii Systema Eleutheratorum. Magazin für Insektenkunde 4:69-174.

International Commission on Zoological Nomenclature. 1999. International code of zoological nomenclature. London, 4th edition. xxix+306 pp.

Javet, C. 1858. Description d'une nouvelle espèce de *Batocera*. Archives Entomologiques, Paris. 1:412-413.

Jordan, K. 1894a. New species of Coleoptera from the Indo- and Austro-Malayan Region, collected by William Doherty. Novitates Zoologicae, London. 1:104-122.

Jordan, K. 1894b. On African Longicornia. Novitates Zoologicae, London. 1:139-266. pls. IX-X.

Jordan, K. 1894c. On some new genera and species of Coleoptera in the Tring Museum. Novitates Zoologicae, London. 1:484-503.

Jordan, K. 1895. Einige neue Käfer der Indo-Australischen Region in der sammlung des Tring-Museums. Stettiner Entomologisce Zeitung. 5:266-271.

Kannegieter, J. 1891. A new species of the longicorn genus *Neopharsalia* v. d. Poll. Notes from the Leyden Museum. 13:189-190.

Kaup, J. J. 1866. Einige Cerambyciden der grossherzoglichen Sammlung zu Darmstadt. 4°, 8 S., 3 Farbtaf., Darmstadt & Leipzig. {citation from Derksen, W. & U. Scheiding. 1963 }

Kolbe, H. J. 1886. Beiträge zur Kenntniss der Coleopteren-Fauna Koreas, bearbeitat auf Grund der von Herr Dr. C. Gottsche während der Jahre 1883 und 1884 in Korea veranstalteten Sammlung; nebst Bemerkungen über die zoogeographischen Verhältnisse dieses Faunengebiets und Untersuchungenüber einen Sinnesapparat im Gaumen von *Misolampidius morio*. Archiv für Naturgeschichte, Berlin. 52(1):139-240.

Kolbe, H. J. 1893. Beiträge zur Kenntniss der Longicornier (Coleoptera). Entomologische Zeitung, entomologischen Vereine zu Stettin. 54:59-80, 241-290.

Kolbe, H. J. 1894. Ueber einige neue, von Herrn J. Fruhstorfer auf Java entdeckte Coleopteren. Entomologische Zeitung, entomologischen Vereine zu Stettin. 1-3(55):3-11.

Komiya, Z. 2000a. Notes on *Xixuthrus heros* and its allied species with description of a new species (Coleoptera, Cerambycidae, Prioninae). Gekkan-Mushi. 354:2-7. 7 fig.

Komiya, Z. 2001b. A new species of the genus *Megopis* (Coleoptera: Cerambycidae) from Borneo with notes on *Megopis ossea* Aurivillius, 1897. Special Publication of the Japan Coleopterological Society. 1:343-345. 2 fig.

Komiya, Z. 2001d. A new species of the genus *Bandar* (Coleoptera, Cerambycidae, Prioninae) from Malaysia with notes on *Bandar khooi* Hayashi. 29(2):298-303. 3 fig.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Komiya, Z. 2002. A synopsis of the prionine cerambycid of the genus *Megobaralipiton*, new status (Coleoptera, Cerambycidae, Prioninae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-1). Elytra, Tokyo. 30(1):219-234. 23 fig.
- Komiya, Z. 2003a. Notes on the genus *Baralipiton* (Coleoptera, Cerambycidae) with description of a new species (Revisional studies of the genus *Megopis* sensu Lameere, 1909-2). Elytra, Tokyo. 31(1):43-54. 11 fig.
- Komiya, Z. 2003e. Description of a new genus close to *Baralipiton* (Coleoptera, Cerambycidae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-3). Elytra, Tokyo. 31(2):307-320. 14 fig.
- Komiya, Z. 2004b. Notes on the genus *Aerogrammus* Gahan, with description of a new species (Coleoptera, Cerambycidae, Prioninae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-4). Elytra, Tokyo. 32(1):187-193. 4 fig.
- Komiya, Z. 2004c. A new prionine genus erected for *Aegosoma metallicum* Aurivillius (Coleoptera, Cerambycidae, Prioninae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-6). Elytra, Tokyo. 32(2):421-424. 2 fig.
- Komiya, Z. 2005. A synopsis of the prionine genus *Aegolipiton*, new status (Coleoptera, Cerambycidae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-7). Elytra, Tokyo. 33(1):149-181. 40 fig.
- Komiya, Z. & A. Drumont. 2001a. Description of a new prionine genus intermediate between *Megopis* and *Euryopoda* (Coleoptera, Cerambycidae, Prioninae) from Indochina and Borneo. Elytra. 29(2):391-400. 9 fig.
- Komiya, Z. & A. Drumont. 2001b. Description of a new genus and species of Macrotomini from Borneo (Coleoptera, Cerambycidae, Prioninae). Lambillionea. 101(4):537-540. 2 fig.
- Komiya, Z. & A. Drumont. 2004. Supplement to the genus *Ziglipiton* (Coleoptera, Cerambycidae, Prioninae), with description of a new species from the Philippines (Revisional studies of the genus *Megopis* sensu Lameere, 1909-5). Elytra, Tokyo. 32(1):195-199. 2 fig.
- Komiya, Z. & D. Heffern. 2005. Notes on the genus *Psephactus* (Coleoptera, Cerambycidae), and a new species of that genus from East Malaysia. Gekkan-Mushi. 408:26-30. 14 fig.
- Komiya, Z. & H. Makihara. 2001. Two new species of the genus *Megopis* (Coleoptera, Cerambycidae) from Indonesia and Malaysia. Elytra, Tokyo. 29(1):33-40.
- Kriesche, R. 1915. Die Gattung *Batocera* Cast. systematisch u. phylogenetisch-tiergeographisch betrachtet (Coleopt. Cerambyc.). Archiv für Naturgeschichte, Berlin. 80A(11):111-150. 24 fig.
- Kriesche, R. 1920. Neue Batoceriden (Col. Ceramb.) Archiv für Naturgeschichte, Berlin. (1919) 85A(5):192-198.
- Kriesche, R. 1924a. Zur kenntnis der lamiinen (Col. Ceramb.) Deutsche Entomologische Zeitschrift, Berlin. 1924:285-290.
- Kriesche, R. 1924b. Ein neuer dorcadionine von Borneo (Col. Ceramb.). Deutsche Entomologische Zeitschrift, Berlin. 1924:291
- Kriesche, R. 1928. Neue Lamiinen-Rassen (Col. Ceramb.). Deutsche Entomologische Zeitschrift, Berlin. 1928:45-48.
- Kriesche, R. 1936. Neue indoaustralischen Lamiinen. Entomologische Blätter. 32:66-69.
- Kriesche, R. 1940. Neue malaio-papuanische Lamiinen (Col. Longic.). Entomologische Blätter. 36(4):115-117.
- Lacordaire, J. T. 1869a. Histoire Naturelle des Insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Paris. Librairie Encyclopédique de Roret. 8: 1-552.
- Lacordaire, M. T. 1869b. Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. IX. Première partie. Longicornes. Paris. pp. 1-409.
- Lacordaire, M. T. 1872. Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. IX. Deuxième partie. Longicornes. Paris. pp. 441-931.
- Lameere, A. 1890c. Note sur les Tricténatomides, les Prionides, et les Cérambycides du Chota-Nagpore. Comptes-Rendus de la Séance de la Société Entomologique de Belgique. Bruxelles. 1890:210-214.
- Lameere, A. 1893a. Voyage de M. Ch. Alluaud dans le territoire d'Assinie (Afrique Occidentale). Annales de la Société Entomologique de France. Paris. 42:39-50.
- Lameere, A. 1903c. Révision des prionides. Séptième mémoire - Macrotomines. Mémoires de la Société Entomologique de Belgique. Bruxelles. 11:1-216.
- Lameere, A. 1903d. Révision des Prionides. Huitième mémoire. - Mécosarthrines. Annales de la Société Entomologique de Belgique, Bruxelles. 47(9):307-320.
- Lameere, A. 1909a. Révision des prionides. Douzième mémoire - *Megopis*. Annales de la Société Entomologique de Belgique. Bruxelles. 53:135-170.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Lameere, A. 1911b. Révision des prionides. Dix-neuvième mémoire - Prionines VI. Annales de la Société Entomologique de Belgique. Bruxelles. 55:325-356.
- Lameere, A. 1912c. Révision des prionides. Bruxelles. Vingt-deuxième mémoire - Addenda et Corrigenda. Mémoires de la Société Entomologique de Belgique. 21:113-188.
- Lansberge, J. W. 1884. Catalogue des prionides de l'Archipel Indo-Néerlandais, avec descriptions des espèces nouvelles. Notes from the Leyden Museum. 6:135-160.
- Lansberge, J. W. 1886. Description d'un Cérambycide de Sumatra, appartenant à un genre nouveau de la tribu des Disténides. Notes from the Leyden Museum. 8:35-36.
- Laporte, F. L. N. (Comte de Castelnau). 1840. Histoire Naturelle des Insectes Coléoptères. Paris, 2:1-563, 36 pls.
- Laporte, F. L. N. & H. L. Gory. 1841. Monographe du genre *Clytus*. Histoire naturelle et iconographie des insectes coléoptères, publié par monographies séparées. Paris. 3:1-124. 20 pls. { Note 45 }
- Latreille, P. A. 1804. Histoire Naturelle, Générale et Particulière des Crustacés et des Insectes. Paris. Imprimerie de F. Dufart. 11: 1-422, 3 pls.
- Latreille, P. A. 1829. Crustacés, Arachnides et Insectes. In Cuvier, G. L. C. D. Le Règne Animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux, et d'introduction à l'Anatomie comparée, deuxième édition. 4:28 + 584 pp., 4 pls.
- Lawrence, J. F. and A. F. Newton, Jr. 1995. Families and Subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names). In Pakaluk, J. and S. A. Slipinski. Biology, Phylogeny, and Classification of Coleoptera. Papers Celebrating the 80th Birthday of Roy A. Crowson. Volume Two. Muzeum I Instytut Zoologii PAN, Warszawa. pp. 779-1006.
- Lepetiet, A. L. M. & J. G. Audinet-Serville. 1828. In P. A. Latreille, Encyclopédie méthodique: Entomologie, ou Histoire Naturelle des Crustacés, des Arachnides et des Insectes. Paris. Mme veuve Agasse. 10(2):345-832.
- Lepesme, P. & S. Breuning. 1952. Note préliminaire sur la classification des coléoptères cérambycides. Transactions of the IXth International Congress of Entomology. Amsterdam. 1:139-142.
- Lingafelter, S. W. and E. R. Hoebeke. 2002. Revision of *Anoplophora* (Coleoptera: Cerambycidae). Entomological Society of Washington, Washington, DC. 236 pp. 34 pl.
- Linné, C. 1758. Systema naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. Tomus I. Editio Decima, reformata. Laurentii Salvii, Holmiae. 1(10): 824 pp.
- Makihara, H. 1999. Atlas of Longicorn Beetles, in Bukit Soeharto Education Forest, Mulawarman University, East Kalimantan, Indonesia. PUSREHUT Special Publication No. 7. 140 pp.
- Martins, U. R. 1978. Relationships between *Xystrocera* and *Callichromatini*, with remarks on Australian and Oriental species (Coleoptera, Cerambycidae). Papéis Avulsos de Zoologia, São Paulo. 31(15):221-236. 17 fig.
- Martins, U. R. 1980. Notes sur la tribu des Methiini et transfert de certains genres de l'ancien monde (Coleoptera, Cerambycidae). Revue Française d'Entomologie, Paris (N. S.). 2(2):113-118.
- Matsushita, M. 1931. Zehn neue cerambyciden-arten und einr neue gattung aus Japan. Transactions of the Sapporo Natural History Society. 12:42-48.
- Matsushita, M. 1932a. Die Callidiopinem vom Japanischen Reich (Col. Ceramb.). Insecta Matsumurana. 7(1):66-73.
- Matsushita, M. 1932b. Einige neue cerambyciden-arten von der Insel Palau. Insecta Matsumurana, Sapporo. 6(4):169-172.
- Matsushita, M. 1933. Beitrag zur kenntnis der Cerambyciden des japanischen Reichs. Journal of the Faculty of Agriculture, Hokkaido Imperial University, Sapporo. 34(2):157-445.
- Matsushita, M. 1935. Beitrag zur cerambyciden-fauna von Mikronesien. Transactions of the Sapporo Natural History Society. 14(2):115-122.
- Matsushita, M. 1937. Zur kenntnis der Japanischen Cerambyciden (II). Kontyu. 11:102-106.
- Matsushita, M. 1938. Neue und wenig bekannte bockkäfer aus Shikoku. (I. Okubo's und M. Okamoto's Ausbeute). Insecta Matsumurana, Sapporo. 12:99-106
- Matsushita, M. 1941. Zur kenntnis der Japanischen Cerambyciden (VI). Insecta Matsumurana, Sapporo. 15(4):151-158.
- Matsushita, M. 1943. Zur kenntnis der Japanischen Cerambyciden (VII). Transactions of the Natural History Society of Taiwan. 33:573-577
- McKeown, K. C. 1940. Notes on Australian Cerambycidae. V. Records of the Australian Museum. 20(5):293-312. pl. 21-22.
- McKeown, K. C. 1945. Notes on Australian Cerambycidae. VII. Records of the Australian Museum. 21(6):286-92. fig. 1-6.
- Megerle von Mühlfeld, J. C. 1802. Catalogus insectorum, quo Viennae Austriae auctionis lege distrahitur Wien. 11 Nos.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Mitono T. & G. Nishimura, 1936. Description of a new genus and species of longicorn Coleoptera from Kyushu, Japan. *Mushi*. 9:33-37. 1 pl.
- Montrouzier, P. 1861. Essai sur la faune entomologique de la Nouvelle Calédonie (Balade) et des îles des Pins, Art, Lifu, etc. Annales de la Société Entomologique de France. ser. 4. 1:267-299.
- Morati, J. & M. Huet, 2004a. Révision du genre *Pachyteria*. Magellanes. Collection Systématique. 9:1-145. 63 fig.
- Morati, J. & M. Huet, 2004b. Une espèce nouvelle du genre *Thompsonia* Podany, 1971 (Coleoptera, Cerambycidae). *Lambillionea*. 104(4):745-750.
- Motschulsky, V. 1860. Coléoptères de la Sibérie orientale et en particulier des rives de l'Amour, in Schrenk, Reisen und Forschungen im Amurlande. St. Petersbourg, 2:77-257.
- Motschulsky, V. 1863. Essai d'un catalogue des insectes de l'île Ceylan. Bulletin de la Société Impériale des Naturalistes de Moscou. 36(1):421-532.
- Müller, J. 1906. Beiträge zur Kenntnis einiger cerambyciden. Wiener Entomologische Zeitung. Wien. 25:221-224.
- Mulsant, E. 1839. Histoire naturelle des coléoptères de France. Longicornes. 304 pp. 3 pls. Paris.
- Mulsant, E. 1846. Histoire naturelle des Coléoptères de France. Sulcicolles, sécuripalpes. Paris. 280 pp. Supplément.
- Mulsant, E. 1856. Description d'une nouvelle espèce de Longicorne, constituant un genre nouveau. Annales de la Société Linnéenne de Lyon (2)3:157-159.
- Mulsant, E. 1862-1863. Histoire Naturelle des Coléoptères de France. Longicornes. Paris, Magnin, Blanchard & Cie (2e édition) 590 pp.
- Nakane, T. & K. Ohbayashi, 1959. Notes on the genera and species of Lepturinae with special reference to their male genitalia. II. Scientific Reports of the Saikyo University, Kyoto (Natural Sciences). 3(1):63-66.
- Neervoort van de Poll, J. R. H. 1886. On a new longicorn genus and species belonging to the Agoniidae. Notes from the Leyden Museum. 8:27-28.
- Neervoort van de Poll, J. R. H. 1889. Description of a new species of the longicorn genus *Pachyteria*, Serv. Notes from the Leyden Museum. 11:219-221. 1 pl, 4 fig.
- Newman, E. 1840. Entomological Notes. The Entomologist, London. 2: 17-32, 2 figs.
- Newman, E. 1842a. Cerambycicum insularum manillarum Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1(15):243-248.
- Newman, E. 1842b. Cerambycicum insularum manillarum Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1:275-277.
- Newman, E. 1842c. Cerambycicum insularum manillarum Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1:288-293.
- Newman, E. 1842d. Cerambycicum insularum manillarum Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1(19):298-305.
- Newman, E. 1842e. Cerambycicum insularum manillarum Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1(20):318-324.
- Newman, E. 1842f. Supplementary note to the descriptive catalogue of the longicorn beetles collected in the Philippine Islands by Hugh Durning, Esq. The Entomologist. London. 1(23):369-371.
- Newman, E. 1842g. Cerambycicum insularum manillarum Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1(xxx):381-383.
- Newman, E. 1842h. Addenda and Corrigenda. Entomologist. London. 1(25):418
- Niisato, T. 1986. Occurrence of cerambycine beetles of the genus *Procleomenes* in Borneo, with a brief note on *P. shimomurai* (Coleoptera, Cerambycidae). Kontyû. 54(1):100-111. 25 fig.
- Niisato, T. 1989a. Two new *Stenhomalus* (Coleoptera, Cerambycinae) from Mindanao and Borneo. Japanese Journal of Entomology. 57(1):122-126. 1 fig.
- Niisato, T. 1989b. New brachelytrous cerambycine beetle (Coleoptera, Cerambycidae) from northern Borneo. Japanese Journal of Entomology. 57(3):565-572. 1 fig.
- Niisato, T. 2002. A new *Paramimistena* (Coleoptera, Cerambycidae) from Northern Borneo. Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 5:393-396. 1 fig.
- Niisato, T. and H. Makihara. 1999. Two new *Paramimistena* (Coleoptera, Cerambycidae) from Western Kalimantan. Elytra. 27(2):327-334. 2 fig.
- Nonfried, A. F. 1892. Weitere Beiträge zur Käferfauna von Südasien und Neuguinea. Berliner Entomologische Zeitschrift. 36:359-380.
- Nonfried, A. F. 1894a. Beiträge zur Coleopteren-Fauna von Tebing-Tinggi (Süd-Sumatra): Lucanidae, Melolonthidae, Rutelidae, Cetoniini, Buprestidae und Cerambycidae. Deutsche Entomologische Zeitschrift. 1894:193-215.
- Nonfried, A. F. 1894b. Beiträge zur Coleopterenfauna von Ostasien und Polynesien. Entomologisches Nachrichten, Berlin. 20:9-14, 28-32, 45-48, 81-83.
- Ohbayashi, K. 1960. Studies of Longicornia. (6). Entomological Review of Japan. 12(1):7-10.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Ohbayashi, K. 1961. New Cerambycidae from Japan. (6). Entomological Review of Japan. 13(1):16-21.
- Ohbayashi, K. 1963. Systematic notes and descriptions of new forms in Cerambycidae from Japan. Fragmenta Coleopterologica. 2(2-3):7-12.
- Ohbayashi, K. 1964. New Cerambycidae from Japan (7). Bulletin of the Japan Entomological Academy. 1(5):19-26. pl. 4-5.
- Ohbayashi, N. 1994. A taxonomic study on the genus *Capnolymma* with descriptions of two new species (Coleoptera: Cerambycidae). Transactions of the Shikoku Entomological Society. 20(3/4):271-284. 37 fig.
- Ohbayashi, N. 1995. A new species of the genus *Formosotoxotus* (Coleoptera, Cerambycidae) from Kalimantan. Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 4:437-440
- Ohbayashi, N. & M. Satō. 1974. A new lepturine beetle from Mindanao Island, Philippines. The Philippine Scientist. 11:57-59.
- Ohbayashi, N. & M. Satō. 1982. A new lepturine beetle from Borneo (Coleoptera, Cerambycidae). Special Issue in Memory of the Retirement of Emeritus Professor M. Chūjō. pp. 123-126. 4 fig.
- Ohbayashi, N. & M. Satō. 1999. Taxonomic notes on the genus *Ocalemia* (Coleoptera: Cerambycidae, Lepturinae). Entomological Review of Japan. 54(2):113-120. 20 fig.
- Ohbayashi, N. & T. Shimomura. 1986. Two new lepturine beetles of the genus *Pseudalosterna* from the Malay Peninsula and Taiwan (Coleoptera, Cerambycidae). Annales de la Société Entomologique de France. (N. S.) 22(1):45-48. 6 fig.
- Olivier, A. G. 1792. Encyclopédie Méthodique. Histoire Naturelle. Insectes Paris. Panckoucke Imprimeur-Libraire. 7: 1-827.
- Olivier, A. G. 1795. Entomologie ou Histoire Naturelle des Insectes, avec leurs caractères génériques et spécifiques, leur description, leur synonymie et leur figure enluminée. Coléoptères. Imprimerie de Lanneau, Paris. 4: 519 pp, 75 pls.
- Paiva, Barao do Castello de. 1860. Descripção de dois Insectos Coleopteros de Camboja nas costas orientais do Oceano Indico. (Longicorn). Lisboa. 8. 11 pp.
- Parry, F. J. S. 1845. XVIII. A decade, or description of ten new species of Coleoptera, from the Kasya Hills, near the boundary of the Assam District. The Transactions of the Entomological Society of London. 4:84-87.
- Pascoe, F. P. 1856. Descriptions of new genera and species of Asiatic longicorn Coleoptera. The Transactions of the Entomological Society of London. Ser. 2. 4:42-50. 1 pl.
- Pascoe, F. P. 1857. On new genera and species of longicorn Coleoptera. Part II. The Transactions of the Entomological Society of London. (2)4:89-112. 2 pl.
- Pascoe, F. P. 1858a. On new genera and species of longicorn Coleoptera. Part III. The Transactions of the Entomological Society of London. (2)4:236-266, 2 pl.
- Pascoe, F. P. 1859. On new genera and species of Longicorn Coleoptera. Part IV The Transactions of the Entomological Society of London. (2)5:12-61, 1 pl.
- Pascoe, F. P. 1860d. Notices of new or little-known genera and species of Coleoptera. Part I. The Journal of Entomology, London. 1(1):36-64. pls II, III.
- Pascoe, F. P. 1860e. Notices of new or little-known genera and species of Coleoptera. Part II. The Journal of Entomology, London. 1(1):98-132, 6 pls.
- Pascoe, F. P. 1862a. Notices of new or little-known genera and species of Coleoptera. Part III. The Journal of Entomology, London 1(3): 319-370. pls XVI, XVII.
- Pascoe, F. P. 1862b. On some new Col. From Lizard Island, N. E. Austral. The Annals and Magazine of Natural History, London. (3) 9:461-467.
- Pascoe, F. P. 1863a. Notes on the Australian Longicornia, with descriptions of sixty new species. The Transactions of the Entomological Society of London. 1(3):526-570. pls XXII, XXIII.
- Pascoe, F. P. 1864a. Descriptions of some new Australian Longicornia. The Journal of Entomology, London. 2:223-246.
- Pascoe, F. P. 1864b. Additions to the Longicornia of South Africa, including a few species from Old Calabar and Madagascar. Journal of Entomology. London. 2:270-291.
- Pascoe, F. P. 1864c. Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part I). The Transactions of the Entomological Society of London. (3)1:1-96.
- Pascoe, F. P. 1865b. Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part II). The Transactions of the Entomological Society of London. (3)2:97-224.
- Pascoe, F. P. 1866a. Catalogue of longicorn Coleoptera collected in the island of Penang by James Lamb, Esq. Proceedings of the Zoological Society of London. 1866:222-267, 504-537, pl. 16-18, 41-43.
- Pascoe, F. P. 1866d. Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part III). The Transactions of the Entomological Society of London. (3)3:225-336.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Pascoe, F. P. 1866e. On the longicornia of Australia, with a list of all the described species. *Journal of the Linnean Society of London. Zoology.* 9:80-112.
- Pascoe, F. P. 1867a. Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part IV). *The Transactions of the Entomological Society of London.* (3)3:337-464.
- Pascoe, F. P. 1867b. Characters of some new genera of the coleopterous family Cerambycidae. *The Annals and Magazine of Natural History, London.* (3) 19:307-319.
- Pascoe, F. P. 1867e. Diagnostic characters of some new genera and species of Prionidae. *The Annals and Magazine of Natural History, London.* (3) 19:410-413.
- Pascoe, F. P. 1868a. Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part V). *The Transactions of the Entomological Society of London.* (3) 3:465-498.
- Pascoe, F. P. 1868b. Contributions to a knowledge of the Coleoptera. Part I. *The Proceedings of the Entomological Society of London for the year 1868.* pp. xi-xiii.
- Pascoe, F. P. 1869a. Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part VI). *The Transactions of the Entomological Society of London.* (3)3:499-552.
- Pascoe, F. P. 1869b. Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part VII). *The Transactions of the Entomological Society of London.* (3)3:553-712.
- Pascoe, F. P. 1869c. Descriptions of some new species of Lamiidae. *The Annals and Magazine of Natural History, London.* (4) 4:203-211.
- Pascoe, F. P. 1871. Descriptions of the new genera and species of longicorns, including three new subfamilies. *The Annals and Magazine of Natural History, London.* (4) 8:268-281, 1 pl.
- Pascoe, F. P. 1875a. Notes on Coleoptera, with descriptions of new genera and species. Part III. *The Annals and Magazine of Natural History, London.* (4) 15:59-73, 1 pl.
- Pascoe, F. P. 1878. Descriptions of longicorn Coleoptera. *The Annals and Magazine of Natural History, London.* (5) 2:370-377.
- Pascoe, F. P. 1885. Descriptions of some new Asiatic Longicornia. *The Annals and Magazine of Natural History, London.* (5) 15:49-57.
- Pascoe, F. P. 1886. Descriptions of some new Longicornia, chiefly Asiatic and African. *The Annals and Magazine of Natural History, London.* (5) 17:239-246.
- Pascoe, F. P. 1888. On some new longicorn Coleoptera. *The Transactions of the Entomological Society of London.* 1888:491-513, 1 pl.
- Perroud, B. P. 1855. Description de quelques espèces nouvelles ou peu connues et création de quelques nouveaux genres dans la famille des longicornes. *Annales de la Société Linnéenne de Lyon* (2)2:327-401.
- Perty, J. A. M. 1831. *Observationes nonnullae in Coleoptera Indiae orientalis.* Dissert. Monachii, Lindauer. 44pp.
- Pic, M. 1891b. Faune Franco-algérienne (variétés). Matériaux pour servir à l'étude des Longicornes. 1(1):1-50.
- Pic, M. 1895c. Longicornes de la collection H. Tournier. L'Échange, Revue Linnéenne. 11(126):75-78.
- Pic, M. 1904c. Descriptions de divers Longicornes d'Europe et d'Asie. Matériaux pour servir à l'étude des Longicornes. 5(1):7-9.
- Pic, M. 1908d. Nouveaux Longicornes de la Chine méridionale. Matériaux pour servir à l'étude des Longicornes. 7(1):14-18.
- Pic, M. 1911d. Longicornes de Chine en partie nouveaux. Matériaux pour servir à l'étude des Longicornes. 8(1):19-21.
- Pic, M. 1912p. Descriptions d'espèces et variétés appartenant à diverses familles. *Mélanges Exotico-Entomologiques.* Moulins. 2:2-11.
- Pic, M. 1915e. Coléoptères exotiques en partie nouveaux (Suite). L' Échange, Revue Linnéenne. 31:20,24,27-28.
- Pic, M. 1916h. Notes et descriptions abrégées diverses. *Mélanges Exotico-Entomologiques.* Moulins. 17:2-8.
- Pic, M. 1918c. Courtes descriptions diverses. *Mélanges Exotico-Entomologiques.* Moulins. 27:1-24.
- Pic, M. 1918d. Courtes descriptions diverses. *Mélanges Exotico-Entomologiques.* Moulins. 28:1-24.
- Pic, M. 1922a. Coléoptères exotiques en partie nouveaux (Suite). L'Échange, Revue Linnéenne. 38(409):28.
- Pic, M. 1922b. Coléoptères exotiques en partie nouveaux (Suite). L'Échange, Revue Linnéenne. 38(410):31-32.
- Pic, M. 1922d. Nouveautés diverses. *Mélanges Exotico-Entomologiques.* Moulins. 36:1-32.
- Pic, M. 1922e. Nouveautés diverses. *Mélanges Exotico-Entomologiques.* Moulins. 37:1-32.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Pic, M. 1923a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 38:1-32.
- Pic, M. 1923b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 39:1-32.
- Pic, M. 1923c. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 40:1-32.
- Pic, M. 1924b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 41:1-32.
- Pic, M. 1925a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 43:1-32.
- Pic, M. 1925b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 44:1-32.
- Pic, M. 1926b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 46:1-32.
- Pic, M. 1926k. Sept coléoptères exotiques nouveaux. *Bulletin de la Société Entomologique de France*. 1926(13-14):153-155.
- Pic, M. 1927a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 47:1-32.
- Pic, M. 1928a. Coléoptères exotiques en partie nouveaux (Suite.). *L'Échange, Revue Linnéenne*. 44(434):16.
- Pic, M. 1928b. Notes et Descriptions. *Mélanges Exotico-Entomologiques*. Moulins. 51:1-34.
- Pic, M. 1928c. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 52:1-32.
- Pic, M. 1930a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 55:1-36.
- Pic, M. 1931a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 57:1-36.
- Pic, M. 1932a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 59:10-36.
- Pic, M. 1932b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 60:1-36.
- Pic, M. 1933b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 62:1-36.
- Pic, M. 1934c. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 63:1-36.
- Pic, M. 1935a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 65:1-36.
- Pic, M. 1936a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 67:1-36.
- Pic, M. 1936b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 68:10-36.
- Pic, M. 1938a. Coléoptères exotiques en partie nouveaux (Suite). *L'Échange, Revue Linnéenne*. 54(473):12.
- Pic, M. 1939f. Diagnoses de Coléoptères exotiques. *L'Échange, Revue Linnéenne*. 55(478):31-32.
- Pic, M. 1943c. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 59(492):5-8.
- Pic, M. 1943d. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 59(493): 9-12.
- Pic, M. 1943f. Opuscula martialia IX. *L'Échange, Revue Linnéenne*, Numéro spécial. 9:1-16.
- Pic, M. 1944b. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 60(496):5-8.
- Pic, M. 1945c. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 61(499):1-4.
- Pic, M. 1946a. Réfutations d'anciennes critiques et fausses synonymies. *Miscellanea Entomologica*, Narbonne, Paris. [1945] 42(9):105-111.
- Pic, M. 1946c. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 62(504):5-8.
- Pic, M. 1947c. Diversités Entomologiques. 1:1-16.
- Pic, M. 1949. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 65(517):9-12.
- Pic, M. 1953a. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 69(531):2
- Plavistshikov, N. N. 1926. Addenda et corrigenda concernant le Coleopterorum Catalogus, parties 73 et 74 (Lamiinae) Encyclopédie Entomologique, série B. Coleoptera 2: 49-68.
- Plavilstshikov, N. N. 1931a. Cerambycidae I. Bestimmungs-Tabellen der europäischen Coleopteren. Troppau. 100:1-102.
- Plavilstshikov, N. N. 1931b. *Embrik-Strandia*, eine neue Callichrominen-Gattung (Col., Cerambycidae). Folia Zoologica et Hydrobiologica. Riga. 3:278-279.
- Plavistshikov, N. N. 1934. Cerambycidae III. Cerambycinae: Cerambycini III (Callichromina, Rosaliina, Callidiina). Bestimmungs-Tabellen der europäischen Coleopteren, Troppau. 112:1-230.
- Plavistshikov, N. N. 1936. Faune de l'URSS. Insectes Coléoptères. Cerambycidae I. Fauna SSSR 21 (1): ix + 1-611, 247 figs.
- Podaný, C. 1968. Studien über Callichromini der palaearktischen und orientalischen region I. Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden. 36(3):41-121.
- Podaný, C. 1971. Studien über Callichromini der palaearktischen und orientalischen region (II). Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden. 38(8):253-313.
- Podaný, C. 1974. Studien über Callichromini der paläarktischen und orientalischen region (III). Annotationes Zoologicae et Botanicae. 91:1-43.
- Podaný, C. 1978. Studien über Callichromini der palaearktischen und orientalischen region (IV) (Coleoptera, Cerambycidae). Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden. 42(11):363-381.
- Podaný, C. 1980. Studien über Callichromini der palaearktischen und orientalischen region (V) (Coleoptera, Cerambycidae). Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden. 43(10):219-256.
- Quedenfeldt, G. 1888. Beiträge zur Kenntniss der Koleopteren-Fauna von Central-Afrika nach den Ergebnissen der Lieutenant Wissman'schen Kassai-Expedition 1883 bis 1886. Berliner Entomologische Zeitschrift. 32:155-219.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Quentin, R. M. and A. Villiers. 1981. Les Macrotomini de l'Ancien Monde (Région Éthiopienne exclue) genera et catalogue raisonné. Annales de la Société entomologique France (n.s.). 17(1):359-393.
- Redtenbacher, L. 1868. Reise der österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den befehlen des Commodore B. von Wüllerstorff-Urbair. Zoologischer Theil. Zweiter Band: Coleopteren. Wien. 2: i-iv + 1-249, 5 pls.
- Reitter, E. 1894. Uebersicht der arten der Coleopteren-Gattung *Cerambyx* L. und einer Darstellung der mit dieser zunächst verwandten Genera der palaearctischen Fauna. Entomologisches Nachrichten, Berlin. 20:353-356.
- Reitter, E. 1913. Fauna Germanica. Die Käfer des Deutschen Reiches. 4:1-236, pls. 129-152.
- Retzius, A. J.. 1783. Caroli De Geer genera et species Insectorum et generalissimi auctoris scriptis extraxit, digessit, latine quand. partem reddidit, et terminologiam Insectorum Linneanam addidit. Lipsiae. 220pp.
- Rigout, J. 1981. Les coléoptères du monde. Volume 1: Batocerini première partie. Sciences Nat. Compiègne. 121 pp. 50 pl.
- Rigout, J. 1982. Les coléoptères du monde. Volume 2: Batocerini deuxième partie. Sciences Nat. Compiègne. 128 pp. 53 pl.
- Ritsema, C. 1876. Bijdrage tot de kennis der Insecten-Fauna van het noordelijkste gedeelte van Sumatra. Tijdschrift voor Entomologie, Amsterdam. 19:43-50.
- Ritsema, C. 1880. Description of a Sumatran species of the longicorn genus *Callophorpha*, Thoms. Notes from the Leyden Museum. 2:246-248.
- Ritsema, C. 1881a. Description of a new species of the longicorn genus *Praonetha*, Pasc.. Notes from the Leyden Museum. 3:15-16.
- Ritsema, C. 1881b. New species of *Pachyteria*, a genus of longicorn Coleoptera. Notes from the Leyden Museum. 3:31-38.
- Ritsema, C. 1881c. Description of a new species of the longicorn genus *Melanauster*, Thoms. Notes from the Leyden Museum. 3:39-40
- Ritsema, C. 1881d. Four new species and a new genus of longicorn Coleoptera. Notes from the Leyden Museum. 3:145-150.
- Ritsema, C. 1881e. Three new species of Sumatran longicorn Coleoptera from the collections of the Sumatra-Expedition. Notes from the Leyden Museum. 3:151-157.
- Ritsema, C. 1888a. On five new and two unsufficiently known species of the longicorn genus *Pachyteria*. Notes from the Leyden Museum. 10:177-192.
- Ritsema, C. 1888b. Description of three new species of the longicorn group Agniini. Notes from the Leyden Museum. 10:201-206.
- Ritsema, C. 1890a. Description of three new species of Malayan Longicornia. Notes from the Leyden Museum. 12:135-139.
- Ritsema, C. 1890b. Three new Malayan longicorn Coleoptera. Notes from the Leyden Museum. 12:247-252.
- Ritsema, C. 1892a. Descriptions of new species of the longicorn genus *Glenea*. Notes from the Leyden Museum. 15:1-12. 1 pl.
- Ritsema, C. 1892b. Three new species of the longicorn genus *Pachyteria*. Notes from the Leyden Museum. 14:213-220.
- Ritsema, C. 1893. A new species of the longicorn genus *Pachyteria*. Notes from the Leyden Museum. 15:13-16.
- Ritsema, C. 1894. A new species of the longicorn genus *Zonopterus*. Notes from the Leyden Museum. 16:107-109.
- Ritsema, C. 1895. Two new species of the longicorn genus *Pelargoderus*. Notes from the Leyden Museum. 17:33-35.
- Ritsema, C. 1896. Two new species of the longicorn genus *Thermonotus*, Gahan. Notes from the Leyden Museum. 18:205-207.
- Ritsema, C. 1897. Supplément à la liste des espèces des genres *Zonopterus* et *Pachyteria* (Coléoptères Longicornes) de la collection du Muséum d'histoire naturelle de Paris. Bulletin du Muséum d'histoire Naturelle. Paris. 1897:376-377.
- Ritsema, C. 1908. A new longicorn beetle from Borneo. Notes from the Leyden Museum. 29:261-262.
- Ritsema, C. 1909. *Pachyteria nieuwenhuisii* n. sp. Notes from the Leyden Museum. 30:248.
- Ritsema, C. 1911. Two new Sumatran species of longicorn Coleoptera. Notes from the Leyden Museum. 34:4-8.
- Rondon, J. A. and S. Breuning. 1970. Lamiines du Laos. Pacific Insects Monograph. 24:315-571.
- Rothschild, L. W. & K. Jordan, 1893. On some new or little-known species of coleoptera from the East. The Annals and Magazine of Natural History, London. (6) 12:452-455.
- Sama, G. 1991. Note sulla nomenclatura dei Cerambycidae della Regione Mediterranea (Coleoptera). Bollettino della Società Entomologica Italiana, Genova. 123(2):121-128.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Sama, G. 2002. Atlas of the Cerambycidae of Europe and the Mediterranean Area. Volume 1: Northern, Western, Central and Eastern Europe. British Isles and Continental Europe from France (excl. Corsica) to Scandinavia and Urals. Nakladatelstí Kabourek, Zlín. 173 pp. 36 pls.
- Saunders, W. 1853. Descriptions of some longicorn beetles discovered in Northern China by Rob. Fortune. The Transactions of the Entomological Society of London. 2:109-113.
- Schönherr, C. J. 1817. Synonymia Insectorum, oder: Versuch einer Synonymia aller bisher bekannten Insecten; nach Fabricii Systema Eleutheratorum &c. geordnet. Skara. Lewerentzischen Buchdruckerey, 1(3): xi + 506 pp.
- Schultze, W. 1920. Eighth contribution to the Coleoptera fauna of the Philippines. Philippine Journal of Science. Manila. 16(2):191-203, 2 pl.
- Schultze, W. 1934. Thirteenth contribution to the Coleoptera fauna of the Philippines. Philippine Journal of Science. Manila. 53:311-337, 2 pl.
- Schwarzer, B. 1914. Beschreibung neuer Arten und Varietäten der Gattung *Batocera* (Col.). Entomologische Mitteilungen. Berlin-Dahlem. 3:280-282.
- Schwarzer, B. 1924. Neue Indo-malayische cerambyciden. Treubia. 5:236-238.
- Schwarzer, B. 1925a. Sauters Formosa-Ausbeute (Cerambycidae. Col.). Entomologische Blätter. 21:20-30.
- Schwarzer, B. 1925b. Sauters Formosa-Ausbeute (Cerambycidae. Col.). Entomologische Blätter. 21:58-68.
- Schwarzer, B. 1925c. Sauters Formosa-Ausbeute (Cerambycidae. Col.). Entomologische Blätter. 21:145-154.
- Schwarzer, B. 1926. Beiträge zur Kenntnis der Cerambyciden. Entomologische Mitteilungen. 15(1):6-14.
- Schwarzer, B. 1929. Neue Cerambyciden des Senckenberg-Museum (Ins., Col.). Senckenbergiana. Frankfurt. 11(5-6):353-379. 35 fig.
- Schwarzer, B. 1930a. Beitrag zur Kenntnis der Cerambyciden (Ins., Col.). Senckenbergiana, Frankfurt. 12:103-111, 14 figs.
- Schwarzer, B. 1930b. Spolia Mentawiensia. Longicornia. Treubia. 12:121-128.
- Schwarzer, B. 1931a. Beitrag zur Kenntnis der Cerambyciden (Ins. Col.) Senckenbergiana. Frankfurt. 13(1):59-78
- Schwarzer, B. 1931b. Beitrag zur Kenntnis der Cerambyciden (Ins. Col.) III. Senckenbergiana. Frankfurt. 13(5-6):197-214. 27 fig.
- Semenov-Tian-Shanskij, A. 1911. Un représentant nouveau du genre *Rosalia* Serv. (Coleoptera, Cerambycidae) provenant du district d'Ussuri (Sibérie or.). Revue Russe d'Entomologie, St. Petersburg. 11:118-123.
- Sharp, D. 1878. On some longicorn Coleoptera from the Hawaiian Islands. The Transactions of the Entomological Society of London. 1878:201-210.
- Shelford, R. 1902. Observations on some mimetic insects and spiders from Borneo and Singapore. Proceedings of the Entomological Society of London. 1902(2):230-284. 5 pl.
- Snellen van Vollenhoven, S. C. 1871. Quelque espèces nouvelles de curculionites et de longicornes. Tijdschrift voor Entomologie. 14:101-112. pl. 4-5.
- Stephens, J. F. 1831. Illustrations of British entomology; or a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata. 4:1-414.
- Strand, E. 1942 Miscellanea nomenclatorica zoologica et palaeontologica. X. Folia Zoologica et Hydrobiologica. Riga. 11(2):386-402.
- Sudre, J. 1997. *Anexodus sarawakensis* n. sp., une nouvelle espèce de Bornéo (Col., Cerambycidae, Lamiinae) Bulletin de la Société Entomologique de France, Paris. 102(3):253-254. 5 figs.
- Takakuwa, M. 1992. A new subgenus and new species of the longicorn genus *Necydalis* from Malaysia. Gekkan-Mushi. 255:8-11. 16 fig.
- Takakuwa, M. 1998. The *Rosalia* world. Mushi-sha. Tokyo. pp. 1-231. illus.
- Thomson, C. G. 1859. Skandinaviens Coleoptera. 1:1-290.
- Thomson, J. 1856. Descriptions d'une *Cicindela* et de deux Longicornes. Revue et Magasin de Zoologie, Paris. (2) 8:528-530.
- Thomson, J. 1857a. Essai monographique sur le groupe des Tetraophthalmes, de la famille des Cérambycides (Longicornes). Archives Entomologiques, Paris. 1:45-67. pl. 8.
- Thomson, J. 1857b. Description d'un genre nouveau Cérambycides. Archives Entomologiques, Paris. 1:78-79.
- Thomson, J. 1857c. Description de trente-trois espèces de coléoptères. Archives Entomologiques, Paris. 1:109-127.
- Thomson, J. 1857d. Synopsis des *Stibara* de ma collection. Archives Entomologiques, Paris. 1:139-147.
- Thomson, J. 1857e. Diagnoses de cérambycides nouveaux ou peu connus de ma collection qui seront décrits prochainement. Archives Entomologiques, Paris. 1:169-194, pl. 10.

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Thomson, J. 1857f. Description de cérambycides nouveaux ou peu connus de ma collection. Archives Entomologiques. Paris. 1:291-320.
- Thomson, J. 1857h. Description de trois espèces de coléoptères. Archives Entomologiques. Paris. 1:341-344.
- Thomson, J. 1858a. Wallace; voyage dans l'Asie orientale; fragments entomologique renfermant la description coléoptères nouveaux ou rares. Archives Entomologiques. Paris. 1:425-460.
- Thomson, J. 1858b. Voyage au Gabon. Histoire naturelle des insectes et des arachnides recueillis pendant un voyage fait au Gabon en 1856 et en 1857 par M. Henry C. Deyrolle sous les auspices de MM. le comte de Mniszech et James Thomson précédé de l'histoire du voyage. Archives Entomologiques. Paris. 2:7-376. 12 pl.
- Thomson, J. 1859. Monographie du genre *Batocera*. Arcana Naturae ou Recueil d'Histoire Naturelle. Paris. 1:65-84.
- Thomson, J. 1860. Essai d'une classification de la famille des cérambycides et matériaux pour servir à une monographie de cette famille. Paris. 404 pages, 3 pls.
- Thomson, J. 1864. Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. Mémoires de la Société Royale des Sciences de Liège. 19:1-352.
- Thomson, J. 1865a. Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. Mémoires de la Société Royale des Sciences de Liège. 19:353-540.
- Thomson, J. 1865b. Diagnoses d'espèces nouvelles qui seront décrites dans l'appendix du systema cerambycidarum. Mémoires de la Société Royale des Sciences de Liège. 19:541-578.
- Thomson, J. 1868a. Matériaux pour servir à une révision des desmiphorites (lamites, cérambycides, coléoptères). Physis Recueil d'Histoire Naturelle, Paris. 2(6):101-146.
- Thomson, J. 1868b. Matériaux pour servir à une révision des lamites (cérambycides, Col.). Physis Recueil d'Histoire Naturelle, Paris. 2(6):146-200.
- Thomson, J. 1868c. Note rectificative. Physis Recueil d'Histoire Naturelle, Paris. 2(6):201.
- Thomson, J. 1877. Typi cerambycidarum musei Thomsoniani. Revue et Magasin de Zoologie, Paris. (3) 5:249-279.
- Thomson, J. 1878a. Typi cerambycidarum (2<sup>e</sup>. mémoire). Cerambycites. Revue et Magasin de Zoologie, Paris. (3)6:1-33.
- Thomson, J. 1878b. Typi cerambycidarum (3<sup>e</sup>. mémoire). Revue et Magasin de Zoologie, Paris. (3)6:45-68.
- Thomson, J. 1878c. (Deux coléoptères de la famille des Cérambycides: *Rhamses*, *Cereopsius*.) Annales de la Société Entomologique de France. 5(8):18-19.
- Thomson, J. 1879. Typi cerambycidarum. Appendix I<sup>a</sup>. Revue et Magasin de Zoologie, Paris. (3) 7:1-23.
- Vigors, N. 1826. Descriptions of some rare, interesting, or hitherto uncharacterised subjects of zoology. The Zoological Journal, London. 2:234-242; 510-516. 1 pl.
- Villiers, A. 1958. Notes sur les Disteniinae de la région indo-pacifique (Col. Cerambycidae). Bulletin du Muséum d'Histoire Naturelle, ser. 2. 30(3):262-270.
- Villiers, A. 1966. Sur le genre *Dejanira* Thomson [Col. Cerambycidae Cerambycinae]. Annales de la Société Entomologique de France. (n.s.). 11(2):355-359.
- Vives, E. 1977. Notes sur les longicornes ibériques. L'Entomologiste. Paris. 33(3):129-133.
- Vives, E. 2001a. Notes on Lepturinae(I). Two new species of Asian Lepturinae (Coleoptera: Cerambycidae). Lambillionea. 101:121-124. 4 fig.
- Vives, E. 2001b. Notes on Lepturinae(VI). A propósito de algunos Lepturinae y Vesperinae nuevos o poco conocidos del sudeste asiático (Coleoptera: Cerambycidae). Les Cahiers Magellanes. 9:1-20. 8 fig.
- Vives, E. 2003. Notes on Lepturinae(IX). New and interesting Lepturinae from South East Asia (Coleoptera: Cerambycidae). Les Cahiers Magellanes. 31:1-16. 9 fig.
- Vives, E. 2005. Notes on Lepturinae(XI). Four new species of Lepturinae from South East Asia (Col. Cerambycidae). Lambillionea. 105:302-307.
- Vives, E. & F. Abang. 2003. Notes on the Lepturinae (Coleoptera: Cerambycidae) of the Sarawak Museum Insect collection. The Sarawak Museum Journal. 58(79):245-249.
- Vives, E. & J. Bentanachs. 2005. Une nouvelle espèce du genre *Dubianella* Morati & Huet, de Borneo (Coleoptera, Cerambycidae). Lambillionea. 105(1):151-154. 19 fig.
- Vives, E. & D. Heffern. 2001. Notes on Lepturinae (V). New and interesting South East Asian Lepturinae. (Coleoptera, Cerambycidae). Lambillionea. 101(4):621-625.
- Vives, E. & N. Ohbayashi. 2001. A new lepturine, *Hayashiella malayana* gen. et sp. nov. from Sabah, Malaysia. (Coleoptera, Cerambycidae). Japanese Journal of Systematic Entomology. 7(1):29-33. 12 fig.
- Voet, J. E. 1778. Catalogus systematicus coleopterorum. 2:1-254. 50 pls.
- Vuillet, A. 1911. Deux nouvelles *Rosalia*. Insecta, Revue illustrée d'Entomologie. Rennes. 1:247-252

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Waterhouse, C. O. 1877. Description of twenty new species of Coleoptera from various localities. The Transactions of the Entomological Society of London. 1877(1):1-13
- Waterhouse, C. O. 1878. Characters of four new longicorn Coleoptera. The Annals and Magazine of Natural History, London. (5) 2:136-138.
- Waterhouse, C. O. 1884a. Description of a new genus and species of longicorn Coleoptera from the Philippine Islands. The Annals and Magazine of Natural History, London. (5) 13:128-129.
- Waterhouse, C. O. 1884b. On the coleopterous genus *Macrotoma*. The Annals and Magazine of Natural History, London. (5) 14(84):376-387.
- Waterhouse, C. O. 1885. in Poyer, H. J. S. On two remarkable cases of mimicry from Elopura, British North Borneo. Transactions of the Entomological Society of London. 1885:369-373. pl. 10.
- Waterhouse, G. R. 1834. Description of a new species of longicorn beetle from the East Indies. The Transactions of the Entomological Society of London. 1:67-68, 1 fig.
- Waterhouse, G. R. 1840. Descriptions of two new coleopterous insects, from the Collection of Sir Patrick Walker. The Transactions of the Entomological Society of London 2: 225-229.
- Weber, F. 1801. Observationes entomologicae, continentes novorum quae conditit generum characteres et nuper detectarum specierum descriptiones. Kiliae. 116 pp.
- Westwood, J. O. 1841-1843. Arcana Entomologica, or illustrations of new, rare, and interesting exotic insects. London. Vol. 1. 188 pp.
- Westwood, J. O. 1848. The cabinet of oriental entomology, being a selection of some of the rarer and more beautiful species of insects, natives of India and the adjacent islands, the greater portion of which are now for the first time described and figured. Wm Smith, London. 88 pp. 42 pl.
- Westwood, J. O. 1853. Descriptions of some new species of Coleoptera from China and Ceylon. The Transactions of the Entomological Society of London. (2) 2:232-241. 1 pl.
- White, A. 1846. Descriptions of four apparently new species of longicorn beetles in the collection of the British Museum. Annals and Magazine of Natural History, London. 18:47-49, 1 pl.
- White, A. 1853. Catalogue of coleopterous insects in the collection of the British Museum, pt. VII. Longicornia I. pp. 1-174. pl. 1-4. London.
- White, A. 1855. Catalogue of coleopterous insects in the collection of the British Museum, pt. VIII. Longicornia II. pp. 175-412. pl. 5-10. London.
- White, A. 1856. Descriptions of some coleopterous insects in the collection of the British Museum, hitherto apparently unnoticed. Proceedings of the Zoological Society of London. 24:8-17; 406-410, 1 fig., 1 pl.
- White, A. 1858a. Descriptions of some apparently unrecorded species of longicorn beetles, belonging to the genera *Phrissoma*, *Nyphona* &c. Annals and Magazine of Natural History, London. (3)2:264-276.
- White, A. 1858b. Descriptions of *Monohammus Bowringii*, *Batocera Una* and other longicorn Coleoptera, apparently as yet unrecorded. Proceedings of the Zoological Society of London. 26:398-413, 1 pl.
- Wiedemann, C. R. W. 1819. Neue Käfer aus Bengalen und Java. Zoologisches Magazin. Kiel. 1(3):157-183.
- Wiedemann, C. R. W. 1823. Zweihundert neue Käfer von Java, Bengalen und dem Vorgebirge der guten Hoffnung. Zoologisches Magazin. Kiel. 2(1):1-135.

### Bibliographical Comments

Bibliographical citations have been taken from numerous sources, including original articles and bibliographies in related articles and books. Of particular value in researching pre-1900 literature are the following:

Horn, W. & S. Schenkling. 1928-1929. Index Literaturae Entomologicae. Serie II: Die Welt-Literatur über die esamte Entomologie bis inklusive 1863. 4 volumes. Selbstverlag von W. Horn, Berlin-Dahlem.

Derksen, W. & U. Scheiding. 1963. Index Literaturae Entomologicae. Serie II: Die Welt-Literatur über die gesamte Entomologie von 1864 bis 1900. 5 volumes. Deutsche Akademie der Landwirtschaftswissenschaften zu Berlin.

Pascoe's series of publications known as "Longicornia Malayana" are usually bound together in one volume. Sometimes it is cited as follows:

Pascoe, F. P. 1864-1869. Longicornia Malayana; or a Descriptive catalogue of the three longicorn families Lamiidae, Cerambycidae and Prionidae, collected by Mr. A. R. Wallace in the Malay Archipelago. The Transactions of the Entomological Society of London. Ser. 3. 3:1-712. 23 pl.

This series was published in seven parts as follows: Part I, 1864, pp. 1-96; Part II, 1865, pp. 97-224; Part III, 1866, pp. 225-336; Part IV, 1867, pp. 337-464; Part V, 1868, pp. 465-498; Part VI, 1869, pp. 499-552; Part VII, 1869, pp. 553-712.

Aurivillius published 23 articles beginning in 1886 and ending in 1927 entitled "Neue oder wening bekannte Coleoptera Longicornia" The pages of the articles appearing in this series each have two page numbers. One set of page numbers always begins with "1" on the first page of each article while the other set of page numbers is a continuation from the previous article. This catalog follows the latter page numbering scheme in referencing pages, although other bibliographies have used the other scheme with the first page of each article begins with "1".

Aurivillius published the following catalogues of Cerambycidae (excluding Prioninae, Parandrinae and Anoplodermatinae which were published by Lameere in 1913): Oxypetinae, Spondylidinae, Vesperinae, Apatophyseinae, Lepturinae, Nectydalinae, Disteniinae, and Philinae are included with Cerambycinae.

Aurivillius, C. 1912. Cerambycidae: Cerambycinae. Coleoptorum Catalogus. W. Junk, ed. a S. Schenkling. Gravenhage. Berlin. 39(v. 22):1-574.

Aurivillius, C. 1922. Cerambycidae: Lamiinae. Coleopterorum Catalogus. Coleoptorum Catalogus. W. Junk, ed. a S. Schenkling. Gravenhage. Berlin. 73(v. 23):1-322.

Aurivillius, C. 1923. Cerambycidae: Lamiinae. Coleopterorum Catalogus. Coleoptorum Catalogus. W. Junk, ed. a S. Schenkling. Gravenhage. Berlin. 74(v. 23):323-704.

Lameere published the following worldwide catalogue for Prioninae, which at that time considered Parandrinae and Anoplodermatinae as Prioninae.

Lameere, A. A. 1913. Cerambycidae. Subfam. Prioninae. Coleoptorum Catalogus. W. Junk, ed. a S. Schenkling. Gravenhage. Berlin. 52(v. 22):1-108.

Breuning and Gilmour published the following worldwide catalogues of Lamiinae.

Breuning, S. 1958. Catalogue des Lamiaires du monde (Col. Céramb.). 1 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. 48 p. {published 31-X-1958}

Breuning, S. 1959. Catalogue des Lamiaires du monde (Col. Céramb.). 2 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 49-107. {published 1-VII-1959}

Breuning, S. 1960. Catalogue des Lamiaires du monde (Col. Céramb.). 3 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 109-182. {published 1-VII-1960}

## Checklist and Bibliography of Longhorned Beetles from Borneo

- Breuning, S. 1961. Catalogue des Lamiaires du monde (Col. Céramb.). 4 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 183-284. {published 1-I-1961}
- Breuning, S. 1961. Catalogue des Lamiaires du monde (Col. Céramb.). 5 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 285-382. {published 1-X-1961}
- Breuning, S. 1962. Catalogue des Lamiaires du monde (Col. Céramb.). 6 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 387-459. {published 1-VIII-1962}
- Breuning, S. 1963. Catalogue des Lamiaires du monde (Col. Céramb.). 7 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 463-555. {published 1-IV-1963}
- Gilmour, E. F. 1965. Catalogue des Lamiaires du Monde (Col. Céramb.). 8 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 559-655. {published 1-I-1965}
- Breuning, S. 1966. Catalogue des Lamiaires du Monde (Col. Céramb.). 9 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 659-765. {published 1-IV-1966}
- Breuning, S. 1967. Catalogue des Lamiaires du Monde (Col. Céramb.). 10 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 771-864. {published 1-IV-1967}
- Breuning, S. 1969. Catalogue des Lamiaires du Monde (Col. Céramb.). 11 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 865-1069. {published 1-II-1969}

None of the worldwide catalogues by Aurivillius, Lameere, Breuning or Gilmour list type species, original combinations of genera and species, or complete bibliographies. Some new names appear in these catalogues as replacement names for existing, pre-occupied names or as names for undescribed species which had been previously illustrated by others. These catalogues list some taxa as varieties, even though they were not described that way. Finally, these catalogues have some errors and are outdated, so they must be used cautiously.

## Index of Generic Level Names

<b>Abryna (Abryna)</b> Newman .....	47
<b>Abryna</b> Newman .....	47
<b>Acalolepta</b> Pascoe.....	29
<b>Acanthetaxalus</b> Breuning.....	47
<b>Achthophora</b> Newman .....	30
<b>Acrocyrta</b> Pascoe .....	23
<b>Aegolipton</b> Gressitt .....	10
<b>Aegoprepes</b> Pascoe .....	45
<b>Aegosoma</b> Audinet-Serville.....	10
<b>Aemocia</b> J. Thomson .....	37
<b>Aeolesthes</b> Gahan.....	14
<b>Aerogrammus</b> Bates.....	10
<b>Aesopida</b> J. Thomson .....	37
<b>Agelasta (Dissosira)</b> Pascoe .....	37
<b>Agelasta (Epagelasta)</b> Breuning.....	38
<b>Agelasta</b> Newman .....	37
<b>Agniohammus</b> Breuning .....	30
<b>Agniopsis</b> Breuning.....	30
<b>Aliboron</b> J. Thomson.....	45
<b>Allotraeus</b> Bates.....	18
<b>Amamicytus</b> K. Ohbayashi .....	23
<b>Amblyontium</b> Bates.....	20
<b>Amechana</b> J. Thomson .....	30
<b>Amymoma</b> Pascoe .....	54
<b>Anacasta</b> Aurivillius .....	54
<b>Anaesthetobrium</b> Pic .....	54
<b>Anaglyptus</b> Mulsant .....	25
<b>Anameromorpha</b> Pic.....	30
<b>Anancylus (Anancylus)</b> J. Thomson .....	38
<b>Anancylus (Paranancylus)</b> Breuning .....	38
<b>Anancylus</b> J. Thomson .....	38
<b>Anandra</b> J. Thomson .....	45
<b>Ancornallis</b> Fisher .....	41
<b>Anexodus</b> Pascoe .....	29
<b>Anhammus</b> J. Thomson .....	30
<b>Annamanum</b> Pic .....	30
<b>Anomophysis</b> Quentin & Villiers .....	9
<b>Anoplophora</b> Hope .....	30
<b>Anubis</b> J. Thomson .....	20
<b>Anxylotoles</b> Fisher .....	42
<b>Apatelarthon</b> J. Thomson .....	28
<b>Apomecyna (Apomecyna)</b> Latreille .....	42
<b>Apomecyna</b> Latreille .....	42
<b>Apriona</b> Chevrolat .....	36
<b>Aprionella</b> Gilmour .....	68
<b>Archidice</b> J. Thomson .....	30
<b>Aristobia</b> J. Thomson .....	31
<b>Armiger</b> Voet .....	9
<b>Artimpaza</b> J. Thomson .....	26
<b>Asilaris</b> Pascoe .....	12
<b>Asmedia</b> Pascoe .....	20
<b>Astathes (Tetraphthalmus)</b> Guérin-Méneville .....	58
<b>Astathes</b> Newman .....	58
<b>Athylia</b> Pascoe .....	42
<b>Atimura</b> Pascoe .....	42
<b>Atrichocera</b> Aurivillius .....	42
<b>Bacchisa (Bacchisa)</b> Pascoe .....	59
<b>Bacchisa (Cyanastus)</b> Pascoe .....	59
<b>Bacchisa</b> Pascoe .....	58
<b>Bandar</b> Lameere .....	9
<b>Baralipiton</b> J. Thomson .....	10
<b>Batocera</b> Dejean .....	36, 103
<b>Baudona</b> Breuning .....	42
<b>Bicon</b> Pascoe .....	25
<b>Blephephaeus</b> Pascoe .....	31
<b>Brachyolenecamptus</b> Breuning .....	41
<b>Bradygnemis</b> C. Waterhouse .....	20
<b>Bumetopia (Bumetopia)</b> Pascoe .....	28
<b>Bumetopia</b> Pascoe .....	28
<b>Bybe</b> Pascoe .....	42
<b>Cacia (Acanthocacia)</b> Aurivillius .....	38
<b>Cacia (Cacia)</b> Newman .....	38
<b>Cacia (Coreothrophora)</b> Blanchard .....	38
<b>Cacia (Ipocregyes)</b> Pascoe .....	38
<b>Cacia</b> Newman .....	38
<b>Callichromopsis</b> Chevrolat .....	22
<b>Callimetopus</b> Blanchard .....	47
<b>Calpazia</b> Pascoe .....	15
<b>Camelocerambyx</b> Pic .....	27
<b>Capnolymma</b> Pascoe .....	12
<b>Caraphia</b> Gahan .....	12
<b>Celosterna (Celosterna)</b> Blanchard .....	31
<b>Celosterna</b> Blanchard .....	31
<b>Cenodocus</b> J. Thomson .....	47
<b>Centrotoclytus</b> Motschulsky .....	25
<b>Cereopsius</b> Pascoe .....	31
<b>Ceresium</b> Newman .....	18, 68
<b>Chaetacanthidius</b> Gilmour .....	54
<b>Chelidolum</b> J. Thomson .....	20
<b>Chloridolum</b> J. Thomson .....	20
<b>Chlorisanis</b> Pascoe .....	59
<b>Chlorophorus</b> Chevrolat .....	23
<b>Choeromorpha (Choeromorpha)</b> Chevrolat .....	38
<b>Choeromorpha</b> Chevrolat .....	38
<b>Chreomisis</b> Breuning .....	59
<b>Chydaeopsis</b> Pascoe .....	56
<b>Clavemeopedus</b> Breuning .....	56
<b>Clavoserixia</b> Breuning .....	59
<b>Cleomenes</b> J. Thomson .....	26
<b>Cleptometopus</b> J. Thomson .....	45
<b>Clytellus</b> Westwood .....	25

<b>Clyzomedus</b> Pascoe .....	39
<b>Comusia</b> Thomson .....	19
<b>Coptops</b> Audinet-Serville .....	39
<b>Cyaneophytoecia</b> Breuning .....	59
<b>Cyanolipton</b> Komiya.....	10
<b>Cyarium</b> Pascoe.....	47
<b>Cylindrepomus</b> Blanchard .....	41
<b>Cymaterus</b> Pascoe .....	25
<b>Cyriopalus</b> Pascoe .....	15
<b>Cyriotasastes</b> Heller .....	31
<b>Cyrtonops</b> White .....	8
<b>Daxata</b> ( <b>Daxata</b> ) Pascoe .....	48
<b>Daxata</b> ( <b>Taxada</b> ) Breuning .....	48
<b>Daxata</b> Pascoe .....	48
<b>Dejanira</b> J. Thomson .....	18
<b>Demodes</b> Newman.....	39
<b>Demodiooides</b> Breuning.....	48
<b>Demonax</b> J. Thomson .....	23
<b>Dere</b> White .....	26
<b>Derolus</b> Gahan .....	15
<b>Derolydnus</b> Hüdepohl.....	15
<b>Desisa</b> ( <b>Cylindrostyrax</b> ) Aurivillius .....	48
<b>Desisa</b> ( <b>Desisa</b> ) Pascoe .....	48
<b>Desisa</b> ( <b>Mesodesisa</b> ) Breuning .....	48
<b>Desisa</b> Pascoe.....	48
<b>Dialeges</b> Pascoe.....	15
<b>Diastocera</b> J. Thomson .....	47
<b>Diaxenes</b> C. Waterhouse .....	42
<b>Diboma</b> J. Thomson.....	54
<b>Distenia</b> Lepeletier & Audinet-Serville.....	8
<b>Dolichostyrax</b> Aurivillius.....	29
<b>Dorysthenes</b> ( <b>Paraphrus</b> ) J. Thomson .....	11, 103
<b>Dorysthenes</b> Vigors.....	11
<b>Driopea</b> ( <b>Driopea</b> ) Pascoe .....	56
<b>Driopea</b> ( <b>Inermodriopea</b> ) Breuning .....	56
<b>Driopea</b> Pascoe .....	56
<b>Dubianella</b> Morati & Huet .....	21
<b>Dyemus</b> Pascoe .....	42
<b>Dymascus</b> Pascoe .....	42
<b>Dymasius</b> ( <b>Dymasius</b> ) J. Thomson .....	15
<b>Dymasius</b> ( <b>Microdymasius</b> ) J. Thomson .....	15
<b>Dymasius</b> J. Thomson .....	15
<b>Dystasia</b> Pascoe.....	48
<b>Ebaeides</b> Pascoe.....	42
<b>Eburiomorpha</b> Fisher .....	17
<b>Ectatosia</b> Pascoe .....	54
<b>Ectinogramma</b> J. Thomson.....	45
<b>Egesina</b> ( <b>Callegesina</b> ) Breuning .....	48
<b>Egesina</b> ( <b>Callienispia</b> ) Fisher .....	49
<b>Egesina</b> ( <b>Cuphisia</b> ) Pascoe.....	49
<b>Egesina</b> ( <b>Egesina</b> ) Pascoe .....	48
<b>Egesina</b> ( <b>Niijamaia</b> ) Breuning .....	49
<b>Egesina</b> Pascoe .....	48
<b>Elacomia</b> Heller.....	12
<b>Elelea</b> Pascoe .....	39
<b>Elydnus</b> Pascoe .....	15
<b>Embrikstrandia</b> Plavilstshikov .....	21
<b>Emeopedus</b> ( <b>Longicornemeopedus</b> )	
Breuning.....	56
<b>Emeopedus</b> Pascoe .....	56
<b>Emphiesmenuis</b> Lansberge .....	68
<b>Entelopes</b> ( <b>Entelopes</b> ) Guérin-Méneville .....	59
<b>Entelopes</b> ( <b>Shelfordia</b> ) Breuning.....	60
<b>Entelopes</b> ( <b>Wallaceentelopes</b> ) Breuning .....	60
<b>Entelopes</b> Guérin-Méneville .....	59
<b>Eodalis</b> Pascoe .....	26
<b>Eoporis</b> Pascoe .....	56
<b>Epania</b> Pascoe .....	19
<b>Epepeotes</b> Pascoe .....	32
<b>Ephies</b> Pascoe .....	13
<b>Epianthe</b> Pascoe .....	26
<b>Epicasta</b> J. Thomson .....	54
<b>Epicedia</b> J. Thomson .....	32
<b>Epilysta</b> Pascoe .....	42
<b>Epilystoides</b> Breuning .....	42
<b>Epipedocera</b> Chevrolat .....	25
<b>Ereis</b> Pascoe .....	39
<b>Eremosybra</b> Breuning .....	43
<b>Eryalus</b> Pascoe .....	32
<b>Erythraenus</b> Bates .....	11
<b>Erythresthes</b> ( <b>Etyrrhus</b> ) Holzschuh .....	26
<b>Erythresthes</b> Thomson .....	26
<b>Erythroclea</b> Aurivillius .....	27
<b>Erythrus</b> White .....	26
<b>Etaxalus</b> Pascoe .....	49
<b>Euchlanis</b> Pascoe .....	20
<b>Eunidia</b> Erichson .....	43
<b>Euryarthrum</b> Blanchard .....	19
<b>Euryclelia</b> Aurivillius .....	27
<b>Eurymesosa</b> Breuning .....	39
<b>Euryphagus</b> J. Thomson .....	27
<b>Eurypoda</b> ( <b>Eurypoda</b> ) Saunders .....	10, 103
<b>Eurypoda</b> Saunders .....	10
<b>Euryzeargyreia</b> Breuning .....	43
<b>Eusyntheta</b> Bates .....	32
<b>Eutaenia</b> J. Thomson .....	32
<b>Euthyastus</b> Pascoe .....	32
<b>Examnes</b> Pascoe .....	17
<b>Exarrhenodes</b> Breuning .....	49
<b>Exocentrus</b> ( <b>Camptomyne</b> ) Pascoe .....	56
<b>Exocentrus</b> ( <b>Exocentrus</b> ) Mulsant .....	56
<b>Exocentrus</b> ( <b>Pseudocentrus</b> ) Fairmaire .....	56
<b>Exocentrus</b> Mulsant .....	56
<b>Falsanoplistes</b> Pic .....	27
<b>Falsoibidion</b> Pic .....	18
<b>Falsomesosella</b> Pic .....	39
<b>Formosotoxotus</b> Hayashi .....	12

<b>Gauresthes</b> Bates .....	21
<b>Glaphyra</b> Newman .....	20
<b>Glenea (Acutoglenea)</b> Breuning .....	63
<b>Glenea (Citrinoglenea)</b> Breuning .....	63
<b>Glenea (Glenea)</b> Newman .....	60
<b>Glenea (Lineatoglenea)</b> Breuning .....	63
<b>Glenea (Luteoglenea)</b> Breuning.....	63
<b>Glenea (Macroglenea)</b> Aurivillius .....	63
<b>Glenea (Menesioglenea)</b> Breuning .....	63
<b>Glenea (Poeciloglenea)</b> Aurivillius.....	63
<b>Glenea (Porphyrioglenea)</b> Breuning .....	63
<b>Glenea (Pseudotanylecta)</b> Breuning.....	64
<b>Glenea (Reginoglenea)</b> Breuning .....	64
<b>Glenea (Spiniglenea)</b> Breuning.....	64
<b>Glenea (Stiroglenea)</b> Aurivillius .....	64
<b>Glenea (Subgrossoglenea)</b> Breuning .....	64
<b>Glenea (Tanylecta)</b> Pascoe .....	64
<b>Glenea</b> Newman.....	60
<b>Gnatholea</b> J. Thomson .....	17
<b>Gnathostrangalia</b> Hayashi & Villiers .....	13
<b>Gnoma</b> Fabricius .....	40
<b>Golsinda</b> J. Thomson .....	39
<b>Grammoechus (Grammoechus)</b> J. Thomson .....	49
<b>Grammoechus (Paratossa)</b> Breuning .....	49
<b>Grammoechus</b> J. Thomson.....	49
<b>Grammoxyla</b> Aurivillius .....	28
<b>Gyaritodes</b> Breuning .....	28
<b>Gyaritus (Axinylillum)</b> Pascoe .....	29
<b>Gyaritus (Gyaritus)</b> Pascoe .....	29
<b>Gyaritus</b> Pascoe .....	29
<b>Halme</b> Pascoe.....	25
<b>Hayashiella</b> Vives & N. Ohbayashi .....	13
<b>Heffernia</b> Vives .....	12
<b>Heteropaloides</b> Fisher .....	67
<b>Hirteschopalaea</b> Pic .....	46
<b>Hirticlytus</b> K. Ohbayashi.....	25
<b>Hispastathes</b> Breuning.....	59
<b>Homonea (Homonea)</b> Newman .....	28
<b>Homonea</b> Newman .....	28
<b>Hoplocerambyx</b> J. Thomson .....	15
<b>Hoplothrix</b> Gahan .....	32
<b>Hotarionomus</b> J. Thomson .....	32
<b>Huedepohliana</b> Heffern.....	21
<b>Hyborhabdus</b> Aurivillius.....	47
<b>Hyllisia</b> Pascoe .....	46
<b>Hyphus</b> Lacordaire.....	14
<b>Hystatus</b> J. Thomson .....	10
<b>Imantocera</b> J. Thomson .....	41
<b>Imbrius</b> Pascoe.....	16
<b>Iphiothe</b> Pascoe.....	54
<b>Iphra</b> Pascoe.....	19
<b>Ipothalia</b> Pascoe.....	21
<b>Janidera</b> Heffern.....	18
<b>Jeanvoinea</b> Pic .....	32
<b>Laelida</b> Pascoe.....	32
<b>Languriomorpha</b> Fisher.....	54
<b>Lasiophanes</b> Aurivillius .....	18
<b>Leprodera</b> J. Thomson .....	32
<b>Leptosiella</b> Morati & Huet.....	21
<b>Leptostrangalia</b> Nakane & K. Ohbayashi	13
<b>Longipalpus</b> Montrouzier .....	19
<b>Macrochenus</b> Guérin-Méneville .....	33
<b>Maculileiopus</b> Breuning .....	57
<b>Marmoroglypha</b> Redtenbacher .....	33
<b>Massicus</b> Pascoe .....	16, 103
<b>Megacriodes</b> Pascoe .....	37
<b>Megobaralipton</b> Lepesme & Breuning.....	10
<b>Melegena</b> Pascoe .....	8
<b>Menesia (Menesia)</b> Mulsant.....	64
<b>Menesia</b> Mulsant.....	64
<b>Menesida</b> Gahan .....	64
<b>Merionoeda</b> Pascoe .....	20
<b>Mesophaea</b> Pascoe .....	19
<b>Mesosa (Anthriboscyla)</b> J. Thomson.....	39
<b>Mesosa (Saimia)</b> Pascoe.....	39
<b>Mesosa</b> Latreille.....	39
<b>Metacoptops</b> Breuning .....	39
<b>Metagnoma</b> Aurivillius .....	49
<b>Metalloleptura</b> Gressitt & Rondon .....	13, 68
<b>Metopides</b> Pascoe .....	33
<b>Microcacia</b> Breuning .....	39
<b>Micromulciber</b> Aurivillius.....	28
<b>Microplacia</b> Heller .....	43
<b>Micropraonetha</b> Breuning .....	49
<b>Microrhodopina</b> Breuning .....	54
<b>Mimabryna</b> Breuning .....	49
<b>Mimanancylus</b> Breuning .....	39
<b>Mimatossa</b> Breuning .....	49
<b>Mimepaphra</b> Breuning .....	54
<b>Mimistena</b> Pascoe .....	26, 103
<b>Mimocacia</b> Breuning .....	40
<b>Mimodystasia</b> Breuning .....	55
<b>Mimogyaritus</b> Fisher.....	55
<b>Mimohammus</b> Aurivillius.....	33
<b>Mimolaelida</b> Breuning .....	33
<b>Mimoropica</b> Breuning & de Jong.....	43
<b>Mimorsidis</b> Breuning .....	33
<b>Mimosybra</b> Breuning .....	43
<b>Mispila (Mispila)</b> Pascoe .....	49
<b>Mispila</b> Pascoe .....	49
<b>Mispilodes</b> Breuning .....	50
<b>Mnemea</b> Pascoe .....	40
<b>Moechotypa</b> J. Thomson .....	47
<b>Molorchus</b> Fabricius .....	20
<b>Momisis</b> Pascoe .....	59
<b>Monochamus</b> Dejean.....	33
<b>Moron</b> Pascoe .....	50

<b>Mutatocoptops (Mutatocoptops)</b> Pic .....	40
<b>Mutatocoptops</b> Pic .....	40
<b>Myagrus</b> Pascoe .....	33
<b>Mydasta</b> Pascoe .....	26
<b>Myromeus</b> Pascoe .....	57
<b>Nadezhdiella</b> Plavilstshikov .....	16
<b>Nanohammus</b> Bates .....	33
<b>Necydalis (Calonecydalis)</b> Takakuwa .....	12
<b>Necydalis</b> Linné .....	12
<b>Nedine</b> J. Thomson .....	55
<b>Nedytisis</b> Pascoe .....	64
<b>Neocerambyx (Neocerambyx)</b> J. Thomson .....	16
<b>Neocerambyx</b> J. Thomson .....	16
<b>Neoepaphra</b> Fisher .....	55
<b>Neoplocaederus</b> Sama .....	16
<b>Neosarmydus</b> Fisher .....	11
<b>Neosybra</b> Breuning .....	43
<b>Nephelotus</b> Pascoe .....	34
<b>Nepiodes</b> Pascoe .....	10
<b>Nericonia</b> Pascoe .....	8
<b>Nidella</b> Gressitt & Rondon .....	27
<b>Niphona (Niphona)</b> Mulsant .....	50
<b>Niphona</b> Mulsant .....	50
<b>Niphoropica</b> Breuning .....	43
<b>Noemias</b> Pascoe .....	8
<b>Nortia</b> J. Thomson .....	14
<b>Noserius</b> Pascoe .....	14
<b>Nupserha</b> J. Thomson .....	64
<b>Nyctimenius</b> Gressitt .....	47
<b>Oberea</b> Dejean .....	65
<b>Obereopsis</b> Chevrolat .....	66
<b>Obrium</b> Dejean .....	19
<b>Ocalemia</b> Pascoe .....	13
<b>Ochrocesis</b> Pascoe .....	59
<b>Olenecampus</b> Chevrolat .....	41
<b>Oligoenoplus</b> Chevrolat .....	25
<b>Omocyrius</b> Pascoe .....	34
<b>Oplatocera (Epiplatocera)</b> Gressitt .....	14
<b>Oplatocera</b> White .....	14
<b>Orsidis</b> Pascoe .....	34
<b>Ossonis</b> Pascoe .....	66
<b>Ostedes (Ostedes)</b> Pascoe .....	57
<b>Ostedes</b> Pascoe .....	57
<b>Pachyteria</b> Audinet-Serville .....	21
<b>Palimna</b> Pascoe .....	41
<b>Pantilema</b> Aurivillius .....	29
<b>Paracleonice</b> Breuning .....	22
<b>Paracyriothasastes</b> Breuning .....	34
<b>Paradesisa</b> Breuning .....	50
<b>Paradystus</b> Aurivillius .....	66
<b>Paraegocidnus</b> Breuning .....	57
<b>Paraleprodera</b> Breuning .....	34
<b>Paramesosella</b> Breuning .....	50
<b>Paramimistena</b> Fisher .....	27
<b>Paramulciber</b> Breuning .....	28
<b>Paranamera</b> Breuning .....	34
<b>Paranandra</b> Breuning .....	46
<b>Parandra</b> Latreille .....	9, 104
<b>Parandrocephalus</b> Heller .....	21
<b>Parapriona</b> Breuning .....	37
<b>Paraschoenionta</b> Breuning .....	66
<b>Paraserixia</b> Breuning .....	66
<b>Parasophronica</b> Breuning .....	55
<b>Parastathes (Antennastathes)</b> Breuning .....	59
<b>Parastathes (Parastathes)</b> Breuning .....	59
<b>Parastathes</b> Breuning .....	59
<b>Parathyastus</b> Aurivillius .....	34
<b>Parathyilia</b> Breuning .....	43
<b>Parazosmotes</b> Breuning .....	50
<b>Parectatosia</b> Breuning .....	55
<b>Parepepeotes</b> Breuning .....	34
<b>Parepicedia</b> Breuning .....	34
<b>Parepilysta (Spinepilysta)</b> Breuning .....	43
<b>Parepilysta</b> Breuning .....	43
<b>Paretaxalus</b> Breuning .....	50
<b>Parhoplothrix</b> Breuning .....	34
<b>Pariproca</b> Breuning .....	43
<b>Paroplites</b> Lameere .....	9
<b>Pectinocallimus</b> Niisato .....	20
<b>Pelargoderus</b> Audinet-Serville .....	34
<b>Peribasis</b> J. Thomson .....	34
<b>Pericycos</b> Breuning .....	34
<b>Perissus</b> Chevrolat .....	24
<b>Pharsalia (Eopharsalia)</b> Breuning .....	35
<b>Pharsalia (Pharsalia)</b> J. Thomson .....	35
<b>Pharsalia</b> J. Thomson .....	34
<b>Phelipara (Balteophelipara)</b> Breuning .....	46
<b>Phelipara (Phelipara)</b> Pascoe .....	46
<b>Phelipara</b> Pascoe .....	46
<b>Phesates</b> Pascoe .....	50
<b>Philus</b> Saunders .....	8
<b>Phlyarus (Bulbophlyarus)</b> Breuning .....	55, 103
<b>Phlyarus (Phlyarus)</b> Pascoe .....	55, 103
<b>Phlyarus (Tuberophlyarus)</b> Breuning .....	55, 103
<b>Phlyarus</b> Pascoe .....	55, 103
<b>Pingblax</b> Komiya & Drumont .....	9
<b>Planodes</b> Newman .....	40
<b>Plutonesthes</b> J. Thomson .....	27
<b>Pneumida</b> J. Thomson .....	16
<b>Polyphida</b> Pascoe .....	23
<b>Poromecyna</b> Aurivillius .....	43
<b>Pothyne</b> J. Thomson .....	46
<b>Priotyrannus (Kinibalua)</b> J. Thomson .....	11
<b>Priotyrannus</b> J. Thomson .....	11
<b>Procleomenes</b> Gressitt & Rondon .....	27
<b>Prosoplus (Prosoplus)</b> Blanchard .....	50
<b>Prosoplus</b> Blanchard .....	50, 103

<b>Prothema</b> Pascoe.....	19
<b>Psebena</b> Gahan .....	12, 103
<b>Psectrocera</b> Pascoe.....	41
<b>Psephactus</b> Harold.....	11
<b>Psephania</b> Morati & Huet .....	21
<b>Pseudalosterna</b> Plavilstshikov.....	13
<b>Pseudelasma</b> Breuning .....	51
<b>Pseudepilysta</b> Hüdepohl .....	43
<b>Pseudeuclea</b> Schwarzer .....	51
<b>Pseudochlorisanis</b> Breuning .....	66
<b>Pseudochoeromorpha</b> Breuning .....	40
<b>Pseudodihammus</b> Breuning.....	35
<b>Pseudoglenea</b> Gilmour & Breuning .....	66
<b>Pseudoleiopus</b> Breuning .....	57
<b>Pseudolophia</b> Breuning .....	51
<b>Pseudomyagrus</b> Breuning .....	35
<b>Pseudonemophas</b> Breuning.....	35
<b>Pseudoparanaspia</b> Hayashi .....	13
<b>Pseudopharsalia</b> Breuning .....	55
<b>Pseudotheslus</b> Breuning.....	35
<b>Pseudozelota (Parazelota)</b> Breuning .....	40
<b>Pseudozelota (Pseudozelota)</b> Breuning .....	40
<b>Pseudozelota</b> Breuning.....	40
<b>Psilomerus</b> Chevrolat .....	24
<b>Pterolophia (Ale)</b> Pascoe.....	52
<b>Pterolophia (Armatopraonetha)</b> Breuning .....	52
<b>Pterolophia (Hylobrotus)</b> Lacordaire.....	52
<b>Pterolophia (Pterolophia)</b> Newman .....	51
<b>Pterolophia (Trichopraonetha)</b> Breuning.....	53
<b>Pterolophia</b> Newman .....	51
<b>Pyrestes</b> Pascoe.....	26
<b>Remphan</b> G. Waterhouse .....	9
<b>Rhaphipodus</b> Audinet-Serville .....	9
<b>Rhaphuma</b> Pascoe.....	24
<b>Rhineimegopis</b> Komiya & Drumont .....	10
<b>Rhodopina</b> Gressitt .....	55
<b>Rhytidodera</b> White.....	16
<b>Rondibilis (Rondibilis)</b> J. Thomson .....	57
<b>Rondibilis</b> J. Thomson .....	57
<b>Ropica</b> Pascoe .....	43
<b>Rosalia (Eurybatus)</b> J. Thomson .....	22
<b>Rosalia</b> Audinet-Serville .....	22
<b>Rucentra</b> Schwarzer .....	44
<b>Rufohammus</b> Breuning .....	35
<b>Salpinia</b> Pascoe.....	18
<b>Saperdoglenea</b> Breuning.....	66
<b>Sarmydus</b> Pascoe .....	11
<b>Sarothrocera</b> White.....	35
<b>Scalenus</b> Gistl .....	21
<b>Schmidtiana</b> Podány .....	22
<b>Schoenionta</b> J. Thomson.....	66
<b>Sciades (Miaenia)</b> Pascoe .....	57
<b>Sciades</b> Pascoe .....	57
<b>Sclerurus</b> Newman .....	24
<b>Scytasis</b> Pascoe .....	66
<b>Sebasmia</b> Pascoe.....	16
<b>Senorius</b> Hüdepohl .....	14
<b>Serixia (Serixia)</b> Pascoe .....	66
<b>Serixia (Xyaste)</b> Pascoe .....	67
<b>Serixia</b> Pascoe .....	66
<b>Seriophytoecia</b> Breuning .....	67
<b>Sesiosa</b> Pascoe .....	53
<b>Sestyla</b> Pascoe .....	27, 103
<b>Similosodus (Similosodus)</b> McKeown .....	53
<b>Similosodus (Transverseosodus)</b> Breuning.....	53
<b>Similosodus</b> McKeown .....	53
<b>Sophronica</b> Blanchard .....	55
<b>Sorbia</b> Pascoe .....	40
<b>Spinegesina</b> Breuning .....	53
<b>Spinexocentrus</b> Breuning .....	57
<b>Spinopterolophia</b> Breuning .....	57
<b>Spinosodus</b> Breuning & de Jong .....	53
<b>Spinosophroniella</b> Breuning .....	55
<b>Stegenagapanthia</b> Pic .....	35
<b>Stegenus</b> Pascoe .....	35
<b>Stenomalus</b> White .....	19
<b>Stenocephala (Stenocephala)</b> Gressitt .....	13
<b>Stenocephala</b> Gressitt .....	13
<b>Sternohammus</b> Breuning .....	35
<b>Sternorsidis</b> Breuning .....	35
<b>Stesilea</b> Pascoe .....	53
<b>Sthenias (Sthenias)</b> Laporte .....	53
<b>Sthenias</b> Laporte .....	53
<b>Strangalia</b> Audinet-Serville .....	13
<b>Striatacanthocinus</b> Breuning .....	58
<b>Striatanaesthetis</b> Breuning .....	55
<b>Stromatiodes</b> J. Thomson .....	17
<b>Stromatium</b> Audinet-Serville .....	17
<b>Superagnia</b> Breuning .....	35
<b>Sybra (Sybra)</b> Pascoe .....	44
<b>Sybra</b> Pascoe .....	44, 103
<b>Sybropis</b> Pascoe .....	53
<b>Synelasma</b> Pascoe .....	54
<b>Synixais</b> Aurivillius .....	54
<b>Syrhopoeus</b> Pascoe .....	40
<b>Tagalog</b> Hüdepohl .....	9
<b>Tethionea</b> Pascoe .....	18
<b>Tetraglenes</b> Newman .....	46
<b>Tetraommatus</b> Perroud .....	14
<b>Theronotus</b> Gahan .....	35
<b>Thestus</b> Pascoe .....	36
<b>Thita</b> Aurivillius .....	54
<b>Thompsoniana</b> Podány .....	22
<b>Thranius</b> Pascoe .....	22
<b>Thylactomimus</b> Breuning .....	36
<b>Thylactus</b> Pascoe .....	28

Checklist and Bibliography of Longhorned Beetles from Borneo

<b>Trachelophora</b> Perroud.....	28
<b>Trachylophus</b> Gahan .....	16
<b>Trachystola</b> Pascoe .....	36
<b>Triammatus</b> Chevrolat .....	36
<b>Tricheczemotes</b> Breuning .....	54
<b>Trichomesosa</b> Breuning .....	40
<b>Trichopothyne</b> Breuning.....	46
<b>Trinophylum</b> Bates .....	18
<b>Trirachys</b> Hope .....	16
<b>Tropimetopa</b> J. Thomson .....	59
<b>Trypogeus</b> Lacordaire .....	12
<b>Tympanopalpus</b> Redtenbacher .....	36
<b>Typodryas</b> J. Thomson.....	8
<b>Utopia</b> J. Thomson.....	17
<b>Xaenapta</b> Pascoe .....	58
<b>Xenolea</b> J. Thomson.....	46
<b>Xixuthrus (Xixuthrus)</b> J. Thomson .....	9
<b>Xixuthrus</b> J. Thomson .....	9
<b>Xoanodera (Xoanodera)</b> Pascoe .....	17
<b>Xoanodera (Lajoyeia)</b> Pic .....	17
<b>Xoanodera</b> Pascoe .....	17
<b>Xoanotrephus</b> Hüdepohl.....	17
<b>Xoes</b> Pascoe .....	36
<b>Xylorhiza</b> Laporte .....	28
<b>Xylosybra</b> Breuning .....	45
<b>Xylotrechus</b> Chevrolat.....	24
<b>Xystrocera</b> Audinet-Serville .....	14
<b>Zatrephus</b> Pascoe.....	17
<b>Zeargyrodes</b> Fisher .....	45
<b>Zegriades</b> Pascoe .....	17
<b>Zelota</b> Gahan .....	40
<b>Ziglipton</b> Komiya .....	10
<b>Zonopterus (Zonopterus)</b> Hope .....	22
<b>Zonopterus</b> Hope .....	22
<b>Zoodes</b> Pascoe .....	17
<b>Zorilispe</b> Pascoe .....	45
<b>Zosmotes</b> Pascoe .....	54
<b>Zosne</b> Pascoe .....	67, 104