

3-1-2006

## Preliminary checklist of Bolivian Cerambycidae (Coleoptera)

James E. Wappes  
*American Coleoptera Museum*

Roy F. Morris II  
*Lakeland, FL*

Eugenio H. Nearn  
*University of Florida, Gainesville, FL*

Michael C. Thomas  
*Florida State Collection of Arthropods, Florida Department of Agriculture and Consumer Services, Gainesville, FL*

Follow this and additional works at: <http://digitalcommons.unl.edu/insectamundi>

 Part of the [Entomology Commons](#)

---

Wappes, James E.; Morris, Roy F. II; Nearn, Eugenio H.; and Thomas, Michael C., "Preliminary checklist of Bolivian Cerambycidae (Coleoptera)" (2006). *Insecta Mundi*. Paper 113.  
<http://digitalcommons.unl.edu/insectamundi/113>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in *Insecta Mundi* by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

## Preliminary checklist of Bolivian Cerambycidae (Coleoptera)

James E. Wappes  
American Coleoptera Museum  
8734 Paisano Pass  
San Antonio, TX 78255  
(wappes@earthlink.net)

Roy F. Morris II  
2635 Ewell Road  
Lakeland, FL 33811  
(catchbugs@aol.com)

Eugenio H. Nearn  
Department of Entomology and Nematology  
University of Florida  
Gainesville, FL 32611  
(gnearns@ufl.edu)

Michael C. Thomas  
Florida State Collection of Arthropods  
Florida Department of Agriculture and Consumer Services  
P. O. Box 147100  
Gainesville, FL 32614-7100  
(thomasm@doacs.state.fl.us)

**Abstract.** A list of the Cerambycidae of Bolivia is presented. It totals 1,259 species including 496 new country records. When available the known geographical distribution by department is shown for each species.

**Keywords.** Coleoptera, Cerambycidae, checklist, Bolivia, faunal survey, new country records.

**Resumen.** Se presenta una lista de los Cerambycidae de Bolivia. En total son 1.259 especies incluyendo 496 que son nuevas para el país. En los casos que ha sido posible, la distribución departamental se presenta para cada especie.

**Palabras clave.** Coleoptera, Cerambycidae, inventario, Bolivia, estudio faunístico, nuevos registros para el país.

### Introduction

This checklist records many of the species collected by the authors and others who are participating in the "Bolivian Cerambycid Project" a cooperative program among the Museo de Historia Natural "Noel Kempff Mercado" (MNKM), Santa Cruz de la Sierra, Bolivia, Florida State Collection of Arthropods (FSCA), Gainesville, FL and the American Coleoptera Museum (ACMT), San Antonio, TX. This long-term program was initiated in 2000 with the primary objective to conduct a survey of the Bolivian cerambycid fauna. All holotypes described from collected specimens, and a significant portion of all other collected specimens, are being deposited in the MNKM. The FSCA is

serving as the primary depository in the U.S. with a synoptic working collection maintained in the ACMT.

Bolivia is politically divided into nine departments as shown in Fig. 1. Species records for departments are shown as specimen data allows. No effort has been made to research existing literature records prior to 2000 to obtain additional department data. Abbreviations used in the checklist are: BO = Bolivia (country record only); PN = Pando; BN = Beni; SC = Santa Cruz; CO = Cochabamba; LP = La Paz; OR = Oruro; PT = Potosi; CQ = Chuquisaca; TR = Tarija.

Bolivia is a landlocked country in central South America of 1,098,579 sq km, or about three times the area of Montana. It exhibits tremendous geographical, floral, and faunal diversity. To the north is the

southern extension of the Amazon Basin, with extensive lowland rain forests and savanahs (*llanos*); to the southeast are dry scrub and thorn forests (*chaco*). Cloud forests (*yungas*) cloak the shoulders of the Andes, which dominate the southeastern third of the country. Above the *yungas* are wet grasslands called the *puna*. Between the two ridges of the Andes lies the *altiplano*, a high, dry plateau.

Where these different habitats meet and intergrade can be areas of dramatic faunal and floral diversity, such as in the eastern part of the Department of Santa Cruz. For example, Amboró Protected Area, in which 830 species of birds have been recorded, contains 11 Holdridge Life Zones, the same as the entire country of Costa Rica (Clark Gemuseus and Sagot 1996). Similar numbers of cerambycid species have been collected nearby in the vicinity of Buena Vista.

The checklist includes higher taxonomic classifications and generally follows the arrangement of Monné and Giesbert (1995). Within tribes, genera are listed alphabetically as are the species within the genera.

### Discussion

The checklist includes 1,259 cerambycid species with 496 (40 per cent) newly recorded for Bolivia. Among the nine cerambycid subfamilies in the western hemisphere all but Asemiinae and Spondylinae are recorded from Bolivia. Additionally, 30 of the 123 western hemisphere tribes (24 per cent) are found there with seven newly recorded. Among the 501 genera in the checklist, 137 (28 per cent) represent new country records. Some 928 of the species (74 per cent) are recorded from Santa Cruz Department. To a great extent this reflects collecting bias by the authors and others. Although not included in the checklist, more than 300 additional, but as yet undetermined, species have been collected by project participants. About one-third of these are acanthocinines with the remainder scattered across 40 additional tribes. The scarcity of collections from departments other than Santa Cruz and the amount of undetermined material on hand explains the "preliminary" nature of this checklist. New country records for tribes, genera and species are in **bold** face type.

### Acknowledgments


The authors wish to acknowledge and thank the numerous individuals and institutions who have contributed to this checklist. We are especially grate-

ful to our Bolivian cooperators Julieta Ledezma Arias, Chief, Department of Entomology, and José Luis Aramayo, Research Associate, Museo de Historia Natural "Noel Kempff Mercado," Santa Cruz de la Sierra, Bolivia for authorizing and supporting our activities in Bolivia. For access to institutional collections in their care we are indebted to: Jaime Sarmiento, Colección Boliviana de Fauna del Museo de Historia Natural, La Paz, Bolivia; Julieta Ledezma Arias, Museo de Historia Natural "Noel Kempff Mercado", Santa Cruz de la Sierra, Bolivia; John Rawlins, Robert Davis, and Bob Androw, Carnegie Museum, Pittsburg, PA.; Steven Lingafelter, US Natural History Museum, Washington, DC; Paul Skelley, Florida State Collection of Arthropods, Gainesville, FL; Ubirajara Martins, Museu de Zoologia, Universidade de São Paulo, São Paulo, Brazil and Miguel Monné, Museu Nacional, Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. We also greatly appreciate the following participants in the Bolivian Cerambycid Project and for their sharing collected specimens and data: Robin Clark, Andrew Cline, Byrd Dozier, Charyn Micheli, and Norm Woodley. For the loan of specimens or supplying data from their collections we thank Fray Andres Langer, Joe Eger, Martin Hauser, and Stewart Peck.

This checklist would not have been possible without the hundreds of species identifications provided by Ubirajara Martins and Miguel Monné. Additionally, Maria Helena Galileo, José Giorgi, Steven Lingafelter, Paulo Magno, José Mermudes, Marcela Monné, Dilma Solange Napp, Antonio Santos-Silva, Gérard Tavakilian, and Frank Hovore contributed to this process. Our heartfelt thanks to all of them for their timely and willing assistance in this regard.

Special thanks and recognition to Miguel Monné and Frank Hovore for their continuing work to provide timely updates to the original "Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere" by Monné and Giesbert (1993). Their regular and comprehensive updates have proved to be an invaluable resource in preparing this checklist. We extend a special thanks to Ubirajara Martins in recognition of his many contributions to the project. We especially appreciate his helpfulness in responding to a constant flow of queries and his willingness to interrupt his own projects, time after time, to help with ours. Frank Hovore and Antonio Santos-Silva carefully reviewed the manuscript and greatly contributed to its final quality.

Finally, our acknowledgments would not be complete without a bow to the late Ed Giesbert. It was his enthusiastic accounts that first sparked our interest in the Buena Vista area.



**Figure 1.** Outline map of Bolivia showing departments and the abbreviations used in the checklist. BO = Bolivia (country record only); PN = Pando; BN = Beni; SC = Santa Cruz; CO = Cochabamba; LP = La Paz; OR = Oruro; PT = Potosí; CQ = Chuquisaca; TR = Tarija.

## Checklist of Bolivian Cerambycidae

### Subfamily Parandrinae

#### Tribe Parandrini

<i>Hesperandra (Hesperandra)</i> <i>conspicua</i> (Tippmann)	BO
<i>Hesperandra (Tavandra)</i> <i>longicollis</i> (Thomson)	SC
<i>polita</i> (Say)	BO
<i>Hesperandra (Zikandra)</i> <i>glabra</i> (Degeer)	SC
<i>thomasi</i> Santos-Silva	SC
<b><i>Parandra (Biranda)</i></b> <i>silvaini</i> Tavakilian	CO, SC

### Subfamily Anoplodermatinae

#### Tribe Anoplodermatini

<i>Anoploderma</i> <i>bicolor</i> Guérin-Ménéville	BO
<i>breueri</i> Lameere	SC

#### Tribe Mysteriini

<i>Pathocerus</i> <i>wagneri</i> Waterhouse	SC
--	----

### Subfamily Prioninae

#### Tribe Macrotomini

<i>Mallodon</i> <b><i>dasystomus baiulus</i></b> (Erichson)	LP, SC
<i>spinibarbis</i> (Linnaeus)	PN, SC
<i>Nothopleurus</i> <i>santacruzensis</i> Hovore and Santos-Silva	SC
<i>Physopleurus</i> <i>amazonicus</i> (Fragoso and Monné)	SC
<i>exiguus</i> Santos-Silva and Martins	SC
<b><i>longiscapus</i></b> Lameere	CO
<i>Strongylaspis</i> <i>bolivianus</i> Monné and Santos-Silva	LP
<i>christianae</i> Monné and Santos-Silva	SC

#### Tribe Callipogonini

<i>Callipogon (Enoplocerus)</i> <i>armillatum</i> (Linnaeus)	SC
<i>Callipogon (Orthomegas)</i> <i>cinnamomeum</i> (Linnaeus)	BN, SC

<i>Ctenoscelis</i> <i>coeus</i> (Perty)	BO
<i>Spiloprionus</i> <i>sericeomaculatus</i> Aurivillius	BO
Tribe Macrodontini	
<i>Macrodontia</i> <i>cervicornis</i> (Linnaeus)	BN, SC
<i>crenata</i> (Olivier)	CO, SC
<i>dejeani</i> Gory	BO
<i>zischkai</i> Tippmann	BO
Tribe Calocomini	
<i>Calocomus</i> <i>desmarestii</i> (Guérin-Méneville)	SC
<i>morosus</i> White	SC
<i>rodingeri</i> Tippmann	BO
Tribe Mallaspini	
<i>Charmallaspis</i> <i>pulcherrimus</i> (Perty)	SC
<i>Hileolaspis</i> <i>auratus</i> (Linnaeus)	CO, LP, SC
<b><i>Mallaspis</i></b> <b><i>scutellaris</i></b> (Olivier)	SC
<i>Poecilopyrodes</i> <i>pictus</i> (Perty)	BO
Tribe Prionini	
<i>Psalidognathus</i> <i>friendii friendii</i> Gray	BO
Tribe Meroscelisini	
<i>Andinotrichoderes</i> <i>pellitus</i> Tippmann	BO
<i>Sarifer</i> <i>flavirameus</i> Kirsch	CO
Tribe Anacolini	
<i>Myzomorphus</i> <i>amabilis</i> (Tippmann)	BO
Subfamily Cerambycinae	
Tribe Erlandiini	
<i>Erlandia</i> <i>inopinata</i> Aurivillius	SC

## Tribe Smodicini

<i>Smodicum</i>		
<i>angusticolle</i> Aurivillius		SC
<b><i>longicorne</i></b> Martins		SC
<b><i>semipubescens</i></b> Gounelle		SC

## Tribe Oemini

<b><i>Atenizus</i></b>		
<b><i>plaumanni</i></b> Tippmann		SC
<b><i>Austroeme</i></b>		
<b><i>gentilis</i></b> (Gounelle)		SC
<i>Macroeme</i>		
<i>priapica</i> (Thomson)		SC
<i>Malacopterus</i>		
<i>tenellus</i> (Fabricius)		LP, SC
<b><i>Martinsia</i></b>		
<b><i>scabrosa</i></b> Chemsak and Linsley		SC
<i>Neoeme</i>		
<b><i>annulicornis</i></b> (Buquet)		SC
<i>bouvieri</i> Gounelle		SC
<i>hudepohli</i> (Martins and Monné)		SC
<i>Paramartinsia</i>		
<i>quadrimaculata</i> Martins and Galileo		SC
<i>Sepaicutea</i>		
<i>costata</i> Martins and Galileo		SC
<i>Sphagoeme</i>		
<b><i>nigrotibialis</i></b> Martins		SC
<i>sahlbergi</i> Aurivillius		SC
<i>Temnopsis</i>		
<i>castanea</i> Martins		SC
<i>latifascia</i> Martins and Monné		SC
<i>oculata</i> Zajciw		SC

## Tribe Sydacini

<b><i>Sydax</i></b>		
<b><i>stramineus</i></b> Lacordaire		SC

## Tribe Achrysonini

<i>Achryson</i>		
<b><i>immaculipenne</i></b> Gounelle		BN, SC
<i>lineolatum</i> Erichson		CO
<i>lutarium</i> Burmeister		CO
<b><i>maculatum</i></b> Burmeister		SC
<b><i>maculipenne</i></b> (Lacordaire)		SC
<b><i>pictum</i></b> Bates		SC
<i>surinamum</i> (Linnaeus)		BN, PN, SC, TR
<i>unicolor</i> Bruch		SC
<i>undulatum</i> Burmeister		SC
<i>uniforme</i> Martins and Monné		SC

## Tribe Pleiarthrocerini

*Pleiarthrocerus*  
*opacus* Bruch SC

## Tribe Ectenessini

*Bomarion*  
*achrostum* Napp and Martins SC  
*aureolatum* Martins SC  
*carenum* Martins SC

*Ectenessa*  
*ornatipennis* Tippmann BO  
*quadriguttata* (Burmeister) SC  
*spinipennis* (Buquet) BN, SC  
*villardii* Belon SC

*Ectenessidia*  
*nigriventris* (Belon) SC  
*varians* (Gounelle) SC

*Eurymerus*  
*eburoides* Audinet-Serville SC

*Meryeurus*  
*servillei* Martins SC

*Tricheurymerus*  
*quadristigma* (Gounelle) SC

Tribe Cerambycini  
Subtribe Cerambycina

*Hirtobrasilianus*  
*matogrossensis* (Fragoso) CO

*Juiaparus*  
*batus batus* (Linnaeus) CO, SC  
*lasiocerus* (Gahan) CO  
*mexicanus* (Thomson) LP

*Jupoata*  
*rufipennis* (Gory) CO, LP, SC

*Plocaederus*  
*bipartitus* (Buquet) SC  
*confusus* Martins and Monné SC  
*fasciatus* (Martins and Monné) SC  
*glabricollis* (Bates) SC  
*plicatus* (Olivier) SC  
*rusticus* (Gounelle) SC

## Subtribe Sphallotrichina

*Amphelictus*  
*castaneus* Chemsak and Linsley BO  
*hispidus* Martins and Monné LP  
*scabrosus* Eya and Chemsak CO  
*secus* Martins and Monné CO, LP, SC



<i>Cevaeria</i>		
<i>estebani</i> Tavakilian		SC
<i>Coleoxestia</i>		
<i>atrata</i> (Gounelle)		SC
<i>corvina</i> Germar		SC
<i>ebenina</i> Melzer		SC
<i>errata</i> Martins and Monné		SC
<i>femorata</i> (Gounelle)		SC
<i>glabripennis</i> Bates		SC
<i>nigripes</i> Martins and Monné		SC
<i>olivieri</i> Fragoso		SC
<i>rufosemivittata</i> Tippmann		SC
<i>vittata</i> (Thomson)		SC
<i>waterhousei</i> (Gounelle)		SC
<i>Criodion</i>		
<i>cinereum</i> (Oliver)		SC
<i>torticolle</i> Bates		SC
<i>Metacriodion</i>		
<i>pictum</i> (Waterhouse)		BO
<i>Poeciloxestia</i>		
<i>hirsutiventris</i> Fragoso		SC
<i>lanei</i> Fragoso		SC
<i>lateralis</i> (Erichson)		SC
<i>melzeri</i> Lane		BO
<i>sagittaria</i> (Bates)		SC
<i>suturalis</i> (Perty)		SC
<i>Sphallotrichus</i>		
<i>bidens</i> (Fabricius)		SC
<i>sericeotomentosus</i> Fragoso		SC
<i>Xestiodion</i>		
<i>annulipes</i> (Buquet)		SC
	Tribe Diorini	
<i>Diorus</i>		
<i>biapiculatus</i> White		SC
	Tribe Eburini	
<i>Beraba</i>		
<i>cheilaria</i> (Martins)		CO, SC
<i>limpida</i> Martins		SC
<i>Cupanoscelis</i>		
<i>clavipes</i> Gounelle		SC
<i>heteroclita</i> Gounelle		SC
<i>Eburella</i>		
<i>longicollis</i> Martins and Galileo		SC
<i>pinima</i> Martins		SC
<i>pumicosa</i> Monné and Martins		SC
<i>Eburia</i>		
<i>pilosa</i> (Erichson)		BO
<i>Eburodacrys</i>		
<i>apua</i> Martins and Galileo		SC

<i>assimilis</i> Gounelle	SC
<i>campestris</i> Gounelle	BN, SC
<i>crassimana</i> Gounelle	SC
<i>curialis</i> Gounelle	SC
<i>dubitata</i> White	SC
<i>elegantula</i> Gounelle	SC
<i>flexuosa</i> Gounelle	SC
<i>fortunata</i> Lameere	BO
<i>gaucha</i> Galileo and Martins	SC
<i>granipennis</i> Gounelle	BN, SC
<i>havanensis</i> Chevrolat	BN, SC
<i>lanei</i> Zajciw	SC
<i>lepida</i> Martins	SC
<i>lugubris</i> Gounelle	SC
<i>nemorivaga</i> Gounelle	SC
<i>notula</i> Gounelle	BO
<i>pumila</i> Monné and Martins	SC
<i>quadridens</i> (Fabricius)	BN, SC
<i>raripila</i> Bates	SC
<i>rufispinis</i> Bates	BO
<i>sanguinipes</i> Gounelle	BN, SC
<i>seabrai</i> Zajciw	SC
<i>sexguttata</i> Lameere	BO
<i>stahli</i> Aurivillius	SC
<i>sulfurifera</i> Gounelle	BO
<i>sulphureosignata</i> (Erichson)	BN, SC
<i>superba</i> Napp and Martins	BN, LP, SC
<i>truncata</i> Fuchs	SC
<i>vittata</i> (Blanchard)	SC
<i>xirica</i> Martins and Galileo	SC
<i>Erosida</i>	
<i>formosa</i> (Blanchard)	LP, SC
<i>Pantomallus</i>	
<i>proletarius</i> (Erichson)	SC
<i>reclusus</i> (Martins)	LP, SC
<i>rugosus</i> Martins and Galileo	SC
<i>titinga</i> Galileo and Martins	SC
<i>tristis</i> Blanchard	SC
<i>Pronuba</i>	
<i>dorilis</i> (Bates)	CO
<i>lenkoi</i> Monné and Martins	SC
<i>Solangella</i>	
<i>lachrymosa</i> (Martins and Monné)	SC
<i>Styliceps</i>	
<i>striatus</i> (Voet)	CO, SC
<i>Susuacanga</i>	
<i>octoguttata</i> (Germar)	BN, PN, SC
<i>unicolor</i> (Bates)	BO
<i>Uncieburia</i>	
<i>nigricans</i> (Gounelle)	SC
<i>rogersi</i> (Bates)	SC
Tribe Hesperophanini	
<i>Alastos</i>	
<i>pascoei</i> Martins and Galileo	LP

<i>Anoplomerus</i>		
<i>rotundicollis</i> Guérin-Ménéville		SC
<i>Eusapia</i>		
<i>amazonica</i> (White)		LP, SC
<i>Zathecus</i>		
<i>graphites</i> Bates		SC
Tribe Elaphidionini		
<i>Aethebidion</i>		
<i>hirtellum</i> (Gounelle)		SC
<i>Ambonus</i>		
<i>distinctus</i> (Newman)		BN, LP, SC
<i>electus</i> (Gahan)		SC
<i>interrogationis</i> (Blanchard)		BN, SC
<i>lippus</i> (Germar)		SC
<i>Amethysphaerion</i>		
<i>nigripes</i> Martins and Monné		SC
<i>Amorupi</i>		
<i>huedepohli</i> (Martins)		SC
<i>Anelaphus</i>		
<i>souzai</i> (Zajciw)		SC
<i>Aphosphaerion</i>		
<i>punctulatum</i> Martins and Napp		SC
<i>unicolor</i> (White)		SC
<i>Appula</i>		
<i>aliena</i> Martins		SC
<i>argenteoapicalis</i> Fuchs		BN, CO, LP, SC
<i>diamantinensis</i> Franceschini		SC
<i>melancholica</i> Gounelle		CO, SC
<i>nigripes</i> Bates		LP, SC
<i>Atharsus</i>		
<i>nigricauda</i> Bates		SC
<i>Centrocerum</i>		
<i>elegans</i> Chevrolat		SC
<i>Curtomerus</i>		
<i>purus</i> Martins		SC
<i>Etymosphaerion</i>		
<i>unicolor</i> Martins and Monné		SC
<i>Eurysthea</i>		
<i>hirca</i> (Berg)		SC
<i>magnifica</i> Martins		BO
<i>martinsi</i> (Fonseca-Gessner)		CO
<i>nicolai</i> (Aurivillius)		BN, SC
<i>sordida</i> (Erichson)		SC
<i>subandina</i> (Fonseca-Gessner)		BO
<i>Ironeus</i>		
<i>pulcher</i> Bates		SC

<i>Iuaca</i>		
	<i>nigromaculata</i> Galileo and Martins	SC
<i>Lanephus</i>		
	<i>njumanii</i> (Haldeman)	SC
<i>Mallocera</i>		
	<i>amazonica</i> Bates	PN, SC
	<i>ramosa</i> Gounelle	SC
	<i>umbrosa</i> Gounelle	SC
<i>Mephritus</i>		
	<i>blandus</i> (Newman)	LP, SC
	<i>quadrinaculatus</i> Martins and Napp	CO
<i>Micropsyrassa</i>		
	<i>meridionalis</i> Martins	SC
<i>Minipsyrassa</i>		
	<i>bicolor</i> Martins	LP, SC
<i>Nephalius</i>		
	<i>spiniger</i> (Blanchard)	SC, TR
<i>Nyssicostylus</i>		
	<i>paraba</i> Martins	SC
<i>Nyssicus</i>		
	<i>contaminatus</i> Martins	CO
	<i>rosalesi</i> Joly and Martinez	BO
<i>Pantonyssus</i>		
	<i>bitinctus</i> Gounelle	SC
	<i>nigriceps</i> Bates	SC
<i>Paranyssicus</i>		
	<i>conspicillatus</i> (Erichson)	BO
<i>Periboeum</i>		
	<i>aduncum</i> Napp and Martins	SC
	<i>bolivianum</i> Martins and Monné	SC
	<i>obscuricorne</i> Martins and Monné	LP, SC
	<i>ocellatum</i> Gounelle	SC
	<i>piliferum</i> (Erichson)	SC
	<i>pubescens</i> (Olivier)	BO
	<i>terminatum</i> (Perroud)	LP
	<i>umbrosum</i> Gounelle	SC
<i>Piezophidion</i>		
	<i>intricatum</i> Galileo and Martins	SC
	<i>punctatum</i> Martins	SC
<i>Protomallocera</i>		
	<i>hilairei</i> (Gounelle)	SC
<i>Protosphaerion</i>		
	<i>pictum</i> Martins	SC
	<i>punctatum</i> Martins	SC
	<i>signatipenne</i> Gounelle	SC
	<i>variabile</i> Gounelle	SC
<i>Rhomboidederes</i>		
	<i>minutus</i> Napp and Martins	SC

<i>Sphaerion</i>		
<i>cyanipenne</i> Audinet-Serville		SC
<i>inerme</i> White		BN, SC
<i>lentiginosum</i> Berg		SC
<i>sladeni</i> Gahan		SC
<i>Stizocera</i>		
<i>boyi</i> Melzer		BO
<i>consobrina</i> Gounelle		SC
<i>delicata</i> Lingafelter		SC
<i>fragilis</i> (Bates)		SC
<i>ichilo</i> Lingafelter		SC
<i>lissonota</i> (Bates)		BN, SC
<i>meinerti</i> (Aurivillius)		SC
<i>plicicollis</i> (Germar)		SC
<i>plumbea</i> Gounelle		SC
<i>poeyi</i> (Guerin-Menville)		SC
<i>sublaevigata</i> Zajciw		SC
<i>tristis</i> (Guérin-Méneville)		SC
<i>Terpnissa</i>		
<i>listropterina</i> Bates		BN, LP, SC
<b>Tribe Phoracanthini</b>		
<i>Phoracantha</i>		
<i>semipunctata</i> (Fabricius)		SC
Tribe Oxycoleini		
<i>Oxycoleus</i>		
<i>cyaneus</i> Martins and Galileo		CO
Tribe Piezocerini		
<i>Gorybia</i>		
<i>adiaphora</i> Martins		SC
<i>instita</i> Martins		SC
<i>invicta</i> Martins		SC
<i>picturata</i> Martins		SC
<i>suturella</i> Martins		SC
<i>tibialis</i> Martins		BO
<i>veneficella</i> Martins		SC
<i>Haruspex</i>		
<i>bivittis</i> (White)		SC
<i>lineolatus</i> Bates		SC
<i>mentitus</i> Martins		LP, SC
<i>Hemilissa</i>		
<i>cornuta</i> Bates		SC
<i>emblema</i> Martins		SC
<i>gummosa</i> (Perty)		SC
<i>quadrispinosa</i> Gounelle		BN, SC
<i>sulcicollis</i> Bates		BN, SC
<i>Pharcidodes</i>		
<i>suturalis</i> (Gounelle)		SC
<i>Piezarina</i>		
<i>smaragdina</i> Martins		SC

<i>Piezasteria</i>		
<i>sternalis</i> Martins		SC
<i>Piezocera</i>		
<i>ataxia</i> Martins		SC
<i>flavipennis</i> (Zajciw)		SC
<i>Thyellocerus</i>		
<i>fulgidipennis</i> (Gounelle)		SC
Tribe Ibidionini		
Division I		
<i>Ctenoplون</i>		
<i>x-littera</i> (Thomson)		SC
<i>Epacroplon</i>		
<i>armatipes</i> (Martins)		SC
<i>Glyptoscapus</i>		
<i>vanettii</i> Martins		SC
<i>Gnomidolon</i>		
<i>bipartitum</i> Gounelle		SC
<i>bonsae</i> Martins		SC
<i>conjugatum</i> (White)		SC
<i>cruciferum</i> (Gounelle)		SC
<i>fuchsi</i> Martins		SC
<i>grantsaui</i> Martins		SC
<i>melanosomum</i> Bates		SC
<i>musivum</i> (Erichson)		SC
<i>nanum</i> Martins		SC
<i>pallidicauda</i> Gounelle		BN, SC
<i>picipes</i> Bates		BO
<i>pictum</i> (Audinet-Serville)		SC
<i>proseni</i> Martins		SC
<i>proximum</i> Martins		SC
<i>rubricolor</i> Bates		SC
<i>subfasciatum</i> Martins		SC
<i>varians</i> varians Gounelle		BO
<i>Hexoplون</i>		
<i>carissimum</i> (White)		SC
<i>integrum</i> Tippmann		SC
<i>juno</i> Thomson		SC
<i>speciosum speciosum</i> Fisher		BO
<i>uncinatum</i> Gounelle		SC
<i>Isostenygra</i>		
<i>monnei</i> Martins and Galileo		SC
<i>Notosphaeridion</i>		
<i>scabrosum</i> (Gounelle)		SC
<i>Ophtalmoplون</i>		
<i>inerme</i> Martins		SC
<i>Pronoplون</i>		
<i>rubriceps</i> (Gounelle)		SC
<i>Stenygra</i>		
<i>cosmocera</i> White		PN, SC

<i>setigera</i> (Germar)	SC
<b>Tapuruia</b>	
<i>felisbertoi</i> Lane	SC
<b>Tetraibidion</b>	
<i>aurivillii</i> (Gounelle)	SC
<b>Tetroplon</b>	
<i>caudatum caudatum</i> Aurivillius	SC
<i>caudatum nigricornis</i> Bruch	BO
Division II (Moved to the Elaphidionini by Martins 2005)	
Division III	
<b>Gnomibidion</b>	
<i>digrammum</i> (Bates)	SC
<i>fulvipes</i> (Thomson)	SC
<i>translucidum</i> (Martins)	SC
<b>Megapedion</b>	
<i>lefebvrei</i> (Gounelle)	SC
<b>Minibidion</b>	
<i>argentum</i> Martins and Napp	SC
<i>minimum</i> Martins and Napp	SC
<b>Neotropidion</b>	
<i>nodicolle nodicolle</i> (Dalman)	BN, SC
<b>Perissomerus</b>	
<i>hilairei hilairei</i> Gounelle	SC
<b>Phocibidion</b>	
<i>erythrocephalum</i> (White)	BO
<i>pulcherrimum</i> (Martins)	BN
<b>Psiloibidion</b>	
<i>leucogramma</i> (Perty)	BN, SC
<b>Thoracibidion</b>	
<i>fasciiferum</i> (Berg)	SC
<i>flavopictum</i> (Perty)	SC
<i>insigne</i> Martins	LP
<i>striatocolle</i> (White)	SC
<b>Tropidion</b>	
<i>castaneum</i> Martins	BO
<i>contortum</i> Martins	SC
<i>elegans</i> (Gounelle)	SC
<i>epaphum</i> (Berg)	SC
<i>erythrurum</i> (Martins)	SC
<i>fairmairei</i> (Gounelle)	SC
<i>festivum</i> (Martins)	SC
<i>flavipes</i> (Thomson)	BO
<i>flavum</i> (Martins)	SC
<i>fuscipenne</i> (Gounelle)	SC
<i>lepidum</i> Martins	SC
<i>personatum</i> (Gounelle)	SC
<i>pictipenne</i> (Martins)	BO
<i>praecipuum</i> Martins	BO
<i>pusillum</i> (Martins)	SC

<i>rubricatum</i> (Gounelle)	BO
<i>signatum punctatum</i> Martins	BO
<i>sipolisi</i> (Gounelle)	SC
<i>subcruciatum</i> (White)	SC
<i>supernotatum</i> (Gounelle)	BO
<i>validum</i> (Martins)	SC
<i>zonapterum</i> (Martins)	SC
Division IV	
<i>Compsibidion</i>	
<i>callispilum</i> (Bates)	BO
<i>campestre</i> (Gounelle)	SC
<i>circumflexum</i> Martins	SC
<i>fairmairei</i> (Thomson)	SC
<i>graphicum</i> (Thomson)	BN, SC
<i>ilium</i> (Thomson)	SC
<i>maronicum</i> (Thomson)	SC
<i>reichardti</i> (Martins)	SC
<i>sommeri</i> (Thomson)	BO
<i>thoracicum</i> (White)	BN, SC
<i>truncatum</i> (Thomson)	SC
<i>vanum</i> (Thomson)	SC
<i>Cydnidolon</i>	
<i>binodosum</i> Bates	SC
<i>gounellei</i> Bruch	SC
<i>immaculatum</i> Galileo and Martins	LP
<i>obliquum</i> Martins	SC
<i>sericeum</i> Martins	SC
<i>Ophtalmibidion</i>	
<i>tetrops</i> (Bates)	SC
<i>Palpibidion</i>	
<i>minimum</i> Martins and Galileo	SC
<i>Prothoracibidion</i>	
<i>xanthopterum</i> Martins	SC
<i>Rhysium</i>	
<i>bimaculatum</i> Pascoe	SC
<i>Tetraopidion</i>	
<i>geminatum</i> Martins	SC
Division V	
<i>Compsa</i>	
<i>amoena</i> Fisher	SC
<i>latifascia</i> Martins	BO
<i>multiguttata</i> Melzer	SC
<i>nebulosa</i> Martins	SC
<i>quadriguttata</i> (White)	BN, CO, LP, SC
<i>Corimbion</i>	
<i>nigroapicatum</i> Martins	SC
<i>Engyum</i>	
<i>quadrinotatum</i> Thomson	SC
<i>virgulatum</i> (Bates)	SC



<b><i>Hadroibidion</i></b>		
<i>nanum</i> (Gounelle)		SC
<i>Heterachthes</i>		
<i>congener</i> Martins		BO
<b><i>plagiatus</i></b> (Burmeister)		SC
<i>sejunctus</i> Gounelle		SC
<i>similis</i> Martins		BO
<i>tenellus</i> (Burmeister)		SC
<i>unituberosus</i> Martins and Galileo		BO
<i>xyleus</i> Martins		BO
<i>Heterocompsa</i>		
<i>eburata</i> Martins		SC
<i>Microibidion</i>		
<i>mimicum</i> Martins		SC
<i>Neocompsa</i>		
<i>albopilosa</i> (Martins)		SC
<i>lenticula</i> Martins		SC
<i>lineolata</i> (Bates)		SC
<b><i>mimosa</i></b> Martins		SC
<i>vogti</i> Martins		SC
<b><i>Opsibidion</i></b>		
<b><i>albinum</i></b> (Bates)		SC
<i>Pygmodeon</i>		
<i>involutum</i> (Bates)		SC
<i>m-littera</i> (Martins)		SC
<i>Stenoidion</i>		
<i>apicatum</i> (Martins)		SC
<i>corallinum</i> (Bates)		SC
	Tribe Neocorini	
<b><i>Aleiphaquilon</i></b>		
<b><i>rugosum</i></b> Martins and Galileo		SC
<b><i>tricolor</i></b> Martins		SC
<i>Neocorus</i>		
<i>diversipennis</i> Belon		BO
<b><i>ibidionoides</i></b> (Audinet-Serville)		SC
	Tribe Graciliini	
<i>Parommidion</i>		
<i>extricatum</i> Martins		SC
	Tribe <b>Obriini</b>	
<b><i>Obrium</i></b>		
<b><i>cicatricosum</i></b> Gounelle		SC
<b><i>trifasciatum</i></b> Bosq		SC
<b><i>vicinum</i></b> Gounelle		SC
	Tribe <b>Necydalopsini</b>	
<b><i>Ozodes</i></b>		
<b><i>infuscatus</i></b> Bates		SC
<b><i>malthinoides</i></b> Bates		SC

<b><i>Sthelenus</i></b>		
<i>ichneumoneus</i> Buquet		BO
	Tribe Rhinotragini	
<i>Acorethra</i>		
<i>zischkai</i> Tippmann		BO
<i>Acyphoderes</i>		
<i>abdominalis</i> (Olivier)		SC
<i>aurulenta</i> (Kirby)		BO
<i>carinicornis</i> Bates		SC
<i>crinita</i> (Klug)		BO
<i>rubrohirsutotibialis</i> Tippmann		BO
<b><i>Aechmutes</i></b>		
<i>lycoides</i> Bates		SC
<i>Epimelitta</i>		
<i>barbicrus</i> (Kirby)		SC
<i>manni</i> (Fisher)		BN
<b><i>Erythroplatys</i></b>		
<i>corallifer</i> White		SC
<i>simulator</i> Gounelle		SC
<i>Isthmiade</i>		
<i>ichneumoniformis</i> Bates		BO
<i>laevicornis</i> Tippmann		SC
<i>Monneus</i>		
<i>longiventris</i> Magno		BO
<i>Odontocera</i>		
<i>auropilosa</i> Tippmann		SC
<i>baeri</i> (Gounelle)		BO
<i>chrysostetha</i> Bates		CO
<i>compressipes</i> White		SC
<i>fasciata</i> (Olivier)		CO, SC
<i>globovittata</i> Zajciw		BO
<i>hilaris</i> Bates		BO
<i>mellea</i> White		BO
<i>Ommata</i> ( <i>Ommata</i> )		
<i>elegans</i> White		SC
<b><i>Ommata</i> (<i>Agaone</i>)</b>		
<i>peruviana</i> Fisher		SC
<i>viridis</i> Gounelle		SC
<b><i>Ommata</i> (<i>Chrysaethe</i>)</b>		
<i>aurata</i> Bates		SC
<i>ochraceicornis</i> Zajciw		BO
<b><i>Ommata</i> (<i>Eclipta</i>)</b>		
<i>discolor</i> Gounelle		BO
<i>kawensis</i> Peñaherrera-Leiva and Tavakilian		SC
<i>Ommata</i> ( <i>Rhopalessa</i> )		
<i>rubroscutellaris</i> Tippmann		BO
<b><i>Ornistorus</i></b>		
<i>bicinctus</i> Thomson		SC

<i>Phygopoda</i>		
<i>albitarsis</i> (Klug)		BO
<i>Pseudagaone</i>		
<i>suturafissa</i> Tippmann		BO
<i>Rhinotragus</i>		
<i>apicalis</i> Guérin-Méneville		BO
<i>bizonatus</i> Gounelle		BO
<i>dorsiger</i> Germar		BO
<i>lucasia</i> Thomson		BO
<i>Sphecomorpha</i>		
<i>murina</i> (Klug)		SC
<i>rufa</i> Gounelle		BO
<i>Tomopterus</i>		
<i>basimaculatus</i> Zajciw		BO
<i>consobrinus</i> Gounelle		BO
<i>similis</i> Fisher		BO
<i>staphylinus</i> Audinet-Serville		SC
Tribe Callichromatini		
<i>Callichroma</i>		
<i>nigricans</i> Aurivillius		BO
<i>sericeum</i> (Fabricius)		LP, SC
<i>Cnemidochroma</i>		
<i>buckleyi</i> (Bates)		SC
<i>Mionochroma</i>		
<i>rufitarsis</i> (Schwarzer)		BO
<i>subaurosus</i> (Zajciw)		LP, SC
Tribe Compsocerini		
<i>Aglaoschema</i>		
<i>haemorrhoidale</i> (Germar)		SC
<i>Chlorethe</i>		
<i>ingae</i> Bates		LP, SC
<i>Compsocerus</i>		
<i>proximus</i> Napp		BO
<i>Dilocerus</i>		
<i>marinonii</i> Napp		SC
<i>Ethemon</i>		
<i>basale</i> (Burmeister)		SC
<i>imbasale</i> Tippmann		LP, SC
<i>Orthostoma</i>		
<i>abdominale</i> (Gyllenhal)		SC
<i>Rierguscha</i>		
<i>bicolor</i> Viana		SC
Tribe Clytini		
<i>Mecometopus</i>		
<i>bolivianus</i> Belon		SC
<i>femoralis</i> Fuchs		SC

<i>granulipennis</i> Zajciw	CO, LP
<i>nubicollis</i> Zajciw	CO
<i>purus</i> Bates	LP
<i>tumulifer</i> Aurivillius	BO
<i>wallacei</i> (White)	SC
<i>Megacyllene</i> ( <i>Megacyllene</i> )	
<i>acuta</i> (Germar)	SC
<i>amazonica</i> (Bates)	BO
<i>angulata</i> (Fabricius)	BN, SC
<i>magna</i> Di Iorio	BO
<i>mellyi</i> (Chevrolat)	CO, SC
<i>multiguttata</i> (Burmeister)	BO
<i>neblinosa</i> Di Iorio	SC
<i>proxima</i> (Laporte and Gory)	SC
<i>spinifera</i> (Newman)	BO
<i>Megacyllene</i> ( <i>Sierracyllene</i> )	
<i>abnormis</i> (Aurivillius)	BO
<i>horioni</i> Tippmann	BO
<i>quinquefasciata</i> (Melzer)	LP
<i>Neoclytus</i>	
<i>armaticollis</i> Zajciw	SC
<i>pusillus</i> (Laporte and Gory)	LP, SC
<i>sobrinus</i> (Laporte and Gory)	SC
<i>stillatus</i> Aurivillius	SC
Tribe Tillomorhini	
<i>Euderces</i>	
<i>dilutus</i> Martins	SC
Tribe Rhopalophorini	
<i>Argyrodines</i>	
<i>aurivillii</i> (Gounelle)	SC
<i>Closteropus</i>	
<i>herteli</i> Tippmann	SC
<i>Coremia</i>	
<i>plumipes</i> (Pallas)	BO
<i>Cosmisoma</i>	
<i>ammiralis</i> (Linnaeus)	BO
<i>ochraceum</i> (Perty)	BO
<i>Dihammaphora</i>	
<i>auricollis</i> Martins	BO
<i>gracicollis</i> Chevrolat	BO
<i>peruviana</i> Martins	SC
<i>Dirocoremia</i>	
<i>simplicipes</i> (Gounelle)	BO
<i>Haenkea</i>	
<i>zischkai</i> Tippmann	SC
<i>Ischionodonta</i>	
<i>serratula</i> Napp and Marques	SC
<i>versicolor</i> Chevrolat	SC

<b><i>Listroptera</i></b>		
	<b><i>carbonaria</i></b> Chevrolat	SC
	<b><i>tenebricosa</i></b> (Olivier)	SC
<b><i>Rhopalophora</i></b>		
	<b><i>collaris</i></b> (Germar)	SC
Tribe Heteropsini		
<b><i>Callideriphus</i></b>		
	<b><i>grossipes grossipes</i></b> Blanchard	SC
<b><i>Chrysoprasis</i></b>		
	<b><i>airi</i></b> Napp and Martins	CQ
	<b><i>aurigena</i></b> (Germar)	SC
	<b><i>basalis</i></b> Chevrolat	SC
	<b><i>concolor</i></b> Redtenbacher	SC
	<b><i>festiva</i></b> Audinet-Serville	SC
	<b><i>hypocrita</i></b> Erichson	CO, LP, SC
	<b><i>sapphirina</i></b> Gounelle	CQ
	<b><i>sobrina</i></b> Bates	CO
	<b><i>tobiuna</i></b> Napp and Martins	SC
	<b><i>tybyra</i></b> Napp and Martins	SC
	<b><i>valida</i></b> Bates	CQ
<b><i>Erythropterus</i></b>		
	<b><i>urucuri</i></b> Martins and Galileo	SC
<b><i>Eupempelus</i></b>		
	<b><i>illuminus</i></b> Mermudes and Napp	LP, SC
<b><i>Mallosoma</i></b>		
	<b><i>zonatum</i></b> (Sahlberg)	SC
<b><i>Tobipuranga</i></b>		
	<b><i>ruficoxis</i></b> (Bates)	LP, SC
Tribe Pteroplatini		
<b><i>Cosmoplatidius</i></b>		
	<b><i>annulipes</i></b> (Blanchard)	SC
	<b><i>mandibularis</i></b> (Gounelle)	BO
<b><i>Cosmoplatus</i></b>		
	<b><i>peruvianus</i></b> Aurivillius	SC
<b><i>Deltosoma</i></b>		
	<b><i>xerophila</i></b> Di Iorio	SC
<b><i>Pteroplatus</i></b>		
	<b><i>anchora</i></b> Belon	SC
	<b><i>simulans</i></b> Bates	SC
Tribe Lissonotini		
<b><i>Lissonotus</i></b>		
	<b><i>fallax</i></b> Bates	SC
	<b><i>flabellicornis</i></b> (Germar)	SC
	<b><i>flavocinctus flavocinctus</i></b> Dupont	BO
	<b><i>princeps</i></b> Bates	BO
	<b><i>unifasciatus</i></b> Gory	LP, SC

## Tribe Torneutini

<b><i>Diploschema</i></b>		
<i>klagesi</i> Lane		SC
<i>mandibulare</i> Fuchs		SC
<b><i>Dragomiris</i></b>		
<i>quadricornutus</i> Gounelle		SC
<i>Dragoneutes</i>		
<i>baculus</i> (Gounelle)		BO
<b><i>Gigantotrichoderes</i></b>		
<i>conicicollis</i> Tippmann		SC
<i>Praxithea</i>		
<i>deroureri</i> (Chabrillac)		SC
<i>fabricii</i> (Audinet-Serville)		SC
<i>travassosi</i> Lane		BO
<b><i>Psygmatoceus</i></b>		
<i>wagleri</i> Perty		BO
<b><i>Torneutes</i></b>		
<i>pallidipennis</i> Reich		SC
<i>Xenambyx</i>		
<i>lansbergei</i> (Thomson)		SC

## Tribe Bothriospilini

<i>Chlorida</i>		
<i>festiva</i> (Linnaeus)	BN, CO, LP, PN, SC	
<i>spinosa</i> Aurivillius		SC
<i>Coccoderus</i>		
<i>biguttatus</i> Martins		BO
<b><i>Scapanopygus</i></b>		
<i>cinereus</i> Gounelle		SC

Tribe Trachyderini  
Subtribe Ancylocerina

<b><i>Callancylla</i></b>		
<i>croceicollis</i> (White)		SC
<b><i>Ceralocyna</i></b>		
<i>margareteae</i> Martins and Galileo		SC
<i>Exallancylla</i>		
<i>tuberculicollis</i> Aurivillius		SC

## Subtribe Trachyderina

<i>Ancylosternus</i>		
<i>morio albicornis</i> Erichson		SC
<i>Andraegoidus</i>		
<i>rufipes rufipes</i> (Fabricius)	LP, SC	
<i>rufipes fabricii</i> (Dupont)		SC
<i>rufipes richteri</i> (Bruch)		SC
<i>variegatus</i> (Perty)		SC

<b>Batus</b>		
	<i>barbicornis</i> (Linnaeus)	PN, SC
<b>Ceragenia</b>		
	<i>bicornis</i> (Fabricius)	SC
<i>Chevrolatella</i>		
	<i>tripunctata</i> (Chevrolat)	BO
<i>Chydarteres</i>		
	<i>dimidiatus dimidiatus</i> (Fabricius)	SC
	<i>striatus schaeferi</i> (Bosq)	BO
<b>Dicranoderes</b>		
	<i>annulatus</i> DuPont	SC
<b>Dorcadocerus</b>		
	<i>barbatus</i> (Olivier)	SC
<b>Drychateres</b>		
	<i>bilineatus</i> (Olivier)	SC
<i>Eriocharis</i>		
	<i>lanaris</i> (Blanchard)	BO
<i>Eriphus</i>		
	<i>clarkei</i> Tippmann	BO
	<i>dimidiatus</i> White	SC
	<i>haematoderus</i> Chevrolat	BO
	<i>longicollis</i> Zajciw	BO
<b>Martinsellus</b>		
	<i>signatus</i> (Gyllenhal in Schoenherr)	SC
<b>Megaderus</b>		
	<i>stigma</i> (Linnaeus)	BN, SC
<i>Monneellus</i>		
	<i>rhodopus</i> (Bates)	SC
<i>Neochrysoprasia</i>		
	<i>zajciwi</i> Franz	BO
<i>Nothoprodontia</i>		
	<i>boliviana</i> Monné and Monné	CO
<i>Oxymerus</i>		
	<i>aculeatus meridionalis</i> Hüdepohl	SC
	<i>basalis</i> (Dalman)	SC
	<i>chevrolatii</i> Dupont	SC
	<i>luteus occidentalis</i> Hüdepohl	BO
<i>Phaedinus</i>		
	<i>hirtipes</i> Tippmann	BO
	<i>pictus</i> White	BO
<b>Phoenidnus</b>		
	<i>lissonotoides</i> Pascoe	SC
<i>Poecilopeplus</i>		
	<i>intricatus</i> (Blanchard)	SC
<b>Polyschisis</b>		
	<i>rufitarsalis</i> Waterhouse	BO

<i>Retrachydes</i>	
<i>thoracicus thoracicus</i> (Olivier)	BO
<i>thoracicus densepilosus</i> Hüdepohl	SC
<i>thoracicus sulcatus</i> (Burmeister)	BO
<i>Stenaspis</i>	
<i>superba</i> Aurivillius	BO
<b><i>Sternacanthus</i></b>	
<b><i>picticornis</i></b> Pascoe	PN
<b><i>Streptolabis</i></b>	
<b><i>hispidus</i></b> Bates	SC
<b><i>Trachelissa</i></b>	
<b><i>maculicollis</i></b> (Audinet-Serville)	SC
<i>Trachydermorpha</i>	
<i>notabilis</i> Tippmann	BO
<i>Trachyderes</i> ( <i>Trachyderes</i> )	
<i>cingulatus</i> Klug	SC
<i>distinctus</i> Bosq	BO
<i>leptomerus boliviensis</i> Aurivillius	SC
<b><i>succinctus succinctus</i></b> (Linnaeus)	BN, LP, SC
	no tribal placement
<b><i>Dolichopterus</i></b>	
<b><i>bucki</i></b> Lane	SC
	Subfamily Lepturinae
	Tribe Holopterini
<i>Stenophantes</i>	
<i>longipes</i> Burmeister	BO
	Tribe Lepturini
<b><i>Lycochoriolaus</i></b>	
<b><i>angustisternis</i></b> (Gounelle)	CO
<i>Strangalia</i>	
<i>albicollis</i> (Pascoe)	SC
<b><i>bivittata</i></b> (Bates)	CO
<b><i>rubiginosa</i></b> (Gounelle)	CO
<b><i>rubricollis</i></b> (Bates)	CO
<b><i>suavis</i></b> (Melzer)	BO
	Subfamily Lamiinae
	Tribe Lamiini
<b><i>Plagiohammus</i></b>	
<b><i>confusor</i></b> Dillon and Dillon	SC
<i>Pseudotaeniotes</i>	
<i>mimus</i> (Dillon and Dillon)	BO



*Taeniotes*

<i>amazonum</i> Thomson	BN, SC
<i>boliviensis</i> Dillon and Dillon	BN, SC
<i>chapini</i> Dillon and Dillon	BO
<b><i>dentatus</i></b> Dillon and Dillon	SC
<i>farinosus</i> (Linnaeus)	LP, SC
<b><i>orbigny</i></b> Guérin-Méneville	BN, LP, PN, SC
<i>parafarinosus</i> Breuning	BN, LP, SC

Tribe **Tapeinini***Tapeina*

<b><i>melzeri</i></b> Zajciw	SC
<b><i>paulista</i></b> Marinoni	SC
<b><i>rubronigra</i></b> Marinoni	SC
<b><i>rudifrons</i></b> Marinoni	SC

## Tribe Apomecynini

*Adetus*

<i>abruptus</i> Belon	SC
<b><i>anal</i></b> (Haldeman)	SC
<i>atomarius atomarius</i> Belon	BO
<b><i>bacillarius</i></b> Bates	SC
<i>cacapira</i> Martins and Galileo	SC
<i>cecimirim</i> Martins and Galileo	SC
<b><i>cylindricus</i></b> (Bates)	SC
<b><i>fuscoapicalis</i></b> Breuning	SC
<i>inca</i> Martins and Galileo	SC
<i>latericius</i> Belon	BO
<b><i>marmoratus</i></b> Breuning	SC
<b><i>praeustus</i></b> (Thomson)	SC
<b><i>pulchellus</i></b> (Thomson)	BN, SC
<b><i>punctatus</i></b> (Thomson)	BN, LP, SC
<b><i>similis</i></b> Bruch	BO
<i>spinipennis</i> Breuning	SC

*Amphicnaeia*

<b><i>flavofemorata</i></b> Breuning	SC
<i>lineata</i> Bates	BO

*Bebelis*

<b><i>acuta acuta</i></b> Pascoe	SC
<i>aurulenta</i> (Belon)	BO
<i>cuprina</i> (Belon)	SC
<i>laetabilis</i> (Belon)	BO
<i>lignosa</i> Thomson	BO
<i>modesta</i> (Belon)	BO
<b><i>occulta</i></b> (Bates)	SC
<i>picta</i> Pascoe	SC

*Bisaltes*

<i>bimaculatus</i> Aurivillius	SC
<i>brevicornis</i> Breuning	BO
<i>buquetii</i> Thomson	BO
<i>flaviceps</i> Breuning	BO
<i>monticola</i> Tippmann	BO
<i>picticornis</i> Galileo and Martins	SC
<i>spegazzinii</i> Bruch	BO
<i>stramentosus</i> Breuning	BO
<i>subreticulatus</i> Aurivillius	SC

<i>Dolichosybra</i>		
<i>tubericollis</i> Breuning		SC
<i>Dorcasta</i>		
<i>dasycera</i> (Erichson)		SC
<i>implicata</i> Melzer		SC
<i>Euteleuta</i>		
<i>fimbriata</i> Bates		SC
<i>Ischioloncha</i>		
<i>lanei</i> (Prosen)		BO
<i>strandiella</i> Breuning		BO
<i>Orteguaza</i>		
<i>funeraria</i> Lane		BO
<i>Parmenonta</i>		
<i>maculata</i> Martins and Galileo		SC
<i>punctigera</i> (Germar)		SC
<i>Ptericoptus</i>		
<i>dorsalis</i> Audinet-Serville		SC
<i>reductus</i> Breuning		SC
<i>Rosalba</i>		
<i>consobrina</i> (Melzer)		SC
<i>dissimilis</i> (Belon)		BO
<i>fimbriata</i> (Belon)		BO
<i>inscripta</i> (Bates)		SC
<i>pulchella</i> (Belon)		BO
	Tribe Apapanthiini	
<i>Grammopsis</i>		
<i>clavigera</i> (Bates)		SC
<i>Helvina</i>		
<i>strandi</i> (Breuning)		CO, SC
<i>Hippopsis</i>		
<i>apicalis</i> (Bates)		BO
<i>fractilinea</i> Bates		SC
<i>lemniscata</i> (Fabricius)		BO
<i>nigroapicalis</i> Martins and Galileo		CO, SC
<i>ocularis</i> Galileo and Martins		SC
<i>pubiventris</i> Galileo and Martins		SC
<i>solangeae</i> Carvalho		SC
<i>tuberculata</i> Galileo and Martins		SC
<i>Neoamphion</i>		
<i>triangulifer</i> (Aurivillius)		BO
<i>Pachypeza</i>		
<i>joda</i> Dillon and Dillon		BN, SC
<i>Trichohippopsis</i>		
<i>magna</i> Martins and Carvalho		SC
<i>suturalis</i> Martins and Carvalho		SC

## Tribe Onciderini

<i>Cacostola</i>		
<i><b>sulcipennis</b></i> Melzer		SC
<i>volvula</i> (Fabricius)		BN, SC
<i>zanao</i> Dillon and Dillon		SC
<i>Charoides</i>		
<i>litura</i> Dillon and Dillon		BO
<i><b>lycimnia</b></i> Dillon and Dillon		SC
<i>pagana</i> (Pascoe)		SC
<i><b>pallida</b></i> Dillon and Dillon		BO
<i>pepoata</i> Martins and Galileo		BO
<i>pigra</i> Martins and Galileo		BN, SC
<i>pulla</i> Dillon and Dillon		BO
<i>Cherentes</i>		
<i><b>niveilateris</b></i> (Thomson)		SC
<i>Cicatrodera</i>		
<i><b>monima</b></i> Dillon and Dillon		SC
<i>Cipriscola</i>		
<i><b>fasciata</b></i> (Thomson)		SC
<i>Clavidesmus</i>		
<i><b>heterocerus</b></i> (Buquet)		SC
<i><b>metallicus</b></i> (Thomson)		SC
<i>Cylicasta</i>		
<i>parallela</i> (Melzer)		SC
<i>Eudesmus</i>		
<i><b>ferrugineus</b></i> (Thomson)		SC
<i>grisescens</i> Audinet-Serville		SC
<i>Euthima</i>		
<i>rodens</i> (Bates)		BN, LP, SC
<i>variegata</i> (Aurivillius)		LP
<i>Furona</i>		
<i><b>degenera</b></i> (Bates)		SC
<i>Hesychotypa</i>		
<i>aeropa</i> Dillon and Dillon		BO
<i><b>lirissa</b></i> Dillon and Dillon		SC
<i><b>maculosa</b></i> (Bates)		SC
<i>Hypselomus</i>		
<i>cristatus</i> Perty		BO
<i>Hypsioma</i>		
<i><b>gibbera</b></i> Audinet-Serville		SC
<i>steinbachi</i> Dillon and Dillon		SC
<i>Jamesia</i>		
<i><b>globifera</b></i> (Fabricius)		LP, SC
<i>Leus</i>		
<i>ramuli</i> (Bates)		SC
<i>Lochmaeocles</i>		
<i><b>callidryas</b></i> (Bates)		LP, SC

<i>consobrinus bolivianus</i> Dillon and Dillon	SC
<i>Lydipta</i>	
<i>conspersa</i> (Aurivillius)	SC
<i>senicula</i> (Bates)	SC
<i>Midamiella</i>	
<i>hecabe</i> (Dillon and Dillon)	BN, SC
<i>Neocherentes</i>	
<i>dilloniorum</i> Tippmann	BO
<i>Neolampedula</i>	
<i>obliquator</i> (Fabricius)	SC
<i>Oncideres</i>	
<i>aragua</i> Martins and Galileo	SC
<i>boliviana</i> Heyrovsky	SC
<i>colombiana</i> Dillon and Dillon	CO, SC
<i>diringsi</i> Martins and Galileo	SC
<i>fabricii</i> Thomson	SC
<i>fulva</i> Bates	SC
<i>gutturator</i> (Fabricius)	SC
<i>minuta</i> Thomson	SC
<i>multicincta</i> Dillon and Dillon	SC
<i>saga</i> (Dalman)	SC
<i>satyra</i> Bates	SC
<i>stillata</i> Aurivillius	BO
<i>ulcerosa</i> (Germar)	SC
<i>vitiliga</i> Martins	SC
<i>wappesi</i> Martins and Galileo	SC
<i>Peritrox</i>	
<i>denticollis</i> Bates	BN, SC
<i>nigromaculatus</i> Aurivillius	SC
<i>Plerodia</i>	
<i>singularis</i> Thomson	SC
<i>Proplerodia</i>	
<i>goyana</i> Martins and Galileo	SC
<i>Pseudobeta</i>	
<i>seabrai</i> Monné and Fragoso	SC
<i>Sternycha</i>	
<i>clivosa</i> Martins and Galileo	LP, SC
<i>diasi</i> Martins and Galileo	SC
<i>Trachysomus</i>	
<i>arriagadai</i> Galileo and Martins	BO
<i>cavigibba</i> Martins	SC
<i>Trestoncideres</i>	
<i>albiventris</i> Martins and Galileo	SC
<i>Trestonia</i>	
<i>frontalis</i> (Erichson)	CO, SC
<i>morrissi</i> Martins and Galileo	SC
<i>turbula</i> Monné and Fragoso	BN, SC
<i>Tybalmia</i>	
<i>orbis</i> Dillon and Dillon	BO

Tribe **Laticraniini**

**Laticranium**  
*mandibulare* Lane SC

Tribe **Pteropliini**

*Anobrium*  
*fasciatum* Galileo and Martins SC  
*oberthuri* Belon SC  
*rugosicollis* Galileo and Martins SC

**Ataxia**  
*linearis* (Bates) SC  
*lineata* (Fabricius) SC  
*luteifrons* (Bruch) SC  
*obtusa* (Bates) SC

*Catafimbria*  
*boliviana* (Belon) BO

*Cryptocranium*  
*cazieri* Lane SC  
*laterale* Audinet-Serville BO

**Epectasis**  
*juncea* (Newman) SC

*Esthlogena* (*Esthlogena*)  
*foveolata* Aurivillius SC

**Esthlogenopsis**  
*ochreoscutellaris* Breuning BN, SC

*Parepectasoides*  
*boliviana* (Breuning) SC

Tribe **Pogonocherini**

**Lypsimena**  
*nodipennis* (Burmeister) SC

Tribe **Composomatini**

*Aerenea*  
*bimaculata* (Brèthes) BO  
*brunnea* Thomson BN, CO, LP, SC  
*flavolineata* Melzer SC  
*quadriplagiata* (Boheman) SC  
*tuberculata* Monné SC

**Antennaerenea**  
*niveosignata* Breuning SC

*Composoma*  
*monnei* Martins and Galileo SC  
*nubilum* Gounelle SC

**Eusphaerium**  
*purpureum* Newman SC

## Tribe Phacellini

<i>Neobrachychilus</i>		
<i>consobrinus</i> (Lane)		SC
<i>Piola</i>		
<i>quiabentiae</i> Marinoni		SC
<i>rubra</i> Martins and Galileo		SC

## Tribe Desmiphorini

<i>Acaua</i>		
<i>exotica</i> Martins and Galileo		BN, SC
<i>Blabia</i>		
<i>galba</i> Martins and Galileo		SC
<i>similis</i> (Breuning)		SC
<i>Ceiupaba</i>		
<i>bella</i> Galileo and Martins		BO
<i>capixaba</i> Martins and Galileo		SC
<i>Cicatrixestola</i>		
<i>flavicans</i> Breuning		SC
<i>humeralis</i> Martins and Galileo		SC
<i>Cicuiara</i>		
<i>nitidula</i> (Bates)		SC
<i>striata</i> (Bates)		BO
<i>Curuapira</i>		
<i>apyama</i> Martins and Galileo		SC
<i>Desmiphora</i>		
<i>apicata</i> (Thomson)		SC
<i>barbata</i> Martins and Galileo		SC
<i>boliviana</i> Breuning		SC
<i>cirrosa</i> Erichson		SC
<i>compacta</i> Breuning		BN, SC
<i>compta</i> Martins and Galileo		SC
<i>decora</i> (Melzer)		SC
<i>fasciculata</i> (Olivier)		SC
<i>fasciola</i> Martins and Galileo		SC
<i>hirticollis</i> (Olivier)		SC
<i>intonsa</i> (Germar)		LP
<i>lateralis</i> Thomson		SC
<i>pallida</i> Bates		SC
<i>senicula</i> Bates		SC
<i>Dolichestola</i>		
<i>densepunctata</i> Breuning		SC
<i>nigricornis</i> Breuning		SC
<i>Estola</i>		
<i>albicans</i> Breuning		SC
<i>basiflava</i> Breuning		SC
<i>boliviana</i> Breuning		BO
<i>cinerea</i> Breuning		SC
<i>cuneata</i> Breuning		SC
<i>daidalea</i> Martins and Galileo		BO
<i>flavolineata</i> Breuning		BO
<i>fuscodorsalis</i> Breuning		SC
<i>fuscomarmorata</i> Breuning		SC

<i>fuscopunctata</i> Breuning	BO
<b><i>marmorata</i></b> Breuning	SC
<b><i>nodicollis</i></b> Breuning	BN, LP, SC
<i>subannulicornis</i> Breuning	SC
<i>Estolomimus</i>	
<i>abjunctus</i> Martins and Galileo	BO
<b><i>Euestola</i></b>	
<b><i>obliqua</i></b> Martins and Galileo	SC
<i>Eupogonius</i>	
<b><i>nigrinus</i></b> (Bates)	SC
<i>yeiuba</i> Martins and Galileo	SC
<b><i>Ischnolea</i></b>	
<b><i>bimaculata</i></b> Chevrolat	SC
<b><i>flavinota</i></b> Galileo and Martins	SC
<b><i>modesta</i></b> Galileo and Martins	SC
<b><i>pim</i></b> Galileo and Martins	SC
<b><i>singularis</i></b> Galileo and Martins	SC
<i>Ischnoleomimus</i>	
<b><i>excavatus</i></b> Breuning	SC
<i>foveatus</i> Galileo and Martins	BO
<i>Malthonea</i>	
<i>albomaculata</i> (Breuning)	BO
<i>ruficornis</i> Belon	BO
<b><i>Mimasyngenes</i></b>	
<b><i>lineatipennis</i></b> Breuning	SC
<b><i>ytu</i></b> Galileo and Martins	SC
<i>Panegyrtes</i>	
<i>apicale</i> Martins and Galileo	SC
<b><i>bifasciatus</i></b> Breuning	SC
<b><i>delicatus</i></b> Galileo and Martins	SC
<b><i>lactescens</i></b> Thomson	SC
<b><i>varicornis</i></b> Breuning	SC
<b><i>Paradesmiphora</i></b>	
<b><i>amazonica</i></b> Galileo and Martins	SC
<b><i>Parischnolea</i></b>	
<b><i>excavata</i></b> Breuning	SC
<b><i>jatai</i></b> Martins and Galileo	SC
<b><i>Pseudestola</i></b>	
<b><i>densepunctata</i></b> Breuning	SC
<i>Stereomerus</i>	
<i>lineatus</i> (Breuning)	SC
<i>Unelcus</i>	
<i>bolivianus</i> Breuning	BO
<i>lineatus</i> Bates	SC
Tribe Mauesini	
<i>Coroicoia</i>	
<i>ligata</i> (Schwarzer)	BO

<i>Taurolema</i>		
<i>flavocincta</i> Gounelle	Tribe Anisocerini	SC
<i>Anisocerus</i>		
<i>stellatus</i> Guérin-Méneville		BN, PN
<i>Caciomorpha</i>		
<i>genalis</i> Aurivillius		BO
<i>Chapareia</i>		
<i>pinima</i> Lane		BO
<i>Cyclopeplus</i>		
<i>lacordairei</i> Thomson		BO
<i>Gounellea</i>		
<i>bruchi</i> (Gounelle)		BO
<i>Hoplistocerus</i>		
<i>dichrous</i> Gounelle		BO
<i>dives</i> Bates		SC
<i>refulgens</i> Blanchard		BO
<i>Onychocerus</i>		
<i>aculeicornis</i> (Kirby)		BO
<i>albitarsis</i> Pascoe		SC
<i>crassus</i> (Voet)		BN, SC
	Tribe Polyrrhaphidini	
<i>Polyrrhaphis</i>		
<i>argentina</i> Lane		BO
<i>gracilis</i> Bates		SC
<i>paraensis</i> Bates		LP, SC
<i>pilosa</i> Lane		BO
<i>spinosa</i> (Drury)		SC
	Tribe Acrocini	
<i>Acrocinus</i>		
<i>longimanus</i> (Linnaeus)		LP, SC
	Tribe Xenofreini	
<i>Itajutinga</i>		
<i>difficilis</i> Martins		BO
<i>Xenofrea</i>		
<i>camixaima</i> Galileo and Martins		SC
<i>clarkei</i> Galileo and Martins		SC
<i>fasciolata</i> Galileo and Martins		SC
<i>nana</i> Galileo and Martins		SC
<i>obscura</i> Galileo and Martins		SC
<i>punctata</i> Galileo and Martins		SC
<i>puma</i> Néouze and Tavakilian		BO
<i>trigonalis</i> Bates		SC
	Tribe Acanthoderini	
<i>Acanthoderes</i> ( <i>Acanthoderes</i> )		
<i>rufofemorata</i> Aurivillius		BO
<i>thammi</i> Bates		BN, SC



<i>uyapensis</i> Martins and Galileo	BO
<i>zischkai</i> Tippmann	SC
<i>Acanthoderes</i> ( <i>Symperasmus</i> )	
<i>thoracica</i> White	BO
<b><i>Aegoschema</i></b>	
<i>moniliferum</i> (White)	PN, SC
<b><i>Alphus</i></b>	
<i>similis</i> Martins	SC
<i>tuberosus</i> (Germar)	SC
<i>Ateralphus</i>	
<i>senilis</i> (Bates)	SC
<i>subsellatus</i> (White)	SC
<i>variegatus</i> (Mendes)	SC
<i>Dryoctenes</i>	
<i>scrupulosus</i> (Germar)	BN, SC
<i>Dufauxia</i>	
<i>guaicurana</i> Lane	BN, SC
<i>Eupromerella</i>	
<i>clavator</i> (Fabricius)	LP, SC
<i>orbifera</i> (Aurivillius)	SC
<i>propinqua</i> (Melzer)	SC
<i>Exalphus</i>	
<i>biannulatus</i> Aurivillius	BN, SC
<i>foveatus</i> (Marinoni and Martins)	SC
<i>gounellei</i> (Lane)	BN, SC
<i>guaraniticus</i> (Lane)	SC
<i>malleri</i> (Lane)	SC
<b><i>Macronemus</i></b>	
<i>asperulus</i> White	SC
<i>Macropophora</i>	
<i>accentifer</i> (Olivier)	SC
<i>lacordairei</i> Lepesme	CO, SC
<i>trochlearis</i> (Linnaeus)	BN, PN, SC
<b><i>Melzerus</i></b>	
<i>difficilis</i> (Melzer)	BN, SC
<i>Myoxinus</i>	
<i>pictus</i> (Erichson)	BN, SC
<i>Myoxomorpha</i>	
<i>funesta</i> (Erichson)	PN, SC
<i>Nesozineus</i>	
<i>apharus</i> Galileo and Martins	SC
<i>bucki</i> (Breuning)	BN, SC
<i>juninensis</i> (Lane)	SC
<i>triviale</i> Galileo and Martins	SC
<b><i>Octotapnia</i></b>	
<i>ceiaca</i> Galileo and Martins	SC
<i>exotica</i> Galileo and Martins	SC

<i>Oreodera</i>	
<i>aerumnosa</i> Erichson	BN, LP, SC
<i>basipenicillata</i> Tippmann	SC
<i>bituberculata</i> Bates	BN, CO, SC
<i>boliviana</i> Tippmann	SC
<i>cretata</i> Bates	SC
<i>ferruginea</i> Fuchs	BO
<i>fluctuosa</i> Bates	PN, SC
<i>forsteri</i> Tippmann	BO
<i>glauca glauca</i> (Linnaeus)	LP, SC
<i>occulta</i> Monné and Fragoso	SC
<i>ohausi</i> Melzer	SC
<i>olivaceotincta</i> Tippmann	BO
<i>paulista</i> Tippmann	SC
<i>quinquetuberculata</i> (Drapiez)	SC
<i>semiporosa</i> Tippmann	SC
<i>Penaherreraus</i>	
<i>centrolineatus</i> (Bates)	SC
<i>pubicornis</i> (Audinet-Serville)	SC
<i>Psapharochrus</i>	
<i>alboguttatus</i> (Melzer)	SC
<i>albomaculatus</i> (Fuchs)	BO
<i>albonigrus</i> (Bates)	SC
<i>atrosignatus</i> (Melzer)	SC
<i>bialbomaculatus</i> (Zajciw)	SC
<i>bimaculatus</i> (Fuchs)	BO
<i>bivittus</i> (White)	LP, SC
<i>comptus</i> (Marinoni and Martins)	SC
<i>corticarius</i> (Tippmann)	BN, SC
<i>fuscicollis</i> (Bates)	SC
<i>flavitarsis</i> (Fuchs)	SC
<i>hassenteufeli</i> (Fuchs)	BO
<i>homonymus</i> (Blackwelder)	CO, SC
<i>jaspideus</i> (Germar)	SC
<i>laetificus</i> (Bates)	SC
<i>lanei</i> (Marinoni and Martins)	SC
<i>lateralis</i> (Bates)	SC
<i>latevittatus</i> (Aurivillius)	BO
<i>maculatissimus</i> (Bates)	SC
<i>magnus</i> (Marinoni and Martins)	SC
<i>meleagris</i> (Bates)	SC
<i>minutus</i> (Fuchs)	BO
<i>nigricans</i> (Lameere)	LP, SC
<i>nigroocellatus</i> (Tippmann)	BN, SC
<i>nigropunctatus</i> (Tippmann)	SC
<i>phasianus</i> (Bates)	SC
<i>plaumani</i> (Fuchs)	SC
<i>pseudopropinquus</i> (Fuchs)	SC
<i>satellinus</i> (Erichson)	SC
<i>Pseudaethomerus</i>	
<i>maximus</i> Tippmann	BO
<i>Scleronotus</i>	
<i>angulatus</i> Aurivillius	BO
<i>Steirastoma</i>	
<i>aethiops</i> Bates	BN, SC
<i>breve</i> (Sulzer)	BN, LP, PN, SC
<i>coenosa</i> Bates	BO
<i>genisspina</i> Schwarzer	SC

<i>stellio</i> Pascoe	SC
<i>zischkai</i> Prosen	BO
<i>Zikanita</i>	
<i>biocellata</i> (Tippmann)	SC
Tribe Acanthocinini	
<i>Alcidion</i>	
<i>humeralis</i> (Perty)	LP, SC
<i>sulphurifer</i> (White)	CO, SC
<i>Amniscites</i>	
<i>pictipes</i> (Bates)	SC
<i>Anisopodus</i>	
<i>affinis</i> Martins	BO
<i>batesi</i> Gilmour	SC
<i>conspersus</i> Aurivillius	SC
<i>elongatus</i> Bates	BO
<i>humeralis</i> Bates	SC
<i>ligneus</i> Bates	SC
<i>lignicola</i> Bates	SC
<i>macropus</i> Bates	SC
<i>melzeri</i> Gilmour	SC
<i>phalangodes</i> (Erichson)	BN, CO, SC
<i>prolixus</i> (Erichson)	SC
<i>punctipennis</i> Monné and Martins	SC
<i>strigosus</i> (Erichson)	SC
<i>Atrypanius</i>	
<i>ambiguus</i> Melzer	SC
<i>conspersus</i> (Germar)	BN, SC
<i>implexus</i> (Erichson)	SC
<i>remissus</i> (Erichson)	BN, LP, SC
<i>scitulus</i> (Germar)	SC
<i>Baryssinus</i>	
<i>huedepohli</i> Monné and Martins	SC
<i>modestus</i> Monné	SC
<i>silviae</i> Martins and Monné	SC
<i>Brevoxathres</i>	
<i>x-littera</i> (Melzer)	BO
<i>Carphina</i>	
<i>petulans</i> Kirsch	SC
<i>Carphontes</i>	
<i>posticalis</i> Bates	SC
<i>Cleodoxus</i>	
<i>carinatus</i> (White)	LP, SC
<i>Cobelura</i>	
<i>peruviana</i> (Aurivillius)	SC
<i>Cosmotoma</i>	
<i>adjuncta</i> (Thomson)	SC
<i>suturalis</i> Gilmour	BO
<i>Erphaea</i>	
<i>pumicosa</i> Erichson	BO

<i>Eucharitolus</i>		
<i>geometricus</i> (Tippmann)		SC
<i>Eutrypanus</i>		
<b><i>dorsalis</i></b> (Germar)		SC
<i>triangulifer</i> Erichson		BN, SC
<i>Granastyocheus</i>		
<i>elegantissimus</i> (Tippmann)		BO
<b><i>Hamatastus</i></b>		
<b><i>lemniscatus</i></b> Monné		BO
<i>Hylettus</i>		
<i>coenobita</i> (Erichson)		BN, SC
<i>eremita</i> (Erichson)		SC
<i>excelsus</i> (Bates)		SC
<i>seniculus</i> (Germar)		BN, CO, SC
<b><i>Lagocheirus</i></b>		
<b><i>plantaris plantaris</i></b> Erichson		SC
<b><i>Leiopus</i></b>		
<b><i>pleuriticus</i></b> White		SC
<i>Leptostylus</i>		
<i>armatus</i> Monné and Hoffmann		SC
<b><i>cretatellus</i></b> Bates		SC
<b><i>gnomus</i></b> Monné and Hoffmann		SC
<b><i>ovalis</i></b> Bates		SC
<b><i>paraleucus</i></b> Monné and Hoffmann		SC
<i>perniciosus</i> Monné and Hoffmann		SC
<i>saxuosus</i> Tippmann		BO
<b><i>Lepturdrys</i></b>		
<b><i>novemlineata</i></b> Gilmour		SC
<i>Lepturges</i> ( <i>Lepturges</i> )		
<b><i>callinus</i></b> Bates		SC
<b><i>canocinctus</i></b> Gilmour		SC
<i>complanatus</i> Bates		BO
<i>comptus</i> Melzer		BN, LP, SC
<i>curvilinea</i> Gilmour		SC
<b><i>elegantulus</i></b> Bates		SC
<i>eurynota</i> Tippmann		SC
<b><i>fasciculatoides</i></b> Gilmour		LP, SC
<b><i>fischeri</i></b> Melzer		BN, SC
<i>insignis</i> Melzer		BO
<i>limpidus</i> Bates		BN, SC
<i>linearis</i> Bates		SC
<i>malkini</i> Monné		SC
<i>unicolor</i> Gilmour		SC
<b><i>virgatus</i></b> Monné		SC
<b><i>zonula</i></b> Monné		SC
<i>Lepturges</i> ( <i>Chaeturges</i> )		
<i>epagogus</i> Monné		SC
<b><i>griseostriatus</i></b> (Bates)		SC
<b><i>villiersi</i></b> Gilmour		SC
<i>Lithargyrus</i>		
<i>melzeri</i> Martins and Monné		SC

<i>Lophopoeum</i>		
	<i>carinatum</i> Bates	SC
	<i>forsteri</i> Tippmann	BO
	<i>freudei</i> (Gilmour)	SC
<i>Nealcidion</i>		
	<i>armatum</i> Monné and Delfino	CO
	<i>badium</i> Monné and Delfino	CO
	<i>crisulatum</i> Monné and Delfino	CO
	<i>deletum</i> (Bates)	LP, SC
	<i>emeritum</i> (Erichson)	SC
	<i>hylaeanum</i> (Monné and Martins)	SC
	<i>laetulum</i> (Bates)	BO
	<i>quinquemaculatum</i> (Tippmann)	SC
	<i>sexguttatum</i> Monné and Delfino	BO
	<i>singulare</i> Monné	BO
<i>Neoetrypanus</i>		
	<i>generosus</i> (Monné and Martins)	BO
<i>Nyssocarinus</i>		
	<i>humeralis</i> Monné	SC
<i>Nyssodrycina</i>		
	<i>infima</i> (Bates)	BN, SC
	<i>lineatocollis</i> (Bates)	SC
	<i>scutellata</i> (Bates)	SC
	<i>spreta</i> (Bates)	BN, SC
<i>Nyssodrystemum</i>		
	<i>caudatum</i> (Bates)	BO
	<i>conspicillare</i> (Erichson)	BN, SC
	<i>cretatum</i> Monné	SC
	<i>dioptricum</i> (Bates)	SC
	<i>lemniscatum</i> Monné	BN
	<i>ocellatum</i> (Bates)	BN, CO
	<i>poriferum</i> (Bates)	SC
	<i>ptericoptum</i> (Bates)	SC
	<i>rubiginosum</i> Monné	BN, SC
	<i>serpentinum</i> (Erichson)	BN, SC
	<i>signiferum</i> (Bates)	BN, SC
	<i>striatellum</i> (Tippmann)	SC
	<i>taeniatum</i> Monné	BO
<i>Oedopeza</i>		
	<i>apicale</i> (Gilmour)	SC
	<i>costulata</i> (Gilmour)	SC
	<i>cryptica</i> Monné	SC
	<i>flavosparsa</i> Monné	BO
	<i>maculatissima</i> Monné and Martins	SC
	<i>ocellator</i> Fabricius	BN, SC
<i>Onalcidion</i>		
	<i>fibrosum</i> Monné and Martins	BO
<i>Oxathres</i>		
	<i>navicula</i> Bates	LP, SC
	<i>ornata</i> Monné	CO
<i>Ozineus</i>		
	<i>nyssodroides</i> Tippmann	SC
	<i>orbiculus</i> Monné and Martins	SC
	<i>strigosus</i> Bates	LP, SC

<b><i>Paratenthras</i></b>		
<i>martinsi</i> Monné		SC
<i>Paroecus</i>		
<i>rigidus</i> Bates		SC
<i>Pattalinus</i> ( <i>Pattalinus</i> )		
<i>griseolus</i> Monné		BN, SC
<i>lineatus</i> Monné and Martins		SC
<i>strigosus</i> Monné		SC
<b><i>Sciadosurus</i></b>		
<i>albobrunneus</i> Gilmour		BN, SC
<b><i>Sporetus</i></b>		
<i>seminalis</i> Bates		SC
<i>Stenopsilus</i>		
<i>bimaculatus</i> Gilmour		CO, SC
<i>Sympagus</i>		
<i>buckleyi</i> (Bates)		BO
<i>favorabilis</i> Tippmann		SC
<b><i>Tenthras</i></b>		
<i>obliteratus</i> Thomson		SC
<b><i>Tithonus</i></b>		
<i>acutispinis</i> (Bates)		SC
<i>Trichotithonus</i>		
<i>tenebrosus</i> Monné		BO
<i>Tropanisopodus</i>		
<i>andinus</i> Tippmann		BO
<b><i>Tropidozineus</i></b>		
<i>fulveolus</i> (Lameere)		SC
<i>vicinus</i> (Melzer)		SC
<i>Trypanidius</i>		
<i>andicola</i> Blanchard		SC
<i>apicalis</i> Aurivillius		SC
<i>notatus</i> (Fabricius)		BN, CO, SC
<b><i>Urgleptes</i></b>		
<i>dorcadiodes</i> (White)		SC
<i>trilineatus</i> Gilmour		SC
<b><i>Xylergates</i></b>		
<i>lacteus</i> Bates		SC
<i>picturatus</i> Lane		BN
Tribe Colobothieini		
<i>Carneades</i>		
<i>nigrosignata</i> Aurivillius		BO
<i>vittata</i> Gahan		LP, SC
<i>Carterica</i>		
<i>mima</i> Belon		SC
<i>mucronata</i> (Olivier)		SC
<i>soror</i> Belon		BO
<i>tricuspis</i> Belon		SC

<i>Colobothea</i>		
<i>appendiculata</i> Aurivillius		SC
<i>bicuspidata</i> (Latreille)		BN, LP, PN, SC
<b><i>bisignata</i></b> Bates		CO, SC
<i>brullei</i> Gahan		BN, SC
<i>declivis</i> Aurivillius		SC
<b><i>emarginata</i></b> (Olivier)		SC
<i>hirtipes</i> (Degeer)		BO
<i>lunulata</i> Lucas		SC
<b><i>macularis</i></b> (Olivier)		SC
<i>meleagrina</i> Erichson		SC
<b><i>naevigera</i></b> Bates		SC
<b><i>passerina</i></b> Erichson		SC
<b><i>pictilis</i></b> Bates		SC
<b><i>plagiata</i></b> Aurivillius		SC
<i>plebeja</i> Aurivillius		BN, LP, SC
<b><i>rubroornata</i></b> Zajciw		SC
<b><i>simillima</i></b> Aurivillius		SC
<b><i>sordida</i></b> Aurivillius		CO
<i>sublunulata</i> Zajciw		SC
<i>varia</i> (Fabricius)		BN, SC
<b><i>Priscilla</i></b>		
<b><i>hypsiomoides</i></b> Thomson		SC
<i>Sangaris</i>		
<i>cancellata</i> (Bates)		BO
<i>Sparna</i>		
<i>bosqi</i> Gilmour		BO
<i>lycoides</i> Thomson		BO
Tribe Aerenicini		
<i>Aerenica</i>		
<i>canescens</i> (Klug)		SC
<i>Aerenicopsis</i>		
<i>angaibara</i> Martins and Galileo		SC
<b><i>malleri</i></b> Lane		SC
<i>perforata</i> Lane		BO
<i>rufoantennata</i> (Breuning)		SC
<b><i>singularis</i></b> Martins and Galileo		SC
<i>Aerenomera</i>		
<i>boliviensis</i> Gilmour		SC
<i>Antodice</i>		
<i>abstrusa</i> Lane		SC
<i>neivai</i> Lane		SC
<i>opena</i> Martins and Galileo		SC
<i>tricolor</i> Martins and Galileo		SC
<i>venustula</i> Lane		SC
<i>Antodilanea</i>		
<i>auana</i> Martins and Galileo		SC
<i>Aphilesthes</i>		
<i>rustica</i> Bates		SC
<i>Apoaerenica</i>		
<i>martinsi</i> (Monné)		SC

<i>Calliphaula</i>		
<i>leucippe</i> (Bates)		SC
<i>Eponina</i>		
<i>breyeri</i> (Prosen)		SC
<i>Holoaerencia</i>		
<i>bistriata</i> Lane		BO
<i>punctata</i> (Gilmour)		SC
<i>Hoplistonychus</i>		
<i>bondari</i> Melzer		SC
<i>Hydraschema</i>		
<i>leptostyla</i> Lane		SC
<i>obliquevittata</i> (Lane)		SC
<i>petila</i> Martins and Galileo		SC
<i>Melzerella</i>		
<i>huedepohli</i> Monné		SC
<i>Phaula</i>		
<i>lichenigera</i> (Perty)		SC
<i>splendida</i> (Galileo and Martins)		BO
<i>thomsoni</i> Lacordaire		SC
<i>Pseudomecas</i>		
<i>femoralis</i> Aurivillius		SC
<i>Pseudophaula</i>		
<i>porosa</i> (Bates)		BO
<i>strigulata</i> Lane		SC
<i>Recchia</i>		
<i>acutipennis</i> Gahan		BO
<i>albicans</i> (Guerin-Menville)		SC
<i>boliviana</i> Martins and Galileo		SC
<i>distincta</i> (Lane)		SC
<i>gemignanii</i> (Lane)		SC
<i>goiana</i> Martins and Galileo		SC
<i>gracilis</i> Martins and Galileo		SC
<i>parvula</i> (Lane)		SC
<i>procera</i> Martins and Galileo		SC
<i>Rumacon</i>		
<i>canescens</i> (Bruch)		SC
<i>Suipinima</i>		
<i>marginalis</i> Martins and Galileo		SC
<i>pitanga</i> Martins and Galileo		SC
<i>suturalis</i> Martins and Galileo		SC
<i>una</i> Martins and Galileo		SC
Tribe Hemilophini		
<i>Adesmus</i>		
<i>charis</i> (Bates)		BO
<i>divus</i> (Chabrilac)		SC
<i>nevisi</i> (Gounelle)		SC
<i>temporalis</i> (Aurivillius)		BO
<i>tribalteatus</i> (Bates)		SC



<i>Apagomera</i>		
<i>aereiventris</i> (Tippmann)		BO
<i>Callanga</i>		
<i>trichocera</i> Lane		BN
<i>Canarana</i>		
<i>affinis</i> (Aurivillius)		LP
<i>brachialis</i> (Guérin-Méneville)		SC
<i>marceloi</i> Martins and Galileo		SC
<i>roseicollis</i> Galileo and Martins		SC
<i>seminigra</i> (Bates)		BN
<i>Cuicirama</i>		
<i>spectabilis</i> (Blanchard)		LP, SC
<b><i>Egalicia</i></b>		
<i>testacea</i> (Bates)		SC
<i>Eranina</i>		
<i>humeralis</i> (Martins and Galileo)		SC
<i>Fredlanea</i>		
<i>calliste</i> (Bates)		BO
<i>Gagarinia</i>		
<i>melasma</i> Galileo and Martins		SC
<i>Hemiloapis</i>		
<i>yandaira</i> Galileo and Martins		SC
<i>ybyra</i> Galileo and Martins		SC
<i>Iarucanga</i>		
<i>mimica</i> (Bates)		BO
<i>Icimauna</i>		
<i>sarauaia</i> Martins and Galileo		CO, SC
<i>Isomerida</i>		
<i>albicollis</i> (Laporte)		SC
<i>lineata</i> Bates		SC
<i>Ites</i>		
<i>chaparensis</i> Tippmann		BO
<i>Lapazina</i>		
<i>fuscipennis</i> (Bates)		BO
<i>Lycidola</i>		
<i>flavofasciata</i> Waterhouse		BO
<i>simulatrix</i> Bates		SC
<i>Malacoscyllus</i>		
<i>auricomus</i> Bates		BO
<i>cinctulus</i> Bates		CO
<i>lanei</i> Martins and Galileo		SC
<i>Mariliana</i>		
<i>cicadellida</i> Galileo and Martins		SC
<i>Murupeaca</i>		
<i>pinimatinga</i> Martins and Galileo		SC

<i>Olivensa</i>		
<i>megacephala</i> (Bates)		SC
<i>Phoebe</i>		
<i>alba</i> Martins and Galileo		SC
<i>bicornis</i> (Olivier)		BO
<i>concinna</i> White		SC
<i>ornator</i> (Tippmann)		SC
<i>spgazzinii</i> Bruch		SC
<i>subalbaria</i> Belon		BO
<i>Phoebemima</i>		
<i>ensifera</i> Tippmann		SC
<i>Piampatara</i>		
<i>proseni</i> Martins and Galileo		BO
<i>Porangonycha</i>		
<i>princeps</i> (Bates)		SC
<i>Poticuara</i>		
<i>exilis</i> (Bates)		BO
<i>Purusia</i>		
<i>acreana</i> Lane		SC
<i>wappesi</i> Martins and Galileo		SC
<i>Tyrinthia</i>		
<i>capillata</i> Bates		BO
<i>Zeale</i>		
<i>dubia</i> Galileo and Martins		CO
<i>nigromaculata</i> (Klug)		SC
	Tribe Eupromerini	
<i>Iquaratecima</i>		
<i>tuberosa</i> (Belon)		SC
<i>Pibanga</i>		
<i>costulata</i> (Belon)		SC
<i>jacareacanga</i> Galileo and Martins		SC
<i>ochropyga</i> (Belon)		BN, SC
<i>Puanama</i>		
<i>sara</i> Galileo and Martins		SC
	Tribe Falsamblethiini	
<i>Bactriola</i>		
<i>maculata</i> Martins and Galileo		SC
<i>paupercula</i> Bates		SC
<i>vittulata</i> Bates		SC
<i>Falsamblethis</i>		
<i>taeniata</i> (Belon)		BO
<i>unguicularis</i> (Tippmann)		SC
<i>Nyctonympha</i>		
<i>andersoni</i> Martins and Galileo		BO
<i>annulipes</i> (Belon)		BO
<i>carioca</i> Galileo and Martins		CO
<i>flavipes</i> Aurivillius		SC

<i><b>punctata</b></i> Martins and Galileo	SC
<i>Obereoides</i>	
<i>antennatus</i> Martins and Galileo	BO
<i><b>Pseudogisostola</b></i>	
<i>reichardti</i> Fontes and Martins	SC
Tribe Calliini	
<i>Callia</i>	
<i>argodi</i> Belon	BO
<i>boliviana</i> Belon	SC
<i>fulvocincta</i> Bates	BN, SC
<i>pulchra</i> Melzer	BO
<i><b>rubristerna</b></i> Galileo and Martins	SC
<i>tristis</i> Galileo and Martins	BO
<i><b>Callisema</b></i>	
<i>rufipes</i> Martins and Galileo	SC
<i>Drycothaea</i>	
<i><b>anteochracea</b></i> (Breuning)	SC
<i><b>brasiliensis</b></i> (Breuning)	BN, SC
<i>maculata</i> Martins and Galileo	SC
<i><b>Eumimesis</b></i>	
<i>trilineata</i> Magno and Monné	SC
<i><b>Graminea</b></i>	
<i>annulata</i> Galileo and Martins	SC
<i>Harringtonia</i>	
<i>myia</i> (Dillon and Dillon)	BO
<i>Hemicladus</i>	
<i>decoratus</i> Fuchs	CO
<i>thomsonii</i> Buquet	SC
<i>Mimolaia</i>	
<i>buckleyi</i> (Bates)	BO
<i>varicornis</i> Belon	SC
<i><b>Paracallia</b></i>	
<i>bonaldoi</i> Galileo and Martins	SC
<i>Parasemolea</i>	
<i>boliviana</i> Martins and Galileo	BO
<i>Xenocallia</i>	
<i>punctatissima</i> Galileo and Martins	SC
Subfamily Disteniinae	
Tribe Disteniini	
<i>Cometes</i>	
<i>argodi</i> Belon	BO
<i>soledari</i> Martins and Galileo	SC

*Distenia*

<i>angustata</i> Bates	SC
<i>chaparensis</i> Tippmann	SC
<i>germaini</i> Villiers	BO
<i>lateralis</i> Fisher	SC
<i>pegnai</i> Hüdepohl	BO

## References

- Breuning, S.** 1980. Revision de la tribu des Compso-somatini Thomson (Coleoptera, Cerambycidae). Venette, Compiègne, Editions Sciences Nat. pgs 1-32, 2 pls.
- Clark Gemuseus, R., and F. Sagot.** 1996. A guide to the world's best bird-watching place: Amboró Protected Area Bolivia. Armonia, Santa Cruz, Bolivia, iv + 98 pp.
- Chemsak, J. A., and F. A. Noguera.** 2003. New Species of *Anelaphus* Linsley from Mexico, Central America and South America. Pan-pacific Entomologist, 79(1): 58-65, 6 figs.
- Dillon L. S., and E. S. Dillon.** 1941. The tribe Monochamini in the Western Hemisphere (Coleoptera, Cerambycidae). Scientific Publications, Reading Public Museum, 1: 1-135, 5 pls.
- Dillon L. S., and E. S. Dillon.** 1945. The tribe Onciderini (Coleoptera, Cerambycidae). Part I. Scientific Publications, Reading Public Museum, 5: xv + 186 pp.
- Dillon L. S., and E. S. Dillon.** 1946. The tribe Onciderini (Coleoptera, Cerambycidae). Part II. Scientific Publications, Reading Public Museum, 6: 189-413, 17 pls.
- Eya, B. K., and J. A. Chemsak.** 2003. Review of the Genus *Amphilictus* Bates, Pts. 1 and 2. Les Cahiers Magellanes, No. 21: 1-24, 16 figs.; No. 22: 1-21, 14 figs.
- Franceschini, A. F.** 2002. Revisão do gênero *Appula* (Cerambycinae, Elaphidiini). Iheringia, Sér. Zool., 92(1): 5-40, 134 figs.
- Giorgi, J. A.** 1998. Duas novas espécies de *Clavidesmus* Dillon & Dillon, 1946 (Coleoptera, Cerambycidae, Lamiinae, Onciderini). Boletim do Museu Nacional, Zoologia, 394: 4 pp., 2 figs.
- Giorgi, J. A., and D. C. Corbett.** 2005. Sinopse do gênero *Xylergates* (Cerambycidae, Lamiinae, Acanthocinini). Iheringia, Sér. Zool., 95(1): 5-8, 1 fig.
- Galileo, M. H. M., and U. R. Martins.** 1999. O gênero *Adesmus* (Coleoptera, Cerambycidae, Lamiinae, Hemilophini). Iheringia, Sér. Zool., 86: 77-116, 38 figs.
- Galileo, M. H. M., and U. R. Martins.** 1999. Novos táxons e novos combinação em Cerambycinae (Coleoptera) Sul-Americanos. Papéis Avulsos de Zoologia, 41(10): 155-172, 8 figs.
- Galileo, M. H. M., and U. R. Martins.** 2002. Gêneros de Pteropliini Semelhantes a *Trichepsectasis* Breuning, 1940 (Coleoptera, Cerambycidae, Lamiinae). Papéis Avulsos de Zoologia, 42(2): 13-30, 14 figs.
- Galileo, M. H. M., and U. R. Martins.** 2002. Espécies novas e chave para as espécies de *Callia* (Coleoptera, Cerambycidae). Iheringia, Sér. Zool., 92(1): 41-52, 8 figs.
- Galileo, M. H. M., and U. R. Martins.** 2003. Notas e descrições em *Bisaltes* Thompson, 1868 e *Ptericoptus* Lepeletier and Audinet-Serville, 1830 (Lamiinae, Apomecynini). Revista Brasileira de Entomologia, 47(3): 379-383, 6 figs.
- Galileo, M. H. M., and U. R. Martins.** 2004. Novos táxons em Hemilophini (Coleoptera, Cerambycidae) com única carena elitral. Iheringia, Sér. Zool., 94(4): 381-388, 8 figs.
- Galileo, M. H. M., and U. R. Martins.** 2005. Novas espécies e novas ocorrências de *Xenofrea* (Coleoptera, Cerambycidae, Lamiinae). Iheringia, Sér. Zool., 95(4): 383-388, 7 figs.
- Hovore, F. T., and A. Santos-Silva.** 2004. Notes and descriptions of Neotropical Macrotomini (Prioninae). Revista Brasileira de Entomologia, 48(1): 49-54, 9 figs.
- Julio, C. E. A.** 1999. Revisão do gênero *Scleronotus* White, 1855 (Coleoptera, Cerambycidae, Lamiinae, Acanthoderini). Boletim do Museu Nacional Zoologia, 406, 35 pp., 121 figs.
- Julio, C. E. A.** 2003. Revalidação de Mauesini (Lamiinae), transferência de gêneros, sinônimas e novos táxons. Iheringia, Sér. Zool. (93): 49-58, 8 figs.
- Julio, C. E. A., and M. A. Monné.** 2001. *Onychocerus* Lepeletier and Audinet-Serville, 1830 (Coleoptera, Cerambycidae, Lamiinae, Anisocerini): espécies novas e chave para identificação. Boletim do Museu Nacional Zoologia, 443: 1-8, 8 figs.
- Lingafelter, S. W.** 2004. New species of *Stizocera* from Bolivia. Zootaxa, 498: 1-11, 7 figs.

- Martins, U. R.** 1967. Monografia da tribo Ibydionini (Coleoptera, Cerambycidae). Parte I. Arquivos De Zoologia, S. Paulo, 16(1): 1-320, 180 figs.
- Martins, U. R.** 1968. Monografia da tribo Ibydionini (Coleoptera, Cerambycidae). Parte II. Arquivos de Zoologia, S. Paulo, 16(2): 321-630, figs. 181-347.
- Martins, U. R.** 1969. Monografia da tribo Ibydionini (Coleoptera, Cerambycidae). Parte III. Arquivos de Zoologia, S. Paulo 16(3): 631-877, figs. 348-454.
- Martins, U. R.** 1970. Monografia da tribo Ibydionini (Coleoptera, Cerambycidae). Parte IV. Arquivos de Zoologia, S. Paulo, 16(4): 879-1149, figs. 455-586.
- Martins, U. R.** 1970. Monografia da tribo Ibydionini (Coleoptera, Cerambycidae). Parte V. Arquivos de Zoologia, S. Paulo, 16(5): 1151-1342, figs. 587-683.
- Martins, U. R.** 1971. Monografia da tribo Ibydionini (Coleoptera, Cerambycidae). Parte VI. Arquivos de Zoologia, S. Paulo, 16(6): 1343-1508, figs. 684-710.
- Martins, U. R.** 1975. A taxonomic revision of the world Smodicini (Coleoptera, Cerambycidae). Arquivos de Zoologia, S. Paulo, 26(4): 319-359, 69 figs.
- Martins, U. R.** 1997. Cerambycidae Sul-Americanos. Taxonomia, Vol. 1 Subfamília Cerambycinae: Oemini, Methiini, Dodecosini, Paraholopterini, trib. nov. Sociedade Brasileira de Entomologia, São Paulo. 217 pp., 170 figs.
- Martins, U. R.** 1998. Cerambycidae Sul-Americanos. Taxonomia, Vol. 2 Subfamília Cerambycinae: Phlyctaenodini, Holopterini, Uracanthini, Pleiarthrocerini, Ectenessini, trib. nov. Sociedade Brasileira de Entomologia, São Paulo. 195 pp., 216 figs.
- Martins, U. R.** 1999. Cerambycidae Sul-Americanos. Taxonomia, Vol. 3 Subfamília Cerambycinae: Hesperophanini, Eburini, Diorini. Sociedade Brasileira de Entomologia, São Paulo. 418pp., 271 figs.
- Martins, U. R.** 2002. Cerambycidae Sul-Americanos. Taxonomia, Vol. 4 Subfamília Cerambycinae: Erlandiini (with M. H. M. Galileo), Achrysonini, Cerambycini (in part) (with M. A. Monné). Sociedade Brasileira de Entomologia, São Paulo. 265 pp., 287 figs.
- Martins, U. R.** 2003. Cerambycidae Sul-Americanos. Taxonomia, Vol. 6 Subfamília Cerambycinae: Obriini, Oxycoleini, Acanagasuini (with M. H. M. Galileo), Lucosmodicini, Psebiini, Piezocerini, Sydacini. Sociedade Brasileira de Entomologia, São Paulo. 232 pp., 261 figs.
- Martins, U. R.** 2005. Cerambycidae Sul-Americanos. Taxonomia, Vol. 7 Subfamília Cerambycinae: Elaphidionini. Sociedade Brasileira de Entomologia, São Paulo. 394 pp., 324 figs.
- Martins, U. R.** 2005. Cerambycidae Sul-Americanos. Taxonomia, Vol. 5 Subfamília Cerambycinae: Cerambycini, subtribo Sphalotrichina, subtribo nov., Callidiopini, Graciliini, Neocorini, trib. nov. Edusp - Editora da Universidade de São Paulo. 284 pp., 425 figs.
- Martins, U. R., and M. H. M. Galileo.** 1997. Remoção de espécies com duas carenas elitrais do gênero *Adesmus* (Coleoptera, Cerambycidae, Lamiinae, Hemilophini). Iheringia, Sér. Zool., 83: 45-64, 12 figs.
- Martins, U. R., and M. H. M. Galileo.** 2001. Novos táxons de Disteniidae (Coleoptera) Neotropicais. Iheringia, Sér. Zool., 90: 15-20, 4 figs.
- Martins, U. R., and M. H. M. Galileo.** 2002. Espécies novas e chave para as espécies de *Callia* (Coleoptera, Cerambycidae). Iheringia, Sér. Zool., 92(1): 41-52, 8 figs.
- Martins, U. R., and M. H. M. Galileo.** 2002. Desmiphorini (Coleoptera, Cerambycidae): novas espécies, nova sinonímia e redescritção de *Inermestoloides praeapicealba* Breuning, 1942. Papéis Avulsos de Zoologia, 42(1): 1-12, 5 figs.
- Martins, U. R., and M. H. M. Galileo.** 2002. *Estolomimus* (Lamiinae: Desmiphorini): novas espécies e chave. Iheringia, Sér. Zool., 92(2): 21-28, 4 figs.
- Martins, U. R., and M. H. M. Galileo.** 2003. Novas espécies e nota sobre Lamiinae (Coleoptera, Cerambycidae) neotropicais da coleção Arriagada, Santiago, Chile. Revista Brasileira de Entomologia, 47(4): 615-620, 7 figs.
- Martins, U. R., and M. H. M. Galileo.** 2004. Cerambycidae (Coleoptera) coletados na Venezuela na copa de *Matayba* (Sapindaceae) e *Vochysia* (Vochysiaceae). Revista Brasileira de Entomologia, 48(2): 229-232, 4 figs.
- Martins, U. R., and M. H. M. Galileo.** 2004. Sobre Hemilophini (Coleoptera, Cerambycidae, Lamiinae) da região Neotropical: espécies novos e novos registros. Revista Brasileira de Zoologia, 21(3): 535-541, 8 figs.
- Martins, U. R., and M. H. M. Galileo.** 2004. Novos táxons de Aerenicini (Lamiinae) de Guatemala, Brasil e Bolívia. Iheringia, Sér. Zool., 94(4): 395-401, 8 figs.
- Martins, U. R., and M. H. M. Galileo.** 2005. Novas espécies de *Adetus* (Coleoptera, Cerambycidae,

- Lamiinae, Apomecynini). *Iheringia*, Sér. Zool., 95(1): 25-28, 4 figs.
- Martins, U. R., and M. H. M. Galileo.** 2005. Novos táxons e notas sobre Cerambycinae (Coleoptera, Cerambycidae) de Região Neotropical. *Revista Brasileira de Zoologia*, 22(3): 764-770, 9 figs.
- Martins, U. R., and M. H. M. Galileo.** 2005. Novos Onciderini (Coleoptera, Cerambycidae) da Bolívia. *Revista Brasileira de Entomologia*, 49(4): 459-461, 6 figs.
- Martins, U. R., and M. H. M. Galileo.** 2005. Contribuição para o conhecimento dos Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) da Região Neotropical. *Papéis Avulsos de Zoologia*, 45(19), 243-248, 6 figs.
- Mermudes, J. R. M., and D. S. Napp.** 2004. Comparative morphological study of the Neotropical Cleomenini genera and their transfer to the tribes Rhopalophorini Blanchard and Rhinotragni Thomson (Cerambycinae). *Revista Brasileira de Entomologia*, 48(2): 251-272, 129 figs.
- Monné, M. A.** 2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part I. Subfamily Cerambycinae. *Zootaxa*, 946, 765 pp.
- Monné, M. A.** 2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. *Zootaxa*, 1023, 759 pp.
- Monné, M. A., and E. F. Giesbert.** 1995. Checklist of the Cerambycidae and Disteniidae (Coleoptera) of the Western Hemisphere. *Wolfsgarden Books*, Burbank, CA, i-xiv + 410pp.
- Monné, M. A., and M. Hoffmann.** 1981. O gênero *Leptostylus* LeConte, 1852 na América do Sul (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). *Revista Brasileira de Entomologia* 25(4): 245-263, 14 figs.
- Monné, M. A., and F. T. Hovore.** 2005. Checklist of the Cerambycidae (Coleoptera) of the Western Hemisphere. Electronic version 2005 (updated through 01 January, 2006), ([www.hovore.com](http://www.hovore.com)).
- Monné, M. A., and P. R. Magno.** 1988. Gênero *Cosmisoma* Audinet-Serville, 1834: notas, novos taxa e chave para espécies sul-americanas (Coleoptera, Cerambycidae, Rhopalophorini). *Boletim do Museu Nacional* 319: 27 pp., 12 figs.
- Monné, M. L.** 2004. Revisão do gênero *Dragoneutes* Martins and Monné (Cerambycinae). *Revista Brasileira de Entomologia*, 48(2): 245-250, 20 figs.
- Monné, M. L.** 2005. Revisão, análise cladística e biogeografia de *Coccoderus* Buquet (Coleoptera, Cerambycidae). *Revista Brasileira de Entomologia*, 49(3): 369-391, 93 figs.
- Monné, M. L., and M. A. Monné.** 2005. O gênero *Strangalia* Audinet-Serville no Norte e Centro-Oeste do Brasil (Coleoptera, Cerambycidae, Lepeturinae). *Revista Brasileira de Entomologia*, 49(2): 228-236, 12 figs.
- Monné, M. L., and D. S. Napp.** 2001. Sinopse do gênero *Ancylocera* Audinet-Serville (Coleoptera, Cerambycidae, Trachyderini). *Revista Brasileira de Zoologia* 18(3): 989-1002, 13 figs.
- Monné, M. L., and D. S. Napp.** 2005. Cladistic analysis of the tribe Torneutini Thomson (Coleoptera: Cerambycidae: Cerambycinae: Trachyderoinia). *Zootaxa*, 1062: 1-56, 165 figs.
- Monné, M. L., and A. Santos-Silva.** 2003. Sinopse do gênero *Strongylaspis* Thompson, 1860 (Prioninae, Macrotomini). *Revista Brasileira de Entomologia*, 47(1): 31-47, 29 figs.
- Napp, D. S.** 1976. Revisão dos gêneros *Compsocerus* Lepelletier and Serville, 1830 e *Paromoeocerus* Gounelle, 1910 (Coleoptera, Cerambycidae). *Revista Brasileira de Entomologia*, 20(1): 1-64, 99 figs.
- Napp, D. S., and M. A. Monné.** 2005. Synopsis of the genus *Erythropterus* Melzer, 1934 (Coleoptera, Cerambycidae, Heteropsini). *Zootaxa*, 1088: 55-59, 4 figs.
- Néouze, G.-I., and G. L. Tavakilian.** 2003. Révision de *Macropophora* Thompson, 1864, et transfert du genre dans la Tribu des Acanthoderini (Lamiinae). *Coléoptères*, 9 (10): 109-126, 19 figs.
- Santos-Silva, A.** 2002. Nova espécie de *Hesperandra* Arigony da Bolívia (Parandrinae). *Revista Brasileira de Zoologia*, 19(4): 955-959, 12 figs.
- Santos-Silva, A., and U. R. Martins.** 2003. Revisão do gênero *Physopleurus* Lacordaire, 1869 e notas em Macrotomini (Prioninae). *Revista Brasileira de Entomologia*, 47(2): 245-265, 123 figs.
- Tavakilian, G. L.** 2004. Nouveaux Cerambycides de Guayane mimétiques de Chrysomelidae Hispinae. *Coléoptères*, 10(1): 1-11, 10 figs.
- Tavakilian, G. L., and M. L. Monné.** 2002. Torneutini de Guayane: nouvelles espèces et notes complémentaires (Coleoptera, Cerambycidae). *Coléoptères*, 8(2): 9-35, 51 figs.
- Tavakilian, G. L., and A. Y. Peñaherrera-Leiva.** 2003. Révision du genre *Pycnomorphus* Thomson, 1864. Systématique et phylogénie (Lamiinae: Acanthoderini). *Ann. Entomol. Soc. France* (n.s.), 39(1): 3-24, 39 figs.