

Bishop Museum Technical Report 38(5) [2007]

CHECKLIST OF THE COLEOPTERA OF FIJI
compiled by **Neal L. Evenhuis**

ADERIDAE

Hylophilus

fenestratus Pic, 1932: 211

latioriceps Pic, 1932: 211

rufobasalis Pic, 1932: 212

taveuniensis Pic, 1932: 212

Xylophilus

fijianus Champion, 1924: 493

labasae Champion, 1924: 492

rufiventris Champion, 1924: 492

ANOBIIDAE

Exallophthalmus

quinqueguttatus Fairmaire, 1881: 276

Lasioderma

serricorne (Fabricius), 1792: 240 [*Ptinus*]

testacea (Creutzer in Duftschmid), 1825: 46 [*Ptilinus*]

Stegobium

paniceum (Linnaeus), 1758: 357 [*Dermestes*]

Tricorynus

herbarius (Gorham), 1883 [*Cathorama*]

ANTHICIDAE

Anthicus

strictus Erichson, 1842: 182 [from Koronivia Collection]

Notoxus

pallidipes Pic, 1910: 70

ANTHRIBIDAE

Araecerus

allevatus Wolfrum, 1959: 163

dasymerus Wolfrum, 1959: 164

fasciculatus (De Geer), 1775: 276 [*Curculio*]
greenwoodi Jordan, 1924: 246
nitidus Jordan, 1924: 250
rysus Wolfrum, 1959: 164
vieillardi (Montrouzier), 1860: 873 [*Urodon*] [from Koronivia Collection]
vitistans Wolfrum, 1959: 162
vivax Wolfrum, 1959: 165

Cerambyrhynchus

schonherri Montrouzier, 1857: 42

Dinema

filicorne Fairmaire, 1849: 457
veitchi (Jordan), 1924: 256 [*Proscopus*]

Dinosaphis

inermis Wolfrum, 1959: 154

Paecilocalus

picturatus Fairmaire, 1881: 349

Plintheria

vitiensis (Jordan), 1944: 141 [*Alloderes*]

Plesiobasis

centralis Wolfrum, 1959: 158

Rhinotropis

cristiferus Fairmaire, 1881: 467

BOSTRICHIDAE

Dinoderus

minutus (Fabricius), 1775: 54 [*Apate*]

Minthea

rugicollis (Walker), 1858: 206 [*Ditoma*]

Rhizopertha

dominica (Fabricius), 1792: 359 [*Syndoendron*]

Xylopertha

castanoptera Fairmaire, 1850: 50 [*Apate*]

Xylothrips

religiosus (Boisduval), 1835: 460 [*Apate*]
lifuana (Montrouzier), 1861: 267 [*Apate*]

BRENTIDAE**Anomobrenthus**

hamatirostris Fairmaire, 1881: 349
kuscheli Damoiseau, 1989: 55

Apion

vitiensis Zimmerman, 1939: 319

Bolbogaster

ctenostomoides Lacordaire, 1866: 467
juncea Damoiseau, 1989: 65

Cerobates

adustus Senna, 1894: 184
vitiensis Fairmaire, 1881: 422

Cylas

formicarius (Fabricius), 1798: 174 [*Brentus*]

Cyphagogus

fijianus Kleine, 1928: 48

Eubactus

fuscojanthinus Fairmaire, 1881: 373
metallicollis Fairmaire, 1881: 421
semiaeneus Lacordaire, 1866: 457

Leptorrhynchus

nigrosulcatus Fairmaire, 1881: 421

Microsebus

fijianus (Damoiseau), 1989: 156 [*Eusebus*]

Miolispa

fijiana Kleine, 1928: 55

Myrmacielus**gibbipennis** (Fairmaire), 1881: 289 [*Cybebus*]**Schizotrachelus****castaneicolor** Kleine, 1933: 326**BUPRESTIDAE** [information courtesy of Charles Bellamy]**Agrilus****evansianus evansianus** Théry, 1934: 143**fidjianus** Théry, 1934: 145 [as *evansianus fidjiensis*]**fissifrons** Fairmaire, 1849: 353*tetrastichus* Obenberger, 1924: 119*fidjiensis* Obenberger, 1924: 119**levuensis** Théry, 1937: 50**taveuniensis** Théry, 1934: 145**Aphanisticus**

sp. [Bellamy, in litt.]

Blepharum**coeruleipes** Fairmaire, 1878: 278**Cinyra****strandii** (Obenberger), 1936: 106 [*Paraleptodema*]**Dicercomorpha****simondsi** (Obenberger), 1924: 13 [*Nesotrinchus*]**Endelus****bicolor** Bellamy, 1990: 89**speculifer** Théry, 1932: 10**Haplotrinchus****manni** Théry, 1937: 37**pooli** Théry, 1943: 645**pyrochlorus** (Fairmaire), 1877: 177 [*Dicercomorpha*]**splendens** Waterhouse, 1913: 182**Helferella****fiji** Bellamy, 1991: 118**vanuae** Bellamy, 1991: 118**viti** Bellamy, 1991: 119

Kurosawaia**iridinotus** Bellamy, 1990: 187**Maoraxia****viridis** Bellamy *in* Bellamy & Williams, 1985: 158**Melobasina****coeruleipennis** (Fairmaire), 1877: 153 [*Dicercomorpha*]**Melobasis****brevicollis** (Théry), 1937: 42 [*Diceropygus*]**cuproaenea** Fairmaire, 1878: 286**Paracupta****aeneiventris** Saunders [error, not Fijian]**albilatera** Fairmaire, 1879: 95**dilutipes** Fairmaire, 1878: 278**evansi** Théry, 1937: 33**flaviventris** (Heer *in* Graeffe), 1868: 48 [*Chalcophora*]*taciturna* Saunders, 1869: 332**flaviventris** aureola Obenberger, 1928: 154**imperatrix** Obenberger, 1928: 155**impressipennis** (Théry), 1943: 652 [*Metataenia*]**kleinschmidtii** Fairmaire, 1878: 278**laetimpessa** Fairmaire, 1878: 278**manni** Théry, 1937: 35**marginalis** Kerremans, 1903: 58**marginipennis** Saunders, 1869: 333**meyeri** Kerremans, 1900: 63**prasina** (Heer *in* Graeffe), 1868: 48 [*Chalcophora*] [preoccupied, Thunberg 1827]*louisa* White, 1859: 120 [*Buprestis*]**pyroglypta** Fairmaire, 1877: 153**pyrura** Fairmaire, 1877: 166**sulcata** Saunders, 1869: 332**tibialis** Saunders, 1872: 248**Sambus****eremita** Obenberger, 1924: 99**fidjiensis** Obenberger, 1924: 99**manni** Théry, 1937: 45**simmondsi** Théry, 1938: 477**CALLIRHIPIDAE****Callirhipis****costata** Waterhouse, 1877: 388

vitiensis Fairmaire, 1877: 153

CANTHARIDAE

Euchleochrous

semicyaneus Fairmaire, 1877: 382

CARABIDAE

Ceneus

speculiferus Fairmaire, 1879: 70

Chlaenius

flaviguttatus Macleay, 1825: 15 [J.M. Valentine, *in litt.*]

ophonoides Fairmaire, 1843: 11

peregrinus Chaudoir, 1856: 264 [from Koronivia Collection]

samoensis Csiki, 1915: 163 [J.M. Valentine, *in litt.*]

Colopodes

nigratus Fairmaire, 1881: 248

truncatellus Fairmaire, 1881: 348

xanthocnemus Fairmaire, 1881: 248

Gnathaphanus

upoluensis (Cziki), 1915: 163 [*Dioryche*]

impressipennis Castlenau, 1867: 100 [*Harpalus*] [J.M. Valentine, *in litt.*]

Harpalus

sp. [from Koronivia Collection]

Morio

polynesiae Fairmaire, 1881: 246

Oceanella

vitiensis (Blanchard), 1853: 7 [*Cicindela*]

vitiensis imperfecta Horn, 1896: 169

Omoglymmius

peckorum Bell, 1985: 166

Parapolyrhanis

oceanica Cassola, 1983: 216

Pectinitarsus**holomelas** Fairmaire, 1881: 246**Perigona**

sp. [from Koronivia Collection]

Plochionus**pallens** (Fabricius), 1775: 244 [*Carabus*] [J.M. Valentine, *in litt.*]**Rhysodes****intrusus** Grouvel, 1903: 112**Rhyzodiastes****janus** Bell, 1985: 7**Selonophorus**

sp. [from Koronivia Collection]

Vitagonum**apterum** Moore, 1999: 103**CERAMBYCIDAE****Anastheta****raripila** Pascoe, 1866: 28**Araesper****longicollis** Thomson, 1878: 15**Batocera****nebulosa** Bates, 1877: 158**Cacodacnus****hebridanus** Thomson, 1860: 326**Ceresium****angustulum** Fairmaire, 1881: 474**decorum** Dillon & Dillon, 1952: 22**epilais** Dillon & Dillon, 1952: 23**gracilipes** (Fairmaire), 1850: 63 [*Hesperophanes*]**grandipennis** Fairmaire, 1881: 472**lucidum** Dillon & Dillon, 1952: 25

nigroapicale Dillon & Dillon, 1952: 27
olidum Fairmaire, 1881: 472
promissum Dillon & Dillon, 1952: 25
pubescens Dillon & Dillon, 1952: 19
repandum Dillon & Dillon, 1952: 16
scutellaris Dillon & Dillon, 1952: 19
striatipenne Dillon & Dillon, 1952: 24
thyra Dillon & Dillon, 1952: 21
unicolor (Fabricius), 1787: 147 [*Saperda*]
 guttaticolle (Fairmaire), 1850: 63 [*Hesperophanes*]
vacillans Dillon & Dillon, 1952: 24

Coleocoptus

senio (Newman), 1840: 4 [*Phoracantha*]

Crinitarsus

plagiatus Blanchard, 1853: 276
sulcatus Breuning, 1948: 53

Cristoopsis

poggea Dillon & Dillon, 1952: 66

Cyrtinoopsis

intensa Dillon & Dillon, 1952: 85

Dendrides

pallidus Dillon & Dillon, 1952: 36

Diastosypha

agetes Dillon & Dillon, 1952: 44
albisetosa Dillon & Dillon, 1952: 45
bimaculata Dillon & Dillon, 1952: 45
fuscicollis Aurivillius, 1920: 29
 cuprea (Breuning), 1948: 64 [*Leptocyrtinus*]

Distenia

punctulata Dillon & Dillon, 1952: 11

Enotocleptes

denticollis (Fauvel), 1906: 68 [*Microcleptes*]
inermicollis Breuning, 1940: 118

Gemylus

alboosticticus Breuning, 1939: 284

angustifrons Breuning, 1939: 284
uniformis Breuning, 1939: 285 [*angustifrons* f.]
upsilon Dillon & Dillon, 1952: 96
wainiloka Dillon & Dillon, 1952: 97

Gracilosypha

elongatus elongatus (Breuning), 1948: 65 [*Leptocyrtinus*]
elongata immaculata Dillon & Dillon, 1952: 49
elongata suturalis Dillon & Dillon, 1952: 49
hirtipennis Dillon & Dillon, 1952: 48
trifasciata Dillon & Dillon, 1952: 47

Hestimidius

humeralis Breuning, 1939: 285
quadrimaculatus (Breuning), 1942: 154 [*Neopsis*]

Heteroclytomorpha

singularis Breuning, 1939: 161

Hippaphesis

granicornis (Fairmaire), 1879: 290 [*Oopsis*]
punctata Thomson, 1864: 46
semigranosus (Fairmaire), 1879: 289 [*Oopsis*]

Laniferus

uniformis Dillon & Dillon, 1952: 28

Macrotoma

heros Graeffe, 1868: 47

Mimoopsis

fuscoapicatus (Fairmaire), 1879: 290 [*Oopsis*]

Moala

crassus Dillon & Dillon, 1952: 101
flavovittatus Dillon & Dillon, 1952: 102

Neosciadella

acutispina (Fairmaire), 1881: 482 [*Exocentrus*]
brunnipes Dillon & Dillon, 1952: 105
fulgida Dillon & Dillon, 1952: 107
immaculosa Dillon & Dillon, 1952: 108
inflexa inflexa Dillon & Dillon, 1952: 110
inflexa subopaua Dillon & Dillon, 1952: 111

multivittata Dillon & Dillon, 1952: 108
obliquata Dillon & Dillon, 1952: 109
quadripustulata Dillon & Dillon, 1952: 108
spixi Dillon & Dillon, 1952: 106

Nerida

cordata Dillon & Dillon, 1952: 33
gynandropsidis (Fairmaire), 1850: 59 [*Obrium*]
obcordata Dillon & Dillon, 1952: 33
oblongoguttula (Fairmaire), 1879: 286 [*Obrium*]
zimmermani Dillon & Dillon, 1952: 32

Nothopleurus

cariosicollis (Fairmaire), 1877: 180 [*Opheltes*]

Oihus

dilloni Franz, 1953: 39
insignius Dillon & Dillon, 1952: 37
taeniatus Dillon & Dillon, 1952: 37

Olethrius

brevicornis Dillon & Dillon, 1952: 7
insularis Fairmaire, 1850: 57
scabripennis Thomson, 1865: 577
tyrannus Thomson, 1860: 316
villosus Dillon & Dillon, 1952: 6

Oloessa

bianor Dillon & Dillon, 1952: 42
cenea Dillon & Dillon, 1952: 42
minuta (Pascoe), 1864: 28
poeta Dillon & Dillon, 1952: 40

Opsidius

cetus Dillon & Dillon, 1952: 70
pictus Breuning, 1939: 283

Opsis

albopicta Aurivillius, 1928: 146
brunneocaudata Fairmaire, 1879: 290
excavata Breuning, 1939: 282
griseocaudata Fairmaire, 1881: 480
lycia Dillon & Dillon, 1952: 75
nutator (Fabricius), 1787: 142 [*Lamia*]
striatella Fairmaire, 1879: 289
uvua Dillon & Dillon, 1952: 79

variivestris Fairmaire, 1879: 290
velata Dillon & Dillon, 1952: 77
zitja Dillon & Dillon, 1952: 75

Parandra

striatifrons Fairmaire, 1879: 289
vitiensis Nonfried, 1894: 46

Phoracantha

tricuspis Newman, 1840: 3
robusta Germar, 1848: 225

Phloeopsis

albomaculata Breuning, 1961: 40
olivescens (Dillon & Dillon), 1952: 104 [*Vitilevua*]
viridescens (Dillon & Dillon), 1952: 103 [*Vitilevua*]

Prosoplus

fijianus Breuning, 1948: 2
ochreosparsus Breuning, 1938: 349
latus Breuning, 1939: 197
samoanus Aurivillius, 1913: 692

Pterolophia

onzea Dillon & Dillon, 1952: 61
singatoka Dillon & Dillon, 1952: 60
thawathi Dillon & Dillon, 1952: 58
tholo Dillon & Dillon, 1952: 59

Ropica

vitiana Breuning, 1939: 230
vitiensis (Dillon & Dillon), 1952: 60 [*Pterolophia*]

Ropicella

antennalis Breuning, 1940: 150

Scituloglaucytes

muri (Gressitt), 1940: 417 [*Glaucytes*]

Sormida

cinerea Dillon & Dillon, 1952: 55
maculicollis Thomson, 1865: 546

Sybra

- apicespinosa** Breuning, 1942: 143
auberti Breuning, 1950: 11
catopa Dillon & Dillon, 1952: 90
dimidiata (Dillon & Dillon), 1952: 84 [*Microopsis*]
dorsata (Fairmaire), 1881: 481 [*Oopsis*]
eson (Dillon & Dillon), 1952: 83 [*Microopsis*]
eumilis (Dillon & Dillon), 1952: 67 [*Paraoopsis*]
flavoides Breuning, 1964: 152
flava (Dillon & Dillon), 1952: 99 [*Gracilosybra*]
freyi Breuning, 1957: 685
fulvoapicalis (Dillon & Dillon), 1952: 98 [*Gracilosybra*]
fuscoapicaloides Breuning, 1964: 153
fuscoapicalis (Dillon & Dillon), 1952: 99 [*Gracilosybra*]
fuscofasciatoides Breuning, 1964: 151
fuscofasciatus Dillon & Dillon, 1952: 69 [*Euoopsis*]
fuscolateralis Breuning, 1939
grisea Breuning, 1939: 253
obliquelineaticollis Breuning, 1964: 152
obliquelineata Dillon & Dillon, 1952: 68 [*Euoopsis*]
ochreosignatipennis Breuning, 1973: 41
persimilis Breuning, 1939: 254
puella (Dillon & Dillon), 1952: 81 [*Microopsis*]
rosacea Breuning, 1942: 143
sapho (Dillon & Dillon), 1952: 82 [*Microopsis*]
similis Breuning, 1939: 253
suturemaculata Breuning, 1939: 253
syces (Dillon & Dillon), 1952: 83 [*Microopsis*]
uniformis Breuning, 1939: 253

Sybromimus

- obliquatus** Breuning, 1940: 167
howqua (Dillon & Dillon), 1952: 93 [*Sybroides*]

Sybroopsis

- discedens** (Fairmaire), 1881: 481 [*Oopsis*]
persimilis (Breuning), 1939: 253 [*Sybra*]

Tillomimus

- bicinctus** Dillon & Dillon, 1952: 29

Xixuthrus

- ganglebaueri** Lameere, 1912: 156
heros (Heer *in* Graeffe), 1868: 47 [*Macrotoma*]
terribilis Thomson, 1877: 268
heyrovskyi Tippman, 1945: 1

CERYLONIDAE**Axiocerylon****peckorum** Besuchet & Slipinski, 1988: 913**CHRYSOMELIDAE****Acanthoscelides****obtectus** (Say), 1831: 1 [*Bruchus*]**Algarobius****prospis** (LeConte), 1858 [*Bruchus*] [from Koronivia Collection]**Altica****corusca** Erichson, 1842: 235**gravida** Blackburn, 1896: 75**Analema****leveri** (Bryant), 1946: 428 [*Alema*]**nigra** (Bryant), 1938: 252*producticollis* (Gressitt in Bryant & Gressitt), 1957: 83 [*Manobia*]**Aphthona****veitchi veitchi** Bryant, 1925: 595**Argopistes****arnetti** Samuelson, 1973: 71**Aulacophora****argyrogaster** (Montrouzier), 1861: 299 [*Galeruca*]**coffae** (Hornstedt), 1788: 5 [*Ceratia*] [from Koronivia collection]*fabricii* Baly [error, not Fijian]**nigrivestis** (Boisduval), 1835: 548 [*Galleruca*]**notulata** Fairmaire, 1850: 120**quadrinaculata** (Fabricius), 1781: 152 [*Crioceris*]**similis** (Olivier), 1808: 624 [*Galeruca*]**Bruchus****pisorum** (Linnaeus), 1758: 356 [*Dermestes*]**tristiculus** Fahraeus, 1839: 81**Callosobruchus****chinensis** (Linnaeus), 1758: 386 [*Curculio*]**maculatus** (Fabricius), 1775: 65 [*Bruchus*]

Caryedon**serratus** (Olivier), 1790: 199 [*Bruchus*]**Cerophysa****vitiensis** Bryant, 1941: 103**Coenobius****aureopilosus** Bryant, 1925: 590**geniostomae** Gressitt *in* Bryant & Gressitt, 1957: 10**marginipennis marginipennis** Bryant, 1938: 249**marginipennis lauensis** Gressitt *in* Bryant & Gressitt, 1957: 10**producticollis** Gressitt *in* Bryant & Gressitt, 1957: 11**stoneri** Lopatin, 1997: 270**zimmermani** Gressitt *in* Bryant & Gressitt, 1957: 12**Colaspoides****brunnea** Bryant *in* Gressitt & Bryant, 1957: 62**confusa** Gressitt *in* Bryant & Gressitt, 1957: 62**vitiensis** Bryant, 1938: 250**Crepidodera****elongata** Gressitt *in* Bryant & Gressitt, 1957: 77**evansi** Bryant, 1938: 251**fijiensis** Csiki, 1939: 298*nigra* Bryant, 1925: 597 [Preoccupied Schilsky 1908]**gressitti** Samuelson, 1973: 118**infuscata** Samuelson, 1973: 119**kraussi** Samuelson, 1973: 120**lami** Samuelson, 1973: 121**oceanica** Samuelson, 1973: 122**ovalauensis** Samuelson, 1973: 123**parafijiensis** Samuelson, 1973: 124**rotunda** Gressitt *in* Bryant & Gressitt, 1957: 80**semifuscata** Samuelson, 1973: 126*Cryptocephalus**fraterculus* Chapuis, 1876 [error, not Fijian]**Damelia****marshalli** Clark, 1864: 256**rugosa** Bryant *in* Bryant & Gressitt, 1957: 59**verrucosa** Bryant *in* Bryant & Gressitt, 1957: 58**Demotina****albonotata** Bryant, 1931: 364**bifasciata** Bryant *in* Bryant & Gressitt, 1957: 50

cylindricollis Gressitt *in* Bryant & Gressitt, 1957: 57
dissimilis Bryant, 1931: 358
evansi Bryant, 1931: 362
fragilis Gressitt *in* Bryant & Gressitt, 1957: 55
fulva Bryant, 1931: 361
glochidiona Gressitt *in* Bryant & Gressitt, 1957: 48
irregularis Bryant *in* Bryant & Gressitt, 1957: 52
metallica Bryant *in* Bryant & Gressitt, 1957: 49
vitiensis (Bryant), 1942: 509 [*Trichostola*] [Preoccupied Bryan 1931]
nodosa Bryant *in* Bryant & Gressitt, 1957: 55
obscurata Bryant, 1931: 364
pallipes Bryant *in* Bryant & Gressitt, 1957: 48
pubescens Gressitt *in* Bryant & Gressitt, 1957: 53
rugosata Gressitt *in* Bryant & Gressitt, 1957: 56
striata Bryant *in* Bryant & Gressitt, 1957: 53
veitchi Bryant, 1931: 356
vitiensis Bryant, 1931: 359

Ditropidius

punctulus Chapuis, 1876 [error, not Fijian]
tibialis Chapuis, 1876 [error, not Fijian]

Epinodostoma

alocasiae Gressitt *in* Bryant & Gressitt, 1957: 42
elongata Bryant *in* Bryant & Gressitt, 1957: 43

Eucolaspis

castanea Gressitt *in* Bryant & Gressitt, 1957: 60
saltator Bryant *in* Bryant & Gressitt, 1957: 60

Eurydemus

grandis (Baly), 1861: 287 [*Rhyparida*]
insignis Chapuis, 1874: 334

Febra

insularis Bryant, 1925: 596
nigroornata nigroornata Bryant *in* Bryant & Gressitt, 1957: 88
nigroornata vanuana Gressitt *in* Bryant & Gressitt, 1957: 89
rubra Gressitt *in* Bryant & Gressitt, 1957: 88
varioloidea Fairmaire, 1882: 490
venusta Clark, 1864: 262
semiaurantiaca Fairmaire, 1882: 490

Haplosomoides

binotata Bryant *in* Bryant & Gressitt, 1957: 68

Khasia**nigra** Bryant, 1925: 598**nitida** Bryant *in* Bryant & Gressitt, 1957: 69**rugosa callosa** Gressitt *in* Bryant & Gressitt, 1957: 70**rugosa rugosa** Bryant *in* Bryant & Gressitt, 1957: 70**Labasa****scutellaris** Bryant, 1925: 591**Linaltica****simmondsi** (Bryant), 1938: 252 [*Psylloides*]*lamia* (Gressitt *in* Bryant & Gressitt), 1957: 75 [*Aphthona*]**Lindinia****glabrata** Bryant *in* Bryant & Gressitt, 1957: 20**Loxopleurus****costipennis** Bryant, 1945: 421**rotumanus** Gressitt *in* Bryant & Gressitt, 1957: 17**ruficollis** Bryant *in* Bryant & Gressitt, 1957: 16**vitiensis** Bryant, 1943: 566**Malacotheria****funeria** Fairmaire, 1881: 487**lateritia** Fairmaire, 1881: 488**strigiscuta** Fairmaire, 1881: 487**Manobia****levicollis** Gressitt *in* Bryant & Gressitt, 1957: 82**lubricata** Samuelson, 1973: 87**metallica** Bryant, 1946: 427**obsolapicalis** Samuelson, 1973: 89**obtusicollis** Gressitt *in* Bryant & Gressitt, 1957: 83**thompsoni** Samuelson, 1973: 90**tomaniiviae** Samuelson, 1973: 91**victoriae** Samuelson, 1973: 92**zimmermani** Samuelson, 1973: 93**Mniophila****exulans** Samuelson, 1973: 61**Metriodea****moala** (Gressitt *in* Bryant & Gressitt), 1975: 73 [*Monolepta*]**signatipennis kandavuna** (Gressitt *in* Bryant & Gressitt), 1957: 72 [*Monolepta*]**signatipennis lauana** (Gressitt *in* Bryant & Gressitt), 1957: 71 [*Monolepta*]

signatipennis signatipennis Fairmaire, 1882: 489
vitensis (Bryant), 1925: 599 [*Monolepta*]
zimmermani (Bryant *in* Bryant & Gressitt), 1957: 73 [*Monolepta*]
modesta (Bryant), 1925: 599 [*Monolepta*] [Preoccupied Blackburn 1888]

Pachymerus

gonager (Fabricius), 1798: 159 [*Bruchus*]

Paracoenobius

gressitti Lopatin, 1996: 153

Parademotina

aureotincta Gressitt *in* Bryant & Gressitt, 1957: 46

Phyllotreta

blackburni Bryant, 1925: 596

undulata (Kutschera), 1860: 301 [*Haltica*]

Plagiodera

violaceipennis Bryant, 1925: 591

Plesistia

brunnea Maulik, 1929: 199

Promecotheca

bicolor Maulik, 1929: 107

coeruleipennis Blanchard, 1853: 312

reichei Baly, 1869: 374

Psylloides

brettinghami Baly, 1862: 457

vitiensis Bryant, 1925: 597

Pycnophthalma

apicale Bryant *in* Bryant & Gressitt, 1957: 14

aureopilosa Bryant, 1925: 591

cuprea Bryant, 1942: 508

leveri Bryant, 1942: 509

Rhyparida

bryani Gressitt *in* Bryant & Gressitt, 1957: 25

dispar Bryant, 1925: 591

fijiensis Gressitt *in* Bryant & Gressitt, 1957: 22

kandavu Gressitt *in* Bryant & Gressitt, 1957: 24
laddi Gressitt *in* Bryant & Gressitt, 1957: 23
luteola Fairmaire, 1879: 75
oblonga Bryant *in* Bryant & Gressitt, 1957: 22
strigosa (Bryant), 1946: 424 [*Nodostoma*]
trapezicollis Fairmaire, 1879: 75
vermiculata Gressitt *in* Bryant & Gressitt, 1957: 24

Scelodontina

suvensis Medvedev, 1979: 119

Stethotes

rufipes Bryant, 1946: 426
setosa Gressitt *in* Bryant & Gressitt, 1957: 45

Stygnobia

albiseta Gressitt *in* Bryant & Gressitt, 1957: 38
elliptica Gressitt *in* Bryant & Gressitt, 1957: 39
evansi (Bryant), 1942: 510 [*Trichostola*]
leveri (Bryant), 1942: 511 [*Trichostola*]
metallica Bryant, 1946: 425
nandarivatu Gressitt *in* Bryant & Gressitt, 1957: 40
oconnori Gressitt *in* Bryant & Gressitt, 1957: 38
ovalaua Gressitt *in* Bryant & Gressitt, 1957: 41

Trachyophthona

brunnea (Bryant *in* Bryant & Gressitt), 1957: 84
chandleri Samuelson, 1973: 22
greenwoodi (Bryant), 1925: 595 [*Aphthona*]
lauensis (Gressitt *in* Bryant & Gressitt), 1957: 84 [*Nesohaltica*]
seneteki Gressitt *in* Bryant & Gressitt, 1957: 75
vitiensis (Bryant), 1938: 251 [*Nesohaltica*]

Vitibia

bryanti Gressitt *in* Bryant & Gressitt, 1957: 34
vitiensis Bryant, 1946: 424 [Preoccupied Bryant 1942]
dimorpha Gressitt *in* Bryant & Gressitt, 1957: 35
duplicata Gressitt *in* Bryant & Gressitt, 1957: 31
formosa (Baly), 1877: 40 [*Rhyparida*]
greenwoodi (Bryant), 1946: 421 [*Nodostoma*]
melochiae Gressitt *in* Bryant & Gressitt, 1957: 30
montana Gressitt *in* Bryant & Gressitt, 1957: 28
obscura obscura Gressitt *in* Bryant & Gressitt, 1957: 32
obscura submetallica Gressitt *in* Bryant & Gressitt, 1957: 33
pallipes Bryant *in* Bryant & Gressitt, 1957: 36
rufilabris Bryant *in* Bryant & Gressitt, 1957: 32
rufoviolacea Fairmaire, 1881: 485

striatipennis Bryant *in* Bryant & Gressitt, 1957: 29
testacea Gressitt *in* Bryant & Gressitt, 1957: 34
virida Gressitt *in* Bryant & Gressitt, 1957: 34
vitiensis (Bryant), 1942: 512 [*Nodostoma*]

CIIDAE

Ceracis

compressicornis Fairmaire, 1881: 276

Cis

fijianus Blair, 1944: 127

CLERIDAE

Callimerus

arcufer Chapin, 1919: 233

Cylidrus

cyaneus (Fabricius), 1787: 126 [*Clerus*] [from Koronivia collection]

Necrobia

ruficollis (Fabricius), 1775: 57 [*Dermestes*] [from Koronivia collection]

rufipes (De Geer), 1775: 165 [*Clerus*]

Ommadius

lividipes Fairmaire, 1881: 275

Vitticlerus

formicinus Miyatake, 1977: 105

COCCINELLIDAE

Anisorcus

affinis Crotch, 1874: 191

fryi Crotch, 1874: 191

Chilomenes

duodecimpunctata Fauvel, 1867: 110

polynesiae Crotch, 1874: 181

Coccinella

transversalis Fabricius, 1781: 97
repanda Thunberg, 1781: 18

Coelophora

atrolineata Fairmaire, 1881: 491
inaequalis (Fabricius), 1775: 80 [*Coccinella*]

Epilachna

boisduval Mulsant, 1850: 765
montrouzieri Fauvel, 1862: 174
nigrescens Dieke, 1947: 37
urvillei Montrouzier, 1861: 305
vigintioctopunctata (Fabricius), 1775: 84 [*Coccinella*]

Harmonia

octomaculata (Fabricius), 1781: 97 [*Coccinella*]
arcuata (Fabricius), 1787: 55 [*Coccinella*]

Megalocaria

fijiensis (Crotch), 1874: 89 [*Archaioneda tricolor* var.]
tricolor (Fabricius), 1787: 59 [*Coccinella*]

Menochilus

polynesiae (Crotch), 1874: 181 [*Chilomenes*]

Micraspis

lineola (Fabricius), 1775: 79 [*Coccinella*]
strigula (Boisduval), 1835: 601 [*Coccinella*]

Orcus

chalybeus (Boisduval), 1835: 595 [*Coccinella*] [from Koronivia collection]

Paraphellus

pacificus Chazeau, 1981: 119

Parapriasmus

australasiae (Boisduval), 1835: 593 [*Coccinella*] [from Koronivia collection]

Rodolia

cardinalis (Mulsant), 1850: 906 [*Vedalia*]

Scymnus

erinaceus Sicard, 1931: 232

fijiensis Sicard, 1922: 353

Serangium

comperei Chapin, 1940: 269

Stethorus

fijiensis Kapur, 1948: 318

Synharmonia

fijiensis Sicard, 1929: 515

COLYDIIDAE

Bitoma

laticula (Fairmaire), 1881: 255

Euxestus

parki Wollaston, 1858: 413

rubripes (Reitter), 1880: 183 [*Tritomidea*]

CORYLOPHIDAE

Anisomeristes

basalis (Sharp), 1885: 128 [*Sericoderus*] [from Koronivia collection]

CUCUJIDAE

Rhinolaemus

maculatus Steel, 1954: 144

CURCULIONIDAE [updates to Scolytinae/Platypodinae by R. Beaver]

Acalles

samoanus Marshall, 1931: 280

Acamptus

cancellatus (Marshall), 1921: 596 [*Glyphostethus*]

Acicnemis

biconifer Fairmaire, 1877: 286

crassiusculus Fairmaire, 1878: 286

variegatus Fairmaire, 1849: 511

Amasa

- consularis** (Schedl), 1955: 299 [*Xyleborus*]
cylindriformis (Schedl), 1942: 162 [*Xyleborus*]
circulicauda (Browne), 1974: 68 [*Xyleborus*]
kenchingtoni Beaver, 1995: 13
truncatiferus (Schedl), 1955: 309 [*Xyleborus*]

Amblycnemis

- fulgidus** Zimmerman, 1943: 185

Ambrosidomus

- wilderi** (Beeson), 1929: 235 [*Xyleborus*]

Ampagia

- basicollis** Lea, 1929: 190
nigra Zimmerman, 1943: 187
rudesquamea Fairmaire, 1881: 312
vitiensis Lea, 1929: 191

Anaballus

- amplicollis** (Fairmaire), 1849: 36 [*Acalles*]

Anomacaulus

- fulvovestitus** Fairmaire, 1881: 259

Apirocalus

- cornutus** Pascoe, 1881: 590

Blepiarida

- lophotes** Pascoe, 1865: 432

Chaetectetorus

- vitiensis** Zimmerman, 1937: 447

Cnemidothrix

- clivicollis** Marshall, 1956: 53
evansi Marshall, 1956: 56
humeralis Marshall, 1956: 54
moestus Marshall, 1956: 57
omissus Marshall, 1956: 55
protensus Fairmaire, 1881: 296
torvus Marshall, 1956: 57

Coccotrypes

- advena** Blandford, 1894: 100
carpophagus (Hornung), 1842: 116 [*Bostrichus*]
creber (Schedl), 1955: 290 [*Poecilips*]
cyperi (Beeson), 1929: 230 [*Poecilips*]
dactyliperda (Fabricius), 1801: 387
fijianus (Schedl), 1942: 179 [*Poecilips*]
medius (Eggers), 1927: 84 [*Poecilips*]
myristicae (Roepke), 1919: 23 [*Thamnurgides*]
leveri Browne, 1970: 564
 borassi Beeson, 1939 [misidentification]
nitidus (Eggers), 1923: 147 [*Dendrurgus*]
 insularis Eggers, 1939: 223 [*Thamnurgides*]
saundersi (Chapuis), 1866: 80 [*Platypus*]
tahitensis (Beeson), 1935: 117 [*Thamnurgides*]
 striatus (Eggers), 1927: 82 [*Coccotrypes*]
 striatulus (Wood), 1989: 178 [*Thamnurgides*]
tutuilensis (Beeson), 1929: 229 [*Thamnurgides*]
 variabilis (Beeson), 1939 [misidentification]
vulgaris (Eggers), 1923: 151 [*Dendrurgus*]

Coptonus

- fijianus** Kuschel *in* Kuschel, Leschen & Zimmerman 2000: 792

Cosmoderes

- cylindricus** (Schedl), 1962: 103 [*Erioschidias*]

Cosmopolites

- sordidus** (Germar), 1824: 299 [*Calandra*]

Cranopoeus

- galeatus** Marshall, 1931: 449
muii Marshall, 1931: 447
setiger Marshall, 1931: 451
veitchi Marshall, 1931: 450

Crossotarsus

- externedentatus** Fairmaire, 1850: 51
 saundersi (Chapuis), 1865: 80

Cryphalus

- capucinicollis** Schedl, 1950: 47
capucinimorphus Schedl, 1950: 48
elaboratus Schedl, 1950: 51
elongatus Schedl, 1962: 105
mollis Schedl, 1955: 288
silvanus Schedl, 1951: 145 [from Lund Collection]
striatus Browne, 1974: 66
strigipennis Schedl, 1950: 50

sylvicola Perkins, 1900: 181
sylvicola obliquus Schedl, 1950: 48
dimorphus Schedl, 1950: 49
variolosus Schedl, 1950: 49
vitiensis Browne, 1974: 67
zimmermani Schedl, 1950: 51

Cyrtogenius

brevior (Eggers), 1927: 86 [*Pelicerus*]
cyclopus (Schedl), 1940: 439 [*Pelicerus*]
fijianus (Schedl), 1951: 150 [*Ozopemon*]
samoanus (Eggers), 1928: 174 [*Dryocoetes*]
granulifer (Beeson), 1929: [*Pelicerus*]

Deretiosus

apicalis Lea, 1928: 67
exithioides Lea, 1928: 64
fasciculiceps Lea, 1931: 392
invenustus Lea, 1928: 69
lateroalbus Lea, 1928: 61
lectus Lea, 1928: 62
squamituber (Fairmaire), 1881: 302 [*Microbothrus*]
variegatus Lea, 1928: 64
v-nigrum Lea, 1928: 65

Deretoides

muticus (Lea), 1928: 63 [*Deretiosus*]
scutellaris (Lea), 1928: 66 [*Deretiosus*]

Diapus

quinquespinatus Chapuis, 1865: 334

Diathetes

pandanae Zimmerman, 1939: 335

Diocalandra

taitensis (Guérin-Méneville *in* Schoenherr), 1838: 982 [*Sitophilus*]

Diorycaulus

punctatellus Fairmaire, 1878: 282

Dipaltosternus

fairmairei Pascoe, 1883: 98
insidiator Fairmaire, 1881: 389

Dyspeithes**fairmairei** Faust, 1893: 8**Eidophelus****spinipennis** Schedl, 1979: 106**Elytrogonus****griseus** Guérin-Méneville, 1841: 126**obtusatus** Fairmaire, 1881: 293**Elytroteinus****subtruncatus** (Fairmaire), 1881: 307 [*Pteroporus*]**Elytrurus****acuticauda** Fairmaire, 1879: 46**angulatus** Waterhouse, 1877: 9**caudatus** Pascoe, 1870: 471**dentipennis** Fairmaire, 1879: 46**divaricatus** Waterhouse, 1877: 10**durvillei** Blanchard, 1853: 221**expansus** Waterhouse, 1877: 8**granatus** Fairmaire, 1879: 116**horizontalis** Fairmaire, 1881: 291**rusticus** Pascoe, 1881: 509**serrulatus** Waterhouse, 1877: 11**squamatus** Rainbow, 1897: 92**subvittatus** Pascoe, 1881: 589**Euscepes****postfasciatus** (Fairmaire), 1849: 513 [*Cryptorhynchus*]*batatae* (Waterhouse), 1849: lviii [*Ceutorhynchus*]**Eutinophaea****vitiensis** Lea, 1930: 461**Euwallacea****bicolor** (Blandford), 1894: 113 [*Xyleborus*]*unimodus* (Beeson), 1929: 238 [*Xyleborus bicolor* ssp.]*limatus* (Schedl), 1936 [misidentification]*rameus* (Schedl), 1940: 441 [*Xyleborus*]**destruens** (Blandford), 1896: 221 [*Xyleborus*]*nandarivatus* (Schedl), 1950: 52 [*Xyleborus*]**fornicatus** (Eichhoff), 1868: 10 [*Xyleborus*]*schultzei* (Schedl), 1950: 40 [*Xyleborus*]

galoanus Browne, 1974: 69*illustrius* (Schedl) [error, not Fijian]**kersianus** (Browne), 1981: 132 [*Xyleborus*]**piceus** (Motschulsky), 1863 [*Anodius*]*indica* (Eichhoff), 1868 [*Xyleborus*]**xanthopus** (Eichhoff), 1868: 151 [*Xyleborus*]**Ficicis****porcatus** (Chapuis), 1869: 31 [*Hylesinus*]*despectus* (Walker), 1859 [misidentification]*subopacus* (Eggers), 1930: 10 [*Hylesinus*]**robustus** (Eggers), 1939: 223 [*Hylesinus*]**Heterobaris****spathulirostris** (Lea), 1931: 159 [*Solenobaris*]**Heteromolius****hylesinoides** Fairmaire, 1881: 303**tricostatus** Fairmaire, 1881: 304**Hypocryphalus****laticollis** Browne, 1974: 64*perminimus* (Schedl), 1942 [misidentification]**Hypothenemus****adscitus** (Schedl), 1950: 46 [*Stephanoderes*]**areccae** (Hornung), 1842: 117 [*Bostrichus*]*subglabratus* Schedl, 1942: 174**birmanus** (Eichhoff), 1878: 486 [Triarmocerus]*alter* (Eggers), 1923: 219 [*Stephanoderes*]**crudiae** (Panzer), 1791: 35 [*Bostrichus*]*lebronneci* Beeson, 1935: 104 [*Stephanoderes*]**curtipennis** (Schedl), 1950: 45 [*Stephanoderes*]**dorsosignatus** (Schedl), 1950: 46 [*Stephanoderes*]*fijianus* (Schedl), 1955: 289 [*Stephanopodius*]**eruditus** Westwood, 1836: 34*gossypii* Hopkins, 1915: 25 [misidentification]**hampei** (Ferrari), 1867: 11 [*Cryphalus*]*jatrophae* (Sampson) [*Cryphalus*] [MS name; not validated]**kamathi** Beaver, 1995: 16**namosianus** Browne, 1984: 78*plumeriae* (Nördlinger), 1856 [misidentification]**seriatus** (Eichhoff), 1872: 133 [*Stephanoderes*]*darwinensis* (Schedl), 1942: 178 [*Stephanoderes*]**Idotasia****cribricollis** Lea, 1928: 156**humeralis humeralis** Lea, 1928: 157

humeralis immaculata Lea, 1928: 157
humeralis posthumeralis Lea, 1928: 157

Isomerithus

interruptus Pascoe, 1883: 88

Mecistocerus

atomosparsus (Fairmaire), 1878: 282 [*Cyamobolus*]
ocellolineatus Fairmaire, 1881: 310

Mecopus

trilineatus Guérin-Méneville, 1838: 126 [from Koronivia Collection]

Melanopsacus

calvulus Wolfrum, 1959: 169
veitchi Jordan, 1924: 618

Microcryptorhynchus

angustior Lea, 1928: 88
rotundipennis Lea, 1928: 88
vitiensis Lea, 1928: 89

Miocryphalus

ciliatipennis Schedl, 1979: 105

Neoremonyx

nitdiventris (Lea), 1931: 159 [*Solenobaris*]

Nesiobariops

nemorhina (Lea), 1931: 153 [*Baris*]

Nesobaris

basipennis (Lea), 1931: 153 [*Baris*]
vitiensis (Lea), 1931: 153 [*Baris*]

Nesogenocis

cucullus Lea, 1930: 464
maculosus Zimmerman, 1943: 162

Orochlesis

angulata Zimmerman, 1936: 4
bella Zimmerman, 1936: 5

bryani Zimmerman, 1936: 11
eluta Zimmerman, 1936: 7
nigra Zimmerman, 1936: 12
tessellata Zimmerman, 1936: 8
vitticollis Zimmerman, 1936: 9

Orthorhinus

granosparsus Fairmaire, 1881: 314

Orthotomicus

angulatus (Eichhoff), 1875: 200 [*Ips*]
erosus (Wollaston), 1857 [misidentification]

Osseteris

marshalli Zimmerman, 1937: 450
moalae Zimmerman, 1937: 451

Ottinychus

comptus Zimmerman, 1939: 309
gemmatus gemmatus Zimmerman, 1939: 310
gemmatus griseus Zimmerman, 1939: 310

Ozedendron

fijianus (Schedl), 1951: 150 [*Ozopemon*]

Ozopemon

augustae Eggers, 1923: 159
kuscheli Schedl, 1979: 104

Pachyrrhynchus

constellatus Oberthür, 1883: xxv

Parexophthalmus

vitiensis Marshall, 1941: 54

Paurommatus

smaragdus (Marshall), 1917: 191 [*Peltotrachelus*]

Phanerostethus

fasciculatus Zimmerman, 1939: 319
vitiensis Zimmerman, 1939: 318

Platypus

- bordeni** Beaver 2000: 756
gerstaeckeri Chapuis, 1865: 240
namosianus Beaver, 2000: 758
vitiensis Roberts, 1977: 571
yasiyasi Roberts, 1977: 560

Polytus

- mellerborgi** (Boheman), 1838: 976 [*Sitophilus*] [from Koronivia Collection]

Pseudocholus

- holocyanus** Fairmaire, 1878: 282

Pseudoleptops

- nodulosus** Blanchard, 1853: 240

Pseudomolius

- crassicornis** Fairmaire, 1881: 306

Psysarchus

- pyramidalis** Pascoe, 1865: 425

Pteroporus

- subtruncatus** Fairmaire, 1881: 308

Ptilopodius

- marquesanus** Beeson, 1935: 101

Rhabdocnemis

- obscura** (Boisduval), 1835: 448 [*Calandra*]

Rhinoscapha

- lagopyga** Fairmaire, 1881: 348
oblita Heller, 1908: 5

Rhynchophorus

- ferrugineus** (Olivier), 1790: 473 [*Curculio*]

Scolytogenes

- fijianus** (Schedl), 1950: 42 [*Lepicerinus*]
gracilis (Schedl), 1950: 44 [*Lepicerinus*]
leprosulus (Browne), 1974: 66 [*Cryphalomorphus*]
cicatricosis (Schedl), 1942 [misidentification]

nigellatus (Schedl), 1950: 44 [*Lepicerinus*]
puncticollis (Schedl), 1950: 43 [*Lepicerinus*]
grossepunctatus (Browne), 1974: 66 [*Cryphalomorphus*]

Scolytomimus

maculatus Beeson, 1929: 223
tenuis Browne, 1984: 77 [from Lund Collection]

Sitophilus

granarius (Linnaeus), 1758: 378 [*Curculio*]
linearis (Herbst *in* Jablonsky), 1797: 5 [*Rynchophorus*]
oryzae (Linnaeus), 1763: 395 [*Curculio*]
zeamais Motschulsky, 1855: 77

Sphaeropterus

lineolatus Blanchard, 1853: 226
rufipes Blanchard, 1853: 227
seriegranatus Fairmaire, 1881: 295
villanosulus Guérin-Ménéville, 1841: 127

Sphenophorus

circumscriptus Gemminger, 1871: 123
nebulosus Macleay

Stenommatius

musae Marshall, 1920: 177

Stereoderus

pacificus Wollaston, 1873: 656

Storeus

aurifer Lea, 1927: 59
inermis Lea, 1927: 61
minimus Lea, 1927: 60

Sueus

niisimai (Eggers), 1926: 133 [*Hyorrhynchus*]

Teleodactylus

angustus Lea, 1928: 67 [*Deretiosus*]
minutus Lea, 1928: 69 [*Deretiosus*]
parallelus Zimmerman, 1937: 72
pupureotinctus Lea, 1928: 67 [*Deretiosus*]

Thylacosternus**bigibbosus** Fairmaire, 1881: 307**Trichogonus****unipencillatus** Fairmaire, 1881: 310**Trigonops****rotundipennis** Fairmaire, 1849: 504**Trigonopterus****anthrax** Fairmaire, 1881: 315**merophysoides** Fairmaire, 1879: 3**semiscribosus** Fairmaire, 1881: 314**Trochorhopalus****strangulatus** Gyllenhal, 1838: 963 [*Sphenophorus*]**Viticis****bidentatus** Lea, 1930: 463**Xyleborinus****artelineatus** (Beeson), 1929: 239 [*Xyleborus*]*exiguus* (Walker), 1859 [misidentification]**artestriatus** (Eichhoff), 1878: 507 [*Xyleborus*]**perexiguus** (Schedl), 1971: 381 [*Xyleborus*]**spiniposticus** Wood, 1992: 80*spinipennis* (Schedl), 1979: 106 [*Eidophelus*] [preoccupied Eggers, 1930]*validicornis* (Schedl), 1950: 52 [*Xyleborus*]**Xyleborus****affinis** Eichhoff, 1868: 401*mascarensis* Eichhoff, 1878: 372**aplanatideclivis** Schedl, 1942: 191**buxtoni** Beeson, 1929: 243**cognatus** Blandford, 1896: 19**deformatus** Browne, 1974: 70**deplanatulus** Schedl, 1950: 53*duplex* Browne, 1974: 68**fallaxoides** Schedl, 1955: 302**ferrugineus** (Fabricius), 1801: 388 [*Bostrichus*]*confusus* Eichhoff, 1867: 401**insulindicus** Eggers, 1923: 177**ipidia** Schedl, 1972: 63*planodeclivis* Browne, 1974: 70**partitus** Browne, 1974: 69

perforans (Wollaston), 1857: 96 [*Tomicus*]
testaceus Walker, 1859: 260
kraatzi Eichhoff, 1868
apertus Schedl, 1939: 355
planipennis Schedl, 1955: 305
psaltes Schedl, 1955: 275
ramosus Schedl, 1951: 138
similis Ferrari, 1867
subtruncatus Schedl, 1972: 201
sulcicauda Schedl, 1972: 271
tenuipennis Browne, 1974: 71
touotai Beaver, 1995: 15
truncatiferus Schedl, 1955: 309
volvulus (Fabricius), 1794: 454 [*Bostrichus*]
torquatus Eichhoff, 1868: 146

Xylosandrus

compactus (Eichhoff), 1875: 201 [*Xyleborus*]
morstatti (Hagedorn), 1912: 37 [*Xyleborus*]
fijianus (Schedl), 1938: 50 [*Xyleborus*]
mutilatus (Blandford), 1894 [misidentification]
morigerus (Blandford), 1894: 260 [*Xyleborus*]
difficilis (Eggers), 1923: 174 [*Xyleborus*]
abruptoides (Schedl), 1955: 298 [*Xyleborus*]

DERMESTIDAE

Anthrenus

fasciatus Herbst *in* Jablonsky, 1797: 337
pimpinellae Fabricius, 1775: 61

Attagenus

fasciatus (Thunberg), 1784: 5 [*Dermestes*]

Dermestes

ater De Geer, 1774: 223
carnivorus Fabricius, 1775: 55 [originally spelled as "*carniforus*"]
frischi Kugelann, 1792: 478
maculatus De Geer, 1774: 223
vulpinus Fabricius, 1781: 64

Orphinus

fulvipes (Guérin-Méneville), 1838: 61 [*Brachysternus*]

DYTISCIDAE

Bidessus**dorsoplagiatus** Fairmaire, 1881: 249 [*Hydroporus*]**fijiensis** Balfour-Browne, 1944: 99**leveri** Balfour-Browne, 1944: 98**Copelatus****amaroides** Guignot, 1952: 23**fidschiensis** Zimmermann, 1928: 173**fijiensis** Guignot, 1955: 72**marginatus** Sharp, 1882: 579 [from Koronivia Collection]**strigosulus** Fairmaire, 1878: 278**Cybister****tripunctatus** (Olivier), 1795: 14 [*Dytiscus*]**Hydaticus****consanguineus** Aubé, 1838: 160 [Australian faunal database]**fijiensis** Régimbart, 1899: 316**Hydroporus****strigulosus** Fairmaire, 1881: 250**Hyphydrus****lyratus** Schwartz *in* Schönherr, 1808: 29 [Australian faunal database]**Macroporus****tristis** Zimmermann, 1926: 167**Rhantus****annectens** Sharp, 1882: 608.**bula** Balke, Wewalka, Alarie & Ribeira, 2007: 193**kini** Balke, Wewalka, Alarie & Ribeira, 2007: 194**suturalis** (Macleay), 1825 [*Colymbetes*] [misidentification, not Fijian]**australis** Aubé, 1838: 236 [misidentification, not Fijian]**vitiensis** Balfour-Browne, 1945: 99**ELATERIDAE****Alaus****costulicollis** Fairmaire, 1878: 267**Anchastus****evansi** Van Zwaluwenburg, 1933: 184**maculatus** Van Zwaluwenberg, 1943: 298

major Candèze, 1878: lxxxv
vitiensis Van Zwaluwenburg, 1929: 489

Calais

speciosus (Linnaeus), 1767: 651 [*Elater*]

Compshelus

flavus Candèze, 1878: 48

Compsolacon

glirinus (Candèze), 1865: 11 [*Lacon*]
stricticollis (Fairmaire), 1881: 266 [*Lacon*]

Conobajulus

ugiensis Van Zwaluwenberg, 1940: 96

Conoderus

pallipes (Eschscholtz), 1829: 32 [*Monocrepidius*]

Cryptalaus

carinulatus Van Zwaluwenburg, 1940: 92
vitilevu Johnson 2002: 7

Dioxypterus

beaveri Johnson, 1997: 162
ensis Van Zwaluwenburg, 1933: 180
flexuosus Fairmaire, 1881: 268
guttulatus Fairmaire, 1878: 279
marshalli Van Zwaluwenburg, 1940: 105
muii Van Zwaluwenburg, 1933: 178
nigrotransversus Fairmaire, 1878: 279
taveuni Van Zwaluwenburg, 1933: 179
undulatus Schwarz, 1902: 316
vagepictus Fairmaire, 1878: 279
wakayensis Van Zwaluwenburg, 1933: 179

Lacon

modestus (Boisduval), 1835: 108 [*Agrypnus*]
variabilis Candèze, 1857

Megapenthes

insularis Van Zwaluwenberg, 1943: 294
levuensis Van Zwaluwenberg, 1943: 293
madidus Candèze, 1893: 37

parvus Van Zwaluwenberg, 1943: 294
porticulatus Van Zwaluwenberg, 1943: 292
tenuis Van Zwaluwenberg, 1943: 295

Monocrepidius

pauper (Schwarz), 1907: 76 [*Conoderus*]

Pacificola

vitiensis Van Zwaluwenburg, 1932: 137

Photophorus

jansoni Candèze, 1881: 94

Propsephus

major (Candèze), 1878: 25 [*Anchastus*]
vitiensis Van Zwaluwenburg, 1940: 112
zimmermani Van Zwaluwenberg, 1943: 290

Psephus

auaensis Schwarz, 1902: 351
rufipes Schwarz, 1902: 351

Simodactylus

actutus Van Zwaluwenburg, 1933: 182
bryani Van Zwaluwenburg, 1940: 113
cinnamoneus (Boisduval), 1835: 106 [*Elater*]
gagneorum Johnson 2002: 16
hesperius Van Zwaluwenburg, 1940: 113
obscurus Van Zwaluwenburg, 1940: 115
tasmani Candèze, 1893: 24
vanualevu Johnson 2002: 14

Tetrigus

fleutiauxi Van Zwaluwenburg, 1933: 176
silvaticus Van Zwaluwenburg, 1934: 262
valentini Van Zwaluwenburg, 1940: 99

EROTYLIDAE

Brachypterosa

peckorum Zablony & Leschen, 1996: 385

Monothallis

xanthostieta (Crotch), 1876: 401 [*Thallis*]

perplexa (Blackburn), 1895: 228 [*Thallis*] [from Koronivia collection]
samoensis (Heller), 1920: 59 [*Thallis*]

EUCNEMIDAE

Dicladus

melancoleoides Fleutiaux, 1912: 297
holosericatus Fleutiaux, 1925: 251
sexramosus Fleutiaux, 1932: 265

Dromaeolus

fairmairei Fleutiaux, 1928: 127

Fornax

anchastoides Fleutiaux, 1932: 264
evansi Fleutiaux, 1932: 264
insularis Fleutiaux, 1931: 456
nitidus Fleutiaux, 1928: 127
oceanicus Fleutiaux, 1925: 249
serraticollis Fleutiaux, 1925: 251
uniformis Fleutiaux, 1925: 249
vitiensis Fleutiaux, 1925: 250

Maelodrus

bryani Fleutiaux, 1931: 453
dorsalis Fleutiaux, 1931: 454
freyi Cobos, 1978: 48
rufiventris Fleutiaux, 1931: 454

Porraulacus

basipennis Fleutiaux, 1928: 130
evansi Fleutiaux, 1932: 265
transversus Fleutiaux, 1932: 264

GYRINIDAE

Dineutus

australis (Fabricius), 1775: 235 [*Gyrinus*]
australis ultimus Ochs, 1927: 34
eccentricus Mouchamps, 1956: 3
fairmairei Régimbart, 1883: 394
janthinus Blanchard, 1853: 50
simmondsi Ochs, 1927: 32

HETEROCERIDAE

Heterocerus

flindersi Blackburn, 1888: 205 [from Koronivia collection]

HISTERIDAE**Acritus**

dugdalei Gomy, 1983: 226

fidjicus Gomy, 1983: 224

fidjiensis Gomy, 1983: 228

Aeletes

leai Gomy, 1983: 230

Australomalus

fijianus Mazur, 1981: 379

Bacaniomorphus

semiellipticus (Thérond), 1965: 270 [*Abraeomorphus*]

Bacanius

dentrecasteauxi Gomy, 1976: 163

gourvesi Gomy, 1981: 188

kaszabi Gomy, 1977: 110

Carcinops

pumilio (Erichson), 1834: 169 [*Paromalus*]

quattuordecimstriata (Stephens), 1835: 412 [*Dendrophilus*] [from Koronivia collection]

Cryptomalus

kuscheli Mazur, 1981: 381

Gomyopsis

kuscheli Dégallier, 1984: 57

Pachylister

chinensis (Quensel), 1806: 88b [*Hister*]

Plaesius

javanus Erichson, 1834: 102

Platylister

insulicola (Schmidt), 1889: 331 [*Platysoma*]

Platylomalus**arrowi** Gomy, 1983: 232**Platylomanus****musicus** (Marseul), 1864: 333 [*Paromalus*]**Platysoma****urvillei** Le Guillou, 1844: 223**HYDRAENIDAE****Hydraena****evansi** Balfour-Browne, 1945: 122**fijiensis** Balfour-Browne, 1945: 123**Octhebius****eremita** Knisch, 1922: 87**HYDROPHILIDAE****Chasmogenus****nitescens** (Fauvel), 1883: 354 [*Philhydrus*]**Coelofletium****coelostomoides** (Balfour-Browne), 1945: 126 [*Paraflatium*]**Cryptopleurum****evansi** Balfour-Browne, 1945: 128**Dactylosternum****abdominale** (Fabricius), 1792: 70 [*Sphaeridium*] [from Koronivia Collection]**leveri** Balfour-Browne, 1942: 857**subquadratum** (Fairmaire), 1849: 412 [*Cyclonotum*]**Enochrus****esuriens** (Walker), 1858: 209 [*Philhydrus*]**Helochares****simulator** Knisch, 1922: 104**Hydrophilus**

bilineatus (Macleay), 1825: 36 [*Hydrous*]

sabelliferus Fairmaire, 1879: 80

caschmirensis Redtenbacher *in* Hügel, 1844: 513 [from Koronivia Collection]

indicus (Bedel), 1892: 310 [*Stethoxus*] [from Koronivia Collection]

Laccobius

roseiceps Régimbart, 1903: 59

Noteropagus

obscurus Orchymont, 1919: 135

Paracymus

pygmaeus (Macleay), 1871: 133 [*Cyclonotum*]

Sternolophus

artensis (Montrouzier), 1860: 247 [*Hydrobius*]

marginicollis (Hope), 1841: 48 [*Hydrobius*]

JACOBSONIIDAE

Sarothrias

fijianus Löbl & Burckhardt, 1988: 9

LAEMOPHLOEIDAE

Cryptolestes

pusilloides (Steel & Howe), 1952: 86 [*Laemophloeus*]

pusillus (Schoenherr), 1817: 55 [*Cucujus*]

minutus (Olivier), 1791: 243 [*Cucujus*] [preoccupied Fourcroy, 1785]

Laemophloeus (s.l.)

sp. [M. Thomas, *in litt.*]

Xylophloeus

politus (Fairmaire), 1881: 257 [*Laemophloeus*]

LAMPYRIDAE

Bourgeoisia

hypocrita Olivier, 1888: 202

Luciola

dermestiformis Fairmaire [from Koronivia collection]

hypocrita Olivier, 1888: 60

nigra McDermott, 1966: 110
atra Pic, 1928: 58 [Preoccupied Lea, 1927]

LATRIDIIDAE

Cartodere

costricta (Gyllenhal), 1827: 138 [*Latridius*]

Gomya

troglophila Sen Gupta, 1979: 697

LUCANIDAE

Aegus

grandis Deyrolle, 1874: 411

hyperpunctatus Boucher, 1996: 136

Figulus

fissicollis Fairmaire, 1849: 414 [from Koronivia collection]

foveicollis (Boisduval), 1835: 239 [*Platycerus*]

monochromatum Didier, 1931: 171

LYCIDAE

Melaneros

atroviolaceus Fairmaire [error, not Fijian; Blair, 1928: 99]

lugubris Fairmaire, 1877: 274

praelongus Fairmaire, 1877: 174

samuelseni Ramsdale, 2007: 43

MELOIDAE

Zonitis

angulata (Fabricius), 1787: 168

angulifera Blanchard, 1853: 191

MELYRIDAE

Carphurus

emarginatus Wittmer, 1968: 349

epiphyticus Wittmer, 1983: 339

flavoterminalis Wittmer, 1983: 339

flavozonatus Wittmer, 1983: 338

kuscheli Wittmer, 1983: 336

puncticollis Wittmer, 1983: 338

savuraensis Wittmer, 1984: 134

vagemaculatus Wittmer, 1968: 348

vitiensis Wittmer, 1983: 338

Microcarphurus

evansi Pic, 1932: 210

Telocarphurus

beaveri Wittmer, 1984: 137

MORDELLIDAE

Dellamora

aesura Ray, 1949: 309

castanea (Boheman), 1858: 108 [*Mordella*]

consimilis (Blair), 1922: 568 [*Mordellistena*]

curticaudata Ray, 1949: 312

epiblema Ray, 1949: 305

gracilicaudata (Blair), 1922: 568 [*Mordellistena*]

greenwoodi (Blair), 1922: 566 [*Mordellistena*]

homora Ray, 1949: 307

macaria Ray, 1949: 311

parva Ray, 1949: 310

Glipostenoda

samoensis (Blair), 1928: 87 [*Mordellistena*]

Mordella

acies Ray, 1949: 289

decemguttata Fabricius, 1801: 123 [from Koronivia Collection]

lacrimosa Lea, 1931: 319

nesiotica Ray, 1949: 283

nigroterminata Blair, 1922: 564

plurinotata Blanchard, 1853: 190 [from Koronivia collection]

veitchi Blair, 1922: 565

vitiensis Blair, 1922: 563

Mordellistena

agalma Ray, 1949: 293

angusticeps Ray, 1949: 299

arcuata Ray, 1949: 302

bryani Ray, 1949: 296

dehiscentis Ray, 1949: 291

dodoneae Montrouzier, 1860: 306

inscripta Lea, 1931: 320

macilenta Ray, 1949: 298

ploiaria Ray, 1949: 288

poecila Ray, 1949: 294

variabilis Ray, 1949: 296

xanthocephala Blair, 1922: 566
zimmermani Ray, 1949: 290

Tomoxia

anotata Ray, 1949: 285

MYCETOPHAGIDAE

Litargus

vestitus Sharp, 1879: 88 [from Koronivia collection]

NITIDULIDAE

Carpophilus

dimidiatus (Fabricius), 1792: 261 [*Nitidula*]
gentilis (Murray), 1864: 392 [*Microxanthus*] [from Koronivia Collection]
hemipterus (Linnaeus), 1758: 358 [*Dermestes*]
maculatus Murray, 1864: 372
marginellus Motschulsky, 1858: 262
mutilatus Erichson, 1843: 258
obsoletus Erichson, 1843: 259

Epuraea

ocularis Fairmaire, 1849: 363 [*Epuraea*]
tetragonus Murray, 1864: 401

Haptoncus

luteolus (Erichson), 1840: 134 [*Carphurus*] [from Koronivia Collection]
takhtajani Medvedev & Ter-Minassian, 1973: 151

Hisparonia

hystrix (Sharp), 1876: 26 [*Soronia*]

Stelidota

attenuata Jelinek, 1984: 140
gilloglyi Jelinek, 1984: 139

Urophorus

humeralis (Fabricius), 1798: 74 [*Nitidula*]

NOSODENDRIDAE

Nosodendron

fijiense Lea, 1931: 376

OEDEMERIDAE**Eobia**

decolor (Fairmaire), 1849: 455 [*Nacertes*]

Falsolessinia

quadricostata Pic, 1923: 29

Sessinia

incrassata Fairmaire, 1878: 286

kanack (Fairmaire), 1849: 454 [*Nacertes*]

lagenicollis (Fairmaire), 1878: 286 [*Ananca*]

lignicolor (Fairmaire), 1881: 287 [*Ananca*]

livida (Fabricius), 1775: 124 [*Lagria*]

moorii (Montrouzier), 1860: 307 [*Nacertes*]

subusta (Fairmaire), 1881: 287 [*Ananca*]

Thelyphassa

apicata (Fairmaire), 1881: 288 [*Ananca*]

PROSTOMIDAE**Prostomis**

pacifica Fairmaire, 1881: 340

PTILIIDAE**Acrotrichis**

flavipennis (Deane), 1931: 234 [*Trichopteryx*]

Actinopteryx

lancifer Fauvel, 1981: 148

acutangula Deane, 1931: 237

Ptilium

latum Deane, 1931: 239 [preoccupied Motschulsky 1845]

parallelum Deane, 1932: 191

Ptinella

lacunosa (Deane), 1932: 190 [*Leaptiliodes*]

Fijisella

vituenis Hall, 1999: 85

Fijiselloides**nandaivatuensis** Hall, 1999: 88**Vitusella****fijiensis** Hall, 1999: 86**PTILODACTYLIDAE****Pherocladus****dermestoides** Fairmaire, 1880: 372**PTINIDAE****Kedrinus****subviolaceus** (Pic), 1903 [*Ptinus*] [from Koronivia Collection]**Ptinus****tectus** Boieldieu, 1856: 652**RHIPOPHORIDAE****Micropelecotoides****fulvosericans** (Fairmaire), 1878: 279 [*Pelecotomoides*]**SALPINGIDAE****Inopeplus****metallescens** Fairmaire, 1881: 254**subviriescens** Reitter, 1878: 314**SCARABAEIDAE****Adoretus****sinicus** Burmeister, 1855: 532**versutus** Harold, 1869: 220*tenuimaculatus* Waterhouse, 1875: 112 [*umbrosus* ssp.]*vitiensis* Nonfried, 1891: 268**Airapus**

sp. [Stebnicka, 1998]

Anomocaulus**fulvovestitus** Fairmaire, 1878: 278

Aphodius

castanicolor Motschulsky, 1858: 54

australasiae Boheman, 1858: 50 [Preoccupied Blanchard, 1845] [from Koronivia collection]

lividus (Olivier), 1789: 86 [*Scarabaeus*]

Ataenius

orbicularis Schmidt, 1914: 697 [from Koronivia collection]

peregrinator Harold, 1877: 96 [Australian faunal database]

Dasygnathus

juba (Kirby), 1818: 459 [*Scarabaeus*]

australis Boisduval, 1835: 167 [from Koronivia collection]

Hadorhyparus

pecki Howden, 1995: 25

Monteitheolus

fijiensis Howden & Storey 2000: 182

Oryctes

melanops Burmeister, 1847: 192

rhinoceros Linnaeus, 1758: 346 [*Scarabaeus*]

Papuana

uninodis Prell, 1912: 230

Paratasia

dolens Fairmaire, 1879: 93

vitiensis Nonfried, 1891: 267

Poecilopharis

porioni Allard, 1995: 16

Protoetia

fusca (Herbst), 1790: 257 [*Cetonia*]

Rhopaea

subnitida Arrow, 1915: 321

vestita Arrow, 1915: 320

vitiensis Fairmaire, 1879: 70

Rhyssemus

germanus (Fabricius), 1767: 566 [*Ptinus*] [from Koronivia collection]

SCIRTIDAE**Scirtes**

evansi Pic, 1932: 210

humeralis Pic, 1932: 210

natovens Champion, 1919: 27

veitchi Champion, 1919: 27

SCYDMAENIDAE**Euconnus**

cilifer Franz, 1986: 162

cristicola Franz, 1986: 158

fijii Franz, 1971: 114

nandaivatuensis Franz, 1986: 159

vanuensis Franz, 1986: 158

zimmermani Franz, 1971: 115

Microscydmus

lauensis Franz, 1986: 163

vitiensis Franz, 1986: 163

Neseuthia

aspera Franz, 1986: 147

dugdalei Franz, 1986: 153

fijii Franz, 1971: 106

lauensis Franz, 1986: 149

suturalis Franz, 1986: 151

venuensis Franz, 1986: 152

vitiensis Franz, 1986: 151

Paraneseuthia

vitilevui Franz, 1986: 156

Scydmaenus

criventris Franz, 1986: 170

fijianus Franz, 1971: 111

fijiensis Franz, 1971: 144

fijii Franz, 1971: 110

hebridensis Lhoste, 1938: 97

laqueifer Franz, 1986: 172

microcephalus Franz, 1986: 174

miricornis Franz, 1986: 172

nandarivatu Franz, 1986: 165
paragracilicornis Franz, 1971: 114
samoanus Franz, 1971: 113
taveuni Lhoste, 1940: 192
tomanivii Franz, 1986: 168
vanuae Franz, 1986: 173
vitilevui Franz, 1971: 112
wainganitui Franz, 1986: 169
zimmermani Franz, 1971: 112

SILVANIDAE

Ahasverus

advena (Waltl), 1834: 169 [*Cryptophagus*]

Cryptamorpha

deiardinsi (Guérin-Méneville), 1838: 22 [*Trochoideus*]

Nausibius

clavicornis (Kugelann), 1794: 571 [*Cucujus*]

Oryzaephilus

mercator (Fauvel), 1889: 132 [*Silvanus*]

surinamensis (Linnaeus), 1758: 373 [*Chrysomela*]

Protosilvanus

fasciatus Halstead, 1973: 91

Psammoecus

insularis (Sharp *in* Blackburn & Sharp), 1885: 143 [*Telephanus*]

trimaculatus Motschulsky, 1858: 45

STAPHYLINIDAE

Acanthoglossa

quadraticeps Cameron, 1927: 262

Aleochara

rhopalocera Fauvel, 1878: 594

Allohoraemorphus

calcarifer Franz, 1986: 164

Alzada

pulcherrima Kistner, 1999: 314

Anomognathus

debilis Cameron, 1927: 270

Anotylus

pusillimus (Kraatz), 1859: 177 [*Oxytelus*]

pygmaeus (Kraatz), 1859: 176 [*Oxytelus*]

semiruber (Cameron), 1927: 260 [*Oxytelus*]

Atheta

bicincta Cameron, 1927: 271

Baeocera

gnava Löbl, 1980: 384

ignobilis Löbl, 1980: 386

kuscheli Löbl, 1980: 384

kuscheliana Löbl, 1980: 386

ovalis Löbl, 1980: 382

parallela Löbl, 1980: 381

reducta Löbl, 1980: 388

vanuana Löbl, 1980: 381

Batrifigia

bispina Park, 1952: 40

bucki Park, 1952: 40

spinipalpa Park, 1952: 38

sulcata Park, 1952: 35

Batrinanda

foveata Park, 1952: 51

Batrivitis

clypeata Park, 1952: 45

facialis Park, 1952: 42

Brachida

densiventris Cameron, 1927: 264

nigra Cameron, 1927: 264

Brundinia

fijiana (Cameron), 1927: 271 [*Atheta*]

Cafius**nasutus** Fauvel, 1877: 257**nauticus** (Fairmaire), 1849: 288 [*Philonthus*]**Calliderma****indica** (Kraatz), 1859: 124 [*Cephalochetus*]**Cheldophila****annularis** Cameron, 1927: 269**Clavilispinus****leai** (Cameron), 1927: 259 [*Paralispinus*]**Coenonica****puncticollis** Kraatz, 1857: 46**Coproporis****alutaceus** (Fauvel), 1878: 284 [*Cilea*]**immaturus** Bernhauer, 1922: 235**morulus** Lea, 1927: 276**Ctenandropus****nigriceps** Cameron, 1926: 349**Diestota****alternans** Cameron, 1927: 267**insularis** (Cameron), 1927: 267 [*Apheloglossa*]**pacifica** (Cameron), 1927: 268 [*Apheloglossa*]**vitiensis** Bernhauer, 1926: 163**Diglotta****maritima** Lea, 1927: 277**Edaphus****excellens** Puthz, 1991: 275**excelsiventris** Puthz, 1991: 272**excisicollis** Puthz, 1991: 268**exemplatus** Puthz, 1991: 277**exiguus** Puthz, 1991: 282**exiliventris** Puthz, 1991: 273**exorbitans** Puthz, 1991: 274**exornaticollis** Puthz, 1991: 269**exosus** Puthz, 1991: 286**exoticus** Puthz, 1991: 266

expeditus Puthz, 1991: 279
explorator Puthz, 1991: 280
exquisitus Puthz, 1991: 284
exscriptus Puthz, 1991: 281
exsecticollis Puthz, 1991: 269
exstans Puthz, 1991: 274
exsulans Puthz, 1991: 287
extennatus Puthz, 1991: 283
externus Puthz, 1991: 286
exterraneus Puthz, 1991: 276
fijiensis Puthz, 1974: 88
kuscheli Puthz, 1991: 271
kuschelianus Puthz, 1991: 270
sumatrensis Schaufuss, 1887: 110
tasmani Puthz, 1991: 284

Eleusis

apicipennis (Fairmaire), 1849: 291 [*Isomalus*]
humilis (Erichson), 1840: 839 [*Isomalus*]

Erochromus

atomus (Kraatz), 1859: 58 [*Coproporus*] [from Koronivia Collection]

Eupifigia

fijiensis Park, 1952: 25
laboriosa Park, 1952: 22
pacifica Park, 1952: 23
plana Park, 1952: 26
valentinei Park, 1952: 21
zimmermani Park, 1952: 19

Fijiastes

zimmermani Park, 1952: 11

Fustiger

cribratus Mann, 1920: 64
levuanus Mann, 1920: 65
raffrayi Mann, 1920: 63
vitiensis Mann, 1920: 63
wasmanni Mann, 1920: 66

Gnypeta

evansi Pasnik 2005: 709
insulana (Fairmaire), 1849: 287 [*Bolitochara*]
variegata Bernhauer, 1926: 164

Gryophaena**discoidalis** Fauvel, 1878: 568**fijiensis** Cameron, 1927: 266**lolotiensis** Bernhauer, 1926: 161**quadripunctula** Cameron, 1927: 267**Hetairotermes****leai** Cameron, 1927: 269**Homalota****angularis** Cameron, 1927: 269 [preoccupied Heer, 1841]**Kaisia****oceanica** Mann, 1920: 67**Korovodes****femoralis** Park, 1952: 48**Lauella****vitiensis** Mann, 1921: 54**Leucocraspedum****cryptocephalum** Lea, 1927: 277**Lispinus****praenobilis** Bernhauer, 1926: 159**sulcipennis** Blackburn, 1902: xxvi**Lithocharis****vilis** Kraatz, 1859: 139**Lithocharodes****fijiensis** (Cameron), 1945: 49 [*Oligolinus*]**Medon****scolytinus** (Fauvel *in* Fairmaire), 1879: 83 [*Lithocharis*]**Megarthrus****fijianus** Cuccodoro, 1998: 107**Metoponcus**

hoplocephalus Lea, 1927: 274

Nacaeus

castaneus (Fauvel), 1878: 206 [*Lispinus*]
impressicollis Motschulsky, 1858: 495
specularis Bernhauer, 1904: 11 [*Lispinus*]
subopacus (Kraatz), 1859: 187 [*Lispinus*]
veitchi (Bernhauer), 1926: 159 [*Lispinus*]

Nandarimanu

alewa Mann, 1920: 65

Ophiomedon

incomptus (Sharp), 1885: 124 [*Lithocaris*]

Pachycorynus

delicatulus Cameron, 1927: 263
pallidus Lea, 1927: 276
rufotestaceus Cameron, 1927: 263

Paederus

fijiensis Cameron, 1943: 564
samoensis Fauvel, 1877: 224
vitiensis Fauvel, 1878: 517

Palaminus

atriventris Bernhauer, 1926: 160
lateralis Cameron, 1927: 261
difficilis Cameron, 1927: 261
evansi Bernhauer, 1926: 161
fijiensis Cameron, 1927: 261
trivittipennis Lea, 1927: 273
vitiensis Fauvel, 1878: 507

Philonthus

discoideus (Gravenhorst), 1802: 38 [*Staphylinus*]
leveri Cameron, 1943: 565
fijiensis Cameron, 1943: 565

Platyola

polynesica (Bernhauer), 1926: 162 [*Paracyphea*]

Priochirus

samoensis (Blanchard), 1853: 54 [*Leptochirus*]

Pseudophaena

lucida Cameron, 1927: 268

Reichenbachia

sexualis Park, 1952: 15

Remus

corallicola (Fairmaire), 1849: 289 [*Philonthus*]

Rybaxis

fijiensis Park, 1952: 29

nigra Park, 1952: 29

insularis Park, 1952: 27

Scaphitsoma

aequaum Löbl, 1977: 819

alienum Löbl, 1977: 825

debile Löbl, 1980: 392

distans Löbl, 1977: 822

fijianum Löbl, 1977: 824

kuscheli Löbl, 1980: 389

liliputanum Löbl, 1977: 823

mucronatum Löbl, 1980: 392

zimmermani Löbl, 1977: 821

Scaphoxium

malekulense (Löbl), 1977: 827 [*Toxidium*]

ventrale (Löbl), 1977: 828 [*Toxidium*]

vitianum (Löbl), 1977: 828 [*Toxidium*]

Scopaeus

myrmecocephalus Lea, 1927: 274

unifasciatus Fauvel, 1889: 256

Silusa

biplagiata Cameron, 1927: 270

Sternotropa

elevata (Fauvel), 1889: 270 [*Brachida*]

longicornis Cameron, 1927: 266

brevicornis Cameron, 1927: 265

Stilicopsis**breviceps** Fauvel, 1927: 262**Sulcifigia****bishopae** Park, 1952: 46**Sunorfa****caviceps** (Raffray), 1896: 302 [*Bythinomorpha*]**Tetrapleurus****semiopacus** Lea, 1927: 273**Thamiaraea****insigniventris** Fauvel, 1878: 299**Zeteotomus****erythrocephalus** (Lea), 1927: 275 [*Metoponcus*]**platycephalus** (Lea), 1927: 275 [*Metoponcus*]**semiruber** (Fauvel), 1877: 238 [*Metoponcus*]**TENEBRIONIDAE****Alphitobius****diaperinus** (Panzer), 1796: 16 [*Tenebrio*]**laevigatus** (Fabricius), 1767: 678 [*Tenebrio*]**piceus** (Olivier), 1792: 50 [*Helops*]**testaceicornis** Pic, 1923: 23**Amargymus****hydrophiloides** Fairmaire, 1849: 450 [from Koronivia collection]**morio** (Fabricius), 1775: 123**samoensis** Haag-Rutenberg, 1879: 133**tuberculiger** Fairmaire, 1849: 450**Anaxo****rufojanthinus** Fairmaire, 1879: 279**Aphyllocerus****decipiens** Fairmaire, 1881: 348**Araucaricola****compacta** Zimmerman, 1942: 354**parallela** Zimmerman, 1942: 352

simulans Zimmerman, 1942: 355

Asopidiopsis

csikii Kaszab, 1955: 517

elongatus Kaszab, 1955: 516

ovalis Kaszab, 1955: 515

Asopis

suavis Haag-Rutenberg, 1878: 104

Bionesus

cinereosparsus Fairmaire, 1877: 70

Bradymerus

amicorum Fairmaire, 1849: 420

apterus Kaszab, 1955: 455

fijianus Kaszab, 1955: 456

sublaevicollis Fairmaire, 1877: 286

zimmermani Kaszab, 1955: 454

Chariotheca

dentipes Kaszab, 1955: 499

infima Fairmaire, 1881: 279

kulzeri Kaszab, 1955: 500

neomidina Fairmaire, 1881: 373

profundepunctata Kaszab, 1955: 498

smaragdipunctata Pic, 1881: 373

striata Kaszab, 1955: 502

Csikiola

sulcipennis Kaszab, 1955: 495

thesileiformis Kaszab, 1955: 494

Diphyrhynchus

chalceus Fairmaire, 1849: 445 [from Koronivia Collection]

Ebenolus

fijianus Kaszab, 1955: 544

laevipennis Kaszab, 1955: 546

lucidus Kaszab, 1955: 548

zimmermani Kaszab, 1955: 540

Enneacoides

vinculiger Fairmaire, 1881: 276

Eutochia

pulla (Erichson), 1843: 253 [*Uloma*]

Falsonotostrongylium

bradymeroides Kaszab, 1955: 552

Gnatocerus

cornutus Fabricius, 1775: 256 [*Tenebrio*]

Gonocephalum

bilineatum (Walker), 1858: 284 [*Opatrum*]

impictum (Fairmaire), 1849: 419 [*Leichenum*]

verrucosum (Fairmaire), 1849: 418 [*Leichenum*]

Hypophloeus

cylindrus Reitter, 1877: 26

Lagria

dimidiata Blanchard, 1853: 186

Lorelus

blairi Kaszab, 1955: 488

Martianus

dermestoides Chevrolat, 1878: 242

Menandris

aenea Haag-Rutenberg, 1878: 103

Menimus

abbreviatus Kaszab, 1955: 469

csikii Kaszab, 1955: 467

nitidus Kaszab, 1955: 468

Mesomorplus

villiger Blanchard, 1853: 154 [*Opatrum*] [from Koronivia collection]

Micromenandris

mirabilis Kaszab, 1955: 514

Neotagalus**tuberculiger** Kaszab, 1955: 478**Notostrongylium****apseripenne** Kaszab, 1955: 550**Olethrius****tyrannus scabripennis** Thomson, 1913: 15**Palorus****subdepressus** (Wollaston), 1864: 499**Pentaphyllus****nanus** Kaszab, 1955: 466**Planibates****granulosipennis** Kaszab, 1955: 487**Platolenes****cuprifulgens** Kaszab, 1955: 530**ensis** Kaszab, 1955: 525**fulgidus** Kaszab, 1955: 523**gracilis** Kaszab, 1955: 526**gyorffy** Kaszab, 1955: 533**kochi** Kaszab, 1955: 529**lucidus** Kaszab, 1955: 531**micros** Kaszab, 1955: 530**opacus** Kaszab, 1955: 527**rugipennis** Kaszab, 1955: 528**simillimus** Kaszab, 1955: 530**violaceous** Kaszab, 1955: 532**Rhipidandrus****cioides** Kaszab, 1955: 460**Sciophagus****pandanicola** (Boisduval), 1835: 422 [*Uloma*]**piceus** Kaszab, 1955: 483**zimmermani** Kaszab, 1955: 484**Scotoderus****costatus** Fairmaire, 1849: 421 [from Koronivia Collection]**opacus** Kaszab, 1955: 458

Szekessya**freyi** Kulzer, 1960: 315**microps** Kulzer, 1960: 316**Tagalopsis****szekessyi** Kaszab, 1955: 476**Tagalus****brevissimus** Kaszab, 1955: 473**brittoni** Kaszab, 1955: 473**rugosulus** Kaszab, 1955: 473**sulcatus** Kaszab, 1955: 471**Tenebrio****molitor** Linnaeus, 1758: 417**Thesilea****funebri** Kaszab, 1955: 508**impressipennis** Haag-Rutenberg, 1878: 103**impressipennis moalana** Kaszab, 1955: 506**lateralis** Kaszab, 1955: 509**puncticeps** Fairmaire, 1881: 281**valentinei** Kaszab, 1955: 508**versicolor** Haag-Rutenberg, 1878: 102**Tribolium****castaneum** (Herbst *in* Jablonsky), 1797: 292 [*Colydium*]**confusum** Jacquelin du Val & Fairmaire, 1868: 181**Uloma***cavicollis* Fairmaire [error, not Fijian]**encausta** Fairmaire, 1849: 447**insularis** Guérin-Méneville, 1841: 190*multicornis* Fairmaire, 1878 [from Koronivia Collection]**TROGOSSITIDAE****Lophocateres****pusillus** Klug, 1833: 159 [*Peltis*]**Parallelodera****luteicornis** Fairmaire, 1881: 265**parallela** (Fairmaire), 1850: 55 [*Trogosita*]**quadraticollis** Fairmaire, 1881: 340

Tenebroides
mauritanicus (Linnaeus), 1758: 417 [*Tenebrio*]

Last revised 18 November 2007

Supported in part by National Science Foundation grant DEB-0425790 "Fiji Terrestrial Arthropods Survey".