

АзЖ

Амурский зоологический журнал
Amurian zoological journal

Том III. № 4.
Декабрь 2011

Vol. III. № 4.
December 2011



Благовещенск 2011



Амурский зоологический журнал

ISSN 1999-4079

Рег. свидетельство
ПИ № ФС77-31529Том III. № 4.
Декабрь 2011

Amurian zoological journal

Vol. III. № 4.
December 2011

РЕДАКЦИОННАЯ КОЛЛЕГИЯ

Главный редактор

Член-корреспондент РАН, д.б.н. Б.А. Воронов

к.б.н. Ю. Н. Глущенко

д.б.н. В. В. Дубатолов

д.н. Ю. Кодзима

к.б.н. О. Э. Костерин

д.б.н. А. А. Легалов

д.б.н. А. С. Лелей

к.б.н. Е. И. Маликова

д.б.н. В. А. Нестеренко

д.б.н. М. Г. Пономаренко

д.б.н. Н. А. Рябинин

д.б.н. М. Г. Сергеев

д.б.н. С. Ю. Синев

д.б.н. В.В. Тахтеев

д.б.н. И.В. Фефелов

к.б.н. Ю.А. Чистяков

к.б.н. А. Н. Стрельцов (отв. ред.)

EDITORIAL BOARD

Editor-in-chief

Corresponding Member of RA S, Dr. Sc. Boris A. Voronov

Dr. Yuri N. Glushchenko

Dr. Sc. Vladimir V. Dubatolov

Dr. Sc. Junichi Kojima

Dr. Oleg E. Kosterin

Dr. Sc. Andrei A. Legalov

Dr. Sc. Arkadiy S. Lelej

Dr. Elena I. Malikova

Dr. Sc. Vladimir A. Nesterenko

Dr. Sc. Margarita G. Ponomarenko

Dr. Sc. Nikolai A. Rjabinin

Dr. Sc. Michael G. Sergeev

Dr. Sc. Sergei Yu. Sinev

Dr. Sc. Vadim V. Takhteev

Dr. Sc. Igor V. Fefelov

Dr. Yuri A. Tschistjakov

Dr. Alexandr N. Streltzov (exec. editor)

РЕЦЕНЗЕНТЫ

к.б.н. Ф.И. Опанасенко

к.б.н. Р.Ю. Дудко

REFEREES

Dr. Felix I. Opanasenko

Dr. Roman Yu. Dudko

Перечень номенклатурных актов, опубликованных в журнале

List of nomenclature acts published in the journal

COLEOPTERA, CARABIDAE, LEBIINI

LEPIDOPTERA, GELECHIIDAE

Falcocymindis subgen. n.*Polyhymno exalbida* M. Omelko et N. Omelko, sp.n.*Platyccymindis* Bousquet, 2002, syn. n.*Paranarsia straminea* M. Omelko et N. Omelko, sp. n.*C. densaticollis* Fairmaire, 1888, syn. n.

LEPIDOPTERA, PTEROPHORIDAE

C. gansuensis Jedlicka, 1946, syn. n.*Hellinsia ambo* Ustjuzhanin & Kovtunovich, sp. n.*C. semivittata* ab. *immaculata* Jedlicka, 1967, syn. n.*Cosmoclostis gorbunovi* Ustjuzhanin & Kovtunovich, sp. n.*Berus* Motschulsky, 1864, stat. resurr.*Prichotilus yakovlevi* Ustjuzhanin & Kovtunovich, sp.n.*Tarus* Clairville, 1806, stat. resurr.*Prichotilus tara* Ustjuzhanin & Kovtunovich, sp.n.*C. dshungarica* Jedlicka, 1967, stat. resurr.*C. hyaloptera* Semenov, 1891, stat. resurr.*Orientoberus* nom. n.Фото на обложке: *Nossa palaearctica* (Staudinger, 1887) в природе (Зейский заповедник). Автор фото: А. СтрельцовCover photograph: *Nossa palaearctica* (Staudinger, 1887) (Zeya reserve). Photo by A. Streltzov.

Редактор Е.Д. Кузнецова

Макет и оформление – А.Н. Стрельцов

Отпечатано в типографии БГПУ:
675000, г. Благовещенск, ул. Ленина, 104

Подписано к печати 21.12.2011 г.

published at 21.12. 2011

Подписной индекс в каталоге «Журналы России»
агентства «Роспечать» - 80492

Формат бумаги 60x84/8

Тираж 300 экз.

Бумага тип. № 1

Уч.-изд. л. 15,4

Заказ № 2939

Учредитель

© Благовещенский государственный педагогический университет

Лицензия ЛР № 040326 от 19 декабря 1997 г.

Издательство Благовещенского государственного педагогического университета. 675000, Амурская область, г. Благовещенск, ул. Ленина, 104

GROUND BEETLES (COLEOPTERA: CARABIDAE) FROM ILAM AND LORESTAN PROVINCES OF IRAN

H. Ghahari¹, M. Kesdek²

[Гахари Х., Кесдек М. Жужелицы (Coleoptera: Carabidae) из провинций Илам и Лорестан Ирана]

¹Department of Agriculture, Shahre Rey Branch, Islamic Azad University, Tehran, Iran. E-mail: hghahari@yahoo.com

²Muğla University, Fethiye Ali Sıtkı Mefharet Koçman Vocational School, Department of Organic Agriculture, 48300, Fethiye, Muğla, Turkey. E-mail: mekesdek@hotmail.com

¹Кафедра сельского хозяйства, Отделение Шахр-и-Рей, Открытый исламский университет, Тегеран, Иран. E-mail: hghahari@yahoo.com

²Университет Мугла, Профессионально-техническая школа Фетье Али Ситки Мефарет Kochman, отдел органического сельского хозяйства, 48300, Фетье, Мугла, Турция. E-mail: mekesdek@hotmail.com

Key words: Coleoptera, Carabidae, Ground beetles, Ilam, Lorestan, Iran

Ключевые слова: Coleoptera, Carabidae, Жужелицы, Илам, Лорестан, Иран

Summary. Ground beetles are a large group of insects, many of which are important bio-indicators and have significant role in biological control of agricultural and forest pests. The fauna of these beneficial insects was studied in two Iranian provinces including, Ilam and Lorestan. Totally 64 species and subspecies from 32 genera and 14 tribes belonging to nine subfamilies were collected from different regions of the mentioned provinces.

Резюме. Жужелицы – многочисленная группа насекомых, которые являются важными биоиндикаторами и играют важную роль в биологическом контроле лесных и сельскохозяйственных вредителей. Фауна этих полезных насекомых исследовалась в двух иранских провинциях – Илам и Лорестан. Приводится 64 вида и подвида из 32 родов и 14 триб, принадлежащих девяти подсемействам, собранных в различных точках упомянутых провинций.

INTRODUCTION

Carabidae is a huge, worldwide distributed beetle family which is an exceptionally interesting object of various biological observations. There are over 40.000 species known in the world. Primary importance of the family lies in the variety and the location of the food they consume. The carabid beetles (both larva and adult) are usually predators and occupy very different ecological niches [Avgin and Özdi̇kmen, 2007]. While some species are omnivorous, and some phytophages, most of them are carnivorous [Löbl and Smetana, 2003; Larsen et al., 2003; Avgin and Emre, 2007].

Ilam province is located in the south-west of Iran, bordering Iraq, and covering an area of 19,086 square kilometers. It neighbors Khuzestan province in the south, Lurestan province in the east, Kermanshah province in the north and Iraq in the west with 425 kilometers of common border. Ilam province is among the warmest regions of Iran, although the mountainous areas of north and north eastern Ilam are relatively cold. The average annual rainfall is 578 mm. Ilam's highest point is the peak Kabir Kuh at 2790 m, part of the Zagros mountains.

Lorestan is an area of 28,392 km² comprising a province and a historic territory of western Iran amidst the Zagros Mountains. The terrain consists chiefly of mountains, with numerous ranges, part of the Zagros chain, running northwest to southeast. The highest point of the province is peak at 4,050 m, and the low-lying areas being in the southernmost sector of the province, are approximately 500 m above sea level. The climate is generally sub-humid continental with winter precipitation, a lot of which falls as snow. Because it lies on the westernmost slopes of the Zagros Mountains, annual precipitation in Lorestan is among the highest anywhere in Iran south of the Alborz Mountains. The average annual precipitation

totals 530 millimetres of rainfall equivalent, whilst up to 1270 millimetres may fall on the highest mountains. Temperatures vary widely with the seasons and between day and night. Summer temperatures typically range from a minimum of 12°C to a hot maximum of 32°C. In winter, they range from a minimum of -2°C to a chilly maximum of 8°C.

Some important studies on Iranian Carabidae were made by Jaeger [1990], Jaeger [1992], Hejkal [2000], Lassalle [2001], Aliche & Minaei [2002a, b], Heinz [2002], Magrini & Pavesi [2003], Fallahzadeh et al. [2005], Mohammadzadeh Fard and Hojjat [2005], Jaskula [2007], Toledano & Marggi [2007], Mohammadzadeh Fard [2008], Ghahari et al. [2009a, b, c, 2010]. But the fauna of these natural enemies of pests was not studied in Ilam and Lorestan provinces perfectly. The objective of this paper is determining of carabids fauna in western regions of Iran.

MATERIALS AND METHODS

The specimens were collected from fourteen different regions of Ilam and Luristan provinces, Iran. Plastic pitfall traps, 10×15 cm (diameter × depth) and light traps were the main methods for collecting the specimens. The pitfall traps installed at 50 m intervals in different apple orchards were part-filled with ethanol 80%. The traps were emptied weekly within three crop seasons (spring - fall) and the fallen beetles were collected. In addition to the pit fall and light traps, sweeping nets were used randomly in different ecosystems of the mentioned provinces. The information concerning locality, altitude (in brackets) and date of collection, and number of specimens (in brackets) is noted for each species. The nomenclature of Carabidae is given sensu Löbl and Smetana [2003].

RESULTS

In a total 64 species and subspecies from 32 genera and 14 tribes belonging to nine subfamilies (including Brachininae, Callistinae, Carabinae, Harpalinae, Lebiinae, Pterostichinae, Nebrinae, Scaritinae, Cicindelinae) of Carabidae were collected and determined from Ilam and Luristan provinces. The list of species is given below.

Subfamily **Brachininae** Bonelli, 1810

Tribe **Brachinini** Bonelli, 1810

Genus **Pheropsophus** Solier, 1833

Pheropsophus africanus (Dejean, 1825)

Material examined: Ilam province: Mehran (162 m), (2), March 2008.

Subfamily **Callistinae** Laporte de Catelnau, 1834

Tribe **Chlaeniini** Brullé, 1834

Genus **Chlaenius** Boneli, 1810

Chlaenius festivus (Panzer, 1796)

Material examined: Ilam province: Mehran (162 m), (5), March 2008.

Chlaenius vestitus (Paykull, 1790)

Material examined: Lorestan province: Pol-e-Dokhtar, (635 m), (3), August 2006. Ilam province: Saleh Abad (619 m), (1), April 2008.

Subfamily **Carabinae** Latreille, 1802

Tribe **Carabini** Latreille, 1802

Genus **Calosoma** Weber, 1801

Calosoma (Campalita) maderae tectum Motschulsky, 1844

Material examined: Lorestan province: Sarab Doreh, (1176 m), (1), July 2005. Ilam province: Ilam (987 m), (3), October 2007.

Calosoma (Campalita) olivieri Dejean, 1831

Material examined: Ilam province: Ilam (1428 m), (2), September 2007.

Genus **Carabus** Linneaus, 1758

Carabus convexus Fabricius, 1775

Material examined: Lorestan province: Khorramabad, (1045 m), (1), May 2009.

Carabus coriaceus Linneaus, 1758

Material examined: Ilam province: Darrehshahr (712 m), (4), July 2008.

Subfamily **Cicindelinae** Latreille, 1802

Tribe **Cicindelini** Sloane, 1906

Genus **Cephalota** Dokhtouroff, 1883

Cephalota (s. str.) chiloleuca (Fischer, 1820)

Material examined: Lorestan province: Khorramabad, (1045 m), (2), May 2009.

Cephalota (Taenidia) circumdata (Dejean, 1822)

Material examined: Lorestan province: Alashtar, (1255 m), (4), August 2006.

Cephalota (Taenidia) deserticola (Faldermann, 1836)

Material examined: Ilam province: Ilam (987 m), (2), October 2007.

Cephalota (s. str.) turcica (Schaum, 1859)

Material examined: Lorestan province: Darreh-Asbar (1670 m), (1), September 2006.

Genus **Cicindela** Linnaeus, 1758

Cicindela asiatica Audouin and Brullé, 1839

Material examined: Lorestan province: Dorood, (1683 m), (2), October 2006.

Cicindela campestris Linnaeus, 1758

Material examined: Ilam province: Ilam (987 m), (2), October 2007.

Cicindela clypeata Fischer von Waldheim, 1821

Material examined: Ilam province: Pahle (715 m), (1), June 2008.

Cicindela desertorum Dejean, 1825

Material examined: Ilam province: Mehran (162 m), (3), March 2008.

Cicindela monticola Ménétries, 1832

Material examined: Lorestan province: Sarab Doreh, (1176 m), (1), June 2006.

Genus **Cylindera** Westwood, 1831

Cylindera (Eugrapha) arenaria Fuessly, 1775

Material examined: Lorestan province: Khorramabad, (1045 m), (3), August 2005. Ilam province: Moosiyan (141 m), (1), July 2008.

Cylindera (Eugrapha) contorta (Fischer, 1828)

Material examined: Ilam province: Saleh Abad (619 m), (1), April 2008. Eyvan (1168 m), (2), October 2008.

Cylindera (s. str.) germanica (Linnaeus, 1758)

Material examined: Lorestan province: Aligoodarz, (2015 m), (5), September 2006. Ilam province: Abdanan (897 m), (2), May 2008.

Cylindera (Eugrapha) trisignata (Dejean, 1822)

Material examined: Lorestan province: Sarab Doreh, (1176 m), (2), June 2006. Lorestan province: Borujerd, (1588 m), (3), April 2007.

Genus **Homodela** Rivalier, 1950

Homodela ismenia (Gory, 1833)

Material examined: Ilam province: Loomar (795 m), (3), July 2008.

Genus **Lophyridia** Jeannel, 1946

Lophyridia aphrodisia aphrodisia Baudi, 1864

Material examined: Lorestan province: Khorramabad, (1045 m), (1), August 2005.

Lophyridia concolor (Dejean, 1822)

Material examined: Lorestan province: Darreh-Asbar (1670 m), (2), September 2006.

Lophyridia fischeri (Adams, 1817)

Material examined: Ilam province: Ilam (987 m), (1), October 2007.

Lophyridia hilariola (Bates, 1874)

Material examined: Ilam province: Saleh Abad (619 m), (2), April 2008.

Lophyridia littoralis nemoralis (Olivier, 1790)

Material examined: Lorestan province: Alashtar, (1255 m), (2), August 2006.

Tribe **Megacephalini** Csiki, 1906

Genus **Megacephala** Latreille, 1802

Megacephala euphratica Dejean, 1822

Material examined: Lorestan province: Sarab Doreh, (1176 m), (1), June 2006. Ilam province: Moosiyan (141 m), (1), July 2008.

Subfamily **Harpalinae** Bonelli, 1810
Tribe **Harpalini** Bonelli, 1810
Genus *Acinopus* Dejean, 1821

Acinopus (s. str.) laevigatus laevigatus Ménétriés, 1832
Material examined: Ilam province: Ilam (1428 m), (1), September 2007. Ilam province: Loomar (795 m), (1), July 2008.

Acinopus (s. str.) picipes (Olivier, 1795)
Material examined: Lorestan province: Borujerd, (1588 m), (3), April 2007.

Genus *Diachromus* Erichson, 1837

Diachromus germanus (Linnaeus, 1758)

Material examined: Ilam province: Dehloran (290 m), (4), August 2008. Lorestan province: Azna, (1875 m), (1), July 2008.

Genus *Harpalus* Latreille, 1802

Harpalus (s. str.) affinis (Schrank, 1781)

Material examined: Lorestan province: Khorramabad, (1008 m), (3), May 2009.

Harpalus (s. str.) distinguendus (Duftschmid, 1812)

Material examined: Ilam province: Abdanan (897 m), (3), May 2008. Ilam province: Eyvan (1168 m), (1), October 2008.

Harpalus (s. str.) honestus honestus Duftschmid, 1812

Material examined: Ilam province: Dehloran (290 m), (4), August 2008.

Harpalus (s. str.) smaragdinus Duftschmid, 1812

Material examined: Lorestan province: Azna, (1875 m), (1), July 2008.

Genus *Ophonus* Dejean, 1821

Ophonus laticollis (Mannerheim, 1825)

Material examined: Ilam province: Ilam (987 m), (2), October 2007. Ilam province: Loomar (795 m), (3), July 2008.

Genus *Pseudoophonus* Motschulsky, 1844

Pseudoophonus rufipes (DeGeer, 1774)

Material examined: Lorestan province: Azna, (1875 m), (3), July 2008. Ilam province: Darrehshahr (712 m), (2), July 2008.

Genus *Stenolophus* Stephens, 1827

Stenolophus paulinoi Heiden, 1891

Material examined: Lorestan province: Aligoodarz, (2015 m), (3), September 2006.

Stenolophus steveni Krynicki, 1832

Material examined: Ilam province: Moosiyan (141 m), (4), July 2008.

Subfamily **Lebiinae** Bonelli, 1810
Tribe **Anthiini** Bonelli, 1810
Genus *Anthia* Weber, 1801

Anthia (Thermophilum) duodecimguttata Bonelli, 1813

Material examined: Ilam province: Dehloran (290 m), (4), August 2008.

Tribe **Dryptini** Bonelli, 1810
Genus *Drypta* Latreille, 1796

Drypta dentata (Rossi, 1790)

Material examined: Lorestan province: Alashtar, (1255 m), (4), August 2006. Ilam province: Ilam (987 m), (1), October 2007.

Tribe **Lebiini** Bonelli, 1810
Genus *Cymindis* Latreille, 1806

Cymindis (s. str.) andreae Ménétriés, 1832

Material examined: Ilam province: Loomar (795 m), (2), July 2008.

Cymindis (s. str.) lineata (Quensel, 1806)

Material examined: Lorestan province: Borujerd, (1588 m), (3), April 2007.

Genus *Lebia* Latreille, 1802

Lebia (Lamprias) cyanocephala Linnaeus, 1758

Material examined: Ilam province: Mehran (162 m), (3), March 2008.

Lebia festiva Faldermann, 1836

Material examined: Lorestan province: Dorood, (1683 m), (5), October 2006.

Subfamily **Nebriinae** Laporte, 1834
Tribe **Nebriini** Laporte, 1834
Genus *Leistus* Fröhlich, 1799

Leistus (s. str.) caucasicus Chaudoir, 1867

Material examined: Ilam province: Ilam (1428 m), (2), September 2007. Ilam province: Loomar (795 m), (2), July 2008.

Leistus (Pogonophorus) spinibarbis rufipes Chaudoir, 1843

Material examined: Lorestan province: Alashtar, (1255 m), (4), August 2006.

Genus *Nebria* Latreille, 1802

Nebria (s. str.) alpicola Motschulsky, 1866

Material examined: Lorestan province: Sarab Doreh, (1176 m), (1), June 2006.

Nebria (s. str.) hemprichi Klug, 1832

Material examined: Lorestan province: Alashtar, (1255 m), (2), August 2006.

Nebria (Eunebria) xanthacra Chaudoir, 1850

Material examined: Ilam province: Dehloran (290 m), (2), August 2008.

Subfamily **Pterostichinae** Bonelli, 1810
Tribe **Amarini (Zabriini)** Bonelli, 1810
Genus *Amara* Bonelli, 1810

Amara (s. str.) aenea (DeGeer, 1774)

Material examined: Ilam province: Eyvan (1168 m), (3), October 2008.

Amara (s. str.) proxima Putzeys, 1866

Material examined: Lorestan province: Noor Abad, (1756 m), (4), September 2006.

Genus *Zabrus* Clairville, 1806

Zabrus corpulentus Schaum, 1864

Material examined: Ilam province: Abdanan (897 m), (2), May 2008.

Zabrus tenebrioides (Goeze, 1777)

Material examined: Lorestan province: Borujerd, (1588 m), (4), April 2007.

Tribe **Platynini** Bonelli, 1810
Genus **Agonum** Boneli, 1810

Agonum viridicupreum (Goeze, 1777)

Material examined: Ilam province: Arkvaz-e-Malek Shahi (1337 m), (3), May 2008.

Genus **Calathus** Bonelli, 1810

Calathus (Calathus) fuscipes fuscipes (Goeze, 1777)

Material examined: Ilam province: Arkvaz-e-Malek Shahi (1337 m), (1), May 2008.

Calathus (Neocalathus) melanocephalus (Linnaeus, 1758)

Material examined: Lorestan province: Borujerd, (1588 m), (3), April 2007. Ilam province: Moosiyan (141 m), (3), July 2008.

Calathus (Neocalathus) cinctus Motschulsky, 1850

Material examined: Ilam province: Mehran (162 m), (2), March 2008.

Genus **Dolichus** Boneli, 1810

Dolichus halensis (Schaller, 1783)

Material examined: Lorestan province: Darreh-Asbar (1670 m), (2), October 2006. Ilam province: Ilam (987 m), (1), October 2007.

Genus **Sphodrus** Clairville, 1806

Sphodrus leucophthalmus (Linnaeus, 1758)

Material examined: Lorestan province: Borujerd, (1588 m), (4), April 2007.

Tribe **Pterostichini** Bonelli, 1810

Genus **Poecilus** Bonelli, 1810

Poecilus (s. str.) cupreus cupreus Linné, 1758

Material examined: Lorestan province: Dorood, (1683 m), (3), October 2006.

Poecilus (s. str.) punctulatus Schaller, 1783

Material examined: Ilam province: Abdanan (953 m), (1), May 2008. Ilam province: Eyvan (1168 m), (1), October 2008.

Genus **Pterostichus** Bonelli, 1810

Pterostichus (Melanius) elongatus Duftschmid, 1812

Material examined: Ilam province: Mehran (162 m), (3), March 2008.

Subfamily **Scaritinae** Bonelli, 1810

Tribe **Scaritini** Bonelli, 1810

Genus **Distichus** Motschulsky, 1857

Distichus (s. str.) planus (Bonelli, 1913)

Material examined: Ilam province: Arkvaz-e-Malek Shahi (1337 m), (3), May 2008.

Genus **Scarites** Fabricius, 1775

Scarites (Parallelomorphus) eurytus (Fischer von Waldheim, 1825)

Material examined: Lorestan province: Alashtar, (1255 m), (1), August 2006.

DISCUSSION

The results of this research indicated that there is a diverse fauna of Carabidae in two provinces Ilam and Lorestan, western Iran. Ground beetles are considered beneficial arthropods in agriculture, because they are natural enemies of several agricultural and forest pests and also represent a food source for species at other trophic levels [Luff 1987; Patil and Sathe, 2003]. Being normally abundant, and not dependent on only one prey species, they may provide a good buffer against pests as their populations may be more stable than specific predators [Helenius 1990; Huusela-Veistola, 1996]. With attention to the efficient role of carabid beetles in biological control, conserving of these efficient predators is necessary for successful biological control of pests. Conserving natural enemies often requires modification of production practices that are similar to changes in practices recommended by IPM principles (e.g. increase diversification of crops, reduction in pesticide use, etc.). The use of thresholds to make decisions, common to IPM systems, is closely tied to the impact of natural enemies whose density, composition and impact on pest dynamics (and damage) are dependent on the crop cultivation practices and environmental milieu. The interdependence of farming practices, pest dynamics and the impact of natural enemies often requires farmers to modify practices. As such, farmer education is a key to success. Examples of farmer education span a number of extension approaches that include bulletins, field days, grower meetings, electronic media and farmer field schools. Two case studies illustrate the importance of farmer education in conservation biological control, as well as the opportunities to use this method in pest management in subsistence crops [Gates, 1994; Maredia et al., 2003; Peshin and Dhawan, 2009].

ACKNOWLEDGEMENTS

The authors are indebted to Dr. S.S. Avgin (Çukurova University of Turkey), Dr. D. Makhan and Dr. J. Muilwijk of the Netherlands for identification of specimens. We are also thankful to Dr. A. Legalov and Dr. R.Yu. Dudko (Siberian Zoological Museum, Russia) for editing the manuscript. The research was supported by Islamic Azad University (Shahre Rey Branch) and Muğla University of Turkey.

REFERENCES

- Aliche M., Minaei K., 2002a. New records on the fauna of the Carabidae in Fars province. Proceedings of the 15th Iranian Plant Protection Congress, Razi University, Kermanshah. P. 175-176.
- Aliche M., Minaei K., 2002b. Study on distribution of the beetles belonging to the family Carabidae in Shiraz region. Proceedings of the 15th Iranian Plant Protection Congress, Razi University, Kermanshah. P. 175.
- Avgin S.S., Emre I., 2007. A check-list of Nebrini (Coleoptera: Carabidae) from Turkey and species belonging To Nebrini tribe collected from Kahramanmaraş and the surrounding province. International Journal of Natural and Engineering Sciences 1. P. 35-43.

- Avgin S., Özdkmen H., 2007. Check-list of the Tiger Beetles of Turkey with a review of distribution and biogeography (Coleoptera: Cicindelidae). *Munis Entomology & Zoology* 2 (1). P. 87-102.
- Fallahzadeh M., Shojaee M., Ostovan H., 2005. Report of *Broscus punctatus* (Col.: Carabidae) from Iran. *Journal of Entomological Society of Iran* 24 (2). P. 140.
- Gates J.P., 1994. IPM (Integrated Pest Management) and biological control of plant pests. National agricultural Library, Beltsville, Maryland. 76 pp.
- Ghahari H., Kesdek M., Samin N., Ostovan H., Havaskary M., Imani S., 2009a. Ground beetles (Coleoptera: Carabidae) of Iranian cotton fields and surrounding grasslands. *Munis Entomology & Zoology*, 4(2). P. 436-450.
- Ghahari H., Jedryczkowski W.B., Kesdek M., Ostovan H., Tabari M., 2009b. Ground beetles (Coleoptera: Carabidae) from rice fields and surrounding grasslands of Northern Iran. *Journal of Biological Control*, 23(2). P. 105-109.
- Ghahari H., Sakenin H., Kesdek M., 2009c. Ground beetles (Coleoptera: Carabidae) fauna and dominant species in fruit orchards of Mazandaran province, northern Iran - Proceedings of the Third International Symposium on Biological control of Arthropods, February 8-13, 2009, Christchurch, New Zealand. P. 597.
- Ghahari H., Avgin S.S., Ostovan H., 2010. Carabid beetles (Coleoptera: Carabidae) collected from different ecosystems in Iran with new records. *Türkiye Entomoloji Dergisi* 34 (2). P. 179-195.
- Heinz W., 2002. Beschreibung einer neuen *Carabus (Lamprostus)*-Art aus Persien (Coleoptera: Carabidae). *Zoology in the Middle East*, 26. P. 157-162.
- Hejkal J., 2000. *Amara (Amara) elborzensis* sp. n. (Coleoptera: Carabidae) from Iran. *Klapalekiana* 36 pp.
- Helenius J., 1990. Effect of epigeal predators on infestation by the rapid *Rhopalaosiphum padi* and grain yield of oats in monocrops and mixed intercrops. *Entomologia Experimentalis et Applicata* 54. P. 225-236.
- Huusela-Veistola E., 1996. Effects of pesticide use and cultivation techniques on ground beetles (Col., Carabidae) in cereal fields. *Annales Zoologici Fennici* 33. P. 197-205.
- Jaeger B., 1990. Zur Verbreitung von *Bradyellus csikii* Laczo, 1912 und *B. distinctus* Dejean, 1829 sowie Beschreibung von *Bradyellus heinzei* n.sp. aus dem Nord-Iran (Col., Carabidae). *Entomologische Nachrichten und Berichte*, 34. P. 9-13.
- Jaeger B., 1992. Beitrag zur Erforschung der Acupalpus-Fauna des Iran und der Türkei nebst Beschreibung von *Acupalpus turcicus* n.sp. (Col., Carabidae). *Entomologische Nachrichten und Berichte*, 36: 223-230.
- Jaskuła R., 2007. First record of *Lebia trimaculata* from Iran (Coleoptera: Carabidae). *Entomological Problems*, 37 (1-2). P. 48.
- Larsen J.K., Work T.T., Purrington F.F., 2003. Habitat use patterns by ground beetles (Coleoptera: Carabidae) of northeastern Iowa. *Pedobiologia* 47. P. 288-299.
- Lassalle B., 2001. Les Sphodristocarabus d'Iran (Coleoptera, Carabidae). *Le Coléoptériste*, 43. P. 169-170.
- Löbl I., Smetana, A. 2003. Catalogue of palaearctic Coleoptera. Volume I. Archostemata-Myxophaga-Adephaga. Apollo Books. Stenstrup, Denmark. 819 pp.
- Luff M.L., 1987. Biology of polyphagous ground beetles in agriculture. *Agricultural Zoology Reviews* 2. P. 237-278.
- Magrini P., Pavesi M., 2003. A new Iranian species of *Neoblemus* (Coleoptera Carabidae). *Bollettino della Società Entomologica Italiana*, 135 (2). P. 71-78.
- Maredia K.M., Dakouo D., Mota-Sanchez D., 2003. Integrated pest management in the global arena. Cromwell Press, Trowbridge, U.K. 512 pp.
- Mohammadzadeh Fard S., 2008. Description of female *Axonya farsica* (Coleoptera: Carabidae: Broscinae). *Journal of Entomological Society of Iran*, 27 (2). P. 23-24.
- Mohammadzadeh Fard S., Hojjat S.H., 2005. New records on carabid beetles in Iran. *Journal of Entomological Society of Iran*, 24 (2). P. 144.
- Patil V.J., Sathe T.V., 2003. Insect predators and pests management. Daya Publishing House. 216 pp.
- Peshin R., Dhawan A.K., 2009. Integrated pest management: Innovation-Development process. Springer. 627 pp.
- Toledano L., Marggi W., 2007. A new *Bembidion* subg. *Trepaines* Motschulsky, 1864 from Iran (Coleoptera Carabidae). *Atti della Società italiana di Scienze naturali e del Museo Civico di Storia naturale di Milano* 148 (I). P. 127-134.