

**Catalogue of Afghanistan Longhorn beetles  
(Coleoptera, Cerambycidae) with two descriptions of new  
*Phytoecia* (*Parobereina* Danilevsky, 2018) from Central Asia**

**M.A. Lazarev**

State Budget Professional Educational Institution of the Moscow Region “Chekhov technical college”

Novaya str., 4, Novyi Byt village, Chekhov District, Moscow Region 142322 Russia  
e-mail: cerambycidae@bk.ru; humanityspace@gmail.com

**Key words:** Coleoptera, Cerambycidae, taxonomy, distribution, new species, Afghanistan, Pakistan.

**Abstract:** The Catalogue includes all 78 Cerambycidae species of Afghanistan fauna known up to 2019 with the references to the original descriptions; 22 species were not mentioned for Afghanistan in Palaearctic Cerambycidae Catalogue by Löbl & Smetana (2010). Bibliography of each species usually includes the geographical information from corresponding publications. Many new taxonomy positions published after 2010 are used here without special remarks. *Agapanthia* (*Epoptes*) *dahli ustynovi* Danilevsky, 2013 **stat. nov.** is downgraded from the species level. Two species are described as new *Phytoecia* (*Parobereina*) *pashtunica* **sp. n.** from Afghanistan and *Phytoecia* (*Parobereina*) *heinzi* **sp.n.** from Pakistan.

The present work is an attempt to summarize all data published up to now on Cerambycidae of Afghanistan fauna.

Family **CERAMBYCIDAE** Latreille, 1802

subfamily **Prioninae** Latreille, 1802

tribe Macrotomini J. Thomson, 1861

**genus *Anomophysis* Quentin & Villiers, 1981: 374** type species

*Prionus spinosus* Fabricius, 1787

*inscripta* C.O. Waterhouse, 1884: 380 (*Macrotoma*)

Heyrovský, 1936: 211 - Wama; Tippmann, 1958: 41 - Kabul, Ost-Afghanistan, 1740; Sarobi, am Kabulfluss, 900 m; Mangul, Bashgultal, Nuristan, Ost-Afghanistan, 1250 m; Fuchs, 1961: 259 - Sarobi 1100 m, O.-Afghanistan; Fuchs, 1967: 432 - Afghanistan, 25 km N von Barikot, 1800 m, Nuristan; Nimla, 40 km SW von Dschelalabad; Heyrovský, 1967: 156 - Zentral-Afghanistan, Prov. Kabul: Kabul; Kabul-Zahir; Ost-Afghanistan, Prov. Nengrahar:

**M.A. Lazarev**

“Nuristan”, ohne näheren Fundort; Kamu; Löbl & Smetana, 2010: 90 - Afghanistan.

*plagiata* C.O. Waterhouse, 1884: 381 (*Macrotoma*)

*vidua* Lameere, 1903: 167 (*Macrotoma*)

Quentin & Villiers, 1981: 361, 376, 383 - Afghanistan: Kaboul; Sairobi; Darah-i-Nour, Nangahar; Löbl & Smetana, 2010: 90 - Afghanistan; Kariyanna et al., 2017: 267 - Afghanistan: Kaboul; Rapuzzi et al., 2019: 64 - Afghanistan.

tribe Prionini Latreille, 1802

**genus *Dorysthenes* Vigers, 1826: 514** type species *Prionus rostratus* Fabricius, 1793

**subgenus *Lophosternus* Guérin-Méneville, 1844: 209** type species *Lophosternus buquetii* Guérin-Méneville, 1844

*Cyrtosternus* Guérin-Méneville, 1844: 210 type species *Lophosternus hopei* Guérin-Méneville, 1844

*huegelii* L. Redtenbacher, 1844: 550 (*Cyrtognathus*)

*falco* J. Thomson, 1877: 262 (*Cyrtognathus*)

*palpalis* Gahan, 1906: 12 (*Lophosternus*)

**Note:** *D. huegelii* was recorded for Afghanistan (Löbl & Smetana, 2010: 91; Rapuzzi et al., 2019: 65), and the occurrence of the species in the country is rather probable, but no exact locality information was published up to now, and the corresponding specimens are not known.

**genus *Mesoprionus* Jakovlev, 1887: 323** type species *Prionus asiaticus* Faldermann, 1837

*angustatus* Jakovlev, 1887: 327 (*Prionus*)

*angheri* Brancsik, 1899: 102 (*Prionus*)

*bucharicus* Semenov, 1900: 328 (*Prionus*)

Löbl & Smetana, 2010: 92 - Afghanistan; Danilevsky, 2014b: 45 - North Afghanistan.

**genus *Miniprionus* Danilevsky, 2000: 189** type species *Prionus pavlovskii* Semenov, 1935

*pavlovskii* Semenov, 1935: 239 (*Prionus*)

Danilevsky, 2000: 190 - North Afghanistan.

**genus *Pogonarthron* Semenov, 1900: 257** type species *Polyarthron bedeli* Semenov, 1900

M.A. Lazarev

**subgenus *Multicladum*** Danilevsky in Danilevsky & Komiya, 2014:  
268 type species *Prionus semenovianus* Plavilstshikov, 1936  
*semenovianum* Plavilstshikov, 1936: 92 (*Prionus*)  
Löbl & Smetana, 2010: 93 - Afghanistan; Danilevsky, 2014b: 62 -  
North Afghanistan.

**genus *Prionus* Geoffroy, 1762: 198** type species *Cerambyx*  
*coriarius* Linnaeus, 1758

*corpulentus* Bates, 1878: 720

Fuchs, 1955: 272, 273 - Pashki, Nuristan; Löbl & Smetana, 2010: 93  
- Afghanistan.

*elliotti* Gahan, 1906: 16

Gahan, 1906: 16 - Baluchistan, near Quetta; Koh-i-Baba: Marrak;  
Fuchs, 1955: 271 - Marrak, Koh-i-Baba, Afghanistan; Shirparak,  
Koh-i-Baba, Afghanistan; Tippmann, 1958: 41 - Senna, Kokschatal,  
Badakschan, NO-Afghanistan; Löbl & Smetana, 2010: 94 -  
Afghanistan; Kariyanna et al., 2017: 273 - Afghanistan, Koh-i-Baba,  
Marrak.

*vartianorum* Fuchs, 1967: 431

Fuchs, 1967: 431 - Afghanistan: Paghman, 30 km NW von Kabul,  
2500 m; Khurd-Kabul [34°23'N, 69°23'E], SO von Kabul, 1900 m;  
Löbl & Smetana, 2010: 94 - Afghanistan; Rapuzzi et al., 2019: 66 -  
Afghanistan.

**genus *Pseudopriopus* Pic, 1898: 33** type species *Polyarthron*  
*bienerti* Heyden, 1885

*altimontanus* Kabakow & Dolin, 1996: 45 (*Prionus*)

Kabakow & Dolin, 1996: 45 - Afghanistan: Prov. Uruzdan, N von  
Schachrestan; SW Panjav / Qonay Pass; Zabolj Prov., W von  
Argandab; Danilevsky, 2009: 293 - Central Afghanistan; Löbl &  
Smetana, 2010: 94 - Afghanistan.

subfamily **Lepturinae** Latreille, 1802

tribe Lepturini Latreille, 1802

**genus *Anastrangalia* Casey, 1924: 280** type species *Leptura*  
*sanguinea* LeConte, 1859

*rubriola* Bates, 1878: 720 (*Leptura*)

*kashmirica* Plavilstshikov, 1927: 105

Heyrovský, 1936: 211 - Parun-Tal; Schigi; Löbl & Smetana, 2010:  
97 - Afghanistan; Rapuzzi et al., 2019: 66 - Afghanistan.

M.A. Lazarev

**genus *Pedostrangalia* Sokolov, 1897: 461** type species  
*Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis*  
Ménétriés, 1832)

**subgenus *Pedostrangalia* Sokolov, 1897: 461** type species  
*Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis*  
Ménétriés, 1832)

*afghanistana* Satô & N. Ohbayashi, 1976: 485

Satô & N. Ohbayashi, 1976: 485 - Kabul, Aliabad; Löbl & Smetana,  
2010: 110 - Afghanistan.

*imberbis* Ménétriés, 1832: 231 (*Leptura*)

*angulicollis* Heyden, 1879: 323 [=1879: 67] (*Strangalia*)

*kassjanowi* Sokolov, 1897: 461

Özdikmen, 2004: 24, 28 - Afghanistan.

**subgenus *Neosphenalia* Löbl, 2010: 60** type species *Leptura*  
*verticalis* Germar, 1822

*Sphenalia* K. Daniel, 1904: 355 [HN] type species *Leptura verticalis* Germar,  
1822

? *kurda* Sama, 1996: 104

**Nota.** The record of *P.emmipoda* (Mulsant, 1863) for  
Afghanistan by Özdikmen (2004: 25, 28) had to be connected  
with *P. kurda* Sama, 1996, but later Özdikmen (2014: 403) did  
not include Afghanistan in the general area of *P.emmipoda*.

**genus *Rutpela* Nakane & K. Ohbayashi, 1957: 242** type species  
*Leptura maculata* Poda von Neuhaus, 1761

*inermis* K. Daniel & J. Daniel, 1898: 74 (*Strangalia*)

*elboursensis* Pic, 1905: 390 (*Strangalia*)

Heyrovský, 1971: 82 - Hérat, province d'Hérat, Afghanistan  
septentrional.

tribe Rhagiini Kirby, 1837

**genus *Cortodera* Mulsant, 1863: 572** type species *Grammoptera*  
*spinosa* Mulsant, 1839: 290 (= *Leptura humeralis* Schaller, 1783)

*bamiyana* Danilevsky, 2014a: 256

Danilevsky, 2014a: 256 - Afghanistan, Bamiyan, Panjab Distr.,  
Varas; Özdikmen, 2016: 14 - Afghanistan.

**Note.** The records of *Cortodera transcaspica persica*  
Plavilstshikov, 1936 and *C. pseudomphlus* Reitter, 1889 for

**M.A. Lazarev**

Afghanistan by Özdikmen (2003) were most probably based on wrong determination of local species.

subfamily **Apatophyseinae** Lacordaire, 1869

tribe Apatophyseini Lacordaire, 1869

**genus *Apatophysis* Chevrolat, 1860a: 95** type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

**subgenus *Angustephysis* Pic, 1956: 2** type species *Apatophysis richteri* Pic, 1956

*margiana* Semenov & Shchegoleva-Barovskaya, 1936: 77

*plavilstshikovi* Miroshnikov, 1992: 392

Danilevsky, 2008: 37, 41 - North Afghanistan

*modica* Gahan, 1906: 71

Danilevsky, 2006: 9 - south Afghanistan; Löbl & Smetana, 2010: 142 - Afghanistan.

**subgenus *Apatophysis* Chevrolat, 1860a: 95** type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

*afghanica* Miroshnikov, 2014: 14

Miroshnikov, 2014: 14 - Afghanistan, Paktya, Spera.

*caspica* Semenov, 1901: 31

Danilevsky, 2006: 2 - Afghanistan; 2008: 22, 41 - Afghanistan; Löbl & Smetana, 2010: 142 - Afghanistan.

**genus *Protapatophysis* Semenov & Stschegoleva-Barovskaia, 1936: 26** type species *Apatophysis kashmiriana* Semenov, 1901

*kabakovi* Danilevsky, 2011: 102

Heyrovský, 1936: 211 (as *A. kashmirina* Semenov, 1901) - Wama; Tippmann, 1958: 47 (as *A. kashmirina* Semenov, 1901) - Kamdesch, 2000 m, Bashgultal, Nuristan, O-Afghanistan; Fuchs, 1967: 433 - Afghanistan, Khurd-Kabul, SO von Kabul, 1900 m (as *A. kashmirina* Semenov, 1901) and Afghanistan, Paghman, 30 km NW von Kabul, 2500 m (as *A. montana* Gahan, 1906); Löbl & Smetana, 2010: 142 - Afghanistan (as *A. vartianae* Heyrovský, 1971); Danilevsky, 2011: 101, 104 - Afghanistan, prov. Kunar, SW Pech-Dara; North-east Afghanistan, West of Konar province (Chapa Dara district).

**M.A. Lazarev**

subfamily **Cerambycinae** Latreille, 1802

tribe Achrysonini Lacordaire, 1868

**genus *Nortia* J. Thomson, 1864: 252** type species *Nortia cavicollis*  
J. Thomson, 1864

*afghanica* Heyrovský, 1967: 158

Heyrovský, 1967: 157, 158 - Ost-Afghanistan, Prov. Nengrahar:  
Kamu, 1450 m; Löbl & Smetana, 2010: 143 - Afghanistan.

tribe Callichromatini Swainson & Shuckard, 1840

**genus *Osphranteria* L. Redtenbacher, 1850: 50** type species  
*Osphranteria suaveolens* L. Redtenbacher, 1850

*Quettania* Schwarzer, 1931: 62 type species *Quettania coeruleipennis*  
Schwarzer, 1931.

*coerulescens* L. Redtenbacher, 1850: 50

*inaurata* Holzschuh, 1981: 98

*coeruleipennis* Schwarzer, 1931a: 63 (*Quettania*)

*mirabilis* Podany, 1980: 231 (*Polyzonus*)

**Note.** The species must occur in Afghanistan as it is  
distributed in Pakistan and in Iran.

*lata* Pic, 1956: 3

*richteri* Heyrovský, 1959: 4

Löbl & Smetana, 2010: 149 - Afghanistan; Bentanachs, 2012a: 88,  
89, 96 - Afghanistan; 2012b: 71 - Afghanistan; Rapuzzi et al., 2019:  
72 - Afghanistan.

*suaveolens* L. Redtenbacher, 1850: 50

Heyrovský, 1967: 157 - Ost-Afghanistan, Prov. Nengrahar: Kamu;  
Löbl & Smetana, 2010: 149 - Afghanistan; Bentanachs, 2012a: 88,  
90, 96 - Afghanistan; 2012b: 71 - Afghanistan.

tribe Callidiini Kirby, 1837

**genus *Turanium* Baeckmann, 1922: 32** type species  
*Callidiumscabrum* Kraatz, 1882

**subgenus *Turanium* Baeckmann, 1922: 32** type species  
*Callidiumscabrum* Kraatz, 1882

*scabrum* Kraatz, 1882a: 115 (*Callidium*)

*simplarium* Heyden, 1885: 296 (*Callidium*)

Danilevsky, 2001: 580 - North Afghanistan (no specimens from the  
country known).

**M.A. Lazarev**

tribe Cerambycini Latreille, 1802

**genus *Trirachys* Hope, 1843: 63** type species *Trirachys orientalis*  
Hope, 1843

*Trirhachis* Agassiz, 1846: 378 [unjustified emendation]

*Trirrhachys* Gemminger, 1872: 2801 [unjustified emendation]

*indicola* Bates, 1891: 21 (*Neocerambyx*)

Heyrovský, 1936: 211 - Wama [35°11'N 70°48'E]; Löbl & Smetana,  
2010: 158 - Afghanistan.

*sarta* Solsky, 1871: 150 (*Pachydissus*)

Fuchs, 1955: 273 - Kabul; 1967: 433 - Afghanistan, Paghman, 30 km  
NW von Kabul, 2500 m; Tippmann, 1958: 45- Kabul, 1740 m, O-  
Afghanistan; Bashgultal, 1300 m, Nuristan, O-Afghanistan;  
Pagmangebirge, 2300 m, Ost-Afghanistan; Kandahar, 950 m, Süd-  
Afghanistan; Darufulun, bei Kabul, O-Afghanistan, 1800 m; Fuchs,  
1961: 259 - Kabul; Polichomri N.-Afghanistan, 700 m; Heyrovský,  
1967: 156 - Zentral-Afghanistan, Prov. Kabul: Kabul; Hua, 2002:  
191 - Afghanistan; Löbl & Smetana, 2010: 158- Afghanistan;  
Kumawat et al., 2015: 7895 - Afghanistan; Vitali, Gouverneur &  
Chemin, 2017: 46, 48 - Afghanistan, Kaboul, Darulaman; Kariyanna  
et al., 2017: 36 - Afganistan: Kabul; Rapuzzi et al., 2019: 68 -  
Afghanistan.

**genus *Derolus* Gahan, 1891: 26** type species *Hammaticherus*

*mauritanicus* Buquet, 1840

*Capnocerambyx* Reitter, 1894: 356 type species *Hammaticherus mauritanicus*  
Buquet, 1840

*iranensis* Pic, 1956: 3

*iranensis iranensis* Pic, 1956: 3

*iranensis* Lepesme & Breuning, 1958: 179 [HN]

Löbl & Smetana, 2010: 159 - Afghanistan; Rapuzzi et al., 2019: 70 -  
Afghanistan.

**genus *Diorthus* Gahan, 1891: 27** type species *Hammaticherus*

*simplex* A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)

**subgenus *Diorthus* Gahan, 1891: 27** type species *Hammaticherus*

*simplex* A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)

*cinereus* Fabricius, 1793: 265 (*Cerambyx*) [NP]

*holosericeus* Olivier, 1795: 14 (*Cerambyx*)

*inclemens* J. Thomson, 1865: 576 (*Pachydissus*)

*simplex* A. White, 1853: 130 (*Hammaticherus*)

*sordidus* Pascoe, 1888: 491 (*Neocerambyx*)

**M.A. Lazarev**

*vernicosus* Pascoe, 1859: 19 (*Cerambyx*)

Fuchs, 1961: 259 - Kabul; Löbl & Smetana, 2010: 160 - Afghanistan;

Rapuzzi et al., 2019: 69 - Afghanistan.

**genus *Hoplocerambyx* J. Thomson, 1864: 229** type species

*Hammaticherus spinicornis* Newman, 1842

*spinicornis* Newman, 1842a: 245 (*Hammaticherus*)

*minor* Pic, 1923: 8 (*Hoplocerambyx*)

*morosus* Pascoe, 1857: 92 (*Cerambyx*)

*relictus* Pascoe, 1866: 528

Gahan, 1906: 131 - South Afghanistan; Hayashi & Makihara, 1981:

188 - Afghanistan; Hüdepohl, 1990: 65 - Afghanistan; Niisato, 1990:

112 - Afghanistan; Mukhopadhyay & Biswas, 2000: 51 - South

Afghanistan; Hua, 2002: 211 - Afghanistan; Löbl & Smetana, 2010:

160 - Afghanistan; Nga, Long & Thinh, 2014: 434 - Afghanistan;

Kumawat et al., 2015: 7895 - Afghanistan; Majumder et al., 2015:

8244 - Afghanistan; Kariyanna et al., 2017: 31 - South Afghanistan)

**genus *Neoplocaederus* Sama, 1991: 123** [RN] type species

*Plocaederus cyanipennis* J. Thomson, 1861

*scapularis* Fischer von Waldheim, 1821: 15 (*Cerambyx*)

*tataricus* Gebler, 1841: 375 (*Hammaticherus*)

Waterhouse, 1889: 130 - Afghanistan, Hari-rud valley; Fuchs, 1961:

259 - Polichomri N.-Afghanistan, 700 m; Fuchs, 1967: 433 -

Afghanistan, Khurd-Kabul, SO von Kabul, 1900 m; Villiers, 1967:

354 - Nord de l'Afghanistan; Löbl & Smetana, 2010: 162 -

Afghanistan; Kotán & Sama, 2011: 59 - Afghanistan.

**genus *Xenopachys* Sama, 1999: 46** type species *Dissopachys*

*matthiesseni* Reitter, 1907

*matthiesseni* Reitter, 1907: 218 (*Dissopachys*)

Fuchs, 1967: 433 - Afghanistan, 25 km N von Barikot, 1300 m,

Nuristan; Heyrovský, 1967: 157 - Ost-Afghanistan, Prov. Nengrahar:

Kamu.

*schurmanni* Sama, 1999: 46

Sama, 1999: 46 - Afghanistan: Ghov., Jam; Löbl & Smetana, 2010:

162 - Afghanistan.



**M.A. Lazarev**

tribe Clytini Mulsant, 1839

**genus *Chlorophorus* Chevrolat, 1863: 290** type species *Callidium annulare* Fabricius, 1787

**subgenus *Humeromaculatus* Özdikmen, 2011: 536** type species *Cerambyx figuratus* Scopoli, 1763

*quatuordecimmaculatus* Chevrolat, 1863: 295 (*Anthoboscus*)  
*guerryi* Pic, 1902: 30 (*Clytanthus*)

Tippmann, 1958: 54 - Firgamu, Kokschatal, Badakschan, 2300 m, NO-Afghanistan; Löbl & Smetana, 2010: 168 - Afghanistan; Kariyanna et al., 2017: 46 - Afghanistan.

**subgenus *Immaculatus* Özdikmen, 2011: 536** type species *Chlorophorus kanoi* Hayashi, 1963

*faldermanni* Faldermann, 1837: 269 (*Clytus*)

*caucasicus* Pic, 1897: 262 (*Clytanthus*)

*mesmini* Pic, 1908: 3 (*Clytanthus*)

*punctomaculatus* Pic, 1893: 26 (*Clytus*)

*quinquemaculatus* Gebler, 1845: 104 (*Clytus*)

Tippmann, 1958: 51 - Kamdesch, Bashgultal, 2000 m, Nuristan, O-Afghanistan; Kutiau, 1500 m, Ost-Nuristan, Afghanistan; Villiers, 1967: 361 - Nord Afghanistan; Löbl & Smetana, 2010: 166-Afghanistan)

*varius* O. F. Müller, 1766: 188

*varius varius* O. F. Müller, 1766: 188

Tippmann, 1958: 51 - Schiva, Hochsteppe 2800 m, Badakschan, NO-Afghanistan.

**genus *Perissus* Chevrolat, 1863: 262** type species *Perissus x-littera* Chevrolat, 1863

*delerei* Tippmann, 1958: 49

Tippmann, 1958: 49 - Bashgultal, 1100 m, Nuristan, O. Afghanistan; Löbl & Smetana, 2010: 175 - Afghanistan.

**genus *Xylotrechus* Chevrolat, 1860b: 456** type species *Clytus sartorii* Chevrolat, 1860

**subgenus *Turanoclytus* Sama, 1994: 325** type species *Clytus namanganensis* Heyden, 1885

*namanganensis* Heyden, 1885: 297 (*Clytus*)

*bucharensis* Semenov, 1893: 501 (*Clytus*)

*subcrucifer* Pic, 1903: 4

Gressitt, 1951: 249 - Afghanistan; Hua, 2002: 236 - Afghanistan.

**M.A. Lazarev**

**subgenus** *Xylotrechus* Chevrolat, 1860b: 456 type species *Clytus sartorii* Chevrolat, 1860

*badachschanicus* Tippmann, 1958: 48

Tippmann, 1958: 48 - Firgamu, Kokschatal, 2300 m, Badachschan, NO-Afghanistan; Löbl & Smetana, 2010: 181- Afghanistan.

*smei* Laporte & Gory, 1841: 37 (*Clytus*)

Ahmad, 1946: 35, 44 - Kabul; Heyrovský, 1971: 82 - Afghanistan oriental, 30 km au Nord de Kaboul; Majumder et al., 2015: 8245 - Afghanistan; Kariyanna et al., 2017: 79 - Afghanistan (Kabul); Rapuzzi et al., 2019: 72 - Afghanistan.

*stebbingi* Gahan, 1906: 244

Tippmann, 1958: 48 - Kabul, 1740 m, Ost-Afghanistan; Fuchs, 1961: 259 - Kabul; Löbl & Smetana, 2010: 183 - Afghanistan; Kariyanna et al., 2017: 63 - Afganistan.

tribe Hesperophanini Mulsant, 1839

subtribe Daramina Sama, 2008

**genus** *Zodes* Pascoe, 1867: 319 type species *Stromatium maculatum* A. White, 1855

*Cornutaemospila* Pic, 1927: 30 type species *Cornutaemospila piceosignata* Pic, 1927

*compressus* Fabricius, 1787: 153 (*Callidium*)

Fuchs, 1967: 433 - Afghanistan, 25 km N von Barikot, 1300 m, Nuristan; Löbl & Smetana, 2010: 187 - Afghanistan.

tribe Oemini Lacordaire, 1868

**genus** *Noserius* Pascoe, 1857: 95 type species *Noserius tibialis* Pascoe, 1857

*indicus* Gahan, 1906: 104 (*Hypoeshrus*)

Löbl & Smetana, 2010: 194- Afghanistan; Kariyanna et al., 2017: 79 - Afghanistan; Rapuzzi et al., 2019: 67 - Afghanistan.

tribe Purpuricenini J. Thomson, 1861

**genus** *Afghanicenus* Heyrovský, 1941: 36 type species *Purpuricenus nuristanicus* Heyrovský, 1936

*dreesi* Tippmann, 1958: 57

Tippmann, 1958: 57- Kamu, Bashgultal, 1500 m, Nuristan, O-Afghanistan; Bashgultal, 1200 m, Nuristan, O-Afghanistan; Kutiau, 1450 m, Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 196 - Afghanistan.

**M.A. Lazarev**

*nuristanicus* Heyrovský, 1936: 212 (*Purpuricen*)

Heyrovský, 1936: 211, 212 - Gulan-Tal; Brubrutz im Kti-Tal; Kti-Tal; Heyrovský, 1941: 37, 39 - Afghanistan or., Nuristan; Tippmann, 1958: 56 - Pagman-Gebirge, 2300 m, O-Afghanistan; Bashgultal, 1200 m, Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 196 - Afghanistan.

**genus *Purpuricen* Dejean, 1821: 105** type species *Cerambyx kaehler* Linnaeus, 1758

*Acanthoptera* Latreille, 1829: 114 type species *Cerambyx budensis* Götze, 1783

*Cyclodera* A. White, 1846: 510 type species *Cyclodera quadrinotata* A. White, 1846

*Hamadrias* Gistel, 1848: 130 [unnecessary substitute name]

*Philagathes* J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864

*Porphyrocenus* Reitter, 1913: 34 type species *Purpuricen spectabilis* Motschulsky, 1858

*Sternoplistes* Guérin-Méneville, 1844: 224 type species *Purpuricen temminckii* Guérin-Méneville, 1844

*indus* Semenov, 1908: 261 [RN]

*haussknechti* Gahan, 1906: 186

Ahmad, 1946: 35, 44 - Afghanistan, Darra-i-Khail; Tippmann, 1958: 55 - Bashgultal, Nuristan, 1200 m, O-Afghanistan; Heyrovský, 1967: 157-Ost-Afghanistan, Prov. Nengrahar: Kamu, 1450 m; Miroshnikov & Lobanov, 1990: 17 - Afghanistan; Löbl & Smetana, 2010: 198 - Afghanistan; Ambrus & Tichý, 2017: 95 - Afghanistan; Kariyanna et al., 2017: 78 - Afghanistan; Rapuzzi et al., 2019: 72 - Afghanistan.

*kabakovi* Miroshnikov & Lobanov, 1990: 15

Miroshnikov & Lobanov, 1990: 15 - Afghanistan: Nuristan, Pech River, SW Chapadar, 2000-2400 m; Löbl & Smetana, 2010: 198 - Afghanistan; Danilevsky, 2012b: 149 - Afghanistan; Kariyanna et al., 2017: 78 - Afghanistan: Nuristan, SW Chanadar; Rapuzzi et al., 2019: 71 - Afghanistan.

*montanus* A. White, 1853: 138

Ambrus & Tichý, 2017: 96 - Afghanistan; Löbl & Smetana, 2010: 199 - Afghanistan; Rapuzzi et al., 2019: 71 - Afghanistan.

tribe Tillomorphini Lacordaire, 1868

**genus *Cleroclytus* Kraatz, 1884: 226** type species *Cleroclytus semirufus* Kraatz, 1884

**M.A. Lazarev**

- subgenus** *Cleroclytus* Kraatz, 1884: 226 type species *Cleroclytus semirufus* Kraatz, 1884  
*semirufus* Kraatz, 1884: 225  
*semirufus collaris* Jakovlev, 1885: 290  
    *manifestus* Jakovlev, 1900: 664  
    *strigicollis* Jakovlev, 1900: 663  
    Löbl & Smetana, 2010: 206 - Afghanistan.  
*semirufus semirufus* Kraatz, 1884: 225  
    Heyden, 1894: 83 - Afghanistan, Kischlak-Tusch.

**subfamily Lamiinae Latreille, 1825**

tribe Agapanthiini Mulsant, 1839

- genus** *Agapanthia* Audinet-Serville, 1835: 35 type species  
    *Cerambyx cardui* Linnaeus, 1767  
**subgenus** *Epoetes* Gistel, 1857a:93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804  
    *Agapanthiella* Pesarini & Sabbadini, 2004: 126 type species *Cerambyx villosa viridescens* DeGeer, 1775  
*dahli* C. F. W. Richter, 1821: pl. 12  
*dahli ustinovii* Danilevsky, 2013: 35, **stat. nov.**  
    **Note.** Afghanistan, Badakhshān province. The taxon was described from Tadzhikistan, but just from the borderline with Afghanistan.  
*detrita* Kraatz, 1882b: 336  
    Heyden, 1894: 83 - Afghanistan, Kischlak-Tusch; Tippmann, 1958: 60.  
*nigriventris* C. O. Waterhouse, 1889: 130  
    Waterhouse, 1889: 130 -Afghanistan, Hari-rud valley; Winkler, 1929: 1212 - Afghanistan; Löbl & Smetana, 2010: 216 - Afghanistan.  
*paki* Rapuzzi, 2012: 958  
    Rapuzzi, 2012: 958 - Afghanistan: Ghor prov., 16 km E Chagcharan, Bandi-Ali vill. env.  
**subgenus** *Stichodera* Pesarini & Sabbadini, 2004: 126 type species  
    *Saperda irrorata* Fabricius, 1787  
*soror* Kraatz, 1882b: 336  
    Tippmann, 1958: 61 - Schiva, Hochsteppe, 2800 m, Badakschan, NO-Afghanistan.

M.A. Lazarev

tribe Apodasyini Lacordaire, 1872

**genus *Cylindilla* Bates, 1884: 250** type species *Cylindilla griseescens* Bates, 1884

*Anaesthetomorphus* Pic, 1929a: 6 [RN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla griseescens* Bates, 1884)

*Ascoldatimura* Breuning, 1960: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla griseescens* Bates, 1884)

*Microestola* Gressitt, 1940: 180 type species *Microestola bidentata* Gressitt, 1940

*Mimatimura* Breuning, 1958b: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla griseescens* Bates, 1884)

*Pseudanesthetis* Pic, 1929b: 119 [HN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla griseescens* Bates, 1884)

*parallela* Gressitt, 1951: 515 (*Microestola*)

Tippmann, 1958: 59 - Asmar, 900 m, Kunartal, Nuristan, O.-Afghanistan; Bashgultal, 1100 m, Nuristan, O.-Afghanistan; Löbl & Smetana, 2010: 222 - Afghanistan.

**Note.** The occurrence of the species in Afghanistan is very doubtful as it was described from China (Hubei).

**genus *Sophronica* Blanchard, 1845: 160** type species *Sophronica calceata* Chevrolat, 1855

*Dasyo* Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858

*Dasystola* Kolbe, 1894: 63 type species *Dasystola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)

*Dimbrokoa* Pic, 1944: 16 type species *Dimbrokoa apicalis* Pic, 1944

*Elithiotes* Pascoe, 1864: 279 type species *Elithiotes hirsuta* Pascoe, 1864

*Eupogonioides* Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)

*Lasiapheles* Bates, 1873: 382 type species *Lasiapheles obrioides* Bates, 1873

*Mimanaesthetis* Pic, 1926: 16 type species *Mimanaesthetis atripennis* Pic, 1926

*Phunginus* Pic, 1922: 15 type species *Phunginus apicalis* Pic, 1922

*egena* Holzschuh, 2006: 488

Holzschuh, 2006: 488 - Est-Afghanistan, Nuristan, Baschgultal; Löbl & Smetana, 2010: 227 - Afghanistan.

tribe Apomecynini J. Thomson, 1860

**genus *Apomecyna* Dejean, 1821: 108** type species type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

**subgenus *Apomecyna* Dejean, 1821: 108** type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

*Anapomecyna* Pic, 1925: 29 type species *Anapomecyna luteomaculata* Pic, 1925

**M.A. Lazarev**

*Crassapomecyna* Breuning, 1958b: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896

*Mecynapus* J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856

*Pseudoalbana* Pic, 1895: 77 type species *Pseudoalbana lameerei* Pic, 1895

*Vocula* Lacordaire, 1872: 587 type species *Vocula irrorata* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)

*leucosticte* Hope, 1831: 28 (*Callidium*)

*lineate* Pic, 1937: 14

Löbl & Smetana, 2010: 228 - Afghanistan.

tribe Batocerini J. Thomson, 1864

**genus *Apriona* Chevrolat, 1852: 414** type species *Lamia germari* Hope, 1831

**subgenus *Apriona* Chevrolat, 1852: 414** type species *Lamia germari* Hope, 1831

*Anapriona* Breuning, 1949: 8 type species: *Apriona submaculosa* Pic, 1917

*Cylindrapriona* Breuning, 1949: 8 type species *Monochamus cylindricus* J. Thomson, 1857

*Humeroapriona* Breuning, 1949: 8 type species *Lamia swainsoni* Hope, 1840

*Mesapriona* Breuning, 1949: 8 type species *Apriona punctatissima* Kaup, 1866

*Parapriona* Breuning, 1948: 17 type species: *Parapriona brunneomarginata* Breuning, 1948

*cinerea* Chevrolat, 1852: 416

*newcombei* Gilmour, 1958: 112

Breuning, 1967a: 435 -Afghanistan, 25 km N von Barikot, 1300 m, Nuristan; Heyrovský, 1967: 157-Ost-Afghanistan, Prov. Nengrahar: Kamu, 1450 m; Löbl & Smetana, 2010: 237 - Afghanistan; Rapuzzi et al., 2019: 76 - Afghanistan.

tribe Exocentrini Pascoe, 1864

**genus *Exocentrus* Dejean, 1835: 339** type species *Cerambyx balteatus* Fabricius *sensu* Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767)

*Bicolorihirtus* Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978

*Formosexocentrus* Breuning, 1958a: 322 type species *Exocentrus variepennis* Schwarzer, 1925

*parrotiae* Fisher, 1932: 304-306

*klapperichi* Breuning, 1957: 12

Breuning, 1957: 12 - Afghanistan: Nuristan, Kutiau, 1500 m; Tippmann, 1958: 59 - Kutiau, 1500 m, Nuristan, O-Afghanistan;

**M.A. Lazarev**

Löbl & Smetana, 2010: 310 - Afghanistan; Lingafelter et al., 2014: 84 - Afghanistan: Nuristan, Kutiau; Holzschuh, 2015: 48 - Afghanistan.

tribe Phytoeciini Mulsant, 1839

**genus *Paramallosia* Fuchs, 1955: 273** type species *Paramallosia afghanica* Fuchs, 1955

*afghanica* Fuchs, 1955: 274

Fuchs, 1955: 274 - Tarapas, Koh-i-Baba, Afghanistan; Panjao, Koh-i-Baba, Afghanistan; Ghilzai, Koh-i-Baba, Afghanistan; Schirparak, Koh-i-Baba, Afghanistan; Löbl & Smetana, 2010: 302 - Afghanistan.

**genus *Phytoecia* Dejean, 1835: 351** type species *Cerambyx cylindricus* Linnaeus, 1758

**subgenus *Parobereina* Danilevsky, 2018: 131** type species *Phytoecia vittipennis* Reiche, 1877

*pashunica* Lazarev, **sp.n.**

Afganistan, Bamian province, Waras district, 5 km SW Waras near Dahane Denawak village, 34°15'42"N, 66°52'43"E, 2680 m.

*povolnyi* Heyrovský, 1971: 82

Heyrovský, 1971: 82 - Darunta, province de Nengrahar, Afghanistan oriental; Skrylnik, 2010: 260, 261 - Afghanistan: Kaboul prov., Nangarhar prov.; Löbl & Smetana, 2010: 302 - Afghanistan.

*ochraceipennis* Kraatz, 1882b: 337

Tippmann, 1958: 61 - Kutiau, Nuristan; 1500 m, O-Afghanistan; Kabul, 1740 m, O-Afghanistan; Bashgultal, 1200-1300 m. Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 302 - Afghanistan.

*tatyanae* Skrylnik, 2010: 260

Skrylnik, 2010: 260 - Afghanistan: Bamian prov., Band-e Amir env. [34°50'59.64"N, 67°12'8.10"E]; Kabul prov., Paghman.

*tekensis* Semenov, 1896: 258

Fuchs, 1961: 259 - Gulbahar 1700 m, O.-Afghanistan; Löbl & Smetana, 2010: 302 - Afghanistan.

**subgenus *Fulgophytoecia* Pic, 1900: 16** type species *Phytoecia circumdata* Kraatz, 1882

*Pseudomallosia* Breuning, 1967b: 1 type species *Pseudomallosia parterufipennis* Breuning, 1967

*circumdata* Kraatz, 1882b: 337

*parterufipennis* Breuning, 1967b: 2 (*Pseudomallosia*)

*sellata* Ganglbauer, 1887: 296

**M.A. Lazarev**

Heyrovský, 1936: 212 - Gulan-Tal; Tippmann, 1958: 61 - Bazarak, Panchirtal, 2200 m, O-Afghanistan; Breuning, 1967b: 2 - Afghanistan: Hazaradjat, Koh-i-Baba, Pandjao Umgebung; Löbl & Smetana, 2010: 303 - Afghanistan.

*valentinae* Skrylnik, 2010: 258

Skrylnik, 2010: 258 - C. Afghanistan, Bamian prov., Band-e Amir env.

**subgenus** *Opsilia* Mulsant, 1863: 387 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coerulescens* Scopoli, 1763)

*brevicornis* Kasatkin, 2013: 265

Kasatkin, 2013: 265 - Afghanistan, Bamiyan Prov., 8 km South of Bamiyan, Kohi-Baba Mts., Khushkak vill. env.

*bucharica* Breuning, 1943: 101

*breuningi* Dahlgren, 1988: 114

Löbl & Smetana, 2010: 301 - Afghanistan.

**Note.** A series of specimens with the label: "Nurestan, N Waigal riv., 2000-3000m, IV-VII, 1971-73, O.Kabakov leg." is preserved in the collection of M.L. Danilevsky (Moscow).

**subgenus** *Pseudocoptosia* Pic, 1900: 16 type species *Phytoecia eylandti* Semenov, 1891

*cinerascens* Kraatz, 1882b: 337 (*Phytoecia*)

*sokolowi* Semenov, 1895: 206, 209 (*Phytoecia*)

Heyden, 1894: 83 - Afghanistan; Heyrovský, 1967:158 - Nord-Afghanistan, Prov. Herat: Bala Murghab, 470 m; Löbl & Smetana, 2010: 292 - Afghanistan.

*eylandti* Semenov, 1891: 380 (*Phytoecia*)

*glasunowi* Semenov, 1895b: 207, 210 (*Phytoecia*)

**Note.** The species is undoubtedly distributed in Afghanistan, as it is very numerous in Turkmenia just on Afghanistan border (Kushka environs).

tribe Pteropliini J. Thomson, 1860

**genus** *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839

**subgenus** *Niphona* Mulsant, 1839: 169 type species *Niphona picticornia* Mulsant, 1839

*indica* Breuning, 1938: 239

*grisea* Breuning, 1938: 241



**M.A. Lazarev**

Heyrovský, 1967: 157 - Ost-Afghanistan, Prov. Nengrahar: Samarchel, 900 m; Löbl & Smetana, 2010: 316 - Afghanistan; Kariyanna et al., 2017: 195 - Afghanistan; Rapuzzi et al., 2019: 73 - Afghanistan.

**genus *Pterolophia* Newman, 1842c: 370** [NP] type species *Mesosa bigibbera* Newman, 1842

**subgenus *Pterolophia* Newman, 1842c: 370** [NP] type species *Mesosa bigibbera* Newman, 1842

*Acroptycha* Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888

*Alyattes* J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864

*Cormia* Pascoe, 1864: 281 type species *Cormia ingrata* Pascoe, 1864

*Eurycotyle* Blessig, 1873: 210 type species *Eurycotyle maacki* Blessig, 1873

*Incamelomorpha* Pic, 1926: 4 type species *Pterolophia depensis* Pic, 1926

*Paralophia* Aurivillius, 1925: 30 [HN] type species *Paralophia quadrinodosa* Aurivillius, 1925

*Praonetha* Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823

*Praonetha* Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853

*Prioneta* Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853

*Prionetopsis* J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1801)

*Theticus* J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858

***apicefusca* Breuning, 1938: 319**

Tippmann, 1958: 58 - Bashgultal, 1200 m, Nuristan, O-Afghanistan; Löbl & Smetana, 2010: 319 - Afghanistan; Kariyanna et al., 2017: 199 - Afghanistan.

tribe Saperdini Mulsant, 1839

**genus *Glenea* Newman, 1842b: 301** type species *Saperda novemguttata* Guérin-Méneville, 1831

**subgenus *Glenea* Newman, 1842b: 301** type species *Saperda novemguttata* Guérin-Méneville, 1831

*Accola* Jordan, 1894: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)

*Accolona* E. Strand, 1942: 392 [RN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)

**M.A. Lazarev**

*Cryllis* Pascoe, 1867: 363 type species *Cryllis clytoides* Pascoe, 1867

*Hapochoron* Gistel, 1848: x [RN]

*Sphenura* Dejean, 1835: 350 [HN] type species *Saperda novemguttata* Guérin-Méneville, 1831

*afghana* Breuning, 1971: 44

Breuning, 1971: 44 - Afghanistan: Shogran; Löbl & Smetana, 2010: 324 - Afghanistan; Rapuzzi et al., 2019: 78 - Afghanistan.

**genus *Saperda* Fabricius, 1775: 184** type species *Cerambyx carcharias* Linnaeus, 1758

**subgenus *Compsidia* Mulsant, 1839: 182** type species *Cerambyx populneus* Linnaeus, 1758

*populnea* Linnaeus, 1758: 394

*populnea populnea* Linnaeus, 1758: 394 (*Cerambyx*)

*betulina* Geoffroy, 1785: 78 (*Leptura*)

*bilineata* Scopoli, 1772: 102 (*Leptura*)

*decempunctata* DeGeer, 1775: 78 (*Cerambyx*)

*populi* Duméril, 1860: 607

*salicis* Zetterstedt, 1818: 258

Krivolutskaya & Lobanov, 1996: 132 - Afghanistan.

tribe Tetrocini Portevin, 1927

**genus *Lenotetrops* Danilevsky, 2012a: 5** type species *Lenotetrops ivanovae* Danilevsky, 2012

*ivanovae* Danilevsky, 2012a: 6

Danilevsky, 2012a: 6 - Kabul prov., 13 km NW Kabul, Qargha environs, Band-e-Qargha; Wardak prov., W Maydan.

*Phytoecia (Parobereina) pashtunica* sp.n

Figs 1-2

**Type locality.** Afganistan, Bamian province, Waras district, 5 km SW Waras near Dahane Denawak village, 34°15'42"N, 66°52'43"E, 2680 m.

**Description.** A single female available; head, antennae and legs totally black; lower eye lobes about two times wider than genae; antennae a little shorter than body, not reaching elytral apices; 1<sup>st</sup> antennal joint short, about as long as 5<sup>th</sup>, 4<sup>th</sup> joint much longer, but shorter than 3<sup>rd</sup>; prothorax elongated, about 1.1 times longer than basal width; pronotum shining, glabrous, without glabrous callosities, without pale recumbent pubescence, without longitudinal setae stripe, with small sparse punctation; solitary white setae are distributed along sides of prothorax and under humeral elytral angles; scutellum triangula, without pale recumbent pubescence, with sparse small erect setae; elytra yellow with wide black area along middle; curved elytral margin with narrow black stripe, as well as anterior elytral margin; elytral punctation relatively big arranged in distinct longitudinal rows; elytral pubescence hardly visible, consisting of very short erect and recumbent setae; metepisternae with dense semierect short pale pubescence; claws brown, with very narrow sharp long denticles; ventral body side covered by shorte moderately dense pale pubescence, and looks black; last abdominal tergite rounded, sternite truncated; body length: 6.2 mm, width: 1.3 mm.

**Differential diagnosis.** The species is similar to 3 other *Ph. (Parobereina)* of the region: *Ph. (P.) ochraceipennis* Kraatz, 1882, *Ph. (P.) povolnyi* Heyrovský, 1971, *Ph. (P.) tatyanae* Skrylnik, 2010, but each of them has partly yellow tibiae or (in *Ph. ochraceipennis*) partly yellow femora; pronotum in all 3 species usually more or less covered by recumbent pale pubescence, with more or less distinct glabrous shining callosities; anterior elytral margin partly yellow (black tranverse stripe interrupted in the middle; black stripe of curved elytral margin never reaching humeri; pale elytral pubescence rather distinct; ventral body margin with very dense recumbent pubescence, looks white.

**M.A. Lazarev**

**Material studied.** 1 female, each with 2 labels: 1) “AFGANISTAN 5 km WS Waras / Bamian prov., Waras distr. / near Dahane Denawak vill. 2680 m / 34°15'42.46"N, 66°52'43.20"E / Yu.Ye. Skrylnik 25.VI.2016.”; 2) “HOLOTYPUS / *Phytoecia (Parobereina)* / *PASHTUNICA* sp.n. / M.Lazarev det. 2019” - collection of M.L. Danilevsky.

**Distribution.** Central Afganistan, Bamian province.

**Etymology.** The Pashtuns are the largest ethnic group in Afghanistan.

***Phytoecia (Parobereina) heinzi* sp.n**

Figs 3-4

**Type locality.** Pakistan, Khyber Pakhtunkhwa province, Swat district, Utrot, about 35°29'N, 72°28'E, 2300/2600 m.

**Description.** A single male available; head and antennae totally black; lower eye lobes more than two times wider than genae; antennae longer than body, surpassing elytral apices by 2 apical joints; 1<sup>st</sup> antennal joint short, shorter than 5<sup>th</sup>, 4<sup>th</sup> joint much longer than 5<sup>th</sup> and about equal to 3<sup>rd</sup>; prothorax about 1.1 times shorter than basal width; pronotum with hardly distinct microsculpture and rather small sparse punctation, with very fine recumbent pale pubescence concentrated along middle forming pale central line poorly pronounced; without glabrous callosities; scutellum semicircular, with dense white recumbent pubescence; elytra black with elongated humeral yellow spots protruding backwards along anterior elytral third; curved elytral margin black; elytral punctation rather small, longitudinal rows are not regular, partly mixed; elytral pubescence hardly visible, consisting of very short erect and recumbent setae; metepisternae with dense recumbent white pubescence; legs yellow with partly darkened tarsi; claws with very narrow long sharp denticles; ventral body side covered by dense white pubescence, and looks white; pygidium shallowly emarginated, postpygidium rounded; last abdominal sternite slightly exposed apically, concave along middle; body length: 8.2 mm, width: 2.0 mm.

**Differential diagnosis.** The species is very close to rather variable *Ph. (Parobereina) vittipennis* Reiche, 1877, because of similarly colored antennae and pronotum, as well as similar pronotal sculpture,

## M.A. Lazarev

but in *Ph. (P.) vittipennis* prothorax more elongated, elytral punctation considerably larger strongly longitudinally arranged; many populations of *Ph. (P.) vittipennis* are characterized by long and dense pronotal and elytral pale erect pubescens; middle and hind femora in all populations of *Ph. (P.) vittipennis* with black bases; pygidium in the nominative subspecies and in *Ph. (P.) v. pravei* Plavilstshikov, 1926 deeply emarginated.

**Material studied.** 1 male, each with 2 labels: 1) “Pakistan (Swāt): Utrot 2300/2600 m / Heinz leg. / 15/19.VII.1997”; 2) “HOLOTYPUS / *Phytoecia (Parobereina)* / HEINZI sp.n. / M.Lazarev det. 2019” - collection of M.L. Danilevsky.

**Distribution.** North Pakistan.

**Etimology.** The new species is dedicated to Walter Heinz, who collected the holotype.

## REFERENCES

- Agassiz J.L.R. 1846. Nomenclatoris zoologici index universalis, continens nomina systematica classium, ordinum, familiarum et generum animalium omnium, tam viventium quam fossilium, secundum ordinem alphabeticum unicum disposita, adjectis homonymiis plantarum, nec non variis adnotationibus et emendationibus. Soloduri: Jent & Gassmann, viii + 383 pp.
- Ahmad T. 1946. Insect Fauna of Afghanistan - III. Coleoptera. - The Indian Journal of Entomology. 8: 33-52.
- Ambrus R., Tichý T. 2017. New and interesting records of the tribe Purpuricenini J. Thomson, 1861 from China and neighbouring countries (Coleoptera, Cerambycidae). - Les Cahiers Magellanes (NS). 25: 85-105, 7 figs.
- Audinet-Serville J.G.A. 1835. Nouvelle classification de la famille des longicornes (suite). - Annales de la Société Entomologique de France. 4: 5-100, pl. 3.
- Aurivillius C. 1925. Neue oder wenig bekannte Coleoptera Longicornia. 19. - Arkiv för Zoologi. 15 [1922-1924] (25): 1-43 [= 437-479].
- Baeckmann J.N. 1922. Revision der Gattung Pronocera auctorum (Coleoptera, Cerambycidae). - Russkoe Entomologicheskoe Obozrenie. 18 (1922-1924): 28-35.
- Bates H.W. 1873. On the longicorn Coleoptera of Japan. - The Annals and Magazine of Natural History. (4) 12: 148-156, 193-201, 308-318, 380-390.
- Bates H.W. 1878. On new Species of Coleopterous Insects (Geodephaga and Longicornia) taken by Dr. Stoliczka during the Forsyth Expedition to Kashgar in 1873-74. - Proceedings of the Scientific Meetings of the Zoological Society of London [1878]: 713-721.
- Bates H.W. 1884. Longicorn beetles of Japan. Additions, chiefly from the later collections of G. Lewis, and notes on the synonymy, distribution, and habits of the previously known species. - Journal of the Linnean Society of

**M.A. Lazarev**

- London, Zoology. 18: 205-261. 2 pls.
- Bates H.W. 1891. Coleoptera from Kulu in N. W. India. - The Entomologist (supplement). 24: 7-23.
- Bentanachs J. 2012a. Revisión del género *Polyzonus* Dejean, 1835 y géneros afines (Coleoptera, Cerambycidae, Callichromatini). - Les Cahiers Magellanes (NS) 8: 1-100, 264 figs.
- Bentanachs J. 2012b. Catalogue des Callichromatini de la région paléarctique et orientale (Coleoptera, Cerambycidae, Cerambycinae, Callichromatini). - Les Cahiers Magellanes (NS). 10: 26-106, 58 figs.
- Blanchard C.E. 1853. Description des insectes. - In: Hombros J. & Jacquinet H.: Zoologie, Tome quatrième. In: Dumont-d'Urville J.: Voyage au pôle Sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée, exécuté par ordre du Roi pendant les années 1837-1838-1839-1840, sous le commandement de M.J. Dumont-d'Urville, capitaine de vaisseau, publié par ordre du gouvernement, sous la direction supérieure de M. Jacquinet capitaine de vaisseau commandant de la Zélée. Paris: Gide et J. Baudry, [5] + 422 pp., 20 pls. (note: plates issued in 1847).
- Blessig C. 1873. Zur Kenntnis der Käferfauna Süd-Ost-Sibiriens insbesondere des Amur-Landes. Longicornia. - Horae Societatis Entomologicae Rossicae. 9 [1872]: 193-260, pls. VII, VIII.
- Breuning S. 1938. Novae species Cerambycidarum VI. - Festschrift zum 60. Geburtstag von Professor Dr. Embrik Strand, Riga. 4 (1937): 180-392.
- Breuning S. 1943. Nouveaux Cérambycides paléarctiques (1re note). - Miscellanea Entomologica. 40(9): 89-104.
- Breuning S. 1948. Nouvelles formes de lamiaires (1re partie). - Bulletin du Musée Royal d'Histoire Naturelle de Belgique. 24 (38): 1-44.
- Breuning S. 1949. Notes systématiques sur les lamiaires (Coleoptera Cerambycidae). - Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. 25(38): 1-32.
- Breuning S. 1957. Neue Lamiinae aus der Sammlung F. Tippmann (Cerambycidae, Coleoptera). - Entomologisches Nachrichtenblatt für Österreichischer und Schweizer Entomologen. 8 (3): 10-16.
- Breuning S. 1958a. Révision du genre *Exocentrus* Mulsant (Col., Cerambycidae). - Bulletin of the British Museum (Natural History) Entomology. 7 (5): 209-328.
- Breuning S. 1958b. Bemerkungen zu einigen Lamiiden des Deutschen Entomologischen Instituts (Coleoptera: Cerambycidae). - Beiträge zur Entomologie. 8: 491-494.
- Breuning S. 1960. Nouvelles formes de lamiaires (douzième partie). - Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. 36 (7): 1-30.
- Breuning S. 1967a. Österreichische entomologische Expeditionen nach Persien und Afghanistan Beiträge zur Coleopterologie, Teil IV: Cerambycidae: Lamiinae. - Annalen des Naturhistorischen Museums, Wien. 70: 435.
- Breuning S. 1967b. Zwei neue Lamiiden aus den Beständen der Zoologischen Staatssammlung in München (Col., Cerambycidae). - Opuscula Zoologica, München. 94: 1-2.

**M.A. Lazarev**

- Breuning S. 1971. Description de nouvelles espèces de Lamiinae de la coll. Chassot (Coleoptera, Cerambycidae). - Bulletin de la Société Entomologique de Mulhouse (mai-juin 1971): 44.
- Brancsik K. 1899. Aliquot Coleoptera nova Russiae asiaticae. Jahresheft des Naturwissenschaftlichen Vereines des Trencsiner Comitatus 21-22 (1898-1899): 97-105 + 1, pl. 4.
- Buquet J. B. L. 1840. Description de plusieurs coléoptères nouveaux appartenant aux genres: Lebia, Vatellus, Acmaeodera, Hammaticherus et Leptura. - Annales de la Société Entomologique de France. 9: 393-400.
- Chevrolat L.A.A. 1852. Description de Coléoptères nouveaux. - Revue et Magasin de Zoologie, Paris. (2) 4: 414-418.
- Chevrolat L.A.A. 1856. Description de longicornes nouveaux du vieux Calabar, côte occidentale d'Afrique. - Revue et Magasin de Zoologie, Paris. (2) 8: 531-535.
- Chevrolat L.A.A. 1860a. [new taxa]. - In: Mélanges et nouvelles. Revue et Magasin de Zoologie Pure et Appliquée. (2) 12: 95-96.
- Chevrolat L.A.A. 1860b. Description d'espèces de Clytus propres au Mexique. - Annales de la Société Entomologique de France. (3) 8: 451-504.
- Chevrolat L.A.A. 1863. Clytides d'Asie et d'Océanie. - Mémoires de la Société Royale des Sciences de Liège. 18 (4): 253-350.
- Dahlgren G. 1988. Eine neue Phytoecia (Col., Cerambycidae) aus Turkestan. - Entomologische Blätter. 84: 114-115.
- Daniel K. 1904. Über Leptura revestita L., verticalis Germ. und ihre nächsten Verwandten. - Münchener Koleopterologische Zeitschrift. 2: 355-371.
- Daniel K. & Daniel J. 1898. Zwanzig neue Arten aus dem paläarktischen Faunengebiet. - Coleopteren-Studien. 2 (7): 61-82. München, Druck C. Wolf & Sohn.
- Danilevsky M.L. 2000. Description of Miniprionus gen. n. from Middle Asia with new data in related genera (Coleoptera: Cerambycidae). - Russian Entomological Journal. 8 (3) (1999): 189-190.
- Danilevsky M.L. 2001. Review of the genus Turanium Baeckmann, 1923 (Coleoptera, Cerambycidae). - Lambillionia. 101(4): 579-588, 24 figs.
- Danilevsky M.L. 2006. A revue of genus Apatophysis Chevrolat, 1860 of Iran (Coleoptera, Cerambycidae). - Les Cahiers Magellanes. 59: 1-11, 9 figs.
- Danilevsky M.L. 2008. Apatophysis Chevrolat, 1860 of Russia and adjacent regions. - Studies and Reports of District Museum Prague-East, Taxonomical Series. 4 (1-2): 7-56, 16 figs, 6 cartes, 7 photos.
- Danilevsky M.L. 2009. The taxonomic position of two Prioninae (Coleoptera, Cerambycidae) from Central Asia. - Russian Entomological Journal. 17 (3) (2008): 293-294.
- Danilevsky M.L. 2011. A review of genus Protapatophysis Semenov-Tian-Shanskij et Stschegoleva-Barovskaia, 1936 stat. nov. (Coleoptera: Cerambycidae: Apatophysinae). - Studies and Reports of District Museum Prague-East, Taxonomical Series. 7 (1-2): 93-104, 4 figs.
- Danilevsky M.L. 2012a. Lenotetrops ivanovae, gen. nov., sp. nov. from Afghanistan (Coleoptera, Cerambycidae). - Animma. X. 44: 5-8, 2 figs.

## M.A. Lazarev

- Danilevsky M.L. 2012b. Additions and corrections to the new Catalogue of palaeartic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. III. - *Munis Entomology & Zoology*. 7 (1): 109-173.
- Danilevsky M.L. 2013. Six new Longicorn (Coleoptera, Cerambycidae) taxa from Russia and adjacent countries. - *Humanity space. International almanac*. Vol. 2. Supplement 2: 28-41.
- Danilevsky M.L. 2014a. Two new species of genus *Cortodera* Mulsant, 1863 from Asia (Coleoptera, Cerambycidae). - *Humanity space. International almanac*. 3 (2): 255-258, 4 figs.
- Danilevsky M.L. 2014b. Longicorn beetles (Coleoptera, Cerambycoidea) of Russia and adjacent countries. Part 1. Moscow: HSC: 1-522. [in Russian]
- Danilevsky M.L. 2018. A new Palaeartic subgenus of genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae). - *Zootaxa*. 4521 (1): 129-132.
- DeGeer C. 1775. *Mémoires pour servir à l'histoire des insectes*. Tome cinquième. Stockholm: L'imprimerie Pierre Hesselberg, vii + 448 pp., 16 pls.
- Dejean P.F.M.A. 1821. *Catalogue des coléoptères de la collection de M. le Baron Dejean*. Paris: Crevot, viii + 136 pp.
- Dejean P.F.M.A. 1835. *Catalogue des coléoptères de la collection de M. le Comte Dejean*. Deuxième édition. Livraison 4. Paris: Méquignon-Marvis Père et Fils. pp. 257-360.
- Duméril A.M.C. 1860. *Entomologie analytique. Histoire générale, classification naturelle méthodique des insectes à l'aide de tableaux synoptiques* *Mémoires de l'Académie des Sciences* 31: i-xxii + 1-1239, 1 pl.
- Drumont A., Pesarini C. 2008. Note synonymique concernant des *Prionus* Geoffroy du Pakistan (Coleoptera, Cerambycidae, Prioninae). - *Lambillionea*. 108 (1) 2: 79-81, 6 figs.
- Fabricius J.C. 1775. *Systema entomologiae sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus*. Flensburgi et Lipsiae: Libraria Kortii, xxxii + 832 pp.
- Fabricius J.C. 1787. *Mantissa insectorum, sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis, emendationibus, observationibus*. Tomus I. Hafniae: C. G. Proft, xx + 348 pp.
- Fabricius J.C. 1793. *Entomologia systematica emendata et aucta. Secundum classes ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus*. Hafniae, C. G. Proft 1 (2): xx + 1-538.
- Fabricius J.C. 1801. *Systema eleutheratorum secundum ordines, genera, species, adiectis synonymis, locis, observationibus, descriptionibus*. Tomus II. Kiliae: Bibliopoli Academici Novi. 687 pp.
- Fairmaire L. 1896. *Matériaux pour la faune coléoptérique de la région malgache*. - *Annales de la Société Entomologique de Belgique*. 40: 336-398.
- Faldermann F. 1837. *Fauna entomologica Transcaucasica*. Coleoptera 2. Longicornes vel Capricornes.- *Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou*. 5: 1-433, 15 pls. (pls VII-XI)
- Fisher W.S. 1932. New species of *Exocentrus* Mulsant from India (Coleoptera: Cerambycidae: Subfamily Lamiinae). - *The Indian Forest Records (Series Entomology)*, Calcutta. 16 (10) (1931): 295-325.



**M.A. Lazarev**

- Fischer W.G. Von 1821. Lettre adressée au nom de la Société Impériale des Naturalistes de Moscou, à l'un de ses membres M. le Docteur Chrétien-Henri Pander, contenant une notice sur un nouveau genre d'Oiseau et sur plusieurs nouveaux Insectes. Catalogus Animalium in itinere inde ab Orenburg ad Bokaram usque collectorum. Augusti Semen, Moscou: 5-15.
- Fisher W.S. 1930. A new genus and two new species of longhorn beetles from India (Col., Cerambycidae: subfamily Lamiinae). - Indian Forest Records. 14: 275-278.
- Fuchs E. 1955. The 3rd Danish Expedition to Central Asia, Zoological Result 17. Cerambycidae (Insecta) aus Afghanistan. - Videnskabelige meddelelser fra Dansk Naturhistorisk Forening. 117: 271-274.
- Fuchs E. 1961. Ergebnisse der Deutschen Afghanistan-Expedition 1956 der Landessammlungen für Naturkunde Karlsruhe - Cerambycidae. - Beiträge zur naturkundlichen Forschung in Südwestdeutschland. 19 (3): 259.
- Fuchs E. 1967. Österreichische entomologische Expedition nach Persien und Afghanistan. Beiträge zur Coleopterologie Teil III: Cerambycidae: Prioninae und Cerambycinae. - Annalen des Naturhistorischen Museums in Wien. 70: 431-433.
- Gahan C. J. 1890. Notes on longicorn Coleoptera of the group Cerambycinae with descriptions of new genera and species.- The Annals and Magazine of Natural History. (6) 6: 247-261.
- Gahan C.J. 1891. Notes on longicorn Coleoptera of the group Cerambycinae, with description of new genera and species.- The Annals and Magazine of Natural History. (6) 7: 19-34.
- Gahan C.J. 1906. The fauna of British India including Ceylon and Birma. Coleoptera. Volume I (Cerambycidae). London: Taylor and Francis, xviii + 329 pp.
- Ganglbauer L. 1887. *Phytoecia sellata* n. sp. - Deutsche entomologische Zeitschrift, Berlin. 31 (2): 296.
- Gebler F. A. von. 1841. Charakteristik mehrerer neuen sibirischen Coleopteren. - Bulletin Scientifique de l'Académie Impériale des Sciences de Saint-Petersbourg. 8: 369-376.
- Gebler F. A. von 1845. Charakteristik der von Hn. Dr. Schrenk in den Jahren 1842 und 1843 in den Steppen der Dsungarei gefundenen neuen Coleopteren-Arten. - Bulletin de la Classe Physico-Mathématique de l'Académie Impériale des Sciences de Saint-Petersbourg. 3 (1844-1845): 97-106.
- Gemminger M. 1872: Cerambycidae. Pp. 2751-2988. In: Gemminger M. & Harold E. von.: Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus. Tom IX. Scolytidae, Brenthididae, Anthotribidae, Cerambycidae. Monachii: E. H. Gummi, [1] + 2669-2988 + [12] pp.
- Geoffroy E.L. 1785. [new taxa]. In: Fourcroy A.F. de.: Entomologia parisiensis; sive Catalogus Insectorum quae in Agro Parisiensi reperiuntur; Secundum methodum Geoffraeanam in sectiones, genera et species distributus: cui addita sunt nomina trivialia et fere trecentae novae Species. Pars prima. Parisiis: Privilegio Academiae, vii + [1] + 231 pp. (new names attributed to Geoffroy by Fourcroy).

**M.A. Lazarev**

- Germar E.F. 1822. Fauna Insectorum Europae. Fasc. V. Halae: C.A. Kümmel, 25 nrs.
- Gilmour E.F. 1958. Revision of the genus *Apriona* Chevrolat (Col., Cerambycidae, Lamiinae, Batocerini). - *Idea* (Bogor). 11: 35-91, 93-131, 5 pls.
- Gistel J.N.F.X. 1848. Naturgeschichte des Thierreichs. Für höhere Schulen. Stuttgart: Hoffmann'sche Verlags-Buchhandlung, xvi + 216 + 4 pp., 32 pls.
- Gistel J.N.F.X. 1857a. Achthundert und zwanzig neue oder unbeschriebene wirbellose Thiere. Straubing: Verlag der Schorner'schen Buchhandlung, 92 pp. [note: separate issue from *Vacuna*].
- Gistel J.N.F.X. 1857b. Achthundert und zwanzig neue oder unbeschriebene wirbellose Thiere. Pp. 513-606. - In: *Vacuna* oder die Geheimnisse aus der organischen und leblosen Welt. Unterdruckte Originalien-Sammlung von grösstentheils noch lebenden und verstorbenen Gelehrten aus dem Gebiete sämtlicher Naturwissenschaften, der Medizin, Litteraturgeschichte, des Forst- und Jagtwesens, der Oekonomie, Geschichte, Biographie, und der freien schönen Künste, herausgegeben von Professor Dr. Johannes Gistel. Zweiter Band. Straubing: Schorner, 1031 pp.
- Götz G.F. 1783. Beiträge zur Naturgeschichtde der Insecten. - *Naturforscher*. 19: 70-77, 1 pl.
- Gressitt J.L. 1940. The longicorn beetles of Hainan Island. Coleoptera: Cerambycidae. - *Philippine Journal of Science*. D 72 (1-2): 1-239, 7 pls.
- Gressitt J.L. 1951. Longicorn beetles of China. - In: Lapesme P.: *Longicornia, études et notes sur les longicornes*, Volume 2. Paris: Paul Lechevalier. 667 pp., 22 pls.
- Guérin-Méneville F.E. 1831. Dictionnaire Classique d'Histoire Naturelle. Bory de Saint-Vincent J.P.G.M. (éditeur). Ray et Gravier & Baudouin Frères, Paris 17 (Atlas): 161 pls.
- Guérin-Méneville F.E. 1844. Iconographie du Règne Animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables, et souvent non encore figurées, de chaque genre d'animaux. Avec un texte descriptif mis au courant de la science. Ouvrage pouvant servir d'atlas à tous les traités de zoologie. III. Texte explicatif. Insectes. Paris: J.B. Baillière. 576 pp.
- Hayashi M. 1963. Revision of some Cerambycidae on the basis of the types of the late Drs. Kano and Matsushita, with descriptions of three new species (Coleoptera: Cerambycidae). - *Insecta Matsumurana*, Sapporo. 25 (2): 129-136, 1 fig.
- Hayashi M., Makihara H. 1981. The Cerambycidae (Coleoptera) of Nepal collected by the Kyushu University Scientific Expedition. - *Esakia*, Fukuoka. (17): 183-200, 34 figs.
- Heyden L.F.J.D. von. 1884. Beitrag zur Coleopterenfauna der Insel Askold und anderer Theile des Amurgebietes. - *Deutsche entomologische Zeitschrift*, Berlin. 28(2): 273-300.
- Heyden L.F.J.D. von. 1885. [new taxa]. - In: Heyden L.F.J.D. von & Kraatz G.: *Beiträge zur turkestanischen Coleopteren-Fauna*. - *Deutsche Entomologische Zeitschrift*. 29: 273-298.

## M.A. Lazarev

- Heyrovský L. 1936. Cerambycidae. - In: Scheibe A.: Entomologische Sammelergebnisse der Deutschen Hindukusch-Expedition 1935 der Deutschen Forschungsgemeinschaft. Arbeiten über Morphologische und Taxonomische Entomologie. 3: 211-213.
- Heyrovský L. 1941. Beschreibung einer neuen Cerambyciden-Gattung aus Afghanistan. (Col., Ceramb.). - Časopis České Společnosti Entomologické, Praha. 38: 35-39, 2 figs.(Acta Societatis entomologicae bohemiae)
- Heyrovský L. 1959. Beitrag zur Kenntnis der Cerambycidenfauna Südost-Irans (Col., Ceramb.)(Ergebnisse der Entomologischen Reisen Willi Richter, Stuttgart, im Iran 1954 und 1956 - Nr. 23). - Stuttgarter Beiträge zur Naturkunde (A). 25: 1-6, 4 figs.
- Heyrovský L. 1967. Beiträge zur Kenntnis der Fauna Afghanistans (Sammelergebnisse von O. Jakeš 1963-64, D. Povolný 1965, D. Povolný & Fr. Tenora 1966, J. Šimek 1965-66).Cerambycidae, Col. - Acta Musei Moraviae, Scientiae naturales (Časopis Moravského muzea v Brně, Vědy přírodní). (Supplement) 52: 155-160.
- Heyrovský L. 1971. Deux nouveaux Cérambycides d'Asie centrale (Col. Cerambycidae). - Bulletin de la Société Entomologique de Mulhouse (septembre-octobre 1971): 81-82.
- Holzschuh C. 2006. Elf neue Bockkäferarten aus dem Himalaya (Insecta: Coleoptera: Cerambycidae). - In: Matthias Hartmann & J. Weipert (Editors). Biodiversität und Naturlausstattung im Himalaya II. Verein der Freunde und Förderer des Naturkundemuseums Erfurt e. V.: 483-489, pls XI-XII.
- Holzschuh C. 2015. Die Gattung *Exocentrus* (Coleoptera: Cerambycidae: Lamiinae) auf dem asiatischen Festland: neue Synonymien und neue Taxa. - Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen. 67: 45-72.
- Hope F.W. 1831.Synopsis of new species of Nepaul insects in the collection of Major General Hardwicke. Pp. 21-32. - In: Gray J.E. (ed.): Zoological Miscellany. Vol. 1. London: Treutthouttuyan 1766 Natuurkundigel, Wurtz & Co. 40 pp., 4 pls.
- Hope F.W. 1843. Descriptions of some new coleopterous insects sent to England by Dr. Cantor from Chusan and Canton, with observations on the entomology of China. - The Annals and Magazine of Natural History. 11: 62-66.
- Hua L.-Z. 2002. List of Chinese Insects. - Zhongshan (Sun Yat-sen) University Press, Guangzhou. List of Chinese Insects. 2: 1-612.
- Hüdepohl K.-E. 1990. The Longhorn Beetles of the Philippines Part II. - Entomofauna Zeitschrift für Entomologie, Ansfelden. 11 (3/1-2): 45-102, 42 figs.
- Jakovlev A.I. 1885. Trois coléoptères nouveaux de la Faune Aralo-Caspienne. - Horae Societatis Entomologicae Rossicae, St. Petersburg. 19 (3-4): 288-291.
- Jakovlev B.E. [Jakowlew] 1887.Révision des espèces du genre *Prionus* de la faune de la Russie. - Horae Societatis Entomologicae Rossicae. 21: 321-340.
- Jakovlev B.E. 1900. Révision des *Cleroclytus* (Kraatz) (Coleoptera, Cerambycidae).

## M.A. Lazarev

- Horae Societatis Entomologicae Rossicae, St. Petersburg. 34 (3-4): 656-665.
- Jordan K. 1894. On some new genera and species of the Coleoptera in the Tring Museum. - *Novitates Zoologicae*. 1: 484-503.
- Kabakow O.N., Dolin W.G. 1996. Eine neue Prionus-Art aus Afghanistan (Coleoptera: Cerambycidae). - *Zeitschrift der Arbeitsgemeinschaft österreichischer Entomologen*. 48: 45-48, 12 figs.
- Kaup J.J. 1866. Einige Cerambyciden der grossherzoglichen Sammlung zu Darmstadt. Darmstadt & Leipzig: Eduard Zernin, 8 pp., 3 pls.
- Kariyanna B., Mohan M., Gupta R., Vitali F. 2017. The checklist of longhorn beetles (Coleoptera: Cerambycidae) from India. - *Zootaxa*, Auckland. 4345 (1): 1-317, 1 carte. Magnolia Press, New Zealand.
- Kasatkin D.G. 2013. A new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae) from Afghanistan. - *Caucasian Entomological Bulletin*. 9 (2): 265, pls 5-6.
- Kirby W. 1837. Part the fourth and last. The insects. - In: Richardson J.: *Fauna Boreali-Americana; or the zoology of the northern parts of British America: containing descriptions of the objects of natural history collected on the late Northern Land Expedition, under command of captain Sir John Franklin*, R.N. Norwich: J. Fletcher, xxxix + 325 + [1] pp., 8 pl.
- Klapperich J. 1957. Voyages d'exploration en Afghanistan. - *Bulletin de la Société Entomologique de Mulhouse*: 25-30.
- Kraatz G. 1882a. [new taxa]. - In: Heyden L.F.J.D. von. & Kraatz G.: Käfer um Margelan, gesammelt von Haberhauer. *Deutsche Entomologische Zeitschrift*. 26 (2): 99-118.
- Kraatz G. 1882b. [new taxa]. - In: Heyden L.F.J.D. von. & Kraatz G.: Käfer um Samarkand, gesammelt von Haberhauer. *Deutsche Entomologische Zeitschrift*. 26 (2): 297-338.
- Kraatz G. 1884. [new taxa]. - In: Heyden L.F.J.D. von. & Kraatz G.: Neue Käfer-Arten aus Osch (in Turkestan). - *Deutsche Entomologische Zeitschrift*. 28: 217-228.
- Kolbe H. J. 1894. Die Coleoptern-Fauna Central-Afrikas. I. Von Herrn Dr. F. Stuhlmann im Seengebiet (Victoria-, Albert-Edward- und Albert-See) gesammelten Longicornier. - *Entomologische Zeitung (Stettin)*. 55: 50-65.
- Kollar V., Redtenbacher L. 1850. Ueber den Charakter der Insecten-Fauna von Südpersien.- *Denkschriften der Kaiserlichen Akademie der Wissenschaften (Mathematisch-Naturwissenschaftliche Klasse)*, Wien I: 42-53.
- Kotán A., Sama G. 2011. A new species of *Neoplocaederus* Sama, 1991 from Syria (Coleoptera, Cerambycidae: Cerambycinae). - *Folia Entomologica Hungarica, Rovartani Közlemények (series nova)*. 72: 59-63, 13 figs.
- Krivolutskaya G.O. & Lobanov A.L. 1996. [104. Fam. Cerambycidae - Longhorn or Timber-Beetles], pp. 56-140. - In: P.A. Ler (ed.). *Key to the insects of Russian Far East. Vol. III. Coleoptera. Pt. 3. Vladivostok: Dal'nauka*: 556 pp. [in Russian]
- Kumawat M.M., Singh K.M. & Ramamurthy V.V. 2015. A checklist of the Longhorned Beetles (Coleoptera: Cerambycidae) of Arunachal Pradesh,

## M.A. Lazarev

- northeastern India with several new reports. - *Journal of Threatened Taxa*. 7 (12): 7879-7901.
- Kusama K. & Tahira Y. 1978. The genus *Exocentrus* Mulsant of Japan and its adjacent regions: 2. - The revision of Taiwanese species. *Elytra*. 6: 9-32.
- Lacordaire J.T. 1868. *Histoire naturelle des insectes. Genera des coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome huitième.* Paris: Librairie encyclopédique de Roret, 552 pp. (note: Although dated 1869 this volume was published in November 1868, see *Zool. Record* 1868: 194).
- Lacordaire J.T. 1869. *Histoire naturelle des insectes. Genera des coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome neuvième. Première partie.* Paris: Librairie encyclopédique de Roret. 409 pp.
- Lacordaire J.T. 1872. *Histoire naturelle des insectes. Genera des coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome neuvième. Deuxième partie. Famille des longicornes (fin).* Paris: Librairie encyclopédique de Roret. pp. 411-930.
- Lameere A.A.L. 1903. Révision des Prionides. Septième mémoire.- *Macrotomines. - Mémoires de la Société Entomologique de Belgique, Bruxelles*. 11: 1-216.
- Laporte F.L., Gory H.L., 1841. *Monographie du genre Clytus. - Histoire naturelle et iconographie des insectes coléoptères.* Paris. 3 (1836): 1-124, 20 pls.
- Latreille P.A. 1802. *Histoire naturelle, générale et particulière, des crustacés et des insectes. Ouvrage faisant suite à l'histoire naturelle générale et particulière, composée par Leclerc de Buffon, et rédigée par C. S. Sonnini, membre de plusieurs sociétés savantes. Tome troisième. Familles naturelles des genres.* Paris: F. Dufart, xii + 13-467 pp. + [1 p. errata].
- Latreille P.A. 1804. *Histoire Naturelle, Générale et particulière des Crustacés et des Insectes.* - Imprimerie F. Dufart, Paris 11: iv + 1-424, pls 91-93.
- Latreille P.A. 1829. *Suite et fin des insectes.* - In: Cuvier G.: *Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Nouvelle édition, revue et augmentée. Tome V.* Paris: Déterville, xxii + 556 pp.
- Lepesme P., Breuning S. 1958. *Les Derolus africains.* Pp. 171-182. - *Proceedings of the Tenth International Congress of Entomology, Montreal, August 17-25, 1956. Volume 1.* Ottawa: Mortimer. 941 pp.
- Lichtenstein A.A.H. 1796. *Catalogus Musei Zoologici Ditissimi Hamburgi 3. Febr. 1796 Auctionis lege distrahendi. Sectio Tertia: Insecta.* Edition I. Hamburg: G. F. Schniebes. 224 pp.
- Lingafelter S.W., Nearn E.H., Tavakilian G.L. Monné M.Á., Biondi M. 2014. *Longhorned Woodboring Beetles (Coleoptera: Cerambycidae and Disteniidae) Primary Types of the Smithsonian Institution.* Smithsonian Institution Scholarly Press, Washington D.C.: v-xviii + 1-390, 187 figs.
- Linnaeus C. 1758. *Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymies, locis. Tomus I. Editio decima, reformata.* Holmiae: Impensis Direct. Laurentii Salvii, iv + 824 + [1] pp.

## M.A. Lazarev

- Linnaeus C. 1767. *Systema Naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus differentiis, synonymis, locis.* Editio duodecima, reformata. Tom. I. Pars II. Holmiae: Laurentii Salvii, [2] + 533-1327 + [37] pp.
- Löbl I., Smetana A. 2010. *Catalogue of Palaearctic Coleoptera. Volume 6 Chrysomeloidea.* I. Löbl & A. Smetana editors, Apollo books, Stenstrup. 6: 1-924.
- Lucas P.H. 1858. *Insectes coléoptères d'Algérie (Polyarthron barbarum).*- Bulletin de la Société Entomologique de France 1855: clxxvii-clxxxii.
- Majumder A., Raha A., Mitra B. & Chandra K. 2015. New records of Cerambycidae (Insecta: Coleoptera) from Madhya Pradesh, India. - *Journal of Threatened Taxa*. 7 (15): 8242-8249, 3 figs.
- Megerle J.C. 1802. Appendix ad catalogus insectorum, quae mense Decembris MDCCCI Viennae Austriae auctionis lege vendita fuere No. 473: 1-28. [note: the work is suppressed (Opinion 1710), but *Saperda alboguttata* introduced there is available].
- Ménétriés E. 1832. *Catalogue raisonné des objets de Zoologie recueillis dans un voyage au Caucase et jusqu'aux frontières actuelles de la Perse entrepris par ordre de S.M.L' Empereur.* Saint-Pétersbourg 4: 1-271 + i-xxxviii, 5 pls.
- Miroshnikov A.I. 1992. *Novyy vid zhukov-drovosekov roda Apophysis Chev.* (Coleoptera, Cerambycidae) iz Turkmenistana. - *Entomologicheskoe Obozrenie*. 71: 392-394.
- Miroshnikov A.I. 2014. New genera and species of the tribe Apatophyseini Lacordaire, 1869 from continental Asia, with notes on some little-known taxa (Coleoptera: Cerambycidae). Konstantinov A.S., Šlipiński S.A. & Solodovnikov A.Yu. (Editors): *Advances in Studies on Asian Cerambycids* (Coleoptera: Cerambycidae): 11-50, 127 figs. KMK Scientific Press Ltd.
- Miroshnikov A.I., Lobanov A.L. 1990. A New Species of the Genus *Purpuricenus* (Coleoptera, Cerambycidae) from Afghanistan. - *Vestnik Zoologii*. 5: 15-18, 6 figs.
- Motschulsky V. de 1858. *Insectes du Japon.* - *Études Entomologiques*. 6 (1857): 25-41.
- Mukhopadhyay P., Biswas S., 2000. *Coleoptera: Cerambycidae.* - *Zoological Survey of India, State Fauna Series 4. Fauna of Meghalaya*. 5: 41-67.
- Mulsant E. 1839. *Histoire naturelle des coléoptères de France. Longicornes.* Paris: Maison Libraire, Lyon: Imprimerie de Dumoulin, Ronet et Sibuet. 304 pp., 3 pls.
- Mulsant E. 1851. *Description de quelques coléoptères nouveaux ou peu connus de la tribu des longicornes suivie d'observations sur diverses espèces de cette tribu.* - *Mémoires de l'Académie des Sciences, Belles-Lettres et Arts de Lyon*. (2) 1: 122-137.
- Mulsant É. 1863. *Histoire Naturelle des Coléoptères de France. Longicornes.* - *Annales de la Société Impériale d'Agriculture, d'Histoire Naturelle et des Arts Utiles de Lyon* (1863): 481-590.
- Nakane T., Ohbayashi K. 1957. Notes on the genera and species of Lepturinae (Coleoptera, Cerambycidae) with special reference to their male genitalia.-

## M.A. Lazarev

- Scientific Reports of the Saikyo University, Natural Science and Living Science. 2 (4): 47-52.
- Nga C.T.Q., Long K.D. & Thinh T.H. 2014. New Records of the Tribe Cerambycini (Coleoptera: Cerambycidae: Cerambycinae) from Vietnam. - Tap Chi Sinh Hoc. 36 (4): 428-443, 26 figs.
- Newman E. 1842a. Cerambyciturum Insularum Manillarum Dom. Cuming captorum enumeratio digesta. - The Entomologist, London. 1 (15): 243-248.
- Newman E. 1842b. Cerambyciturum insularum Manillarum Dom. Cuming captorum enumeratio digesta.(Continuatio). - The Entomologist. 1(18) (1840-1842): 288-293, 298-305.
- Newman E. 1842c. Supplementary note to the descriptive catalogue of the longicorn beetles collected in the Philippine Islands by Hugh Cuming, Esq. - The Entomologist. 1 (23) (1840-1842): 369-371.
- Niisato T. 1990. Contribution towards the Knowledge of the Cerambycid Fauna (Coleoptera, Cerambycidae) of Thailand I. Collection of the Subfamily Cerambycinae Made by the Lepidopterological Expeditions of the University of Osaka Prefecture to Thailand 1981, 1983 and 1985. - Elytra, Tokyo. 18 (1): 109-128, 35 figs.
- Olivier A.G. 1795. Entomologie, ou histoire naturelle des insectes. Avec leur caractères génériques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères. Tome quatrième. Paris: de Lanneau, 519 pp. +72 pls. [note: each genus is separately paginated].
- Özdikmen H. 2003. Check-list of the genus Cortodera Mulsant, 1863 (Coleoptera: Cerambycidae) in Turkey with two new records. - Acta Entomologica Slovenika. 11 (2): 183-188.
- Özdikmen H. 2004. A Check-List of the Genus Pedostrangalia Sokolov, 1896 (Coleoptera, Cerambycidae) From Turkey with a New Record. - Journal of the Entomological Research Society. 6 (1): 23-31.
- Özdikmen H. 2011. The first attempt on subgeneric composition of Chlorophorus Chevrolat, 1863 with four new subgenera.(Col.: Cerambycidae: Cerambycinae).- Munis Entomology & Zoology. 6 (2): 535-539.
- Özdikmen H. 2014. Turkish red list categories of longicorn beetles (Coleoptera: Cerambycidae) Part III - Subfamily Lepturinae: Lepturini.- Munis Entomology & Zoology. 9 (1): 384-417, 104 cartes.
- Özdikmen H. 2016. Two new species group taxa of Cortodera (Coleoptera: Cerambycidae: Lepturinae) from Turkey with updated species group list. - Munis Entomology & Zoology. 11 (1): 4-17, 4 figs.
- Pascoe F.P. 1857. On new genera and species of longicorn Coleoptera. Part II. - The Transactions of the Entomological Society of London (2) 4 (1856-1858): 89-112, 2 pls. (note: part iv, April 1857).
- Pascoe F.P. 1858. On new genera and species of longicorn Coleoptera. Part III. - The Transactions of the Entomological Society of London (2) 4 (1856-1858): 236-266. (note: pp. 236-256, part vi, January 1858; pp. 257-266 part vii April 1858).
- Pascoe F.P. 1859. On new genera and species of longicorn Coleoptera. Part IV. - The Transactions of the Entomological Society of London (2) 5 (1859-

**M.A. Lazarev**

- 1861): 12-32, 33-61, pl. II. (note: pp. 12-32, part i, February 1859; pp. 33-61, part ii, May 1959).
- Pascoe F.P. 1862. Notices of new or little-known genera and species of Coleoptera. Part III. - Journal of Entomology. 1: 319-370.
- Pascoe F.P. 1864. Additions to the longicornia of South Africa, including a few species from Old Calabar and Madagascar. - Journal of Entomology. 2 (1863-1866): 270-291, pl. 13.
- Pascoe F.P. 1866. Catalogue of Longicorn Coleoptera collected in the Island of Penang by James Lamb, Esq. (Part II.). - The Proceedings of the Scientific Meetings of the Zoological Society of London. 44 (1866): 504-537, pls XLI-XLIII.
- Pascoe F.P. 1867. Characters of some new genera of the coleopterous family Cerambycidae. - The Annals and Magazine of Natural History. (3) 19: 307-319.
- Pascoe F.P. 1867. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidae, Cerambycidae and Prionidae, collected by Mr. A. R. Wallace in the Malay Archipelago. The Transactions of the Entomological Society of London. (3) 3: 337-464.
- Pascoe F.P. 1888. On some new longicorn Coleoptera.- The Transactions of the Entomological Society of London. 4: 491-513.
- Pesarini C., Sabbadini A. 2004. Osservazioni sulla sistematica della tribu Agapanthiini Mulsant, 1839 (Coleoptera Cerambycidae). - Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale Milano. 145: 117-132.
- Pic M. 1891. Faune Franco-algérienne (variétés). - Matériaux pour servir à l'étude des Longicornes. 1 (1): 1-50.
- Pic M. 1893. Descriptions de coléoptères.- L'Échange, Revue Linnéenne. 9: 26-27.
- Pic M. 1895. Longicornes de la collection H. Tournier.- L'Échange, Revue Linnéenne. 11: 75-78.
- Pic M. 1897. Description de longicornes de la région caucasique.- Le Naturaliste. 19: 262-263.
- Pic M. 1900. Contribution à l'étude des coléoptères d'Europe et des régions voisines. - Bulletin de la Société Zoologique de France. 25: 14-16.
- Pic M. 1901. Séance du 10 juillet 1901. Note sur Strangalia emmipoda Muls. et espèces voisines [Col.]. - Bulletin de la Société entomologique de France, Paris [1901]: 235-237.
- Pic M. 1902. Espèces ou variétés présumées nouvelles provenant de Chine. - Matériaux pour servir à l'étude des Longicornes. 4 (1): 28-32.
- Pic M. 1903. Notes diverses, diagnoses, synonymies. - Matériaux pour servir à l'étude des Longicornes. 4 (2): 4-9.
- Pic M. 1905. Diagnoses de longicornes recueillis en Asie par M. de Morgan. - Bulletin de Muséum d'Histoire Naturelle de Paris. 11: 390-393.
- Pic M. 1908. Notes diverses et diagnoses. Pp. 2-6. - Matériaux pour servir à l'étude des longicornes. 7ème cahier, 1ère partie. Saint-Amand (Cher): Imprimerie Bussière. 24 pp.
- Pic M. 1917. Notes diverses, descriptions et diagnoses (Suite.). - L'Échange, Revue



## M.A. Lazarev

- Linnéenne. 33 (380): 5-6.
- Pic M. 1922. Nouveautés diverses.- Mélanges Exotico-Entomologiques 37: 1-32.
- Pic M. 1923. Coléoptères exotiques en partie nouveaux (Suite.). - L'Échange, Revue Linnéenne. 39 (412): 7-8.
- Pic M. 1925. Nouveautés diverses.- Mélanges Exotico-Entomologiques. 43: 1-32.
- Pic M. 1926. Nouveautés diverses.- Mélanges Exotico-Entomologiques. 46: 1-32.
- Pic M. 1927. Coléoptères de l'Indochine.- Mélanges Exotico-Entomologiques. 49: 1-36.
- Pic M. 1929a. Notes diverses, nouveautés. - L'Échange, Revue Linnéenne. 45: 1-2, 5-7, 9-10, 13-14.
- Pic M. 1929b. Nouveaux coléoptères paléarctiques. - Časopis Československé Společnosti Entomologické. 25: 118-120.
- Pic M. 1933. Notes diverses, nouveautés (Suite.). - L'Échange, Revue Linnéenne. 49 (452): 5-6.
- Pic M. 1937. Nouveautés diverses.- Mélanges Exotico-Entomologiques. 69: 1-36.
- Pic M. 1944. Opuscula martiala XIII. - L'Échange, Revue Linnéenne, Numéro spécial. 13: 1-16.
- Pic M. 1956. Coléoptères du globe (suite). - L'Échange, Revue Linnéenne. 72 (543): 1-4.
- Plavilstshikov N.N. 1927. Über neue Bockkäfer-Varietäten (Col. Cerambyc.). - Entomologische Blätter. 23 (3): 105-109.
- Plavilstshikov N.N. 1936. Faune de l'URSS. Insectes Coléoptères. Cerambycidae (P. 1). Moscou-Leningrad. Fauna SSSR. 21 (1): i-ix + 1-611, 247 figs.
- Quedenfeldt F.O.G. 1888. Beiträge zur Kenntniss der Koleopteren-Fauna von Cenral-Africa nach den Ergebnissen der Lieutenant Wissman'schen Kassai-Expedition 1883-1836. - Berliner Entomologische Zeitschrift. 32: 155-219.
- Quentin R. M., Villiers A. 1981. Les Macrotomini de l'ancien monde (région éthiopienne exclue), genera et catalogue raisonné (Col. Cerambycidae Prioninae). - Annales de la Société Entomologique de France (N. S.). 17 (1): 359-393.
- Rapuzzi P. 2012. *Agapanthia* (Epoptes) *paki* sp. n. from central Afghanistan (Coleoptera: Cerambycidae). - Humanity space. International almanac. 1 (4): 958-960, 2 figs.
- Rapuzzi P., Kuleshov D.A., Fazal T.M., Ahmed Z. & Hussain A. 2019. New or interesting records of Longhorn beetles fauna of Pakistan (Coleoptera: Cerambycidae). - Munis Entomology & Zoology. 14 (1): 62-79.
- Redtenbacher L. 1844. [new taxa]. - In: Kollar V. & Redtenbacher L.: Aufzählung und Beschreibung der von Freiherrn Carl von Huegel auf seiner Reise durch Kaschmir u. das Himalayagebirge gesammelten Insecten. Pp. 393-564. - In: Hügel K. F. von. (ed.): Kaschmir und das Reich der Siek. Vierter Band. Zweite Abtheilung. Stuttgart: Hallbergerischer Verlag, pp. 244-586 pp. [1844]; 587-865 + [6] pp., 31 pls, 1 map [1848].
- Reiche L. 1877. Description trois nouvelles espèces de coléoptères de la famille des longicornes: *Phytoecia*. Bulletin de la Société Entomologique de France 1877: cxxxv-cxxxvii.
- Reitter E. 1894. Uebersicht der mit *Cerambyx* L. zunächst verwandten Gattungen. -

**M.A. Lazarev**

- Entomologische Nachrichten 20: 356.
- Reitter E. 1907. Zwei neue Bockkäfer aus Persien. - Wiener Entomologische Zeitung. 26: 217-218.
- Reitter E. 1913. Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet. IV. Band. (1912). Stuttgart: K.G. Lutz' Verlag, 236 pp., pl. 129-152.
- Sama G. 1991. Note sulla nomenclatura dei Cerambycidae della regione mediterranea (Coleoptera). - Bollettino della Società Entomologica Italiana. 123: 121-128.
- Sama G. 1994. Note sulla nomenclatura dei Cerambycidae della regione mediterranea. 2. Revisione di alcuni tipi di Kraatz, v. Heyden e Stierlin (Coleoptera, Cerambycidae). - Lambillionea. 94: 321-334.
- Sama G. 1996. Contribution à la connaissance des Longicornes de Grèce et d'Asie Mineure (Coleoptera, Cerambycidae). - Biocosme Méditerranéen, Nice 12 (4) [1995]: 101-116, 7 figs.
- Sama G. 1999. Notes on the type material of Cerambycidae of the Natural History Museum Budapest, with description of two new genera of Cerambycini (Coleoptera). - Entomologische Zeitschrift, Stuttgart. 109 (1): 43-48, 2 figs.
- Sama G. 2008. Preliminary note on the cerambycid fauna of North Africa with the description of new taxa (Insecta Coleoptera Cerambycidae).- Quaderno di Studi e Notizie di Storia Naturale della Romagna. 27: 217-245.
- Satô M. & Ohbayashi N. 1976. A new lepturine beetle from Afghanistan (Coleoptera: Cerambycidae) - Physiology and Ecology in Japan 17 (1/2): 485-487, 3 figs.
- Schaller J. G. 1783. Neue Insecten. - Abhandlungen der Hallischen Naturforschenden Gesellschaft. 1: 217-328.
- Schneider O., Leder H. 1879. Beiträge zur Kenntniss der kaukasischen Käferfauna. W. Burkart, Brünn, (1878): 1-360, pls I-VI, 56 figs.
- Schwarzer B. 1925. Sauters Formosa-Ausbeute (Cerambycidae. Col.). (Subfamilie Lamiinae.). - Entomologische Blätter 21 (4): 145-154.
- Schwarzer B. 1931. Beitrag zur Kenntnis der Cerambyciden (Ins. Col.) II. - Senckenbergiana. 12: 59-78.
- Scopoli J. A. 1763. Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates. Methodo linnaeana. Vindobonae: Ioannis Thomae Trattner, xxxii + 420 + [4] pp., 3 pls.
- Scopoli J.A. 1772. Observationes zoologicae. Annus V. Historico-Naturalis. Lipsiae: Christ. Gottlob Hilscheri. 70-128 pp.
- Semenov A.P. 1891. Diagnoses Coleopterorum novorum ex Asia centrali et orientali. III. - Horae Societatis Entomologicae Rossicae. 25 (1890-1891): 262-382.
- Semenov A.P. 1893. Coleoptera asiatica nova.- Horae Societatis Entomologicae Rossicae. 27 (1892-1893): 494-507.
- Semenov A.P. 1895. Coleoptera asiatica nova. IV. - Horae Societatis Entomologicae Rossicae. 29 (1894-1895): 189-210.
- Semenov A.P. 1896. Coleoptera Asiatica Nova. VII. - Horae Societatis Entomologicae Rossicae, St. Petersburg. 30 (3-4): 238-259.

## M.A. Lazarev

- Semenov A.P. 1897. *Coleoptera asiatica nova*. VII. - *Horae Societatis Entomologicae Rossicae*. 30 (1896-1897): 238-259. Semenov Tian-Shanskij A.P. 1893. *Coleoptera Asiatica Nova*. - *Horae Societatis Entomologicae Rossicae*, St. Petersbourg. 27 (3-4): 494-507.
- Semenov A.P. 1900. *Coleoptera asiatica nova*. IX. - *Horae Societatis Entomologicae Rossicae*. 34 [1899-1900]: 303-334.
- Semenov A.P. 1901. *Diagnoses praecursoriae specierum novarum generis Apatophysis Chev. (Col., Cerambycidae)*. - *Russkoe Entomologicheskoe Obozrenie*. 1: 28-32.
- Semenov A.P. 1908. *Analecta coleopterologica XIV*. - *Russkoe Entomologicheskoe Obozrenie*. 7 (1907): 258-265.
- Semenov A.P. 1935. *Mnogochlenikovye priony (byvshiy rod Polyarthron Serv.) turanskoj fauny; ikh filogeneticheskie i zoogeograficheskie sootnoshenia (Coleoptera, Cerambycidae) - Les Prionus polyarthriques (ci-devant genre Polyarthron Serv.) de la faune Touranienne; leurs relations phylogénétiques et zoogéographiques (Coleoptera, Cerambycidae)*. *Trudy Tadzhijskogo Filiala ANSSSR*. 5: 237-249.
- Semenov A.P., Shchegoleva-Barovskaya T.I. 1936. *Monografiya roda Apatophysis Chev. (Coleoptera, Cerambycidae)*. - *Entomologicheskoe Obozrenie*. 26 [1935]: 59-89.
- Skrylnik Y.E. 2010. Two new species of the genus *Phytoecia* Dejean, 1835 from Afghanistan (Coleoptera, Cerambycidae). - *Lambillionia*. 110 (2) 2: 258-262, 8 figs.
- Sokolov N. 1896. *Eine neue Lepturide aus Transcaspien*. - *Horae Societatis Entomologicae Rossicae*, St. Petersbourg. 30 (3-4): 461-463.
- Solsky S.M. 1871. *Prémices d'une faune entomologique de la vallée de Zaravschan, dans l'Asie Centrale*. - *Horae Societatis Entomologicae Rossicae*, St. Petersbourg. 8: 132-165.
- Strand E. 1942. *Miscellanea nomenclatorica zoologica et palaeontologica X*. - *Folia Zoologica et Hydrobiologica*. 11: 386-402.
- Swainson W., Shuckard W.E. 1840. *The cabinet cyclopaedia. Natural history. On the history and natural arrangement of insects*. Longman, Ress, Orme, Brown and Green; John Taylor, London, 406 pp.
- Thomson J. 1857. *Diagnoses de cérambycides nouveaux ou peu connus de ma collection qui seront décrits prochainement*. Pp. 169-193. - In: *Archives Entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares*. Tome premier. Paris: Bureau du Trésorier de la Société entomologique de France, 514 + [1] pp., XXI pls.
- Thomson J. 1858. *Deuxième Partie. Insects. I. Ordre Coléoptères*. Pp. 30-343. - In: *Voyage au Gabon. Histoire naturelle des insectes et des arachnides recueillis pendant un voyage fait au Gabon en 1856 et en 1857 par M. Henry C. Deyrolle sous les auspices de MM. Le Comte de Mniszech et James Thomson, précédée de l'histoire du voyage par J. Thomson; Arachnide par H. Lucas*. *Archives Entomologiques* 2: 1-469 + 14 1 [2] pp., XV pls.
- Thomson J. 1861. *Essai d'une classification de la famille des cérambycides et*

**M.A. Lazarev**

- matériaux pour servir à une monographie de cette famille. Paris: chez l'auteur [James Thomson] et au bureau du trésorier de la Société entomologique de France, pp. 129-396, 3 pls.
- Thomson J. 1864. Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. Pp. 1-352. Liège: H. Dessain, 578 pp.
- Thomson J. 1865. Systema Cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. Pp. 353-578. Liège: H. Dessain, 578 pp.
- Thomson J. 1877. Typi Cerambycidarum Musei Thomsoniani. - Revue et Magasin de Zoologie. (3) 5: 249-279.
- Thomson J. 1879. [Description de deux nouveaux coléoptères de la famille des longicornes]. - Bulletin de la Société Entomologique de France 1879: lvi-lvii.
- Tippmann F.F. 1958. Die Cerambyciden (Coleoptera) der Forschungsreisen J. Klapperich's in Afghanistan 1952 und 1953. - Koleopterologische Rundschau, Wien. 35 (1-6) (1957): 37-63, 1 pl. & 5 figs dans le texte.
- Villiers A. 1967. Contribution à la faune de l'Iran. I. - Coléoptères Cerambycidae. - Annales de la Société Entomologique de France (N.S.), 3 (2): 327-379, 9 figs.
- Vitali F., Gouverneur X. & Chemin G. 2017. Revision of the tribe Cerambycini: redefinition of the genera *Trirachys* Hope, 1843, *Aeolesthes* Gahan, 1890 and *Pseudaeolesthes* Plavilstshikov, 1931 (Coleoptera, Cerambycidae). - Les Cahiers Magellanes (NS). 26: 40-65, 23 figs.
- Waterhouse C.O. 1884. On the Coleopterous Genus *Macrotoma*. - The Annals and Magazine of Natural History, London. (5) 14 (84): 376-387.
- Waterhouse C.O. 1889. Coleoptera. pp. 122-131. - In: Aitchison E. T. III. The Zoology of the Afghan Delimitation Commission. - Transactions of the Linnean Society of London. Zoology. 2nd Series. 5 (3) (1888-1891): 53-142, pls VI-XIV, 2 Maps.
- Winkler A. 1929. Cerambycidae. Pars 9: 1135-1136. Pars 10: 1137-1226. - In: Catalogus Coleopterorum regionis palaearcticae. Wien: A. Winkler Verlag. 1698 pp.
- White A. 1846. Description of four apparently new species of longicorn beetles in the collection of the British Museum. - The Annals and Magazine of Natural History. 18: 47-49.
- White A. 1853. Longicornia I. - Catalogue of the coleopterous insects in the collection of the British Museum, London. 7:1-174, pls. 1-4.
- White A. 1855. Catalogue of the coleopterous insects in the collection of the British Museum. Part VIII. - Longicornia II. London: Taylor and Francis. pp. 175-412.
- Zetterstedt J.W. 1818. Några nya Svenska insect-arter fundne och beskrifne. - Kongliga Vetenskaps Academiens Handlingar 1818: 249-262.



AFGHANISTAN 5 km NW Waras  
Bamian prov., Waras distr.  
near Dahane Denawak vill. 2680m  
34°15'42.46"N, 66°52'43.20"E  
Yu. Ye. Skrylnik 25.VI.2016

**HOLOTYPE**  
*Phytoecia (Parobereina)*  
*PASHTUNICA* sp. n.  
M.Lazarev det. 2018

2

Pakistan (Swāt):  
Utr-ot 2300/2600m  
Heinz leg. 15./19.VII.  
1997

**HOLOTYPE**  
*Phytoecia (Parobereina)*  
*HEINZI* sp. n.  
M.Lazarev det. 2018

4

**Figs 1-2.** *Phytoecia (Parobereina) pashtunica* sp.n.: 1 - Afganistan, Bamian province, Waras district, 5 km SW Waras near Dahane Denawak village, 34°15'42"N, 66°52'43"E, 2680 m; 2 - Labels of the holotype.

**Figs 3-4.** *Phytoecia (Parobereina) heinzi* sp.n.: 3 - Pakistan, Khyber Pakhtunkhwa province, Swat district, Utr-ot, about 35°29'N, 72°28'E, 2300/2600 m; 4 - Labels of the holotype.

Received: 28.12.2018

Accepted: 14.01.2019