

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/325154249>

Burmese (Myanmar) amber taxa, on-line checklist v.2018.1

Article · May 2018

CITATIONS
0

READS
336

1 author:



Andrew Ross
National Museums Scotland
115 PUBLICATIONS 1,481 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Burmese (Myanmar) amber taxa [View project](#)

Burmese (Myanmar) amber taxa, on-line checklist v.2018.1

Andrew J. Ross
15/05/2018

Principal Curator of Palaeobiology

Department of Natural Sciences

National Museums Scotland

Chambers St.

Edinburgh EH1 1JF

E-mail: a.ross@nms.ac.uk

<http://www.nms.ac.uk/collections-research/collections-departments/natural-sciences/palaeobiology/dr-andrew-ross/>

This taxonomic list is based on Ross *et al* (2010) plus non-arthropod taxa and published papers up to the end of April 2018. It does not contain unpublished records or records from papers in press (including on-line proofs) or unsubstantiated on-line records. Often the final versions of papers were published on-line the year before they appeared in print, so the on-line published year is accepted and referred to accordingly. Note, the authorship of species does not necessarily correspond to the full authorship of papers where they were described.

The latest high level classification is used where possible though in some cases conflicts were encountered, usually due to cladistic studies, so in these cases an older classification was adopted for convenience. The classification for Hexapoda follows Nicholson *et al.* (2015), plus subsequent papers. † denotes extinct orders and families.

New additions or taxonomic changes to the previous list (v.2017.4) are marked in blue, corrections are marked in red.

The list comprises 37 classes (or similar rank), 99 orders (or similar rank), 510 families, 713 genera and 916 species. This includes 8 classes, 64 orders, 467 families, 656 genera and 849 species of arthropods.

Some previously recorded families have since been synonymised or relegated to subfamily level- these are included in parentheses in the main list below. The following families are no longer recognised or not accepted as occurring in Burmese amber due to previously included taxa being moved to other families or *incertae sedis*, families being erected to superfamilies, subfamilies being erected to families, specimens being re-identified, families recorded in error or not valid-

Hexapoda

- Bibionidae
- †Eadiidae
- †Ectinothripidae (*nomen nudum*)
- Eriocraniidae
- Hilarimorphidae
- Leptoceridae
- Neanuridae**
- Piesmatidae
- Pompilidae
- †Raphidiomimidae
- Rhinotermitidae
- Telephlebiidae
- Termopsidae
- Therevidae
- Trigonalidae

Arachnida

- †Archaeobuthidae
- Dictynidae
- Erythraeidae**
- Linyphiidae
- Liphistiidae**
- Nephilidae
- Olpiidae
- Pisauridae
- †Salticoididae
- Sironidae
- Thomisidae**

Plantae

- Hypnodendraceae

The huge book by Zhang (2017) includes many new family records though some appear to be doubtful. I have included them for completeness but they need to be confirmed. There are several spelling errors which I've corrected and put the incorrect spelling in brackets. For the Mantodea *Burmantis* is incorrectly listed under Santanmantidae. Although Delclos *et al.* (2015) did not include this genus in a family it is actually the type genus of the family Gryllomantidae as *Burmantis* is a senior synonym of *Gryllomantis*.

The paper by Jałoszyński *et al.* (2018) on Staphylinidae included new generic synonyms but they neglected to provide new combinations and used the old combinations throughout the paper. I have listed the new combinations below but with a note to say that they are not published.

The list by Guo *et al.* (2017) includes additional information on type specimens. However, they included five species: *Jordansegestria detruneo* (No. 109), *Archaelagonops alavensis* (No. 127), *Xiphos vani* (No. 275), *Dorotheus guidensis* (No. 402) and *Haidotermius cippus* (No. 576) that were described from other ambers or fossil deposits and have not been recorded from Burmese amber.

The word ‘Birmite’ has been used for Burmese amber, but this is incorrect. Birmite is a 19th Century trade name for a man-made resin (urea formaldehyde), so should not be used. Burmite is the correct mineral name.

The Bibliography lists papers on Burmese amber published since 1995, including those that discuss species already described (list is not comprehensive) and papers that contain other information, such as about the geology, chemistry and ecology. See the reference lists in Ross & York (2000) and Zherikhin & Ross (2000) for papers published before 1995.

At the end of the Bibliography is a separate list of papers in press. Data from these will be added to the taxonomic list when they are published.

Many thanks to everyone who has supplied pdfs of their papers. So that I can keep the list up-to-date please continue to send me your pdfs and let me know of any corrections required (particularly due to taxonomic changes) and references of papers in press. This list will be periodically updated and made available on-line via webpage and Research Gate.

I welcome collaboration on future papers using this data, which will give me the incentive to keep the list up-to-date.

If you find this list useful to your research please cite it as follows-

Ross, A.J. 2018. *Burmese (Myanmar) amber taxa, on-line checklist v.2018.1*. 96pp.
<http://www.nms.ac.uk/explore/stories/natural-world/burmese-amber/>

HEXAPODA (2c., 34o., 349f., 512g., 617sp.)

Entognatha (4o., 8f., 13g., 14sp.)

Diplura (2f.)

Campodeidae

[Japygidae](#)

Entomobryomorpha (3f., 8g., 9sp.)

Isotomidae

Burmisotoma lamellifera Christiansen & Nascimbene, 2006

Proisotoma pettersoneae Christiansen & Nascimbene, 2006

Propachyotoma conica Christiansen & Nascimbene, 2006

Protodesoria granda Christiansen & Nascimbene, 2006

Protoisotoma burma Christiansen & Nascimbene, 2006

Villusisotoma brevis Christiansen & Nascimbene, 2006

Villusisotoma longa Christiansen & Nascimbene, 2006

†Praentomobryidae

Cretacentomobrya burma Christiansen & Nascimbene, 2006

Praentomobrya avita Christiansen & Nascimbene, 2006

Tomoceridae

Poduromorpha (2f., 1g., 1sp.)

[Neanuridae](#)

Odontellidae

Protodontella minicornis Christiansen & Nascimbene, 2006

Sympyleona (1f., 4g., 4sp.)

Sminthuridae

Grinnellia ventis Christiansen & Nascimbene, 2006

Mucrovirga incompleta Christiansen & Nascimbene, 2006

Sminthurconus grimaldi Christiansen & Nascimbene, 2006

Sminthuricinus deceptus Christiansen & Nascimbene, 2006

Insecta (30o., 341f., 499g., 603sp., excluding copal)

Archaeognatha (2f., 5g., 6sp.)

Machilidae

Meinertellidae

Cretaceobrevibusantennis hookensis Chen & Su, 2017

Cretaceobrevibusantennis thornis Chen & Su, 2017

Cretaceomachilis longa Zhang, Li, Shih, Zhang & Ren, 2017

?*Macropsontus* sp.

Nullmeinertellus wenxuanii Zhang, Li, Shih, Zhang & Ren, 2017

Unimeinertellus abundus Zhang, Li, Shih, Zhang & Ren, 2017

Unimeinertellus bellus Zhang, Li, Shih, Zhang & Ren, 2017

Zygentoma (1f., 3g., 3sp.)

Lepismatidae

Allacrotelsa burmiticus (Cockerell, 1917)

Burmalepisma cretacicum Mendes & Poinar, 2008

Cretalepisma kachinicum Mendes & Wunderlich, 2013

Ephemeroptera (6f., 4g., 4sp.)

†Australiphemeridae

Nanophemera myanmarensis McCafferty & Santiago-Blay, 2009

Baetidae

Vetuformosa buckleyi Poinar, 2011

Ephemeridae

Heptageniidae

Isonychiidae

Prosopistomatidae

Proximicorneus rectivenius Lin, Shih & Ren, 2017

Family *incertae sedis*

Myanmarella rossi Sinitshenkova, 2000

Odonata (18f., 22g., 27sp.)

Aeshnidae (=Aeschnidae)

†Burmacoenagrionidae

Burmachistigma cheni Zheng, Nel, Zhang, Chang, Jarzembowski, Zhuo & Wang, 2017

Burmacoenagrion pretiosus Zheng, Nel, Zhang, Chang, Jarzembowski, Zhuo & Wang, 2017

Burmagrion marijanmatoki Möstel, Schorr & Bechly, 2017

Electrocoenagrion elongatum Zheng, Nel, Zhang, Chang, Jarzembowski, Zhuo & Wang, 2017

Electrocoenagrion forficatum Zheng, Nel, Zhang, Chang, Jarzembowski, Zhuo & Wang, 2017

†Burmaeshnidae

Angustaeschna magnifica Huang, Cai & Nel, 2017

Burmaeshna azari Huang, Cai, Nel, & Bechly, 2017

Cretaeschna lini Zheng, Chang, Jarzembowski & Wang, 2016

†Burmagomphidae

Burmagomphides electronica Zheng, Nel & Wang, 2017

†Burmaphlebiidae

Burmaphlebia reifi Bechly & Poinar, 2013

Calopterygidae

Coenagrionidae

Dysagrionidae

Burmadysagrion zhangi Zheng, Wang & Nel, 2016

Electrodysagrion lini Zheng, Nel & Wang, 2017

- Palaeodysagrion cretacicus* Zheng, Zhang, Nel, Jarzembowski, Zhou, Chang & Wang, 2016
Palaeodysagrion youlini Zheng, Chang & Chang, 2017
- Gomphaeschnidae
Cretagomphaeschnaoides jarzembowskae Zheng, Jarzembowski, Chang & Wang, 2016
- Gomphidae
Burmalindenia imperfecta Schädel & Bechly, 2016
- Hemiphlebiidae
Burmahemiphlebia zhangi Zheng, Zhang, Nel, Jarzembowski, Zhou, Chang & Wang, 2016
- Libellulidae**
- Megapodagrionidae**
- †Mesomegaloprepidae
Mesomegaloprepus magnificus Huang, Azar, Cai, Maksoud, Nel, & Bechly, 2017
- †Paracoryphagrionidae
Paracoryphagrion deltoides Zheng, Nel & Wang, 2017
- Perilestidae
Palaeoperilestes electronicus Zheng, Wang, Jarzembowski, Chang & Nel, 2016
- Platycnemididae
Cretadisparoneura hongi Huang, Azar, Cai & Nel, 2015
Palaeodisparoneura burmanica Poinar, Bechly & Buckley, 2010
Palaeodisparoneura cretacea Zheng, Wang & Chang, 2016
Yijenplatycnemis huangi Zheng, Nel, Jarzembowski, Chang, Zhang, Xia, Liu & Wang, 2017
- Platystictidae
Mesosticta davidattenboroughi Zheng, Wang, Nel, Jarzembowski, Zhang & Chang, 2017
Mesosticta burmatica Huang, Azar, Cai & Nel, 2015
Mesosticta electronica Zheng, Zhang, Chang & Wang, 2016
- †Aethiocarenodea (1f., 1g., 1sp.)
 †Aethiocarenidae
Aethiocarenus burmanicus Poinar & Brown, 2016
- †Alienoptera (1f., 3g., 3sp.)
 †Alienopteridae
Alienopterella stigmatica Kočárek, 2018
Alienopterus brachyelytrus Bai, Beutel, Klass, Wipfler & Zhang, 2016
Caputoraptor elegans Bai, Beutel & Wipfler, 2018
- Blattodea (incl. Isoptera) (11f., 14g., 13sp.)
 †Archeorhinotermitidae
Archeorhinotermes rossi Krishna & Grimaldi, 2003
- Blaberidae**
- Blattidae
Balatronis cretacea Smídová & Lei, 2017
- †Caloblattinidae

- Raphidiomimula burmitica* Grimaldi & Ross, 2004
- Corydiidae (=Polyphagidae)
- Ectobiidae (=Blattellidae)
- Hodotermitidae?
- Kalotermitidae
- Kachinitermopsis burmensis* (Poinar, 2009)
- Proelectrotermes holmgreni* Engel, Grimaldi & Krishna, 2007
- Proelectrotermes swinhoei* (Cockerell, 1916)
- †Olidae
- Ol xiai* Vršanský & Wang, 2017
- Termitidae?
- †Umenocoleidae (=Ponopterixidae)
- Jantaropteryx* sp.
- Ponopterix* sp.
- Family *incertae sedis*
- Dharmaternes avernalis* Engel, Grimaldi & Krishna, 2007
- Ginormotermes rex* (Engel, Barden & Grimaldi, 2016)
- Kachinitermes tristis* (Cockerell, 1917)
- Krishnaternes yoddha* Engel, Barden & Grimaldi, 2016
- Mylacrotermes cordatus* Engel, Grimaldi & Krishna, 2007
- Tanytermes anawrahtai* Engel, Grimaldi & Krishna, 2007
- Dermoptera (4f., 8g., 8sp.)
- Anisolabididae?
- Toxolabis zigrasi* Engel & Grimaldi, 2014
- Diplatyidae
- Tytthodiplatys mecy nocercus* Engel, 2011
- Labiduridae
- Myrrholabia electrina* (Cockerell, 1920)
- Zigrasolabis speciosa* Engel & Grimaldi, 2014
- Pygidicranidae
- Astreptolabis ethirosomatia* Engel, 2011
- Burmapygia resinata* Engel & Grimaldi, 2004
- Gracilipygia canaliculata* Ren, Zhang, Shih & Ren, 2017
- Stonychopygia leptocerca* Engel & Huang, 2016
- Embioptera (4f., 4g., 4sp.)
- Clothodidae
- Atmetoclothoda orthotenes* Engel & Huang, 2016
- Oligotomidae
- Litoclostes delicatus* Engel & Huang, 2016
- Notoligotomidae (=Burmitembiidae)
- Burmitembia venosa* Cockerell, 1919
- †Sorellembiidae
- Sorellembia estherae* Engel & Grimaldi, 2006

Grylloblattodea (1g., 1sp.)

Family *incertae sedis*

Sylvalitoralis cheni Zhang, Bai & Yang, 2016

Mantodea (1f., 1g., 3sp.)

†Gryllomantidae

Burmantis asiatica Grimaldi, 2003

Burmantis burmitica (Grimaldi, 2003)

Burmantis zherikhini Delclòs, Peñalver, Arillo, Engel, Nel, Azar & Ross, 2015

Orthoptera (6f., 5g., 5sp.)

†Elcanidae

Burmelcana longirostris Peñalver & Grimaldi, 2010

Longioculus burmensis Poinar, Gorochov & Buckley, 2007

Gryllidae

Mogoplistidae

Protomogoplistes asquamosus Gorochov, 2010

Tetrigidae

Tettigonidae

Tridactylidae

Birmitoxya intermedia Gorochov, 2010

Burmadactylus grimaldii Heads, 2009

Phasmatodea (2f., 3g., 4sp.)

†Archipseudophasmatidae

Pseudoperla leptoclada Chen, Zhang, Shih & Ren, 2017

Pseudoperla scapiforma Chen, Zhang, Shih & Ren, 2017

Phasmatidae

Echinosomiscus primoticus Engel & Wang, 2016

Family *incertae sedis*

Elasmophasma stictum Chen, Yin, Lin, Shih, Zhang, Gao & Ren, 2018

Plecoptera (1f., 1g., 3sp.)

Perlidae

Largusoperla acus Chen, Wang & Du, 2018

Largusoperla arcus Chen, Wang & Du, 2018

Largusoperla flata Chen, Wang & Du, 2018

Zoraptera (1f., 2g., 6sp.)

Zorotypidae

Zorotypus acanthothorax Engel & Grimaldi, 2002

Zorotypus cenomanianus Yin, Cai & Huang, 2017

Zorotypus cretatus Engel & Grimaldi, 2002

Zorotypus denticulatus Yin, Cai & Huang, 2017

Zorotypus nascimbenei Engel & Grimaldi, 2002

Xenozorotypus burmiticus Engel & Grimaldi, 2002

Hemiptera (54f., 57g., 62sp.)

Achilidae

Niryasaburnia burmitina (Cockerell, 1917)

†Albicoccidae

Albicoccus dimai Koteja, 2004

Aleyrodidae

‘*Aleurodicus*’ *burmiticus* Cockerell, 1919

Burmoselis evelynae Shcherbakov, 2000

Aphrophoridae

Aradidae

Aradoleptus birmanus Heiss, 2016

Archearakadus burmensis Heiss & Grimaldi, 2001

Archearakadus elongatus Heiss, 2016

Calisiomorpha yuripopovi Heiss, 2016

Cretopiesma suukyiae Grimaldi & Engel, 2008

Ellenbergeria oviventris Heiss, 2016

Kachinocoris brevipennis Heiss, 2012

Microarakadus anticus Heiss & Poinar, 2012

Myanmezira longicornis Heiss & Poinar, 2012

†Burmacoccidae

Burmacoccus danyi Koteja, 2004

†Burmitaphidae (=Burmitaphididae)

Burmitaphis prolatum Poinar & Brown, 2005

Caulinus burmitis Poinar & Brown, 2005

Tanyaulus caudisetula Poinar, 2017

Callaphididae

Cercopidae

Cicadellidae

Priscacutius denticulatus Poinar & Brown, 2017

Cicadidae

Burmacicada protera Poinar & Kritsky, 2011

Cimicidae

Quasicimex eilapinastes Engel, 2008

Cixiidae

Plecophlebus nebulosus Cockerell, 1917

Coccidae

Rosahendersonia prisca Vea & Grimaldi, 2015

Coreidae

Cydnidae

Dictyopharidae

Dipsocoridae

†Dorytocidae

Dorytocus ornithorhynchus Emeljanov & Shcherbakov, 2018

Enicocephalidae

- Disphaerocephalus constrictus* Cockerell, 1917
Disphaerocephalus macropterus Cockerell, 1917
Disphaerocephalus swinhoei (Cockerell, 1917)
Paenictechys fossilis (Cockerell, 1916)
- Fulgoridae²
Gelastocoridae
Gelastocoris curiosus Poinar & Brown, 2016
Nerthra bichelata Poinar & Brown, 2016
- Gerridae
†Hodgsonicoccidae
Hodgsonicoccus sp.
- Hydrometridae
Burmametra macrocarinata Huang, Garrouste, Azar, Engel & Nel, 2014
Carinametra burmensis Andersen & Grimaldi 2001
- Issidae
†Juraphididae (=Isolitaphidae)
Isolitaphis prolatantennus Poinar, 2017
Prolavexillaphis munditia Liu, Qiao & Yao, 2017
- Kinnaridae
†Kozariidae
Kozarius achronus Vea & Grimaldi, 2015
Kozarius perpetuus Vea & Grimaldi, 2015
- Leptopodidae
Grimaldinia pronotalis Popov & Heiss, 2014
Leptosaldinea cobbeni Popov & Heiss, 2016
- Margarodidae
Matsucoccidae
†Mimachnidae
Burmissus raunoi Shcherbakov, 2017
Dachibangus trimaculatus Jiang, Szwedo & Wang, 2018
- Miridae
Monophlebidae (=Monophlebidae)
- Naucoridae
Ochteridae
Ortheziidae
Burmorthezia kotejai Vea & Grimaldi, 2012
Burmorthezia insolita Vea & Grimaldi, 2012
Wathondara kotejai Simon, Szwedo & Xia, 2015
- †Palaeoleptidae
Palaeoleptus burmanicus Poinar & Buckley, 2009
- †Parvaverrucosidae (=Verrucosidae)
Parvaverrucosa annulata (Poinar & Brown, 2005)
- †Perforissidae
Foveopsis fennahi Shcherbakov, 2007
Foveopsis heteroidea Zhang, Ren & Yao, 2017
- †Protopsylliidiidae

- Postopsyllidium rebeccaae* Grimaldi, 2003
- Pseudococcidae
Gilderius eukrinops Vea & Grimaldi, 2015
- Reduviidae
- Schizopteridae
Hexaphlebia burmanica Poinar, 2015
Lumatibialis burmitis Poinar, 2015
Tanaia burmitica Perrichot, Nel, & Néraudeau, 2007
- †Sinoalidae
Fangyuania xiai Chen, Szewedo & Wang, 2018
- †Tajmyraphididae
- Tettigarctidae
- Tingidae
Burmacader multivenosus Heiss & Guilbert, 2013
Spinitingis ellenbergeri Heiss & Guilbert, 2013
Tingiometra burmanica Heiss, Golub & Popov, 2015
- Tropiduchidae
- Velocipedidae
Aphrastomedes anthocoroides Yamada & Yamamoto, 2017
- Veliidae
- †Weitschatidae
Criniverticillus longicumulus Lin, Yao & Ren, 2018
Pseudoweitschatus audebertis Vea & Grimaldi, 2015
- Xylococcidae?
- Family *incertae sedis*
Alacrena peculiaris Vea & Grimaldi, 2015
Magnilens glaesaria Vea & Grimaldi, 2015
Marmyan barbara Koteja, 2004
Pedicellicoccus marginatus Vea & Grimaldi, 2015
- †Permopsocida (1f., 3g., 3sp.)
- †Archipsyllidae
Burmopsylla maculata Liang, Zhang & Liu, 2016
Mydiognathus eviohlhoffae Yoshizawa & Lienhard, 2016
Psocorrhyncha burmitica Huang, Bechly, Nel, Engel, Prokop, Azar, Cai, Kamp, Staniczek, Garrouste, Krogmann, Santos Rolo, Baumbach, Ohlhoff, Shmakov, Bourgoin & Nel, 2016.
- Psocoptera (9f., 9g., 15sp.)
- †Archaeatropidae
Archaeatropos perantiqua (Cockerell, 1919)
- Compsocidae
Burmacompsocus banksi (Cockerell, 1916)
Burmacompsocus coniugans Sroka & Nel, 2017
Burmacompsocus perreoui Nel & Waller, 2007
Paraelectrentomopsis chenyangcaili Azar, Hakim & Huang, 2016

Liposcelididae

Cretoscelis burmitica Grimaldi & Engel, 2005

Manicapsocidae

Palaeomanicapsocus fouadi Azar, Hakim, Huang, Cai & Nel, 2016

Palaeomanicapsocus margoae Azar, Hakim, Huang, Cai & Nel, 2016

Pachytroctidae

Atapinella garroustei Azar, Huang, Cai & Nel, 2014

Burmipachytrocta singularis Azar, Huang, Cai & Nel, 2014

Prionoglarididae

Palaeosiamoglaris burmica Azar, Huang & Nel, 2017

Palaeosiamoglaris inexpectata Azar, Huang & Nel, 2017

Palaeosiamoglaris leinhardi Azar, Huang & Nel, 2017

Psyllipsocidae

Annulipsyllipsocus andreneli Hakim, Azar, Maksoud, Huang & Azar, 2017

Annulipsyllipsocus inexpectatus Hakim, Azar, Maksoud, Huang & Azar, 2017

Sphaeropsocidae

Trogiidae

Thysanoptera (2f.)

Aeolothripidae

Thripidae

Coleoptera (74f., 101g., 115sp.)

Aderidae

Anthicidae

'Eurygenius' wickhami Cockerell, 1917

Anthribidae

Bostrichidae (=Bostrychidae)

Buprestidae

Cantharidae

Archaeomalthodes rosetta Hsiao, Ślipiński & Pang, 2016

Burmomiles willerslevorum Fanti, Damgaard & Ellenberger, 2018

Myamalycoerus vitalii Fanti & Ellenberger, 2016

Ornatomalthinus elvira Poinar & Fanti, 2016

Sanaungulus curtipennis Fanti, Damgaard & Ellenberger, 2018

Sanaungulus ghitaenoerbyae Fanti, Damgaard & Ellenberger, 2018

Carabidae

Oodes kachinensis Liu 2014

Caridae

Cerambycidae

Qitianniu zhihaoi Lin & Bai, 2017

Cerylonidae

Chrysomelidae

Ciidae (=Cisidae)

Cleridae

Cucujidae

Cupedidae

- Barbaticupes combertiae* Jarzembowski, Wang & Zheng, 2017
Mallecupes cleevelyi Jarzembowski, Wang & Zheng, 2017
Mallecupes qingqingae Jarzembowski, Wang & Zheng, 2016
'*Notocupes*' sp.

Tetraphalerus lindae Jarzembowski, Wang & Zheng, 2017

Curculionidae (=Platypodidae, Scolytidae)

- Anchineus dolichobothris* Poinar & Brown, 2009
Burmorhinus georgei Legalov, 2017
Cryphalites rugosissimus Cockerell, 1917
Microborus inertus Cognato & Grimaldi, 2009
Palaeocryptorhynchus burmanus Poinar, 2009

Dascillidae

Dermestidae

- Attagenus burmiticus* Cai, Háva & Huang, 2016
Attagenus lundi Háva & Damgaard, 2017
Attagenus secundus Deng, Ślipiński, Ren & Pang, 2017
Cretodermestes palpalis Deng, Ślipiński, Ren & Pang, 2017
Dermestes larvalis Cockerell, 1917
Megatoma atypica Deng, Ślipiński, Ren & Pang, 2017

Drilidae

Elateridae

- '*Acmaeodera*' *burmitina* Cockerell, 1917
'*Elater*' *burmitinus* Cockerell, 1917

Elmidae

- Cretohypsilara parva* Cai, Maier & Huang, 2018

Endomychidae

Eucinetidae

Eucnemidae

Geotrupidae

- Amberathyreus beuteli* Bai & Zhang, 2016

Gyrinidae

Histeridae

- Amblectister tenax* Caterino & Maddison, 2018

- Cretonthophilus tuberculatus* Caterino, Wolf-Schwenninger & Bechly, 2015
Pantostictus burmanicus Poinar & Brown, 2009

Hybosoridae

- Hybosorus ocamponi* Bai & Zhang, 2015

Hydraenidae

- Archaeodraena cretacea* Jäch & Yamamoto, 2017

Hydrophilidae

- Cretocrenis burmanicus* Fikáček, Minoshima, Komarek, Short, Huang & Cai, 2017

Ithyceridae (=Eccoptarthridae)

- Habropezus plisiommus* Poinar, Brown & Legalov, 2016
Mekorhamphus gyralommus Poinar, Brown & Legalov, 2016
Mesophyletis calhouni Poinar, 2006

- Jacobsoniidae
Derolathrus abyssus Yamamoto & Parker, 2017
Sarothrias cretaceus Cai, Ślipiński, Leschen, Yin, Zhuo & Huang, 2017
- Kateretidae
Furcalabratum burmanicum Poinar & Brown, 2017
- Laemophloeidae**
- Lampyridae
Protoluciola albertalleni Kazantsev, 2015
- Latridiidae (=Lathridiidae)
- Leiodidae
***Colon burmiticum* Yamamoto, 2018**
Colonellus burmiticus Cai & Huang, 2017
Cretagyrtodes glabratus Cai & Huang, 2017
- Lepiceridae (=Haplochelidae)
Lepicerus georissooides (Kirejtshuk & Poinar, 2006)
Lepicerus mumia Jałoszyński & Yamamoto, 2017
Lepicerus pretiosus (Kirejtshuk & Poinar, 2013)
- Lucanidae
Electraesalopsis beuteli Bai, Zhang & Qiu, 2017 (in Qui *et al.* 2017)
Protonicagus tani Cai, Yin, Liu & Huang, 2017
- Lymexylidae
- Melandryidae
- Meloidae
***Microentomus epibatus* Poinar, 2015**
- Melyridae
- Monotomidae
Cretakarenni birmanicus Peris & Declòs, 2015
- Mordellidae
- Nemonychidae
Aepyceratus hyperochus Poinar, Brown & Legalov, 2017
Burmonyx zigrasi Davis & Engel, 2014
- Nitidulidae
***Sorodites angustipes* Kirejtshuk, 2018**
- Oedemeridae
- Ommatidae
Brochocoleus caseyi Jarzembowski, Wang & Zheng, 2016
Brochocoleus zhiyuani Liu, Tan, Ślipinski, Jarzembowski, Wang, Ren & Pang, 2017
Clessidromma palmeri Jarzembowski, Wang & Zheng, 2017
Omma lii Jarzembowski, Wang & Zheng, 2016
Paraodontomma burmitica Yamamoto, 2017
Stegocoleus caii Jarzembowski & Wang, 2016
- Passalidae
Ceracyclus jirouxi Boucher, Bai & Montreuil, 2017
Ceracyclus lotus Boucher, Bai & Montreuil, 2017
- †Passalopalpidae
Passalopalpus cheni Boucher, Bai & Zhang, 2016

Prostomidae

Vetuprostomis consimilis Engel & Grimaldi, 2008

Psephenidae

Ptiliidae

Ptinidae (=Anobiidae)

Ptilodactylidae

Aphebodactyla rhetine Chatzimanolis, Cashion, Engel & Falin, 2012

Ripiphoridae (=Rhipiphoridae)

Cretaceoripidius burmiticus (Cockerell, 1917)

Flabellotoma heidiae Batelka, Prokop & Engel, 2016

Paleoripiphorus cf. *deploegi* Perrichot, Nel & Neraudeau, 2004 (in Batelka *et al.*, 2016)

Spinotoma ruicheni Hsiao & Huang, 2017

Rhysodidae (=Rhysodiae)

Salpingidae

Scarabaeidae

Electrorubesopsis beuteli Bai & Wang, 2018

Scirtidae (=Helodidae)

Mesernobius anawrahtai Engel, 2010

Scraptiidae

Silphidae

Nicrophorus sp.

Silvanidae

Pleuroceratos burmiticus Poinar & Kirejtshuk, 2008

Smicripidae

Mesosmicrips cretacea (Cai & Huang, 2016)

Sphaeriusidae (=Microsporidae)

Burmasporum rossi Kirejtshuk, 2009

Staphylinidae (=Pselaphidae, Scydmaenidae)

Boreotethys arctopteryx Parker, 2016

Boreotethys grimaldii Parker, 2016

Cenomaniola carinata Jałoszyński & Yamamoto, 2017

Cenomaniola macropthalma Jałoszyński & Yamamoto, 2017

Clidicostigus arachnipes Jałoszyński, Brunke & Bai, 2017

Clidicostigus monstrabilis (Yin & Cai, 2017) [new combination not published]

Clidicus archaicus (Cai & Huang, 2016) [new combination not published]

Clidicus burmiticus (Yin, Cai, Huang & Li, 2017) [new combination not published]

Cretobythus excavatus Yin, Parker & Cai, 2017

Cretodeinopsis aenigmatica Cai & Huang, 2014

Cretotrichopsenius burmiticus Cai, Huang, Newton, Eldredge & Engel, 2017

Ektatotricha paradoxa Chatzimanolis, Engel & Newton, 2010

Electroatopos castaneus Chatzimanolis, Engel & Newton, 2010

Festenus gracilis Żyła, Yamamoto, Wolf-Schwenninger & Solodovnikov, 2017

Festenus robustus Żyła, Yamamoto, Wolf-Schwenninger & Solodovnikov, 2017

Hapsomela burmitis Poinar & Brown, 2004

Kachinus antennatus Chatzimanolis, Engel & Newton, 2010

Kuafu borealis Yin, Cai & Huang, 2017

Megalopinus extinctus Yamamoto & Solodovnikov, 2016
Mesallotrochus longiantennatus Cai & Huang, 2014
Mesosymbion compactus Yamamoto, Maruyama & Parker, 2016
Nuequa elongata Yin, Cai & Newton, 2018
Octavius electrospinosus Clarke & Chatzimanolis, 2009
Oxyporus cretaceus Yamamoto, 2017
Prajna tianmiaoae Lü, Cai & Huang, 2016
Procileoporus burmiticus Yamamoto, 2016
Prosolierius crassicornis Thayer, Newton & Chatzimanolis, 2011
Prosolierius mixticornis Thayer, Newton & Chatzimanolis, 2011
Prosolierius tenuicornis Thayer, Newton & Chatzimanolis, 2011
Protodasycerus aenigmaticus Yamamoto, 2016
Protopeplus cretaceus Cai & Huang, 2014
Protrichonyx rafifrons Parker, 2016
Scydmobisetia vetutissima Jałoszyński & Yamamoto, 2016
Vetudasycerus burmiticus Cai, Thayer, Newton, Yin & Huang, 2017
Vetuproteinus cretaceus Cai, Newton & Thayer, 2016

Tenebrionidae

Tetratomidae

Cretosynstrophus archaicus Cai, Hsiao & Huang, 2016
Thescelostrophus cretaceus Yu, Hsiao, Ślipiński, Jin, Ren & Pang, 2016

Thanerocleridae

Cretozenodosus fossilis Cai & Huang, 2018

Throscidae

Trogidae

Trogossitidae

Zopheridae (=Colydiidae)

Cretomysteria burmanica Deng, Ślipiński, Ren & Pang, 2017
Paleoendeitoma antennata Deng, Ślipiński, Ren & Pang, 2017
Paleoendeitoma minuta Deng, Ślipiński, Ren & Pang, 2017

Diptera (47f., 99g., 125sp.)

Acroceridae

Schlängeromyia minuta Grimaldi & Hauser, 2011

Anisopodidae

Mycetobia sp.

Apsilocephalidae

Burmapsilocephala cockerelli Gaimari & Mostovski, 2000

Burmapsilocephala evocoa Grimaldi, 2016

Irwinimyia spinosa Zhang, Li, Wang & Yeates, 2017

Kumaromyia burmitica Grimaldi & Hauser, 2011

Myanmarapsilocephala grimaldii Zhang, Li, Wang & Yeates, 2017

Apystomyiidae

Hilarimorphites cummingi Grimaldi, 2016

Hilarimorphites burmanica Grimaldi & Cumming, 2011

Asilidae

- Burmapogon bruckschi* Dikow & Grimaldi, 2014
- Atelestidae
Meghyperus? sp.
- Blephariceridae
- Bombyliidae
Endymomyia quadra Grimaldi, 2016
Nealimyia evenhuisi Grimaldi, 2016
Pioneeria bombylia Grimaldi, 2016
Procrocidium minutum Grimaldi, 2016
- †Cascopleciidae
Cascoplecia insolitis Poinar, 2010
- Cecidomyiidae
Ganseriella pankowskiorum Fedotova & Perkovsky, 2017
Winnertzia burmitica (Cockerell, 1917)
- Ceratopogonidae
Archiaustroconops gracilis Szadziewski & Poinar, 2005
Archiaustroconops kotejai Szadziewski & Poinar, 2005
Archiculicoides andersoni Szadziewski, Ross & Giłka, 2014
Archiculicoides burmiticus (Szadziewski & Poinar, 2005)
Astroconops asiaticus Szadziewski, 2004
Leptoconops burmiticus Szadziewski, 2004
Leptoconops ellenbergeri Szadziewski, Giłka & Urbanek, 2015
Leptoconops myanmaricus Szadziewski, 2004
Leptoconops nosopheris Poinar, 2008
Leptoconops rossi Szadziewski, 2004
Leptoconops subrossicus Szadziewski & Poinar, 2005
Protoculicoides swinhoei (Cockerell, 1919)
- Chaoboridae
Chaoburmus breviusculus Lukashevitch, 2000
?Chaoburmus victimartis Lukashevitch, 2000
- †Chimeromyiidae
Chimeromyia burmitica Grimaldi & Cumming, 2009
- Chironomidae
Furcobuchonomyia pankowskii Giłka & Zakrzewska, 2017
Furcobuchonomyia saetheri Baranov, Góral & Ross, 2017
- Corethrellidae
Corethrella andersoni Poinar & Szadziewski, 2007
- Culicidae
Burmaculex antiquus Borkent & Grimaldi, 2004
- Diadocidiidae
Docidiadia burmitica Blagoderov & Grimaldi, 2004
- Dolichopodidae
- Empididae
Burmitempis halteralis Cockerel, 1917
Cretoplatypalpus? sp.
- †Eremochaetidae

- Zhenia xiai* Zhang, Zhang, Feng, Zhang & Wang, 2015
 †Eucaudomyiidae
Eucaudomyia longicerci Grimaldi, 2016
- Hybotidae
Alavesia sp.
Electrocyrtoma burmanicum Cockerell, 1917
- Keroplatidae
Burmacrocera petiolata Cockerell, 1917
- Limoniidae
?Antocha lapra Podenas & Poinar, 2009
Austrolimnophila joana Podenas & Poinar, 2009
Burmoptera azu Podenas & Poinar, 2009
Drinosa prisca Podenas & Poinar, 2009
Dicranoptycha burmitica Kania & Szwedo, 2014
Dicranoptycha fragmentata Krzeminski, 2004
Dicranoptycha plicativa Gao, Shih & Ren, 2015
Gonomyia sp.
Helius krzeminskii Ribeiro, 2003
Lebania scomax Podenas & Poinar, 2009
Limnophila bora Podenas & Poinar, 2009
Rhabdomastix jarzembowskii Krzeminski, 2004
Trentepohlia dzeura Podenas & Poinar, 2009
- Lygistorrhinidae
Archaeognoriste primitiva Blagoderov & Grimaldi, 2004
Leptognoriste davisi Blagoderov & Grimaldi, 2004
Leptognoriste microstoma Blagoderov & Grimaldi, 2004
Protognoriste goeleti Blagoderov & Grimaldi, 2004
Protognoriste nascifoa Blagoderov & Grimaldi, 2004
- Mycetophilidae
Alavamanota burmitina Blagoderov & Grimaldi, 2004
Allocotocera burmitica Blagoderov & Grimaldi, 2004
Disparoleia cristata Blagoderov & Grimaldi, 2004
Gaalomyia carolinae Blagoderov & Grimaldi, 2004
Hemolia glabra Blagoderov & Grimaldi, 2004
Hemolia matilei Blagoderov & Grimaldi, 2004
Protragoneura platycera Blagoderov & Grimaldi, 2004
Pseudomanota perplexa Blagoderov & Grimaldi, 2004
‘*Sciara*’ *burmitina* Cockerell, 1917
Temaleia birmitica Blagoderov & Grimaldi, 2004
Zeliinia orientalis Blagoderov & Grimaldi, 2004
- Mythicomyiidae
Microburmyia analvena Grimaldi & Cumming, 2011
Microburmyia veanalvena Grimaldi & Cumming, 2011
- †Mysteromyiidae
Mysteromyia plumosa Grimaldi, 2016
- Nemestrinidae

- Hirmoneura caudiprima* Grimaldi, 2016
Hirmoneura aff. *richterae* Mostovski & Delclòs, 2000 (in Grimaldi, 2016)
Hirmoneura zigrasi Grimaldi, 2016
Mesonemestrius caii Zhang, Zhang & Wang, 2017
- Phoridae (=Sciadoceridae)
Prioriphora sp.
- Pipunculidae**
- Platypezidae
- Psychodidae (=Phlebotomidae)
- Axenotrichomyia boisteli* Azar, Huang, Cai & Nel, 2015
 - Bamara groehni* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Dacochile microsoma* Poinar & Brown, 2004
 - Datzia bispina* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Datzia setosa* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Eophlebotomus connectens* Cockerell, 1920
 - Mandalaya beumersorum* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Nemopalpus quadrispiculatus* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Nemopalpus velteni* Wagner, 2012
 - Palaeomyia burmitis* Poinar, 2004
 - Palaeoparasycorax globosus* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Palaeoparasycorax suppus* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Parasycorax simplex* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Phlebotomites aphoe* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - Phlebotomites burmatus* Malak, Salamé & Azar, 2013
 - Phlebotomites grimaldii* Malak, Salamé & Azar, 2013
 - Phlebotomites neli* Malak, Salamé & Azar, 2013
 - Phlebotomus vetus* Stebner, Solórzano Kraemer, Ibáñez-Bernal & Wagner, 2015
 - ‘*Trichomyia*’ *swinhoei* Cockerell, 1917
- Ptychopteridae (=Eptychopteridae)
- Leptychoptera calva* Lukashevich, 2004
 - Leptychoptera reburra* Lukashevich, 2004
- Rachiceridae**
- †Rhagionemestriidae
- Jurassinemestrinus eurema* Grimaldi, 2016
- Rhagionidae
- Scatopsidae
- Sciaridae (=Archizelmiridae)
- Burmazelmira aristica* Grimaldi, Amorim & Blagoderov, 2003
- Stratiomyidae
- Lysistrata burmensis* Liu, Cai & Huang, 2016
 - Narcissomyia bella* Grimaldi, 2016
 - Normyia longistyli* Grimaldi, 2016
 - Normyia telescopica* Grimaldi, 2016
 - Normyia woodleyi* Grimaldi, 2016

Tabanidae

- Cratotabanus asiaticus* Grimaldi, 2016
Tabanipriscus transitivus Grimaldi, 2016

Tanyderidae

- Dacochile microsoma* Poinar & Brown, 2004
Similinannotanyderus lii Dong, Shih & Ren, 2015
Similinannotanyderus zbigniewi Skibińska & Krzemiński, 2018

†Tethepomyiidae

- Tethepomyia coxa* Grimaldi, 2016
Tethepomyia zigrasi Grimaldi & Arillo, 2011

Tipulidae

Valeseguyidae

- Cretoseguya burmitica* Amorim & Grimaldi, 2006

Xylomyidae

- Archosolva biceps* Grimaldi, 2016
Archosolva sulcata Grimaldi, 2016
Cretasolva burmitica Grimaldi, 2016

†Zhangsolvidae

- Cratomyia mimetica* Grimaldi, 2016
Linguatormyia teletacta Grimaldi, 2015

Family *incertae sedis*

- Atherhagiox ambiguum* Grimaldi, 2016
Atherhagiox simulans Grimaldi, 2016
Burmacyrtus rusmithi Grimaldi & Hauser, 2011
Galloatherix completus Grimaldi, 2016
Gracilomyia wit Grimaldi, 2016
Myanmyia asteiformia Grimaldi, 2011
Palaepangonius glossa Grimaldi, 2016
Pseudorhagio zhangi Zhang, Zhang & Wang, 2016
Psilocephala electrella Cockerell, 1920

Hymenoptera (49f., 81g., 104sp.)

Ampulicidae

- Apodolichurus diaphanus* Antropov, 2000
Apodolichurus sphaerocephalus Antropov, 2000
Cretampulex gracilis Antropov, 2000
Mendampulex monilicularis Antropov, 2000

†Aptenoperissidae

- Aptenoperissus amabilis* Zhang & Rasnitsyn, 2017
Aptenoperissus burmanicus Rasnitsyn & Poinar, 2016
Aptenoperissus delicatus Zhang & Rasnitsyn, 2017
Aptenoperissus formosus Zhang & Rasnitsyn, 2017

Aulacidae

- Archeofoenus tartaricus* Engel, 2017
Electrofoenops diminuta Engel, 2017
Electrofoenus gracilipes Cockerell, 1917

Protofoenus swinhoei Cockerell, 1917

Bethylidae

Apenesia electriphila Cockerell, 1917

Bethylitella cylindrella Cockerell, 1917

Epyris atavellus Cockerell, 1920

Sclerodermus quadridentatum Cockerell, 1917

Braconidae

Archaeorhyssalus subsolanus Engel, 2016

Rhetinorhyssalus morticinus Engel, 2016

Seneciobracon novalatus Engel & Huang, 2018

†Bryopompilidae

Bryopompilus intersector Engel & Grimaldi, 2006

Cephidae

Ceraphronidae

Chalcididae

Chrysidae

Auricleptes nebulosus Lucena & Melo, 2018

Azanichrum pilosum Lucena & Melo, 2018

Bohartiura glabrata Lucena & Melo, 2018

Burmasega ammirabilis Lucena & Melo, 2018

Miracorium tetrafoveolatum Lucena & Melo, 2018

Crabronidae

Burmastatus triangularis Antropov, 2000

Cretospilomena familiaris Antropov, 2000

Prolemistus apiformis Antropov, 2000

Diapriidae

Dryinidae

Burmadryinus cenomanianus Olmi, Xu & Guglielmino, 2014

Burmanteon olmii Engel, 2003

Dryinus maderai Guglielmino, Olmi, Marletta & Speranza, 2018

Hybristodryinus resinicolus Engel, 2005

Ponomarenkoa ellenbergeri Olmi, Xu & He, 2013

Pseudodryinus burmensis Olmi, Xu & Guglielmino, 2014

Embolemidae

Ampulicomorpha janzeni Olmi, Rasnitsyn, Brothers & Guglielmino, 2014

Evaniidae

Cretevania bechlyi Jennings, Krogmann & Mew, 2013

Mesevania swinhoei Basibuyuk & Rasnitsyn, 2000

Sorellevania deansi Engel, 2006

†Falsiformicidae

Formicidae

Baikuris sp.

Burmomyrma rossi Dlussky, 1996

Camelomecia janovitzi Barden & Grimaldi, 2016

Ceratomyrmex ellenbergeri Perrichot, Wang & Engel, 2016

Gerontoformica contegus (Barden & Grimaldi, 2014)

- Gerontoformica gracilis* (Barden & Grimaldi, 2014)
Gerontoformica magnus (Barden & Grimaldi, 2014)
Gerontoformica maraudera Barden & Grimaldi, 2016
Gerontoformica orientalis (Engel & Grimaldi, 2005)
Gerontoformica pilosus (Barden & Grimaldi, 2014)
Gerontoformica robustus (Barden & Grimaldi, 2014)
Gerontoformica rugosus (Barden & Grimaldi, 2014)
Gerontoformica spiralis (Barden & Grimaldi, 2014)
Gerontoformica subcuspis (Barden & Grimaldi, 2014)
Gerontoformica tendir (Barden & Grimaldi, 2014)
Haidomyrmex cerberus Dlussky, 1996
Haidomyrmex scimitarus Barden & Grimaldi, 2012
Haidomyrmex zigrasi Barden & Grimaldi, 2012
Linguamyrmex vlati Barden & Grimaldi, 2017
Myanmyrma gracilis Engel & Grimaldi, 2005
Zigrasimecia ferox Perrichot, 2014
Zigrasimecia tonsora Barden & Grimaldi, 2013

†Gallorommatidae

- Galloromma kachinensis* Engel & Grimaldi, 2007

Gasteruptiidae

- Hypselogastrion simplex* Engel & Wang, 2016
Hyptiogastrites electrinus Cockerell, 1917

Heloridae

Ichneumonidae

- Caloichneumon perrarus* Li, Kopylov, Shih & Ren, 2016
Novichneumon longus Li, Kopylov, Shih & Ren, 2016

†Maimetshidae

- Burmainmetsha concava* Perrichot, 2013
Maimetshasia kachinensis Perrichot, 2013

Megalyridae

Megaspilidae

†Melittosphecidae

- Melittosphex burmensis* Poinar & Danforth, 2006

†Myanmarinidae

- Myanmarina jeannineae* Li, Shih, Rasnitsyn, Li & Ren, 2018
Myanmarina kachin Zhang & Rasnitsyn, 2017
Myanmarina lahu Zhang & Rasnitsyn, 2017
Myanmarina lisu Zhang & Rasnitsyn, 2017

Mymaridae

- Myanmymar aresconoides* Huber, 2011

Mymarommatidae

- Archaeromma gibsoni* Engel & Grimaldi, 2007

†Othniodellithidae

- Othniodellitha mantchora* Engel & Huang, 2016
Xenodellitha preta Engel, 2017

Pelecinidae

- Abropelecinus tytthus* Guo, Shih & Ren, 2016
Brachypelecinus euthyntus Guo, Shih & Ren, 2016
Zoropelecinus periosus Guo, Shih & Ren, 2016
Zoropelecinus zigrasi Engel & Grimaldi, 2013
- †**Peleserphidae**
Peleproctus dolichurus Zhang, Rasnitsyn, Wang & Zhang, 2018
Peleserphus brachyurus Zhang, Rasnitsyn, Wang & Zhang, 2018
Peleserphus genalis Zhang, Rasnitsyn, Wang & Zhang, 2018
- Platygastridae** (=Platygasteridae)
Cascoscelio incassus Poinar & Buckley, 2011
- †**Praeaulacidae**
Habraulacus zhaoi Li, Rasnitsyn, Shih & Ren, 2015
- Rhopalosomatidae**
Eorhopalosoma gorgyra Engel, 2008
- Sapygidae**
Cretosapyga resinicola Bennett & Engel, 2005
- Scelionidae** (=Scelionidae)
Geoscelio mckellari Engel & Huang, 2016
- Scolebythidae**
Cursoribythus silvestris Cockx & McKellar, 2016
Siccibythus musculosus Cockx & McKellar, 2016
- Sepulcidae**
- †**Serphitidae**
Serphites sp.
- Sierolomorphidae**
- Siricidae**
- †**Spathiopterygidae**
Diaspathion ortegai Engel & Huang, 2015
- Sphecidae**
- Stephanidae**
Kronostephanus zigrasi Engel & Grimaldi, 2013
Lagenostephanus lii Li, Rasnitsyn, Shih & Ren, 2017
Phoriostephanus exilis Engel & Huang, 2016
- †**Stigmaphronidae**
Burmaphron tridentatum Engel & Grimaldi, 2009
Burmaphron prolatum Engel & Grimaldi, 2009
- †**Syspastoxyelidae**
Syspastoxyela raphaelia Engel & Huang, 2016
- Tiphiidae**
Thanatotiphia nyx Engel, Ortega-Blanco & Bennett, 2009
- Vespidae**
Curiosivespa striata Perrard & Carpenter, 2017
Curiosivespa zigrasi Perrard & Carpenter, 2017
Protovespa haxairei Perrard & Carpenter, 2017
- Xiphydriidae**
- Family *incertae sedis*

- Archaeoteleia astropulvis* Talamas, 2016
Cirrosphex admirabilis Antropov, 2000
Proteroscelio nexus Talamas, 2016
Trigampulex pervetus (Cockerell, 1917)
- Lepidoptera (4f., 2g., 4sp.)
 Douglasiidae
Tanyglossus orectometopus Poinar, 2017
- Gelechiidae
 Gracillariidae
 Micropterigidae (=Micropterygidae)
Sabatinca cretacea Zhang, Wang, Shih & Ren, 2017
Sabatinca limula Zhang, Wang, Shih & Ren, 2017
Sabatinca perveta (Cockerell, 1919)
- Mecoptera (4f., 4g., 6sp.)
 Bittacidae
Bittacus lepiduscretaceus Li, Zhang, Shih & Ren, 2018
Burmobittacus jarzembowskii Zhao, Bashkuev, Chen & Wang, 2016
- Meropidae
Burmomerope clara Zhao & Wang, 2016
Burmomerope eureka Grimaldi & Engel, 2013
- Mesopanorpidae**
 †Pseudopolycentropodidae
Parapolycentropus burmiticus Grimaldi & Rasnitsyn, 2005
Parapolycentropus paraburmiticus Grimaldi & Rasnitsyn, 2005
- Megaloptera (1f., 1g., 1sp.)
 Sialidae
Haplosialodes liui Huang, Azar, Engel, Cai, Garrouste & Nel, 2016
- Neuroptera (21f., 45g., 49sp.,)
 Ascalaphidae
 †Babinskaiidae
Burmobabinskaia tenuis Lu, Zhang & Liu, 2016
Electrobabinskaia burmana Lu, Zhang & Liu, 2016
Parababinskaia makarkini Hu, Lu, Wang & Liu, 2018
Pseudobabinskaia martinsnetoi (Lu, Zhang & Liu, 2016)
- Berothidae
Dasyberotha eucharis Engel & Grimaldi, 2008
Ethiroberotha elongata Engel & Grimaldi, 2008
Haploberotha persephone Engel & Grimaldi, 2008
Iceloberotha kachinensis Engel & Grimaldi, 2008
Iceloberotha simulatrix Engel & Grimaldi, 2008
Jersiberotha myanmarensis Engel & Grimaldi, 2008
Jersiberotha tauberorum Engel & Grimaldi, 2008

- Maculaberotha nervosa* Yuan, Ren & Wang, 2016
Magniberotha recurrens Yuan, Ren & Wang, 2016
Systenoberotha magillae Engel & Grimaldi, 2008
Telistoberotha libitina Engel & Grimaldi, 2008
- Chrysopidae
Parabaisochrysa xingkei Lu, Wang, Ohl & Liu, 2018
- Coniopterygidae
Achlyoconis heptatrichia Engel, 2016
Cretaconiopteryx grandis Liu & Lu, 2017
Glaesoconis baliopteryx Engel, 2004
Paranimboa litotes Engel, 2016
Phthanoconis burmitica Engel, 2004
- †Corydasialidae
Megalopteronera chenxingi Liu, Lu & Zhang, 2016
- Dilaridae
Cretadilar olei Makarkin, 2016
Cretodilar burmanus Liu & Zhang, 2017
Dilar cretaceus Liu & Zhang, 2017
Fiaponeura penghiani Lu, Zhang & Liu, 2016
- †Dipteromantispidae
Burmodipteromantispa jiaxiaoae Liu, Lu & Zhang, 2016
Halteriomantispa grimaldii Liu, Lu & Zhang, 2016
Mantispidipterella longissima Liu, Lu & Zhang, 2016
- Hemerobiidae
- Ithonidae
Burmithone pennyi Lu, Zhang, Ohl & Liu, 2017
- Kalligrammatidae
- Mantispidae²
Doratomantispa burmanica Poinar, 2010
- †Mesochrysopidae
Pedanoptera arachnophila Liu, Zhang, Winterton, Breitkreuz & Engel, 2016
- Myrmeleontidae (=Araripeneuridae)
Burmaneura minuta Huang, Azar, Engel, Garrouste, Cai & Nel, 2016
- Nemopteridae
- Nevorthidae
Cretarophalis patrickmuelleri Wichard, 2017
- Nymphidae
Elenchonymphes electrica Engel & Grimaldi, 2008
- Osmylidae
Burmaleon magnificus Myskowiak, Huang, Azar, Cai, Garrouste & Nel, 2016
- Psychopsidae
Electropsychops handlirschi Lu, Zhang, Ohl & Liu, 2017
Litopsychopsis burmitica Engel & Grimaldi, 2008
- Rachiberothidae
Creagroparaberotha groehni Makarkin, 2015
Eorhachiberotha burmitica Engel, 2004

Micromantispa cristata Shi, Ohl, Wunderlich & Ren, 2014
Scoloberotha necatrix Engel & Grimaldi, 2008

Sisyridae

Paradoxosisyra groehni Makarkin, 2016
Stictosisyra pennyi Yang, Shi, Wang & Pang, 2018

Family *incertae sedis*

Burmopsychops groehni Makarkin, 2016
Burmopsychops limoae Lu, Zhang & Liu, 2016
Cretanallachius magnificus Huang, Azar, Cai, Garrouste & Nel, 2015
Oligopschopsis penniformis Chang, Fang, Shih, Ren & Wang, 2017
Phyllochrysa huangi Liu, Shi, Xia, Lu, Wang & Engel, 2018

Raphidioptera (1f., 4g., 5sp.)

†Mesoraphidiidae

Burmoraphidia reni Liu, Lu & Zhang, 2016
Dolichoraphidia aspoeki Liu, Lu & Zhang, 2016
Dolichoraphidia engeli Liu, Lu & Zhang, 2016
Nanoraphidia electroburnmica Engel, 2002
Rhynchoraphidia burmana Liu, Lu & Zhang, 2016

Strepsiptera (4f., 3g., 3sp.)

†Cretostylopidae

Cretostylops engeli Grimaldi & Kathirithamby, 2005

†Kinzelbachillidae

Kinzelbachilla ellenbergeri Pohl & Beutel, 2016

†Mengeidae?

†Phthanoxenidae

Phthanoxenos nervosus Engel & Huang, 2016

†Tarachoptera (1f., 2g., 4sp.)

†Tarachocelidae

Kinitocelis brevicostata Mey, Wichard, Müller & Wang, 2017
Kinitocelis divisonotata Mey, Wichard, Müller & Wang, 2017
Kinitocelis hennigi Mey, Wichard, Müller & Wang, 2017
Tarachocelis microlepidopterella Mey, Wichard, Müller & Wang, 2017

Trichoptera (6f., 7g., 12sp.)

†Dysoneuridae

Burmapsyche comosa Wichard, Neumann, Müller & Wang, 2017
Burmapsyche palpifurcata Wichard, Neumann, Müller & Wang, 2017
Cretapsyche circula Wichard, Neumann, Müller & Wang, 2017
Cretapsyche elegans Wichard, Neumann, Müller & Wang, 2017
Cretapsyche insueta Wichard, Neumann, Müller & Wang, 2017

Hydroptilidae

Burminoptila bemeneha Botosaneanu, 1981

Odontoceridae

- Palaeopsilotreta xiai* Wichard & Wang, 2016
 Philopotamidae
Wormaldia cretacea Wichard & Wang, 2016
Wormaldia myanmari Wichard & Poinar, 2005
Wormaldia resina Wichard & Wang, 2016
 Polycentropodidae
Neureclipsis burmanica Wichard & Wang, 2016
 Psychomyiidae
Palerasnitsynus ohlhoffi Wichard, Ross & Ross, 2011

Order *incertae sedis* (4f., 4g., 4sp.)

- †Chresmodidae
Chresmoda chikuni Zhang & Ge, 2017
 †Lophioneuridae
Burmacypha longicornis Zherikhin, 2000
 †Manipulatoridae
Manipulator modificaputis Vršanský & Bechly, 2015
 †Mantoblattidae
Mantoblasta mira Gorochov, 2006

Copal Insecta (1o., 1f., 1g., 2sp.)

Hymenoptera (1f., 1g., 2sp.)

- Apidae
Trigona devicta (Cockerell, 1921)
Trigona iridipennis (Smith, 1854)

CHELICERATA (1c, 12o., 98f., 130g., 226sp.)

Arachnida (12o., 98f., 130g., 226sp.)

Acariformes (20f., 6g., 6sp.)

- Anystidae
 Archaeorchestidae
 Bdellidae
 Caeculidae
 Cheyletidae
Cheyletus burmiticus Cockerell, 1917
 Enantioppiidae?
 Eremaeidae
 Erythraeidae
Burerythrites pankowskii Konikiewicz & Mąkol, 2018
Burphanolophus joergwunderlichi Konikiewicz & Mąkol, 2018
 Eupodidae

Gymnodameidae
Malaconothridae?
Microtrombidiidae
Neolioididae
Oribatellidae
Oribotritiidae?
Resinacaridae
 Protoresinacarus brevipedis Khaustov & Poinar, 2010
Smarididae
 Burfessonia maryae Konikiewicz & Mąkol, 2018
Trombellidae
 Nothrotrombidium myanmarum Konikiewicz & Mąkol, 2018
Trombidiidae
Tuckerellidae

Amblypygi (1g., 3sp.)
Family *incertae sedis*
 Kronocharon engeli Wunderlich, 2015
 Kronocharon longicalcaris Wunderlich, 2015
 Kronocharon prendinii Engel & Grimaldi, 2014

Araneae (44f., 91g., 167sp.)
Archaeidae
 Afrarchaea sp.
 Burmesarchaea alissa Wunderlich, 2017
 Burmesarchaea caudata Wunderlich, 2017
 Burmesarchaea crassicaput Wunderlich, 2017
 Burmesarchaea crassichelae Wunderlich, 2017
 Burmesarchaea gibber Wunderlich, 2017
 Burmesarchaea gibberoides Wunderlich, 2017
 Burmesarchaea gibbosa Wunderlich, 2017
 Burmesarchaea grimaldii (Penney, 2003)
 Burmesarchaea longicollum Wunderlich, 2017
 Burmesarchaea propinqua Wunderlich, 2017
 Burmesarchaea pseudogibber Wunderlich, 2017
 Burmesarchaea pustulata Wunderlich, 2017
 Burmesarchaea quadrata Wunderlich, 2017
 Burmesarchaea speciosa (Wunderlich, 2008)
 Eomysmauchenius dubius Wunderlich, 2017
 Eomysmauchenius septentrionalis Wunderlich, 2008
 ? *Eomysmauchenius longissipes* (Wunderlich, 2015)
 Planarchaea kopp Wunderlich, 2015
 Planarchaea oblonga Wunderlich, 2017
 Planarchaea ovata Wunderlich, 2017
 ? *Planarchaea paucidentata* (Wunderlich, 2008)
 Planarchaea pilosa (Wunderlich, 2015)

†Burmadictynidae

- Burmadictyna clava* Wunderlich, 2015
Burmadictyna excavata Wunderlich, 2015
Burmadictyna pectin Wunderlich, 2008
Burmadictyna postcopula Wunderlich, 2017
Eodeinopis longipes Wunderlich, 2017

†Burmascutidae

- Burmascutum aenigma* Wunderlich, 2008

†Burmathelidae

- Burmathele biseriata* Wunderlich, 2017

Clubionidae

Corinnidae (=Myrmeciidae)?

†Cretaceothelidae

- Cretaceothele lata* Wunderlich, 2015

Deinopidae?

- Deinopedes tranquillus* Wunderlich, 2017

Dipluridae

- Cethegooides patricki* Wunderlich, 2017

- Phyxioschemoides collembola* Wunderlich, 2015

†Eopsilodercidae

- Eopsiloderces filiformis* (Wunderlich, 2012)

- Eopsiloderces loxosceloides* Wunderlich, 2008

- Eopsiloderces serenitas* Wunderlich, 2015

- Loxoderces curvatus* Wunderlich, 2017

- Loxoderces longicymbium* Wunderlich, 2017

- Loxoderces rectus* Wunderlich, 2017

- Praepholcus huberi* Wunderlich, 2017

†Fossilcalcaridae

- Fossilcalcar praeteritus* Wunderlich, 2015

Hersiliidae (=Hersilidae)

- Burmesiola cretacea* Wunderlich, 2011

- Burmesiola daviesi* Wunderlich, 2015

- Spinasilia dissoluta* Wunderlich, 2015

Hexathelidae

- Alioatrax incertus* Wunderlich, 2017

†Lagonomegopidae

- Albiburmops annulipes* Wunderlich, 2017

- Archaelagonops propinquus* Wunderlich, 2015

- Archaelagonops salticoides* Wunderlich, 2012

- Archaelagonops scorsum* Wunderlich, 2015

- Burlagonomegops eskovi* Penney, 2005

- Cymbioglanops cymbiocar* Wunderlich, 2015

- Lagonoburmops plumosus* Wunderlich, 2012

- ?*Lagonomegops tuber* Wunderlich, 2015

- Lineaburmops beigeli* Wunderlich, 2015

- Lineaburmops hirsutipes* Wunderlich, 2015

- Lineaburmops maculatus* Wunderlich, 2017
Myanlagonops gracilipes Wunderlich, 2012
?Parviburmops bigibber Wunderlich, 2017
Parviburmops brevipalpus Wunderlich, 2015
?Paxillomegops brevipes Wunderlich, 2015
?Paxillomegops cornutus Wunderlich, 2017
Paxillomegops longipes Wunderlich, 2015
Picturmegops signatus Wunderlich, 2015
Planimegops parvus Wunderlich, 2017

Leptonetidae

- Palaeoleptoneta calcar* Wunderlich, 2012
Palaeoleptoneta crus Wunderlich, 2017

Liphistidae

- †Micropalpimanidae
Micropalpimanus poinari Wunderlich, 2008
†Mongolarachnidae
Longissipalpus cochlea Wunderlich, 2017
Longissipalpus magnus Wunderlich, 2015
Longissipalpus maior Wunderlich, 2015
Longissipalpus minor Wunderlich, 2015
Pedipalparaneus seldeni Wunderlich, 2015

Mysmenidae?

Ochyroceratidae

Oecobiidae

- Retrooecobius chomskyi* Wunderlich, 2015
'Retrooecobius' convexus Wunderlich, 2015
Zamilia aculeopectens Wunderlich, 2015
Zamilia antecessor Wunderlich, 2008
Zamilia quattuormammillae Wunderlich, 2015

Oonopidae

- Burmorchestina (=Bormorchestina) acuminata* Wunderlich, 2017
Burmorchestina biangulata Wunderlich, 2017
Burmorchestina plana Wunderlich, 2017
Burmorchestina pulcher Wunderlich, 2008
Burmorchestina pulcherooides Wunderlich, 2017
Burmorchestina tuberosa Wunderlich, 2017

Oxyopidae

Palpimanidae

†Parvithelidae

- Parvithele muelleri* Wunderlich, 2017
Parvithele spinipes Wunderlich, 2017
Pulvillothele haupti Wunderlich, 2017

Pholcidae

†Pholcochyroceridae

- Automiana hirsutipes* Wunderlich, 2015
Pholcochyrocer altipecten Wunderlich, 2017

- ?*Pholcochyrocer baculum* Wunderlich, 2012
Pholcochyrocer guttulaeque Wunderlich, 2008
Pholcochyrocer pecten Wunderlich, 2012
Spinicreber antiquus Wunderlich, 2015
Spinipalpus vetus Wunderlich, 2015
- †Plumorsolidae
Burmorsolus nonplumosus Wunderlich, 2015
Pseudorsolus crassus (Wunderlich, 2015)
- †Praearaneidae
Praearaneus bruckschi Wunderlich, 2017
- †Praeterleptonetidae
Biapophyses beate Wunderlich, 2015
Crassitibia longispina Wunderlich, 2015
Crassitibia tenuimana Wunderlich, 2015
Curvitibia curima Wunderlich, 2015
Groehnianus burmensis Wunderlich, 2015
Hypotheridiosoma falcata Wunderlich, 2015
Hypotheridiosoma paracymbium Wunderlich, 2012
Palaeohygropoda myanmarensis Penney, 2004
Parvispina tibialis (Wunderlich, 2011)
Praeterleptoneta spinipes Wunderlich, 2008
Spinipalpitibia maior Wunderlich, 2015
- Psechridae**
- Psilodercidae
Aculeatosoma pyritmutatio Wunderlich, 2017
Leclercera ellenbergeri Wunderlich, 2015
Leclercera longissipes Wunderlich, 2012
Leclercera sexaculeata Wunderlich, 2015
Leclercera spicula Wunderlich, 2012
Priscaleclercera brevispinae Wunderlich, 2017
Priscaleclercera paucispinæ Wunderlich, 2017
Proterpsiloderces longisetæ Wunderlich, 2015
- Salticidae**
- Segestriidae
Denticulsegestria rugosa Wunderlich, 2015
Myansegestria caederens Wunderlich, 2015
Myansegestria engin Wunderlich, 2015
Parvosegestria longitibialis Wunderlich, 2015
Parvosegestria obscura Wunderlich, 2015
Parvosegestria pintgu Wunderlich, 2015
Parvosegestria triplex Wunderlich, 2015
- Sparassidae (=Eusparassidae)?
- †Spatiatoridae
Spatiator putescens Wunderlich, 2015
- Telemidae
? *Telemofila crassifemoralis* Wunderlich, 2017

Tetrablemmidae (=Terablemmidae)

- Bicornoculus levis* Wunderlich, 2015
Brignoliblemma bizarre Wunderlich, 2017
Brignoliblemma nala Wunderlich, 2017
Brignoliblemma paranala Wunderlich, 2017
Cymbioblemma corniger Wunderlich, 2017
Electroblemma bifida Selden, Zhang & Ren, 2016
?*Eogamasomorpha clara* Wunderlich, 2015
Eogamasomorpha hamata Wunderlich, 2017
Eogamasomorpha nubila Wunderlich, 2008
Eogamasomorpha ohlhoffi (Wunderlich, 2011)
?*Eogamasomorpha unicornis* Wunderlich, 2017
Furcembolus andersoni Wunderlich, 2008
Furcembolus armatura (Wunderlich, 2015)
Furcembolus biacuta (Wunderlich, 2015)
Furcembolus crassitibia Wunderlich, 2017
Furcembolus dissolata (Wunderlich, 2015)
Furcembolus equester (Wunderlich, 2015)
Furcembolus grossa Wunderlich, 2017
Furcembolus longior Wunderlich, 2017
Furcembolus tuberosa (Wunderlich, 2015)
Longissithorax myanmarensis Wunderlich, 2017
Longithorax furca Wunderlich, 2017
Palpalpaculla pulcher Wunderlich, 2017
Saetosoma filiembolus Wunderlich, 2012
Uniscutosoma aberrans Wunderlich, 2015

Tetragnathidae?

Theridiosomatidae

- Leviunguis bruckschi* Wunderlich, 2012

Theridiidae?

- Cretotheridion inopinatum* Wunderlich, 2015

Thomisidae

- Amyciaea* sp.

Uloboridae

- Bicalamistrum mixtum* Wunderlich, 2015
Burmuloborus antefixus Wunderlich, 2015
Burmuloborus parvus Wunderlich, 2008
? *Burmuloborus prolongatus* Wunderlich, 2015

- Furculoborus patellaris* Wunderlich, 2017

- Kachin fruticosoides* Wunderlich, 2017

- Kachin fruticosus* Wunderlich, 2017

- Microuloborus birmanicus* Wunderlich, 2015

- Octonoba* sp.

- Ocululoborus curvatus* Wunderlich, 2012

- Palaeomiagrammopes vesica* Wunderlich, 2008

- Paramiagrammopes cretaceus* Wunderlich, 2008

Paramiagrammopes longiclypeus Wunderlich, 2015
Paramiagrammopes patellidens Wunderlich, 2015
Propterkachin magnoculus Wunderlich, 2017

†Vetiaroridae

Pekkachilus vesica Wunderlich, 2017
Vetiator gracilipes Wunderlich, 2015

Opiliones (5f., 4g., 5sp.)

Epedanidae

Petrobunoides sharmai Selden, Dunlop, Giribet, Zhang & Ren, 2016

†Halithersidae

Halitherses grimaldii Giribet & Dunlop, 2005

†Monooculricinuleidae

Monooculricinuleus incisus Wunderlich, 2017

Monooculricinuleus semiglobosus Wunderlich, 2017

Sclerosomatidae

Stylocellidae

Palaeosiro burmanicum Poinar, 2008

Palpigradi (1f., 1g., 1sp.)

Eukoeniidae

Electrokoenenia yaksha Engel & Huang, 2016

Parasitiformes (5f., 6g., 6sp.)

Argasidae

†Deinocrotonidae

Deinocroton draculi Peñalver, Arillo, Anderson & Fuente, 2017

Ixodidae

Amblyomma birmitum Chitimia-Dobler, Araujo, Ruthensteiner, Pfeffer & Dunlop, 2017

Compluriscutula vetulum Poinar & Buckley, 2008

Cornupalpatum burmanicum Poinar & Brown, 2003

Haemaphysalis cretacea Chitimia-Dobler, Pfeffer & Dunlop, 2018

Opilioacaridae

?*Opilioacarus groehni* Dunlop & Bernardi, 2014

Polyaspididae

Pseudoscorpiones (12f., 4g., 4sp.)

Atemnidae

Cheiridiidae

Electrobisium acutum Cockerell, 1917

Cheliferidae

Chernetidae

Chthoniidae

Weygoldtiella plausus Harvey, Cosgrove, Harms, Selden, Shih & Wang, 2018

Feaellidae

Protofeaella peetersae Henderickx, 2016

Garypinidae

Amblyolpium burmiticum (Cockerell, 1920)

Hyidae

Ideoronicidae?

Neobisiidae

Pseudocheiridiidae

Withiidae

Ricinulei (3f., 3g., 5sp.)

†Hirsutisomidae

Hirsutisoma acutiformis Wunderlich, 2017

Hirsutisoma bruckschi Wunderlich, 2017

Hirsutisoma dentata Wunderlich, 2017

†Poliocheridae

?*Poliochera cretacea* Wunderlich, 2012

†Primoricinuleidae

Primoricinuleus pugio Wunderlich, 2015

Schizomida

Scorpiones (7f., 10g., 25sp.)

Buthidae

Archaeoananteroides maderai Lourenço, 2016

Chaerilidae

Electrochaerilus buckleyi Santiago-Blay, Fet, Solegrad & Anderson, 2004

†Chaerilobuthidae

Chaerilobuthus birmanicus Lourenço, 2015

Chaerilobuthus bruckschi Lourenço, 2015

Chaerilobuthus complexus Lourenço & Beigel, 2011

Chaerilobuthus enigmaticus Lourenço, 2015

Chaerilobuthus gigantosternum Lourenço, 2016

Chaerilobuthus longiaculeus Lourenço, 2013

Chaerilobuthus schwarzi Lourenço, 2015

Chaerilobuthus serratus Lourenço, 2016

†Palaeoburmesebuthidae

Betaburmesebuthus bellus Lourenço, 2016

Betaburmesebuthus bidentatus Lourenço, 2015

Betaburmesebuthus fleissneri Lourenço, 2016

Betaburmesebuthus joergi Lourenço, 2017

Betaburmesebuthus kobberti Lourenço, 2015

Betaburmesebuthus larafleissnerae Lourenço, 2016

Betaburmesebuthus muelleri Lourenço, 2015

Palaeoburmesebuthus grimaldii Lourenço, 2002

Palaeoburmesebuthus longipalpis Lourenço, 2017

Palaeoburmesebuthus ohlhoffi Lourenço, 2015

Spinoburmesebuthus pohli Lourenço, 2017

†Palaeoeuscorpiidae

Archaeoscorpiops cretacicus Lourenço, 2015

Burmesescorpiops groehni Lourenço, 2016

†Palaeotrilineatidae

Palaeotrilineatus ellenbergeri Lourenço, 2012

†Sucinolourencoidae

Sucinlourenco adrianae Rossi, 2015

Solfugae (1g., 1sp.)

Family *incertae sedis*

Cushingia ellenbergeri Dunlop, Bird, Brookhart & Bechly, 2015

Thelyphonida (1f., 2g., 2sp.)

Thelyphonidae

Mesothelyphonus parvus Cai & Huang, 2016

Family *incertae sedis*

Burmathelyphonia prima Wunderlich, 2015

Order *incertae sedis* (1g., 1sp.)

Family *incertae sedis*

Chimerarachne yingi Wang, Dunlop, Selden, Garwood, Shear, Müller & Lei, 2018

MYRIAPODA (3c., 15o., 18f., 13g., 5sp.)

Chilopoda (4o., 3f., 1g., 1sp.)

Geophilomorpha (1f., 1g., 1sp.)

Geophilidae

Kachinophilus pereirai Bonato, Edgecombe & Minelli, 2014

Lithobiomorpha

Scolopendromorpha (2f.)

Cryptopidae

Scolopendridae

Scutigeromorpha

Diplopoda (10o., 14f., 11g., 3sp.)

Chordeumatida (2f., 1g.)

Anthroleucosomatidae

Tingupidae

Tingupa sp.

Glomerida ~~Oniscomorpha~~ (1f., 1g.)

Glomeridellidae

Glomeridella sp.

Platydesmida (1f., 1g.)

Androggnathidae

Brachycybe sp.

Polydesmida (2f., 1g.)

Paradoxosomatidae

Polydesmidae

Scytonotus sp.

Polyxenida (2f., 3g., 1sp.)

Polyxenidae

Polyxenus sp.

Propolyxenus sp.

Unixenus sp.

Synxenidae

Phryssonotus burmiticus (Cockerell, 1917)

Polyzoniida (1f., 1g.)

Polyzoniidae

Bdellozonium sp.

Siphoniulida (1f., 1g., 2sp.)

Siphoniulidae

Siphoniulus muelleri Liu, Rühr & Wesener, 2017

Siphoniulus preciosus Liu, Rühr & Wesener, 2017

Siphonophorida (2f.)

Siphonophoridae

Siphonorhinidae

Sphaerotheriida (1f.)

Zephroniidae

Spirostreptida (1f., 1g.)

Cambalidae

Cambala sp.

Symplyla (1o., 1f., 1g., 1sp.)

Sympylida (1f., 1g., 1sp.)
Scolopendrellidae
Sympylella patrickmuelleri Moritz & Wesener, 2017

CRUSTACEA (2c., 3o., 2f., 1g., 1sp.)

Malacostraca (2o., 2f., 1g., 1sp.)

Decapoda

Isopoda (2f., 1g., 1sp.)
Styloniscidae?
Myanmariscus deboiseae Broly, Maillet & Ross, 2015
Tylidae

Ostracoda (1o.)

[Myodocopida](#)

ONYCHOPHORA (1c., 1o., 1f., 1g., 1sp.)

Udeonychophora (1o., 1f., 1g., 1sp.)

Euonychophora (1f., 1g., 1sp.)
Peripatidae
Cretoperipatus burmiticus Grimaldi & Engel, 2002

MOLLUSCA (2c., 2o., 4f., 1g., 1sp.)

Bivalvia (1o., 1f., 1g., 1sp.)

Myoida (1f., 1g., 1sp.)
Pholadidae (crypts)
Teredolites clavatus Leymerie, 1842 (=*Palaeoclavaria burmitis* Poinar & Brown, 2003)

Gastropoda (1o., 3f.)

Panpulmonata (3f.)
Punctidae
Subulinidae
[Valloniidae](#)

ANNELIDA (1c, 1o)

Clitellata (1o)

Haplotauxida

NEMATODA (3c., 4o., 5f., 6g., 8sp.)

Chromadorea (1o., 2f., 3g., 3sp.)

Rhabditida (2f., 3g., 3sp.)

Cosmocercidae

Palaeocosmocerca burmanica Poinar, 2011

Heterorhabditidae Poinar, 1975

Proheterorhabditis burmanicus Poinar 2011

Family *incertae sedis*

Cretodiplogaster termitophilous Poinar, 2011

Enoplea (1o., 1f., 1g., 3sp.)

Mermithida (1f., 1g., 3sp.)

Mermithidae

Cretacimermis aphidophilus Poinar, 2017

Cretacimermis chironomae Poinar, 2011

Cretacimermis protus Poinar & Buckley, 2006

Secernentea (2o., 2f., 2g., 2sp.)

Oxyurida (1f., 1g., 1sp.)

Thelastomatidae

Paleothelastoma tipulae Poinar, 2011

Aphelenchida (1f., 1g., 1sp.)

Aphelenchoididae

Cretaciaphelenchoides burmensis Poinar, 2011

NEMATOMORPHA (1c., 1o., 1f., 1g., 1sp.)

Gordioidea (1f., 1g., 1sp.)

Chordodidae

Cretachordodes burmitis Poinar & Buckley, 2006

PLATYHELMINTHES (1c.)

Trematoda

VERTEBRATA (2c., 3o., 3f., 1g., 1sp.)

Amphibia (1o.)

Anura

Reptilia (2o., 3f., 1g., 1sp.)

Squamata (3f., 1g., 1sp.)

Agamidae

Chamaeleonidae

Gekkonidae?

Cretaceogekko burmae Arnold & Poinar, 2008

Theropoda (incl. Aves, Enantiornithes)

PROTISTA (10c., 10o., 12f., 20g., 21sp.)

Aconoidasida (1o., 1f., 1g., 1sp.)

Haemosporida (1f., 1g., 1sp.)

Plasmodiidae (=Plasmodidae)

Paleohaemoproteus burmacis Poinar & Telford, 2005

Alphaproteobacteria (1o., 1f., 1g., 1sp.)

Rickettsiales (1f., 1g., 1sp.)

Rickettsiaceae

Palaeorickettsia protera Poinar, 2014

Amoebozoa

Anaeromonadea (1o., 2f., 6g., 7sp.)

Oxymonadida (2f., 6g., 7sp.)

Oxymonadidae

Microrhopalodites polynucleatis Poinar, 2009
Oxymonas gigantea Poinar, 2009
Oxymonas protus Poinar, 2009
Oxymonites gerus Poinar, 2009
Sauromonites katatonis Poinar, 2009
Pyrsonymphidae
Dinenymphites spiris Poinar, 2009
Pyrsonymphites cordylinis Poinar, 2009

Conoidasida (1o., 1f., 1g., 1sp.)

Eugregarinorida (1f., 1g., 1sp.)
Monoductidae
Primigregarina burmanica Poinar, 2010

Kinetoplastida (1o., 1f., 2g., 2sp.)

Trypanosomatida (1f., 2g., 2sp.)
Trypanosomatidae
Paleoleishmania proterus Poinar & Poinar 2004
Paleotrypanosoma burmanicus Poinar, 2008

‘Sarcodina’ (1g., 1sp.)

Family *incertae sedis*
Endamoebites proterus Poinar, 2009

Mesomycetozoea (1o., 1f., 1g., 1sp.)

Eccrinales (1f., 1g., 1sp.)
Eccrinaceae
Paleocadus burmiticus Poinar, 2016

Trichomonadea (3o., 2f., 4g., 4sp.)

Cristamonadida (1f., 2g., 2sp.)
Devescovinidae
Devescovites proteus Poinar, 2009
Foainites icelus Poinar, 2009

Spirotrichonymphida (1f., 1g., 1sp.)
Holomastigididae

Spiromastigites acanthodes Poinar, 2009

Trichomonadida (1g., 1sp.)

Family *incertae sedis*

Paleotrichomones burmanicus Poinar, 2009

Trichonymphae (1o., 3f., 3g., 3sp.)

Trichonymphida (3f., 3g., 3sp.)

†Burmanymphidae

Burmanymphus cretacea Poinar, 2009

Teranymphidae

Teranymphites rhabdotis Poinar, 2009

Trichonymphidae

Trichonymphites henis Poinar, 2009

PLANTAE (6c., 10o., 13f., 20g., 27sp.)

Angiospermae (4o., 4f., 9g., 11sp.)

Cornales (1f., 1g., 1sp.)

Cornaceae

Eoëpigynia burmensis Poinar, Chamber & Buckley, 2007

Oxalidales (1f., 1g., 2sp.)

Cunoniaceae

Tropidogyne pentaptera Poinar & Chambers, 2017

Tropidogyne pikei Chambers, Poinar & Buckley, 2010

Laurales (2f., 3g., 3sp.)

Lauraceae

Cascolaurus burmitis Poinar, 2016

Monimiaceae?

Palaeoanthella huangii Poinar & Chambers, 2005

Family *incertae sedis*

Jamesrosea burmensis Crepet, Nixon, Grimaldi & Riccio, 2016

Poales (1g., 2sp.)

Family *incertae sedis*

Programinis burmitis Poinar, 2004

Programinis laminatus Poinar, 2004

Order *incertae sedis* (3g., 3sp.)

Family *incertae sedis*

Antiquifloris latifibris Poinar, Buckley & Chen, 2016
Lachnocionia terriae Poinar, Chambers & Buckley, 2008
Micropetasos burmensis Poinar, Chambers & Wunderlich, 2013

Bryopsida (2o., 2g., 5sp.)

Dicranales (s.l.) (1g., 1sp.)

Family *incertae sedis*

Calymperites burmensis Heinrichs, Schäf.-Verw., Hedenäs, Ignatov & A.R. Schmidt, 2014.

Hypnodendrales (1g., 4sp.)

Family *incertae sedis*

Vetiplanaxis espinosus Hedenäs, Heinrichs & A.R. Schmidt, 2014

Vetiplanaxis longiacuminatus Hedenäs, Heinrichs & A.R. Schmidt, 2014

Vetiplanaxis oblongus Hedenäs, Heinrichs & A.R. Schmidt, 2014

Vetiplanaxis pyrrhobryooides N.E. Bell, 2007

Jungermanniopsida (1o., 3f., 4g., 6sp.)

Porellales (3f., 4g., 6sp.)

Frullaniaceae

Frullania baerlocheri Heinrichs, M.E. Reiner, Feldberg, von Konrat, Hentschel, Váňa & A.R. Schmidt, 2011

Frullania cretacea Hentschel, A.R. Schmidt & Heinrichs, 2009

Frullania pinnata Heinrichs, Feldberg, Schäf.-Verw. & Krings, 2017

Protofrullania cornigera Heinrichs, 2017

Lepidolaeanaceae

Gackstroemia cretacea Heinrichs, Schäf.-Verw., Feldberg, & A.R. Schmidt, 2014

Radulaceae

Radula cretacea Bechteler, M.A.M. Renner, Schäf.-Verw. & Heinrichs, 2017

Marchantiopsida (1o., 1f.)

Marchantiales (1f.)

Marchantiaceae?

Pinopsida (1o., 2f., 1g.)

Pinales (2f., 1g.)

Araucariaceae

Cupressaceae

Metasequoia sp.

Pteridopsida (1o., 3f., 4g., 4sp.)

Polypodiales (3f., 4g., 4sp.)

Cystodiaceae

Cystodium sorbifoloides L.Regalado, A.R.Schmidt, H.Schneid., M.Krings & Heinrichs,
2017

Denntstaedtiaceae

Krameropteris resinatus H. Schneid., A.R. Schmidt & Heinrichs, 2016

Lindsaeaceae

Family *incertae sedis*

Cretacifilix fungiformis Poinar & Buckley, 2008

Holttumopteris burmensis L.Regalado, H.Schneid., M. Krings & Heinrichs, 2017

FUNGI (2c., 3o., 4f., 7g., 7sp.)

Agaricomycetes (2o., 1f., 2g., 2sp.)

Agaricales (1g., 1sp.)

Family *incertae sedis*

Palaeoagaracites antiquus Poinar & Buckley, 2007

Boletales (1f., 1g., 1sp.)

Sclerodermataceae

Palaeogaster micromorpha Poinar, Alfredo & Baseia, 2014

Sordariomycetes (1o., 2f., 4g., 4sp.)

Hypocreales (2f., 4g., 4sp.)

Clavicipitaceae

Palaeoclaviceps parasticus Poinar, Alderman & Wunderlich, 2015

Ophiocordycipitaceae

Palaeophiocordyceps coccophagus Sung, Poinar & Spatafora, 2008

Family *incertae sedis*

Entopezites patricii Poinar & Buckley, 2007

Mycetophagites atrebora Poinar & Buckley, 2007

Class *incertae sedis* (1f., 1g., 1sp.)

Order *incertae sedis* (1f., 1g., 1sp.)

†Spheciophilaceae

Spheciophila adercia Poinar, 2016

Papers published on Burmese amber since 1995

- Amorim, D. de S. & Grimaldi, D.A. 2006. Valeseguyidae, a new family of Diptera in the Scatopsoidea, with a new genus in Cretaceous amber from Myanmar. *Systematic Entomology*, **31**(3), 508-516.
- Andersen, N.M. & Grimaldi, D.A. 2001. A fossil water measurer from the mid-Cretaceous Burmese amber (Hemiptera: Gerromorpha: Hydrometridae). *Insect Systematics and Evolution*, **32**, 381-392.
- Anderson, S.R. 2009. A primitive ant brood chamber with evidence of brood care in Burmese amber (Lower Cretaceous) – implications for brood care as the facilitating factor for true eusociality and dominance of ants. *Denisia*, **26**, 11-20.
- Antropov, A.V. 2000. Digger wasps (Hymenoptera, Sphecidae) in Burmese amber. *Bulletin of the Natural History Museum, Geology Series*, **56**(1): 59-77.
- Arillo, A., Blagoderov, V. & Peñalver, E. 2018. Early Cretaceous parasitism in amber: A new species of *Burmazelmira* fly (Diptera: Archizelmiridae) parasitized by a *Leptus* sp. mite (Acari, Erythraeidae). *Cretaceous Research*, **86**, 24-32.
- Arillo, A., Peñalver, E., Fuente, R. P. de la, Delclós, X., Criscione, J., Barden, P.M., Riccio, M.L. & Grimaldi, D.A. 2015. Long-proboscid brachyceran flies in Cretaceous amber (Diptera: Stratiomyomorpha: Zhangsolvidae). *Systematic Entomology*, **40**, 242-267.
- Arnold, E. N. & Poinar, G.O.Jr. 2008. A 100 million year old gecko with sophisticated adhesive toe pads, preserved in amber from Myanmar. *Zootaxa*, No. 1847, 62-68.
- Azar, D., Hakim, M. & Huang, D. 2016. A new compsocid booklouse from the Cretaceous amber of Myanmar (Psocodea: Troctomorpha: Amphientometae: Compsocidae). *Cretaceous Research*, **68**, 28-33.
- Azar, D., Hakim, M., Huang, D., Cai, C. & Nel, A. 2016 (on-line). New fossil booklice from the Cretaceous amber of Myanmar (Psocodea: Troctomorpha: Amphientometae: Manicapsocidae). *Cretaceous Research*, **70**, 8-14.
- Azar, D., Huang, D., Cai, C. & Nel, A. 2014 (on-line). The earliest records of pachytroctid booklice from Lebanese and Burmese Cretaceous amber (Psocodea, Troctomorpha, Nanopsocetae, Pachytroctidae). *Cretaceous Research*, **52**, 336-347.
- Azar, D., Huang, D., Cai, C. & Nel, A. 2015. The first trichomyiine from Burmese Cretaceous amber (Diptera, Psychodidae, Trichomyiinae). *Cretaceous Research*, **53**, 48-58.
- Azar, D., Huang, D., El-Hajj, L., Cai, C., Nel, A. & Maksoud, S. 2017. New Prionoglarididae from Burmese amber (Psocodea: Trogiomorpha: Prionoglaridetae). *Cretaceous Research*, **75**, 146-156.

- Azar, D., Perrichot, V., Néraudeau, D. & Nel, A. 2003. New psychodids from the Cretaceous ambers of Lebanon and France, with a discussion of *Eophlebotomus connectens* Cockerell, 1920 (Diptera, Psychodidae). *Annals of the Entomological Society of America*, **96**, 117-126.
- Azevedo, C.O. & Azar, D. 2012. new fossil subfamily of Bethylidae (Hymenoptera) from the Early Cretaceous Lebanese amber and its phylogenetic position. *Zoologia*, **29**(3), 210-218.
- Bai, M., Beutel, R.G., Klass, K.-D., Zhang, W., Yang, X. & Wipfler, B. 2016. †Alienoptera — A new insect order in the roach–mantodean twilight zone. *Gondwana Research*, **39**, 317-326.
- Bai, M., Beutel, R.G., Zhang W., Wang, S., Hörnig, M., Gröhn, C., Yan, E., Yang, X. & Wipfler B. 2018. A new Cretaceous insect with a unique cephalo-thoracic scissor device. *Current Biology*, **28**(3), 438-443.
- Bai, M., Nie, R., Zhang, W., Ren, D., Shih, C. & Yang, X. 2016 (on-line). The first fossil Athyreini beetle (Coleoptera: Geotrupidae). *Organisms Diversity & Evolution*, **17**(1), 157-162.
- Bai, M., Zhang, W., Ren, D., Shih, C. & Yang, X. 2015. *Hybosorus ocamponi*: the first hybosorid from the Cretaceous Myanmar amber (Coleoptera: Scarabaeoidea). *Organisms Diversity & Evolution*, **16**(1), 233-240.
- Baranov, V., Góral, T. & Ross, A. 2017. A new genus of Buchonomyiinae (Diptera, Chironomidae) from Upper Cretaceous Burmese amber, with the phylogeny of the subfamily revisited. *Cretaceous Research*, **79**, 146-152.
- Barber-James, H.M. 2009. A preliminary phylogeny of Prosopistomatidae (Ephemeroptera) based on morphological characters of the larvae, and an assessment of their distribution. *Aquatic Insects*, **31**(1), 149-166.
- Barden, P. 2017. Fossil ants (Hymenoptera: Formicidae): ancient diversity and the rise of modern lineages. *Myrmecological News*, **24**, 1-30.
- Barden, P. & Grimaldi, D. 2012. Rediscovery of the bizarre Cretaceous ant *Haidomyrmex* Dlussky (Hymenoptera: Formicidae), with two new species. *American Museum Novitates*, No. 3755, 16pp.
- Barden, P. & Grimaldi, D. 2013. A new genus of highly specialized ants in Cretaceous Burmese amber. *Zootaxa*, No. 3681 (4), 405-412.
- Barden, P. & Grimaldi, D. 2014. A diverse ant fauna from the Mid-Cretaceous of Myanmar (Hymenoptera: Formicidae). *PlosONE*, **9**(4), e93627, 1-20.
- Barden, P. & Grimaldi, D. 2016. Adaptive radiation in socially advanced stem-group ants from the Cretaceous. *Current Biology*, **26**, 515-521.
- Barden, P., Herold, H.W. & Grimaldi, D.A. 2017. A new genus of hell ants from the Cretaceous

- (Hymenoptera: Formicidae: Haidomyrmecini) with a novel head structure. *Systematic Entomology*, **42**, 837-846.
- Bartel, C., Dunlop, J.A. & Bird, T.L. 2016. The second camel spider (Arachnida, Solifugae) Burmese amber. *Arachnology*, **17**(3), 161-164.
- Basibuyuk, H.H., Rasnitsyn, A.P., Fitton, M.G. & Quicke, D.L.J. 2000. An archaic new genus of Evaniiidae (Insecta: Hymenoptera) and implications for the biology of ancestral evanioids. *Bulletin of the Natural History Museum, Geology Series*, **56** (1), 53-58.
- Batelka, J., Engel, M.S., Falin, Z.H. & Prokop, J. 2011. Two new ripidiine species in Dominican amber with evidence of aggregative behaviour of males “frozen” in the fossil record (Coleoptera: Ripiphoridae). *European Journal of Entomology*, **108**, 275-286.
- Batelka, J. & Hájek, J. 2009. A taxonomic review of the genus *Eorhipidius* (Coleoptera: Ripiphoridae: Ripidiinae), with descriptions of three new species from Asia. *Acta Entomologica Musei Nationalis Pragae*, **49**(2), 769-782.
- Batelka, J., Prokop, J. & Engel, M.S. 2016. New ripiphorid beetles in mid-Cretaceous amber from Myanmar (Coleoptera: Ripiphoridae): First Pelecotominae and possible Mesozoic aggregative behaviour in male Ripidiinae. *Cretaceous Research*, **68**, 70-78.
- Bechly, G. & Poinar, G. 2013. *Burmaphlebia reifi* gen. et sp. nov., the first anisozygopteran damsel-dragonfly (Odonata: Epiophlebiptera: Burmaphlebiidae fam. nov.) from Early Cretaceous Burmese amber. *Historical Biology*, **25** (2), 233-237.
- Bechly, G. & Wolf-Schwenninger, K. 2011. A new genus and species of snakefly (Raphidioptera: Mesoraphidiidae) from Lower Cretaceous Lebanese amber, with a discussion of snakefly phylogeny and fossil history. *Insect Systematics & Evolution*, **42**, 221-236.
- Bell, N.E. & York, P.V. 2007. *Vetiplanaxis pyrrhobryoides*, a new fossil moss genus and species from Middle Cretaceous Burmese amber. *The Bryologist*, **110**(3), 514-520.
- Bellamy, C.J. 1995. Buprestidae (Coleoptera) from amber deposits: a brief review and family switch. *Coleopterists Bulletin*, **49**(2), 175-177.
- Bennett, D.J. & Engel, M.S. 2005. A primitive sapygid wasp in Burmese amber (Hymenoptera: Sapygidae). *Acta Zoologica Cracoviensia*, **48B**, 1-9.
- Bennett, D.J. & Engel, M.S. 2006. A new moustache wasp in Dominican amber, with an account of apoid wasp evolution emphasizing Crabroninae (Hymenoptera: Crabronidae). *American Museum Novitates*, No. 3529, 10pp.
- Bechteler, J., Schmidt, A.R., 2, Renner, M.A.M., Wang, B., Pérez-Escobar, O.A., Schäfer-Verwimp, A., Feldberg, K. & Heinrichs, J. 2017. A Burmese amber fossil of *Radula* (Porellales,

Jungermanniopsida) provides insights into the Cretaceous evolution of epiphytic lineages of leafy liverworts. *Fossil Record*, **20**, 201-213.

Beutel, R.G., Zhang, W.W., Pohl, H., Wappler, T. & Bai, M. 2015 (on-line). A miniaturized beetle larva in Cretaceous Burmese amber: reinterpretation of a fossil “strepsipteran triungulin”. *Insect Systematics & Evolution*, **47**(1), 83-91.

Blagoderov, V. & Grimaldi, D. 2004. Fossil Sciaroidea (Diptera) in Cretaceous ambers, exclusive of the Cecidomyiidae, Sciaridae, and Keroplatidae. *American Museum Novitates*, No. 3433, 76pp.

Bonato, L., Edgecombe, G.D. & Minelli, A. 2014. Geophilomorph centipedes from the Cretaceous amber of Burma. *Palaeontology*, **57** (1), 97-110.

Borkent, A. 1997. *Biting midges in the Cretaceous amber of North America*. Backhuys Publishers, Leiden. 237pp.

Borkent, A. & Grimaldi, D.A. 2004. The earliest fossil mosquito (Diptera: Culicidae), in Mid-Cretaceous Burmese amber. *Annals of the Entomological Society of America*, **97**(5): 882-888.

Borkent, A. & Grimaldi, D.A. 2016. The Cretaceous fossil *Burmaculex antiquus* confirmed as the earliest known lineage of mosquitoes (Diptera: Culicidae). *Zootaxa*, **4079**(4), 457-466.

Borkent, A. & Wirth, W.W. 1997. World species of biting midges (Diptera: Ceratopogonidae). *Bulletin of the American Museum of Natural History*, No. 233, 257pp.

Boucher, S., Bai, M., Wang, B. & Montreuil, O. 2017. Ceracyclini, tribe nov. of Passalidae Aulacocyclinae for *Cylindrocaulus* Fairmaire and †*Ceracyclus*, gen. nov., with two new species from the Cenomanian Burmese amber (Coleoptera, Scarabaeoidea). *Les Cahiers Magellanes*, Hors-série, No. 37, 1-13.

Boucher, S., Bai, M., Wang, B., Zhang, W. & Yang, X. 2016. †Passalopalpidae, a new family from the Cretaceous Burmese amber, as the possible sister group of Passalidae Leach (Coleoptera: Scarabaeoidea). *Cretaceous Research*, **64**, 67-78.

Boucot, A.J. & Poinar, Jr., G. O. (Eds.). 2010. *Fossil Behavior Compendium*, CRC Press, Boca Raton. 391pp.

Broly, P., Deville, P. & Maillet, S. 2013. The origin of terrestrial isopods (Crustacea: Isopoda: Onscidea). *Evolutionary Ecology*, **27**, 461-476.

Broly, P., Maillet, S. & Ross, A. J. 2015. The first terrestrial isopod (Crustacea: Isopoda: Oniscidea) from Cretaceous Burmese amber of Myanmar. *Cretaceous Research*, **55**, 220-228.

Broly, P., Maillet, S. & Ross, A. J. 2016. Terrestrial isopods: progress in their fossil record. In: Penney, D. & Ross, A.J. (eds) *7th International Conference on fossil insects, arthropods and amber, 26th April – 1st May 2016, Edinburgh, Abstracts*, p. 68.

- Cai, C., Háva, J. & Huang, D. 2016 (on-line). The earliest *Attagenus* species (Coleoptera: Dermestidae: Attageninae) from Upper Cretaceous Burmese amber. *Cretaceous Research*, **72**, 95-99.
- Cai, C., Hsiao, Y. & Huang, D. 2016. A new genus and species of polypore fungus beetle in Upper Cretaceous Burmese amber (Coleoptera, Tetratomidae, Eustrophinae). *Cretaceous Research*, **60**, 275-280.
- Cai, C. & Huang, D. 2014a (on-line). The oldest osoriine rove beetle from Cretaceous Burmese amber (Coleoptera: Staphylinidae). *Cretaceous Research*, **52**, 495-500.
- Cai, C. & Huang, D.-Y. 2014b. The oldest micropepline beetle from Cretaceous Burmese amber and its phylogenetic implications (Coleoptera: Staphylinidae). *Naturwissenschaften*, **101** (10), 813-817.
- Cai, C. & Huang, D.-Y. 2014c (on-line). The oldest aleocharine rove beetle (Coleoptera, Staphylinidae) in Cretaceous Burmese amber and its implications for the early evolution of the basal group of hyper-diverse Aleocharinae. *Gondwana Research*, **28**(4), 1579-1584.
- Cai, C. & Huang, D. 2016a. *Cretoleptochromus archaicus* gen. et sp. nov., a new genus of ant-like stone beetles in Upper Cretaceous Burmese amber (Coleoptera, Staphylinidae, Scydmaeninae). *Cretaceous Research*, **63**, 7-13.
- Cai, C. & Huang, D. 2016b. The first Mesozoic palmetto beetle (Coleoptera: Smicripidae) in Upper Cretaceous Burmese amber. *Cretaceous Research*, **64**, 45-49.
- Cai, C. & Huang, D. 2016c (on-line). A new genus of whip-scorpions in Upper Cretaceous Burmese amber: Earliest fossil record of the extant subfamily Thelyphoninae (Arachnida: Thelyphonida: Thelyphonidae). *Cretaceous Research*, **69**, 100-105.
- Cai, C. & Huang, D. 2017a. First fossil Coloninae from Upper Cretaceous Burmese amber (Coleoptera: Staphylinoidea: Leiodidae). *Cretaceous Research*, **77**, 69-74.
- Cai, C. & Huang, D. 2017b. First definitive fossil agyrtodine beetles: An extant southern hemisphere group recorded from Upper Cretaceous Burmese amber (Coleoptera: Staphylinoidea: Leiodidae). *Cretaceous Research*, **78**, 161-165.
- [Cai, C. & Huang, D. 2018. First fossil thaneroclerid beetle from mid-Cretaceous Burmese amber \(Coleoptera: Cleroidea: Thanerocleridae\). *Alcheringa*, **42**, 115-119.](#)
- Cai., C., Huang, D., Newton, A.F. & Eldredge, T. & Engel, M.S. 2017a. Early evolution of specialized termitophily in Cretaceous rove beetles. *Current Biology*, **27**, 1-7.
- Cai., C., Huang, D., Newton, A.F. & Eldredge, T. & Engel, M.S. 2017b. Response to “Evidence from amber for the origins of termitophily”. *Current Biology*, **27**, R794-R795.

- Cai, C., Leschen, R.A.B., Hibbett, D.S., Xia, F. & Huang, D. 2017. Mycophagous rove beetles highlight diverse mushrooms in the Cretaceous. *Nature Communications*, **8**(14894), 1-7.
- Cai, C., Maier, C.A. & Huang, D. 2018. A new riffle beetle in Upper Cretaceous amber from northern Myanmar (Coleoptera: Elmidae). *Cretaceous Research*, **89**, 154-159.
- Cai, C., Newton, A.F., Thayer, M.K., Richard A. B. Leschen, R.A.B. & Huang, D. 2016 (on-line). Specialized proteinine rove beetles shed light on insect-fungal associations in the Cretaceous. *Proceedings of the Royal Society, B*, **283**, DOI: 10.1098/rspb.2016.1234.
- Cai, C., Ślipiński, A., Leschen, R.A.B., Yin, Z., Zhuo, D & Huang, D. 2017 (on-line). The first Mesozoic Jacobson's beetle (Coleoptera: Jacobsoniidae) in Cretaceous Burmese amber and biogeographical stasis. *Journal of Systematic Palaeontology*, **16**(7), 543-550.
- Cai, C., Thayer, M.K., Engel, M.S., Newton, A.F., Ortega-Blanco, J., Wang, B., Wang, X.-D. & Huang, D.-Y. 2014. Early origin of parental care in Mesozoic carrion beetles. *PNAS*, **111** (39), 14170-14174.
- Cai, C., Thayer, M.K., Newton, A.F., Yin, Z. & Huang, D. 2017 (on-line). A new genus of dasycerine rove beetles from Upper Cretaceous Burmese amber and its phylogenetic implications (Coleoptera, Staphylinidae). *Cretaceous Research*, **84**, 431-436.
- Cai, C., Yin, Z., Liu, Y. & Huang, D. 2017. *Protonicagus tani* gen. et sp. nov., the first stag beetles from Upper Cretaceous Burmese amber (Coleoptera: Lucanidae: Aesalinae: Nicagini). *Cretaceous Research*, **78**, 109-112.
- Cassis, G. & Schuh, R.T. 2010. Systematic methods, fossils, and relationships within Heteroptera (Insecta). *Cladistics*, **26**(3), 262-280.
- Caterino, M.S. & Maddison, D.R. 2018. An early and mysterious histerid inquiline from Cretaceous Burmese amber (Coleoptera, Histeridae). *ZooKeys*, **733**, 119-129.
- Caterino, M.S., Wolf-Schwenninger, K. & Bechly, G. 2015. *Cretonthophilus tuberculatus*, a remarkable new genus and species of hister beetle (Coleoptera: Histeridae) from Cretaceous Burmese amber. *Zootaxa*, **4052**(2), 241-245.
- Chambers, K.L., Poinar, G.O.Jr. & Buckley, R. 2010. *Tropidogyne*, a new genus of Early Cretaceous eudicots (Angiospermae) from Burmese amber. *Novon*, **20**(1), 23-29.
- Chang, Y., Fang, H., Shih, C., Ren, D. & Wang, Y. 2017 (on-line). Reevaluation of the subfamily Cretanallachiinae Makarkin, 2017 (Insecta: Neuroptera) from Upper Cretaceous Myanmar amber. *Cretaceous Research*, **84**, 533-539.
- Chatzimanolis, S., Cashion, M.E., Engel, M.S. & Falin, Z.H. 2012. A new genus of Ptilodactylidae (Coleoptera: Byrrhoidea) in mid-Cretaceous amber from Myanmar (Burma). *Geodiversitas*, **34** (3), 569-574.

- Chatzimanolis, S., Engel, M.S., Newton, A.F. & Grimaldi, D.A. 2010. New ant-like stone beetles in mid-Cretaceous amber from Myanmar (Coleoptera: Staphylinidae: Scydmaeninae). *Cretaceous Research*, **31**, 77-84.
- Chen, J., Szwedo, J., Wang, B., Zhang, Y., Wang, Y., Wang, X. & Zhang, H. 2018. The first Mesozoic froghopper in amber from northern Myanmar (Hemiptera, Cercopoidea, Sinoalidae). *Cretaceous Research*, **85**, 243-249.
- Chen, S., Yin, X., Shih, C., Zhang, R., Gao, T. & Ren, D. 2018. Stick insect in Burmese amber reveals an early evolution of lateral lamellae in the Mesozoic. *Proceedings of the Royal Society, B*, **285**(1877), 1-7.
- Chen, S., Zhang, W., Shih, C. & Ren, D. 2017. Two new species of Archipseudophasmatidae (Insecta: Phasmatodea) from Upper Cretaceous Myanmar amber. *Cretaceous Research*, **73**, 65-70.
- Chen, X. & Su, G. 2017. First eggs of fossil bristletails (Meinertellidae: Microryphia) from Burmese amber. *Acta Geologica Sinica*, **91**(4), 1489-1490.
- Chen, Z.-T., Wang, B. & Du, Y.-Z. 2018. Discovery of a new stonfly genus with three new species from mid-Cretaceous Burmese amber (Plecoptera: Perlidae). *Zootaxa*, **4378**(4), 573-580.
- Chitimia-Dobler, L., Araujo, B.C. De, Ruthensteiner, B., Pfeffer, T. & Dunlop, J.A. 2017. *Amblyomma birmitum* a new species of hard tick in Burmese amber. *Parasitology*, **144**, 1441-1448.
- Chitimia-Dobler, L., Pfeffer, T. & Dunlop, J.A. 2018. *Haemaphysalis cretacea* a nymph of a new species of hard tick in Burmese amber. *Parasitology*, doi.org/10.1017/S0031182018000537.
- Christiansen, K. & Nascimbene, P. 2006. Collembola (Arthropoda, Hexapoda) from the mid Cretaceous of Myanmar (Burma). *Cretaceous Research*, **27**(3), 318-363.
- Clarke, D.J. & Chatzimanolis, S. 2009. Antiquity and long-term morphological stasis in a group of rove beetles (Coleoptera: Staphylinidae): Description of the oldest *Octavius* species from Cretaceous Burmese amber and a review of the “Euaestetine subgroup” fossil record. *Cretaceous Research*, **30**, 1426-1434.
- Cockx, P.F.D. & McKellar, R.C. 2016. First record of the family Scolebythidae (Hymenoptera) in mid-Cretaceous amber from Myanmar. *Cretaceous Research*, **67**, 133-139.
- Cognato, A.I. & Grimaldi, D. 2009. 100 million years of morphological conservation in bark beetles (Coleoptera: Curculionidae: Scolytinae). *Systematic Entomology*, **34**, 93-100.
- Crepet, W.L., Nixon, K.C., Gimaldi, D. & Riccio, M. 2016. A mosaic Lauralean flower from the Early Cretaceous of Myanmar *American Journal of Botany*, **103**(2), 290-297.

- Cruickshank, R.D. & Ko, K. 2003. Geology of an amber locality in the Hukawng Valley, northern Myanmar. *Journal of Asian Earth Sciences*, **21**, 441-455.
- Danforth, B.N. & Poinar, G.O. Jr. 2011. Morphology, classification, and antiquity of *Melittospeex burmensis* (Apoidea: Melittospecidae) and implications for early bee evolution. *Journal of Paleontology*, **85**(5), 882-891.
- Davis, S.R. & Engel, M.S. 2014. A new genus of nemonychid weevil from Burmese amber (Coleoptera, Curculionoidea). *Zookeys*, **405**, 127-138.
- Daza, J.D., Stanley, E.L., Wagner, P., Bauer, A.M. & Grimaldi, D.A. 2016. Mid-Cretaceous amber fossils illuminate the past diversity of tropical lizards. *Science Advances*, **2**(3), e1501080, 1-8.
- Delclòs, X., Peñalver, E., Arillo, A., Engel, M.S., Nel, A., Azar, D. & Ross, A. 2015 (on-line). New mantises (Insecta: Mantodea) in Cretaceous ambers from Lebanon, Spain, and Myanmar. *Cretaceous Research*, **60**, 91-108.
- Deng, C., Ślipiński, A., Ren, D. & Pang, H. 2017. New Cretaceous carpet beetles (Coleoptera: Dermestidae) from Burmese amber. *Cretaceous Research*, **76**, 1-6.
- Deng, C., Ślipiński, A., Ren, D. & Pang, H. 2017. The first Mesozoic colydiid beetles (Coleoptera: Zopheridae: Colydiinae) from the Upper Cretaceous amber of Myanmar. *Cretaceous Research*, **78**, 71-77.
- [Dietrich, C.H. & Thomas, M.J. 2018. New eurymeline leafhoppers \(Hemiptera, Cicadellidae, Eurymelinae\) from Eocene Baltic amber with notes on other fossil Cicadellidae. ZooKeys, 726, 131-143.](#)
- Dikow, T. & Grimaldi, D.A. 2014. Robber flies in Cretaceous ambers (Insecta: Diptera: Asilidae). *American Museum Novitates*, No. 3799, 19pp.
- DLussky, G.M. 1996a. Murav'i (Hymenoptera: Formicidae) birmanskogo yantar'a. *Paleontologicheskii Zhurnal*, 1996(3), 83-89.
- DLussky, G.M. 1996b. Ants (Hymenoptera: Formicidae) from Burmese amber. *Paleontological Journal*, **30**(4): 449-454.
- Dong, F., Shih, C. & Ren, D. 2015. A new genus of Tanyderidae (Insecta: Diptera) from Myanmar amber, Upper Cretaceous. *Cretaceous Research*, **54**, 260-265.
- Duckhouse, D. A. 2000. Redescription and re-evaluation of the Burmese amber psychodid *Eophlebotomus connectens* Cockerell and its phylogenetic position (Diptera: Psychodidae). *Systematic Entomology*, **25**, 503-509.
- Dunlop, J.A., Bird, T.L., Brookhart, J.O. & Bechly, G. 2015. A camel spider from Cretaceous Burmese amber. *Cretaceous Research*, **56**, 265-273.

- Dunlop, J.A. & Mitov, P.G. 2011. The first fossil cyphophthalmid harvestman from Baltic amber. *Arachnologische Mitteilungen*, **40**, 47-54.
- Dunlop, J.A. & Oliveira Bernardi, L.F. de. 2014. An opilioacarid mite in Cretaceous Burmese amber. *Naturwissenschaften*, **101**, 759-763.
- Dunlop, J.A. & Penney, D. 2012. *Fossil Arachnids*. Siri Scientific Press, Manchester. 192pp.
- Dunlop, J.A., Selden, P.A. & Giribet, G. 2016. Penis morphology in a Burmese amber harvestman. *Science of Nature*, **103**(11), 1-5.
- Duy-Jacquemin, M.N. & Geoffroy, J.-J. 2003. A revised comprehensive checklist, relational database, and taxonomic system of reference for the bristly millipedes of the world (Diplopoda, Polyxenida). *African Invertebrates*, **44**(1), 89-101.
- Emeljanov, A.F. & Shcherbakov, D.E. 2018. The longest-nosed Mesozoic Fulgoroidea (Homoptera): a new family from mid-Cretaceous Burmese amber. *Far Eastern Entomologist*, **354**, 1-14.
- Engel, M.S. 2002. The smallest snakefly (Raphidioptera: Mesoraphidiidae): A new species in Cretaceous amber from Myanmar, with a catalog of fossil snakeflies. *American Museum Novitates*, No. 3363, 22pp.
- Engel, M.S. 2003. An anteonine wasp in Cenomanian-Albian amber from Myanmar (Hymenoptera: Dryinidae). *Journal of the Kansas Entomological Society*, **76**, 616-621.
- Engel, M.S. 2004a. The dustywings in Cretaceous Burmese amber (Insecta: Neuroptera: Coniopterygidae). *Journal of Systematic Palaeontology*, **2**(2), 133-136.
- Engel, M.S. 2004b. Thorny lacewings (Neuroptera: Rachiberothidae) in Cretaceous amber from Myanmar. *Journal of Systematic Palaeontology*, **2**(2), 137-140.
- Engel, M.S. 2005. A dryinine wasp in Burmese amber (Hymenoptera: Dryinidae). *Polskie Pismo Entomologiczne*, **74**(4), 485-494.
- Engel, M.S. 2006. Two ensign wasps in Cretaceous amber from New Jersey and Myanmar. *Polskie Pismo Entomologiczne*, **75**(3), 443-454.
- Engel, M.S. 2008a. The wasp family Rhopalosomatidae in Mid-Cretaceous amber from Myanmar (Hymenoptera: Vesridoidea). *Journal of the Kansas Entomological Society*, **81**(3), 168-174.
- Engel, M.S. 2008b. A stem-group cimicid in mid-Cretaceous amber from Myanmar (Hemiptera: Cimicoidea). *Alavesia*, **2**, 233-237.
- Engel, M.S. 2010. A primitive anobiid beetle in mid-Cretaceous amber from Myanmar (Coleoptera: Anobiidae). *Alavesia*, **3**, 31-34.

- Engel, M.S. 2011. New earwigs in mid-Cretaceous amber from Myanmar (Dermaptera, Neodermaptera). *Zookeys*, **130**, 137-152.
- Engel, M.S. 2016a. Notes on Cretaceous amber Braconidae (Hymenoptera), with descriptions of two new genera. *Novitates Paleoentomologicae*, No. 15, 7pp.
- Engel, M.S. 2016b. Two new genera of Cretaceous dustywings in amber from northern Myanmar (Neuroptera: Coniopterygidae). *Novitates Paleoentomologicae*, No. 17, 16pp.
- Engel, M.S. 2017. New Evanoid Wasps from the Cenomanian of Myanmar (Hymenoptera: Othniodellithidae, Aulacidae), with a Summary of Family-Group Names among Evanioidea. *American Museum Novitates*, No. 3871, 28pp.
- Engel, M.S., Barden, P. & Grimaldi, D.A. 2016. A replacement name for the Cretaceous termite genus *Gigantotermes* (Isoptera). *Novitates Paleoentomologicae*, No. 14, 2pp.
- Engel, M.S., Barden, P., Riccio, M.L. & Grimaldi, D.A. 2016. Morphologically specialized termite castes and advanced sociality in the Early Cretaceous. *Current Biology*, **26**(4), 522-530.
- Engel, M.S., Breitkreuz, L.C.V., Cai, C., Alvarado, M., Azar, D. & Huang, D. 2016. The first Mesozoic microwhip scorpion (Palpigradi): a new genus and species in mid-Cretaceous amber from Myanmar. *Science of Nature*, **103**(19), 1-7.
- Engel, M.S. & Delclòs, X. 2010. Primitive Termites in Cretaceous Amber from Spain and Canada (Isoptera). *Journal of the Kansas Entomological Society*, **83**(2), 111-128.
- Engel, M.S. & Grimaldi, D.A. 2002. The first Mesozoic Zoraptera (Insecta). *American Museum Novitates*, No. 3362, 20pp.
- Engel, M.S. & Grimaldi, D.A. 2004. A primitive earwig in Cretaceous amber from Myanmar (Dermaptera: Pygidicranidae). *Journal of Palaeontology*, **78**(5), 1018-1023.
- Engel, M.S. & Grimaldi, D.A. 2005. Primitive new ants in Cretaceous amber from Myanmar, New Jersey, and Canada (Hymenoptera: Formicidae). *American Museum Novitates*, No. 3485, 23pp.
- Engel, M.S. & Grimaldi, D.A. 2006a. The earliest webspinners (Insecta: Embiodea). *American Museum Novitates*, No. 3514, 15pp.
- Engel, M.S. & Grimaldi, D.A. 2006b. The first Cretaceous spider wasp (Hymenoptera: Pompilidae). *Journal of the Kansas Entomological Society*, **79**(4), 359-368.
- Engel, M.S. & Grimaldi, D.A. 2007. New false fairy wasps in Cretaceous amber from New Jersey and Myanmar (Hymenoptera: Mymarommatoidea). *Transactions of the Kansas Academy of Science*, **110**, 159-168.

- Engel, M.S. & Grimaldi, D.A. 2008a. Diverse Neuropterida in Cretaceous amber, with particular reference to the paleofauna of Myanmar (Insecta). *Nova Supplementa Entomologica*, **20**, 1-86.
- Engel, M.S. & Grimaldi, D.A. 2008b. A jugular-horned beetle in Cretaceous amber from Myanmar (Coleoptera: Prostomidae). *Alavesia*, **2**, 215-218.
- Engel, M.S. & Grimaldi, D.A. 2009. Diversity and phylogeny of the Mesozoic wasp family Stigmaphronidae (Hymenoptera: Ceraphronidae). *Denisia*, **26**, 53-86.
- Engel, M.S. & Grimaldi, D.A. 2014a. New mid-Cretaceous earwigs in amber from Myanmar (Dermaptera). *Novitates Paleoentomologicae*, No. 6, 16pp.
- Engel, M.S. & Grimaldi, D.A. 2014b. Whipspiders (Arachnida: Amblypygi) in amber from the Early Eocene and mid-Cretaceous, including maternal care. *Novitates Paleoentomologicae*, No. 9, 17pp.
- Engel, M.S., Grimaldi, D.A. & Krishna, K. 2007. Primitive termites from the Early Cretaceous of Asia (Isoptera). *Stuttgarter Beiträge zur Naturkunde*, Ser. B, No. 371, 32pp.
- Engel, M.S., Grimaldi, D.A. & Krishna, K. 2009. Termites (Isoptera): their phylogeny, classification, and rise to ecological dominance. *American Museum Novitates*, No. 3650, 27pp.
- Engel, M.S., Grimaldi, D.A. & Ortega-Blanco, J. 2013a. A stephanid wasp in mid-Cretaceous Burmese amber (Hymenoptera: Stephanidae), with comments on the antiquity of the hymenopteran radiation. *Journal of the Kansas Entomological Society*, **86** (3), 244-252.
- Engel, M.S., Grimaldi, D.A. & Ortega-Blanco, J. 2013b. *Zoropelecinus zigrasi*, a pelecinid wasp in mid-Cretaceous amber from Myanmar (Hymenoptera: Pelecinidae). *Novitates Paleoentomologicae*, No. 4, 10pp.
- Engel, M.S. & Huang, D. 2016 (on-line). A new crown wasp in Cretaceous amber from Myanmar (Hymenoptera: Stephanidae). *Cretaceous Research*, **69**, 56-61.
- Engel, M.S., Huang, D., Alqarni, A.S. & Cai, C. 2016a. A remarkable evanioid wasp in mid-Cretaceous amber from northern Myanmar (Hymenoptera: Evanioidea). *Cretaceous Research*, **60**, 121-127.
- Engel, M.S., Huang, D., Alqarni, A.S. & Cai, C. 2016b. An unusual new lineage of sawflies (Hymenoptera) in Upper Cretaceous amber from northern Myanmar. *Cretaceous Research*, **60**, 281-286.
- Engel, M.S., Huang, D., Alqarni, A.S., Cai, C., Alvarado, M., Breitkreuz, L.C.V. & Azar, D. 2016 (on-line). An apterous scelionid wasp in mid-Cretaceous Burmese amber (Hymenoptera: Scelionidae). *Comptes Rendus Palevol*, **16**, 5-11.

- Engel, M.S., Huang, D., Azar, D., Nel, A., Davis, S.R., Alvarado, M. & Breitkreuz, L.C.V. 2015. The wasp family Spathopterygidae in mid-Cretaceous amber from Myanmar (Hymenoptera: Diaprioidea). *Comptes Rendus Palevol*, **14** (2), 95-100.
- Engel, M.S., Huang, D., Breitkreuz, L.C.V., Azar, D., Cai, C. & Alvarado, M. 2016. A new twisted-wing parasitoid from mid-Cretaceous amber of Myanmar (Strepsiptera). *Cretaceous Research*, **58**, 160-167.
- Engel, M.S., Huang, D., Breitkreuz, L.C.V., Cai, C. & Alvarado, M. 2016. Two new species of mid-Cretaceous webspinners in amber from northern Myanmar (Embiodea: Clothodidae, Oligotomidae). *Cretaceous Research*, **58**, 118-124.
- [Engel, M.S., Huang, D., Cai., C. & Alqarni, A.S. 2018. A new lineage of braconid wasps in Burmese Cenomanian amber \(Hymenoptera, Braconidae\). ZooKeys, 730, 73-84.](#)
- Engel, M.S., Huang, D., Thomas, J.C. & Cai, C. 2016 (on-line). A new genus and species of pygidicranid earwigs from the Upper Cretaceous of southern Asia (Dermaptera: Pygidicranidae). *Cretaceous Research*, **69**, 178-183.
- Engel, M.S., Ortega-Blanco, J. & Bennett, D.J. 2009. A remarkable tiphiiform wasp in mid-Cretaceous amber from Myanmar (Hymenoptera: Tiphiidae). *Transactions of the Kansas Academy of Science*, **112**, 1-6.
- Engel, M.S. & Wang, B. 2016a. The first Oriental protorhyssaline wasp (Hymenoptera: Braconidae): A new genus and species in Upper Cretaceous amber from Myanmar. *Cretaceous Research*, **63**, 28-32.
- Engel, M.S. & Wang, B. 2016b. A plesiomorphic gasteruptiid wasp in Cenomanian amber from Myanmar (Hymenoptera: Gasteruptiidae). *Cretaceous Research*, **63**, 177-182.
- Engel, M.S., Wang, B. & Alqarni, A.S. 2016. A thorny, ‘anareolate’ stick-insect (Phasmatidae s.l.) in Upper Cretaceous amber from Myanmar, with remarks on diversification times among Phasmatodea). *Cretaceous Research*, **63**, 45-53.
- Fain, A. & Bochkov, A.V. 2001. A review of the genus *Cheyletus* LATREILLE, 1776 (Acari: Cheyletidae). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique*, **71**, 83-114.
- Falin, Z.H. & Engel, M.S. 2010. Notes on Cretaceous Ripidiini and revised diagnosis of the Ripidiinae, Ripidiini, and Eorhipidiini (Coleoptera: Ripiphoridae). *Alavesia*, **3**, 35-42.
- Fang, Y., Wang, B., Zhang, H., Wang, H., Jarzemowski, E., Zheng, D., Zhang, Q., Li, S. & Liu, Q. 2014 (on-line). New Cretaceous Elcanidae from China and Myanmar (Insecta, Orthoptera). *Cretaceous Research*, **52**, 323-328.
- Fanti, F. 2017a. Catalogo Cantharidae fossili del Mondo. *Fossils & Minerals Review*, No. 2, 1-18.

- Fanti, F. 2017b. World Catalog of fossil Cantharidae. *Fossils & Minerals Review*, No. 2, 52pp. [English Edition]
- Fanti, F., Damgaard, A.L. & Ellenberger, S. 2018. Two new genera of Cantharidae from Burmese amber of the Hukawng Valley (Insecta, Coleoptera). *Cretaceous Research*, **86**, 170-177.
- Fanti, F. & Ellenberger, S. 2016. *Myamalyccerus vitalii*: A new genus and species of soldier beetle in Burmese amber (Coleoptera Cantharidae). *Cretaceous Research*, **71**, 166-169.
- Fikáček, M., Minoshima, Y.N., Komarek, A., Short, A.E.Z., Huang, D. & Cai, C. 2017. *Cretocrenis burmanicus*, the first Mesozoic amber inclusion of a water scavenger beetle (Coleoptera: Hydrophilidae). *Cretaceous Research*, **77**, 49-55.
- Fontanarrosa, G., Daza, J.D. & Abdala, V. 2017 (on-line). Cretaceous fossil gecko hand reveals a strikingly modern scansorial morphology: Qualitative and biometric analysis of an amber-preserved lizard hand. *Cretaceous Research*, **84**, 120-133.
- Fuente, R.P.-de la, Peñalver, E., Delclòs, X. & Engel, M.S. 2012. Snakefly diversity in Early Cretaceous amber from Spain (Neuropterida, Raphidioptera). *ZooKeys*, **204**, 1-40.
- Gaimari, S.D. & Mostovski, M.B. 2000. *Burmapsilocephala cockerelli*, a new genus and species of Asiloidea (Diptera) from Burmese amber. *Bulletin of the Natural History Museum, Geology Series*, **56**(1), 43-45.
- Gao, J., Shih, C., Ren, D. 2015 (on-line). New species of Limoniidae (Diptera) from Myanmar amber, Upper Cretaceous. *Cretaceous Research*, **58**, 42-48.
- Gao, T., Shih, C., Labandeira, C.C., Liu, X., Wang, Z., Che, Y., Yin, X. & Ren, D. 2018. Maternal care by Early Cretaceous cockroaches. *Journal of Systematic Palaeontology*, DOI: 10.1080/14772019.2018.1426059.
- Garwood, R.J., Dunlop, J.A., Knecht, B.J. & Hegna, T.A. 2017. The phylogeny of fossil whip spiders. *BMC Evolutionary Biology*, **17**(105), 1-14.
- Ge, S.-Q., Friedrich, F. & Beutel, R.G. (2010). On the systematic position and taxonomic rank of the extinct myxophagan †*Haplochelus* (Coleoptera). *Insect Systematics & Evolution*, **41**, 329-338.
- Giłka, W. & Zakrzewska, M. 2017. A new species of the subfamily Buchonomyiinae (Diptera: Chironomidae) from Cretaceous Burmese amber. *Dipteron*, **33**, 26-33.
- Gillung, J.P. & Winterton, S.L. 2017 (on-line). A review of fossil spider flies (Diptera: Acroceridae) with descriptions of new genera and species from Baltic Amber, *Journal of Systematic Palaeontology*, **16**(4), 325-350.
- Giribet, G. & Dunlop, J.A. 2005. First identifiable Mesozoic harvestman (Opiliones: Dyspnoi) from Cretaceous Burmese amber. *Proceedings of the Royal Society, B*, **272**, 1007-1013.

- Giribet, G., Sharma, P. P., Benavides, L. R., Boyer, S. L., Clouse, R. M., De Bivort, B. L., Dimitrov, D., Kawauchi, G. Y., Murienne, J. & Schwendinger, P. J. 2012. Evolutionary and biogeographical history of an ancient and global group of arachnids (Arachnida: Opiliones: Cyphophthalmi) with a new taxonomic arrangement. *Biological Journal of the Linnean Society*, **105**(1), 92–130.
- Gorokhov, A.V. 2006. New and little known orthopteroid insects (Polyneoptera) from fossil resins: Communication 1. *Paleontological Journal*, **40**(6), 646-654.
- Gorokhov, A.V. 2007. New and little known orthopteroid insects (Polyneoptera) from fossil resins: Communication 2. *Paleontological Journal*, **41**(2), 156-166.
- Gorochov, A.V. 2010a. New and little-known orthopteroid insects (Polyneoptera) from fossil resins: communication 3. *Paleontological Journal*, **44** (4), 434-450.
- Gorochov, A.V. 2010b. New and little-known orthopteroid insects (Polyneoptera) from fossil resins: communication 4. *Paleontological Journal*, **44** (6), 657-671.
- Grimaldi, D.A. 1999. The co-radiations of pollinating insects and angiosperms in the Cretaceous. *Annals of the Missouri Botanical Garden*, **86**, 373-406.
- Grimaldi, D.A. 2003a. A revision of Cretaceous mantises and their relationships, including new taxa (Insecta: Dictyoptera: Mantodea). *American Museum Novitates*, No. 3412, 47pp.
- Grimaldi, D.A. 2003b. First amber fossils of the extinct family Protopsyllidiidae, and their phylogenetic significance among Hemiptera. *Insect Systematics and Evolution*, **34**, 329-344.
- Grimaldi, D.A. 2009. Did disease indeed destroy the dinosaurs? *Bioscience*, **59**(5), 446-447.
- Grimaldi, D.A. 2016. Diverse orthorrhaphan flies (Insecta: Diptera: Brachycera) in amber from the Cretaceous of Myanmar: Brachycera in Cretaceous amber, Part VII. *Bulletin of the American Museum of Natural History*, No. 408, 131pp.
- Grimaldi, D., Agosti, D. & Carpenter, J.M. 1997. New and rediscovered primitive ants (Hymenoptera: Formicidae) in Cretaceous amber from New Jersey, and their phylogenetic realtionships. *American Museum Novitates*, No. 3208, 43pp.
- Grimaldi, D.A., Amorim, D. de S. & Blagoderov, V. 2003. The Mesozoic family Archizelmiridae (Diptera: Insecta). *Journal of Paleontology*, **77**(2), 368-381.
- Grimaldi, D.A., Arillo, A., Cumming, J.M. & Hauser, M. 2011. Brachyceran Diptera (Insecta) in Cretaceous ambers, Part IV, significant new orthorraphous taxa. *Zookeys*, **148**, 293-322.
- Grimaldi, D.A. & Barden, P. 2016. The Mesozoic Family Eremochaetidae (Diptera: Brachycera) in Burmese amber and Relationships of Archisargoidea: Brachycera in Cretaceous Amber, Part VIII. *American Museum Novitates*, No. 3865, 29pp.

- Grimaldi, D.A. & Cumming, J. 1999. Brachyceran Diptera in Cretaceous ambers and Mesozoic diversification of the Eremoneura. *Bulletin of the American Museum of Natural History*, No. 239, 124pp.
- Grimaldi, D.A., Cumming, J.M. & Arillo, A. 2009. Chimeromyiidae, a new family of Eremoneuran Diptera from the Cretaceous. *Zootaxa*, No. 2078, 34-54.
- Grimaldi, D.A. & Engel, M.S. 2005a. *Evolution of the Insects*. Cambridge University Press, Cambridge. 755pp.
- Grimaldi, D.A. & Engel, M.S. 2005b. Fossil Liposcelididae and the lice ages (Insecta: Psocodea). *Proceedings of the Royal Society, B*, **273**, 625-633.
- Grimaldi, D.A. & Engel, M.S. 2008. An unusual, primitive Piesmatidae (Insecta: Heteroptera) in Cretaceous amber from Myanmar (Burma). *American Museum Novitates*, No. 3611, 17pp.
- Grimaldi, D.A. & Engel, M.S. 2013. The relict scorpionfly Family Meropeidae (Mecoptera) in Cretaceous amber. *Journal of the Kansas Entomological Society*, **86** (3), 253-263.
- Grimaldi, D.A., Engel, M.S. & Nascimbene, P.C. 2002. Fossiliferous Cretaceous amber from Myanmar (Burma): Its rediscovery, biotic diversity, and paleontological significance. *American Museum Novitates*, No. 3361, 71pp.
- Grimaldi, D. & Johnston, M.A. 2014. The long-tongued Cretaceous scorpionfly *Parapolycentropus* Grimaldi and Rasnitsyn (Mecoptera: Pseudopolycentropodidae): New data and interpretations. *American Museum Novitates*, No. 3793, 23pp.
- Grimaldi, D.A., Kathirithamby, J. & Schawaroch, V. 2005. Strepsiptera and triungula in Cretaceous amber. *Insect Systematics & Evolution*, **36**, 1-20.
- Grimaldi, D.A. & Ross, A.J. 2004. *Raphidiomimula*, an enigmatic new cockroach in Cretaceous amber from Myanmar (Burma) (Insecta: Blattodea: Raphidiomimidae). *Journal of Systematic Palaeontology*, **2**(2), 101-104.
- Grimaldi, D. A. & Ross, A.J. 2017. Extraordinary Lagerstätten in Amber, with particular reference to the Cretaceous of Burma. In: Fraser, N.C. & Sues H.-D. (eds.). *Terrestrial Conservation Lagerstätten: Windows into the Evolution of Life on Land*. Dunedin Academic Press Ltd, Edinburgh. 287-342.
- Grimaldi, D.A., Shedrinsky, A., Ross, A. & Baer, N. S. 1995. Forgeries of fossils in "amber": history, identification and case studies. *Curator* **37** (4), 1994, 251-274.
- Grimaldi, D.A., Zhang, J., Fraser, N.C. & Rasnitsyn, A.P. 2005. Revision of the bizarre Mesozoic scorpionflies in the Pseudopolycentropodidae (Mecopteroidea). *Insect Systematics & Evolution*, **36**, 443-458.

- Guglielmino, A., Olmi, M., Marletta, A. & Speranza, S. 2018. Discovery of the first species of *Dryinus* Latreille (Hymenoptera: Dryinidae) from Burmese amber. *Zootaxa*, **4394**(3), 443-448.
- Guo, L., Shih, C., Li, L. & Ren, D. 2016. New pelecinid wasps (Hymenoptera: Pelecinidae) from Upper Cretaceous Myanmar amber. *Cretaceous Research*, **67**, 84-90.
- Guo, M., Xing, L., Wang, B., Zhang, W., Wang, S., Shi, W. & Bai, W. 2017. A catalogue of Burmite inclusions. *Zoological Systematics*, **42**(3), 249-379.
- Guo, M.-X., Yang, H.-D., Li, G., Tong, Y.-J., Li, S., Lu, Y.-Y., Shi, A.-M., Wang, B., Zhang, W.-W. & Bai, M. 2016. Morphological identifiability of Burmese amber inclusions under X-rays. *Acta Entomologica Sinica*, **59**(9), 1013-1020.
- Hakim, M., Azar, S., Maksoud, S., Huang, D. & Azar, D. 2017 (on-line). New polymorphic psyllipsocids from Burmese amber (Psocodea: Psyllipsocidae). *Cretaceous Research*, **84**, 389-400.
- Harbach, R.E. 2007. The Culicidae (Diptera): a review of taxonomy, classification and phylogeny. *Zootaxa*, **1668**, 591-638.
- Harms, D. & Dunlop, J.A. 2017. The fossil history of pseudoscorpions (Arachnida: Pseudoscorpiones). *Fossil Record*, **20**, 215-238.
- Harvey, M.S., Cosgrove, J.G., Harms, D., Selden, P.A., Shih, C. & Wang, C.-C. 2018. The oldest chthonioid pseudoscorpion Arachnida: Pseudoscorpiones:Chthonioidea: Chthoniidae: A new genus and species from mid-Cretaceous Burmese amber. *Zoologischer Anzeiger*, **273**, 102-111.
- Hává, J. & Damgaard, A.L. 2017. *Attagenus lundi* sp. nov. from Cretaceous Burmese amber (Coleoptera: Dermestidae: Attageninae). *Studies and Reports Taxonomical Series*, **13** (2), 303-306.
- Hává, J. & Prokop, J. 2004. New fossil dermestid-beetles (Coleoptera: Dermestidae) from the Dominican amber of the Greater Antilles, with an appendix listing known fossil species of this family. *Acta Societatis Zoologicae Bohemicae*, **68**, 173-182.
- Heads, S.W. 2009. A new pygmy mole cricket in Cretaceous amber from Burma (Orthoptera: Tridactylidae). *Denisia*, **26**, 75-82.
- Hedenäs, L., Heinrichs, J. & Schmidt, A.R. 2014. Bryophytes of the Burmese amber forest: Amending and expanding the circumscription of the Cretaceous moss genus *Vetiplanaxis*. *Review of Palaeobotany and Palynology*, **209**, 1-10.
- Heinrichs, J., Feldberg, K., Bechteler, J., Müller, P., Renner, M.A.M., Váňa, J., Schäfer-Verwimpe, A. & Schmidt, A.R. 2017. A fossil genus of the Frullaniaceae (Porellales, Jungermanniopsida) from the mid-Cretaceous of Myanmar. *Cretaceous Research*, **74**, 223-226.

- Heinrichs, J., Feldberg, K., Müller, P., Schäfer-Verwimpe, A., von Konrat, M., Ilsemann, B. & Krings, M. 2017. *Frullania pinnata* spec. nov. (Frullaniaceae, Porellales), a new leafy liverwort in mid-Cretaceous Burmese amber from Myanmar. *Cretaceous Research*, **78**, 56-60.
- Heinrichs, J., Reiner-Drewald, M.E., Feldberg, K., von Konrat, M., Hentschel, J., Váňa, J., Grimaldi, D.A., Nascimbene, P.C. & Schmidt, A.R. 2011 (on-line). The leafy liverwort *Frullania* (Jungermanniopsida) in the Cretaceous amber forest of Myanmar. *Review of Palaeobotany and Palynology*, **169**, 21-28.
- Heinrichs, J., Schäfer-Verwimp, A., Feldberg, K. & Schmidt, A.R. 2014. The extant liverwort *Gackstroemia* (Lepidolaenaceae, Porellales) in Cretaceous amber from Myanmar. *Review of Palaeobotany and Palynology*, **203**, 48-52.
- Heinrichs, J., Schäfer-Verwimp, A., Hedenäs, L., Ignatov, M.S. & Schmidt, A.R. 2014. An acrocarpous moss in Cretaceous amber from Myanmar. *Cretaceous Research*, **51**, 260-265.
- Heiss, E. 2012. *Kachinocoris brevipennis* n.gen., n.sp. in Cretaceous Burmese amber (Hemiptera: Heteroptera: Aradidae). *Zootaxa*, **3227**, 64-68.
- Heiss, E. 2016. New genera and species of Aradidae in Cretaceous Burmese amber (Hemiptera: Heteroptera). *Linzer Bioligsche Beiträge*, **48**(1), 419-429.
- Heiss, E., Golub, V.B. & Popov, Y.A. 2015. A new subfamily, genus and species of Tingidae (Hemiptera: Heteroptera) from Burmese amber. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen*, **67**, 1-9.
- Heiss, E. & Grimaldi, D.A. 2001. *Archeearadus burmensis* gen. n., sp. n., a remarkable Mesozoic Aradidae in Burmese amber (Heteroptera, Aradidae). *Carolina*, **59**, 99-102.
- Heiss, E. & Grimaldi, D.A. 2002. The first known female of *Archeearadus* Heiss & Grimaldi, 2001, in Cretaceous Burmese amber (Heteroptera: Aradidae). *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen*, **54**, 55-59.
- Heiss, E. & Guilbert, E. 2013. Two new genera and species of Tingidae from Cretaceous amber from Myanmar (Burma) (Hemiptera: Heteroptera). *Zootaxa*, **3736** (4), 379-386.
- Heiss, E. & Poinar, G.O.Jr. 2012. New Aradidae in Mesozoic Burmese amber (Hemiptera, Heteroptera). *Annalen des Naturhistorischen Museums in Wien*, Ser. A, **114**, 307-316.
- Henderickx, H. & Boone, M. 2016. The basal pseudoscorpion family Feaellidae Ellingsen, 1906 walks the earth for 98.000.000 years: a new fossil genus has been found in Cretaceous Burmese amber (Pseudoscorpiones: Feaellidae). *Entomo-info*, **27**(1), 7-13.
- Hentschel, J., Schmidt, A.R. & Heinrichs, J., 2009. *Frullania cretacea*, sp. nov. (Porellales,

- Jungermanniopsida), a leafy liverwort preserved in Cretaceous amber from Myanmar. *Cryptogamie, Bryologie*, **30**(3), 323–328.
- Hippa, H. & Vilkamaa, P. 2005. The genus *Sciarotricha* gen. n. (Sciaridae) and the phylogeny of recent and fossil Sciaroidea (Diptera). *Insect Systematics & Evolution*, **36**, 121-144.
- Hsiao, Y. & Huang, C.-L. 2017 (on-line) *Spinotoma ruicheni*: A new Late Cretaceous genus and species of wedge-shaped beetle from Burmese amber (Coleoptera, Ripiphoridae, Pelecotominae). *Cretaceous Research*, **82**, 29-35.
- Hsiao, Y., Ślipiński, A., Deng, C. & Pang, H. 2016 (on-line). A new genus and species of soldier beetle from Upper Cretaceous Burmese amber (Coleoptera, Cantharidae, Malthininae). *Cretaceous Research*, **69**, 119-123.
- [Hu, J., Lu, X., Wang, B. & Liu, X. 2018. Taxonomic notes on Babinskaiidae from the Cretaceous Burmese amber, with the description of a new species \(Insecta, Neuroptera\). ZooKeys](#), **748**, 31-46.
- Huang, D. 2017. Palaeodiversity of Agaricales: evidence from mushrooms and mycophagous beetles in amber. *Bulletin of the Chinese Academy of Sciences*, **31**(2), 118-119.
- Huang, D., Azar, D., Cai, C., Garrouste, R. & Nel, A. 2015. The first Mesozoic pleasing lacewing (Neuroptera: Dilaridae). *Cretaceous Research*, **56**, 274-277.
- Huang, D., Azar, D., Cai, C., Maksoud, S., Nel, A. & Bechly, G. 2017. Mesomegaloprepidae, a remarkable new damselfly family (Odonata: Zygoptera) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **73**, 1-13.
- Huang, D., Azar, D., Cai, C. & Nel, A. 2015. New damselfly genera in the Cretaceous Burmese amber attributable to the Platystictidae and Platycnemididae Disparoneurinae (Odonata: Zygoptera). *Cretaceous Research*, **56**, 237-243.
- Huang, D., Azar, D., Engel, M.S., Cai, C., Garrouste, R. & Nel, A. 2016. A new genus of alder flies (Megaloptera: Sialidae) in Upper Cretaceous Burmese amber. *Cretaceous Research*, **64**, 7-11.
- Huang, D., Azar, D., Engel, M.S., Garrouste, R., Cai, C. & Nel, A. 2016. The first araripeneurine antlion in Burmese amber (Neuroptera: Myrmeleontidae). *Cretaceous Research*, **63**, 1-6.
- Huang, D., Bechly, G., Nel, P., Engel, M.S., Prokop, J., Azar, D., Cai, C.-Y., Kamp, T. van de, Staniczek, A.H., Garrouste, R., Krogmann, L., Santos Rolo, T. dos, Baumbach, T., Ohlhoff, R., Shmakov, A.S., Bourgoin, T. & Nel, A. 2016. New fossil insect order Permopsocida elucidates major radiation and evolution of suction feeding in hemimetabolous insects (Hexapoda: Acercaria). *Scientific Reports*, **6**(23004), 1-9.

- Huang, D., Cai, C. & Nel, A. 2017. A new Burmese amber hawker dragonfly helps to redefine the position of 1 the aeshnopteran 2 family Burmaeshnidae (Odonata: Anisoptera: Aeshnoidea). *Cretaceous Research*, **79**, 153-158.
- Huang, D., Cai, C., Nel, A. & Bechly, G. 2017. A new dragonfly family from the mid Cretaceous Burmese amber (Odonata: Aeshnoptera: Burmaeshnidae). *Cretaceous Research*, **78**, 8-12.
- Huang, D., Garrouste, R., Azar, D., Engel, M.S. & Nel, A. 2014 (on-line). The fourth Mesozoic water measurer discovered in mid-Cretaceous Burmese amber (Heteroptera: Hydrometridae: Hydrometrinae). *Cretaceous Research*, **52**, 118-126.
- Huang, D., Selden, P.A. & Dunlop, J.A. 2009. Harvestmen (Arachnida: Opiliones) from the Middle Jurassic of China. *Naturwissenschaften*, **96**(8), 955-962.
- Jałoszyński, P. & Brunke, A.J., Metscher, B., Zhang, W.-W. & Bai, M. 2017. *Clidicostigus* gen. nov., the first Mesozoic genus of Mastigini (Coleoptera: Staphylinidae: Scydmaeninae) from Cenomanian Burmese amber. *Cretaceous Research*, **72**, 110-116.
- [Jałoszyński, P. & Brunke, A.J., Yamamoto, S. & Takahashi, Y. 2018. Evolution of Mastigitae: Mesozoic and Cenozoic fossils crucial for reclassification of extant tribes \(Coleoptera: Staphylinidae: Scydmaeninae\). *Zoological Journal of the Linnean Society*, \[XX\], 1-30, doi/10.1093/zoolinnean/zly010/4976602.](#)
- Jałoszyński, P. & Peris, D. 2015. Cretaceous amber inclusions of Spain and Myanmar demonstrate early diversification and wide dispersal of Cephenniitae (Coleoptera: Staphylinidae: Scydmaeninae). *Cretaceous Research*, **57**, 190-198.
- Jałoszyński, P., Yamamoto, S. & Takahashi, Y. 2016. *Scydmobisetia* gen. nov., the first definite Glandulariini from Upper Cretaceous Burmese amber (Coleoptera: Staphylinidae: Scydmaeninae). *Cretaceous Research*, **65**, 59-67.
- Jałoszyński, P., Yamamoto, S. & Takahashi, Y. 2017a. A new extinct genus of Glandulariini with two species from Upper Cretaceous Burmese amber (Coleoptera: Staphylinidae: Scydmaeninae). *Cretaceous Research*, **72**, 142-150.
- Jałoszyński, P., Yamamoto, S. & Takahashi, Y. 2017b. Discovery of a new Mesozoic species of the ancient genus *Lepicerus* (Coleoptera: Myxophaga: Lepiceridae), with implications for the systematic placement of all previously described extinct ‘lepiceroids’. *Cretaceous Research*, **78**, 95-102.
- Jarzembowski, E.A. & Wang, B. 2016. An unusual basal beetle from Myanmar (Coleoptera: Archostemata). *Alcheringa*, **40**(2), 297-302.
- Jarzembowski, E.A., Wang, B. & Zheng, D. 2016a (on-line). A new ommatin beetle (Insecta: Coleoptera) with unusual genitalia from mid-Cretaceous Burmese amber Ommatin beetle Burmese amber. *Cretaceous Research*, **71**, 113-117.

- Jarzembowski, E.A., Wang, B. & Zheng, D. 2016b. An amber double first: a new brochocolein beetle (Coleoptera: Archostemata) from northern Myanmar. *Proceedings of the Geologists' Association*, **127**, 676-680.
- Jarzembowski, E.A., Wang, B. & Zheng, D. 2016c (on-line). The first cupedine beetle from Burmese amber (Coleoptera: Cupedidae). *Comptes Rendus Palevol*, **16**, 241-247.
- Jarzembowski, E.A., Wang, B. & Zheng, D. 2017a. Another amber first: A tiny tetraphalerin beetle (Coleoptera: Archostemata) in Myanmar birmite. *Cretaceous Research*, **78**, 84-88.
- Jarzembowski, E.A., Wang, B. & Zheng, D. 2017b. A new spiny reticulated beetle (Coleoptera: Cupedidae) from Cretaceous Burmese amber. *Proceedings of the Geologists' Association*, **128**, 798-802.
- Jarzembowski, E.A., Wang, B. & Zheng, D. 2017c. A new reticulated beetle (Coleoptera: Cupedidae) with aedeagus preserved from mid-Cretaceous amber of Myanmar. *Cretaceous Research*, **80**, 86-90.
- Jarzembowski, E.A., Wang, B. & Zheng, D. 2017d. A slender new archaic beetle in Burmese amber (Coleoptera: Archostemata). *Alcheringa*, **42**, 110-114.
- Jennings, J.T., Austin, A.D. & Stevens, N.B. 2004. *Hyptiogastrites electrinus* Cockerell, 1917, from Myanmar (Burmese) amber: redescription and its placement within the Evanoidea (Insecta: Hymenoptera). *Journal of Systematic Palaeontology*, **2**(2), 127-132.
- Jennings, J.T., Krogmann, L. & Mew, S.L. 2013. *Cretevania bechlyi* sp. nov. from Cretaceous Burmese amber (Hymenoptera: Evaniidae). *Zootaxa*, **3609**(1), 91-95.
- Jepson, J.E. & Jarzembowski, E.A. 2008. Two new species of snakefly (Insecta: Raphidioptera) from the Lower Cretaceous of England and Spain with a review of other fossil raphidiopterans from the Jurassic/Cretaceous transition. *Alavesia*, **2**, 193-201.
- Jiang, T., Szwedo, J. & Wang, B. 2018. A giant fossil Mimarachnidae planthopper from the mid-Cretaceous Burmese amber (Hemiptera, Fulgoromorpha). *Cretaceous Research*, **89**, 183-190.
- Judson, M.L.I. 1997. Catalogue of the pseudoscorpion types (Arachnida: Chelonethi) in The Natural History Musuem, London. *Occasional Papers on Systematic Entomology*, No. 11, 54pp.
- Judson, M.L.I. 2000. *Electrobisium acutum* Cockerell, a cheiridiid pseudoscorpion from Burmese amber, with remarks on the validity of the Cheiridoidea (Arachnida, Chelonethi). *Bulletin of the Natural History Museum, Geology Series*, **56**(1), 79-83.
- Judson, M.L.I. 2004. Baltic amber fossil of *Garypinus electri* Beier provides first evidence of phoresy in the pseudoscorpion family Garypinidae (Arachnida: Chelonethi). In Logunov, D.V. & Penney, D. (eds) European Arachnology 2003, *Arthropoda Selecta*, Special Issue, No. 1, 127-131.

- Judson, M.L.I. 2009. Cheliferoid pseudoscorpions (Arachnida, Chelonethi) from the Lower Cretaceous of France. *Geodiversitas*, **31**(1), 61-71.
- Judson, M.L.I. 2017. A new subfamily of Feaellidae (Arachnida, Chelonethi, Feaelloidea) from Southeast Asia. *Zootaxa*, **4258**(1), 1-33.
- Kania, I., Wang, B. & Szwedo, J. 2014 (on-line). *Dicranoptycha* Osten Sacken, 1860 (Diptera, Limoniidae) from the earliest Cenomanian Burmese amber. *Cretaceous Research*, **52**, 522-530.
- Kathirithamby, J. & Engel, M.S. 2014. A revised key to the living and fossil families of Strepsiptera, with the description of a new family, Cretostylopidae. *Journal of the Kansas Entomological Society*, **87**(4), 385-388.
- Kaupp, A., Falin, Z. & Nagel, P. 2001. An annotated catalogue of fossil Ripiphoridae, taxonomic notes, and the description of a new genus and species from Baltic amber (Coleoptera: Ripiphoridae: Ripidiinae). *Mitteilungen aus dem Geologisch-Palaontologischen Institut der Universität Hamburg* **85**, 165-195.
- Kazantsev, S.V. 2015. *Protoluciola albertalleni* gen.n., sp.n., a new Luciolinae firefly (Insecta: Coleoptera: Lampyridae) from Burmite amber. *Russian Journal of Entomology*, **24**(4), 281-283.
- Khaustov, A.A. & Poinar, G.O.Jr. 2010 (on-line). *Protoresinacarus brevipedis* gen. n., sp. n. from Early Cretaceous Burmese amber: the first fossil record of mites of the Family Resinacaridae (Acari: Heterostigmata: Pyemotoidea). *Historical Biology*, **23** (2-3), 219-222.
- Kirejtshuk, A.G. 2009. A new genus and species of Sphaeriusidae (Coleoptera, Myxophaga) from Lower Cretaceous Burmese amber. *Denisia*, **26**, 99-102.
- Kirejtshuk, A.G. 2017. Taxonomic notes on fossil beetles (Insecta: Coleoptera). *Russian Entomological Journal*, **26**(1), 35-36.
- Kirejtshuk, A.G., Azar, D., Beaver, R.A. Mandelshtam & Nel, A. 2009. The most ancient bark beetle known: a new tribe, genus and species from Lebanese amber (Coleoptera, Curculionidae, Scolytinae). *Systematic Entomology*, **34**, 101-112.
- [Kirejtshuk, A.G. & Chetverikov, P.E. 2018. Discovery of a Nitidulidae in Cretaceous Burmese amber \(Coleoptera, Cucuoidea\) with description of a new genus and taxonomic notes. *Cretaceous Research*, **89**, 174-182.](#)
- Kirejtshuk, A.G. & Nel, A. 2008. New beetles of the suborder Polyphaga from the Lowermost Eocene French amber (Insecta: Coleoptera). *Annales de la Société Entomologique de France*, **44**(4), 419-442.

- Kirejtshuk, A.G. & Poinar, G.O.Jr. 2006. Haplochelidae, a new family of Cretaceous beetles (Coleoptera: Myxophaga) from Burmese amber. *Proceedings of the Entomological Society of Washington*, **108**(1), 155-164.
- Kirejtshuk, A.G. & Poinar, G.Jr. 2013. On the systematic position of the genera *Lepiceroides* gen.n. and *Haplochelus*, with notes on the taxonomy and phylogeny of the Myxophaga (Coleoptera). In Azar, D., Engel, M.S., Jarzembski, E.A., Krogmann, L., Nel, A. & Santiago-Blay, J. (eds) *Insect Evolution in an Amberiferous and Stone Alphabet*. Proceedings of the 6th International Congress on Fossil Insects, Arthropods and Amber. Brill, Leiden. 55-69.
- Kiselyova, T. & McHugh, J.V. 2006. A phylogenetic study of Dermestidae (Coleoptera) based on larval morphology. *Systematic Entomology*, **31**, 469-507.
- Kluge, N.J. 2004. *The Phylogenetic System of the Ephemeroptera*. Kluwer, Dordrecht. 442pp.
- [Kočárek, P. 2018. *Alienopterella stigmatica* gen. et sp. nov.: the second known species and specimen of Alienoptera extends knowledge about this Cretaceous order \(Insecta: Polyneoptera\)](#). *Journal of Systematic Palaeontology*, DOI: 10.1080/14772019.2018.1440440.
- [Konikiewicz, M. & Mąkoi, J. 2018. Insight into fossil fauna of terrestrial Parasitengona mites \(Trombidiformes: Prostigmata\) – The first representatives of Erythraeina Welbourn, 1991 and Trombidiina Welbourn, 1991 in Burmese amber](#). *Cretaceous Research*, **89**, 60-74.
- [Koteja, J. 2004. Scale insects \(Hemiptera: Coccoidea\) from Cretaceous Myanmar \(Burmese\) amber](#). *Journal of Systematic Palaeontology*, **2** (2): 109-114.
- [Krishna, K. & Grimaldi, D.A. 2003. The first Cretaceous Rhinotermitidae \(Isoptera\): A new species, genus, and subfamily in Burmese amber](#). *American Museum Novitates*, No. 3390, 10pp.
- [Krishna, K., Grimaldi, D.A., Krishna, V. & Engel, M.S. 2013. Treatise on the Isoptera of the World](#). *Bulletin of the American Museum of Natural History*, No. 377(1-7), 1-2704.
- [Krzeminski, W. 2004. Fossil Limoniidae \(Diptera, Tipulomorpha\) from Lower Cretaceous Burmese amber of Myanmar](#). *Journal of Systematic Palaeontology*, **2** (2), 123-125.
- [Lak, M., Azar, D., Nel, A., Néraudeau, D. & Tafforeau, P. 2008. The oldest representative of the Trichomyiinae \(Diptera: Psychodidae\) from the Lower Cenomanian French amber studied with phase-contrast synchrotron X-ray imaging](#). *Invertebrate Systematics*, **22**, 471-478.
- [Lambertz, M. 2017. Phylogenetic placement, developmental trajectories and evolutionary implications of a feathered dinosaur tail in Mid-Cretaceous amber](#). *Current Biology*, **27**(6), R215-R216.
- [Lees, D.C., Rougerie, R., Zeller-Lukashort, C., Kritstensen, N.P. 2010. DNA mini-barcodes in taxonomic assignment: a morphologically unique new homoneurous moth clade from the Indian Himalayas described in Micropterix \(Lepidoptera: Micropterigidae\)](#). *Zoologica Scripta*, **39**(6), 642-661.

- Legalov, A.A. 2009. A review of fossil and Recent species of the Family Ithyiceridae (Coleoptera) from the world fauna. *Amurian Zoological Journal*, **1**(2), 117-131.
- Legalov, A.A. 2017 (on-line). A new weevil, *Burmorhinus georgei* gen. et sp. nov. (Coleoptera; Curculionidae) from the Cretaceous Burmese amber. *Cretaceous Research*, **84**, 13-17.
- Legalov, A.A. & Poinar, G. 2014. New tribes of the superfamily Curculionoidea (Coleoptera) in Burmese amber. *Historical Biology*, **27** (5), 558-564.
- Levinson, A.A. 2001. Amber ("Burmite") from Myanmar: Production resumes. *Gems & Gemology*, **37**, 142-143.
- Li, L., Kopylov, D.S., Shih, C. & Ren, D. 2016 (on-line). The first record of Ichneumonidae (Insecta: Hymenoptera) from the Upper Cretaceous of Myanmar. *Cretaceous Research*, **70**, 152-162.
- Li, L., Rasnitsyn, A.P., Labandeira, C.C., Shih, C. & Ren, D. 2017. Phylogeny of Stephanidae (Hymenoptera: Apocrita) with a new genus from Upper Cretaceous Myanmar amber. *Systematic Entomology*, **42**(1), 194-203.
- Li, L., Rasnitsyn, A.P., Shih, C. & Ren, D. 2015. A new genus and species of Praeaulacidae (Hymenoptera: Evanioidea) from Upper Cretaceous Myanmar amber. *Cretaceous Research*, **55**, 19-24.
- Li, L., Shih, C., Rasnitsyn, A.P., Li, D. & Ren, D. 2018. A new wasp of Myanmarinidae (Hymenoptera: Stephanoidea) from the mid-Cretaceous Myanmar amber. *Cretaceous Research*, **86**, 33-40.
- Li, S., Lu, Y., Wang, B., Li, J., Yang, X., Bai, M. 2018. †Electrorubesopsinae, a new subfamily from Cretaceous Burmese amber, as the possible sister group of Dynamopodinae (Coleoptera: Scarabaeidae). *Journal of Systematic Palaeontology*, DOI: 10.1080/14772019.2018.1427638.
- Li, S., Zhang, W., Shih, C. & Ren, D. 2018. A new species of hangingfly (Insecta: Mecoptera: Bittacidae) from the mid-Cretaceous Myanmar amber. *Cretaceous Research*, **89**, 92-97.
- Liang, F., Zhang, W. & Liu, X. 2016. A new genus and species of the paraneopteran family Archipsyllidae in mid-Cretaceous amber of Myanmar. *Zootaxa*, **4105**(5), 483-490.
- Liang, J.-H., Vršanský, P., Ren, D. & Shih, C. 2009. A new Jurassic carnivorous cockroach (Insecta, Blattaria, Raphidomimidae) from the Inner Mongolia in China. *Zootaxa*, No. 1974, 17-30.
- Lin, M.-Y. & Bai, M. 2017. *Qitianniu zhihaoi* gen. et sp. nov.: The first cerambycid beetle found in Cretaceous Burmese amber (Coleoptera: Chrysomeloidea). *Cretaceous Research*, **75**, 173-178.
- Lin, Q., Shih, C., Zhao, Y. & Ren, D. 2017 (on-line). A new genus and species of Prosopistomatidae (Insecta: Ephemeroptera) from mid-Cretaceous Myanmar amber. *Cretaceous Research*, **84**, 401-406.

- Lin, S., Yao, Y., Ren, D. 2018. A new scale insect of the extinct family Weitschatidae (Insecta: Hemiptera: Coccomorpha) from mid-Cretaceous Burmese amber. *Zootaxa*, **4407**(3), 427-434.
- Liu, W., Rühr, P.T. & Wesener, T. 2017. A look with µCT technology into a treasure trove of fossils: The first two fossils of the millipede order Siphoniulida discovered in Cretaceous Burmese amber (Myriapoda, Diplopoda). *Cretaceous Research*, **74**, 100-108.
- Liu, X., Aspöck, H., Winterton, S.L., Zhang, W. & Aspöck, U. 2017. Phylogeny of pleasing lacewings (Neuroptera: Dilaridae) with a revised generic classification and description of a new subfamily. *Systematic Entomology*, **42**, 448-471.
- Liu, X. & Lu, X. 2017. A remarkable new genus of Cretaceous dustywings (Neuroptera: Coniopterygidae) in amber from northern Myanmar. *Zoological Systematics*, **42**(3) 380-389.
- Liu, X., Lu, X., Xia, F. & Wang, B. 2017. First description of female of *Haplosialodes liui* Huang *et al.*, 2016 (Megaloptera: Sialidae) from Cretaceous Burmese amber. *Zootaxa*, **4258** (2), 172-178.
- Liu, X., Lu, X. & Zhang, W. 2016a. New genera and species of the minute snakeflies (Raphidioptera: Mesoraphidiidae: Nanoraphidiini) from the mid Cretaceous of Myanmar. *Zootaxa*, **4103**(4), 301-324.
- Liu, X., Lu, X. & Zhang, W. 2016b. *Halteriomantispa grimaldii* gen. et sp. nov.: A new genus and species of the family Dipteromantispidae (Insecta: Neuroptera) from the mid-Cretaceous amber of Myanmar. *Zoological Systematics*, **41**(2), 165-172.
- Liu, X., Lu, X. & Zhang, W. 2016c (on-line). Phylogenetic position of Corydasialidae (Insecta: Neuropterida) revisited based on a significant new fossil in Cretaceous amber of Myanmar. *Journal of Systematic Palaeontology*, **15**(7), 571-581.
- Liu, X., Lu, X. & Zhang, W. 2016d (on-line). New genera and species of the family Dipteromantispidae (Insecta: Neuroptera) from the Cretaceous amber of Myanmar and New Jersey. *Cretaceous Research*, **72**, 18-25.
- Liu, X., Qiao, G., Yao, Y. & Ren, D. 2017 (on-line). New fossil Juraphididae (Hemiptera: Aphidomorpha) from Burmese amber, with phylogeny of the family. *Cretaceous Research*, **84**, 420-425.
- Liu, X., Shi, G., Xia, F., Lu, X., Wang, B. & Engel, M.S. 2018. Liverwort mimesis in a Cretaceous lacewing larva. *Current Biology*, **28**, 1-7.
- Liu, X., Zhang, W., Winterton, S.L., Breitkreuz, L.C.V. & Engel, M.S. 2016. Early morphological specialization for insect-spider associations in Mesozoic lacewings. *Current Biology*, **26**, 1590-1594.
- Liu, Y., Cai, C. & Huang, D. 2016 (on-line). First soldier fly from the mid-Cretaceous Burmese amber

- (Diptera, Stratiomyidae). *Cretaceous Research*, **70**, 142-146.
- Liu, Y., Shi, H., Cai, C., Liang, H. & Huang, D. 2014 (on-line). The first record of Cretaceous ground beetle (Coleoptera: Carabidae: Oodini) from Burmese amber. *Cretaceous Research*, **52**, 427-430.
- Liu, Z., Tan, J., Ślipinski, A., Jarzembowski, E.A., Wang, B., Ren, D. & Pang, H. 2017. *Brochocoleus zhiyuani*, a new species of brochocolein beetle (Coleoptera: Ommatidae) from the Cretaceous amber of Myanmar. *Annales Zoologici*, **67**(1), 79-85.
- Lohrmann, V. & Engel, M.S. 2017. The wasp larva's last supper: 100 million years of evolutionary stasis in the larval development of rhopalosomatid wasps (Hymenoptera: Rhopalosomatidae). *Fossil Record*, **20**, 239-244.
- Lourenço, W.R. 2002. The first scorpion fossil from the Cretaceous amber of Myanmar (Burma). New implications for the phylogeny of Buthoidea. *Comptes Rendus Palevol*, **1**, 97-101.
- Lourenço, W.R. 2012. About the scorpion fossils from the Cretaceous amber of Myanmar (Burma) with the descriptions of a new family, genus and species. *Acta Biológica Paranaense, Curitiba*, **41** (3-4), 75-87.
- Lourenço, W.R. 2013. A new species of *Chaerilobuthus* Lourenço & Beigel, 2011 from Cretaceous Burmese amber (Scorpiones: Chaerilobuthidae). *Acta Biológica Paranaense, Curitiba*, **42**(1-2), 1-5.
- Lourenço, W.R. 2015a. A new subfamily, genus and species of fossil Scorpiones from Cretaceous Burmese amber (Scorpiones: Palaeoeuscorpiidae). In Wunderlich, J. (ed.) Mesozoic Spiders (Araneae). *Beiträge zur Araneologie*, **9**, 457-464.
- Lourenço, W.R. 2015b. Clarification of the familiar status of the genus *Palaeoburmesebuthus* Lourenço, 2002 from Cretaceous Burmese amber (Scorpiones: Archaeobuthidae: Palaeoburmesebuthinae). In Wunderlich, J. (ed.) Mesozoic Spiders (Araneae). *Beiträge zur Araneologie*, **9**, 465-475.
- Lourenço, W.R. 2015c. New contribution to the knowledge of Cretaceous Burmese amber scorpions: descriptions of two new species of *Betaburmesebuthus* Lourenço, 2015 (Scorpiones: Archaeobuthidae: Palaeoburmesebuthinae). *Arachnida, Rivista Aracnologica Italiana*, **3**, 27-36.
- Lourenço, W.R. 2015d. An unusual new species of *Chaerilobuthus* Lourenço & Beigel, 2011 (Scorpiones: Chaerilobuthidae) from the Cretaceous amber of Myanmar (Burma). *Arachnida, Rivista Aracnologica Italiana*, **5**, 44-48.
- Lourenço, W.R. 2016a. A new genus and three new species of scorpions from Cretaceous Burmese amber (Scorpiones: Chaerilobuthidae: Palaeoeuscorpiidae). *Arthropoda Selecta*, **25**(1), 67-74.

- Lourenço, W.R. 2016b. A preliminary synopsis on amber scorpions with special reference to Burmite species: an extraordinary development of our knowledge in only 20 years. *ZooKeys*, **600**, 75-87.
- Lourenço, W.R. 2017a. One more new genus and species of fossil scorpion from Burmese Cretaceous amber belonging to the family Palaeoburmesebuthidae (Scorpiones). *Arachnida, Rivista Aracnologica Italiana*, **13**, 2-10.
- Lourenço, W.R. 2017b. Two more new species of Burmese amber scorpions of the family Palaeoburmesebuthidae Lourenço, 2015 (Scorpiones). *Arachnida, Rivista Aracnologica Italiana*, **13**, 11-21.
- Lourenço, W.R. 2018. The evolution and distribution of noxious species of scorpions (Arachnida: Scorpiones). *Journal of Venomous Animals and Toxins including Tropical Diseases*, **24**(1), 1-12.
- Lourenço, W.R. & Beigel, A. 2011. A new scorpion fossil from the Cretaceous amber of Myanmar (Burma). New phylogenetic implications. *Comptes Rendus Palevol*, **10**, 635-639.
- Lourenço, W.R. & Beigel, A. 2015. A new genus and species of Palaeoburmesebuthinae Lourenço, 2014 (Scorpiones: Archaeobuthidae) from Cretaceous amber of Myanmar. In Wunderlich, J. (ed.) Mesozoic Spiders (Araneae). *Beiträge zur Araneologie*, **9**, 465-475.
- Lourenço, W.R. & Velten J. 2015. Another new species of *Chaerilobuthus* Lourenço & Beigel, 2011 (Scorpiones: Chaerilobuthidae) from the Cretaceous amber of Myanmar (Burma). *Arachnida, Rivista Aracnologica Italiana*, **5**, 2-8.
- Lourenço W.R. & Velten, J. 2016a. One more new species of *Betaburmesebuthus* Lourenço, 2015 (Scorpiones: Palaeoburmesebuthinae) from Cretaceous burmite. *Arachnida, Rivista Aracnologica Italiana*, **6**, 4-11.
- Lourenço W.R. & Velten, J. 2016b A new genus and species of fossil scorpion from Burmese Cretaceous amber (Scorpiones: Buthoidea: Buthidae. *Arachnida, Rivista Aracnologica Italiana*, **10**, 2-9.
- Lourenço W.R. & Velten, J. 2016c A sixth new species of Cretaceous Burmese amber scorpion of the genus *Betaburmesebuthus* Lourenço, 2015 (Scorpiones: Palaeoburmesebuthidae. *Arachnida, Rivista Aracnologica Italiana*, **10**, 10-17.
- Lü, L., Cai, C.-Y. & Huang, D.-Y. 2016 (on-line). The earliest oxyteline rove beetle in amber and its systematic implications (Coleoptera: Staphylinidae: Oxytelinae). *Cretaceous Research*, **69**, 169-177.
- Lu, X., Wang, B., Ohl, M. & Liu, X. 2018. The first green lacewing (Insecta: Neuroptera: Chrysopidae) from the mid-Cretaceous amber of Myanmar. *Zootaxa*, **4399**(4), 563-570.
- Lu, X.M., Zhang, W.W., Liu, X.Y. 2016a. New long-proboscid lacewings of the mid-Cretaceous provide insights into ancient plant-pollinator interactions. *Scientific Reports*, **6**(25382), 1-12.

- Lu, X.M., Zhang, W.W., Liu, X.Y. 2016b. Nomenclatural validation of new genera and species of the superfamily Psychopoidea (Insecta: Neuroptera) from the mid-Cretaceous amber of Myanmar. *Zoological Systematics*, **41**(3), 323-326.
- Lu, X., Zhang, W. & Liu, X. 2016c (on-line). Discovery of the family Babinskaiidae (Insecta: Neuroptera) in mid-Cretaceous amber from Myanmar. *Cretaceous Research*, **71**, 14-23.
- Lu, X., Zhang, W., Ohl, M. & Liu, X. 2017a. The first moth lacewing (Insecta: Neuroptera: Ithonidae) from the mid-Cretaceous amber of Myanmar. *Cretaceous Research*, **78**, 78-83.
- Lu, X., Zhang, W., Ohl, M. & Liu, X. 2017b. New genus and species of silky lacewing (Insecta: Neuroptera: Psychopsidae) from the mid-Cretaceous Burmese amber. *Zootaxa*, **4291**(2), 373-383.
- Lucena, D.A.A. & Melo, G.A.R. 2018. Chrysidid wasps (Hymenoptera: Chrysidae) from Cretaceous Burmese amber: Phylogenetic affinities and classification. *Cretaceous Research*, **89**, 279-291.
- Lukashevich, E.D. 2000. Phantom midges (Diptera: Chaoboridae) from Burmese amber. *Bulletin of the Natural History Museum, Geology Series*, **56**(1): 47-52.
- Lukashevich, E.D. & Grimaldi, D. 2004. Eoptychopteridae (Insecta: Diptera) in Cretaceous amber from Myanmar. *Studia Dipterologica*, **10**(2, for 2003), 359-366.
- Makarkin, V.N. 2014 (on-line). A remarkable new genus of Mantispidae (Insecta, Neuroptera) from Cretaceous amber of Myanmar and its implications on raptorial foreleg evolution in Mantispidae: A comment. *Cretaceous Research*, **52**, 423-424.
- Makarkin, V.N. 2015. A new genus of the mantispid-like Paraberothinae (Neuroptera: Berothidae) from Burmese amber, with special consideration of its probasitarsus spine-like setation. *Zootaxa*, **4007** (3), 327-342.
- Makarkin, V.N. 2016a. Enormously long, siphonate mouthparts of a new, oldest known Spongilla fly (Neuroptera, Sisyridae) from Burmese amber imply nectarivory or hematophagy. *Cretaceous Research*, **65**, 126-137.
- Makarkin, V.N. 2016b. The neuropteran assemblage (Insecta) of the mid-Cretaceous Burmese amber confirms transitional character of its biota. In: Dzyuba, O.S., Pestchevitskaya, E.B. & Shurygin, B.N. (eds) *Cretaceous ecosystems and their responses to paleoenvironmental changes in Asia and the western Pacific*. Short papers for the fourth International Symposium of IGCP Project 608, Novosibirsk, August 15-20, 2016, 27-29.
- Makarkin, V.N. 2016c (on-line). New taxa of unusual Dilaridae (Neuroptera) with siphonate mouthparts from the mid-Cretaceous Burmese amber. *Cretaceous Research*, **74**, 11-22.

- Makarkin, V.N., Heads, S.W. & Wedmann, S. 2017. Taxonomic study of the Cretaceous lacewing family Babinskaiidae (Neuroptera: Myrmeleontoidea: Nymphidoidae), with description of new taxa. *Cretaceous Research*, **78**, 149-160.
- Malak, M.A., Salamé, Y & Azar, D. 2013. New phlebotomine flies from Burmese amber (Diptera: Psychodidae: Phlebotominae). *Terrestrial Arthropod Reviews*, **6**, 81-101.
- Martin, J.H. 2007. Giant whiteflies (Sternorrhyncha, Aleyrodidae): a discussion of their taxonomic and evolutionary significance, with the description of a new species of *Udamoselis* Enderlein from Ecuador. *Tijdschrift voor Entomologie*, **150**, 13-29.
- McCafferty, W.P. & Santiago-Blay, J.A. 2009. A new Cretaceous mayfly from Burmese amber (Ephemeroptera: Australiphemeridae). *Entomological News*, **119**(5, for 2008), 492-496.
- McCoy, V.E., Soriano, C. & Gabbott, S.E. A review of preservational variation of fossil inclusions in amber of different chemical groups. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, **107**, 203-211.
- McKellar, R.C., Glasier, J.R.N. & Engel, M.S. 2013. A new trap-jawed ant (Hymenoptera: Formicidae: Haidomyrmecini) from Canadian Late Cretaceous amber. *Canadian Entomologist*, **145**, 454-465.
- Mendes, L.F. & Poinar, G.O. 2008. A new fossil silverfish (Zygentoma: Insecta) in Mesozoic Burmese amber. *European Journal of Soil Biology*, **44**, 491-494.
- Mendes, L.F. & Wunderlich, J. 2013. New data on thysanurans preserved in Burmese amber (Microcoryphia and Zygentoma Insecta). *Soil Organisms*, **85**(1), 11-22.
- Mey, W., Wichard, W., Müller, P. & Wang, B. 2017. The blueprint of the Amphiesmenoptera – Tarachoptera, a new order of insects from Burmese amber (Insecta, Amphiesmenoptera). *Fossil Record*, **20**, 129-145.
- Mey, W., Wichard, W., Ross, E. & Ross, A. 2018. On the systematic position of a highly derived amphiesmenopteran insect from Burmese amber (Insecta, Amphiesmenoptera). *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, **107**, 249–254.
- Mockford, E.L., Lienhard, C. & Yoshizawa, K. 2013. Revised classification of ‘Psocoptera’ from Cretaceous amber, a reassessment of published information. *Insecta Matsumurana*, **69**, 1-26.
- Moritz, L. & Wesener, T. 2017 (on-line). *Sympylella patrickmuelleri* sp. nov. (Myriapoda: Symphyla): The oldest known Symphyla and first fossil record of Scolopendrellidae from Cretaceous Burmese amber. *Cretaceous Research*, **84**, 258-263.
- Möstel, C., Schorr, M. & Bechly, G. 2017. A new stem-coenagrionoid genus of damselflies (Odonata: Zygoptera) from mid-Cretaceous Burmese amber. *Zootaxa*, **4243**(1), 177-186.

Myskowiak, J., Huang, D., Azar, D., Cai, C., Garrouste, R. & Nel, A. New lacewings (Insecta, Neuroptera, Osmylidae, Nymphidae) from the Lower Cretaceous Burmese amber and Crato Formation in Brazil. *Cretaceous Research*, **59**, 214-227.

Nel, A., Perrichot, V., Néraudeau, D., 2003. The oldest trigonalid wasp in the Late Albian amber of Charente-Maritime (SW France) (Hymenoptera: Trigonalidae). *Eclogae Geologicae Helvetiae*, **96**, 503–508.

Nel, A. & Prokop, J. 2006. New fossil gall midges from the earliest Eocene Franch amber (Insecta, Diptera, Cecidomyiidae). *Geodiversitas*, **28**(1), 37-54.

Nel, A., Prokop, J., Grandcolas, P., Garrouste, R., Lapeyrie, J., Legendre, F., Anisyutkin, L.N. & Kirejtshuk, A.G. 2014. The beetle-like Palaeozoic and Mesozoic roachoids of the so-called “umenocoleoid” lineage (Dipteroptera: Ponopterixidae fam. nov.). *Comptes Rendus Palevol*, **13**, 545-554.

Nel, A., Prokop, J., Ploëg, G. de & Millet, J. 2005. New Psocoptera (Insecta) from the lowermost Eocene amber of Oise, France. *Journal of Systematic Palaeontology*, **3**(4), 371-391.

Nel, A. & Waller, A. 2007. The first fossil Compsocidae from Cretaceous Burmese amber (Insecta, Psocoptera, Troctomorpha). *Cretaceous Research*, **28**(6), 1039-1041.

Nel, A., Waller, A. & Ploëg, G. de 2004. An aulacid wasp in the lowermost Eocene amber from the Paris Basin (Hymenoptera: Aulacidae). *Geologica Acta*, **2**, 67-74.

Nicholson, D.B., Mayhew, P.J. & Ross, A.J. 2015. Changes to the fossil record of insects through fifteen years of discovery. *PlosONE*, **10** (7), 1-61.

Ohl, M. 2004. The first fossil representative of the wasp genus *Dolichurus*, with a review of fossil Ampulicidae (Hymenoptera: Apoidea). *Journal of the Kansas Entomological Society*, **77**(4), 332-342.

Oliviera, I. de S., Bai, M., Jahn, H., Gross, V., Martin, C., Hammel, J., Zhang, W. & Mayer, G. 2016. Earliest Onychophoran in amber reveals gondwanan migration patterns. *Current Biology*, **26**(19), 2594-2601.

Olmi, M., Rasnitsyn, A.P., Brothers, D.J. & Guglielmino, A. 2014. The first fossil Embolemidae (Hymenoptera: Chrysidoidea) from Burmese amber (Myanmar) and Orapa Kimberlitic deposits (Botswana) and their phylogenetic significance. *Journal of Systematic Palaeontology*, **12** (6), 623-635. Corrigendum, p. 759.

Olmi, M., Xu, Z. & Guglielmino, A. 2014. Descriptions of new fossil taxa of Dryinidae (Hymenoptera: Chrysidoidea) from Burmese amber (Myanmar). *Acta Entomologica Musei Nationalis Pragae*, **54** (2), 703-714.

- Parker, J. 2016. Emergence of a superradiation: pselaphine rove beetles in mid-Cretaceous amber from Myanmar and their evolutionary implications. *Systematic Entomology*, **41**, 541-566.
- Peñalver, E., Arillo, A., Delclós, X., Peris, D., Grimaldi, D.A., Anderson, S.R., Nascimbene, P.C., Fuente, R. P. de la. 2017. Ticks parasitised feathered dinosaurs as revealed by Cretaceous amber assemblages. *Nature Communications*, **8**(1924), 1-13.
- Peñalver, E., Arillo, A., Fuente, R. P. de la, Delclós, X., Barrón, E. & Grimaldi, D.A. 2015. Long-proboscid flies as pollinators of Cretaceous Gymnosperms. *Current Biology*, **25**, 1-7.
- Peñalver, E. & Grimaldi, D.A. 2010. Latest occurrences of the Mesozoic family Elcanidae (Insecta: Orthoptera), in Cretaceous amber from Myanmar and Spain. *Annales de la Société Entomologique de France*, **46** (1-2), 88-99.
- Penney, D. 2000. Miocene spiders in Dominican amber (Oonopidae, Mysmenidae). *Palaeontology*, **43**(2), 343-357.
- Penney, D. 2003. *Afrarchaea grimaldii*, a new species of Archaeidae (Araneae) in Cretaceous Burmese amber. *Journal of Arachnology*, **31**, 122-130.
- Penney, D. 2004. A new genus and species of Pisauridae (Araneae) in Cretaceous Burmese amber. *Journal of Systematic Palaeontology*, **2**(2), 141-145.
- Penney, D. 2005. The fossil spider family Lagonomegopidae in Cretaceous ambers with descriptions of a new genus and species from Myanmar. *Journal of Arachnology*, **33**, 439-444.
- Penny, D. 2006. Fossil oonopid spiders in Cretaceous ambers from Canada and Myanmar. *Palaeontology*, **49**(1), 229-235.
- Penney, D. 2012. Predatory behaviour of Cretaceous social orb-weaving spiders: comment. *Historical Biology*, **26** (1), 132-134. [Published on-line 2012, printed 2014]
- Peris, D., Davis, S., Engel, M.S. & Delclòs, X. 2014. An evolutionary history embedded in amber: reflection of the Mesozoic shift in weevil-dominated (Coleoptera: Curculionoidea) faunas. *Zoological Journal of the Linnean Society*, **171**, 534–553.
- Peris, D. & Delclòs, X. 2015. Fossil Monotomidae (Coleoptera: Polyphaga) from Laurasian Cretaceous amber. *Organisms Diversity & Evolution*, **15**, 333-342.
- Peris, D., Philips, T.K. & Delclòs, X. 2014 (on-line). Ptinid beetles from the Cretaceous gymnosperm-dominated forests. *Cretaceous Research*, **52**, 440-452.
- Peris, D., Ruzzier, E., Perrichot, V. & Delclòs, X. 2016. Evolutionary and paleobiological implications of Coleoptera (Insecta) from Tethyan-influenced Cretaceous ambers. *Geoscience Frontiers*, **7**, 695-706.

- Perkovsky, E.E. & Fedotova, Z.A. 2017. The second Cretaceous gall midge genus of the Tribe Diallactiini (Diptera: Cecidomyiidae) from the Late Cretaceous Burmese amber. *Vestnik Zoologii*, **51**(2), 117-124.
- Perrard, A., Grimaldi, D. & Carpenter, J.M. 2017. Early lineages of Vespidae (Hymenoptera) in Cretaceous amber. *Systematic Entomology*, **42**, 379-386.
- Perrichot, V. 2013. New maimetshid wasps in Cretaceous amber from Myanmar (Insecta: Hymenoptera). *Annales de Paléontologie*, **99**, 67-77.
- Perrichot, V. 2014. A new species of the Cretaceous ant *Zigrasimecia* based on the worker caste reveals placement of the genus in the Sphecomyrminae (Hymenoptera: Formicidae). *Mymecological News*, **19**, 165-169.
- Perrichot, V. & Engel, M.S. 2007. Early Cretaceous snakefly larvae in amber from Lebanon, Myanmar, and France (Raphidioptera). *American Museum Novitates*, No. 3598, 11pp.
- Perrichot, V., Nel, A. & Néraudeau, D. 2004. Two new wedge-shaped beetles in Albo-Cenomanian ambers of France (Coleoptera: Ripiphoridae: Ripiphorinae). *European Journal of Entomology*, **101**(4), 577-581.
- Perrichot, V., Nel, A. & Néraudeau, D. 2007. Schizopterid bugs (Insecta: Heteroptera) in mid-Cretaceous amber from France and Myanmar (Burma). *Palaeontology*, **50**(6): 1367-1374.
- Perrichot, V., Nel, A., Néraudeau, D., Lacau, S. & Guyot, T. 2008. New fossil ants in French Cretaceous amber (Hymenoptera: Formicidae). *Naturwissenschaften*, **95**, 91-97.
- Perrichot, V., Wang, B. & Engel, M.S. 2016. Extreme morphogenesis and ecological specialization among Cretaceous basal ants. *Current Biology*, **26**(11), 1468-1472.
- Podenas, A. & Poinar, G.O.Jr. 2009. New crane flies (Diptera: Limoniidae) from Burmese amber. *Proceedings of the Entomological Society of Washington*, **111**(2), 470-492.
- Pohl, H. & Beutel, R.G. 2016. †*Kinzelbachilla ellenbergeri* – a new ancestral species, genus and family of Strepsiptera (Insecta). *Systematic Entomology*, **41**, 287-297.
- Poinar, G.O.Jr. 2004a. *Palaeomyia burmitis* (Diptera: Phlebotominae), a new genus and species of Cretaceous sand flies with evidence of blood-sucking habits. *Proceedings of the Entomological Society of Washington*, **106**(3), 598-605.
- Poinar, G.O.Jr. 2004b. *Programinis burmitis* gen. et sp. nov., and *P. laminatus* sp. nov., Early Cretaceous grass-like monocots in Burmese amber. *Australian Systematic Botany*, **17**(5), 497-504.

- Poinar, G.O.Jr. 2006. *Mesophyletis calhouni* (Mesophyletinae), a new genus, species, and subfamily of Early Cretaceous weevils (Coleoptera: Curculionoidea: Eccoptyarthridae) in Burmese amber. *Proceedings of the Entomological Society of Washington*, **108**(4), 878-884.
- Poinar, G.O.Jr. 2007. Early Cretaceous trypanosomatids associated with fossil sand fly larvae in Burmese amber. *Memórias do Instituto Oswaldo Cruz*, **102**(5), 635-637.
- Poinar, G.O.Jr. 2008a. *Palaeosiro burmanicum* n. gen., n. sp., a fossil Cyphophthalmi (Arachnida: Opiliones: Sironidae) in Early Cretaceous Burmese amber. In: Makarov, S.E. & Dimitrijević, R.N. (eds.) Advances in Arachnology and Developmental Biology. *Institute of Zoology, University of Belgrade, Monographs*, **12**, 267-274.
- Poinar, G.O.Jr. 2008b. *Leptoconops nosopheris* sp. n. (Diptera: Ceratopogonidae) and *Paleotrypanosoma burmanicus* gen. n., sp. n. (Kinetoplastida: Trypanosomatidae), a biting midge - trypanosome vector association from the Early Cretaceous. *Memórias do Instituto Oswaldo Cruz*, **103**(5), 468-471.
- Poinar, G.O.Jr. 2009a. Description of an early Cretaceous termite (Isoptera: Kalotermitidae) and its associated intestinal protozoa, with comments on their co-evolution. *Parasites & Vectors*, **2**(12), 17pp.
- Poinar, G.O.Jr. 2009b. *Melittosphex* (Hymenoptera: Melittosphecidae), a primitive bee and not a wasp. *Palaeontology*, **52**(2), 483.
- Poinar, G.O.Jr. 2009c. *Palaeocryptorhynchus burmanus*, a new genus and species of Early Cretaceous weevils (Coleoptera: Curculionidae) in Burmese amber. *Cretaceous Research*, **30**(3), 587-591.
- Poinar, G.O.Jr. 2009d. Early Cretaceous protist flagellates (Parabasalia: Hypermatigia: Oxymonada) of cockroaches (Insecta: Blattaria) in Burmese amber. *Cretaceous Research*, **30**, 1066-1072.
- Poinar, G.O.Jr. 2010a. *Cascoplecia insolitis* (Diptera: Cascopleciidae), a new family, genus, and species of flower-visiting, unicorn fly (Bibionomorpha) in Early Cretaceous Burmese amber. *Cretaceous Research*, **31**, 71-76.
- Poinar, G.O.Jr. 2010b. Gregarine infections in insects. In: Boucot, A.J. & Poinar, Jr., G. O. (Eds.) *Fossil Behavior Compendium*. CRC Press, Boca Raton. 54-56.
- Poinar, G.O.Jr. 2011a. *Vetuformosa buckleyi* n. gen., n. sp. (Ephemeroptera: Baetidae; Vetuformosinae n. subfam.), a new subfamily of mayflies in Early Cretaceous Burmese amber. *Historical Biology*, **23** (4), 369-374.
- Poinar, G.O.Jr. 2011b. Silica bodies in the Early Cretaceous *Programminis laminatus* (Angiospermae: Poales). *Palaeodiversity*, **4**, 1-6.
- Poinar, G.O.Jr. 2011c. *The Evolutionary History of Nematodes*. Brill, Leiden. 429pp.

- Poinar, G.O.Jr. 2012. Fossil gregarines in Dominican and Burmese amber: examples of accelerated development? *Palaeodiversity*, **5**, 1-6.
- Poinar, G.O.Jr. 2014 (on-line). Rickettsial-like cells in the Cretaceous tick, *Cornupalpatum burmanicum* (Ixodida: Ixodidae). *Cretaceous Research*, **52**, 623-627.
- Poinar, G.O.Jr. 2016a. What fossils reveal about the Protozoa progenitors, geographic provinces, and early hosts of malarial organisms. *American Entomologist*, **62**(1), 22-25.
- Poinar, G.O.Jr. 2016b (on-line). A mid-Cretaceous Lauraceae flower, *Cascolaurus burmitis* gen. et sp. nov., in Myanmar amber. *Cretaceous Research*, **71**, 96-101.
- Poinar, G.O.Jr. 2016c. A mid-Cretaceous Eccrinales infesting a primitive wasp in Myanmar amber. *Fungal Biology*, **120**(12), 1537-1539.
- Poinar, G.O.Jr. 2016d. A mid-Cretaceous ectoparasitic fungus, *Spheciophila adercia* gen et sp. nov., attached to a wasp in Myanmar amber. *Fungal Genomics & Biology*, **6**(2), 1-4.
- Poinar, G.O.Jr. 2017a. A new family of aphids (Hemiptera: Aphidoidea) in mid-Cretaceous Myanmar amber. *Cretaceous Research*, **75**, 7-10.
- Poinar, G.O.Jr. 2017b. A mermithid nematode, *Cretacimermis aphidophilus* sp. n. (Nematoda: Mermithidae), parasitising an aphid (Hemiptera: Burmitaphididae) in Myanmar amber: a 100 million year association. *Nematology*, **19**(5), 509-513.
- Poinar, G.O.Jr. 2017c. A new genus and species of aphids, *Tanyaulus caudisetula* gen. et sp. nov. (Hemiptera: Aphidoidea: Burmitaphidae) in mid-Cretaceous Myanmar amber. *Cretaceous Research*, **82**, 36-39.
- Poinar, G.O.Jr. 2017d. A new genus of moths (Lepidoptera: Gracillarioidea: Douglasiidae) in Myanmar amber. *Historical Biology*, DOI: 10.1080/08912963.2017.1402016.
- Poinar, G.O.Jr. 2018. Burmese amber: evidence of Gondwanan origin and Cretaceous dispersion. *Historical Biology*, DOI: 10.1080/08912963.2018.1446531.
- Poinar, G.O.Jr., Alderman, S. & Wunderlich, J. 2015. One hundred million year old ergot: psychotropic compounds in the Cretaceous? *Palaeodiversity*, **8**, 13-19.
- Poinar, G.O.Jr., Alfredo, D. S. & Baseia, I.G. 2014. A gasteroid fungus, *Palaeogaster micromorpha* gen. & sp. nov. (Boletales) in Cretaceous Myanmar amber. Journal of the Botanical Research Institute of Texas, 8 (1), 139-143.
- Poinar, G.Jr., Bechly, G. & Buckley, R. 2010. First record of Odonata and a new subfamily of damselflies from Early Cretaceous Burmese amber. *Palaeodiversity*, **3**, 15-22.

- Poinar G.O.Jr. & Brown, A.E. 2003a. A new genus of hard ticks in Cretaceous Burmese amber (Acari: Ixodida: Ixodidae). *Systematic Parasitology*, **54**(3), 199-205.
- Poinar G.O.Jr. & Brown, A.E. 2003b. A non-gilled hymenomycete in Cretaceous amber. *Mycological Research*, **107**(6), 763-768.
- Poinar, G.O.Jr. & Brown, A.E. 2004a. a new genus of primitive crane flies (Diptera: Tanyderidae) in Cretaceous Burmese amber, with a summary of fossil tanyderids. *Proceedings of the Entomological Society of Washington*, **106**(2), 339-345.
- Poinar, G.O.Jr. & Brown, A.E. 2004b. A new subfamily of Cretaceous antlike stone beetles (Coleoptera: Scydmaenidae: Hapsomelinae) with an extra leg segment. *Proceedings of the Entomological Society of Washington*, **106**(4), 789-796.
- Poinar, G.O.Jr. & Brown, A.E. 2005. New Aphidoidea (Hemiptera: Sternorrhyncha) in Burmese amber. *Proceedings of the Entomological Society of Washington*, **107**(4), 835-845.
- Poinar, G.O.Jr. & Brown, A.E. 2006a. The enigmatic *Dacochile microsoma* Poinar & Brown: Tanyderidae or Bruchomyiinae? *Zootaxa*, **1162**, 19-31.
- Poinar, G.O.Jr. & Brown, A.E. 2006b. Remarks on *Parvaverrucosa annulata* (= *Verrucosa annulata* Poinar and Brown 2005). *Proceedings of the Entomological Society of Washington*, **108**(3), 734-735.
- Poinar, G.O.Jr. & Brown, A.E. 2009a. *Pantostictus burmanicus*, a new genus and species of Cretaceous beetles (Coleoptera: Hydrophiloidea: Histeridae) in Burmese amber. *Proceedings of the Entomological Society of Washington*, **111**(1), 38-46.
- Poinar, G.O.Jr. & Brown, A.E. 2009b. *Anchineus dolichobothris*, a new genus and species of Early Cretaceous weevils (Curculionidae: Coleoptera) in Burmese amber. *Proceedings of the Entomological Society of Washington*, **111**(1), 263-270.
- Poinar, G.O.Jr. & Brown, A. 2015. New genera and species of Jumping Ground Bugs (Hemiptera: Schizopteridae) in Dominican and Burmese amber, with a description of a meloid (Coleoptera: Meloidae) triungulin on a Burmese specimen. *Annales de la Société entomologique de France*, **50** (3-4, for 2014), 372-381.
- Poinar, G.O.Jr. & Brown, A.E. 2016a. Toad bugs (Hemiptera: Gelastocoridae) in Myanmar amber. *Cretaceous Research*, **63**, 39-44.
- Poinar, G.O.Jr. & Brown, A.E. 2016b (on-line). An exotic insect *Aethiocarenus burmanicus* gen. et sp. nov. (Aethiocarenodea ord. nov., Aethiocarenidae fam. nov.) from mid-Cretaceous Myanmar amber. *Cretaceous Research*, **72**, 100-104.
- Poinar, G.O.Jr. & Brown, A.E. 2017a (on-line). A new genus of leafhoppers (Hemiptera: Cicadellidae) in mid-Cretaceous Myanmar amber. *Historical Biology*, DOI: 10.1080/08912963.2017.1384472.

- Poinar, G.O.Jr. & Brown, A.E. 2017b (on-line). *Furcalabratum burmanicum* gen. et sp. nov., a Short-winged Flower Beetle (Coleoptera: Kateretidae) in mid-Cretaceous Myanmar amber. *Cretaceous Research*, **84**, 1-5.
- Poinar, G.O.Jr., Brown, A.E. & Legalov, A.A. 2016. A new weevil tribe, Mekorhamphini trib. nov. (Coleoptera, Ithyceridae) with two new genera in Burmese amber. *Biological Bulletin of Bogdan Chmelnitskiy Melitopol State Pedagogical University*, **6**(3), 157-164.
- Poinar, G.O.Jr., Brown, A.E. & Legalov, A.A. 2017. A new weevil, *Aepyceratus hyperochus* gen. et sp. nov., Aepyceratinae subfam. nov., (Coleoptera; Nemonychidae) in Burmese amber. *Cretaceous Research*, **77**, 75-78.
- Poinar, G.O.Jr. & Buckley, R. 2006. Nematode (Nematoda: Mermithidae) and hairworm (Nematomorpha: Chordodidae) parasites in Early Cretaceous amber. *Journal of Invertebrate Pathology*, **93**(1), 36-41.
- Poinar, G.O.Jr. & Buckley, R. 2007. Evidence of mycoparasitism and hypermycoparasitism in Early Cretaceous amber. *Mycological Research*, **111**(4), 503-506.
- Poinar, G.O.Jr. & Buckley, R. 2008a. *Compluriscutula vetulum* (Acari: Ixodida: Ixodidae), a new genus and species of hard tick from Lower Cretaceous Burmese amber. *Proceedings of the Entomological Society of Washington*, **110**(2), 445-450.
- Poinar, G.O.Jr. & Buckley, R. 2008b. *Cretacifilix fungiformis* gen. and sp. nov., an eupolypod fern (Polypodiales) in Early Cretaceous Burmese amber. *Journal of the Botanical Research Institute of Texas*, **2**(2), 1175-1182.
- Poinar, G.O.Jr. & Buckley, R. 2009. *Palaeoleptus burmanicus* n. gen., n. sp., an Early Cretaceous shore bug (Hemiptera: Palaeoleptidae n. fam. in Burmese amber. *Cretaceous Research*, **30**, 1000-1004.
- Poinar, G.Jr. & Buckley, R. 2010 (on-line). *Doratomantispa burmanica* n. gen., n. sp. (Neuroptera, Mantispidae), a new genus of mantidflies in Burmese amber. *Historical Biology*, **23** (2-3), 169-176.
- Poinar, G.Jr & Buckley, R. 2012. Predatory behaviour of the social orb-weaver spider, *Geratonephila burmanica* n. gen., n. sp. (Araneae: Nephilidae) with its wasp prey, *Cascoscelio incassus* n. gen. n. sp. (Hymenoptera: Platygastriidae) in Early Cretaceous Burmese amber. *Historical Biology*, **24** (5), 519-525.
- Poinar, G.Jr & Buckley, R. 2012 (on-line). Predatory behaviour of the social orb-weaver spiders: response to Penney. *Historical Biology*, **26** (1), 135-136.
- Poinar, G.O.Jr., Buckley, R. & Brown, A. 2005. The secrets of Burmese amber. *Mid America Paleontology Society*, **29**, 20-29.

- Poinar, G.O.Jr., Buckley, R. & Chen, H. 2016. A primitive mid-Cretaceous angiosperm flower, *Antiquifloris latifibris* gen. & sp. nov., in Myanmar amber. *Journal of the Botanical Research Institute of Texas*, **10**(1), 155-162.
- Poinar, G.O.Jr. & Chambers, K.L. 2005. *Palaeoanthella huangii* gen. and sp. nov., an Early Cretaceous flower (Angiospermae) in Burmese amber. *Sida*, **21**(4), 2087-2092.
- Poinar, G.O.Jr. & Chambers, K.L. 2017. *Tropidogyne pentaptera*, sp. nov., a new mid-Cretaceous fossil angiosperm flower in Burmese amber. *Palaeodiversity*, **10**, 135-140.
- Poinar, G.O.Jr., Chambers, K.L. & Buckley, R. 2007. *Eoepigynia burmensis* gen. and sp. nov., an Early Cretaceous eudicot flower (Angiospermae) in Burmese amber. *Journal of the Botanical Research Institute of Texas*, **1**(1), 91-96.
- Poinar, G.O.Jr., Chambers, K.L. & Buckley, R. 2008. An early Cretaceous angiosperm fossil of possible significance in rosid floral diversification. *Journal of the Botanical Research Institute of Texas*, **2**(2), 1183-1192.
- Poinar, G.O.Jr., Chambers, K.L. & Wunderlich, J. 2013. *Micropetasos*, a new genus of angiosperms from mid-Cretaceous Burmese amber. *Journal of the Botanical Research Institute of Texas*, **7**(2), 745-750.
- Poinar, G.O.Jr. & Danforth, B.N. 2006. A fossil bee from Early Cretaceous Burmese amber. *Science*, **314**, p. 614.
- Poinar, G.O.Jr. & Fanti, F. 2016. New fossil soldier beetles (Coleoptera: Cantharidae) in Burmese, Baltic and Dominican amber. *Palaeodiversity*, **9**, 1-7.
- Poinar, G.O.Jr., Gorochov, A.V. & Buckley, R. 2007. *Longioculus burmensis*, n. gen., n. sp. (Orthoptera: Elcanidae) in Burmese amber. *Proceedings of the Entomological Society of Washington*, **109**(3), 649-655.
- Poinar G.Jr. & Huber, J.T. 2011. A new genus of fossil Mymaridae (Hymenoptera) from Cretaceous amber and key to Cretaceous mymarid genera. *Zookeys*, **130**, 461-472.
- Poinar, G.O.Jr., Jacobson, R.L. & Eisenberger, C.L. 2006. Early Cretaceous Phlebotomine sand fly larvae (Diptera: Psychodidae). *Proceedings of the Entomological Society of Washington*, **108**(4), 785-792.
- Poinar, G.O.Jr., Kirejtshuk, A.G. & Buckley, R. 2008. *Pleuroceratos burmiticus*, n. gen., n. sp. (Coleoptera: Silvanidae) from Early Cretaceous Burmese amber. *Proceedings of the Entomological Society of Washington*, **110**(1), 250-257.
- Poinar, G.Jr. & Kristsky, G. 2011 (on-line). Morphological conservatism in the foreleg structure of cicada hatchlings, *Burmacicada protera* n. gen., n. sp. in Burmese amber, *Dominicicada youngi* n. gen.,

- n. sp. in Dominican amber and the extant *Magicicada septendecim* (L.) (Hemiptera: Cicadidae). *Historical Biology*, **24** (5), 461-466.
- Poinar, G.O.Jr., Lambert, J.B. & Wu, Y. 2007. Araucarian source of fossiliferous Burmese amber: spectroscopic and anatomical evidence. *Journal of the Botanical Research Institute of Texas*, **1**(1), 449-455.
- Poinar, G.O.Jr., Marshall, C.J. & Buckley, R. 2007. One hundred million years of chemical warfare by insects. *Journal of Chemical Ecology*, **33**(9), 1663-1669.
- Poinar, G.O.Jr. & Monteys, V.S.i. 2008. Mermithids (Nematoda: Mermithidae) of biting midges (Diptera: Ceratopogonidae): *Heleidomermis cataloniensis* n. sp. from *Culicoides circumscriptus* Kieffer in Spain and a species of *Cretacimermis* Poinar, 2001 from a ceratopogonid in Burmese amber. *Systematic Parasitology*, **69**(1), 13-21.
- Poinar, G.O.Jr., Philbrick, K.A., Cohn, M.J., Turner, R.T., Iwaniec, U.T. & Wunderlich, J. 2017. X-ray microcomputed tomography reveals putative trematode metacercaria in a 100 million year-old lizard (Squamata: Agamidae). *Cretaceous Research*, **80**, 27-30.
- Poinar, G.O.Jr. & Poinar, R. 2004a. *Paleoleishmania proterus* n. gen., n. sp. (Trypanosomatidae: Kinetoplastida) from Cretaceous Burmese amber. *Protist*, **155**(3), 305-310.
- Poinar, G.O.Jr. & Poinar, R. 2004b. Evidence of vector-borne disease of early Cretaceous reptiles. *Vector-borne and Zoonotic Diseases*, **4**(4), 281-284.
- Poinar, G.O.Jr. & Poinar, R. 2005. Fossil evidence of insect pathogens. *Journal of Invertebrate Pathology*, **89**(3), 243-250.
- Poinar, G.O.Jr. & Poinar, R. 2008. *What bugged the dinosaurs?* Princeton University Press, Princeton. 264pp.
- Poinar, G.O.Jr. & Poinar, R. 2016. Ancient hastisetae of Cretaceous carrion beetles (Coleoptera: Dermestidae) in Myanmar amber. *Arthropod Structure & Development*, **45**(6), 642-645.
- Poinar, G.O.Jr. & Shaw, S.R. 2016. Endoparasitism of a Cretaceous adult weevil by a euphorine wasp (Hymenoptera: Braconidae). *Neues Jahrbuch für Geologie und Paläontologie Abhandlungen*, **282**(1), 109–113.
- Poinar, G.O.Jr. & Szadziewski, R. 2007. *Corethrella andersoni* (Diptera: Corethrellidae), a new species from Lower Cretaceous Burmese amber. *Proceedings of the Entomological Society of Washington*, **109**(1), 155-159.
- Poinar, G.O.Jr. & Telford, S.R. 2005. *Paleohaemoproteus burmacis* gen. n., sp. n. (Haemosporida: Plasmodiidae) from an Early Cretaceous biting midge (Diptera: Ceratopogonidae). *Parasitology*, **131**, 79-84.

- Popov, Y.A. & Heiss, E. 2014. *Grimaldinia pronotalis* n.gen., n.sp. from mid-Cretaceous Burmese amber (Hemiptera: Heteroptera, Leptopodidae, Leptosaldinae). *Zootaxa*, **3878** (5), 444-450.
- Popov, Y.A. & Heiss, E. 2016. A remarkable fossil leptosaldine bug from Mid-Cretaceous Burmese amber (Hemiptera: Leptopodomorpha: Leptopodidae). *Zootaxa*, **4137**(2), 233-238.
- Qui, T., Lu, Y., Zhang, W., Wang, S., Yang, Y. & Bai, M. 2017. *Electraesalopsis beuteli* gen. & sp. nov., the first lucanid beetle from the Cretaceous Burmese amber (Coleoptera: Scarabaeoidea). *Zoological Systematics*, **42** (3), 390-394.
- Rasnitsyn, A.P. 1996. Burmese amber at the Natural History Museum. *Inclusion Wrostek*, No. 23: 19-21.
- Rasnitsyn, A.P., Bashkuev, A.S., Kopylov, D.S., Lukashevich, E.D., Ponomarenko, A.G., Popov, Y.A., Rasnitsyn, D.A., Ryzhkova, O.V., Sidorchuk, E.A., Sukatsheva, I.D. 2016. Sequence and scale of changes in the terrestrial biota during the Cretaceous (based on materials from fossil resins). *Cretaceous Research*, **61**, 234-255.
- Rasnitsyn, A.P. & Golovach, S.I. 2004. The identity of *Phryssonotus burmiticus* (Cockerell, 1917) (Diplopoda, Polyxenida, Synxenidae) in Cretaceous amber from Myanmar. *Journal of Systematic Palaeontology*, **2**(2), 153-157.
- Rasnitsyn, A.P., Poinar, G.Jr. & Brown, A.E. 2016 (on-line). Bizzare wingless parasitic wasp from mid-Cretaceous Burmese amber (Hymenoptera, Ceraphronoidea, Aftenoperissidae fam. nov.). *Cretaceous Research*, **69**, 113-118.
- Rasnitsyn, A. P. & Quicke, D. L. J. 2002. *History of Insects*. Kluwer, Dordrecht, 517pp.
- Rasnitsyn, A.P. & Ross, A.J. 2000. A preliminary list of arthropod families present in the Burmese amber collection at The Natural History Museum, London. *Bulletin of the Natural History Museum, Geology Series*, **56**(1), 21-24.
- Regaldo, L., Schmidt, A.R., Appelhans, M.C., Ilsemann, B., Schneider, H., Krings, M. & Heinrichs, J. 2017. A fossil species of the enigmatic early polypod fern genus *Cystodium* (Cystodiaceae) in Cretaceous amber from Myanmar. *Scientific Reports*, **7**(14615), 1-9.
- Regaldo, L., Schmidt, A.R., Krings, M., Bechteler, J., Schneider, H. & Heinrichs, J. 2017 (on-line). Fossil evidence of eupolypod ferns in the mid-Cretaceous of Myanmar. *Plant Systematics and Evolution*, **304**(1), 1-13.
- Regaldo, L., Schmidt, A.R., Müller, P., Kobbert, M.J., Schneider, H. & Heinrichs, J. 2016 (on-line). The first fossil of Lindsaeaceae (Polypodiales) from the Cretaceous amber forest of Myanmar. *Cretaceous Research*, **72**, 8-12.
- Ren, D., Shih, C. & Labandeira, C.C. 2010. New Jurassic Pseudopolycentropodids from China (Insecta: Mecoptera). *Acta Geologica Sinica*, **84**(1), 22-30.

- Ren, M., Zhang, W., Shih, C. & Ren, D. 2017. A new earwig (Dermaptera: Pygidicranidae) from the Upper Cretaceous Myanmar amber. *Cretaceous Research*, **74**, 137-141.
- Ribeiro, G.C. 2003. A new fossil *Helius* (Diptera: Limoniidae) from Burmese amber. *Studia Dipterologica*, **9**(2, for 2002), 403-408.
- Rippa, A. & Yang, Y. 2017. The Amber Road: cross-border trade and the regulation of the Burmite market in Tengchong, Yunnan. *TRaNS: Trans –Regional and –National Studies of Southeast Asia*, **5**(2), 243–267.
- Rodriguez, J., Waichert, C., Dohlen C.D. von, Poinar, G.Jr. & Pitts, J.P. 2016. Eocene and not Cretaceous origin of spider wasps: Fossil evidence from amber. *Acta Palaeontologica Polonica*, **61**(1), 89–96.
- Ross, A.J. 1997. Insects in amber. *Geology Today*. **13**(1), 24-28.
- Ross, A. J. 1998. *Amber: the natural time capsule*. The Natural History Museum, London. 73pp.
- Ross, A.J. 2008. Book review. What Bugged the Dinosaurs? By George Poinar Jr and Roberta Poinar 2008. *Times Higher Education*, No. 1841, 50-51.
- Ross, A.J. 2010. *Amber, the natural time capsule*. 2nd Ed. Natural History Museum, London. 112pp.
- Ross, A.J. 2015. Insects in Burmese amber. *Entomologentagung* 02.-05.03.2015 Frankfurt/M. Programm und Abstracts, p. 72.
- [Ross, A.J. 2018. The remarkable palaeodiversity in Burmese amber. *Amberif 2018. International Symposium Amber. Science and Art. Gdańsk, Poland, 23-23 March 2018, Abstracts*, 12-17.](#)
- Ross, A.J., Mellish, C., York, P. & Crighton, B. 2010. Chapter 12 Burmese amber. In: Penney, D. (ed). *Biodiversity of fossils in amber from the major world deposits*. Siri Scientific Press. 208-235.
- Ross, A.J. & Sheridan, A. 2013. *Amazing Amber*. NMS Enterprises Limited – Publishing. 64pp.
- Ross, A.J. & York, P.V. 2000. A list of type and figured specimens of insects and other inclusions in Burmese amber. *Bulletin of the Natural History Museum, Geology Series*, **56**(1), 11-20.
- Ross, A.J. & York, P.V. 2004. The Lower Cretaceous (Albian) arthropod fauna of Burmese amber, Myanmar: Forward. *Journal of Systematic Palaeontology*, **2**(2): 95-100.
- Ross, E.S. 2007. The Embiidina of Eastern Asia, Part I. *Proceedings of the California Academy of Sciences*, Ser. 4, **58**(29), 575-600.
- Rossi, A. 2015. A new family, genus and species of scorpion from the burmite of Myanmar (Scorpiones: Sucinlourencoidae). *Rivista Aracnologica Italiana*, **1**, 3-21.

- Sánchez-García, A. & Engel, M.S. 2016. Springtails from the Early Cretaceous amber of Spain (Collembola: Entomobryomorpha), with an annotated checklist of fossil Collembola. *American Museum Novitates*, No. 3862, 47pp.
- Santiago-Blay, J. A., Anderson, S. R. & Buckley, R.T. 2006. Possible implications of two new angiosperm flowers from Burmese amber (Lower Cretaceous) for well-established and diversified insect-plant interactions. *Entomological News*, **116**(5, for 2005): 341-346.
- Santiago-Blay, J. A., V. Fet, M. E. Soleglad, S. & Anderson. 2004. A new genus and subfamily of scorpions from Cretaceous Burmese amber (Scorpiones: Chaerilidae). *Revista Ibérica de Aracnología*, **9**, 3-14.
- Santiago-Blay, J.A., Fet, V., Soleglad, M.E. & Craig, P.R. 2004. The second Cretaceous scorpion specimen from Burmese amber (Arachnida: Scorpiones). *Journal of Systematic Palaeontology*, **2**(2), 147-152.
- Sarzetti, L.C., Labandeira, C.D. & Genise, J.F. 2008. A leafcutter bee trace fossil from the Middle Eocene of Patagonia, Argentina, and a review of megachilid (Hymenoptera) ichnology. *Palaeontology*, **51**(4), 933-941.
- Sarzetti, L.C., Labandeira, C.D. & Genise, J.F. 2009. Reply. *Palaeontology*, **52**(2), 484.
- Schädel, M. & Bechly, G. 2016. First record of Anisoptera (Insecta: Odonata) from mid-Cretaceous Burmese amber. *Zootaxa*, **4103**(6), 537-549.
- [Shcherbakov, D.E. 2017. First record of the Cretaceous family Mimarachnidae \(Homoptera: Fulgoroidea\) in amber. *Russian Entomological Journal*, **26**\(4\), 389-392.](#)
- Schneider, H., Schmidt, A.R. & Heinrichs, J. 2016. Burmese amber fossils bridge the gap in the Cretaceous record of polypod ferns. *Perspectives in Plant Ecology, Evolution and Systematics*, **18**, 70-78.
- Selden, P.A., Dunlop, J.A., Giribet, G., Zhang, W. & Ren, D. 2016. The oldest armoured harvestman (Arachnida: Opiliones: Laniatores), from Upper Cretaceous Myanmar amber. *Cretaceous Research*, **65**, 206-212.
- Selden, P.A. & Ren, D. 2017. A review of Burmese amber arachnids. *Journal of Arachnology*, **45**, 324-343.
- Selden, P.A. & Zhang, W. & Ren, D. 2016. A bizarre armoured spider (Araneae: Tetrablemmidae) from Upper Cretaceous Myanmar amber. *Cretaceous Research*, **66**, 129-135.
- [Shcherbakov, D.E. 2000. The most primitive whiteflies \(Hemiptera; Aleyrodidae; Bernaeinae subfam. nov.\) from the Mesozoic of Asia and Burmese amber, with an overview of Burmese amber hemipterans. *Bulletin of the Natural History Museum, Geology Series*, **56**\(1\), 29-37.](#)

- Shcherbakov, D.E. 2007. An extraordinary new family of Cretaceous planthoppers (Homoptera: Fulgoroidea). *Russian Entomological Journal*, **16**(2), 139-154.
- Shedrinsky, A., Wampler, T.P. & Grimaldi, D. 2001. Burmese amber revisited. (Data on chemical composition of newly excavated materials. *2nd International Congress on Palaeoentomology, 5 - 9 September, 2001, Kraków, Poland, Abstracts Volume*, 66-67.
- Shi, C., Ohl, M., Wunderlich, J. & Ren, D. 2014a (on-line). A remarkable new genus of Mantispidae (Insecta, Neuroptera) from Cretaceous amber of Myanmar and its implications on raptorial foreleg evolution in Mantispidae. *Cretaceous Research*, **52**, 416-422.
- Shi, C., Ohl, M., Wunderlich, J. & Ren, D. 2014b (on-line). A remarkable new genus of Mantispidae (Insecta, Neuroptera) from Cretaceous amber of Myanmar and its implications on raptorial foreleg evolution in Mantispidae: Reply to the comment. *Cretaceous Research*, **52**, 425-426.
- Shi, G., Grimaldi, D.A., Harlow, G.E., Wang, J., Wang, J., Yang, M., Lei, W., Li, Q. & Li, X. 2012. Age constraint on Burmese amber based on U-Pb dating of zircons. *Cretaceous Research*, **37**, 155-163.
- Sinclair, B.J. & Kirk-Spriggs, A.H. 2009. Brandberg Massif (Namibia) serves up another living fossil! *Fly Times*, No. 42, 2-3.
- Sinitshenkova, N.D. 2000. The first fossil prosopistomatid mayfly from Burmese amber (Ephemeroptera; Prosopistomatidae). *Bulletin of the Natural History Museum, Geology Series*, **56**(1), 25-28.
- [Skibińska, K., Krzemiński, W. & Arillo, A. 2017. The first Tanyderidae \(Diptera\) from Lower Cretaceous Álava amber \(Spain\). *Historical Biology*, DOI: 0.1080/08912963.2017.1398747.](#)
- [Skibińska, K. & Krzemiński, W. 2018. New species of the genus *Similinannotanyderus* \(Tanyderidae, Diptera\) from the Myanmar amber. *Cretaceous Research*, **90**, 56-59.](#)
- Šmídová, L. & Lei, X. 2017. The earliest amber-recorded type cockroach family was aposematic (Blattaria: Blattidae). *Cretaceous Research*, **72**, 189-199.
- [Smith, R.D.A. & Ross, A.J. 2018. Ambergound pholadid bivalve borings and inclusions in Burmese amber: Implications for proximity of resin-producing forests to brackish waters, and the age of the amber. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, **107**, 239-247.](#)
- Sohn, J.-C., Labandeira, C., Davis, D. & Mitter, C. 2012. An annotated catalog of fossil and subfossil Lepidoptera (Insecta: Holometabola) of the world. *Zootaxa*, **3286**, 1-132.

- Soto-Adames, F.N., Barra, J.-A., Christiansen, K. & Jordana, R. 2008. Suprageneric classification of Collembola Entomobryomorpha. *Annals of the Entomological Society of America*, **101**(3), 501-503.
- Soszyńska-Maj, A., Kopeć, K., Müller, P., Gröhn, C. & Krzemiński, W. 2017. Cretaceous inclusions in Burmese amber throw a new light on the evolution of the Meropeidae (Mecoptera). *Cretaceous Research*, **79**, 191-198.
- Sroka, P. & Nel, A. 2017. New species of Compsocidae (Insecta, Psocodea) from Cretaceous Burmese amber. *Zootaxa*, **4320**(3), 597-600.
- Stebner, F., Solórzano Kraemer, M.M., Ibáñez -Bernal & Wagner, R. 2015a. Moth flies and sand flies (Diptera: Psychodidae) in Cretaceous Burmese amber. *PeerJ*, **3**(e1254), 1-34.
- Stebner, F., Solórzano Kraemer, M.M., Ibáñez -Bernal & Wagner, R. 2015b. Datziinae as a new subfamily name for the unavailable name Protopsychodinae Stebner *et al.*, 2015, (Diptera: Psychodidae). *PeerJ*, **3**(e1423), 1-3.
- Sun, T.T., Kleimantas, A., Nyunt, T.T., Minrui, Z., Krishnaswamy, M. & Ying, L.H. 2015. Burmese amber from Hti Lin. *34th IGC*, Vilnius, Lithuania, 26-29.
- Sung, G.-H., Poinar Jr., G. O & Spatafora, J. W. 2008. The oldest fossil evidence of animal parasitism by fungi supports a Cretaceous diversification of fungal–arthropod symbioses. *Molecular Phylogenetics and Evolution*, **49**, 495-502.
- Szadziewski, R. 2004. Biting midges (Diptera: Ceratopogonidae) from Burmese amber, Myanmar. *Journal of Systematic Palaeontology*, **2**(2), 115-121.
- Szadziewski, R. 2018. Biting midges (Diptera: Ceratopogonidae) as indicators of biostratigraphy, ecological reconstructions and identification of amber deposits. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, **107**, 219–230.
- Szadziewski, R., Arillo, A., Urbanek, A. & Sontag, E. 2015 (on-line). Biting midges of the extinct genus *Protoculicoides* Boesel from Lower Cretaceous amber of San Just, Spain and new synonymy in recently described fossil genera (Diptera: Ceratopogonidae). *Cretaceous Research*, **58**, 1-9.
- Szadziewski, R., Gilka, W. & Urbanek, A. 2015. A blood sucking biting midge from Upper Cretaceous Burmese amber with a key to the determination of fossil species in the relictual genus *Leptoconops* Skuse (Diptera: Ceratopogonidae). *Cretaceous Research*, **54**, 255-259.
- Szadziewski, R. & Poinar, G.O.Jr. 2005. Additional biting midges (Diptera: Ceratopogonidae) from Burmese amber. *Polskie Pismo Entomologiczne*, **47**, 349-362.
- Szadziewski, R., Ross, A. & Gilka, W. 2014 (on-line). Further records of biting midges (Diptera: Ceratopogonidae) from Upper Cretaceous Burmese amber (Myanmar). *Cretaceous Research*, **52**, 556-561.

- Szwedo, J. 2004. *Niryasaburnia* gen. nov. for ‘*Liburnia*’ *burmitina* Cockerell, 1917, from Cretaceous Myanmar (Burmese) amber (Hemiptera, Fulgoromorpha: Achilidae). *Journal of Systematic Palaeontology*, **2**(2): 105-107.
- Szwedo, J., Bourgoin, T. & Lefebvre, F. 2004. *Fossil planthoppers (Hemiptera: Fulgoromorpha) of the world, an annotated catalogue with notes on Hemiptera classification*. Warsaw, Studio 1, 199 pp.
- Talamas, E.J., Johnson, N.F., Buffington, M.L. & Ren, D. 2016. *Archaeoteleia* Masner in the Cretaceous and a new species of *Proteroscelio* Brues (Hymenoptera, Platygastroidea). *Journal of Hymenoptera Research*, **56**, 241-261.
- Thaung, M.M. 2015. A taxonomic analysis of miscellaneous fungi collected from Burma. *Mycosphere*, **6**(1), 8-12.
- Thayer, M.K, Newton, A.F. & Chatzimanolis, S. 2011 (on-line). *Prosolierius*, a new mid-Cretaceous genus of Solieriinae (Coleoptera: Staphylinidae) with three new species from Burmese amber. *Cretaceous Research*, **34**, 124-134.
- Thomas, D.B., Nascimbene, P.C., Dove, C.J., Grimaldi, D.A. & James, H.F. 2014. Seeking carotenoid pigments in amber-preserved fossil feathers. *Scientific Reports*, **4**(5226), 1-6.
- U Tin, H. 1999. Burmite - Burmese amber. *Australian Gemmologist*, **20**, 250-253.
- Vea, I.M. & Grimaldi, D.A. 2012. Phylogeny of ensign scale insects (Hemiptera: Coccoidea: Ortheziidae) based on the morphology of Recent and fossil females. *Systematic Entomology*, **37**, 758-783.
- Vea, I.M. & Grimaldi, D.A. 2015. Diverse new scale insects (Hemiptera; Coccoidea) in amber from the Cretaceous and Eocene with a phylogenetic framework for fossil Coccoidea. *American Museum Novitates*, No. 3823, 80pp.
- Vea, I.M. & Grimaldi, D.A. 2016. Putting scales into evolutionary time: the divergence of major scale insect lineages (Hemiptera) predates the radiation of modern angiosperm hosts. *Scientific Reports*, **6**(23487), 1-11.
- Veiga-Crespo, P., Blasco, L., Poza, M. & Villa, T.G. 2007. Putative ancient microorganisms from amber nuggets. *International Microbiology*, **10**, 117-122.
- Vršanský, P. 2008. Central ocellus of extinct cockroaches (Blattida: Caloblattinidae). *Zootaxa*, **1958**, 41-50.
- Vršanský, P. 2009. Albian cockroaches (Insecta, Blattida) from French amber of Archingeay. *Geodiversitas*, **31**(1), 73-98.

- Vršanský, P. & Bechly, B. 2015. New predatory cockroaches (Insecta: Blattaria: Manipulatoridae fam. n.) from the Upper Cretaceous Myanmar amber. *Geologica Carpathica*, **66** (2), 133-138.
- Vršanský, P. & Wang, B. 2017. A new cockroach, with bipectinate antennae, (Blattaria: Olidae fam. nov.) further highlights the differences between the Burmite and other faunas. *Biologia*, **72**(11), 1327-1333.
- Wagner, R. & Stuckenbergs, B.R. 2012. New fossil extant species of *Nemopalpus* Macquart (Diptera: Psychodidae: Bruchomyiinae). *African Invertebrates*, **53**(1), 355-367.
- Wang, B., Dunlop, J.A., Selden, P.A., Garwood, R.J., Shear, W.A., Müller, P. & Lei, X. 2018. Cretaceous arachnid *Chimerarachne yingi* gen. et sp. nov. illuminates spider origins. *Nature Ecology & Evolution*, DOI: 10.1038/s41559-017-0449-3.
- Wang, B. & Szwedo, J. 2018. More than expected – disparity of the Hemiptera (Insecta) in the mid-Cretaceous amber. *Amberif 2018. International Symposium Amber. Science and Art. Gdańsk, Poland, 23-23 March 2018, Abstracts*, 23-26.
- Wang, B., Xia, F., Engel, M.S., Perrichot, V., Shi, G., Zhang, H., Chen, J., Jarzembski, E.A., Wappler T. & Rust, J. 2016. Debris-carrying camouflage among diverse lineages of Cretaceous insects. *Science Advances*, **2**(6), e1501918, 1-8.
- Wang, B., Xia, F., Wappler, T., Simon, E., Zhang, H., Jarzembski, E.A. & Szwedo, J. 2015. Brood care in a 100-million-year-old scale insect. *eLife*, **4**(e05447), 1-8.
- Wang, S., Shi, C., Zhang, Y.-J., Hu, G.-X. & Gao, L.-Z. 2016. Trading away ancient amber's secrets. *Science*, **351**, p. 926.
- Ward, P.S. 2007. Phylogeny, classification, and species-level taxonomy of ants (Hymenoptera: Formicidae). *Zootaxa*, **1668**, 549-563.
- Wichard, W. 2017. Family Nevorthidae (Insecta, Neuroptera) in mid-Cretaceous Burmese amber. *Palaeodiversity*, **10**, 1-5.
- Wichard, W., Neumann, C., Müller, P. & Wang, B. 2017 (on-line). Family Dysoneuridae (Insecta, Trichoptera) in Cretaceous Burmese amber. *Cretaceous Research*, **82**, 138-146.
- Wichard, W. & Poinar, G.O.Jr. 2005. Köcherfliegen aus dem Burma Bernstein der oberen Kreide von Myanmar (Insecta, Trichoptera). *Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg*, **89**, 129-136.
- Wichard, W., Ross, E. & Ross, A.J. 2011. *Palerasnitsynus* gen. n. (Trichoptera, Psychomyiidae) from Burmese amber. *Zookeys*, **130**, 323-330.
- Wichard, W. & Wang, B. 2016a. New Cretaceous caddis flies from Burmese amber (Insecta, Trichoptera). *Cretaceous Research*, **61**, 129-135.

- Wichard, W. & Wang, B. 2016b. A remarkable caddis fly with bipectinate antennae in Cretaceous Burmese amber (Insecta, Trichoptera). *Cretaceous Research*, **69**, 198-203.
- Winterton, S.L. & Gillung, J.P. 2012. A new species of spider fly in the genus *Sabroskya* Schlinger from Malawi, with a key to Acrocerinae world genera (Diptera, Acroceridae). *ZooKeys*, **171**, 1-15.
- Wojton, M., Kania, I. & Krzemiński, W. First *Mycetobia* Meigen, 1818 in Cretaceous Burmese amber (Diptera, Anisopodidae). *Amberif 2018. International Symposium Amber. Science and Art. Gdańsk, Poland, 23-23 March 2018, Abstracts*, 49-50.
- Woodley, N.E. 2005. *Dacochile microsoma* Poinar & Brown, not a tanyderid but a bruchomyiine psychodid (Diptera: Psychodidae, Tanyderidae). *Zootaxa*, No. 1012, 53-60.
- Wunderlich, J. 2008a. Descriptions of fossil spider (Araneae) taxa mainly in Baltic amber, as well as on certain related extant taxa. In: Fossil and extant spiders (Araneae). *Beitrag zur Araneologie*, **5**, 44-139.
- Wunderlich, J. 2008b. The dominance of ancient spider families of the Araneae: Haplogynae in the Cretaceous, and the late diversification of advanced ecribellate spiders of the Entelegynae after the Cretaceous-Tertiary boundary extinction events, with descriptions of new families. In: Fossil and extant spiders (Araneae). *Beitrag zur Araneologie*, **5**, 524-675.
- Wunderlich, J. 2011. Some fossil spiders (Araneae) in Cretaceous ambers. In. Wunderlich, J. (ed.) Extant and fossil spiders (Araneae). *Beiträge zur Araneologie*, **6**, 539-557.
- Wunderlich, J. 2012a. On the fossil spider (Araneae) fauna in Cretaceous ambers, with descriptions of new taxa from Myanmar (Burma) and Jordan, and on the realtionships of the Superfamily Leptonetoidea. In. Wunderlich, J. (ed.) Fifteen papers on extant and fossil spiders (Araneae). *Beiträge zur Araneologie*, **7**, 157-232.
- Wunderlich, J. 2012b. Description of the first fossil Ricinulei in amber from Burma (Myanmar), the first report of this arachnid order from the Mesozoic and from Asia, with notes on the related extinct Order Trigonotarbida. In. Wunderlich, J. (ed.) Fifteen papers on extant and fossil spiders (Araneae). *Beiträge zur Araneologie*, **7**, 233-244.
- Wunderlich, J. 2015a. “Frozen behaviour”: The oldest fossil proofs of spider eating spiders (Araneae) in 45 million years old Eocene Baltic amber and in 100 million years old Cretaceous amber from Myanmar (Burma). In: Wunderlich, J. (ed.) Mesozoic Spiders (Araneae). *Beiträge zur Araneologie*, **9**, 15-20.
- Wunderlich, J. 2015b. On the evolution and the classification of spiders, the Mesozoic spider faunas, and descriptions of new Cretaceous taxa mainly in amber from Myanmar (Burma) (Arachnida: Araneae). In: Wunderlich, J. (ed.) Mesozoic Spiders (Araneae). *Beiträge zur Araneologie*, **9**, 21-408.

- Wunderlich, J. 2015c. New and rare Arachnida in Cretaceous Burmese amber (Amblypygi, Ricinulei and Uropygi: Thelephonida). In: Wunderlich, J. (ed.) Mesozoic Spiders (Araneae). *Beiträge zur Araneologie*, **9**, 409-436.
- Wunderlich, J. 2017a. Frozen behaviour: the oldest known attack of a fossil spider by a predatory mite in mid Cretaceous Burmese amber (Aranaeae: Oonopidae and Acari: Bdellidae). In: Wunderlich, J. (ed.) Ten papers on fossil and extant spiders. *Beiträge zur Araneologie*, **10**, 10-13.
- Wunderlich, J. 2017b. New extinct taxa of the arachnid order Ricinulei, based on new fossils preserved in mid Cretaceous Burmese amber. In: Wunderlich, J. (ed.) Ten papers on fossil and extant spiders. *Beiträge zur Araneologie*, **10**, 48-71.
- Wunderlich, J. 2017c. New and rare fossil spiders (Araneae) in mid Cretaceous amber from Myanmar (Burma), including the description of new extinct families of the suborders Mesothelae and Opisthothelae, as well as notes on the taxonomy, the evolution and the biogeography of the Mesothelae. In: Wunderlich, J. (ed.) Ten papers on fossil and extant spiders. *Beiträge zur Araneologie*, **10**, 72-279.
- Wunderlich, J. 2017d. Palaeobiogeography and phylogenomics – fossil proofs contra results from molecular genetic: the case of Mesozoic segmented spiders (Araneae: Mesothelae). In: Wunderlich, J. (ed.) Ten papers on fossil and extant spiders. *Beiträge zur Araneologie*, **10**, 285-288.
- Wunderlich, J. 2017e. Pictured key to the identification of Mesozoic to extant orders of the Arachnida. In: Wunderlich, J. (ed.) Ten papers on fossil and extant spiders. *Beiträge zur Araneologie*, **10**, 289-297.
- Wunderlich, J. 2017f. Corrections and additional remarks concerning Vol. 9 of the Beitr. Araneol. (2015): Mesozoic spiders by J. Wunderlich (Ed.). In: Wunderlich, J. (ed.) Ten papers on fossil and extant spiders. *Beiträge zur Araneologie*, **10**, 331-332.
- Xia, F., Yang, G., Zhang, Q., Shi, G. & Wang, B. 2015. *Amber: Lives through Time and Space*. Science Press. 197pp. [in Chinese]
- Xing, L., McKellar, R.C., Wang, M., Bai, M., O'Connor, J.K., Benton, M.J., Zhang, J., Wang, Y., Tseng, K., Lockley, M.G., Li, G., Zhang, W. & Xu, X. 2016. Mummified precocial bird wings in Burmese amber. *Nature Communications*, **7**(12089), 1-7.
- Xing, L., McKellar, R.C., Xu, X., Li, G., Bai, M., Scott Persons IV, W., Miyashita, T., Benton, M.J., Zhang, J., Wolfe, A.P., Yi, Q., Tseng, K., Ran, H. & Currie, P.J. 2016. A feathered dinosaur tail with primitive plumage trapped in mid-Cretaceous amber. *Current Biology*, **26**(24), 3352-3360.
- Xing, L., McKellar, R.C., Xu, X., Li, G., Bai, M., Scott Persons IV, W., Miyashita, T., Benton, M.J., Zhang, J., Wolfe, A.P., Yi, Q., Tseng, K., Ran, H. & Currie, P.J. 2017. Response to: Phylogenetic

placement, developmental trajectories and evolutionary implications of a feathered dinosaur tail in Mid-Cretaceous amber. *Current Biology*, **27**, R216-R217.

Xing, L., O'Connor, J.K. & McKellar, R.C. 2018. A flattened enantiornithine in mid-Cretaceous Burmese amber: morphology and preservation. *Science Bulletin*. **63**(4), DOI: 10.1016/j.scib.2018.01.019.

Xing, L., O'Connor, J.K., McKellar, R.C., Chiappe, L.M. Tseng, K., Li, G. & Bai, M. 2017. A mid-Cretaceous Yrnithine (Aves) hatchling preserved in Burmese amber with unusual plumage. *Gondwana Research*, **49**, 264-277.

Xing, L., Sames, B., McKellar, R.C., Xi, D., Bai, M. & Wan, X. 2018. A gigantic marine ostracod (Crustacea: Myodocopa) trapped in mid-Cretaceous Burmese amber. *Scientific Reports*, DOI:10.1038/s41598-018-19877-y.

Xu, Z., Olmi, M. & He, J. 2013. Dryinidae of the Oriental region (Hymenoptera: Chrysidoidea). *Zootaxa*, **3614**, 1-460.

Yamada, K., Yamamoto, S. & Takahashi, Y. 2017 (on-line). *Aphrastomedes anthocoroides*, a remarkable new cimicomorphan genus and species (Hemiptera: Heteroptera) from Upper Cretaceous Burmese amber. *Cretaceous Research*, **84**, 442-450.

Yamamoto, S., 2016a. The first fossil of dasycerine rove beetle (Coleoptera: Staphylinidae) from Upper Cretaceous Burmese amber: Phylogenetic implications for the omaliine group subfamilies. *Cretaceous Research*, **58**, 63-68.

Yamamoto, S. 2016b. The oldest tachyporine rove beetle in amber (Coleoptera, Staphylinidae): A new genus and species from Upper Cretaceous Burmese amber. *Cretaceous Research*, **65**, 163-171.

Yamamoto, S. 2017a. Discovery of the oxyporine rove beetle in the Mesozoic amber and its evolutionary implications for mycophagy (Coleoptera: Staphylinidae). *Cretaceous Research*, **74**, 198-204.

Yamamoto, S. 2017b. A new genus of Brochocoleini beetle in Upper Cretaceous Burmese amber (Coleoptera: Archostemata: Ommatidae). *Cretaceous Research*, **76**, 34-39.

Yamamoto, S., Jäch, M.A. & Takahashi, Y. 2017. Discovery of the first hydraenid beetle in amber, with description of a new genus and species (Coleoptera: Staphylinoidea: Hydraenidae). *Cretaceous Research*, **78**, 27-33.

Yamamoto, S & Maruyama, M. 2017 (on-line). Phylogeny of the rove beetle tribe Gymnusini sensu n. (Coleoptera: Staphylinidae: Aleocharinae): implications for the early branching events of the subfamily. *Systematic Entomology*, **43**(1), 183-199.

Yamamoto, S., Maruyama, M. & Parker, J. 2016. Evidence for social parasitism of early insect societies by Cretaceous rove beetles. *Nature Communications*, **7**(13658), 1-9.

- Yamamoto, S., Maruyama, M. & Parker, J. 2017. Evidence from amber for the origins of termitophily. *Current Biology*, **27**(16), R792-R794.
- Yamamoto, S. & Solodovnikov, A. 2016. The first fossil Megalopsidiinae (Coleoptera: Staphylinidae) from Upper Cretaceous Burmese amber and its potential for understanding basal relationships of rove beetles. *Cretaceous Research*, **59**, 140-146.
- Yamamoto, S. & Takahashi, Y. 2018. First discovery of fossil Coloninae in Cretaceous Burmese amber (Coleoptera, Staphylinoidea, Leiodidae). *Paläontologische Zeitschrift*, DOI: 10.1007/s12542-017-0386-0.
- Yamamoto, S., Takahashi, Y. & Parker, J. 2017. Evolutionary stasis in enigmatic jacobsoniid beetles. *Gondwana Research*, **45**, 275-281.
- Yang, Q., Shi, C., Ren, D., Wang, Y. & Pang, H. 2018. New genus and species of sisyrids (Insecta, Neuroptera) from the Late Cretaceous Myanmar amber. *ZooKeys*, **739**, 151-158.
- Yin, Z., Cai, C. & Huang, D. 2017a (on-line). Last major gap in scydmaenine evolution filled (Coleoptera: Staphylinidae). *Cretaceous Research*, **84**, 62-68.
- Yin, Z., Cai, C. & Huang, D. 2017b (on-line). New zorapterans (Zoraptera) from Burmese amber suggest higher paleodiversity of the order in tropical forests. *Cretaceous Research*, **84**, 168-172.
- Yin, Z.-W., Cai, C.-Y., Huang, D.-Y. & Li, L.-Z. 2017. Specialized adaptations for springtail predation in Mesozoic beetles. *Scientific Reports*, **7** (98), 1-8.
- Yin, Z., Cai, C. & Newton, A.F. 2018. Beetle with long ‘nose’-a bizarre stem scydmaenine in amber from Myanmar (Coleoptera: Staphylinidae: Scydmaeninae). *Cretaceous Research*, **89**, 98-106.
- Yoshizawa, K. & Lienhard, C. 2010. In search of the sister group of the true lice: A systematic review of booklice and their relatives, with an updated checklist of Liposcelididae (Insecta: Psocodea). *Arthropod Systematics & Phylogeny*, **68**(2), 181-195.
- Yoshizawa, K. & Lienhard, C. 2016. Bridging the gap between chewing and sucking in the hemipteroid insects: new insights from Cretaceous amber. *Zootaxa*, **4079**(2), 229-245.
- Yu, Y., Hsiao, Y., Ślipinski, A., Jin, J., Ren, D. & Pang, H. 2016. A new Late Cretaceous genus and species of polypore fungus beetles (Coleoptera, Tetratomidae) from northern Myanmar. *Cretaceous Research*, **68**, 34-39.
- Yin, Z.-W., Cai., C., Huang, D. & Li, L. 2017. A second species of the genus *Cretoleptochromus* Cai & Huang (Coleoptera: Staphylinidae: Scydmaeninae) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **75**, 115-119.

- Yin, Z.-W., Parker, J., Cai, C.-Y., Huang, D.-Y. & Li, L.-Z. 2017 (on-line). A new stem bythinine in Cretaceous Burmese amber and early evolution of specialized predatory behaviour in pselaphine rove beetles (Coleoptera: Staphylinidae). *Journal of Systematic Palaeontology*, **16**(7), 531-541.
- Yuan, D., Ren, D. & Wang, Y. 2016. New beaded lacewings (Neuroptera: Berothidae) from Upper Cretaceous Myanmar amber. *Cretaceous Research*, **68**, 40-48.
- Zhang, Q., Li, X., Xu, B., Zhu, Y., Lu, R., Wang, B. & Yeates, D.K. 2017 (on-line). Two new genera of Apsilocephalidae from mid-Cretaceous Burmese amber. *Cretaceous Research*, **84**, 525-532.
- Zhang, Q., Mey, W., Ansorge, J., Starkey, T.A., McDonald, L.T., McNamara, M.E., Jarzemowski, E.A., Wichard, W., Kelly, R., Ren, X., Chen, J., Zhang, H. & Wang, B. Fossil scales illuminate the early evolution of lepidopterans and structural colors. *Science Advances*, **4**, e1700988, 1-8.
- Zhang, Q., Rasnitsyn, A.P., Wang, B. & Zhang, H. 2017a (on-line). Myanmarinidae, a new family of basal Apocrita (Hymenoptera: Stephanoidea) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **81**, 86-92.
- Zhang, Q., Rasnitsyn, A.P., Wang, B. & Zhang, H. 2017b (on-line). New data about the enigmatic wasp from mid-Cretaceous Burmese amber (Hymenoptera, Stephanoidea, Aptenoperissidae). *Cretaceous Research*, **84**, 173-180.
- Zhang, Q., Rasnitsyn, A.P., Wang, B. & Zhang, H. 2017c (on-line). Peleserphidae, a new family of basal proctotrupomorphs (Hymenoptera: Proctotrupoidea) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **86**, 66-72.
- Zhang, Q. & Wang, B. 2017. Evolution of lower brachyceran flies (Diptera) and their adaptive radiation with angiosperms. *Frontiers in Plant Science*, **8**(631), 1-6.
- Zhang, Q., Zhang, J., Feng, Y., Zhang, H. & Wang, B. 2015. An endoparasitoid Cretaceous fly and the evolution of parasitoidism. *Science of Nature*, **103**(2), 1-7.
- Zhang, Q., Zhang, J. & Wang, B. 2016. A remarkable brachyceran fly (Diptera: Tabanomorpha) from Late Cretaceous Burmese amber. *Cretaceous Research*, **67**, 1-7.
- Zhang, Q., Zhang, J. & Wang, B. 2017. First record of the subfamily Archinemestriinae in the family Nemestrinidae (Diptera: Brachycera) from Upper Cretaceous Burmese amber. *Cretaceous Research*, **75**, 141-145.
- Zhang W.W., 2017. *Frozen dimensions of the fossil insects and other invertebrates in amber*. Chongqing University Press. 692pp. (in Chinese).
- Zhang, W., Cai, W., Li, W., Yang, X. & Ge, S. 2017. A new species of Chresmodidae from Mid-Cretaceous amber discovered in Myanmar. *Zoological Systematics*, **42**(2), 243-247.

- Zhang, W., Guo, M., Yang, X. & Bai, M. 2016. A new species of ice crawlers from Burmese amber (Grylloblattodea). *Zoological Systematics*, **41**(3), 327-331.
- Zhang, W., Li, H., Shih, C., Zhang, A. & Ren, D. 2017. Phylogenetic analyses with four new Cretaceous bristletails reveal inter-relationships of Archaeognatha and Gondwana origin of Meinertellidae. *Cladistics*, 2017, 1-23.
- Zhang, W., Wang, J., Shih, C. & Ren, D. 2017. Cretaceous moths (Lepidoptera: Micropterigidae) with preserved scales from Myanmar amber. *Cretaceous amber*, **78**, 166-173.
- Zhang, X., Ren, D. & Yao, Y. 2017. A new species of *Foveopsis* Shcherbakov (Hemiptera: Fulgoromorpha: Fulgoroidea: Perforissidae) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **79**, 35-42.
- Zhao, X., Bashkuev, A., Chen, L. & Wang, B. 2016 (on-line). The first hanging fly from mid-Cretaceous Burmese amber (Mecoptera: Bittacidae). *Cretaceous Research*, **70**, 147-151.
- Zhao, X., Zhang, Q., Jarzembowski, E.A., Chen, L. & Wang, B. 2016. A new earwig fly from mid-Cretaceous Burmese amber (Mecoptera: Meropidae). *Cretaceous Research*, **66**, 136-140.
- Zheng, D., Chang, S.-C., Jarzembowski, E.A. & Wang, B. 2016 (on-line). The first aeshnid dragonfly (Odonata: Anisoptera: Telephlebiidae) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **72**, 105-109.
- Zheng, D., Chang, S.-C., Nel, A., Jarzembowski, E.A. , Zhuo, D. & Wang, B. 2017. *Electrodysagrion lini* gen. et sp. nov., the oldest Dysagrionini (Odonata: Zygoptera: Dysagrionidae) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **77**, 44-48.
- Zheng, D., Chang, S.-C. & Wang, B. 2017 (on-line). A new dysagrionid damselfly (Odonata: Zygoptera: *Palaeodysagrion*) from mid-Cretaceous Burmese amber. *Alcheringa*, DOI: 10.1080/03115518.2017.1381991.
- Zheng, D., Jarzembowski, E.A., Chang, S.-C. & Wang, B. 2016. A new true dragonfly (Odonata, Anisoptera, Gomphaeschnaoidini) from mid-Cretaceous Burmese amber. *Proceedings of the Geologists' Association*, **127**, 629-632.
- Zheng, D., Nel, A., Chang, S.-C., Jarzembowski, E.A., Zhang, H. & Wang, B. 2017. A well-preserved true dragonfly (Anisoptera: Gomphides: Burmagomphidae fam. nov.) from Cretaceous Burmese amber. *Journal of Systematic Palaeontology*, doi.org/10.1080/14772019.2017.1365100
- Zheng, D., Nel, A., Chang, S.-C., Jarzembowski, E.A., Zhou, D. & Wang, B. 2017. Paracoryphagrionidae fam. nov., a pseudostigmatoid damselfly from mid-Cretaceous Burmese amber showing regular series of triangular cells (Odonata: Zygoptera: Coenagrionida). *Cretaceous Research*, **81**, 93-97.

- Zheng, D., Nel, A., Jarzembowski, E.A., Chang, S.-C., Zhang, H., Xia, F., Liu, H. & Wang, B. 2017. Extreme adaptations for probable visual courtship behaviour in a Cretaceous dancing damselfly. *Scientific Reports*, **7**(44932), 1-8.
- Zheng, D., Nel, A., Zhang, H., Chang, S.-C., Jarzembowski, E.A., Zhou, D. & Wang, B. 2017. A highly diverse coenagrionoid damselfly group (Odonata: Zygoptera: Burmacoenagrionidae fam. nov.) from mid-Cretaceous Burmese amber. *Journal of Systematic Palaeontology*, doi.org/10.1080/14772019.2017.1406010.
- Zheng, D., Wang, B. & Chang, S.-C. 2016 (on-line). *Palaeodisparoneura cretacica* sp. nov., a new damselfly (Odonata: Zygoptera: Platycnemididae) from mid-Cretaceous Burmese amber. *Comptes Rendus Palevol*, **16**, 235-240.
- Zheng, D., Wang, B., Jarzembowski, E.A., Chang, S.-C. & Nel, A. 2016a. The first fossil Perilestidae (Odonata: Zygoptera) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **65**, 199-205.
- Zheng, D., Wang, B., Jarzembowski, E.A., Chang, S.-C. & Nel, A. 2016b. Burmadysagrioninae, a new subfamily (Odonata: Zygoptera: Dysagrionidae) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **67**, 126-132.
- Zheng, D., Wang, B., Nel, A., Jarzembowski, E.A., Zhang, H. & Chang, S.-C. 2017. Mesostictinae subfam. nov., an archaic group of platystictid damselflies (Odonata: Zygoptera) from mid-Cretaceous Burmese amber. *Journal of Systematic Palaeontology*, doi.org/10.1080/14772019.2017.1348395
- Zheng, D., Zhang, Q., Chang, S.-C. & Wang, B. 2016. A new damselfly (Odonata: Zygoptera: Platystictidae) from mid-Cretaceous Burmese amber. *Cretaceous Research*, **63**, 142-147.
- Zheng, D., Zhang, Q., Nel, A., Jarzembowski, E.A., Zhou, Z., Chang, S.-C. & Wang, B. 2016 (on-line). New damselflies (Odonata: Zygoptera: Hemiphlebiidae, Dysagrionidae) from mid-Cretaceous Burmese amber. *Alcheringa*, **41**(1), 12-21.
- Zherikhin, V.V. 2000. A new genus and species of Lophioneuridae from Burmese amber (Thripida (=Thysanoptera): Lophioneurina. *Bulletin of the Natural History Museum, Geology Series*, **56**(1), 39-41.
- Zherikhin, V.V. & Ross, A.J. 2000. A review of the history, geology and age of Burmese amber (Burmite). *Bulletin of the Natural History Museum, Geology Series*, **56**(1), 3-10.
- Zschokke, S. 2004. Glue droplets in fossil spider webs. In: Logunov, D.V. & Penney, D. (eds) European Arachnology 2003. *Arthropoda Selecta, Special Issue*, **1**, 367-374.
- Żyła, D., Yamamoto, S., Wolf-Schwenninger, K., Solodovnikov, A. 2017. Cretaceous origin of the unique prey-capture apparatus in megadiverse genus: stem lineage of Steninae rove beetles discovered in Burmese amber. *Scientific Reports*, **7**(45904), 1-15.

In press

- Bao, T., Rust, J. & Wang, B. (in press) Systematics, phylogeny and taphonomy of Cretaceous Psephenidae (Insecta: Coleoptera) from Burmese amber. *Paleontographica A*,
- Batelka, J., Engel, M.S. & Prokop, J. (in press) A remarkable diversity of parasitoid beetles (Ripiphoridae) in Cretaceous amber, with a summary of the Mesozoic record of Tenebrionoidea. *Cretaceous Research*,
- Cai, C. & Huang, D. (in press) First amber inclusion of a glaresid beetle from the Upper Cretaceous of Myanmar (Coleoptera: Scarabaeoidea). *Cretaceous Research*,
- Cai, C., Yin, Z. & Huang, D. (in press) A new ripiphorid beetle from Upper Cretaceous Burmese amber sheds light on early evolution of the extant subfamily Ripidiinae (Coleoptera: Ripiphoridae). *Comptes Rendus Palevol*,
- Chen, Z.-T. (in press) *Pinguisoperla*, a new fossil genus of Perlidae (Insecta: Plecoptera) from mid-Cretaceous Burmese amber. *Zootaxa*,
- Dunlop, J.A., Selden, P.A., Pfeffer, T. & Chitimia-Dobler, L. (in press) A Burmese amber tick wrapped in spider silk. *Cretaceous Research*,
- Jałoszyński, P. (in press) †*Praphennium* gen. nov.: Extant mite killers meet their Cenomanian relatives (Coleoptera: Staphylinidae: Scydmaeninae: Cephenniini). *Cretaceous Research*,
- Mey, W., Wichard, W., Müller, P., Ross, E. & Ross, A. (in press) New taxa of Tarachoptera from Burmese amber (Insecta, Amphiesmenoptera). *Cretaceous Research*,
- Podstrelená L, Sendi H (in press) *Cratovitisma* Bechly, 2007 (Blattaria: Umenocoleidae) recorded in Lebanese and Myanmar ambers. *Paleontographica Abt A* **311**, 1, DOI: 10.1127/pala/2018/0076.
- Wegierek, P., Jolanta, B., Kelly, R.S. & Wang, B. (in press) The aphid *Hormatalis lancigerens* gen. et sp. nov. from Burmese amber sheds new light on the phylogenetic position of the Cretaceous family Isolitaphidae (Hemiptera: Aphidomorpha). *Cretaceous Research*,
- Wichard, W., Espeland, M. & Wang, B. (in press) Caddisflies with unusual hair-fans on the legs in Cretaceous Burmese amber (Insecta, Trichoptera). *Palaeodiversity*,
- Yin, Z., Cai, S. & Huang, D.-Y. (in press) A potentially diverse fauna of springtail-hunting scydmaenines during 1 the late Mesozoic (Coleoptera, Staphylinidae, Scydmaeninae). *Cretaceous Research*,
- Yu, T., Wang, B. & Pan, H. (in press) New terrestrial gastropods from mid-Cretaceous 1 Burmese amber. *Cretaceous Research*,

Zheng, D., Nel, A., Jarzembski, E.A., Chang, S.-C., Zhou, Z. & Wang, B. (in press) The second mesomegaloprepid damselfly (Odonata: Zygoptera) from mid-Cretaceous Burmese Amber. *Cretaceous Research*,