



Latvijas Entomoloģijas biedrība  
Entomological Society of Latvia

ISBN 9984-9768-0-7  
ISBN 9984-9768-1-5

## COMPENDIUM OF LATVIAN COLEOPTERA

### VOLUME I

# CHECK – LIST OF LATVIAN BEETLES (INSECTA: COLEOPTERA)

Second Edition

DMITRY TELNOV

**Editorial board:**

Alexander G. Kirejtshuk (Zoological Institute RAS, St.-Petersburg)

Stig Lundberg (Luleå)

Voldemārs Spunģis (LU Faculty of Biology, Rīga)

Rīga, 2004

51.	<b>Anobiidae</b>	43	B.Büche, D.Telnov
52.	<b>Ptinidae</b>	12	D.Telnov
53.	<b>Lymexylidae</b>	3	D.Telnov
54.	<b>Trogossitidae</b>	7	D.Telnov
55.	<b>Cleridae</b>	9	R.Gerstmeier, D.Telnov
56.	<b>Dasytidae</b>	10	G.Liberti, I.Plonski, D.Telnov
57.	<b>Malachiidae</b>	14	D.Telnov
58.	<b>Kateretidae</b>	8	A.Kirejtshuk, D.Telnov
59.	<b>Nitidulidae</b>	86	A.Kirejtshuk, D.Telnov
60.	<b>Monotomidae</b>	16	D.Telnov
61.	<b>Silvanidae</b>	10	D.Telnov
62.	<b>Cucujidae</b>	2	D.Telnov
63.	<b>Bothrideridae</b>	1	D.Telnov
64.	<b>Cryptophagidae</b>	70	G.Lyubarsky, D.Telnov
65.	<b>Languriidae</b>	1	G.Lyubarsky, D.Telnov
66.	<b>Erotylidae</b>	8	A.Weigel, D.Telnov
67.	<b>Cerylonidae</b>	5	D.Telnov
68.	<b>Byturidae</b>	2	D.Telnov
69.	<b>Laemophloeidae</b>	4	D.Telnov
70.	<b>Phalacridae</b>	17	G.Lyubarskiy, D.Telnov
71.	<b>Sphindidae</b>	2	D.Telnov
72.	<b>Corylophidae</b>	8	D.Telnov
73.	<b>Endomychidae</b>	5	A.Weigel, D.Telnov
74.	<b>Coccinellidae</b>	61	B.Klausnitzer, D.Telnov
75.	<b>Latridiidae</b>	48	W.Rücker, D.Telnov
76.	<b>Zopheridae</b>	4	D.Telnov
77.	<b>Mycetophagidae</b>	14	N.Nikitsky, D.Telnov
78.	<b>Ciidae</b>	29	J.Reihnitz, D.Telnov
79.	<b>Tetratomidae</b>	5	N.Nikitsky, D.Telnov
80.	<b>Melandryidae</b>	22	N.Nikitsky, D.Telnov
81.	<b>Mordellidae</b>	13	B.Büche, D.Telnov
82.	<b>Rhipiphoridae</b>	2	D.Telnov
83.	<b>Stenotrachelidae</b>	1	D.Telnov
84.	<b>Meloidae</b>	6	M.Geisthardt, D.Telnov
85.	<b>Oedemeridae</b>	14	X.Vázquez, D.Telnov
86.	<b>Pythidae</b>	1	D.Pollock, D.Telnov
87.	<b>Pyrochroidae</b>	3	D.Young, D.Telnov
88.	<b>Scraptiidae</b>	1	B.Büche, D.Telnov
89.	<b>Salpingidae</b>	9	D.Pollock, D.Telnov
90.	<b>Mycteridae</b>	1	D.Pollock, D.Telnov
91.	<b>Boridae</b>	1	D.Pollock, D.Telnov
92.	<b>Anthicidae</b>	13	D.Telnov
93.	<b>Aderidae</b>	5	R.Klinger, D.Telnov
94.	<b>Tenebrionidae</b>	50	O.Merkl, D.Telnov
95.	<b>Cerambycidae</b>	115	M.Danilevsky, G.Sama, D.Telnov
96.	<b>Bruchidae</b>	9	H.Wendt, D.Telnov
97.	<b>Chrysomelidae</b>	329	F.Fritzlar, D.Telnov
98.	<b>Nemonychidae</b>	2	A.Legalov, D.Telnov
99.	<b>Anthribidae</b>	9	R.Frieser, D.Telnov
100.	<b>Rhynchitidae</b>	12	A.Legalov, D.Telnov
101.	<b>Attelabidae</b>	3	A.Legalov, D.Telnov
102.	<b>Apionidae</b>	68	M.A.Alonso-Zarazaga, M.Russell, D.Telnov
103.	<b>Curculionidae</b>	373	E.Palm, D.Telnov
104.	<b>Scolytidae</b>	68	M.Mandelshtam, D.Telnov
105.	<b>Platypodidae</b>	1	M.Mandelshtam, D.Telnov
Totally: 105 families, 3434 species			

- singularis* Stephens, 1832  
*sanguinolenta* O.F.Müller, 1776  
*cruentata* Donovan, 1793  
*sanguinosa* Suffrian, 1844  
*languida* Cornelius, 1851  
*seladonia* Gyllenhal, 1827  
*stigmatica* Suffrian, 1844  
*subreticulata* Suffrian, 1844  
*vibex* Linnaeus, 1767  
*angusticollis* Habenbach, 1822  
*dorsalis* Herbst, 1799  
*liriophora* Kirby, 1797  
*viridis* Linnaeus, 1758  
*equestris* Fabricius, 1787  
*vittata* Villers, 1789  
*atlantica* Escalera, 1914  
*oblonga* Illiger, 1798  
*salicorniae* Curtis, 1826
- Curculionoidea**  
**Nemonychidae** Bedel, 1883  
**Doydirhynchinae** Pierce, 1916  
**Cimberidini** Des Gozis, 1882  
**Cimberis** Des Gozis, 1882  
*attelaboides* (Fabricius, 1787)  
*canescens* Semenov, 1900  
*rhinomacer* (Paykull, 1792)  
**Doydirhynchini** Pierce, 1916  
**Doydirhynchus** Dejean, 1821  
*austriacus* (Olivier, 1807)  
*castaneus* Germar, 1833  
*fulvipennis* Reitter, 1916  
*karamani* Stierlin, 1886  
*lutescens* Schilsky, 1903  
*pallidicolor* Pic, 1905  
*testaceus* Voss, 1932
- Anthribidae** Billberg, 1820  
**Anthribinae** Billberg, 1820  
**Gonotropis** LeConte, 1876  
*dorsalis dorsalis* (Thunberg, 1796)  
**Rhaphitropis** Reitter, 1916  
*marchicus* (Herbst, 1797)  
*cinctus* (Bach, 1854)  
*maculosus* (Mulsant, 1859)  
*reyi* (Des Gozis, 1882)  
*scriptus* (Thunberg, 1815)  
**Platyrhinus** Clairville, Schellenberg, 1798  
*resinosus* (Scopoli, 1763)  
*ater* (Geoffroy, 1762)  
*costirostris* Clairville, Schellenberg, 1798  
*flavifrons* (Fuessly, 1775)  
*latirostris* (Fabricius, 1792)  
*oblongus* (Sulzer, 1776)
- Note: This species is included on the list of indicator species of natural forest habitats.

- Dissoleucas** Jordan, 1925  
*niveirostris* (Fabricius, 1798)  
*dubius* (Ponza, 1805)  
**Platystomus** Schneider, 1791  
*albinus* (Linnaeus, 1758)  
*desertus* Schilsky, 1907  
*thierietii* Vituret, 1895  
*uniformis* Reitter, 1916  
**Anthribus** O.F.Müller, 1764  
*fasciatus* Forster, 1770  
*marmoratus* Geoffroy, 1785  
*rubripes* (Rey, 1893)  
*rufipes* Schilsky, 1907  
*scabrosus* Fabricius, 1775  
*ventralis* (Rey, 1893)  
*nebulosus* Forster, 1771  
*clathratus* (Herbst in Fuessly 1786)  
*gavoyi* Chobaut, 1922  
*kuesteri* Reitter, 1916  
*nebulosus* (Küster, Bose-Gutf., 1859)  
*variegatus* Geoffroy, 1785  
*varius* (Fabricius, 1787)  
*scapularis* Gebler, 1833  
*constrictus* (Stierlin, 1867)  
*gebleri* (Reitter, 1916)  
*rosae* (Reitter, 1916)  
**Choraginae** Kirby, 1819  
**Choragus** Kirby, 1819  
*horni* Wolfrum, 1930  
**Rhynchitidae** Gistel, 1848  
**Rhynchititae** Gistel, 1848  
**Isotheini** Scudder, 1893  
**Deporaus** (*Deporaus* Samouelle, 1819)  
*betulae* (Linnaeus, 1758)  
*excordatoniger* (DeGeer, 1775)  
*fagi* (Scopoli, 1763)  
*femorales* (Latreille, 1804)  
*femoratus* (Olivier, 1789)  
*populi* (Scopoli, 1763)  
**Caenorhinus** (*Caenorhinus* Thomson, 1859)  
*mannerheimi* (Hummel, 1823)  
*alliarie* (Stephens, 1831)  
*constrictus* (Gyllenhal, 1839)  
*cyaneipennis* (Stephens, 1831)  
*laevicollis* (Stephens, 1831)  
*megacephalus* (Germar, 1824)  
*planipennis* Roelofs, 1874  
**Rhynchitini** Gistel, 1848  
**Temnocerus** Thunberg, 1815  
*caeruleus* (Fabricius, 1798)  
*tomentosus* (Gyllenhal, 1839)  
*uncinatus* (Thomson, 1865)  
*longiceps* (Thomson, 1888)  
*harwoodi* (Joy, 1911)  
*namus* (Paykull, 1792)

*angustifrons* (Voss, 1932)  
*cylindricus* (Stephens, 1831)  
*planirostris* (Fabricius, 1801)  
**Neocoenorhinus** Voss, 1952  
*germanicus* (Herbst, 1797)  
*faucconeti* (Pic, 1926)  
*rugipennis* (Stephens, 1831)  
**Neocoenorhinidius** Legalov, 2003  
*paucillus* (Germar, 1824)  
*alliariae* (Rossi, 1790 nec Fabricius, 1775)  
*atrocoeruleus* (Stephens, 1831)  
*livescens* (Voss, 1929)  
*pauculus* (Voss, 1933)  
*persicus* (Gyllenhal, 1839)  
**Tatianaerhynchites** (*Tatianaerhynchites*)  
 Legalov, 2002)  
*aequatus* (Linnaeus, 1767)  
*bicolor* (Rossi, 1790)  
*creticus* (Voss, 1955)  
*fulgidus* (Geoffroy, 1785)  
*interstitialis* (Desbrochers des Loges, 1869)  
*paykulli* (Schilsky, 1903)  
*phryganophilus* (Iablokoff-Khnzorian, 1956)  
*purpureus* (Goeze, 1777)  
*ruber* (Geoffroy, 1785)  
*ruber* (Fairmaire, 1859)  
*semiruber* (Stierlin, 1863)  
**Epirhynchites** (*Tshernyshevinius* Legalov,  
 2003)  
*auratus* (Scopoli, 1763)  
*angorensis* (Pic, 1926)  
*armeniacus* (Zaitzev, 1937)  
*chamaecerasi* (Ter-Minassian, 1950)  
*ferghanensis* (Nevsky, 1928)  
*microcarpae* (Ter-Minassian, 1944)  
*minor* (Schilsky, 1903)  
*theressae* (Pic, 1926)  
**Involvulus** Schrank, 1798  
*cupreus* (Linnaeus, 1761)  
*aeneus* (Latreille, 1804)  
*dybofskyi* (Faust, 1882)  
*metallicus* Schrank, 1798  
*punctatus* (Herbst, 1797)  
**Byctiscini** Voss, 1923  
**Byctiscus** Thomson, 1859  
*betulae* (Linnaeus, 1758)  
*alni* (O.F.Müller, 1776)  
*betuleti* (Fabricius, 1792)  
*bispinus* (O.F.Müller, 1776)  
*destitulus* Voss, 1930  
*cuprinus* Schilsky, 1903  
*inermis* (O.F.Müller, 1776)  
*intermedius* Voss, 1930  
*nitens* (Marsham, 1802)  
*populi* (Paykull, 1792)  
*anispinus* (O.F.Müller, 1776)  
*violacea* (Donovan, 1794)

*violaceus* (Poda, 1761)  
*viridis* (Geoffroy, 1785)  
*viridulus* (Westhoff, 1882)  
*populi* (Linnaeus, 1758)  
*cupreus* (Wasmann, 1887)  
*cuprifer* Schilsky, 1903  
*nigripes* Faust, 1882  
*nigritulus* Schilsky, 1889  
*parvulus* Sharp, 1889  
*tartaricus* Faust, 1882  
**Attelabidae** Billberg, 1820  
**Attelabinae** Billberg, 1820  
**Attelabini** Billberg, 1820  
**Attelabus** (*Attelabus* Linnaeus, 1758)  
*nitens* (Scopoli, 1763)  
*ater* Fleischer, 1887  
*atricornis* Mulsant, Guillebeau, 1855  
*balcanicus* K.Daniel, J.Daniel, 1898  
*coccineus* (Geoffroy, 1785)  
*coryli* O.F.Müller, 1776  
*curculionides* Linnaeus, 1767  
*curculioniformis* Schrank, 1798  
*fascicollis* Reitter, 1916  
*hispanicus* Jaekel, 1860  
*maculipes* Rondani, 1833  
*marginalis* Pic, 1898 nec Reitter, 1916  
*marginalis* Reitter, 1916 nec Pic, 1898  
*marginatus* Wasmann, 1887  
*obscurior* Pic, 1898  
*obsidianus* A.Costa, 1886  
*pseudosuturalis* Ter-Minassian, 1950  
*pulvinicollis* Jaekel, 1860  
*rubricollis* Reitter, 1916  
*rufipes* Schilsky, 1903  
*suturalis* Jacobs, 1926  
**Apoderinae** Jaekel, 1860  
**Apoderini** Jaekel, 1860  
**Compsapoderus** (*Compsapoderus* Voss, 1927)  
*erythropterus* (Gmelin, 1790)  
*atricolor* (Faust, 1887)  
*bicolor* (Redtenbacher, 1868)  
*frontalis* (Faust, 1882)  
*intermedius* (Illiger, 1794)  
*politus* (Gebler, 1825)  
**Apoderus** (*Apoderus* Olivier, 1807)  
*coryli* (Linnaeus, 1758)  
*alni* Chinaglia, 1908  
*atricollis* Gortaniet, Grandi, 1904  
*avellanae* (Linnaeus, 1767)  
*carnicus* Gortaniet, Grandi, 1904  
*collaris* (Scopoli, 1763)  
*dauricus* (Laxmann, 1770)  
*denigratus* (Gmelin, 1790)  
*dubius* Gortaniet, Grandi, 1904  
*excoriatoruber* (DeGeer, 1775)  
*fiorii* Gortaniet, Grandi, 1904  
*gibbicollis* Faust, 1882  
*homalinus* Voss, 1927

*kamtschaticus* Motschulsky, 1845  
*lineatus* Gortaniet, Grandi, 1904  
*morio* (Bonelli, 1812)  
*niger* Gortaniet, Grandi, 1904  
*nigricollis* Faust, 1882  
*nigrifrons* Della Beffa, 1912  
*nigripes* Rey, 1893  
*rubricollis* Gortaniet, Grandi, 1904  
*rubripes* Chinaglia, 1908  
*ruficeps* Rey, 1893  
*superans* Faust, 1882  
*superbus* Schilsky, 1903

**Apionidae** Schönherr, 1823**Apioninae** Schönherr, 1823**Ceratapiini** Alonso-Zarazaga, 1990**Taphrotopium** Reitter, 1916

*sulcifrons* (Herbst, 1797)

**Omphalapion** Schilsky, 1901

*dispar* (Germar, 1817)

*hookerorum* (Kirby, 1808)

*hookeri* (Kirby, 1808)

**Diplapion** Reitter, 1916

*confluens* (Kirby, 1808)

*stolidum* (Germar, 1817)

**Ceratapion** (*Acanephodus* Alonso-Zarazaga, 1990)

*basicorne* (Illiger, 1807)

*alliariae* auct. nec (Linnaeus, 1758)

*onopordi onopordi* (Kirby, 1808)

**Ceratapion** (*Echinostroma* Alonso-Zarazaga, 1990)

*penetrans penetrans* (Germar, 1817)

**Ceratapion** (*Ceratapion* Schilsky, 1901)

*armatum* (Gerstaecker, 1854)

*austriacum* (Wagner, 1904)

*gibbirostre* (Gyllenhal, 1813)

*carduorum* (Gyllenhal, 1813 nec Kirby, 1808)

**Kalcapiini** Alonso-Zarazaga, 1990**Melanapion** (*Melanapion* Wagner, 1930)

*minimum* (Herbst, 1797)

**Squamapion** Bokor, 1923

*atomarium* (Kirby, 1808)

*elongatum* (Germar, 1817)

*flavimanum* (Gyllenhal, 1833)

**Taeniapion** Schilsky, 1906

*urticarium urticarium* (Herbst, 1784)

**Kalcapion** Schilsky, 1906

*pallipes* (Kirby, 1808)

**Aspidapiini** Alonso-Zarazaga, 1990**Aspidapion** (*Aspidapion* Schilsky, 1901)

*radiolus radiolus* (Marsham, 1802)

**Ixapiini** Alonso-Zarazaga, 1990**Trichopterapion** Wagner, 1930

*holosericeum* (Gyllenhal, 1833)

**Piezotrachelini** Voss, 1959**Pseudoprotapion** Ehret, 1990

*astragali astragali* (Paykull, 1800)

**Protapion** Schilsky, 1908

*apricans* (Herbst, 1797)

*fagi* (Kirby, 1808)

*flavifemoratum* (Kirby, 1808) in part

*flavipes* (Panzer, 1795 nec Paykull, 1792 nec Fabricius, 1775)

*ochropus* (Gmelin, 1777)

*tubicen* (Wencker, 1864) in part (female)

*assimile* (Kirby, 1808)

*bohemani* (Bedel, 1885 nec Thomson, 1865)

*incertum* (Desbrochers des Loges, 1894-95)

*propinquum* (Desbr. des Loges, 1908 nec Hartmann, 1907)

*ryei* (Blackburn, 1874)

*dissimile* (Germar, 1817)

*adjectum* (Desbrochers des Loges, 1894-95)

*heterocerum* (Thomson, 1865)

*filirostre* (Kirby, 1808)

*brevirostre* (Schilsky, 1902 nec Gerstaecker, 1854)

*cantianum* (Wagner, 1906-08)

*morio* (Germar, 1817)

*fulvipes* (Geoffroy, 1785)

*bergrothi* (Desbrochers des Loges, 1894-95)

*burgodionum* (Schubert, 1957)

*dichroum* (Bedel, 1885)

*flavipes* (Paykull, 1792 nec Fabricius, 1775)

*rosai* (Pesarini, 1957)

*interjectum interjectum* (Desbrochers des Loges, 1895)

*oblitum* (Desbrochers des Loges, 1894-95 nec Smith, 1884)

*nigritarse* (Kirby, 1808)

*concoloripes* (Desbrochers des Loges, 1908)

*waterhousei* (Boheman, 1839)

*ononidis* (Gyllenhal, 1827)

*bohemani* (Thomson, 1865 nec Bedel, 1885)

*ononicola* (Bach, 1854)

*ruficrus* (Germar, 1817)

*trifolii* (Linnaeus, 1768)

*aestivum* (Germar, 1817)

*flavifemoratum* (Kirby, 1808)

*flavipes* (Laicharting, 1871)

*leachi* (Stephens, 1831)

*linderi* (Wencker, 1858)

**Aplemonini** Kissinger, 1968**Pseudostenapion** Wagner, 1930

*simum* (Germar, 1817)

**Aizobius** Alonso-Zarazaga, 1990

*sedi* (Germar, 1817)

**Perapion** (*Perapion* Wagner, 1907)