

## SHORT COMMUNICATION

**K. V. Makarov<sup>1</sup>, Yu. N. Sundukov<sup>2</sup>. FIRST RECORD OF *EUPLYNES BATESI* AND *AGONUM LAMPROS* (COLEOPTERA: CARABIDAE, PLATYNINI) FROM RUSSIA. – Far Eastern Entomologist. 2011. N 234: 34-36.**

**Summary.** Two species of ground-beetles, *Euplynes batesi* Harold, 1877 and *Agonum (Lissagonum) lampros* (Bates, 1873), are firstly recorded from Russia.

**Key words:** Coleoptera, Carabidae, fauna, new record, Russia.

**К. В. Макаров<sup>1</sup>, Ю. Н. Сундуков<sup>2</sup>. Первая находка жужелиц *Euplynes batesi* и *Agonum lampros* (Coleoptera, Carabidae, Platynini) в России // Дальневосточный энтомолог. 2011. N 234. С. 34-36.**

**Резюме.** Впервые для фауны России отмечены два вида жужелиц: *Euplynes batesi* Harold, 1877 и *Agonum (Lissagonum) lampros* (Bates, 1873).

### INTRODUCTION

Two new for the fauna of Russia species of the tribe Platynini (Carabidae: Harpalinae) are recorded below.

### NEW RECORDS

#### Family Carabidae

#### Subfamily Harpalinae Bonelli, 1810

#### Tribe Platynini Bonelli, 1810

#### *Euplynes batesi* Harold, 1877

Fig. 1

*Euplynes Batesi* Harold, 1877: 341; type locality: "Mohezi", Japan.

*Euplynes batesi chinensis* Jedlička, 1955: 216; type locality: "Kuatun", China.

**MATERIAL. Russia:** Primorskii krai: Lazovskii distr., Lazo, 16.VII 2011, 1 ♀ (A. Prosvirov leg.); Khanka Lake, 20 km to NWW Spassk-Dal'nii, Khankaiskii Reserve, kordon Vostochny, 3-8.VI 2008, 1 ♂ (A. Napolov leg.).

**DISTRIBUTION.** Russia: Primorskii krai (new record); Japan (Harold, 1877; Habu, 1978; Bousquet, 2003), South and Central Korea (Kwon & Lee, 1986; Bousquet, 2003), East China (Jedlička, 1955; Bousquet, 2003).

**NOTES.** The genus *Euplynes* Schmidt-Göbel, 1846 widely distributed in the Oriental, Afrotropical and Australian regions is firstly recorded from Russia.

#### *Agonum (Lissagonum) lampros* (Bates, 1873)

Fig. 2


*Colpodes lampros* Bates, 1873: 275; type locality: "Hiogo", Japan.

**MATERIAL. Russia:** Kunashir Island: Danilovo, NW Peschanoe Lake, 43°57'16"N 145°35'38"E, 17-18.IX 2009, 1 ♂ 1 ♀ (I. Melnik leg.); the same locality, 31.VII 2011, 1 ♂

1 ♀ (K. Makarov, A. Zaitzev leg.); the same locality, 6.VIII 2011, 2 ♂ 1 ♀ (K. Makarov, A. Zaitzev leg.); coast of Okhotsk Sea S of Znamenka Cape, 43°56'12"N 145°33'15"E, 5.VIII 2009, 1 ♂ (K. Makarov, A. Zaitzev leg.); caldera of Golovnin volcano, kordon Ozerny, 43°52'26"N 145°28'56"E, 12.VII 2008, 2 ♂ (K. Makarov leg.); the same locality, 19.IX 2009, 1 ♂ 1 ♀ (A. Zaitzev leg.); caldera of Golovnin volcano, S shore of Gorjachee Lake, 43°52'19"N 145°29'43"E, 27.VIII 2009, 1 ♂ 1 ♀ (A. Zaitzev, A. Prosvirov leg.).

DISTRIBUTION. Russia: Kuriles, Kunashir Island (new record); Japan (Bates, 1873; Habu, 1978; Bousquet, 2003), Central Korea (Kwon & Lee, 1986; Bousquet, 2003).

NOTES. The monotypical East Asian subgenus *Lissagonum* Habu, 1978 is firstly recorded from Russia.



Figs 1, 2. Male, dorsal view. 1 – *Euplynes batesi* (Russia: Khanka Lake); 2 – *Agonum lampros* (Russia: Kunashir Island).

#### ACKNOWLEDGEMENTS

We are grateful to I. Melnik, A. Napolov, A. Prosvirov and A. Zaitzev for their help in collecting of ground-beetles in the Russian Far East.

#### REFERENCES

Bates, H.W. 1873. X. On the geodephagous Coleoptera of Japan. *The Transactions of the Entomological Society of London*. 1873: 219–322.

- Bousquet, Y. 2003. Tribe Platynini Bonelli, 1810. – In: Löbl, L. & Smetana, A. (eds). *Catalogue of Palaearctic Coleoptera. Vol. 1. Archostemata – Myxophaga – Adephaga*. Stenstrup, Apollo Books: 449–469.
- Habu, A. 1978. *Fauna Japonica. Carabidae: Platynini (Insecta: Coleoptera)*. Tokyo, Keigaku Publishing Co. vii + 447 pp. + 36 pls.
- Harold, E. 1877. Beiträge zur Käferfauna von Japan. (Zweites Stück.) Japanische Käfer des Berliner Königl. Museums. *Deutsche Entomologische Zeitschrift*. 1877: 337–367.
- Jedlička, A. 1955. Beitrag zur Kenntnis der Palearktischen Carabiden (Coleoptera). *Acta Entomologica Musei Nationalis Pragae*. 30(453): 207–220.
- Kwon, Y.J. & Lee, S.M. 1986. Check list of superfamily Caraboidea from Korea (Coleoptera). *Insecta Koreana*. 6: 1–55.

Author's addresses:

- 1) Department of Zoology and Ecology,  
Moscow State Pedagogical University,  
129164 Moscow, Russia.  
e-mail: kvmac@inbox.ru
- 2) Lazovsky State Nature Reserve,  
Lazo, Primorskii krai, 692980, Russia;  
e-mail: lazovzap@mail.primorye.ru

---

© **Far Eastern entomologist (Far East. entomol.)** Journal published since October 1994.  
Editor-in-Chief: S.Yu. Storozhenko  
Editorial Board: A.S. Lelej, N.V. Kurzenko, M.G. Ponomarenko, E.A. Beljaev, V.A. Mutin,  
E.A. Makarchenko, T.M. Tiunova, P.G. Nemkov, M.Yu. Proshchalykin, S.A. Shabalin  
Address: Institute of Biology and Soil Science, Far East Branch of Russian Academy of  
Sciences, 690022, Vladivostok-22, Russia.  
E-mail: entomol@ibss.dvo.ru                      web-site: <http://www.biosoil.ru/fee>