

## CURRICULUM VITAE

### PERSONAL

Valentina I. GONTAR  
b. 01 March 1952, St.Petersburg  
Single  
Russian and Estonian citizen

### EDUCATION

Ph.D. 1974 State Saint Petersburg University, Russia  
D.Sc.I. 1980 Zoological Institute of Russian Academy of Sciences, St. Petersburg

### CAREER

1969-1974 student of the Biological Department of the Saint Petersburg University  
1975-1978 postgraduate of the Zoological Institute of the Russian Academy of Sciences, Saint Petersburg  
1978-1981 senior laboratory assistant (ZIN RAS, Saint Petersburg)  
1981-1985 junior scientific researcher (ZIN RAS, Saint Petersburg)  
1985-1994 scientific researcher (ZIN RAS, Saint Petersburg)  
1995-nowdays senior scientific researcher (ZIN RAS, Saint Petersburg)

### ASSOCIATED

Professional  
Russian Hydrobiological Society (1975-nowdays)  
International Bryozoology Association (1977-nowdays)

### EXPEDITION

The White Sea 3  
The Kurile Islands 1  
The Japan Sea 2  
The Aral Sea 1

### REFERENCES

1. Gontar V.I.& Denisenko N.V. Arctic Ocean Bryozoa. 1989. In: The Arctic Seas. Climatology, Oceanography, Geology and Biology. New York, pp. 341-373
2. Gontar V. I., Borisenko Yu. A. 1991. Mineral composition of skeletons of coldwater Bryozoa. In: Marine Biology, No.1, pp. 80-90. [In Russian]

3. Gontar V. I. 1992. The fauna of Bryozoa Cheilostomata of the shallow waters of the Kuril Islands. ONP NPET "Veras-Eko" and IS AS Belorussia. 194 p. [In Russian]
4. Gontar V.I. 1993. New deepwater species of Bryozoa Cheilostomida) from the region of the Kuril Islands. 1993. Zoosystematica rossica, No.2, pp. 41-45
5. Gontar V. I., Vinogradov A.V. 1994. Bryozoa. A Key of freshwater Invertebrates of Russia and adjacent regions. V.1, pp.140-144, tables 105-109 [In Russian]
6. Gontar V. I. About phylogenetic value of the early stages of cormogenesis of Bryozoa Cheilostomida. 1994. Zoological journal, V.73 (4), pp.18-27 [In Russian]
7. Gontar, V.I. & Naumov A.D. The spreading of benthic animals of the shelf of the Northern Eurasia. 1994. In: Studies on Ecology and Palaeoecology of benthic communities. R.Mateucci et al., (eds.). Boll.Soc. Paleont. Ital., Spec.Vol., Mucchi, Modena, pp.153-156, 2 text-fig.
8. Gontar, V.I. 1978. Bryozoa of the Iturup Islands. 1978. Marine Biology, No.1, pp.10-16 [In Russian]
9. Gontar V.I., 1982. New species of Bryozoa (Cheilostomata) from the region of the Kurile Islands. Zoological journal, V.LXI, pp.543-553 [In Russian]
10. Gontar V.I., 1993. New species of Bryozoa (Cheilostomida) from Antarctic seas. Bulletin SAE, No.17, pp. 88-92 [In Russian]
11. Gontar V. I. 1991. Bryozoa (Cheilostomata) of the bay of Rybiy Khvost (the Mouson Sea). Bulletin SAE, No.16, pp.49-55 [In Russian]
12. Gontar V. I., Goryonova R.V., 1991. VII All-union colloquium on recent and fossil Bryozoa. Zoological journal, V. LXX (4), pp. 158-159 [In Russian]
13. Gontar V.I., 1993. New species of Bryozoa (Cheilostomida) from the region of the Kurile Islands. Zoosystematica rossica.1996. No.4(1). Pp.45-47

14. Gontar V.I., 1996. Bryozoa collected by the "Polarstern" expedition in 1991 and 1993. *Zoosystematica rossica*. No.4(1), pp.45-47
15. Gontar V. I. 1979. Bryozoa (Cheilostomata) of the shallow water of the Simushir Island. In: *Biology of the shelf zone*, pp. 234-249 [In Russian]
16. Gontar V. I., Sirenko B.I., Buzhinskaya G.N., Potin V. V., 1988. About the fauna of the Chichacheva Bay (the Japan Sea). In: *Biota and communities of the Far-Eastern seas: lagoons and bays of the Kamchatka and Sakhalin*. Programm Westpac/10 C, pp.31-49 [In Russian].
17. Gontar V. I., 1988. The distribution and ecology of Bryozoa in the shallow waters of the Kandalaksha Bay (the White Sea). In: *Ecosystems of benthos of the southern-eastern part of the Kandalaksha Bay and adjacent water of White Sea*. In : *Issledovaniya fauny morei*, V.38(46), pp.42-47 [In Russian]
18. Gontar V. I., 1990. Bryozoa of the Laptev Sea and the shallow water near the Novosibirsk Islands. In: *Ecosystems of the shallow water of the Novosibirsk Islands and the fauna of the Laptev Sea and adjacent waters*. In: *Issledovaniya fauny morey*, v. 37(45), pp.130-139 [In Russian]
19. Gontar V. I., 1976. The phenotypic variability of the widespread species of Bryozoa. In: *IV All-union colloquium on recent and fossil Bryozoa*. Abstracts, pp.51-53 [In Russian]
20. Gontar V.I., 1978. The Bryozoa of the upper shelf of the Kurile Islands. In: *Distribution pattern and ecology of coastal biocenoses*. Proceedings of Soviet-American Symposium. pp. 60-62
21. Gontar V. I. 1979. Cheilostomata of the upper region of the shelf of the Kurile Islands. In: *V All-union colloquium on recent and fossil Bryozoa*. Abstracts, Pp. 17-19 [In Russian]
22. Gontar V.I., 1981. On the Cheilostomata (Bryozoa) of the Kurile Islands. Recent and Fossil Bryozoa. In: *Proceedings of the conference on Bryozoa*, pp. 101-103
23. Gontar V. I., Denisenko N.V. 1986. The composition and distribution of Bryozoa of the Arctic ocean. In: *VII All-union colloquium on recent and fossil Bryozoa*. Abstracts, pp.12-13 [In Russian]
24. Gontar V. I., Borisenko Yu.A. 1990. Peculiarities of the mineral composition of the skeletons of cold-water Bryozoa. In: *VII All-union colloquium on recent and fossil Bryozoa*. Abstracts, pp.9-11 [In Russian]

25. Gontar V.I., 1990. A quantitative distribution of Cheilostomata Bryozoa in region of the Northern and Southern Kurile Islands. In: Annual Symposium of the Western Society of Naturalists. Abstracts of Papers.
26. Gontar V. I., 1994. On the polyphyly of Cheilostomatida. In: All-Russian and International Conference. Abstracts of papers, pp. 17-18
27. Gontar V.I. & Naumov A.D., 1992. The spreading benthic animals on the shelf of the Northern seas of Eurasia. In: 74 Annual symposium of the Western Society of Naturalists, Abstracts of papers
28. Gontar V.I., 1993. On the phylogenetic importance of early stages of cormogenesis in bryozoans of the order Cheilostomida. In: American zoologists, Vol.33, No.5, pp 70A. Final program and Abstracts
29. Gontar V.I., Borisenko Yu.A. 1993. About peculiarities of mineral composition of the skeletons of coldwater Bryozoa. In: Mineralogy and life, pp. 86-87 [In Russian]
30. Gontar V.I., 1997. New data on the predators of Bryozoa (Cheilostomatida). In: Russian and International Bryozoan Conference "Bryozoa of the World". Abstracts of papers, p.10
31. Gontar V.I., 1997. Cyclostomida fauna of the upper shelf of the Kurile Islands. In: Russian and International Bryozoan Conference "Bryozoa of the World". Abstracts of papers, pp. 10-11
32. Gontar V.I. & Borisenko Yu.A., 1997. Minerological composition of Bryozoa Cheilostomida as an additional taxonomic character. In: Russian and International Bryozoan Conference "Bryozoa of the World". Abstracts of papers, pp.5-6
33. Gontar V.I., Naumov D.V., 1997. Colonization of the White Sea by Boreal and arctic-boreal fauna in Holocene. In: 32nd EMBS Programme & Abstract Volume. p.61
34. Gontar V. I., 1998. About the phylogenetic significance of the early stages of cormogenesis and the polyphyly in Cheilostomatida Bryozoa, Gymnolaemata. In: Proc.Zool.Inst.RAS, Vol.276, pp.73-78
35. Gontar V.I., Borisenko Yu.A., 1998. Mineral composition of skeletons of

- cheilostome Bryozoa as additional taxonomic character. In: Herald of the Kharkov University, No. 402, pp.21-23. [In Russian]
36. Gontar V. I. 2000. Evolutionary trends in Crisiidae (Cyclostomata, Bryozoa). In: Proc. Zool. Inst. Rus. Acad. Nauk, 286, pp. 55-60.
  37. Gontar V. I., Zabala 2000. Bryozoa. In Biodiversity of the Weddell Sea: macrozoobenthic species (demersal fish included) sampled during the expedition ANT XIII/3 (EASIZ I) with RV "Polarstern". Berichte zur Polarforschung, 372, pp/ 26-42.
  38. Gontar V.I., 2001. Bryozoa Cyclostomata from the northern and middle Kurile Islands. Zoosystematica rossica, 10(1):37-39
  39. Gontar V.I., Haakon Hop, A.Yu.Voronkov, 2001. Diversity and distribution of Bryozoa in Kongsfjorden, Svalbard. Polish Polar Research, 22(3-4), pp. 187-204.
  40. Gontar V.I., 2001. List of Bryozoa species of Eurasian Arctic seas and Adjacent deepwater regions. In: List of species of free-living invertebrates of Eurasian arctic seas and adjacent deep waters. Pp.115-121.
  41. Gontar V.I.2002. New species and new genera of Cheilostomata from the Weddell Sea, Antarctica (Bryozoa). Zoosystematica rossica, 10(2):285-292
  42. Gontar V.I., Haakon Hop, A.Yu.Voronkov, 2002. Bryozoa as environmental bioindicators. In: Scientific Session of the Zoological Institute RAS. Thesis of talks, pp.16-17.
  43. Gontar V.I., Haakon Hop, A.Yu.Voronkov, 2002. Bryozoa as environmental bioindicators in Kongsfjorden, Svalbard. In: Proc. Zool. Inst. Acad. Sci., 296, pp. 53-62.
  44. Gontar V.I., 2002. Composition and distribution of the Bryozoa fauna of the Weddell Sea, Antarctic. In: Investigation and biological conservation in the Antarctic. Thesis of talks, pp.32-33. [In Russian]
  45. Gontar V.I., 2003. Composition and distribution of the Bryozoa fauna of the Weddell Sea, Antarctic. In: Bryozoa of the Globe. Book of scientific articles. Vol. 2, pp.18-34. [In Russian]
  46. Gontar V.I., 2003. Vertical distribution of Bryozoa fauna of the Weddell Sea, Antarctic. In: Problems the Arctic and Antarctic, Vyp.74, pp.161-170. [In Russian]

47. Aladin N.V., Miklin F., Plotnikov I.S., **Gontar. V.I.**, Smurov A.O., 2004. «Aral 2003» Part 2. Changes in biota of the Aral Sea in the second half of the 20 century and in the beginning of 21 century. Pp. C. 85-127. [In Russian]
48. Aladin N.V., Plotnikov I.S., **Gontar. V.I.**, Smurov A.O., 2004. In: Biological invasions in water and terrestrial ecosystems. Chapter 3.4. The role of alien species in the ecosystem of the Aral Sea, p. 275-346. [In Russian]
49. Gontar V.I., Naumov A.D., 2004. In: Biological invasions in water and Terrestrial ecosystems. Chapter 2.8. Distribution of marine bottom animals as Mechanism of biological invasion, pp. 207-214. [In Russian]
50. Gontar V.I. 2004. List of invertebrate species of the Laptev Sea and adjacent waters, composed in general from collections last expeditions of 90th years of the 20<sup>th</sup> century. **Bryozoa**. In: Fauna and ecosystem of the Laptev Sea and adjacent deepwater regions of the Arctic Ocean. Pp. 151-156. [In Russian]
51. Gontar V.I., 2004. Bryozoa from the Posyeta Bay, Sea of Japan. *Zoosystematica Rossica*, 12 (2), p. 150
52. Gontar V.I., H.Hop, A.Yu.Voronkov, 2004. The concept of territoriality for bryozoa. *Proc. Zool. Inst. Acad. Sci.*, 300, p. 99-108.
53. Gontar V.I., 2006. Mode of evolution and distribution of Arctic and Antarctic fauna of the order Cheilostomata. In: Scientific conference “Russia in the Antarctic” “To 50 anniversary of regular research of Russian (Soviet) expeditions”. Thesis of talks, p.85-86. [In Russian]
54. Gontar V.I., 2006. Mode of evolution in bipolar families *Bugulidae* and *Candidae* (superfamily *Buguloidea*). *Proc. Zool. Inst. Acad. Sci.*, 310, pp. 75-86.
55. Gontar V.I., 2008. Three new species of the genus *Smittina* from the Weddell Sea, Antarctic (Bryozoa: Cheilostomata: *Smittinidae*). *Zoosystematica Rossica*, 17(1), pp.7-9.
56. Gontar V.I., 2008. *Conopeum seurati* – invaders in the Caspian Sea or *Conopeum* sp.n. – new species in the Caspian. Thesis of talks, pp.15-16 [In Russian]
57. Gontar V.I., 2008. Life strategies of Bryozoa in Fouling. In: Periphyton and

- fouling: theory and practice. Book of abstracts, pp. 38–39. [In Russian]
58. Gontar V.I., 2009. New species from the order Cyclostomata (Bryozoa) from the northern and middle Kurile Islands. Proceedings of the Zoological Institute RAS. Vol.313, No. 1, pp. 41–57.
  59. Gontar V.I., 2009. *Paulella*, new name for a Bryozoan Homonym (Cyclostomata). Zootaxa, 2220, 67
  60. Gontar V.I., 2009. Evolutionary tendencies of Bryozoa as an illustration of some thesis of Charles Darwin. In: Charles Darwin and modern science. Book of abstracts, pp. 149–15
  61. Gontar V.I. 2009. Bottom bryozoan fauna of the Chukchi Sea. Vestnik ekologii, isslesovedeniya i landshaftovedeniya, 10:140–156. [In Russian]
  62. Gontar V.I., Tarasov A.G., Shamionova N.Sh., 2009. Morphological variability, geographical distribution and ecology of *Conopeum Grimmi* (Cheilostomata, Anasca) Gontar et Tarasov. Mir nauki, kultury i obrazovaniya, 7:57–62. [In Russian]
  63. Gontar V.I.. 2010. A representative of the genus *Lapidosella* gen.nov. (Cheilostomata, Anasca) from the Sea of Azov a new species *Lapidosella ostroumovi* Gontar and its ecology. Mir nauki, kultury i obrazovaniya, 5(24):274-282. [In Russian]