

Updated: 01.12.2015

CATALOGUE OF PALAEARCTIC CERAMBYCOIDEA

M.L. Danilevsky

The present Catalogue is arranged on the base of “Catalogue of Palaearctic Coleoptera” (vol. 6) by Löbl & Smetana (2010). All new names published after that edition, are included, as well as numerous additions and corrections published by Danilevsky (2010e, 2011h, 2012j, 2012k, 2012l, 2012m, 2013a, 2013c, 2014b). The taxonomy of several genera is changed. Most fragments differing from the publication by Löbl & Smetana (2010) are red, including corrections to the wrong bibliography references.

The references to the new publications see at the end of the list.

All new taxonomy remarks can be seen in a separate file with corresponding numbers.

The abbreviations of geographical divisions are same as in the Catalogue by Löbl & Smetana (2010), but Transcaucasian republics (Armenia, Azerbaijan and Georgia) are returned to Asia. The eastern limits of Europe are same as in 6th volume (Löbl & Smetana, 2010: 11, 13) with the borderline along Ural Ridge and Ural River, while the whole territories of Sverdlovsk and Chelyabinsk regions as well as Orenburg Region were included in Europe in the previous volumes (here south and east areas of Orenburg Region behind Ural River are treated as West Siberia – “WS”).

The present files will be regularly updated. All remarks and corrections are strongly desirable.

The author is very grateful to R. Ambrus, G. Georgiev, J. Kurzawa, A. Lobanov, J. Mazepa, A. Miroshnikov, Lin Meiying, A. Napolov, A. Shapovalov and T. Tichý for their remarks to the text.

family VESPERIDAE Mulsant, 1839

subfamily Vesperinae Mulsant, 1839

tribe Vesperini Mulsant, 1839

genus *Vesperus* Dejean, 1821: 111 type species *Stenocorus strepens* Fabricius, 1793

aragonicus Barraud, 1964: 38 E: FR SP

barredai Verdugo, 2009: 22 E: SP

bolivari Paulino d’Oliveira, 1893: 359 E: PT SP

reitteri Cameron, 1912: 49

brevicollis Graells, 1858: 89 E: PT SP

conicicollis conicicollis Fairmaire, 1866: 69 E: SP N: MO

conicicollis hispalensis Fuente, 1901: 6 E: PT SP

baesuriensis Zuzarte, 1985: 99

creticus Ganglbauer, 1886b: 310 E: GR

flaveolus Mulsant & Rey, 1863: 169 N: AG TU

fuentei Pic, 1905a: 5 E: SP

rufescens Pic, 1921a: 4

semiobscurus Pic, 1921a: 4

gomezi Verdugo, 2004: 67 E: SP

jertensis Berredo & Bahillo de la Puebla, 1999: 150 E: SP

joanivivesi Vives, 1998: 186 E: SP

luridus Rossi, 1794: 96 (*Stenocorus*) E: CR FR IT YU

graecus Guérin-Méneville, 1833a: pl. 46

solieri Germar, 1836a: 20

macropterus Sama, 1999a: 42 E: IT (Sardegna)

nigellus Compte Sart, 1963: 183 E: SP

sanzi Reitter, 1895b: 132 E: PT SP

serranoi Zuzarte, 1985: 97 E: PT

strepens Fabricius, 1793: 297 (*Stenocorus*) E: FR IT

ligusticus Vitali, 2001: 149

litigiosus Mulsant, 1862: 443
xatarti Dufour, 1839: 219 E: FR SP
 amori Mendizábal, 1939: 70
genus *Vesperus*, species incertae sedis
ocularis Mulsant & Rey, 1863: 172 A: TR

subfamily **Philinae** J. Thomson, 1861
tribe **Philini** J. Thomson, 1861

genus **Heterophilus** Pu, 1988: 302 type species *Heterophilus scabricollis* Pu, 1988
dentitibialis Chiang, Chen & Zhang, 1996: 112 A: XIZ
punctulatus Chiang, Chen & Zhang, 1996: 111 A: XIZ
scabricollis Pu, 1988: 302 A: XIZ

genus **Mantitheus** Fairmaire, 1889c: lxxxix type species *Mantitheus pekinensis* Fairmaire, 1889
 Paraphilus Gahan, 1893a: 255 type species *Paraphilus duplex* Gahan, 1893
acuminatus Pic, 1946c: 155 A: CH
murzini Vives, 2005a: 244 A: SCH
pekinensis Fairmaire, 1889: xc A: BEI FUJ GUA GUX HEB HEI HEN JIA MG NMO SHA SHN SHX
 duplex Gahan, 1893a: 255 (*Paraphilus*)
 gracilis Pic, 1924e: 79
taiguensis Wu & S.-N. Jiang, 2000: 87 A: SHX

genus **Philus** Saunders, 1853: 110 type species *Philus inconspicuus* Saunders, 1853 (= *Stenochorus antennatus* Gyllenhal, 1817)
antennatus Gyllenhal, 1817: 180 (*Stenochorus*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SHA SHN
 TAI ZHE **ORR**
 inconspicuus Saunders, 1853: 110
 stuposus Gyllenhal, 1817: 180 (*Stenochorus*)
curticollis Pic, 1930a: 15 A: CE SE SHA SW **ORR**
pallescens *pallescens* Bates, 1866: 350 A: FUJ GUA GUI GUX HEN HKG HUN JA JIX SCH SHA TAI ZHE **ORR**
 cantonensis Pic, 1930a: 14
pallescens *tristis* Gressitt, 1940b: 25 A: HAI

genus **Spiniphilus** Lin & Bi, 2011: 54 type species *Spiniphilus spinicornis* Lin & Bi, 2011
spinicornis Lin & Bi, 2011: 55 A: YUN
xiaodongi Bi & Lin, 2015: 576 A: YUN

#87

family **DISTENIIDAE** J. Thomson, 1861
subfamily **Disteniinae** J. Thomson, 1861
tribe **Cyrtanopini** Gressitt, 1940

genus **Cyrtanops** A. White, 1853: 32 type species *Cyrtanops punctipennis* A. White, 1853
 Cladopalpus Lansberge, 1886: 35 type species *Cladopalpus hageni* Lansberge, 1886
asahinai Mitono, 1947a: 77 A: GUI SCH SHX TAI
niger Gahan, 1906a: 60 A: XIZ "North India" "Himalaya" **ORR**
punctipennis A. White, 1853: 33 A: GUA YUN XIZ "Himalaya" **ORR**
 hageni Lansberge, 1886: 36 (*Cladopalpus*)
simplicipes Holzschuh, 1991c: 6 A: UP
tonkineus Fairmaire, 1895: 176 A: GUX HAI **ORR** [according to the M.-Y. Lin personal message, 2014]
 oberthueri Clermont, 1935: 262
 wuzhishanensis Z. Wang, 2014: 14, 1123

tribe **Disteniini** J. Thomson, 1861

genus **Clytomelegena** Pic, 1928: 11 type species *Clytomelegena postaurata* Pic, 1928
 Noeconia Murzin, 1988: 161 type-species *Noeconia kabakovi* Murzin, 1988
kabakovi Murzin, 1988: 162 (*Noeconia*) A: GUA **ORR**

genus **Distenia** Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier and Audinet-Serville, 1828
 Apheles Blessig, 1872: 165 type species *Apheles gracilis* Blessig, 1872
 Basisvallis Santos-Silva & Hovore, 2007: 23 type species: *Distenia agrooides* Bates, 1870
 Sakuntala Lameere, 1890: cxxii type species *Sakuntala kalidasa* Lameere, 1890
 Thelxiope J. Thomson, 1864: 226 [HIN] type species *Thelxiope viridicyanea* J. Thomson, 1864
 Thomsonistenia Santos-Silva & Hovore, 2007: 3 [RN] type species: *Thelxiope viridicyanea* J. Thomson, 1864
subgenus **Distenia** Lepeletier & Audinet-Serville, 1828: 485 type species *Distenia columbina* Lepeletier and Audinet-Serville, 1828
ampliata Pu, 1985c: 429 A: ANH
dissimilis Chiang & Wu, 1987: 19 A: SCH
formosana Mitono, 1936: 420 A: TAI

gracilis Blessig, 1872: 168 (*Aphelus*) A: FE HEI JIL LIA NC SC
japonica japonica Bates, 1873: 155 A: FE JA
japonica yakushimana Yokoyama, 1966: 54 A: JA (Yaku-shima)
kalidasa Lameere, 1890: ccxiv (*Sakuntala*) A: SD UP ORR
mellina Holzschuh, 1995: 5 A: YUN
nigrosparsa Pic, 1914e: 17 A: SCH YUN
notabilis Chiang & Wu, 1987: 17 A: XIZ
orientalis Bi & Lin, 2013: 84 A: FUJ GUA JIX SHX ZHE
perforans Holzschuh, 1995: 6 A: YUN
picea Chiang & Wu, 1987: 22 A: SCH
pici Villiers, 1958: 264 A: BT
punctulatoides Hubweber, 2010: 61 A: SHA
 punctulata Chiang & Wu, 1987: 18 [HN]
rufobrunnea Holzschuh, 1995: 6 A: SCH
shennongjiaensis Pu, 1985c: 427 A: HUB
stenola Chiang & Wu, 1987: 21 A: YUN
tricostata Chiang & Wu, 1987: 20 A: SCH
tuberosa Pu, 1985c: 427 A: SCH
wolongensis Chiang & Wu, 1987: 20 A: SCH

genus Melegena Pascoe, 1869: 656 type species *Melegena pubipennis* Pascoe, 1869
fulva Pu, 1990: 234 A: FUJ GUA

genus Nericonia Pascoe, 1869: 656 type species *Nericonia trifasciata* Pascoe, 1869
nigra Gahan, 1894a: 30 A: YUN ORR

genus Noemia Pascoe, 1857b: 111 type species *Noemia flavigornis* Pascoe, 1857
 Nethinius Fairmaire, 1889d: xciv type species *Nethinius sanguinicollis* Fairmaire, 1889
incompta Gressitt, 1935c: 181 A: TAI ORR
semirufa Villiers, 1958: 268 A: HAI ORR
submetallica Gressitt, 1940b: 29 A: 29 HAI YUN ORR

genus Tengius Matsushita, 1938: 204 type species *Tengius okuboi* Matsushita, 1938
kurosawai Makihara, 1986c: 275 A: JA
okuboi Matsushita, 1938: 105 A: JA

genus Typodryas J. Thomson, 1864: 227 type species *Typodryas callichromoides* J. Thomson, 1864
 Psalanta Pascoe, 1869: 656 type species *Psalanta chalybeata* Pascoe, 1869
brunnicollis Chiang & Wu, 1987: 23 A: GUX
callichromoides J. Thomson, 1864: 227 A: HAI ORR

tribe Dynamostini Lacordaire, 1868

genus Dynamistes Pascoe, 1857b: 90 type species *Dynamistes audax* A. White, 1853
audax Pascoe, 1857b: 90 A: NP SD YUN ORR

family CERAMBYCIDAE Latreille, 1802
subfamily **Parandrinae** Blanchard, 1845
 tribe Parandrini Blanchard, 1845

genus Parandra Latreille, 1802: 160 type species *Attelabus glaber* DeGeer, 1774
subgenus Archandra Lameere, 1912a: 114 type species *Parandra caspia* Ménétriés, 1832
caspia Ménétriés, 1832: 225 A: AB IN #131
 — *caspia* Faldermann, 1837-261 [incorrect subsequent spelling] – not available!
subgenus Komiandra Santos-Silva, Heffern and Matsuda, 2010: 7 type species *Parandra janus* Bates, 1875
formosana Miwa & Mitono, 1939: 92 A: JA-(Ryukyu) TAI
lanyuana Hayashi, 1981b: 27 A: TAI (Lan-Yu)
shibatai Hayashi, 1963a: 50 A: JA (Ryukyu)
uenoi Santos-Silva, Heffern and Matsuda, 2010: 11-12, 36 (*Komiandra*) A: JA (Ryukyu)
subgenus Neandra Lameere, 1912a: 114 type species *Tenebrio brunneus* Fabricius, 1798
brunnea Fabricius, 1798: 49 (*Tenebrio*) Ei: GB GE NAR
 conformis J. Thomson, 1867: 115
 dentata J. Thomson, 1867: 115
 minuta J. Thomson, 1867: 116
 purpurea Herbst, 1799: 21 (*Tenebrio*)

quadricollis J. Thomson, 1867: 114
sayi J. Thomson, 1867: 114

subgenus *Parandra* Latreille, 1802: 160 type species *Attelabus glaber* DeGeer, 1774
— *Gnathophorus* Kirby, 1837: 166 type species *Attelabus glaber* DeGeer, 1774
— *Hesperandra* Arigony, 1977: 163 type species *Parandra expectata* Lameere, 1902
— *Zikandra* Santos-Silva, 2003: 120 type species *Attelabus glaber* DeGeer, 1774

subfamily **Prioninae** Latreille, 1802
tribe Acanthophorini J. Thomson, 1864

genus *Anthracocentrus* Quentin & Villiers, 1983: 82 type species *Tithoes arabicus* J. Thomson, 1877
arabicus J. Thomson, 1877a: 266 (*Tithoes*) N: AG EG LB MO A: AE BA IS JO OM SA SI YE **AFR**
rugosiceps Pic, 1925h: 404 (*Notophysis*)
vicarius Lameere, 1912a: 173 (*Acanthophorus*)
modicus Gahan, 1894b: 222 (*Acanthophorus*) A: PA (Punjab)
rugiceps Gahan, 1894b: 223 (*Acanthophorus*) A: IN PA **ORR**
hardei Heyrovský, 1959: 2 (*Acanthophorus*)

genus *Tithoes* J. Thomson, 1864: 289 type species *Prionus maculatus* Fabricius, 1793
confinis Laporte, 1840: 395 (*Acanthophorus*) A: SA YE N: EG **AFR**
crassipes Quedenfeldt, 1882: 320 (*Tithoes*)
falcatus Kolbe, 1897: 350 (*Tithoes*)
gnatho Kolbe, 1897: 351 (*Tithoes*)
gularis Kolbe, 1897: 350 (*Tithoes*)
intermedius J. Thomson, 1877a: 266 (*Tithoes*)
longicornis Kolbe, 1897: 351 (*Tithoes*)
mandibularis J. Thomson, 1877a: 265 (*Tithoes*)

tribe Aegosomatini J. Thomson, 1861

genus *Aegolipton* Gressitt, 1940b: 22 type species *Cerambyx marginalis* Fabricius, 1775
marginale Fabricius, 1775: 169 (*Cerambyx*) A: FUJ GUA GUI GUX HAI HKG JIA JIX SCH ?TAI YUN **ORR**
javanicum L. Redtenbacher, 1868: 202 (*Aegosoma*)
yunnanense Feng & L. Chen, 2007: 718
sauteri Lameere, 1913: 175 (*Megopis*) A: TAI

genus *Aegosoma* Audinet-Serville, 1832: 162 type species *Cerambyx scabricornis* Scopoli, 1763
guerryi Lameere, 1916a: 324 (*Megopis*) A: SCH YUN **ORR**
hainanense *hainanense* Gahan, 1900d: 347 A: FUJ GUA GUX HAI JIA SCH TAI YUN **ORR**
mushense Kano, 1933a: 259 (*Megopis*)
ivanovi Danilevsky, 2011g: 2 A: FE
katsurai Z. Komiya, 2000: 419 (*Megopis*) A: YUN **ORR**
ornaticolle A. White, 1853: 30 A: BT GUI NP SCH SD XIZ YUN **ORR**
scabricorne Scopoli, 1763: 54 (*Cerambyx*) E: AL AU BEi BH BU BY CR CZ FR **GB** GE GR HU IT MC MD NL RO SK SL SP ST
SZ TR UK YU A: AB AR GG IN **IQ** LE SY TR #39 #44
sinicum *sinicum* A. White, 1853: 30 A: ANH BEI FE GAN HEB HEI HEN HUB HUN LIA JIA JIL JIX NC NMO SC **SCH** SHG
SHN TAI ZHE **ORR** #74
amplicolle Motschulsky, 1854a: 48
corniculum Yoshida, 1931: 273 (*Megopis*)
sinicum *savoryi* Kusui, 1973: 119 (*Megopis*) A: JA (Bonin Is.)
sinicum *validicorne* Gressitt, 1951b: 205 (*Megopis*) A: JA (Ishigaki-shima, Iriomote-shima)
ogurai Takakuwa, 1984: 9 (*Megopis*)

genus *Baralipiton* J. Thomson, 1857g: 341 type species *Baralipiton maculosum* J. Thomson, 1857
maculosum J. Thomson, 1857g: 342 A: GUI GUX HAI SD YUN **ORR**

genus *Dinoprionus* Bates, 1875: 49 type species *Dinoprionus cephalotes* Bates, 1875
cephalotes Bates, 1875: 50 A: AP BT SD "India" **ORR**

genus *Megobaralipiton* Lepesme & Breuning, 1952: 140 type species *Aegosoma bicoloripes* Ritsema, 1881
mandibulare Fairmaire, 1900: 637 (*Aegosoma*) A: FUJ TAI

genus *Metaegosoma* Komiya & Drumont, 2012b: 182 type species *Megopis pici* Lameere, 1915
pici Lameere, 1915b: 179 (*Megopis*) A: GUI YUN

genus *Nepiodes* Pascoe, 1867c: 410 type species *Nepiodes cognatus* Pascoe, 1867
bowringi Gahan, 1894b: 226 (*Aegosoma*) A: AP NP PA SD **ORR**
costipennis *costipennis* A. White, 1853: 28 (*Megopis*) A: SCH SD XIZ YUN "Himalaya" **ORR**
lacertosus Pascoe, 1867c: 413 (*Aegosoma*)

costipennis multicarinatus Fuchs, 1966: 19 (*Megopis*) A: FUJ GUA GUI GUX HAI YUN ZHE **ORR**
sulcipennis A. White, 1853: 31 (*Aegosoma*) A: FUJ TAI "North India" **ORR**
lineatus Hüdepohl, 1994: 186 (*Megopis*)

genus *Palaeomegopis* Boppe, 1911**a:** 29 type species *Palaeomegopis lameerei* Boppe, 1911
Steinke Hüdepohl, 1993: 321 type species *Steinke lehmanni* Hüdepohl, 1993 (= *Palaeomegopis lameerei* Boppe, 1911)
lameerei Boppe, 1911**a:** 30 A: GUX SD XIZ YUN **ORR**
lehmanni Hüdepohl, 1993: 322 (*Steinkea*)
komiayai Drumont, 2006b: 282 A: YUN

genus *Rhineimegopis* Z. Komiya & Drumont, 2001: 392 type species *Eurypoda cordieri* Lameere, 1916
cordieri Lameere, 1916**b:** 234 (*Eurypoda*) A: HAI **ORR**

genus *Spinimegopis* K. Ohbayashi, 1963: 7 type species *Megopis nipponica* Matsushita, 1934
buckleyi Gahan, 1894**b:** 227 (*Aegosoma*) A: AP HP NP UP
curticornis Z. Komiya & Drumont, 2007: 374 A: GUA
delahayei Z. Komiya & Drumont, 2007: 358 A: AP YUN **ORR**
formosana formosana Matsushita, 1933a: 163 (*Megopis*) A: GUX TAI
formosana lanhsuensis Hayashi, 1974a: 2 (*Megopis*) A: TAI (Lanyu)
fujitai Z. Komiya & Drumont, 2007: 357 A: GUI HUB **ORR**
guangxiensis Feng & Chen, 2009: 38 (*Megopis*) A: GUX
huai Z. Komiya & Drumont, 2007: 373 A: FUJ HUB SCH SHA
ishigakiana Yoshinaga & Nakayama, 1972: 19 (*Megopis*) A: JA (Ishigaki-jima, Iriomote-jima)
kawazoei hachijoana Fujita, 1980: 11 (*Megopis*) A: JA (Tokara-shoto, Hachijo-jima)
kawazoei kawazoei Hayashi, 1961b: 36 (*Megopis*) A: JA (Amami Oshima)
kawazoei okinawana Fujita, 1980: 5 (*Megopis*) A: JA (Okinawa-honto, Tokashiki-jima)
lividipennis Lameere, 1920: 142 (*Megopis*) A: SCH YUN **ORR**
nepalensis Hayashi, 1979: 83 (*Megopis*) A: BT NP SD **XIZ**
nipponica nipponica Matsushita, 1934**b:** 538 (*Megopis*) A: JA (Shikoku)
nipponica yakushima Fujita, 1980: 4 (*Megopis*) A: JA (Kumage-shoto: Yaku-shima, Tanega-shima, Kuchinoerabu-jima, Kyushu)
perroti Fuchs, 1966: 17 (*Megopis*) A: YUN **ORR**
piliventris antennalis Fuchs, 1966: 18 (*Megopis*) A: XIZ YUN **ORR**
piliventris piliventris Gressitt, 1950: 135 (*Megopis*) A: YUN **ORR** [see Feng & Chen, 2009]
tibialis A. White, 1853: 32 (*Aegosoma*) A: BT HP NP SD XIZ **ORR**

tribe Anacolini J. Thomson, 1857

genus *Casiphia* Fairmaire, 1894**a:** 223 type species *Casiphia thibeticola* Fairmaire, 1894
subgenus *Casiphia* Fairmaire, 1894**a:** 223 type species *Casiphia thibeticola* Fairmaire, 1894
Casiphiorionus Pic, 1916c: 2 type species *Casiphiorionus limbatus* Pic, 1916 (= *Casiphia thibeticola* Fairmaire, 1894)
thibeticola Fairmaire, 1894**a:** 223 A: SCH XIZ YUN **ORR**
limbatus Pic, 1916c: 2 (*Casiphiorionus*)
subgenus *Flabelloprionus* Heyrovský, 1933: 133 type species *Flabelloprionus szechuanus* Heyrovský, 1933
szechuanus Heyrovský, 1933: 134 (*Flabelloprionus*) A: SCH
yunnana Drumont & Z. Komiya, 2002: 31 A: SCH YUN

genus *Drumontiana* Danilevsky, 2001**d:** 228 type species *Casiphia lacordairei* Semenov, 1927
amplipennis Gressitt, 1939b: 82 (*Psephactus*) A: ZHE
francottei Z. Komiya & Niisato, 2007: 562 A: YUN
lacordairei Semenov, 1927: 237 (*Casiphia*) A: XIZ YUN

genus *Hystatoderes* Lameere, 1917: 146 type species *Hystatoderes vitalisi* Lameere, 1917
weissi Lameere, 1915a: 56 (*Emphiesmenus*) A: HUN **ORR**
vitalisi Lameere, 1917: 147 (*Hystatoderes*)

genus *Psephactus* Harold, 1879**c:** 367 type species *Psephactus remiger* Harold, 1879
remiger insularis Hayashi, 1961b: 37 A: JA (Amami-Ōshima)
remiger remiger Harold, 1879c: 368 A: JA SC
scabripennis chichijimensis Kusama, 1973: 119 A: JA (Chichi-jima)
scabripennis scabripennis Kusama, 1973: 118 A: JA (Haha-jima)
taiwanus Kano, 1933a: 260 A: TAI

genus *Sarmydas* Pascoe, 1867**c:** 410 type species *Sarmydas antennatus* Pascoe, 1867
antennatus Pascoe, 1867**c:** 410 A: BT FUJ GUA GUX HAI HUN JIA NP SD SHA TAI UP YUN "India" **ORR**
cheni Drumont & Bi, 2014: 268 A: **XIZ**
fujishiroi Drumont, 2006a: 220 A: GUX SCH YUN **ORR**

trichodes Feng & L. Chen, 2006: 610
loebli Drumont & Weigel, 2010: 67 A: YUN
subcoriaceus Hope, 1831: 27 (*Prionus*) A: NP UP XIZ

genus *Vietetropis* Z. Komiya, 1997: 39 type species *Vietetropis viridis* Z. Komiya, 1997
viridis Z. Komiya, 1997: 40 A: GUX XIZ YUN ORR

tribe Callipogonini J. Thomson, 1861

genus *Callipogon* Audinet-Serville, 1832: 140 type species *Prionus barbatus* Fabricius, 1781
subgenus *Eoxenus* Semenov, 1899c: 570 type species *Callipogon relictus* Semenov, 1899
relictus Semenov, 1899c: 563 A: FE HEB HEI JIL LIA NC NMO SC SHA SHX

tribe Cantharocnemini J. Thomson, 1861

genus *Cantharocnemis* Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832
subgenus *Cantharocnemis* Audinet-Serville, 1832: 132 type species *Cantharocnemis spondyloides* Audinet-Serville, 1832

Acmena Gistel, 1848a: 129 [unnecessary substitute name]
Cantharofoedus Gilmour, 1956a: 219 type species *Cantharocnemis migsi* Gilmour, 1956 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)
Hoploscelis Audinet-Serville, 1832: 169 type species *Hoploscelis lucanoides* Audinet-Serville, 1832 (= *Cantharocnemis spondyloides* Audinet-Serville, 1832)
spondyloides Audinet-Serville, 1832: 132 N: EG MO (Western Sahara) A: OM SA YE AFR
 arabicus Fuchs, 1969: 381
 gahani Lameere, 1902: 312
 grandidieri Lameere, 1912a: 124
 latibula Fairmaire, 1882b: 94
 lucanoides Audinet-Serville, 1832: 170 (*Hoploscelis*)
 migsi Gilmour, 1956a: 219
 modestus Fairmaire, 1897b: 150
 obockianus Fairmaire, 1890: 549
 variolosus Fairmaire, 1882c: liv
subgenus *Cantharopriion* Lameere, 1902: 314 type species *Cantharocnemis livingstonii* Westwood, 1866
downesii Pascoe, 1858: 236 A: NP ORR
subgenus *Paracantharocnemis* Plavilstshikov, 1933e: 114 type species *Cantharocnemis strandi* Plavilstshikov, 1933
strandi Plavilstshikov, 1933e: 113 A: SA YE

genus *Cantharoctenus* Westwood, 1866: 134 type species *Cantharocnemis burchellii* Westwood, 1866
filippovi Plavilstshikov, 1933h: 263 (*Cantharocnemis*) A: YE

tribe Ergatini Fairmaire, 1864

genus *Callergates* Lameere, 1904: 47 type species *Ergates gaillardotii* Chevrolat, 1854
gaillardotii Chevrolat, 1854: 481 (*Ergates*) E: GR (Rodos, Samos) N: EGi A: CY LE SY TR
 akbesianus Pic, 1900s: 81 (*Ergates*)

genus *Ergates* Audinet-Serville, 1832: 143 type species *Prionus serrarius* Panzer, 1793 (= *Cerambyx faber* Linnaeus, 1760)
 Cerambyx Gistel, 1848a: xi [unnecessary replacement name]
 Caratambyx Gistel, 1856: 375 type species *Cerambyx faber* Linnaeus, 1760
faber Linnaeus, 1760: 187 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ FR GBi GE GR HU IT LA LT NL PL PT
 SK SL SP ST SV TR UK YU N: MO A: AR ?AB GG IQ SY TR
 alkani Demelt, 1968a: 28
 bulzanensis Laicharting, 1784: 1 (*Prionus*)
 crenatus Fabricius, 1801b: 264 (*Prionus*)
 grandiceps Tournier, 1872: 257
 obscurus Olivier, 1795: 26 (*Prionus*)
 portitor Schrank, 1781b: 312 (*Cerambyx*)
 serrarius Panzer, 1793b: 6 (*Prionus*)
faber opifex Mulsant, 1851: 122 E: IT (Sicilia, Calabria) N: AG

tribe Eurypodini Gahan, 1906

genus *Eurypoda* Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853

subgenus *Eurypoda* Saunders, 1853: 109 type species *Eurypoda antennata* Saunders, 1853

Zarax Pascoe, 1867c: 410 type species *Zarax eurypodoides* Pascoe, 1867 (= *Eurypoda nigrita* J. Thomson, 1865)
antennata Saunders, 1853: 110 A: GUA GUI GUX HEN HKG HUB HUN JIA JIX QIN SCH SHG TAI YUN ZHE
 davidis Fairmaire, 1886b: 355
 boninensis Hayashi & Kusama, 1973: 117 A: JA (Bonin Is.)
 nigrita J. Thomson, 1865a: 577 A: GUI YUN ORR
 eurypodoides Pascoe, 1867c: 410 (*Zarax*)
 unicolor Hayashi, 1956c: 11 A: JA

tsushima K. Ohbayashi, 1963: 7

subgenus *Neopriion* Lacordaire, 1868: 131 type species *Neopriion parandraeformis* Lacordaire, 1868
batesi Gahan, 1894b: 225 A: FUJ GUA GUI GUX HAI HUB HUN JA JIX SC SCH QIN YUN ZHE **ORR**
parandraeformis Lacordaire, 1868: 132 (*Neopriion*) A: QIN YUN **ORR**

tribe Macrotomini J. Thomson, 1861

genus *Anomophysis* Quentin & Villiers, 1981: 374 type species *Prionus spinosus* Fabricius, 1787

elliotti C. O. Waterhouse, 1884b: 379 (*Macrotoma*) A: NP SD **YUN ORR**
difformis Nonfried, 1892c: 377 (*Macrotoma*)

hainana Gressitt, 1940b: 18 (*Macrotoma*) A: GUA GUX HAI YUN **ORR**

inscripta C. O. Waterhouse, 1884b: 380 (*Macrotoma*) A: AF PA UP **ORR**

katoi Gressitt, 1938b: 149 (*Macrotoma*) A: TAI

plagiata C. O. Waterhouse, 1884b: 381 (*Macrotoma*) A: AF HP KA NP PA SD UP **ORR**

vidua Lameere, 1903: 167 (*Macrotoma*)

genus *Bandar* Lameere, 1912a: 144 type species *Prinobius pascoei* Lansberge, 1884

pascoei formosae Gressitt, 1938b: 147 (*Macrotoma*) A: JA (Ryukyu) TAI
obscuribrunnea Hayashi, 1962c: 2 (*Macrotoma*)

pascoei gressitti Quentin & Villiers, 1981: 364 A: GUX SCH XIZ YUN

pascoei pascoei Lansberge, 1884: 144 [RN] (*Prinobius*) A: ANH AP BT FUJ GUA GUI GUX HAI HEB HP HUB HUN NP SCH SD SHA UP XIZ YUN ZHE **ORR**

fisheri C. O. Waterhouse, 1884b: 382 (*Macrotoma*)

luzonum Paseoe, 1869: 666 [HN] (*Macrotoma*)

genus *Macrotoma* Audinet-Serville, 1832: 137 [NP] type species *Prionus serripes* Fabricius, 1781

Dapsilus Gistel, 1848a: ix [NO] type species *Prionus serripes* Fabricius, 1781

palmata Fabricius, 1793: 249 (*Prionus*) N: AG EG LB MO A: SA YE **AFR**

boehmi Reitter, 1903a: 46 (*Macrotoma*)

brevipes Kolbe, 1894a: 49 (*Macrotoma*)

coelaspis A. White, 1853: 38 (*Macrotoma*)

humeralis A. White, 1853: 37 (*Macrotoma*)

rugulosa Kolbe, 1894a: 49 (*Macrotoma*)

senegalensis Olivier, 1795: 22 (*Prionus*)

spinipes Illiger, 1805: 107 (*Prionus*)

valida J. Thomson, 1877a: 271 (*Macrotoma*)

genus *Prinobius* Mulsant, 1842a: 207 type species *Prinobius myardi* Mulsant, 1842

Prinobius Chevrolat, 1854: 482 [unnecessary emendation]

myardi atropos Chevrolat, 1854: 482 A: CY IS JO LE SY **TR**

cedri Marseul, 1856: 48

myardi gaubili Chevrolat, 1859b: cxxxv N: AG EG LB MO TU

goudotii Chevrolat, 1859c: cxxxx

lethifer Fairmaire, 1859c: cxxxviii

myardi myardi Mulsant, 1842a: 207 E: FR PT SP

abscissus Gilmour, 1954: 27 (*Macrotoma*)

germari Mulsant, 1846: 291

myardi proksi Sláma, 1982: 203 E: GR (Kríti)

myardi slamorum Danilevsky, 2012: 698 [RN] E: AL BH BU CR GR IT TR UK YU A: GG IN TR

scutellaris Germar, 1817: 219 [HN] (*Prionus*)

samai Drumont & Rejzek, 2008: 4 A: IN

tribe Mallodontini J. Thomson, 1861

genus *Nothopleurus* Lacordaire, 1868: 125 type species *Nothopleurus ebeninus* Lacordaire, 1868 (= *Prionus subsulcatus* Dalman, 1823)

Opheltes J. Thomson, 1864: 306 [HN] type species *Opheltes auriculatus* J. Thomson, 1864 (= *Mallodon macrothorax* Montrouzier, 1861)
arabicus Buquet, 1843: 330 (*Mallodon*) A: YE (Suqutra)

tribe Meroscelisini J. Thomson, 1861

genus *Tragosoma* Audinet-Serville, 1832: 159 type species *Cerambyx depsarius* Linnaeus, 1767

depsarium Linnaeus, 1767: 624 (*Cerambyx*) E: AL AN AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LS LT MC NR NT PL SK SL SP ST SV SZ UK YU A: ES FE WS

tribe Prionini Latreille, 1802

genus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793

subgenus *Baladeva* G. R. Waterhouse, 1840: 225 type species *Dorysthenes walkeri* G. R. Waterhouse, 1840
sternalis Fairmaire, 1902a: 244 (*Cyrtognathus*) A: SCH YUN

walkeri G. R. Waterhouse, 1840: 226 A: FUJ GUX HAI HUB SCH YUN **ORR**
siamensis Nonfried, 1892c: 375 (*Cyrtognathus*)
subgenus *Cyrtognathus Dejean, 1835: 316* type species *Prionus paradoxus* Faldermann, 1833
Cyrtognathus J. Thomson, 1861: 328 [unjustified emendation]
hydropicus Pascoe, 1857b: 91 (*Prionus*) A: GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX NMO SHA SHG SHN TAI ZHE
 "China Borealis"
breviceps Fairmaire, 1900: 637 (*Cyrtognathus*)
chinensis J. Thomson, 1861: 328 (*Cyrtognathus*)
paradoxus Faldermann, 1833: 63 (*Prionus*) A: ANH FE GAN HEB HEN HUB JIA JIL LIA MG NC NIN NMO QIN SC SCH SHA
 SHN SHX TAI
aquilinus J. Thomson, 1865a: 577 (*Cyrtognathus*)
tippmanni Heyrovský, 1950: 127
subgenus *Dorysthenes* Vigors, 1826: 514 type species *Prionus rostratus* Fabricius, 1793
davidis Fairmaire, 1886b: 353 A: GUI SCH YUN
rostratus Fabricius, 1793: 243 (*Prionus*) A: PA **ORR**
subgenus *Lophosternus* Guérin-Méneville, 1844: 209 type species *Lophosternus buquetii* Guérin-Méneville, 1844
Cyrtosternus Guérin-Méneville, 1844: 210 type species *Lophosternus hopei* Guérin-Méneville, 1844
angulicollis Fairmaire, 1886b: 354 (*Cyrtognathus*) A: GUX YUN
buquetii Guérin-Méneville, 1844: 209 (*Lophosternus*) A: GUX KA NP YUN **ORR**
similis Gahan, 1906a: 13 (*Lophosternus*)
dentipes Fairmaire, 1902a: 243 (*Cyrtognathus*) A: GUX YUN **ORR**
florentinii Fairmaire, 1895: 175 (*Cyrtognathus*) A: GUX **ORR**
gracilipes Lameere, 1915a: 58 A: XIZ YUN
huegelii L. Redtenbacher, 1844: 550 (*Cyrtognathus*) A: AF HP KA NP PA SD UP **ORR**
falco J. Thomson, 1877a: 262 (*Cyrtognathus*)
palpalis Gahan, 1906a: 12 (*Lophosternus*)
indicus Hope, 1831: 27 (*Prionus*) A: BT NP SD XIZ **ORR**
hopei Guérin-Méneville, 1844: 210 (*Lophosternus*)
socius Gahan, 1906a: 11 (*Lophosternus*)
zivetta J. Thomson, 1877a: 263 (*Cyrtognathus*) A: NP SD XIZ YUN "Himalaya" "North India" **ORR**
subgenus *Paraphrus* J. Thomson, 1861: 330 type species *Cyrtognathus granulosus* J. Thomson, 1861
granulosus J. Thomson, 1861: 329 (*Cyrtognathus*) A: FUJ GAN GUA GUI GUX HAI HKG HUB QIN SCH SD YUN ZHE "India"
ORR
subgenus *Prionomimus* Lameere, 1912a: 176 type species *Prionus fossatus* Pascoe, 1857
elegans elegans N. Ohbayashi, 1981: 45 A: TAI
elegans ishigakiensis N. Ohbayashi, 1981: 46 A: JA (Ishigaki-jima)
fossatus Pascoe, 1857b: 90 (*Prionus*) A: FUJ GUI HAI HUB HUN JIX QIN SCH SHA ZHE
igai Matsushita, 1941: 151 (*Prionus*) A: TAI
pici Lameere, 1912a: 176 A: TAI

genus *Lobarthron* Semenov, 1900b: 333 type species *Prionus balassogloj* Jakovlev, 1885
balassogloj balassogloj Jakovlev, 1885a: 91 (*Prionus*) A: KI KZ UZ
breve Semenov, 1888: 157 (*Prionus*)
nadari Fairmaire, 1892a: cxxiv (*Prionus*)
balassogloj brevispinum Jakovlev, 1885a: 92 (*Prionus*) A: KI KZ UZ

genus *Macroprionus* Semenov, 1900b: 324 type species *Prionus heros* Semenov, 1900
heros Semenov, 1900b: 320 (*Prionus*) A: XIN

genus *Mesoprionus* Jakovlev, 1887c: 323 type species *Prionus asiaticus* Faldermann, 1837
abaii Holzschuh, 2007: 177 A: IN
angustatus Jakovlev, 1887c: 327 (*Prionus*) A: AF IN KI KZ TD **TM** UZ
angheri Brancsik, 1899: 102 (*Prionus*)
bucharicus Semenov, 1900b: 328 (*Prionus*)
asiaticus Faldermann, 1837: 263 (*Prionus*) E: KZ ST A: AB AR GG IN KZ TR
areschanus Fairmaire, 1905: 79 (*Prionus*)
henkei Schaufuss, 1879: 475 (*Prionus*)
besikanus Fairmaire, 1855: 318 (*Prionus*) E: AL BU GR MC **MD**-TR YU A: CY TR
batelkai Sláma, 1996: 75 (*Prionus*)
consimilis Holzschuh, 1981: 92 (*Prionus*) A: IN
lefebvrei Marseul, 1856: 47 (*Prionus*) A: IS JO LE SI SY TR
persicus L. Redtenbacher, 1850: 49 (*Prionus*) A: IN IQ TR
compressicornis Semenov, 1933: 293 (*Prionus*)
jakowlewii Semenov, 1899a: 105 (*Prionus*)
petrovitzii Holzschuh, 1981: 91 (*Prionus*) A: IN
? tangerianus Sláma, 1996: 76 (*Prionus*) **N: MO** #110
zarudnii Semenov, 1933: 292 (*Prionus*) A: TD
zarudnyi Plavilstshikov, 1936: 80 (*Prionus*) [unjustified emendation]

genus ***Microarthron*** Pic, 1900b: 2 type species *Polyarthron komarowi* Dohrn, 1885

komaroffi Dohrn, 1885: 64 (*Polyarthron*) A: KZ TD TM UZ
komarovii Semenov, 1935b: 241, 246 (*Prionus*) [unjustified emendation]
komarowi Pic, 1898e: 33, 35 (*Prionus*) [unjustified emendation]

genus ***Miniprionus*** Danilevsky, 1999c: 189 type species *Prionus pavlovskii* Semenov, 1935
pavlovskii Semenov, 1935b: 239 (*Prionus*) A: TD

genus ***Monocladum*** Pic, 1898e: 28 type species *Polyarthron aegyptiacum* Guérin-Méneville, 1844
aegyptiacum aegyptiacum Guérin-Méneville, 1844: 214 (*Polyarthron*) N: EG LB A: IS JO SI AFR
afrum Baudi di Selve, 1889b: 197 (*Polyarthron*)
baudi Pic, 1898f: 30 (*Polyarthron*)
unipectinatum A. White, 1853: 21 (*Polyarthron*)
aegyptiacum arabicum Villiers, 1961b: 449 A: SA YE
aegyptiacum granulipenne Holzschuh, 1993b: 112 [RN] A: SA YE
arabicum Fuchs, 1969: 381[HN] (*Prionus*)
iranicum Villiers, 1961b: 449 A: IN

genus ***Opisognathus*** J. Thomson, 1861: 330 type species *Prionus forficatus* Fabricius, 1798
forficatus Fabricius, 1798: 141 (*Prionus*) N: MO
favieri Blanchard, 1842: 129 (*Prionus*)

genus ***Pogonarthron*** Semenov, 1900a: 257 type species *Polyarthron bedeli* Semenov, 1900
subgenus ***Multicladum*** Danilevsky in Danilevsky & Komiya, 2014: 268 type species *Prionus semenovianus* Plavilstshikov, 1936
semenovianum Plavilstshikov, 1936: 92 (*Prionus*) A: AF TD
subgenus ***Pogonarthron*** Semenov, 1900a: 257 type species *Polyarthron bedeli* Semenov, 1900
bedeli Semenov, 1900a: 249 (*Polyarthron*) A: TD
petrovi ivanovae Pak & Skrylnik, 2014: 7 A: TD #119
petrovi petrovi Danilevsky, 2004c: 11 A: TD
tschitscherini Semenov, 1889b: 225 (*Polyarthron*) A: KI
tshitsherini Semenov, 1935b: 240 (*Prionus*) [unjustified emendation]
subgenus ***Pseudomonocladum*** Villiers, 1961b: 445 type species *Polyarthron minutum* Pic, 1905
minutum Pic, 1905n: 300 (*Polyarthron*) A: IN
oberbergeri Heyrovský, 1939a: 27 (*Prionus*)
loeffleri Fuchs, 1956: 75 [= 1957: 289] (*Prionus*)
semenowi Lameere, 1912b: 224 (*Prionus*) A: IQ
semenovi Semenov, 1935b: 247 (*Prionus*) [unjustified emendation]

genus ***Polyarthron*** Audinet-Serville, 1832: 189 type species *Prionus pectinicornis* Fabricius, 1793
pectinicornis desvauxii Fairmaire, 1868b: 499 N: AG
moissoni Pic, 1893f: cclx [= 1893b: 107]
pici Lameere, 1912b: 229 (*Prionus*)
pectinicornis fairmairei Pic, 1893b: 110 [RN] N: AG LB TU AFR
barbarum Fairmaire & Coquerel, 1866: 67 [HN]
chatanayi Lameere, 1915a: 59 (*Prionus*)
pectinicornis jolyi Pic, 1895l: ccclxxv N: AG MO
filali Kocher, 1956a: 124
lothei Villiers, 1946: 35 (*Prionus*)
reymondi Kocher, 1956a: 124
saharensis Pic, 1898e: 27
pectinicornis pectinicornis Fabricius, 1793: 251 (*Prionus*) N: MO (Western Sahara) AFR
faurebigueti Pic, 1898q: 165
gaillardi Lameere, 1912b: 231 (*Prionus*)
philbyi Villiers, 1968: 846 A: SA

genus ***Polylobarthron*** Semenov, 1899: 258 type species *Polyarthron margelanicum* Théry, 1896
margelanicum Théry, 1896: 108 (*Polyarthron*) A: KI KZ UZ
semirufum Pic, 1900b: 3 (*Polyarthron*)
unionis Pic, 1898e: 34 (*Polyarthron*)

genus ***Prionoblemma*** Jakovlev, 1887b: 318 type species *Prionoblemma przewalskyi* Jakovlev, 1887
Usprion Plavilstshikov, 1915e: 133 type species *Usprion semenovianum* Plavilstshikov, 1915
przewalskyi Jakovlev, 1887b: 319 A: XIN
semenovianum Plavilstshikov, 1915e: 134 (*Usprion*)

genus ***Prionomma*** A. White, 1853: 19 type species *Prionus orientalis* Olivier, 1795 (= *Prionus atratum* Gmelin, 1790)
subgenus *Ancyloprotus* A. White, 1853: 19 type species *Ancyloprotus bigibbosus* A. White, 1853

bigibbosum A. White, 1853: 19 A: GUX HAI SD YUN **ORR**

genus *Prionus* Geoffroy, 1762: 198 type species *Cerambyx coriarius* Linnaeus, 1758

Prionellus Casey, 1924: 209 type species *Prionus pocularis* Dalman, 1817

boppei Lameere, 1912b: 195 A: YUN

coriarius Linnaeus, 1758: 389 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT KZ LA LS LT

LU MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU N: AG TU A: AB AR GG IN KZ SY TR WS

burdajewiczi Bodenmeyer, 1927: 74

prionus DeGeer, 1775: 59 (*Cerambyx*)

schaufussi Jakovlev, 1887c: 326

tridentatus Linnaeus, 1758: 354 (*Scarabaeus*)

vicinus Jakovlev, 1887c: 325

corpulentus Bates, 1878b: 720 A: AF KA NP PA

delavayi delavayi Fairmaire, 1887a: 130 A: SCH YUN

delavayi lorenci Drumont & Z. Komiya, 2006: 11 A: FUJ HUB GUI SCH SHA XIZ YUN ZHE

elegans Demelt, 1972b: 89 A: PA

elliotti Gahan, 1906a: 16 A: AF PA

evae Demelt, 1972b: 89 A: PA

dacatrali Pesarini & Sabbadini, 1997: 98

gahani Lameere, 1912b: 189 A: GAN SCH YUN

galantorum Drumont & Z. Komiya, 2006: 27 A: SCH YUN

galantiorum Drumont & Z. Komiya, 2006: 27 [incorrecte orig. spelling]

insularis insularis Motschulsky, 1858a: 36 A: BEI ES FE GAN HEB HEI JIL LIA NC NMO SC SHN SHX

ichikii Nishiguchi, 1941: 31

tetanicus Pascoe, 1867c: 412

insularis yakushimanus K. Ohbayashi, 1964: 19 A: JA (Yakushima)

komiayi Lorenc, 1999: 13 A: LE SY TR

kuceraei Drumont & Z. Komiya, 2006: 22 A: GAN HEN NIN SHA SHX

lameerei Semenov, 1927: 235 A: SCH YUN

laminicornis Fairmaire, 1897e: 254 A: SCH "North China"

heterotarsus Lameere, 1915a: 58

murzini Drumont & Z. Komiya, 2006: 23 A: YUN

nakamurai N. Ohbayashi & Makihara, 1985: 11 A: TAI

plumicornis Pu, 1987: 90 A: XIZ

potaninei Lameere, 1912b: 195 [DA] A: SCH

puiae Drumont & Z. Komiya, 2006: 20 A: GUX YUN

scabripunctatus Hayashi, 1971: 1 A: TAI

sejunctus Hayashi, 1959a: 4 A: JA

sifanicus Plavilstshikov, 1934f: 220 A: CHQ

siskai Drumont & Z. Komiya, 2006: 15 A: SCH XIZ YUN **ORR**

unilamellatus Pu, 1987: 90 A: XIZ

vartianorum Fuchs, 1967: 431 A: AF

genus *Prionus*, species incertae sedis

sterbai Heyrovský, 1950: 128 A: IN

genus *Priotyrannus* J. Thomson, 1857b: 120 type species *Prionus mordax* A. White, 1853

subgenus *Chollides* J. Thomson, 1877a: 264 type species *Chollides closteroides* J. Thomson, 1877

Cnethocerus Bates, 1878a: 273 type species *Cnethocerus messi* Bates, 1878 (= *Priotyrannus closteroides* J. Thomson, 1877)

Derechinus Fairmaire, 1902c: 317 type species *Derechinus delatouchii* Fairmaire, 1902 (= *Priotyrannus closteroides* J. Thomson, 1877)

Prionacus Fairmaire, 1896a: 127 type species *Prionacus strigicornis* Fairmaire, 1896 (= *Priotyrannus closteroides* J. Thomson, 1877)

closteroides closteroides J. Thomson, 1877a: 265 (*Chollides*) A: ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX

SCH SHA TAI YUN ZHE **ORR**

delatouchii Fairmaire, 1902c: 317 (*Derechinus*)

messi Bates, 1878a: 273 (*Cnethocerus*)

rabieri Lameere, 1912a: 174

strigicornis Fairmaire, 1896a: 127 (*Prionacus*)

testaceus Kano, 1933b: 130

closteroides lutauensis N. Ohbayashi & Makihara, 1985: 13 A: TAI (Lutau Is.)

huerti Drumont, 2008: 4 A: YUN **ORR**

genus *Pseudoprionus* Pic, 1898e: 33 type species *Polyarthron bienerti* Heyden, 1885

altimontanus Kabakow & Dolin, 1996: 45 (*Prionus*) A: AF

bienerti Heyden, 1885c: 311 (*Polyarthron*) A: IN TM

banghaasi Pic, 1901i: 32 (*Polyarthron*)

pluschewskyi Jakovlev, 1887a: 157 (*Polyarthron*)

pluschtschewskii Semenov, 1899: 252 (*Polyarthron*) [unjustified emend.]

plustschevskyi Semenov, 1935 (*Prionus*) [unjustified emend.]

pluschtschevskii Plavilstshikov, 1936 (*Prionus*) [unjustified emend.]

genus *Psilotarsus* Motschulsky, 1860d: 537 type species *Prionus brachypterus* Gebler, 1830
Brachyprionus Jakovlev, 1887c: 324 type species *Prionus brachypterus* Gebler, 1830
Otiartes J. Thomson, 1864: 283 type species *Prionus asiaticus* Faldermann, 1837 *sensu* J. Thomson, 1864 (= *Prionus brachypterus* Gebler, 1830)
Prionoxys Semenov, 1899a: 104 [RN] type species *Prionus brachypterus* Gebler, 1830
Psilopus Gebler, 1860: 504 [HN] type species *Prionus brachypterus* Gebler, 1830
Psilopus Motschulsky, 1875: 152 [HN] type species *Prionus brachypterus* Faldermann, 1836 (= *Prionus brachypterus* Gebler, 1830)
brachypterus alpherakii Semenov, 1900b: 324 (*Prionus*) A: XIN
brachypterus aralensis Danilevsky, 2000a: 8 A: KZ UZ
brachypterus brachypterus Gebler, 1830: 179 (*Prionus*) A: KZ WP
latidens Motschulsky, 1860d: 537
brachypterus hemipterus Motschulsky, 1845a: 90 (*Prionus*) E: ST A: KZ UZ
longipennis Motschulsky, 1860d: 537
brachypterus pubiventris Semenov, 1900b: 332 (*Prionus*) A: KI KZ
hypogymna Semenov, 1900b: 331 (*Prionus*)
***heydeni alatauensis* Danilevsky, 2014i: 54 A: KZ** #29
heydeni arkitensis Danilevsky, 2000a: 27 A: KI
heydeni heydeni Ganglbauer, 1888d: 265 (*Prionus*) A: KI UZ
minusculus Semenov, 1935b: 249 (*Prionus*)
heydeni talassicus Danilevsky, 2000a: 29 A: KI
hirticollis auliensis Danilevsky, 2000a: 19 A: KI KZ UZ
hirticollis hirticollis Motschulsky, 1860d: 537 A: KZ TD UZ
hirticollis nudicollis Danilevsky, 2000a: 19 A: KZ
lesnei Semenov, 1933: 293 (*Prionus*) A: IN
turkestanicus Semenov, 1888: 157 (*Prionus*) A: TD TM UZ
curticornis Ganglbauer, 1888d: 266 (*Prionus*)
ruficornis Fairmaire, 1892b: cxxiii (*Prionus*)

tribe Remphanini Lacordaire, 1868

genus *Rhaesus* Motschulsky, 1875: 153 [RN] type species *Rhaesus persicus* Motschulsky, 1875 (= *Prionus serricollis* Motschulsky, 1838)
Rhesus J. Thomson, 1861: 291 [HN] type species *Prionus serricollis* Motschulsky, 1838
serricollis Motschulsky, 1838: 187 (*Prionus*) E: AL BU GR MC ST TR YU N: EGi A: AB AR CY GG IN IS LE SY TR
persicus Motschulsky, 1875: 154
robustus C.H.G. Heyden, 1844: 15 (*Aulacopus*)

genus *Raphipodus* Audinet-Serville, 1832: 168 type species *Raphipodus suturalis* Audinet-Serville, 1832
fatalis Lameere, 1912a: 137 A: GUI GUX YUN **ORR**
fruehstorferi Lameere, 1903: 74 A: FUJ HAI YUN **ORR**
gahani Lameere, 1903: 72 A: BT NP SD UP
manillae Newman, 1842a: 247 (*Mallodon*) A: TAI **ORR**

genus *Remphan* G. R. Waterhouse, 1836: 67 type species *Remphan hopei* G. R. Waterhouse, 1836
hopei G. R. Waterhouse, 1836: 67 A: YUN **ORR**
alteni Nonfried, 1892c: 376 (*Macrotoma*)
guineensis Lameere, 1893b: 39

subfamily Lepturinae Latreille, 1802

tribe Encyclopini LeConte, 1873

genus *Encyclops* Newman, 1838a: 392 type species *Encyclops pallipes* Newman, 1838 (= *Leptura caerulea* Say, 1826)
Microrhabdium Kraatz, 1879d: 99 type species *Microrhabdium macilentum* Kraatz, 1879
Microrrhabdium Plavilstshikov, 1936: 108 [unjustified emendation]
concinnus Holzschuh, 1991c: 7 A: SCH
hubeiensis N. Ohbayashi & W.-K. Wang, 2004: 454 A: HUB
luteoscelis Chou & N. Ohbayashi, 2010: 360 A: TAI
macilentum Kraatz, 1879d: 99 (*Microrhabdium*) A: FE NC SC #80
parallelus Pic, 1914f: 17 (*Microrhabdium*)
ussuricus Tsherepanov, 1975b: 42
olivaceus Bates, 1884a: 211 A: FE HUB JA
jozanensis Matsushita, 1933b: 169 (*Microrhabdium*)
viridipennis Makihara, 1978: 49 A: TAI

tribe Enoploderini Danilevsky in Althoff & Danilevsky, 1997

genus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837
subgenus *Enoploderes* Faldermann, 1837: 309 type species *Enoploderes sanguineus* Faldermann, 1837
Pyrotrichus LeConte, 1862: 41 type species *Pyrotrichus vitticollis* LeConte, 1862
Xystostylon Reitter, 1879b: 82 [1880: 484] type species *Xystostylon lederi* Reitter, 1879 (= *Enoploderes sanguineus* Faldermann, 1837)

sanguineus Faldermann, 1837: 310 E: ST UK A: AB AR GG IN TR

ledei Reitter, 1879b: 82 [1880: 484] (*Xylostylon*)

subgenus *Pyrenoploderes* Hayashi, 1960: 12 type species *Enoploderes bicolor* K. Ohbayashi, 1941
bicolor K. Ohbayashi, 1941a: 1 A: JA SC

tribe Lepturini Latreille, 1802

genus *Acanthoptura* Fairmaire, 1894a: 224 type species *Acanthoptura spinipennis* Fairmaire, 1894

denticollis Holzschuh, 1993a: 17 A: SCH

impressicollis Pic, 1920f: 117 (*Leptura*) A: SCH YUN

sericeicollis Holzschuh, 1993a: 18 A: SCH

simplicicollis Holzschuh, 1993a: 16 A: SCH

spinipennis Fairmaire, 1894a: 224 A: SCH XIZ

truncatipennis Holzschuh, 1993a: 16 A: YUN

genus *Allosterna* Mulsant, 1863: 576 type species *Leptura tabacicolor* DeGeer, 1775

Allosterna Stierlin, 1898: 479 [unjustified emendation]

anatolica Adlbauer, 1992: 490 A: TR

barimanii Danilevsky, 2010c: 3 A: IN

chalybeella Bates, 1884a: 216 (*Grammoptera*) A: FE JA SC

~~— debilis Tamanuki, 1933: 73 (*Allosterna*)~~

japonica Pic, 1935d: 11 (*Grammoptera*)

diversipes Pic, 1929b: 9 (*Grammoptera*) A: FE HEI JIL NC

perpera Danilevsky, 1988c: 367

ingrica Baeckmann, 1902: 280 (*Grammoptera*) E: BY CT EN LA LT NT PL ST UK WS

pauli Pesarini, Rapuzzi & Sabbadini, 2004: 158 E: GR

scapularis Heyden, 1879: 325 [1879: 69] (*Strangalia*) A: AB IN TM TR

talyschensis Reitter, 1885: 391

tabacicolor azerbaijanica Danilevsky, 2014i: 386 A: AZ

#29

tabacicolor erythropus Gebler, 1841b: 612 (*Leptura*) A: ES FE JA KZ MG NT WS

bivittis Motschulsky, 1860b: 146 (*Grammoptera*)

~~— fusa Matsushita, 1930: 24~~

plavilstshikovi Podány, 1963b: 49

testacea Motschulsky, 1860b: 146 (*Grammoptera*)

tabacicolor sachalinensis Danilevsky, 2012m: 904 A: FE

tabacicolor subvittata Reitter, 1885: 391 E: ST A: AB AR GG IN TR

caucasica Plavilstshikov, 1936: 305

tabacicolor tabacicolor DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ

LA LS LT LU MC MD NE NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: KZ TR WS

bicoloripes Pic, 1914f: 65 (*Allosterna*)

chrysomeloides Schrank, 1781a: 158 (*Leptura*)

dispar Pic, 1892j: 140

genii Gmelin, 1790: 1877 (*Leptura*)

laevis Fabricius, 1793: 340 (*Leptura*)

solsstitialis Herbst, 1784: 103 (*Leptura*)

tabacicolor tenebris Danilevsky, 2012m: 904 A: FE NC NE SC

tabacicolor tokatensis Pic, 1901n: 59 A: TR

genus *Anastrangalia* Casey, 1924: 280 type species *Leptura sanguinea* LeConte, 1859

Marthaleptura K. Ohbayashi, 1963: 9 type species *Leptura scotodes* Bates, 1873

dissimilis dissimilis Fairmaire, 1900: 639 (*Leptura*) A: FUJ HUN JA QIN SCH SHA TAI YUN

dissimilis nitakana Kano, 1933a: 264 (*Leptura*) A: TAI

hirayamai Matsushita & Tamanuki, 1942: 639 (*Leptura*)

dubia dubia Scopoli, 1763: 47 (*Leptura*) E: AL AN AU BH BU ?BY CR CZ FR GE GR HU IT LS ?LT MC PL RO SK SL SP SZ

UK YU N: AG A: TR

basinotata Pic, 1932d: 31 (*Leptura*)

birubrosignata Pic, 1941b: 1 (*Leptura*)

chamomillae Fabricius, 1801b: 359 (*Leptura*)

cincta Fabricius, 1801b: 356 (*Leptura*)

curierensis Pic, 1945b: 6 (*Leptura*)

graeca Pic, 1932d: 31 (*Leptura*)

limbata Laicharting, 1784: 166 (*Leptura*)

luctuosa Mulsant, 1839: 278 (*Leptura*)

notata Olivier, 1795: 11 (*Leptura*)

planeti Pic, 1945b: 5

dubia moreana Pic, 1906h: 96 (*Leptura*) E: GR (Peloponnese)

atrovittata Pic, 1941b: 1 (*Leptura*)

birubrosignata Pic, 1941b: 1 (*Leptura*)

inbasalis Pic, 1917g: 4 (*Leptura*)

- dubia melanota* Faldermann, 1837: 315 (*Leptura*) E: ST A: AB AR GG IN TR
dereensis Pic, 1932d: 31 (*Leptura*)
distincta Tournier, 1872: 347 (*Leptura*)
circascutellaris Pic, 1945b: 6 (*Leptura*)
curierensis Pic, 1945b: 6 (*Leptura*)
curtelineata Pic, 1941c: 5 (*Leptura*)
ratachaensis Pic, 1911a: 4 (*Leptura*)
starcki Schilsky, 1892: 205 (*Leptura*)
triangulifera Reitter, 1898d: 195 (*Leptura*)
kasaharai Makihara, 2002: 339 A: JA
montana montana Mulsant & Rey, 1863: 179 (*Leptura*) E: GR (Samos) A: CY SY TR
bogasana Pic, 1932d: 31 (*Leptura*)
claudiusi Pic, 1941b: 1 (*Leptura*)
juliae Pic, 1941b: 1 (*Leptura*)
leuthneri Ganglbauer, 1886c: 516 (*Leptura*)
mulsanti Pic, 1941b: 1 (*Leptura*)
nigerrima Pic, 1892v: 415 (*Leptura*)
pernigra Reitter, 1898d: 193 (*Leptura*)
semianugstata Reitter, 1898d: 193 (*Leptura*)
victoris Pic, 1941b: 1 (*Leptura*)
montana steineri Sama, 1994a: 10 E: GR (Kríti)
renardi Gebler, 1848a: 420 (*Leptura*) E: NT A: ES FE KZ MG NC NMO SC WS XIN #80
mongolica Pic, 1922d: 18 (*Leptura*)
reyi Heyden, 1889a: 203 (*Leptura*) [RN] E: AU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SP ST SV SZ UK A: KZ
inexpectata Jansson & Sjöberg, 1928: 212 (*Leptura*)
ochracea Rey, 1885b: 277 (*Leptura*) [HN]
rubriola Bates, 1878b: 720 (*Leptura*) A: AF FUJ KA NP PA ORR
kashmirica Plavilstshikov, 1927b: 105
sanguinolenta Linnaeus, 1760: 196 (*Leptura*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MC MD NL NR NT PL RO SK SL SP ST SV SZ UK YU A: AB AR GG KZ TR WS
bonaerensis Burmeister, 1865: 177 (*Leptura*)
ignita Geoffroy, 1785: 89 (*Stenocorus*)
melanura Strém, 1765: 394 (*Leptura*) [HN]
sandoensis Palm, 1953: 124 (*Leptura*)
variabilis DeGeer, 1775: 137 (*Leptura*)
scotodes continentalis Plavilstshikov, 1936: 371 (*Leptura*) A: FE NC NE SC SCH SHA
scotodes scotodes Bates, 1873: 194 (*Leptura*) A: FE JA
kongoensis Matsushita, 1933b: 201 (*Leptura*)
rufonotata Pic, 1953a: 14 (*Leptura*)
sequensi Reitter, 1898d: 194 (*Leptura*) A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
baicalensis Pic, 1907b: 6 (*Leptura*)
baicalica Pic, 1911a: 4 (*Leptura*)
diversenotata Pic, 1907b: 6 (*Leptura*)
pulchrina Reitter, 1898d: 194 (*Leptura*)
rufopaca Reitter, 1898d: 194 (*Leptura*)
sachalinensis Matsushita, 1933a: 104 (*Leptura*)
tristina Reitter, 1898d: 194 (*Leptura*)

genus *Anoplodera* Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
subgenus *Anoplodera* Mulsant, 1839: 285 type species *Leptura sexguttata* Fabricius, 1775
atramentaria Ganglbauer, 1889a: 59 (*Leptura*) A: GAN NMO
corvina Holzschuh, 1993a: 11 A: GAN
fokiensis Pic, 1922a: 7 (*Leptura*) A: FUJ
kingana Pic, 1903e: 105 (*Leptura*) A: SCH
septemnotata Pic, 1928g: 143 (*Leptura*)
sexnotatipennis Pic, 1928g: 143 (*Leptura*)
peregrina Holzschuh, 1993a: 12 A: GAN
porphyrophora Fairmaire, 1889a: 64 (*Leptura*) A: SCH
przewalskii Miroshnikov, 2000c: 186 A: NMO
pubevirens Gressitt, 1935g: 568 (*Leptura*) A: XIZ
rufihumeralis Tamanuki, 1938b: 167 (*Leptura*) A: CH FE NC
rufipes astrabadiensis Pic, 1900s: 82 A: AB IN
rufipes izzilloi Sama, 1999a: 45 E: IT (Basilicata)
rufipes krueperi Ganglbauer, 1882: 707 (*Leptura*) E: GR
rufipes lucidipes Sama, 1999a: 46 A: TR
rufipes rufipes Schaller, 1783: 296 (*Leptura*) [HN] E: AU BH BU BY CR CZ EN FR GE GB GR HU IT LA LT MC MD ?NT PL RO SK SL SP SV SZ YU UK #84
atra Fabricius, 1775: 197 (*Leptura*) [NO]

- fuscipes* Mulsant, 1839: 287
villosa Schoenherr, 1817a: 486 (*Leptura*)
rufipes ventralis Heyden, 1886a: 85 [RN] E: BY CT ST UK A: AB AR GG ES KZ TR
medea Pic, 1909b: 99 (*Leptura*)
rufiventris Tournier, 1872: 348 (*Leptura*) [HN]
sergeii Miroshnikov, 2000c: 188 A: SCH
shamaevi Miroshnikov, 2000c: 188 A: QIN
sexguttata Fabricius, 1775: 198 (*Leptura*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MD
MD NL NR NT PL PT RO SK SL SP ST SV SZ UK A: GG TR N: AG
atrata Schilsky, 1889: 339
biguttata Mulsant, 1839: 285
bipustulata Rothenburg, 1909: 190 (*Leptura*)
cincta Panzer, 1804: 57 (*Leptura*)
exclamationis Fabricius, 1793: 343 (*Leptura*)
guttata Pic, 1898a: 4
punctomaculata Marsham, 1802: 357 (*Leptura*)
pyrenaica Pic, 1917a: 5 (*Leptura*)
semicolon Schrank, 1798: 694 (*Leptura*)
vastatorum Pic, 1917a: 5 (*Leptura*)
uddmanniana Harrer, 1784: 225 (*Leptura*)
- subgenus** *Anoploderomorpha* Pic, 1901m: 59 type species *Leptura excavata* Bates, 1884a
carbonaria Holzschuh, 1993a: 13 (*Anoploderomorpha*) A: SHA
cyanea Gebler, 1832: 70 (*Leptura*) A: ES FE HEB HEI HUB JA JIL MG NC NMO SC
densepunctata Hayashi & Villiers, 1994: 60 (*Anoploderomorpha*) A: TAI
diplosa Holzschuh, 2003a: 161 (*Anoploderomorpha*) A: YUN
excavata Bates, 1884a: 217 (*Leptura*) A: CE JA
formosana Matsushita, 1933b: 198 (*Leptura*) A: HAI TAI
izumii Tamanuki & Mitono, 1939: 209 (*Leptura*) A: FUJ GUA TAI YUN ZHE
monticola Nakane, 1955a: 11 (*Anoploderomorpha*) A: JA
kishii Nakane, 1955a: 12 (*Anoploderomorpha*)
sepulchralis Fairmaire, 1889a: 63 (*Leptura*) A: FUJ SCH **ORR**
tenebriaria Holzschuh, 1995: 10 (*Anoploderomorpha*) A: YUN
villigera Holzschuh, 1991c: 17 (*Anoploderomorpha*) A: YUN **ORR**
- subgenus** *Falsojudolia* Pic, 1935c: 11 type species *Judolia lunatipennis* Pic, 1935
lunatipennis Pic, 1935c: 11 (*Judolia*) A: GAN
- subgenus** *Robustanoplodera* Pic, 1954a: 13 type species *Anoplodera bicolorimembris* Pic, 1954
Koichi Hayashi, 1966a: 2 [RN] type species *Anoplodera tricolor* Gressitt, 1935
Tamanukia Hayashi, 1960a: 9 [HN] type species *Anoplodera tricolor* Gressitt, 1935
bicolorimembris Pic, 1954a: 13 A: FUJ **ORR**
lepesmei Pic, 1956b: 649 (*Leptura*) A: YUN
inauraticollis Pic, 1933b (*Leptura*): 26 A: SCH
taiyal Shimomura, 1993: 228 (*Robustanoplodera*) A: TAI
tricolor Gressitt, 1935d: 258 A: TAI
- genus** *Caraphia* Gahan, 1906a: 75 type species *Caraphia cibrata* Gahan, 1906
Neosalpinia Matsushita, 1933b: 303 type species *Neosalpinia lepturoides* Matsushita, 1933
granulifera Holzschuh, 1984a: 141 A: NP
laosica Gressitt & Rondon, 1970: 30 A: HAI **ORR**
laticeps Pic, 1922c: 10 (*Microrhabdium*) A: YUN
lepturoides babai Makihara, 1982b: 127 A: JA (Ryukyu)
lepturoides lepturoides Matsushita, 1933b: 304 (*Neosalpinia*) A: JA
taiwana Chou & N. Ohbayashi, 2008: 136 A: TAI
thailandica Hayashi & Villiers, 1987: 2 A: YUN **ORR**
sp. (close to lepturoides) Lin & Aston, 2014: 19 A: HKG [see: Lin & Aston, 2014]
- genus** *Carlandrea* Sama & Rapuzzi, 1999: 467 type species *Strangalia syriaca* Pic, 1891
syriaca Pic, 1891a: 1 (*Strangalia*) A: TR
- genus** *Corennys* Bates, 1884a: 224 type species *Corennys sericata* Bates, 1884a
Pseudocorennys Pic, 1952d: 47 type species *Pyrocalymma diversicornis* Pic, 1947 (= *Pyrocalymma conspicua* Gahan, 1906
brevipennis presentellaris Pic, 1947e: 17 (*Pyrocalymma*) A: CH **ORR**
caduca Holzschuh, 1998: 28 A: HUB
cardinalis Fairmaire, 1887a: 131 (*Ephies*) A: YUN
circellaris Holzschuh, 1992: 12 A: SCH
conspicua Gahan, 1906a: 89 (*Pyrocalymma*) A: BT HAI HEB SCH SHA XIZ YUN **ORR**
diversicornis Pic, 1947c: 17 (*Pyrocalymma*)
sanguinea Kano, 1933a: 271 A: HAI TAI

sensitiva Holzschuh, 1998: 29 A: YUN
sericata Bates, 1884a: 225 A: HEB JA NE SC
taiwana Hayashi, 1963d: 130 A: TAI

genus *Cornumutila* Letzner, 1844: 173 type species *Leptura lineata* Letzner, 1844
Letzneria Kraatz, 1879b: 63 type species *Leptura lineata* Letzner, 1844
lineata Letzner, 1844: 173 (*Leptura*) E: AU CZ FR IT NT PL RO SK SZ UK A: ES WS
weisi Heyden, 1892c: 389 (*Letzneria*)
quadrivittata Gebler, 1830: 193 (*Leptura*) E: CT A: ES FE NC SC WS
semenovi Plavilstshikov, 1936: 313

#80

genus *Dokhtouroffia* Ganglbauer, 1886a: 129 type species *Dokhtouroffia turkestanica* Ganglbauer, 1886 (= *Stenura nebulosa* Gebler, 1845)
Dochturowia Jakobson, 1924c: 238 [unjustified emendation]
Dokhturovia Semenov, 1926: 48 [unjustified emendation]
baeckmanni Jankowski, 1934: 109 [= 1935b: 181] (*Dochturowia*) A: KI UZ
nebulosa Gebler, 1845: 105 (*Stenura*) A: KI KZ MG SCH XIN XIZ
turkestanica Ganglbauer, 1886a: 129
vittata Pic, 1941b: 1 (*Dokhtouroffia*)

genus *Elacomia* Heller, 1916b: 298 type species: *Elacomia collaris* Heller, 1916
Acantholeptura Gressitt, 1935h: 274 type species: *Acantholeptura glabropleura* Gressitt, 1935 (= *Leptura femorata* Pascoe, 1869)
michioi Tippmann, 1955: 95 A: FUJ
semiannulata Pic, 1916d: 5 A: YUN ORR

genus *Emeileptura* Holzschuh, 1991c: 22 type species *Emeileptura conspecta* Holzschuh, 1991
conspecta Holzschuh, 1991c: 22 A: SCH

genus *Ephies* Pascoe, 1866: 506 type species *Ephies cruentus* Pascoe, 1866
apicalis Kano, 1933a: 270 A: TAI
cardinalis Fairmaire, 1887a: 131 A: YUN
coccineus Gahan, 1906a: 87 A: BT FUJ GUX HAI TAI YUN ORR
gahani Gressitt, 1940b: 31 A: HAI
japonicus *japonicus* Nakane & K. Ohbayashi, 1961: 6 A: JA
japonicus *okinawanus* Hayashi, 1968a: 21 A: JA
schwarzeri Hayashi, 1968a: 22 A: TAI
sulcipennis Bates, 1891a: 22 A: HP (Kulu)
thailandensis Hayashi, 1989: 24 A: YUN ORR

genus *Etorofus* Matsushita, 1933a: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)
subgenus *Etorofus* Matsushita, 1933b: 204 type species *Etorofus variicornis* Matsushita, 1933 (= *Etorofus nemurensis* Matsushita, 1933)
nemurensis Matsushita, 1933a: 205 A: FE JA
 circoocularis Pic, 1934c: 18 (*Strangalia*)
 niger Matsushita, 1933a: 205
 variicornis Matsushita, 1933a: 205 [HN]
pubescens Fabricius, 1787: 158 (*Leptura*) E: AL AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LT MC NR NT PL RO SK SL SP ST SV SZ UK YU A: ?GG TR
 anticemaculata Pic, 1933h: 5 (*Strangalia*)
 auriflua L. Redtenbacher, 1858: 874 (*Strangalia*)
 carinthiaca Pic, 1933h: 16
 holosericea Fabricius, 1801b: 358 (*Leptura*)
 nigra De Geer, 1775: 144 (*Leptura*)
 obscura Thunberg, 1787: 56 (*Leptura*)
 ottoi Pic, 1907b: 6 (*Leptura*)
 perobscura Reitter, 1901b: 77 (*Strangalia*)
subgenus *Nakanea* K. Ohbayashi, 1963: 9 type species *Leptura vicaria* Bates, 1884a
vicarius adumbratus Bates, 1884: 220 (*Leptura*) A: JA
 biluteomaculatus Pic, 1943c: 1 (*Strangalia*)
 lajoyei Pic, 1943c: 1 (*Strangalia*)
vicarius vicarius Bates, 1884a: 218 (*Leptura*) A: FE JA

genus *Eustrangalis* Bates, 1884a: 221 type species *Eustrangalis distenioides* Bates, 1884a
aeneipennis Fairmaire, 1889a: 63 (*Stenura*) A: SCH SHA YUN ORR
 notaticollis Pic, 1927f: 8
anticereducta Hayashi, 1958b: 46 A: JA
distenioides Bates, 1884a: 222 A: FE JA

latericollis W.-K. Wang & S.-N. Jiang, 1994: 193 A: SHA
viridipennis Gressitt, 1935f: 380 A: TAI

genus *Formosopyrrhona* Hayashi, 1957a: 37 type species *Corennys cinnabarina* Gressitt, 1951 (= *Pyrocalymma hozanensis* Matsushita, 1933)

hozanensis Matsushita, 1933a: 231 (*Pyrocalymma*) A: TAI
cinnabarina Gressitt, 1951a: 122 (*Corennys*)
longula Holzschuh, 1999: 20 A: HUB
satoi Hayashi, 1957b: 45 (*Pyrocalymma*) A: JA (Ryukyus)
semilaeticolor Hayashi, 1974a: 13 A: TAI

genus *Gahanaspia* N. Ohbayashi, 2014: 17 type species *Leptura miniacea* Gahan, 1906
miniacea Gahan, 1906a: 82 (*Leptura*) A: GUX ORR

genus *Gnathostrangalia* Hayashi & Villiers, 1985a: 13 type species *Strangalia aurivillei* Pic, 1903
bilineatithorax Pic, 1922b: 22 (*Leptura*) A: FUJ HUN ZHE ORR

tonkinea Murzin, 1988: 162 (*Strangalia*)
elliptica L. Chen & Chiang, 1996: 188, 191 A: GUX
simianshana Chiang & L. Chen, 1993: 54 A: SCH

genus *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)
subgenus *Grammoptera* Dejean, 1835: 356 type species *Leptura praeusta* Fabricius, 1787 (= *Leptura ustulata* Schaller, 1783)

Fallaciomorpha Pic, 1900f: 37 type species *Grammoptera angustata* Pic, 1892
abdominalis Stephens, 1831: 262 (*Leptura*) E: AL AU BE BH BU BY CR CZ DE FR GB GE GR HU IR IT MC NL PL PT RO SK SL SP ST SV SZ TR UK A: AB AR GG IN TR

analis Herrich-Schäffer, 1833: 118: pl. 6 (*Leptura*)

~~*femorata* Mulsant, 1863: 580~~

nigrescens Weise, 1884f: 424

variegata Germar, 1824: 522 (*Leptura*) [HN]

andrei Holzschuh, 1999: 10 A: QIN

angustata Pic, 1892k: 289 N: AG

bicoloricornis Pic, 1935d: 12

auricollis auricollis Mulsant & Rey, 1863: 183 N: AG

auricollis basicornis Pic, 1924c: 26 E: GR (Kriti)

auricollis bipustulata Steiner, 1975: 22 E: GR

auricollis samai Sláma, 1997: 512 N: AG TU

baudii baudii Sama, 1985c: 97 A: CY

baudii pistacivora Sama, 1996b: 94 A: IS JO LE SY TR

coerulea Jureček, 1933: 128 A: FE ?NC SC

#80

fulgidipennis Holzschuh, 1991c: 16 A: GAN

gracilis Brancsik, 1914: 58 A: FE NC NE SC

semenovi Baeckmann, 1924: 231

grammopteroides Pic, 1892d: 44 [= 1892m: clxxxv] (*Leptura*) A: LE SY

matsudai Hayashi, 1974a: 8 A: TAI

merkli Frivaldszky, 1884: 4 A: TR

ruficornis flavipes Pic, 1892i: 139 E: IT (Sicilia)

ruficornis obscuricornis Kraatz, 1886: 234 A: AB (Talysh) IN

ruficornis ruficornis Fabricius, 1781: 247 (*Leptura*) [NP] E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT MC MD NL NR PL PT RO SK SL SP ST SV SZ TR UK YU A: TR

~~*atra* Fabricius, 1775: 197 (*Leptura*) [NO]~~

clavipes Geoffroy, 1785: 87 (*Stenocorus*)

holomelina Donisthorpe, 1905: 182

laevis Herbst, 1784: 103 (*Leptura*)

pallipes Stephens, 1831: 263 (*Leptura*)

parisina Thunberg, 1784: 16 (*Leptura*)

pumila Schaller, 1783: 299 (*Leptura*)

rufipes Goeze, 1777: 501 (*Leptura*) [NO]

semimetallica Pic, 1939b: 2 A: GAN

solai Rapuzzi & Sama, 2014a: 2 A: TR

ustulata tibialis Kraatz, 1886: 234 A: AB AR IN TR

ustulata ustulata Schaller, 1783: 298 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA MC MD NL NR PL PT RO SK SL SP ST SV SZ TR UK YU A: TR

adusta Gmelin, 1790: 1872 (*Leptura*)

barrosi Pic, 1900c: 6

geniculata Kraatz, 1886: 234

praeusta Fabricius, 1787: 159 (*Leptura*)

splendida Herbst, 1784: 103 (*Leptura*)

viridipennis Pic, 1893c: 111 E: IT (Sicilia)

subgenus *Neoencyclops* Matsushita & Tamanuki, 1940: 3 type species *Grammoptera cyanea* Tamanuki, 1933
brezinai Holzschuh, 1998: 18 (*Neoencyclops*) A: GAN
cyanea Tamanuki, 1933: 73 A: FE NE NC
 plavilstshikovi Heyrovský, 1965a: 101
elongata Pic, 1941b: 1 A: CH
lenis Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA
debilipes Holzschuh, 1991c: 15 (*Neoencyclops*) A: SCH
paucula Holzschuh, 1999: 10 (*Neoencyclops*) A: SHA
querula Danilevsky, 1993e: 476 A: NC

genus *Houzhenzia* N. Ohbayashi & Lin, 2012: 17 type species *Houzhenzia cheni* N. Ohbayashi & Lin, 2012
cheni N. Ohbayashi & Lin, 2012: 18 A: SHA

genus *Idiostrangalia* Nakane & K. Ohbayashi, 1957: 243 type species *Strangalia contracta* Bates, 1884a
akiyamai Hayashi, 1978a: 86 A: TAI
albopreterminalis Hayashi & Villiers, 1989: 2 A: TAI
angustissima Gressitt, 1935d: 261 (*Strangalia*) A: TAI
 yanoi Tamanuki, 1939: 146 (*Strangalia*)
atrocincta Pic, 1928b: 17 (*Strangalia*) A: SE SW ORR
auricoma Holzschuh, 2007: 197 A: YUN ORR
contracta Bates, 1884a: 223 (*Strangalia*) A: JA JIX
 lineatocollis Gressitt, 1937b: 319 (*Strangalia*)
 mediolineata Pic, 1954a: 13 (*Strangalia*)
 ohbayashii Matsushita, 1933b: 220 (*Strangalia*)
 tamanukii Hayashi, 1959b: 61 (*Pygostrangalia*)
fukienensis Pic, 1957: 77 (*Strangalia*) A: FUJ
fukiensis Tippmann, 1955: 98 (*Strangalia*) A: ANH FUJ
hakonensis Matsushita, 1933b: 218 (*Strangalia*) A: JA
maruokai Hayashi, 1963a: 52 (*Pygostrangalia*) A: JA (Ryukyus)
quadrisignata Hayashi & Makihara, 1981: 187 A: NP
rarasenensis Mitono, 1938: 19 (*Strangalia*) A: TAI
shimomurai N. Ohbayashi & Takahashi, 1985: 89 A: JA
shirakii Tamanuki & Mitono, 1939: 213 (*Strangalia*) A: TAI
simillima Hayashi & Villiers, 1989: 1 A: TAI
sozanensis Mitono, 1938: 17 (*Strangalia*) A: FUJ GUA GUX HUN JIX TAI ZHE
vittatipennis Pic, 1914e: 16 (*Strangalia*) A: TAI
 marginalis Kano, 1933a: 269 (*Strangalia*)
 suturalis Gressitt, 1935d: 262 (*Strangalia*)

genus *Ischnostrangalis* Ganglbauer, 1889a: 53 type species *Leptura semenowi* Ganglbauer, 1889 (= *Stenura stricticollis* Fairmaire, 1889)
antennalis Holzschuh, 1991c: 21 A: SCH
apicata Holzschuh, 1992: 8 A: SCH
davidi Pic, 1934g: 83 (*Leptura*) A: SCH
fasciolata Holzschuh, 2011: 273 A: XIZ
frugalis *annulicornis* Holzschuh, 2011: 274 A: SCH
frugalis *frugalis* Holzschuh, 1991a: 7 A: SCH
manipurensis Gahan, 1906: 86 (*Leptura*) A: YUN ORR
rhododendri Holzschuh, 2011: 271 A: YUN
semenowi Ganglbauer, 1889a: 53 (*Leptura*) A: SCH
stricticollis Fairmaire, 1889a: 62 (*Stenura*) A: NMO SCH
 — *semenowi* Ganglbauer, 1889a: 53 (*Leptura*)
tibetensis Ohbayashi & Lin, 2013: 48 A: XIZ
wenhsini Ohbayashi & Lin, 2013: 45 A: XIZ

genus *Japanostrangalia* Nakane & K. Ohbayashi, 1957: 244 type species *Leptura dentatipennis* Pic, 1901
basiplicata Fairmaire, 1889a: 60 (*Stenura*) A: FUJ GUA GUI HUB HUN JIX SCH ZHE
 argodi Théry, 1896: 109 (*Strangalia*)
 elegans Tippmann, 1955: 94 (*Strangalia*)
dentatipennis Pic, 1901m: 60 (*Leptura*) A: JA
yamasakii Mitono, 1936: 421 (*Strangalia*) A: FUJ GUI HUN JIX TAI
 miwai Mitono, 1943: 587 (*Strangalia*)

genus *Judolia* Mulsant, 1863: 496 type species *Leptura sexmaculata* Linnaeus, 1758
 — *Julodia* Pic, 1891b: 12 type species *Leptura sexmaculata* Linnaeus, 1758
japonica Tamanuki, 1942: 179 (*Strangalia*) A: JA

- dentatofasciata*** Mannerheim, 1852b: 308 (*Grammoptera*) E: NT A: ES FE JA MG NC SC WS "Korea"
abbreviata Motschulsky, 1875: 143 (*Grammoptera*)
multidisjuncta Pic, 1914c: 5
parallelopipeda Motschulsky, 1860b: 146 (*Grammoptera*)
rostiana Pic, 1902f: 19 (*Julodis*)
rufimembris Pic, 1917g: 3 (*Leptura*)
shirarakensis Matsumura, 1911a: 137 (*Leptura*)
sexmaculata Linnaeus, 1758: 398 (*Leptura*) E: AN AU BY CT CZ EN FI FR GE GR HU IR IT LA LT NR NT PL RO SK SP
 ST SV SZ UK A: KZ
alpestris Pic, 1914c: 5
helvetica Pic, 1914c: 5
milliati Pic, 1945b: 6
x-flava Roubal, 1937: 81
testaceofasciata DeGeer, 1775: 133 (*Leptura*)
trifasciata Fabricius, 1793: 349 (*Leptura*)
tyrolensis Pic, 1914c: 5
- genus *Judolidia* Plavilstshikov, 1936: 399** type species *Judolidia znojkoi* Plavilstshikov, 1936
bangi Pic, 1901v: 340 (*Leptura*) A: JA
akitensis Matsushita, 1931a: 42 (*Leptura*)
stygica Gressitt, 1935b: 168 (*Leptura*)
kyushuensis Kusakabe & N. Ohbayashi, 1992: 28 A: JA
znojkoi Plavilstshikov, 1936: 400 A: FE HEI JIL NC SC
- genus *Kanekoa* Matsushita & Tamanuki, 1942: 79** type species *Leptura azumensis* Matsushita & Tamanuki, 1942
Acmaeopidonia Tippmann, 1955: 91 type species *Acmaeopidonia aerifera* Tippmann, 1955
aerifera Tippmann, 1955: 92 (*Acmaeopidonia*) A: FUJ TAI
lalashana Shimomura, 1980: 115 (*Anoplodera*)
azumensis Matsushita & Tamanuki, 1942: 79 (*Leptura*) A: JA SC
lirata Holzschuh, 1991c: 17 A: SCH
lucidula Holzschuh, 1999: 12 A: XIN
piligera Holzschuh, 2003a: 162 A: SCH SHA
- genus *Katarinia* Holzschuh, 1991c: 18** type species *Katarinia cephalota* Holzschuh, 1991
cephalota Holzschuh, 1991c: 18 A: SCH
consanguinea Holzschuh, 2006a: 211 A: YUN
teledapoides Holzschuh, 1998: 21 A: SCH
- genus *Kirgizobia* Danilevsky, 1992c: 203** type species *Kirgizobia bohnei* Danilevsky, 1992
bohnei Danilevsky, 1992c: 204 A: KI
- genus *Konoa* Matsushita, 1933b: 196** type species *Nivellia valida* Matsushita, 1933 (= *Leptura granulata* Bates, 1884a)
granulata Bates, 1884a: 217 (*Leptura*) A: FE JA
valida Matsushita, 1933b: 196 (*Nivellia*)
- genus *Leptostrangalia* Nakane & K. Ohbayashi, 1959: 64** type species *Strangalia hosohana* K. Ohbayashi, 1952
hosohana K. Ohbayashi, 1952: 414 (*Strangalia*) A: JA
nakamurai Hayashi, 1960a: 17 A: TAI
shaanxiana Holzschuh, 1992: 10 A: SHA
- genus *Leptura* Linnaeus, 1758: 397** type species *Leptura quadrifasciata* Linnaeus, 1758
subgenus *Leptura* Linnaeus, 1758: 397 type species *Leptura quadrifasciata* Linnaeus, 1758
Strangaliella Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia temicornis* Motschulsky, 1862)
aethiops Poda von Neuhaus, 1761: 38 E: AL AU BE BH BY CH CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL NT PL
 RO SK SL SP ST SZ UK YU A: ?AR ?AB ES FE FUJ ?GG GUX HEB HEI JA JIL JIX KZ MG NC QIN SC WS YUN
adustipennis Solsky, 1871a: 404 (*Strangalia*)
aterrima Motschulsky, 1860b: 147 (*Stenura*)
atra Scopoli, 1772: 100 (*Prionus*)
beckeri Pic, 1911a: 4
coreana Matsushita, 1933a: 104 (*Strangalia*) [HN]
doii Matsushita, 1933a: 105 (*Strangalia*)
letzneri Gabriel, 1895: 437
matsushitai Heyrovský, 1934a: 75 (*Strangalia*) [RN]
melanaria Herbst, 1784: 101
semibicolor Pic, 1912j: 90
unicolor Olivier, 1797: 518
alticola Gressitt, 1948a: 43 A: SCH YUN
ambulatrix Gressitt, 1951a: 96 A: FUJ GUA HUN SCH YUN

annularis annularis Fabricius, 1801b: 363 E: AN AU BH BY CR CT CZ CZ EN FR GE HU IT LA LT MD NT PL RO SK ST SZ
 UK YU A: ES FE GAN HEB HEI JIL JIX KZ LIA MG NC NMO SC SCH SHN SHX WS ZHE
arcuata Panzer, 1793a: 12 [HN]
mediodisjuncta Pic, 1902d: 10 (*Strangalia*)
annularis mimica Bates, 1884a: 219 A: FE JA
harmandi Pic, 1901m: 61
arcifera Blanchard, 1871: 812 (*Strangalia*) A: GUI SCH YUN
auratopilosa Matsushita, 1931a: 42 (*Strangalia*) A: TAI
piyanan Kano, 1933a: 267 (*Strangalia*)
quadranglelithoracica Tamanuki, 1942: 145 (*Strangalia*)
segregata Tamanuki, 1942: 146 (*Strangalia*)
aurosericans Fairmaire, 1895: 177 A: FUJ GUA GUI GUX HEN HUB HUN JA (Ryukyus) JIX SCH ZHE ORR
mausonensis Pic, 1903c: 29
meridiosinica Gressitt, 1951a: 99
rufimembris Pic, 1923a: 11 (*Parastrangalis*)
sericea Pic, 1903c: 29
aurulenta Fabricius, 1793: 348 E: AL AN AU BE BH BY BU CR CT CZ EN FR GE GB GR IR HU IT LA LT LU MC PL PT RO
 SK SL SP ST SZ TR UK YU N: AG TU A: TR
algerica Pic, 1898a: 6 (*Strangalia*)
kitanensis Dayrem, 1922a: 17 (*Strangalia*)
lugdunensis Pic, 1916a: 2: (*Strangalia*)
mesmini Pic, 1916b: 5 (*Strangalia*)
subducta Pic, 1915a: 5 (*Strangalia*)
viturati Pic, 1914f: 18 (*Strangalia*)
barkamica Holzschuh, 1998: 22 A: SCH
bocakorum Holzschuh, 1998: 23 A: YUN
daliensis Holzschuh, 1998: 23 A: YUN
dimorpha Bates, 1873: 195 A: JA
duodecimguttata Fabricius, 1801b: 363 A: BEI ES FE FUJ HEB HEI HEN JA JIL KZ MG NC NMO QIN SC SCH SHX WS ZHE #74
bisbjuncta Pic, 1904d: 14
kupfereri Pic, 1912j: 89
mediojuncta Pic, 1902d: 10 (*Strangalia*)
mediosemijuncta Pic, 1927e: 13 (*Strangalia*)
subobliterata Pic, 1927e: 10 (*Strangalia*)
formosomontana Kano, 1933a: 268 (*Strangalia*) A: TAI
gradatula Holzschuh, 2006a: 216 A: GAN SCH SHA
grahamiana Gressitt, 1938a: 46 A: SCH XIZ YUN
mauraticollis Pic, 1933b: 26 A: SCH
kubani Holzschuh, 2006a: 214 A: YUN
kusamai keichii Ohbayashi, 1999: 51 A: JA
kusamai kusamai K. Ohbayashi & Nakane, 1955: 17 A: JA
latipennis Matsushita, 1933b: 214 (*Strangalia*) A: FE JA
trigonata Hayashi, 1955: 33
lavinia Gahan, 1906a: 83 A: NP XIZ YUN ORR
linwenhsini Ohbayashi & Chou, 2013: 30 A: TAI
longeattenuata Pic, 1939b: 1 A: "China"
masegakii Kano, 1933a: 269 (*Strangalia*) A: TAI
modicenotata Pic, 1901m: 61 (*Strangalia*) A: JA #74
infernalis Pic, 1901m: 61 (*Strangalia*)
kinhokuana Matsushita, 1932: 191 (*Strangalia*)
naganoensis Pic, 1956b: 650 (*Strangalia*)
onsenensis Pic, 1956b: 650 (*Strangalia*)
tokioensis Pic, 1915f: 11 (*Strangalia*)
tsumagurohana K. Ohbayashi, 1955: 61
naxi Holzschuh, 1998: 21 A: XIZ YUN
ochraceofasciata amamiana Hayashi, 1960d: 22 A: JA (Ryukyus)
ochraceofasciata chujoi Hayashi, 1961a: 21 A: JA
ochraceofasciata ochraceofasciata Motschulsky, 1862: 21 (*Stenura*) A: FE FUJ GAN HEI JA JIL NC NMO ?SC XIN ZHE
inintegra Pic, 1901g: 28 (*Strangalia*) [= 1943d: 6]
isolata Fujimura, 1956: 3
ochraceofasciata ochrotaela Bates, 1873: 196 A: JA
ochraceofasciata watanabei Hayashi, 1962c: 2 A: JA (Ryukyus)
ochraceofasciata yokoyamai Hayashi, 1961a: 21 A: JA
aureopubescens Hayashi, 1974b: 12
quadrifasciata ledieri Ganglbauer, 1882: 697 E: ST A: AB AR GG IN TR
caucasica Plavilstshikov, 1924: 226 (*Strangalia*)
notatipennis Pic, 1897b: 5 (*Strangalia*)
suramensis Pic, 1915e: 5 (*Strangalia*)

- quadrifasciata quadrifasciata* Linnaeus, 1758: 398 E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: ES FE KZ MG QIN SCH SHA WS XIN "Korea"
- amanusensis* Pic, 1955a: 14
- apicalis* Curtis, 1831: 362
- apicata* Stephens, 1839: 278
- bidiwisa* G. Schmidt, 1951: 13 (*Strangalia*)
- guillemoti* Desbrochers des Loges, 1895: 130 (*Stenura*)
- interrupta* Heyden, 1877a: 397 (*Strangalia*)
- martialis* Pic, 1941c: 1 (*Strangalia*)
- melgunowi* Jakobson, 1895: 523 (*Strangalia*)
- mosquensis* Pic, 1915e: 5 (*Strangalia*)
- notatipennis* Pic, 1897b: 5
- octomaculata* DeGeer, 1775: 132
- quadripustulata* Fabricius, 1793: 345
- suramensis* Pic, 1915e: 5 (*Strangalia*)
- rufoannulata* Pic, 1933b: 26 (*Strangalia*) A: FUJ HUB SCH
- fisheriana* Gressitt, 1938a: 45
- semicornis* Holzschuh, 2003a: 166 A: SCH
- subtilis* Bates, 1884a: 219 A: JA
- ohishi* Matsushita & Tamanuki, 1940: 5
- taranan* Kano, 1933a: 267 (*Strangalia*) A: SCH TAI
- tatsienlu* Gressitt, 1948a: 45 A: XIZ SCH
- tattakana* Kano, 1933a: 266 (*Strangalia*) A: TAI
- horishana* Matsushita, 1933b: 214
- mushana* Tamanuki, 1939: 144 (*Strangalia*)
- yakushima* Tamanuki, 1942: 153 (*Strangalia*) A: JA
- yulongshana* Holzschuh, 1991c: 20 A: YUN
- zonifera* Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HUB NE SCH YUN ZHE
- subgenus** *Macroleptura* Nakane & K. Ohbayashi, 1957: 241 type species *Leptura thoracica* Creutzer, 1799
- thoracica* Creutzer, 1799: 125 (*Leptura*) E: BH BY CT EN FI LA LT NT PL RO SK SL ST UK YU A: ES FE FUJ GUI HEB HEI HUB JA JIL KZ LIA MG NC NMO SC WS XIN ZHE "Korea" #80
- altaica* Gebler, 1817: 331 (*Leptura*)
- obscurissima* Pic, 1900i: 17 (*Strangalia*)
- maculiceps* G. Schmidt, 1951: 13 (*Strangalia*)
- mixtepilosa* G. Schmidt, 1951: 12 (*Strangalia*)
- pliginskii* G. Schmidt, 1951: 13 (*Strangalia*)
- ussurica* Pic, 1902c: 8 (*Strangalia*)
- subgenus** *Noona* Sama, 2007c: 102 [RN] type species *Strangalia regalis* Bates, 1884a
- Nona* Sama, 2002: 25 [HN] type species *Strangalia regalis* Bates, 1884
- quadrizona* Fairmaire, 1902a: 244 (*Strangalia*) A: YUN ORR
- anticejuncta* Pic, 1943c: 1 (*Strangalia*)
- magdelainei* Pic, 1937b: 6 (*Strangalia*)
- regalis* Bates, 1884a: 223 (*Strangalia*) A: FE JA ?NC ?SC
- coreana* Pic, 1907d: 20
- maindroni* Pic, 1901m: 61
- genus** *Lepturalia* Reitter, 1913a: 20 type species *Leptura nigripes* DeGeer, 1775
- nigripes nigripes* DeGeer, 1775: 136 (*Leptura*) E: BY CT EN FI GI LA LT NR NT PL RO SK SL ST SV UK A: ES KZ WS
- intermedia* Chevrolat, 1882: 59 (*Vadonia*)
- nigripes rufipennis* Blessig, 1873: 251 (*Strangalia*) A: ES FE KZ MG NE WS XIN
- genus** *Lepturobosca* Reitter, 1913a: 17 type species *Leptura virens* Linnaeus, 1758
- virens* Linnaeus, 1758: 397 (*Leptura*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE HU IT LA LT NR NT PL RO SK SL SP ST SV SZ UK YU A: ES FE KZ MG NE NMO WS XIN
- fuscopubens* Reitter, 1890a: 164 (*Leptura*)
- kenteiensis* Pic, 1900a: 4 (*Leptura*)
- genus** *Metalloleptura* Gressitt & Rondon, 1970: 36 type species *Strangalia virescens* Aurivillius, 1911
- gahani* Plavilstshikov, 1921: 110 (*Leptura*) [RN] A: YUN ORR
- aureoviridis* Gressitt, 1941: 332 (*Ocalemia*)
- cribripennis* Gahan, 1906a: 85 (*Leptura*) [HN]
- laosensis* Gressitt & Rondon, 1970: 36
- viridescens* Pic, 1923a: 12 (*Ocalemia*)
- rahoarei* Kano, 1933a: 264 (*Strangalia*) A: TAI
- genus** *Metastrangalis* Hayashi, 1960a: 16 type species *Eustrangalis albicornis* Tamanuki, 1942
- albicornis* Tamanuki, 1942: 119 (*Eustrangalis*) A: TAI
- ochraceoventra* Gressitt, 1935d: 256 (*Leptura*) A: TAI
- plavilstshikoviana* Heyrovský, 1934c: 171 (*Strangalia*) A: CHQ

thibetana Blanchard, 1871: 812 (*Stenura*) A: FUJ GUI HEN HUB HUN JIX SCH SHA XIZ YUN ZHE
 apicornis Pic, 1916k: 313 (*Strangalia*)
 savioi Pic, 1936d: 16 (*Leptura*)
 uenoi Chou & N. Ohbayashi, 2007: 231 A: TAI

genus *Mimostrangalia* Nakane & K. Ohbayashi, 1957: 243 type species *Strangalia kurosonensis* K. Ohbayashi, 1936
 Insularestrangalia Hayashi, 1961b: 40 type species *Strangalia longicornis* Gressitt, 1935
 cornix Holzschuh, 2007: 196 A: FUJ
 dulcis Bates, 1884a: 222 (*Strangalia*) A: JA JIX SCH
 kinoshitai Kano, 1933a: 265
 kappanzanensis Kano, 1933a: 265 (*Strangalia*) A: SCH TAI
 mitonoana Gressitt, 1953a: 28 (*Strangalia*) [RN]
 mitonoi Gressitt, 1951a: 117 (*Strangalia*) [HN]
 kiangsiensis Hayashi & Villiers, 1985a: 51 A: GUA JIX
 kurosawai Hayashi, 1966a: 4 (*Pygostrangalia*) A: TAI
 kurosonensis K. Ohbayashi, 1936a: 11 (*Strangalia*) A: HUN JA
 lateripicta Fairmaire, 1895: 178 (*Leptura*) A: FUJ ORR
 fukienensis Tippmann, 1955: 98 (*Strangalia*)
 loimailia Gressitt, 1940b: 33 (*Strangalia*) A: FUJ HAI JIL
 longicornis longicornis Gressitt, 1935f: 382 (*Strangalia*) A: JA (Ryukyu)
 longicornis obscuricolor Gressitt, 1951a: 117 (*Strangalia*) [RN] A: GUI HAI HUB ZHE
 obscura Gressitt, 1940b: 34 (*Strangalia*) [HN]

genus *Munamizoa* Matsushita & Tamanuki, 1940: 4 type species *Nivellia maculata* Matsushita & Tamanuki, 1935
 changbaishanensis Gao, Meng & Yan, 2011: 400 A: JIL
 maculata Matsushita & Tamanuki, 1935: 1 (*Nivellia*) A: JA

genus *Nanostrangalia* Nakane & K. Ohbayashi, 1959: 65 type species *Strangalia chujoi* Mitono, 1938
 abdominalis Pic, 1927b: 28 (*Strangalina*) A: FUJ ORR
 atayal Chou & N. Ohbayashi, 2014: 347 A: TAI
 binhana Pic, 1928a: 26 (*Leptura*) A: SCH ORR
 trinotata Pic, 1928: 26 (*Leptura*) A: YUN ORR
 chujoi Mitono, 1938: 20 (*Strangalia*) A: TAI
 comis Holzschuh, 1998: 27 A: SCH
 emeishana Holzschuh, 1991c: 25 A: SCH
 modicata Holzschuh, 2008: 153 A: YUN
 semichujoi Hayashi, 1974a: 11 A: TAI
 sternalis Holzschuh, 1992: 11 A: YUN
 torui Holzschuh, 1989a: 155 A: HUB NP

genus *Neopiciella* Sama, 1988: 32 type species *Leptura sicula* Ganglbauer, 1886
 kabyliana Pic, 1896e: 103 (*Leptura*) N: AG TU
 chobauti Dayrem, 1924a: 28 (*Leptura*)
 suberis Chobaut, 1900: 265 (*Leptura*)
 sicula Ganglbauer, 1886c: 515 (*Leptura*) E: IT (Sicilia)

genus *Nivellia* Mulsant, 1863: 564 type species *Leptura sanguinosa* Gyllenhal, 1827
 extensa extensa Gebler, 1833: 305 (*Leptura*) E: FI NT A: ES FE JA MG SC WS
 extensa umbratilis Shimomura & Toyoshima, 1988: 130 A: FE JA
 extensa yuzawai Shimomura & Toyoshima, 1988: 128 A: JA
 sanguinosa Gyllenhal, 1827: 21 (*Leptura*) E: AU BY CT CZ EN FI GE NR NT PL RO SK SV UK A: ES FE GAN HEB HEI HEN
 JA JIL KZ LIA MG NC NMO WS
 kratteri Hampe, 1852a: 67 (*Leptura*)
 rubripennis Matsumura, 1911a: 139 (*Leptura*)
 sacheri Wolfner, 1852: 93 (*Grammoptera*)

genus *Nivelliomorpha* Boppe, 1921: 86 type species *Leptura inequalithorax* Pic, 1902
 inequalithorax Pic, 1902i: 28 (*Leptura*) A: HEB LIA NIN NMO SHA SHX
 rufobasalis Pic, 1939b: 2 (*Leptura*)

genus *Nustera* Villiers, 1974b: 214 type species *Leptura distigma* Charpentier, 1825
 distigma Charpentier, 1825: 227 (*Leptura*) E: FR PT SP N: AG MO TU
 bimaculata Pic, 1891b: 15 (*Strangalia*)
 diversesignata Pic, 1917g: 4 (*Strangalia*)
 indistigma Pic, 1917g: 4 (*Strangalia*)
 lopezbayoi Lauffer, 1904: 374 (*Leptura*)
 medioconexa Pic, 1945b: 6 (*Strangalia*)

microstigma Rungs, 1947: 98 (*Strangalia*)
neglecta Chobaut, 1895a: cccx (*Strangalia*)
notata Pic, 1891b: 15 (*Strangalia*)
peyerimhoffi Dayrem, 1922a: 18 (*Strangalia*)
sedilloti Pic, 1937c: 6 (*Strangalia*)
subscutellaris Pic, 1901o: 67 (*Strangalia*)
talarahensis Dayrem, 1922a: 17 (*Strangalia*)
tenietensis Pic, 1890c: 157 (*Strangalia*)
lindbergi Villiers, 1943: 233 (*Strangalia*) N: MO
baudoni Villiers, 1960a: 7 (*Strangalia*)

genus *Oedecnema* Dejean, 1835: 355 type species *Leptura dubia* Fabricius, 1781 (= *Oedecnema gebleri* Ganglbauer, 1889)
gebleri Ganglbauer, 1889c: 470 [RN] E: CT NT ST UK A: ES FE FUJ HEB HEI JA JIL KZ MG NC NMO SC WS XIN
decemmaculata Matsumura, 1911a: 136 (*Leptura*)
dubia Fabricius, 1781: 249 (*Leptura*) [HN]

genus *Ohbayashia* Hayashi, 1958a: 4 type species *Strangalomorpha nigromarginata* Hayashi, 1953
fuscoaenea Hayashi, 1974a: 7 A: TAI
nigromarginata nigromarginata Hayashi, 1953: 40 (*Strangalomorpha*) A: JA
nigromarginata rufoflava Hayashi, 1968c: 12 A: JA

genus *Pachypidonia* Gressitt, 1935b: 166 type species *Pachypidonia crassicornis* Gressitt, 1935 (= *Leptura bodemeyeri* Pic, 1934)
bodemeyeri Pic, 1934c: 17 (*Leptura*) A: JA
 crassicornis Gressitt, 1935b: 168
 kochiana Matsushita, 1935: 308 (*Leptura*)
 rubrida Hayashi, 1971: 4 A: TAI

genus *Pachytodes* Pic, 1891g: 65 type species *Leptura cerambyciformis* Schrank, 1781
bottcheri Pic, 1911a: 5 (*Leptura*) A: WS ES MG NMO

orthotrichus Plavilstshikov, 1936: 393 (*Judolia*)
cerambyciformis Schrank, 1781a: 154 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT
 LU MC MD ME NL NT PL PT RO SB SK SL SP ST SZ UK YU
 anticeundulatus Pic, 1915a: 29 (*Leptura*)
 beskidicus Pic, 1915h: 18 (*Leptura*)
 bisbistigma Pic, 1906g: 67 (*Leptura*)
 bisquadrastigmatus Pic, 1915a: 29 (*Leptura*)
 breveseparatus Pic, 1953a: 9
 decempunctatus Olivier, 1795: 26 (*Leptura*)
 digonensis Pic, 1915a: 29 (*Leptura*)
 efasciatus Pic, 1916: 9 (*Leptura*) ["Hongrie"]
 externeonotata Pic, 1923g: 13
 hoverlanus Roubal, 1937: 81 (*Judolia*)
 fauconneti Pic, 1916b: 4 (*Leptura*)
 humerifer Pic, 1915h: 18 (*Leptura*)
 lateseparatus Pic, 1953a: 9
 martialis Pic, 1916b: 4 (*Leptura*)
 multiinterruptus Pic, 1915a: 30 (*Leptura*)
 octomaculatus Schaller, 1783: 297 [wrongly numbered as 299] (*Leptura*) [HN]
 parvonotatus Pic, 1916: 10 (*Leptura*) ["Europe"]
 quadrimaculatus Scopoli, 1763: 47 (*Leptura*) [HN]
 salbachi Reitter, 1908a: 216 (*Pachyta*)
 sexmaculatus Panzer, 1795: 272 (*Leptura*)
 sexpunctatus Mulsant, 1839: 244 (*Pachyta*)
 transylvanicus Pic, 1916: 9 (*Leptura*)
 urbisensis Pic, 1915a: 29 (*Leptura*)
 valesiacus Pic, 1915a: 29 (*Leptura*)
cometes Bates, 1884a: 218 (*Leptura*) A: FE JA SC
 connectus Nishio, 1950: 20 (*Strangalia*)
erraticus Dalman, 1817a: 490 (*Leptura*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MC MD PL RO SK SL SP ST SZ TR
 UK YU A: AB AR GG ES IN KZ SY TR WS XIN
 akbesianus Pic, 1898a: 6
 antedivisus Pic, 1914d: 14 (*Leptura*)
 anticenotatus Pic, 1914d: 13 (*Leptura*)
 atrocipitalis Pic, 1913e: 186 (*Leptura*)
 atrosuturalis Pic, 1915a: 38 (*Leptura*)
 eibesianus Pic, 1914d: 13 (*Leptura*)
 erythrurus Küster, 1848c: 90 (*Pachyta*)
 gasturius Pic, 1915a: 38 (*Leptura*)
 heyrovskyi Pic, 1924c: 26 (*Leptura*)
 hungaricus Pic, 1913c: 186 (*Leptura*)
 italicus Pic, 1916b: 4

kalavritanus Pic, 1913c: 186 (*Leptura*)
quinquepunctatus Pic, 1915h: 18 (*Leptura*)
ragusai Pic, 1923d: 3
roberti Pic, 1915a: 38 (*Leptura*)
rosinae Pic, 1914d: 13 (*Leptura*)
rufoapicalis Pic, 1913c: 186 (*Leptura*)
rufonotatus Pic, 1913c: 186 (*Leptura*)
russicus Pic, 1898h: 54
septemsignatus Küster, 1848c: 89 (*Pachyta*)
siculus Pic, 1916b: 4
subapicalis Pic, 1914d: 15 (*Leptura*)
testaceofasciatus Pic, 1913c: 186 (*Leptura*)
unijunctus Pic, 1914d: 14 (*Leptura*)
longipes Gebler, 1832: 67 (*Pachyta*) A: ES FE MG NC NE NO SC
amurianus Pic, 1902f: 19
bodoi Pic, 1914c: 5 (*Leptura*)
guttulatus Motschulsky, 1875: 141 (*Pachyta*)
nigrosuturalis Pic, 1917g: 3 (*Leptura*)
octoguttatus Pic, 1914c: 5 (*Leptura*)

genus *Paranaspia* Matsushita & Tamanuki, 1940: 5 type species *Leptura anaspoides* Bates, 1873

anaspoides Bates, 1873: 196 (*Leptura*) A: JA NE
mikadoi Pic, 1906d: 16 (*Leptura*)
coccinea Mitono, 1936: 423 (*Strangalia*) A: TAI
erythromelas Holzschuh, 2003a: 165 A: SHA
frainii Fairmaire, 1897d: 239 (*Strangalia*) A: BT SD
inadai N. Ohbayashi, 2001a: 95 A: JA (Okinawa)
reductipennis Pic, 1928h: 158 (*Leptura*) A: YUN ORR
yayeyamensis Hayashi & Yokoyama, 1974: 12 A: JA (Ishigaki-jima, Iriomote-jima) TAI

genus *Parastrangalis* Ganglbauer, 1889a: 57 type species *Leptura potanini* Ganglbauer, 1889

Strangaliella Hayashi, 1976: 3 type species *Strangalia shikokensis* Matsushita, 1935 (= *Strangalia tenuicornis* Motschulsky, 1862)
addenda Holzschuh, 2011: 274 A: FUJ HAI
andrei Holzschuh, 2007: 192 A: SCH
bisbidentata Holzschuh, 2007: 190 A: SHA
communis Holzschuh, 1993a: 19 A: SCH ORR
congesta Holzschuh, 1995: 11 A: YUN
crebre punctata Gressitt, 1939b: 91 (*Strangalia*) A: FUJ GUX HUB HUN SCH YUN ZHE
dalihodi Holzschuh, 1999: 13 A: TAI
denticulata Tamanuki, 1939: 145 (*Strangalomorpha*) A: TAI
diffluata Holzschuh, 1999: 15 A: SCH
emotoi Hayashi & Makihara, 1981: 186 (*Strangaliella*) A: NP
eucera Holzschuh, 1995: 12 A: YUN
holzschuhii Chou & N. Ohbayashi, 2014: 349 A: TAI
houhensis N. Ohbayashi & W.-K. Wang, 2004: 456 A: HUB
impressa Holzschuh, 1991a: 8 A: YUN
inarmata Holzschuh, 1991c: 27 A: CH ORR
insignis Holzschuh, 1998: 25 A: HUB
ishigakiensis Hayashi, 1971: 5 A: JA
jaroslavi Holzschuh, 2008: 158 A: TAI
lateristriata Tamanuki & Mitono, 1939: 209 (*Strangalomorpha*) A: TAI ORR
lesnei Pic, 1901m: 60 (*Leptura*) A: JA
batesi Tamanuki, 1942: 134 (*Strangalomorpha*)
lineigera Fairmaire, 1889a: 61 (*Stenura*) A: SCH XIZ ORR
meridionalis Gressitt, 1942h: 205 (*Strangalia*) A: FUJ GUA HUB
mitonoi Hayashi & Iga, 1951: 75 (*Strangalomorpha*) A: TAI
munda Holzschuh, 1992: 9 A: YUN
negligens Holzschuh, 1991c: 30 A: SCH
nymphula Bates, 1884a: 220 (*Leptura*) A: JA
palleago Holzschuh, 1998: 25 A: HUB
pallescens Holzschuh, 1993a: 20 A: GAN SHA
palpalis Holzschuh, 1991c: 29 A: SCH
phantoma Holzschuh, 1999: 15 A: TAI
potanini Ganglbauer, 1889a: 57 (*Leptura*) A: GAN
protensa Holzschuh, 1991c: 28 A: SCH
puliensis Hayashi, 1976: 4 (*Strangaliella*) A: TAI
sculptilis Holzschuh, 1991c: 30 A: SCH TAI

shaowuensis Gressitt, 1951a: 112 (*Strangalia*) A: FUJ GUA HUB SCH
subapicalis Gressitt, 1935d: 263 (*Strangalina*) A: TAI
taiwanensis Chou & N. Ohbayashi, 2010: 364 A: TAI
tenuicornis Motschulsky, 1862: 20 (*Strangalia*) A: JA
 quadriluteonotata Pic, 1953a: 14
 semisuturalis Pic, 1953a: 14
 shikokensis Matsushita, 1935: 309 (*Strangalia*)

genus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétriés, 1832)
subgenus *Pedostrangalia* Sokolov, 1897: 461 type species *Pedostrangalia kassjanowi* Sokolov, 1897 (= *Leptura imberbis* Ménétriés, 1832)
— *Sphenaria* Pic, 1911d: 15 [HN] type species *Leptura revestita* Linnaeus, 1767
afghanistana Satô & N. Ohbayashi, 1976: 485 A: AF
imberbis Ménétriés, 1832: 231 (*Leptura*) A: AB IN TM
 angulicollis Heyden, 1879: 323 [=1879: 67] (*Strangalia*)
 kassjanowi Sokolov, 1897: 461
muneaka Mitono & Tamanuki, 1939: 212 (*Strangalia*) A: TAI
quadrimaculata L. Chen & Chiang, 1996: 189, 191 A: SCH
revestita Linnaeus, 1767: 638 (*Leptura*) E: AL AU BE BH BU CR CZ DE FR GB GE GR HU IT MD NL PL PT RO SK SL SP SV
 SZ TR UK YU
barbanti Pic, 1933f: 5 (*Strangalia*)
bicoloraticeps Pic, 1911d: 17 (*Leptura*)
brevenotaticollis Pic, 1933d: 14 (*Strangalia*)
discicollis W. G. H. Scriba, 1867: 32 (*Strangalia*)
diversipennis Pic, 1911d: 16 (*Leptura*)
ferruginea Mulsant, 1839: 254 (*Strangalia*)
fulvilabris Mulsant, 1839: 254 (*Strangalia*)
fuscicornis Marsham, 1802: 357 (*Leptura*)
gabilloti Pic, 1911d: 18 (*Leptura*)
lectonica Dayrem, 1916: 17 (*Leptura*)
labiata Mulsant, 1839: 254 (*Strangalia*)
marsolanensis Dayrem, 1916: 17 (*Leptura*)
rubra Geoffroy, 1785: 89 (*Stenocorus*)
rufomarginata Mulsant, 1839: 254 (*Strangalia*)
rufonotata Pic, 1914f: 18 (*Strangalia*)
schleicheri Pic, 1934g: 38 (*Leptura*)
villica Fabricius, 1775: 196 (*Leptura*)
vitticollis Mulsant, 1839: 254 (*Strangalia*)
signifera Holzschuh, 1999: 13 A: HUB
tokatensis Sama, 1996c: 103 A: GG TR
tricolorata Holzschuh, 1991c: 19 A: SCH
ulmi Holzschuh, 1982b: 147 A: PA
subgenus *Neosphenalia* Löbl, 2010: 60 type species *Leptura verticalis* Germar, 1822
— *Sphenalia* K. Daniel, 1904b: 355 [HN] type species *Leptura verticalis* Germar, 1822
adaliae Reitter, 1885: 390 A: CY TR
ariadne K. Daniel, 1904b: 355 (*Leptura*) E: GR (Kríti)
emmipoda Mulsant, 1863: 531 (*Strangalia*) E: AR-GG GR (Rodos) A: LE SY TR
 adanensis Pic, 1917a: 6 (*Strangalia*)
 chehirensis Pic, 1933d: 6 (*Strangalia*)
 insuturata Pic, 1891b: 15 (*Strangalia*)
— *jaegeri* Fairmaire, 1866b: 279 (*Leptura*)
 perroudi Pic, 1933d: 6 (*Strangalia*)
 subsignata Pic, 1901u: 235 (*Strangalia*)
 tambei Pic, 1917a: 6 (*Strangalia*)
femoralis Motschulsky, 1861b: 40 (*Stenura*) A: ES FE JA JIL NC SC
 diversipes Heyden, 1884: 298 (*Leptura*)
 murayamai Matsushita, 1937: 102 (*Strangalia*)
 xanthoma Bates, 1873: 195 (*Leptura*)
kurda Sama, 1996c: 104 A: AR GG IQ TR
raggii Sama, 1992b: 300 A: CY
riccardoi carmelita Sama, 1996b: 94 A: IS
riccardoi riccardoi Holzschuh, 1984c: 344 A: JO SY
verticalis Germar, 1822a: 9 (*Leptura*) E: AL BH BU CR GR IT MC ?MD RO SL YU A: TR
 graeca Pic, 1901l: 52 (*Strangalia*)
 taygetana K. Daniel, 1904b: 366 (*Leptura*)
verticenigra Pic, 1892v: 416 (*Leptura*) E: GR (Samos) A: GG TR
 erinnys K. Daniel, 1904b: 356 (*Leptura*)

genus *Pseudalosterna* Plavilstshikov, 1934e: 131 type species *Pseudalosterna orientalis* Plavilstshikov, 1934 (= *Grammoptera elegantula* Kraatz, 1879)
Pseudalosterna Plavilstshikov, 1936: 257 [unjustified emendation]
aritai K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudalosterna*) A: JA
aureola Holzschuh, 2006a: 208 A: YUN
binotata binotata Gressitt, 1935d: 259 (*Anoplodermorpha*) A: SHA TAI
binotata tippmanni Hayashi, 1984: 17 [RN] A: FUJ
 orientalis Tippmann, 1955: 93 (*Anoplodera*) [HN]
breva Gressitt, 1935d: 260 (*Anoplodermorpha*) A: TAI
 cyanea Tamanuki, 1942: 27 (*Pidonia*)
cuneata Holzschuh, 1999: 11 A: HUB
discalis Gressitt, 1935g: 569 (*Anoploderomorpha*) A: SCH
elegantula Kraatz, 1879d: 105 (*Grammoptera*) A: FE NC NE SC
 orientalis Plavilstshikov, 1934c: 132
 rufomaculata Pic, 1915e: 5 (*Leptura*)
fuscopurpurea N. Ohbayashi & Shimomura, 1986: 48 A: TAI
gorodinskii Holzschuh, 2003a: 160 A: GAN
imitata Holzschuh, 2003a: 157 A: GUI
longigena Holzschuh, 2003a: 159 A: SHA
misella Bates, 1884a: 216 (*Leptura*) A: JA
mupinensis Gressitt, 1935g: 570 (*Anoploderomorpha*) A: FUJ SCH TAI
pullata Matsushita, 1933b: 198 (*Leptura*) A: TAI
submetallica Hayashi, 1974a: 9 (*Anoplodera*) A: TAI
takagii Hayashi, 1961b: 38 (*Pseudalosterna*) A: JA (Ryukyus)
tryznai Holzschuh, 1999: 11 A: SHA
wolongana Holzschuh, 2003a: 157 A: SCH

genus *Pseudovadonia* Lobanov, Danilevsky & Murzin, 1981: 787 type species *Leptura livida* Fabricius, 1777
livida bicarinata N. Arnold, 1869: 137 (*Grammoptera*) E: BY CT EN KZ LA LT NT PL ST UK A: AB AR GG ES IN KI KZ TR WS XIN
 livida desbrochersi Pic, 1891k: xvi (*Vadonia*) A: AB AR GG TR
 corallipes Reitter, 1894f: 247 (*Leptura*)
livida hatayensis Özdi̇kmen, 2015d: 319 A: TR #88
 livida livida Fabricius, 1777: 233 (*Leptura*) E: AL AU BE BU BH BY CR CZ DE FR GB GE HU IR IT MC ME NL ?PL PT SK SL
 ?SP SZ TR UK YU
 pastinacae Panzer, 1795: 275 (*Leptura*)
 pecta K. Daniel & L. Daniel, 1891: 38 (*Leptura*)
livida pecta K. Daniel & J. Daniel, 1891: 38 (*Leptura*) E: IT
livida setosa Danilevsky, 2013g: 28 E: BU GR MD RO TR UK A: ?IS ?LE TR ?SY

genus *Pygostrangalia* Pic, 1957: 76 type species *Strangalina invattaticollis* Pic, 1957 (= *Strangalia kwangtungensis* Gressitt, 1939)
brevioripennis Pic, 1955a: 10 (*Strangalia*) A: ??
castaneonigra Gressitt, 1935g: 567 (*Leptura*) A: FUJ GUA HUN ZHE
kurodai Hayashi, 1976: 5 A: TAI
kwangtungensis Gressitt, 1939b: 9 (*Strangalia*) A: FUJ GUA HAI HUN JIX
 invattaticollis Pic, 1957: 76 (*Strangalina*)
silvestrii Tippmann, 1955: 99 (*Strangalia*) A: FUJ
tienmushana Gressitt, 1939b: 93 (*Strangalia*) A: FUJ GUX ZHE
 nigriventris Chiang & W.-K. Wang, 1993: 55 (*Gnathostrangalia*)
vattaticollis Pic, 1926a: 22 (*Strangalina*) A: FUJ TAI ORR
 phungi Pic, 1930a: 15 (*Strangalina*)
 subbrevelineata Pic, 1928a: 27 (*Strangalia*)

genus *Pyrocalymma* J. Thomson, 1864: 159 type species *Pyrocalymma pyrochroides* J. Thomson, 1864
pyrochroides J. Thomson, 1864: 160 A: NP SD TAI ORR

genus *Pyrocorynys* N. Ohbayashi & Niisato, 2009: 160 type species *Pyrocalymna latipennis* Pic, 1927
latipennis latipennis Pic, 1927b: 26 (*Pyrocalymna*) A: YUN ORR
 brevipennis Pic, 1947c: 17 (*Pyrocalymna*)
latipennis taiwanensis Hayashi, 1969a: 61 (*Formosopyrrhona*) A: TAI

genus *Pyrrhona* Bates, 1884a: 224 type species *Pyrrhona laeticolor* Bates, 1884
laeticolor laeticolor Bates, 1884a: 224 A: JA
 laeticolor takakuwai Kusama, 1971: 24 A: JA (Yakushima Is.)

genus *Rapuzziana* Danilevsky, 2006b: 2 type species *Rapuzziana hangaiensis* Danilevsky, 2006
hangaiensis Danilevsky, 2006b: 2 A: MG

genus *Rutpela* Nakane & K. Ohbayashi, 1957: 242 type species *Leptura maculata* Poda von Neuhaus, 1761
inermis K. Daniel & J. Daniel, 1898: 74 (*Strangalia*) A: AB AF IN TM
elboursensis Pic, 1905o: 390 (*Strangalia*)
maculata irmasanica Sama, 1996c: 105 A: TR
maculata maculata Poda von Neuhaus, 1761: 37 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC MD NL NR NT PL RO SK SL ST SV SZ TR UK YU A: KZ TR
alsatica Pic, 1906g: 67 (*Leptura*)
armata Herbst, 1784: 101 (*Leptura*)
bifenestrata Pic, 1933d: 2 (*Strangalia*)
binotata Mulsant, 1839: 258 (*Strangalia*)
calcarata Olivier, 1795: 14 (*Leptura*)
dayremi Pic, 1903a: 4 (*Strangalia*)
discoininterrupta Pic, 1945a: 13 (*Strangalia*)
disconotata Pic, 1908b: 3 (*Leptura*)
dromensis Pic, 1945a: 13 (*Strangalia*)
elongata DeGeer, 1775: 134 (*Leptura*)
externepunctata Mulsant, 1839: 258 (*Strangalia*)
fasciata Scopoli, 1763: 54 (*Cerambyx*)
impunctata Mulsant, 1839: 258 (*Strangalia*)
nicodi Pic, 1933d: 6 (*Strangalia*)
pacifica Pic, 1945a: 13 (*Strangalia*)
punctatofasciata Mulsant, 1839: 258 (*Strangalia*)
quinquemaculata Gimelin, 1790: 1868 (*Leptura*)
rubea Geoffroy, 1785: 86 (*Stenocorus*)
scopoliana Laicharting, 1784: 145 (*Leptura*)
sinuata Fabricius, 1793: 347 (*Leptura*)
subspinosa Fabricius, 1793: 347 (*Leptura*)
undulata Mulsant, 1839: 259 (*Strangalia*)
wuenschi Roubal, 1937: 81 (*Strangalia*)
maculata manca Schaufuss, 1863: 121 (*Strangalia*) E: FR IT PT SP ST UK A: AB AR GG IN TR SY
kricheldorf Wagner, 1928: 121 (*Leptura*)
nigricornis Stierlin, 1864: 153 (*Strangalia*)
nigrofasciata V. Petagna, 1792: 247 (*Leptura*) [HN]

genus *Saligranta* Chou et Ohbayashi, 2011: 9 [RN] type species *Pseudostrangalia puyuma* Chou et Ohbayashi, 2010
Pseudostrangalia Chou et Ohbayashi, 2010: 368 [HN] type species *Pseudostrangalia puyuma* Chou et Ohbayashi, 2010
puyuma Chou & N. Ohbayashi, 2010: 368 (*Pseudostrangalia*) A: TAI
svihlai Holzschuh, 1989b: 368 (*Strangalia*) A: GUX ORR

genus *Sinostrangalis* Hayashi, 1960a: 13 type species *Strangalia ikedai* Tamanuki & Mitono, 1939
ikedai Tamanuki & Mitono, 1939: 211 (*Strangalia*) A: CHQ GUI GUX NE SCH TAI ORR
collaris Holzschuh, 1991c: 31 (*Elacomia*)
simianshana L. Chen & Chiang, 2000: 33, 36

genus *Solaia* Sama, 2003: 69 type species *Solaia antonellae* Sama, 2003
antonellae Sama, 2003: 71 A: TR

genus *Stenurella* Villiers, 1974b: 214 type species *Leptura melanura* Linnaeus, 1758
subgenus *Crassostenurella* Özdkmen, 2013: 526 type species *Strangalia approximans* Rosenhauer, 1856
approximans Rosenhauer, 1856: 305 (*Strangalia*) E: PT SP N: MO
purpuripennis Mulsant, 1863: 515 (*Strangalia*)
edmundi Pic, 1901u: 237 (*Strangalia*)
subgenus *Iberostenurella* Özdkmen, 2013: 527 type species *Strangalia hybridula* Reitter, 1902e
hybridula Reitter, 1902e: 188 (*Strangalia*) E: PT SP
atrinervitis Pic, 1905a: 8 (*Leptura*) [DA]
atronotata Pic, 1918d: 5
subgenus *Nigrostenurella* Özdkmen, 2013: 525 type species *Leptura nigra* Linnaeus, 1758
nigra nigra Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PT RO SK SL SP ST SV SZ UK YU A: TR
giraudi Pic, 1946a: 14 (*Strangalia*)
picea Geoffroy, 1785: 87 (*Stenocorus*)
varicollis Schaefer, 1932: 31 (*Stenura*)
nigra maesta Danilevsky, 2013a: 172 E: ST A: AB AR GG ?IN TR
subgenus *Priscostenurella* Özdkmen, 2013: 516 type species *Leptura bifasciata* O.F.Müller,
bifasciata O. F. Müller, 1776: 93 (*Leptura*) E: AU BE BH BY CR CT CZ EN FR GE HU IT LA LS LT LU MD NL NT PL PT RO SK SL SP ST SZ ?TR UK YU A: AB AR ES GG IN IQ KZ ?TR WS XIN
albarracina Wagner, 1927a: 45 (*Leptura*)
cruciata Olivier, 1795: 7 (*Leptura*)
immaculata Pic, 1889b: 55 (*Strangalia*)

nigriventris Pic, 1891b: 15 (*Strangalia*)
sedakovii Mannerheim, 1852b: 307 (*Stenura*)
ustulata Laicharting, 1784: 157 [HN] (*Leptura*)

***bifasciata ferruginipes* Pic, 1895d: 76 (*Strangalia*) A: TR**
***bifasciata intermedia* Holzschuh, 2006a: 219 E: AL BU GR MC**
***bifasciata lanceolata* Mulsant & Rey, 1863: 177 (*Strangalia*) E: FR SP**
bifasciata limbiventris Reitter, 1898a: 21 (*Strangalia*) A: GG TR
bifasciata nigrosuturalis Reitter, 1895a: 88 (*Strangalia*) A: LE SY TR
bifasciata sabineae Rapuzzi & Sama, 2012: 664 A: IN TR
bifasciata safronovi Danilevsky, 2011b: 2 A: TR
bifasciata solaris Rapuzzi & Sama, 2012: 665 A: TR
#29
septempunctata latenigra Pic, 1915e: 5 (*Strangalia*) [“Asie Mineure”] E: BU ST TR A: AR GG TR
anatolica Heyrovský, 1961a: 45 (*Strangalia*)
roberti Pic, 1915a: 38 (*Leptura*) [“Transylvanie et Turquie”]
septempunctata septempunctata Fabricius, 1793: 346 (*Leptura*) E: AL AU BH BU CR CZ GE GR HU IT MC MD PL RO SK SL ST SZ UK YU
atrosuturalis Pic, 1915a: 38 (*Leptura*)
corycrica Pic, 1915e: 5 (*Strangalia*)
dobiachi Pic, 1916b: 4 (*Strangalia*)
gasturica Pic, 1915a: 38 (*Leptura*)
holtzi Pic, 1916b: 5 (*Strangalia*)
montandoni Pic, 1915e: 5 (*Strangalia*)
notaticollis Pic, 1915e: 5 (*Strangalia*)
pallidicolor Pic, 1915e: 5 (*Strangalia*)
rubronotata Pic, 1916b: 5 (*Strangalia*)
semireducta Pic, 1915e: 5 (*Strangalia*)
suturata Reiche & Saulcy, 1858: 22 (*Strangalia*) [“Péloponése”]
velebitica Pic, 1916b: 4 (*Strangalia*)
vaucheri Bedel, 1900: 336 (*Leptura*) E: SP N: MO

subgenus *Stenurella* Villiers, 1974b: 214 type species *Leptura melanura* Linnaeus, 1758
melanura melanura Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NT NR PL PT RO SK SL SP ST SV SZ YU UK MD A: ?GG ?AR ?AB ES FE JA KZ MG TR WS XIN
diversiventris Dufour, 1843: 103 (*Leptura*)
georgiana Pic, 1891g: 63 (*Strangalia*)
latesuturata Pic, 1891g: 63 (*Strangalia*)
melanurella Reitter, 1901b: 78 (*Strangalia*)
rubellata Reitter, 1901b: 77 (*Strangalia*)
semicrassa Pic, 1901n: 58 (*Leptura*)
#29
sennii Sama, 2002: 40
similis Herbst, 1784: 101 (*Leptura*)
suturanigra DeGeer, 1775: 138 (*Leptura*)
melanura pamphyiae Rapuzzi & Sama, 2010: 182 A: IN TR
melanura samai Rapuzzi, 1995: 617 E: BU GR TR A: TR
melanura zehrae Özdkimen, Mercan & Cihan, 2012a: 18 A: TR
#29
subgenus *Stenurelloides* Özdkimen, 2013: 523 type species *Leptura jaegeri* Hummel, 1825;
jaegeri Hummel, 1825: 68 (*Leptura*) E: ST UK A: AB AR GG TR
fenestrata Reitter, 1901b: 79 (*Strangalia*)
kekeli Pic, 1901u: 236 (*Strangalia*)
mingrelica Tournier, 1872: 344 (*Strangalia*)
oxyptera Faldermann, 1837: 318 (*Stenura*)
novercalis Reitter, 1901b: 78 E: ST A: GG TR

genus *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
subgenus *Aredolpona* Nakane & K. Ohbayashi, 1957: 244 type species *Leptura rubra* Linnaeus, 1758
Corymbia Gozis, 1886: 33 [HN] type species *Leptura rubra* Linnaeus, 1758
dichroa Blanchard, 1871: 812 (*Leptura*) A: ANH ES FE FUJ GUI HEB HEI HEN HUB HUN JA JIL JIX NC SC SCH SHA SHN SHX ZHE
muliebris Heyden, 1886d: 276 (*Leptura*)
succedanea Lewis, 1879b: 464 (*Leptura*)
rufonotaticollis Pic, 1915f: 12 (*Leptura*)
theryi Pic, 1915f: 12 (*Leptura*)
trisignaticollis Pic, 1915f: 12 (*Leptura*)
rubra numidica Peyerimhoff, 1918a: 331 (*Leptura*) N: AG
rubra rubra Linnaeus, 1758: 397 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NT PL PT RO SK SL SP ST SV SZ UK YU A: ES KZ WS
maculiceps Gabriel, 1910: 556 (*Leptura*)
occipitalis Mulsant, 1839: 268 (*Leptura*)
planata Swaine & Hopping, 1928: 62 (*Anoplodera*)
rubrotestacea Illiger, 1805: 122 (*Leptura*)
salzmanni Hubenthal, 1902: 291 (*Leptura*)

- sattleri* Bickhardt, 1902: 362 (*Leptura*)
semimarginata Pic, 1916a: 22 (*Leptura*)
testacea Linnaeus, 1760: 196 (*Leptura*)
umbellatarum Laicharting, 1784: 161 (*Leptura*)
- subgenus** *Batesiata* Miroshnikov, 1998: 594 type species *Leptura tesserula* Charpentier, 1825
- tesserula* Charpentier, 1825: 227 (*Leptura*) E: BU GR HU PL RO SK ST UK YU A: AB AR GG TR
abchasica Rost, 1893: 344 (*Leptura*)
bisignata Ménétriés, 1832: 232 (*Leptura*)
bisignata Faldermann, 1837: 313 (*Leptura*) [HN]
dejeani Ganglbauer, 1889: 469 (*Leptura*) [RN]
impunctata Heyden, 1877b: 420 (*Leptura*)
- subgenus** *Cibroleptura* Vives, 2000: 266 type species *Leptura stragulata* Germar, 1824
- otini* Peyerimhoff, 1949: 293 (*Leptura*) E: SP N: MO
~~—~~ *peyerimhoffi* Reymond, 1953: 200 (*Leptura*) [unavailable]
- tizifrensis* Cobos, 1961b: 94 (*Leptura*)
stragulata Germar, 1824: 523 (*Leptura*) E: FR PT SP
hispanica Pic, 1910a: 27 (*Leptura*)
nigrina Schaufuss, 1863: 121 (*Leptura*)
variventris Schaufuss, 1863: 121 (*Leptura*)
- subgenus** *Maculileptura* Danilevsky, 2014i: 274 type species: *Leptura maculicornis* DeGeer, 1775
- maculicornis* DeGeer, 1775: 139 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD NR NT PL RO SK SL ST SV SZ TR UK YU A: ?GG #113
maculosa Gmelin, 1790: 1874 (*Leptura*)
pallens Brullé, 1832: 264 (*Leptura*) E: AL BU BH CR GR MC RO TR YU A: TR
simpliconia ondreji Sláma, 1993: 59 (*Brachyleptura*) E: GR
simpliconia *simplonica* Fairmaire, 1885b: 317 (*Leptura*) E: FR IT SZ
- subgenus** *Melanocephala* Miroshnikov, 1998: 594 type species *Leptura scutellata* Fabricius, 1781
- scutellata* *inscutellata* Pic, 1892u: 415 (*Leptura*) A: TR
scutellata *maritima* Sláma, 2015b: 1118 E: FR #110
maritima Sláma, 2015: 39 – not available name
scutellata *melas* P. H. Lucas, 1847: pl. 43 (*Leptura*) E: IT (Sicilia) N: AG TU
scutellata *miroshnikovi* Danilevsky, 2012m: 915 A: AB IN
scutellata *ochracea* Faust, 1878: 135 (*Leptura*) E: ST A: AB AR GG TR #110
scutellata *scutellata* Fabricius, 1781: 247 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT LA LU MC MD PL PT RO SK SL SP ST SV SZ TR UK YU
chrysothyreos Schrank, 1798: 697 (*Leptura*)
funerea Geoffroy, 1785: 89 (*Stenocorus*)
nigra V. Petagna, 1787: 17 (*Rhagium*)
ochraceipennis Pic, 1897c: 31 (*Leptura*)
- subgenus** *Miroshnikovia* Danilevsky, 2014i: 275 type species *Leptura deyrollei* Pic, 1895b
- deyrollei* Pic, 1895b: 40 (*Leptura*) A: GG TR
- subgenus** *Paracorymbia* Miroshnikov, 1998: 587 type species *Leptura fulva* DeGeer, 1775
- benjamini* *benjamini* Sama, 1993e: 470 (*Corymbia*) A: IS
benjamini *ehdenensis* Sama & Rapuzzi, 2000: 10 (*Paracorymbia*) A: LE SY
excisipes K. Daniel & J. Daniel, 1891: 6 (*Leptura*) A: SY TR
fulva DeGeer, 1775: 137 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ FR GB GE GR HU IR IT LS LU MC NL PT RO SK SL SP ST SZ TR UK YU A: TR #78
affinis Marsham, 1802: 353 (*Leptura*)
apicalis Motschulsky, 1875: 142 (*Leptura*)
corsica Pic, 1894k: 206 (*Leptura*)
fulvoapicalis Plavilstshikov, 1932b: 174 (*Leptura*)
lutescens Geoffroy, 1785: 87 (*Stenocorus*)
tomentosa Fabricius, 1793: 340 (*Leptura*)
- hybrida* Rey, 1885b: 277 (*Leptura*) E: FR IT SP SZ
nadezhdae Plavilstshikov, 1932c: 182 (*Leptura*) E: ST
pallidipennis Tournier, 1872: 346 (*Leptura*) E: ST A: AB GG TR
circassica K. Daniel & J. Daniel, 1891: 31 (*Leptura*)
picticornis Reitter, 1885: 390 (*Leptura*) E: GR
sambucicola Holzschuh, 1982a: 65 (*Brachyleptura*) A: SY TR
tonsa K. Daniel & J. Daniel, 1891: 31 (*Leptura*) E: ST UK A: AB AR GG IN TR
menetriesi Ganglbauer, 1889: 469 [RN] [NO]
ustulata Ménétriés, 1832: 231 (*Leptura*) [HN]
- subgenus** *Stictoleptura* Casey, 1924: 280 type species *Leptura cribripennis* LeConte, 1859
- cardinalis* K. Daniel & J. Daniel, 1898: 76 (*Leptura*) A: KI TD UZ
rubidiventris Jankowski, 1934: 104
cordigera *anojaiensis* Sláma, 1982: 207 (*Brachyleptura*) E: GR (Kriti) A: TR
cordigera *cordigera* Fuessly, 1775: 14 (*Leptura*) E: BE BU DE FR GE GR (north-east) IT NL RO SP SZ RO ST TR UK N: LB A: AB AR CY GG IN IQ IS LE SY TR

auricollis Chobaut, 1895a: cccx (*Leptura*)
epipleuralis Schaefer, 1932: 31 (*Leptura*)
hastata Sulzer, 1776: 46 (*Leptura*)
immaculata Ragusa, 1889: 236 (*Leptura*)
inhastata Pic, 1902c: 8 (*Leptura*)
lamed Geoffroy, 1785: 86 [HN] (*Stenocorus*)
cordigera illyrica G. Müller, 1948: 63 (*Leptura*) E: AL BH CR GR IT (north-east) MC SL YU
eckweileri Holzschuh, 1989a: 154 (*Vadonia*) A: PA
erythroptera Hagenbach, 1822: 7 (*Leptura*) E: AL AU BH BU CR CZ FR GE GR HU IT RO SK SP ST SZ YU A: AB AR GG IN
 TR
rufipennis Mulsant, 1839: 272 (*Leptura*)
fontenayi Mulsant, 1839: 271 (*Leptura*) E: AZ FR PT SP N: AG MO TU
erythrodera Chobaut, 1896b: 201 (*Leptura*)
nigrovittata Chobaut, 1896b: 201 (*Leptura*)
~~*hardenbergi* Bodemeyer, 1927: 70 (*Leptura*)~~
pici Chobaut, 1896b: 201 (*Leptura*)
gladiatrix Sama, 2008: 220 N: MO
heydeni Ganglbauer, 1889c: 469 (*Leptura*) A: IS LE SY TR
incisipennis Reitter, 1895a: 85 (*Leptura*)
maceki Holzschuh, 1991c: 19
igai Tamanuki, 1942: 93 (*Leptura*) A: JA
ivoroberti Sama, 2010: 920 E: GR
oblongomaculata Buquet, 1840b: 396 (*Leptura*) E: IT (Sardegna, Sicilia) N: AG TU
biparadoxa Dayrem, 1922a: 17 (*Leptura*)
extrema Dayrem, 1930: 70 (*Leptura*)
latedecorata Pic, 1898i: 64 (*Leptura*)
obliterata Pic, 1898i: 64 (*Leptura*)
obscurithorax Pic, 1898a: 4 (*Leptura*)
trinotaticollis Pic, 1934e: 20 (*Leptura*)
uxoria Dayrem, 1927: 67 (*Leptura*)
palmi Demelt, 1972a: 74 N: CI
pyrrha Bates, 1884a: 216 (*Leptura*) A: JA
bouvieri Pic, 1901m: 59 (*Leptura*)
rufa attaliensis K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: TR
geyneensis Özdiemen & Turgut, 2008b: 549
rufa dimidiata K. Daniel & J. Daniel, 1891: 11 (*Leptura*) A: IQ TR
rufa excelsa A. Costa, 1863: 24 (*Leptura*) E: IT
rufa nigropicta Fairmaire, 1866b: 278 (*Leptura*) A: TR
rufa realis Danilevsky, 2012m: 912-913 E: ST A: AB AR GG TR
rufa rubromarginata Plavilstshikov, 1932b: 174 (*Leptura*) [«rubromarginata» was a lapsus calami – Article 32.5.1] A: IN
rufa rufa Brullé, 1832: 263 (*Leptura*) E: AL BH BU CR GR IT MC RO YU A: TR
slamai Sama, 2010: 49 E: GR (Kríti)
martini Sláma, 1985: 17 (*Brachyleptura*) [HN]
tangeriana Tournier, 1875: 475 (*Leptura*) N: MO
atlasica Escalera, 1914a: 496
birufonotata Pic, 1919d: 22 (*Leptura*)
maroccana Heyden, 1886a: 85 (*Leptura*) [RN]
nigromaculata Pic, 1913c: 138 (*Leptura*)
olcesei Pic, 1894g: 108
rufonotata Pic, 1913c: 138 (*Leptura*)
tangeriana Heyden, 1881b: 251 (*Leptura*) [HN]
tripartita Heyden, 1889b: 329 (*Leptura*) A: IN IQ TR
morgani Pic, 1905n: 300 (*Leptura*)
trisignata Fairmaire, 1852a: 92 (*Leptura*) E: FR PT SP
martini Pic, 1945b: 6 (*Leptura*)
semirufula Kraatz, 1880b: 376 (*Leptura*)
subgenus *Varioleptura* Danilevsky, 2014i: 267 type species: *Leptura variicornis* Dalman, 1817
variicornis Dalman, 1817a: 482 (*Leptura*) E: BY CT EN LA LT NT PL ST UK A: ES FE JA KZ MG NC NE NO SC WS
 genus *Stictoleptura* nomen dubium
silbermanni Lefebvre, 1835: 303 (*Leptura*) A: "Syrie Mont Liban"
genus *Strangalia* Dejean, 1835: 355 type species *Leptura luteicornis* Fabricius, 1775
Ophistomis J. Thomson, 1861: 154 type species *Ophistomis flavocinctus* J. Thomson, 1861
Ophistomis Gemminger, 1872: 2875 [unnecessary emendation]
Strangalina Aurivillius, 1912: 228 type species *Leptura attenuata* Linnaeus, 1758
Sulcatostrangalia K. Ohbayashi, 1961a: 17 type species *Strangalia gracilis* Gressitt, 1935
attenuata Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IR IT LA LS LT LU MC MD
 NL NR NT NE PL RO SK SL SP ST SV SZ TR UK A: AB AR ES FE HEB GG JA JIX KZ MG NC NE SC SW TR WS XIN

balcanica Pic, 1915e: 6 (*Typocerus*)
grenieri Pic, 1912c: 3 (*Leptura*)
imperfecta Gerhardt, 1910: 556 (*Leptura*)
~~*maculicollis* Gerhardt, 1910: 556 (*Leptura*)~~
obscuriventris Pic, 1901n: 59 (*Typocerus*)
~~?ucranica~~ Laxman, 1770: 596 (*Leptura ucranica*)
bilineaticollis Pic, 1915c: 12 (*Strangalina*) A: XIZ
fortunei Pascoe, 1858: 265 A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SCH ZHE
nigrocaudata Fairmaire, 1887a: 135
obscuricornis Pic, 1925f: 188
fujitai Shimomura, 1994: 345 A: TAI
gracilis Gressitt, 1935f: 381 A: JA
guerryi Pic, 1902i: 28 A: CH
klapperichi Pic, 1957: 76 A: FUJ
koyaensis Matsushita, 1933b: 219 A: JA
haraguro K. Ohbayashi, 1958b: 18
linsleyi Gressitt, 1951a: 116 A: FUJ HUN JIX
~~*mediolineata* Pie, 1954a: 13 A: JA~~
takeuchii Matsushita & Tamanuki, 1935: 2 A: FE JA

genus *Strangalomorpha* Solsky, 1873: 253 type species *Strangalomorpha tenuis* Solsky, 1873
austera Holzschuh, 2003a: 164 A: YUN
cavernosa Holzschuh, 1998: 27 A: HUB
chekiangia Gressitt, 1939b: 90 (*Strangalia*) A: FUJ SHA ZHE
marginipennis Hayashi & Villiers, 1989: 3 A: TAI
multiguttata Pic, 1914e: 16 (*Strangalia*) A: YUN
senensis Pic, 1938: 134 (*Leptura*)
platyfasciata Chiang, 1963: 64 (*Strangalia*) A: YUN
signaticornis Ganglbauer, 1889a: 52 (*Leptura*) A: GAN
tenuis aenescens Bates, 1884a: 221 A: JA
atricolor Kano, 1933b: 130
tenuis tenuis Solsky, 1873: 254 A: FE GAN HEI JA JIL NMO SC
tomentosa Tamanuki, 1942: 129 A: FUJ TAI
virididorsalis Chou & N. Ohbayashi, 2010: 362 A: GUX TAI

genus *Teratoleptura* N. Ohbayashi, 2008: 419 type species *Strangalia mirabilis* Aurivillius, 1902
~~*mirabilis*~~ *mirabilis* Aurivillius, 1902: 207 (*Strangalia*) A: FUJ GUA GUX HAI ORR
carpo Pic, 1903c: 28 (*Ocalemia*)
gigantia Chiang, 1981: 78 (*Strangalia*)

genus *Thrangalia* Holzschuh, 1995: 10 type species *Thrangalia diaboliella* Holzschuh, 1995
diaboliella Holzschuh, 1995: 11 A: YUN

genus *Turnaia* Holzschuh, 1993a: 14 type species *Turnaia opaca* Holzschuh, 1993
furva Holzschuh, 2006a: 209 A: SCH
opaca Holzschuh, 1993a: 15 A: GAN

genus *Vadonia* Mulsant, 1863: 559 type species *Leptura unipunctata* Fabricius, 1787
Neovadonia Kaszab, 1938: 151 type species *Leptura unipunctata* Fabricius, 1787
bicolor L. Redtenbacher, 1850: 50 (*Leptura*) A: AB IN TR
tuerki Heyden, 1879: 326 [=1879: 70] (*Leptura*)
bipunctata adusta Kraatz, 1859: 97 (*Leptura*) E: HU RO SK
litigiosa Mulsant, 1863: 564
~~*rufonotata* Pic, 1926d: 10 (*Leptura*)~~
bipunctata bipunctata Fabricius, 1781: 245 (*Leptura*) E: CT ST A: KZ WS
beckeri Pic, 1941d: 14 (*Leptura*) [HN]
fischeri Zubkov, 1829: 168 (*Leptura*)
~~*bipunctata globicollis* Desbrochers des Loges, 1870c: 127 (*Leptura*) E: MD RO ST UK~~
~~*mulsantiana* Plavilstshikov, 1936: 341 (*Leptura*)~~
~~*bilitigiosa* Pic, 1941d: 15~~
~~*bipunctata laterimaculata* Motschulsky, 1875: 141 (*Leptura*) E: UK (Crimea)~~
~~*puchneri* Holzschuh, 2007: 183~~ #29
~~*bipunctata sareptana* Pic, 1941d: 15 E: KZ ST A: KZ~~
~~*bipunctata steveni* Sperk, 1835: 158 (*Leptura*) E: HU MD RO ST UK~~ #29
~~*bipunctata teberdensis* Danilevsky, 2014i: 247 E: ST~~
~~*bipunctata urdensis* Danilevsky, 2014i: 244 E: KZ A: KZ~~ #29
bitlisensis Chevrolat, 1882: 59 A: AB AR IN TR
armeniaca Pic, 1903a: 4 (*Leptura*)

- bistigmata* Pic, 1890e: clxxvi
cribricollis Pic, 1889a: 20 [mispaginated: 5] (*Leptura*)
bolognai Sama, 1982: 207 A: TR
ciliciensis K. Daniel & J. Daniel, 1891: 13 A: TR
danielorum Holzschuh, 1984a: 142 A: TR
dojranensis *dojranensis* Holzschuh, 1984c: 343 E: AL BU GR
dojranensis *mahri* Holzschuh, 1986a: 121 E: GR MC
frater Holzschuh, 1981: 96 A: TR
grandicollis *grandicollis* Mulsant & Rey, 1863: 182 E: AL BU GR MC A: TR [see: Siering, 2014b] #11
bisignata Brullé, 1832: 264 (*Leptura*) [HN]
inapicalis Pic, 1897c: 31 (*Leptura*) [DA]
grandicollis *laurae* Pesarini & Sabbadini, 2007a: 25 E: GR
gusmii Pesarini & Sabbadini, 2009: 16 E: GR
hirsuta K. Daniel & J. Daniel, 1891: 6, 18 (*Leptura*) E: RO
imitatrix K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: CR IT
insidiosa Holzschuh, 1984a: 143 E: GR
instigmata Pic, 1890e: clxxvi A: TR
ispirensis Holzschuh, 1993a: 14 A: TR
mainoldii Pesarini & Sabbadini, 2004d: 162 E: GR
moesiaca K. Daniel & J. Daniel, 1891: 6 (*Leptura*) E: AL BU GR MC RO SB TR YU A: TR
beali Pic, 1926d: 13 [DA]
bipunctata Kraatz, 1859: 97 [HN]
monostigma Ganglbauer, 1882: 29 (*Leptura*) A: TR
parnassensis Pic, 1925d: 6 (*Leptura*) E: GR
aspoeckorum Holzschuh, 1975: 84az
saucia Mulsant & Godart, 1855b: 282 [= 1855a: 182] (*Leptura*) E: RO UK (Krym) [see: Danilevsky, 2014e: 263]
soror *soror* Holzschuh, 1981: 95 A: TR
soror *tauricola* Holzschuh, 1993a: 14 A: TR
unipunctata *dalmatina* J. Müller, 1907: 662 (*Leptura*) E: CR
unipunctata *gallica* Podaný, 1963a: 9 E: FR #110
unipunctata *ikariaensis* Danilevsky & Vartanis, 2015: 225 E: GR #83
unipunctata *makedonica* Holzschuh, 1989a: 154 E: GR ["Lekanis-Gebirge"]
unipunctata *occidentalis* K. Daniel & J. Daniel, 1891: 17 (*Leptura*) E: FR IT SP ?N: MO AG
— jacquetti Pic, 1900a: 3
xambeui Pic, 1931c: 6 (*Leptura*)
unipunctata *ohridensis* Holzschuh, 1989a: 154 E: AL GR MC #11
unipunctata *syricola* Holzschuh, 1993a: 13 A: LE SY
unipunctata *unipunctata* Fabricius, 1787: 157 (*Leptura*) [NP] E: AU BH BU CR CT CZ FR GR HU IT KZ MD PL RO SB SK SL
 SP ST TR UK A: AB AR GG KZ TR
obscurepilosa Pic, 1892q: lxxxiv (*Leptura*)
pilosa Forster, 1771: 44 (*Leptura*) [NO]
uninstigmata Pic, 1891b: 9 (*Leptura*)
vartanisi Danilevsky, 2014e: 259 A: TR

genus Xenoleptura Danilevsky, Lobanov & Murzin, 1981: 787 type species *Leptura hecate* Reitter, 1896
hecate Reitter, 1896b: 48 (*Leptura*) A: KI KZ TD UZ XIN
auliensis Pic, 1901d: 19 (*Strangalia*)

genus Xenophyrama Bates, 1884a: 210 type species *Xenophyrama purpureum* Bates, 1884
purpureum Bates, 1884a: 210 A: JA

genus Xestoleptura Casey, 1913: 248 type species *Xestoleptura corusca* Casey, 1913
baeckmanni Plavilstshikov, 1936: 333 (*Leptura*) A: CH FE NC SE #80
nigroflava Fuss, 1852: 75 (*Grammoptera*) E: RO
rufiventris Gebler, 1830: 193 (*Leptura*) [HN] A: ES FE KZ MG WS
jensenii Gressitt, 1951a: 83 (*Anoplodera*)
maculata Gebler, 1841b: 614 (*Leptura*) [HN]
theresiae Pic, 1912c: 2 (*Leptura*)

 tribe Lepturini, incertae sedis
Leptura miaozi Z. Wang & Zheng, 2003: 95, 398 A: JIL

 tribe Oxymirini Danilevsky, 1997
genus Neoxymirus Miroshnikov, 2013b: 455 type species *Toxotus mirabilis* Motschulsky, 1838 #29
mirabilis Motschulsky, 1838: 183 (*Toxotus*) E: ST A: AR AB GG IN TR
atripes Pic, 1935d: 7

genus *Oxymirus* Mulsant, 1862: 464 type species *Cerambyx cursor* Linnaeus, 1758
cursor Linnaeus, 1758: 393 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE HU IT LA LS LT MC MD NL
 NR NT PL RO SK SL SP ST SV SZ UK YU A: SHX WS
~~—~~*fenestratus* Letzner, 1885: 346 [unavailable]
~~—~~*genitimus* Letzner, 1885: 346 [unavailable]
~~—~~*lineatus* Letzner, 1885: 346 [unavailable]
luctuosus Latreille, 1804a: 310 (*Leptura*)
niger Olivier, 1795: 19 (*Stenocorus*)
~~—~~*migricollis* Letzner, 1885: 346 [unavailable]
noctis Linnaeus, 1767: 630 (*Cerambyx*)
spaceki Roubal, 1934c: 140
vittatus Gmelin, 1790: 1865 (*Stenocorus*)

tribe Rhagiini Kirby, 1837

genus *Acapnolymma* Gressitt & Rondon, 1970: 34 type species *Capnolymma sulcaticeps* Pic, 1923
sulcaticeps Pic, 1923a: 12 (*Capnolymma*) A: YUN ORR

genus *Akimerus* Audinet-Serville, 1835b: 212 type species *Rhagium cinctum* Fabricius, 1787 (= *Leptura schaefferi* Laicharting, 1784)
Acimerus Fairmaire, 1865: 184 [unjustified emendation]
schaefferi arianna Pesarini & Sabbadini, 2007a: 19 E: GR
schaefferi schaefferi Laicharting, 1784: 130 (*Leptura*) E: AU BH BU CR CT CZ FR GE HU MD PL PT RO SK SP ST SZ UK
cinctus Fabricius, 1787: 146 (*Rhagium*)
dentipes Mulsant, 1842a: 209 [1842b: (3)] (*Toxotus*)
berchmansi Breit, 1915: 353 A: TR

genus *Apiocephalus* Gahan, 1898: 42 type species *Apiocephalus punctipennis* Gahan, 1898
licheneus Gahan, 1906a: 74 A: UP

genus *Brachyta* Fairmaire, 1865: 185 type species *Leptura interrogationis* Linnaeus, 1758 #29
subgenus *Brachyta* Fairmaire, 1865: 185 type species *Leptura interrogationis* Linnaeus, 1758
amurensis Kraatz, 1879c: 69 (*Pachyta*) A: FE NC SC
~~—~~*bisbioculata* Pic, 1910a: 18
inapicalis Pic, 1910a: 18
korbi Pic, 1910a: 18
semilunata Pic, 1910a: 18
danilevskyi Tshernyshev & Dubatolov, 2005: 49 A: FE JA
japonicus Fujimura, 1956: 2 (*Evodinus*) [HN]
interrogationis interrogationis Linnaeus, 1758: 398 (*Leptura*) E: AU BY CT CZ EN FI FR GE IT LA LS LT MD NR NT PL SK ST
 SV SZ UK A: KZ WS
altaensis Pic, 1900s: 82
~~—~~*bernardinus* Pic, 1915a: 41 (*Evodinus*)
bimaculata Mulsant, 1839: 240 (*Pachyta*)
curvilineata Mulsant, 1839: 239 (*Pachyta*)
dorensis Pic, 1933d: 2 (*Evodinus*)
duodecimmaculata Fabricius, 1781: 248 (*Leptura*)
ebenina Mulsant, 1839: 240 (*Pachyta*)
flavonotata Mulsant, 1839: 239 (*Pachyta*)
immaculata Pic, 1934f: 28 (*Evodinus*)
marginella Fabricius, 1793: 346 (*Leptura*)
mesmini Pic, 1933d: 2 (*Evodinus*)
milliati Pic, 1934f: 24 (*Evodinus*)
modanensis Pic, 1933d: 2 (*Evodinus*)
mulsanti Pic, 1934f: 31 (*Evodinus*)
multiguttata Pic, 1934f: 31 (*Evodinus*)
perroudi Pic, 1933d: 2 (*Evodinus*)
plavilstshikovi Pic, 1934f: 31 (*Evodinus*)
prescutellaris Pic, 1934f: 31 (*Evodinus*)
russica Herbst, 1784: 102 (*Leptura*)
subinterrupta Pic, 1934f: 24 (*Evodinus*)
~~—~~*theresae* Pic, 1915a: 41 (*Evodinus*)
interrogationis eitschbergeri Danilevsky & Peks, 2015: 1085 E: GE #130
interrogationis kraatzi Ganglbauer, 1889c: 468 A: FE NC NE SC #29
interrogationis lederi Lazarev, 2011: 861 E: ST
interrogationis mannerheimii Motschulsky, 1860b: 148 (*Evodinus*) A: ES MG WS #29
~~—~~*bioculata* Kraatz, 1879c: 68 (*Pachyta*)
cruciata Kraatz, 1879c: 69 (*Pachyta*)
crucifera Kraatz, 1879c: 68 (*Pachyta*)
externereducta Pic, 1926d: 10
marginalis Motschulsky, 1875: 139 (*Pachyta*)

- obsidiana* Motschulsky, 1875: 140 (*Pachyta*)
reducta Pic, 1926d: 10
suturalis Pic, 1926d: 10
- interrogationis miroshnikovi* Lazarev, 2011: 860 E: ST A: GG
- interrogationis shapsugorum* Lazarev, 2011: 860 E: ST
- punctata lazarevi* Danilevsky, 2014i: 137 A: FE NC #29
- punctata punctata* Faldermann, 1833: 67 (*Pachyta*) A: ES MG NMO
quadrinotatus Pic, 1916b: 3 (*Evodinus*)
reductemaculata Pic, 1915a: 41 (*Evodinus*)
sajanensis Pic, 1916b: 3 (*Evodinus*)
sochondensis Tshernyshev & Dubatolov, 2005: 45
subunicolor Pic, 1916b: 3 (*Evodinus*)
turanensis Pic, 1927e: 13
- sachalinensis* Matsumura, 1911: 135 A: FE JA JIL
- subgenus *Fasciobrachyta*** Danilevsky, 2014i: 113 type species: *Leptura bifasciata* Olivier, 1795
- balcanica* Hampe, 1871: 336 E: AL BU GR RO TR YU A: TR
bureschi Kantardjiewa-Minkowa, 1957: 542
- bifasciata bifasciata* Olivier, 1795: 23 (*Leptura*) [HN] A: ES FE GAN HEB HEI JIL LIA MG NC NMO QIN SC SCH XIZ
daurica Gebler, 1817: 329 (*Leptura*)
quadripunctata Schoenherr, 1817a: 491 (*Leptura*)
reducta Pic, 1907b: 6 (*Evodinus*)
thibetana Pic, 1907b: 5 (*Evodinus*)
ussurica Pic, 1913c: 98
- bifasciata japonica* Matsushita, 1933a: 178 (*Evodinus*) A: FE JA
- bifasciata plasoni* Breit, 1915: 353 (*Evodinus*) A: ?ES ?FE HEB ?MN NMO #29
- bifasciata thibetana* Pic, 1907b: 5 (*Evodinus*) A: QIN ["Kuku-Nor"]
- bifasciata wanga* Z. Wang, 2014: 122, 1123 A: NMO #1
- caucasica caucasica* Rost, 1892: 309 [1892b: 81] A: GG
- conjuncta* Rost, 1893: 344
- caucasica kubanica* Miroshnikov, 1990a: 26 E: ST
- delagrangei* Pic, 1891h: 102 A: TR
- subgenus *Variobrachyta*** Danilevsky, 2014i: 117 type species: *Leptura variabilis* Gebler, 1817 #29
- borni* Ganglbauer, 1903: 151 (*Evodinus*) E: FR (Alpes de Haute-Provence)
guerryi Pic, 1906h: 86 (*Evodinus*)
notatipennis Pic, 1906h: 86 (*Evodinus*)
- rosti alexeevi* Lazarev, 2010b: 193 E: ST
- rosti baksaniense* Lazarev, 2010b: 193 E: ST
- rosti rosti* Pic, 1900s: 82 E: ST A: GG
brevinotata Pic, 1901e: 16
caucasicola Plavilstshikov, 1936: 197 (*Evodinus*)
- variabilis aberrans* Villiers, 1960a: 6 (*Evodinus*) A: FE NC NE #29
- variabilis basarukini* Danilevsky, 2014i: 124 A: FE #29
- variabilis chukotensis* Danilevsky, 2014i: 123 A: FE #29
- variabilis dongbeiensis* Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI #29
- variabilis ivlievi* Danilevsky, 2014i: 123 A: FE #29
- variabilis kurayensis* Danilevsky, 2014i: 128 A: WS #29
- variabilis phlaesa* Z. Wang, 2003: 127, 398 (*Evodinus*) A: HEI
- variabilis scapularis* Mannerheim, 1849: 245 (*Pachyta*) A: ES FE MG NE NMO
- cincta* Villiers, 1960a: 6 (*Evodinus*)
comosa Solsky, 1871a: 400 (*Pachyta*)
heyrovskyi Pic, 1926d: 10
- instriolata* Pic, 1912c: 2 (*Evodinus*)
- intermedia* Pic, 1916b: 3 (*Evodinus*)
- multisignata* Pic, 1915a: 41 (*Evodinus*)
- mutabilis* Motschulsky, 1859a: 571 (*Pachyta*) [1859a: 233 (*Pachyta*)]
- obscurepennis* Pic, 1900c: 6 (*Evodinus*)
- pici* Villiers, 1960a: 6 (*Evodinus*)
- preapicalis* Pic, 1902c: 8
- prescutellaris* Pic, 1902c: 8
- reductesignatus* Pic, 1915a: 41 (*Evodinus*)
- semifulva* Pic, 1900s: 82
- sinuatosignata* Pic, 1915e: 4 (*Evodinus*)
- solskyi* Kraatz, 1879c: 71 (*Pachyta*)
- subfasciata* Pic, 1926d: 10
- subjuncta* Pic, 1926d: 10
- sublineata* Pic, 1916b: 3 (*Evodinus*)
- variabilis shapovalovi* Lazarev, 2014a: 273 A: KZ
- variabilis sinuatolineata* Pic, 1915a: 41 (*Evodinus*) A: ES MG #29
- breiti* Tippmann, 1946: 126 [= 1951: 304] (*Evodinus*)
- discobilineata* Pic, 1928c: 2

<i>variabilis striatiformis</i> Plavilstshikov, 1936: 196 (<i>Evodinus</i>) A: MG	#29
<i>variabilis striolata</i> Gebler, 1817: 330 (<i>Leptura</i>) A: ES	#29
brevelineata Pic, 1926d: 10	
<i>eurinensis</i> Tsherepanov, 1978a: 97 (<i>Evodinus</i>)	
<i>variabilis testaceimembris</i> Pic, 1916b: 2 (<i>Evodinus</i>) A: FE	
<i>rufimembris</i> Pic, 1926d: 13	
<i>variabilis tungusensis</i> Danilevsky, 2014i: 121 A: ES	#29
<i>variabilis tuvensis</i> Danilevsky, 2014i: 127 A: ES ?MG ?NMO WS	#29
<i>variabilis variabilis</i> Gebler, 1817: 320 (<i>Leptura</i>) E: CT NT A: ES KZ WS	
<i>constricta</i> Germar, 1824: 520 (<i>Leptura</i>)	
<i>variabilis yakutensis</i> Danilevsky, 2014i: 122 A: ES	#29
 genus <i>Capnolymma</i> Pascoe, 1858: 265 type species <i>Capnolymma stygia</i> Pascoe, 1858	
<i>brunnea</i> Gressitt & Rondon, 1970: 33 A: YUN ORR	
<i>laotica</i> Gressitt & Rondon, 1970: 33 A: YUN ORR	
 genus <i>Carilia</i> Mulsant, 1863: 489 type species <i>Leptura virginea</i> Linnaeus, 1758	
<i>Neogaurotes</i> Podaný, 1962: 225 type species <i>Leptura virginea</i> Linnaeus, 1758	
<i>adelpha</i> Ganglbauer, 1889a: 47 A: NMO QIN SCH	
<i>aeneovirens</i> Holzschuh, 1993a: 6 A: SCH	
<i>atricornis</i> Pu, 1992b: 617 A: YUN	
<i>atripennis</i> Matsushita, 1933: 76 A: JA	
<i>aureopurpurea</i> Hayashi, 1955: 24	
<i>hayashii</i> Podaný, 1962: 225	
<i>kurosawai</i> Hayashi, 1951b: 75	
<i>tamanuki</i> Ohbayashi, 1949: pl. 3	
<i>cuprifera</i> Holzschuh, 1993a: 10 A: GAN	
<i>fairmairei</i> Aurivillius, 1912: 193 [RN] A: SCH SHA	
<i>diversicollis</i> Pic, 1939b: 1	
<i>donacioides</i> Fairmaire, 1889a: 59	
<i>filiola</i> Holzschuh, 1998: 5 A: SHA	
<i>glabratula</i> Holzschuh, 1998: 6 [RN] A: SCH	
<i>glabricollis</i> Holzschuh, 1993a: 8 [HN]	
<i>oligothrix</i> Chiang, 2001: 77 [RN]	
<i>glabricollis</i> Pu, 1992b: 618 A: YUN	
<i>latiuscula</i> Holzschuh, 1993a: 8 A: SCH	
<i>lucidivirens</i> Holzschuh, 1998: 6 A: SHA	
<i>otome</i> K. Ohbayashi, 1959: 1 A: JA	
<i>flaviventris</i> Hayashi, 1960a: 6	
<i>kinugasai</i> Hayashi, 1960a: 6	
<i>perforata</i> Holzschuh, 1993a: 11 A: GAN	
<i>pictiventris</i> Pesarini & Sabbadini, 1997: 100 A: YUN	
<i>piligera</i> Pu, 1992b: 617 A: SCH	
<i>spinipennis</i> Pu, 1992b: 617 A: SCH	
<i>tibetana</i> Podaný, 1962: 227 A: XIZ	
<i>tuberculicollis</i> Blanchard, 1871: 812 (<i>Pachyta</i>) A: FUJ HEI HEN HUB NMO SCH SHA XIZ	
<i>davidis</i> H. C. Deyrolle, 1878: 133	
<i>obscuripes</i> Pic, 1939b: 1	
<i>virginea aemula</i> Mannerheim, 1852b: 306 (<i>Pachyta</i>) E: CT ST A: ES FE HEI HUB JIL KZ MG NMO SHX WS	
<i>ruficollis</i> Solsky, 1871: 403 (<i>Pachyta</i>)	
<i>virginea komensis</i> Tamanuki, 1938b: 167 (<i>Gaurotes</i>) A: HEI JIL NC SC	
<i>coreana</i> Tamanuki, 1939: 101 (<i>Gaurotes</i>)	
<i>nigriventris</i> Tamanuki, 1938b: 167 (<i>Gaurotes</i>) [HN]	
<i>virginea kozhevnikovi</i> Plavilstshikov, 1915c: 105 (<i>Gaurotes</i>) A: FE HEI JIL	
<i>nigriventris</i> Jureček, 1921: 25 (<i>Gaurotes</i>)	
<i>sibirica</i> Podaný, 1962: 236 (<i>Gaurotes</i>)	
<i>virginea thalassina</i> Schrank, 1781a: 160 (<i>Leptura</i>) E: AU FR IT SL	
<i>nupia</i> Mulsant, 1839: 241 (<i>Pachyta</i>)	
<i>virginea virginea</i> Linnaeus, 1758: 398 (<i>Leptura</i>) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT MC	
MD ME NR NT PL RO SB SK SL SV SZ ST UK YU A: WS	
<i>brunnescens</i> G. Schmidt, 1951: 11 (<i>Gaurotes</i>)	
<i>notaticollis</i> Pic, 1916a: 10	
<i>sanguinaria</i> Pic, 1917g: 4	
<i>vidua</i> Mulsant, 1839: 242 (<i>Pachyta</i>)	
<i>violacea</i> DeGeer, 1775: 144 (<i>Leptura</i>) [HN]	
<i>violacea</i> Pallas, 1773: 724 (<i>Leptura</i>)	
 genus <i>Cortodera</i> Mulsant, 1863: 572 type species <i>Grammoptera spinosula</i> Mulsant, 1839: 290 (= <i>Leptura humeralis</i> Schaller, 1783)	

<i>Acmaeopsilla</i> Casey, 1913: 240 type species <i>Acmaeops falsus</i> LeConte, 1860	
<i>Leptacmaeops</i> Casey, 1913: 219 type species <i>Leptura longicornis</i> Kirby, 1837	
<i>Taiwanocarilia</i> Hayashi, 1983: 30 type species <i>Gaurotes ater</i> Tamanuki, 1942	#18
<i>alpina alpina</i> Ménétriés, 1832: 230 (<i>Pachyta</i>) E: ST (Dagestan) A: AB GG	
<i>beckeri</i> Desbrochers des Loges, 1875a: 51 (<i>Pachyta</i>)	
<i>confusa</i> Reitter, 1891b: 34 (<i>Cartodera</i>)	
<i>alpina armeniaca</i> Pic, 1898k: 114 A: AR TR [Artvin, Ardahan, Kars, Erzerum, Igdir]	
<i>alpina baksaniensis</i> Danilevsky, 2014i: 199 E: ST	#29
<i>alpina fischiensis</i> Starck, 1894: 11 E: ST (Kavkaz)	
<i>alpina gudissensis</i> Danilevsky, 2013g: 28 A: GG	
<i>alpina matusiaki</i> Danilevsky, 2014i: 200 E: ST A: GG	#29
<i>alpina rosinae</i> Pic, 1902c: 8 A: TR ["Anatolie: Ak-Chehir"]	#17 #129
<i>alpina rosti</i> Pic, 1892q: lxxxiii E: ST (Kavkaz)	
<i>parallela</i> Pic, 1898k: 111	
<i>alpina starcki</i> Reitter, 1888b: 280 E: ST (Kavkaz) A: GG	
<i>alpina svanorum</i> Danilevsky, 2014i: 203 A: GG	#29
<i>alpina tavanensis</i> Danilevsky, 2015d: 1065 A: TR	#129
<i>alpina umbripennis</i> Reitter, 1890e: 245 E: ST A: AB AR GG IN	
<i>alpina xanthoptera</i> Pic, 1898k: 114 [RN] A: TR [Ankara]	
<i>flavipennis</i> Ganglbauer, 1897a: 53 (unavailable – among several variations from one locality)	#5
<i>alpina zekarensis</i> Danilevsky, 2014i: 203 A: GG	#29
<i>analis</i> Gebler, 1830: 189 (<i>Pachyta</i>) A: KZ WS XIN	
<i>haemorrhoidalis</i> Pic, 1898k: 114	
<i>haemorrhoidalis</i> Aurivillius, 1912: 197 [unjustified emendation]	
<i>hirta</i> Gebler, 1830: 190 (<i>Pachyta</i>)	
<i>holosericea</i> Gebler, 1848a: 423 (<i>Leptura</i>)	
<i>ruficornis</i> Pic, 1926d: 6	
<i>atra</i> Tamanuki, 1942: 214 (<i>Gaurotes</i>) A: TAI	#18
<i>baltea</i> Holzschuh, 2003a: 154 A: NMO QIN [see: X.-L. Huang et al., 2014]	
<i>bamiyana</i> Danilevsky, 2014d: 256 A: AF	
<i>ciliata ciliata</i> Danilevsky, 2001a: 13 A: KZ	
<i>ciliata milaenderi</i> Danilevsky, 2001a: 15 E: CT	
<i>ciliata sakmarenensis</i> Danilevsky, 2006b: 3 E: ST	
<i>cirsii</i> Holzschuh, 1975: 82 A: TR	
<i>colchica aestiva</i> Sama & Rapuzzi, 1999: 466 A: TR (Kars)	#129
<i>colchica aishkha</i> Danilevsky, 2014i: 180 E: ST	#29
<i>colchica aksarayensis</i> Özdi̇kmen & Özbek, 2012: 931 A: TR	#129
<i>colchica bulungensis</i> Danilevsky, 2014i: 181 E: ST	#29
<i>colchica colchica</i> Reitter, 1890e: 246 E: ST A: AB AR (IN LE SY) TR	#30
<i>atropygia</i> Pic, 1929h: 119 [DA]	
<i>distincta</i> Pic, 1933d: 6	
<i>lederi</i> Pic, 1933d: 6	
<i>ordubadensis</i> Reitter, 1890e: 246	
<i>pygidialis</i> Reitter, 1890e: 246	
<i>rutilipes</i> Reitter, 1890e: 246	
<i>truncatipennis</i> Pic, 1929h: 119 [DA]	
<i>colchica danczenkoi</i> Danilevsky, 1985: 139 [1987: 615] A: AB (Talysh) IN	
<i>colchica deyrollei</i> Pic, 1894a: 66 A: GG	#29
<i>colchica dilizhanica</i> Danilevsky, 2014i: 178 A: AR	#29
<i>colchica erezanica</i> Danilevsky, 2014i: 177 A: AR	#29
<i>colchica erzurumensis</i> Danilevsky, 2015d: 1058 A: TR	#129
<i>colchica kalandiani</i> Danilevsky, 2000b: 39 A: AR	
<i>colchica murzini</i> Danilevsky, 2014i: 181 E: ST	#29
<i>colchica ossetica</i> Danilevsky, 2014i: 181 E: ST	#29
<i>colchica ponamarenkoi</i> Danilevsky, 2014i: 179 A: AZ	#29
<i>colchica porsukensis</i> Danilevsky, 2015d: 1060 A: TR	#129
<i>colchica psebayensis</i> Danilevsky, 2014i: 180 E: ST	#29
<i>colchica pseudodalpina</i> Plavilstshikov, 1936: 278 A: GG	#29
<i>differens differens</i> Pic, 1898g: 50 E: GR RO	
<i>prescutellaris</i> Pic, 1933d: 5	
<i>steineri</i> Sama, 1997b: 112	
<i>differens magdae</i> Danilevsky, 2012m: 916 E: BU RO TR	
<i>discolor ankarensis</i> Danilevsky, 2015d: 1063 A: TR	#129
<i>discolor bitisiensis</i> Danilevsky, 2015d: 1065 A: TR	#129
<i>discolor discolor</i> Fairmaire, 1866b: 277 A: TR	
<i>testaceipes</i> Pic, 1898k: 112	
<i>variipes</i> Ganglbauer, 1897a: 53 (unavailable – among other variations) [?“Angora”]	#5

farsensis Danilevsky, 2014d: 255 A: IN*femorata* Fabricius, 1787: 159 (*Leptura*) E: AU BH BU BY CR CT CZ EN FI FR GE GR IT LA LT NR NT PL RO SK SL ST SV

SZ UK

affinis Schilsky, 1892: 204*fusca* Gmelin, 1790: 1868 (*Leptura*)*flavipennis* Reitter, 1890e: 243*griseipes* Pic, 1889b: 55 (*Grammoptera*)*monticola* Abeille de Perrin, 1870: 88*suturifera* Reitter, 1890e: 243*flavimana angorensis* Danilevsky, 2015d: 1051 A: TR

#129

flavimana corallipes Pesarini & Sabbadini, 2009: 17 A: ?GG TR [type - Ascale in Erserum]

#6 #129

flavimana flavimana Waltl, 1838: 471 (*Leptura*) E: AL AU BU GR HU MC RO SK TR YU A: TR [type – Istanbul env.]

[see: Siering, 2014b]

flavimana inonuensis Danilevsky, 2015d: 1045 A: TR

#129

flavimana karsensis Danilevsky, 2015d: 1052 A: TR

#129

flavimana oezdikmeni Danilevsky, 2015d: 1053 A: TR

#129

flavimana rufipes Kraatz, 1876b: 344 (*Grammoptera*) A: TR [type – Izmir env.]*— brachialis* Ganglbauer, 1897a: 52 (unavailable) [“Angora”]

#5

— fulvipes Reitter, 1890e: 245 (unavailable) [“Angora”]

#4

— limbata Ganglbauer, 1897a: 52 (unavailable) [“Angora”]

#5

flavimana schurmanni Sama, 1997b: 107 E: GR (Peloponnese)

#2

flavimana sergeyi Danilevsky, 2015d: 1053 A: TR

#129

flavimana sultanensis Danilevsky, 2015d: 1055 A: TR

#129

flavimana torosensis Danilevsky, 2015d: 1055 A: TR

#129

flavimana zoiai Pesarini & Sabbadini, 2009: 16 A: TR [type - north of Izmir vil., Kozak, about 39°15'N, 27°06'E]*holosericea holosericea* Fabricius, 1801b: 366 (*Leptura*) [HN – not *L. holosericea* Fabricius, 1801b: 358 = *Etorofus pubescens* (Fabricius, 1787)] E: AU BH BU CR GR HU IT RO SK SL ST UK YU*pilosa* Pic, 1898g: 50*rubripes* Pic, 1898k: 114*semitestacea* Pic, 1898g: 50*holosericea velutina* Heyden, 1876a: 318 E: AL AU BH CR GR IT SL YU

#11

birnbacheri Pic, 1898k: 114*hroni* Danilevsky, 2012f: 1 E: BU*humeralis aspromontana* G. Müller, 1948: 61 E: IT-GR*humeralis humeralis* Schaller, 1783: 297 (*Leptura*) E: AU BE BH BU CR CT CZ FR GE GR HU IT MC MD NL PL RO SK SP ST

SZ TR UK YU A: TR

apicenotata G. Schmidt, 1951: 12*discoidalis* Pic, 1931c: 6*inumeralis* Pic, 1892j: 140*quadriguttata* Herbst, 1786: 171 (*Leptura*)*quadrinotata* Gmelin, 1790: 1873 (*Leptura*)*schalleri* Gmelin, 1790: 1874 (*Leptura*)*spinosula* Mulsant, 1839: 290 (*Grammoptera*)*suturalis* Fabricius, 1787: 159 (*Leptura*)*humeralis moreensis* Danilevsky, 2015d: 1035 E: GR

#11

imrasanica Sama & Rapuzzi, 1999: 464 A: TR*ivanovi* Danilevsky, 2013b: 218 A: KZ*kadleci* Danilevsky, 2015d: 1061 A: TR

#129

kaphanica Danilevsky, 1985: 137 A: AR IN*kafanica* Danilevsky, 1987: 614*kazaryani* Danilevsky, 2014i: 163 A: AR*khatchikovi* Danilevsky, 2001b: 13 E: ST*kiesenwetteri gusakovi* Danilevsky, 2013d: 425 A: KZ*kiesenwetteri kiesenwetteri* Pic, 1898g: 49 E: ST*kiesenwetteri subtruncata* Pic, 1934e: 19 E: CT*kochi* Pic, 1935d: 4 A: IS*kokpektensis* Danilevsky, 2007d: 47 A: KZ*komarovi komarovi* Danilevsky, 1996c: 63 A: KZ*komarovi romantzovi* Danilevsky, 2013b: 213 A: KZ*komarovi sarysuensis* Danilevsky, 2013b: 215 A: KZ*komarovi solodovnikovi* Danilevsky, 2013b: 213 A: KZ*longipilis* Pic, 1898g: 50 A: TR

<i>rubrofemorata</i> Pic, 1898k: 113	
<i>tauricola</i> Pic, 1908b: 3	
<i>metallica</i> Holzschuh, 2003a: 152 A: SCH	#129
<i>moldovana</i> Danilevsky, 1996c: 64 E: MD	#129
<i>napolovi</i> Danilevsky, 2015d: 1061 A: TR	
<i>neali</i> Danilevsky, 2004a: 2 A: IN IQ	#3 #129
<i>obscurans</i> Pic, 1894i: 116 [Akbès] A: ?SY TR	#3
<i>obscurans</i> Pic, 1892s: exi [= 1893d: 415] (unavailable) ["le nord de la Syrie" and "Haute-Syrie"]	#3
<i>flavescens</i> Pic, 1894i: 116 (unavailable) [Akbès] (unavailable)	#3
<i>fulvipennis</i> Pic, 1898g: 50 (unavailable) [Akbès] (unavailable)	#3
<i>omophloides</i> Holzschuh, 1975: 77 A: TR	
<i>tibialis tibialis</i> Marseul, 1876: cii (<i>Judolia</i>) E: ST	
<i>pallidipes</i> Pic, 1898g: 49	
<i>tibialis ruthena</i> Plavilstshikov, 1936: 286 E: ST KZ A: KZ	
<i>tibialis rossica</i> Danilevsky, 2001b: 7 E: UK ST	
<i>pseudomophilus</i> Reitter, 1889a: 40 A: AR AB IN TM TR	
<i>pumila crataegi</i> Holzschuh, 1986a: 121 A: IN	
<i>pumila meltemae</i> Özdkimen, Mercan & Cihan, 2012d: 746 A: TR	#2
<i>pumila pumila</i> Ganglbauer, 1882: 710 E: ST A: AB AR GG	
<i>caucasica</i> Pic, 1898k: 79	
<i>nigripennis</i> Pic, 1898g: 49	
<i>pumila tourneieri</i> Pic, 1895d: 75 A: AR GG TR	
<i>ranunculi</i> Holzschuh, 1975: 80 A: TR	
<i>reitteri reitteri</i> Pic, 1891d: 43 E: CT ST UK	
<i>alexandri</i> Danilevsky, 1996c: 63	
<i>obscuripennis</i> Pic, 1898g: 49	
<i>separata</i> Pic, 1898k: 111	
<i>reitteri taurica</i> Plavilstshikov, 1936: 280 E: UK	
<i>beckeriana</i> Plavilstshikov, 1936: 285	
<i>rubripennis</i> Pic, 1891h: 102 A: TR	
<i>obscura</i> Pic, 1898g: 49	
<i>semilivida</i> Pic, 1892n: xciii ["Syria"] A: ?SY TR	#2 #129
<i>diversipes</i> Pic, 1898g: 49 (unavailable) [Akbès]	#2 #129
<i>?orientalis</i> Adlbauer, 1988: 264	#2 #129
<i>sibirica shavrovi</i> Danilevsky, 2001b: 3 A: ES	
<i>sibirica sibirica</i> Plavilstshikov, 1915f: 347 (<i>Leptura</i>) A: WS	
<i>semenovi</i> Plavilstshikov, 1936: 284	
<i>simulatrix</i> Holzschuh, 1975: 83 A: TR	
<i>syriaca nigroapicalis</i> Holzschuh, 1981: 95 A: IN TR	
<i>syriaca syriaca</i> Pic, 1901s: 90 A: AB AR IN LE SY TR	
<i>aureopubens</i> Pic, 1913c: 178	
<i>korbi</i> Pic, 1914c: 4 [DA]	
<i>tatianae</i> Miroshnikov, 2011: 53 A: AB	
<i>transcaspica lobanovi</i> Kaziutshitz, 1988: 583 A: AB AR IN TU	
<i>transcaspica persica</i> Plavilstshikov, 1936: 291 A: IN ?AF	
<i>transcaspica transcaspica</i> Plavilstshikov, 1936: 290 A: AB AR IN TM	
<i>turgaica</i> Danilevsky, 2001b: 9 A: KZ	
<i>uniformis</i> Holzschuh, 1975: 79 A: TR	
<i>ussuriensis</i> Tsherepanov, 1978a: 101 A: FE	
<i>vicina</i> Pic, 1914c: 4 A: LE	
<i>villosa aktolagaica</i> Miroshnikov, 2007: 214 A: KZ [see Danilevsky, 2012b]	
<i>villosa circassica</i> Reitter, 1890e: 245 E: ST (Kavkaz)	
<i>obscuripes</i> Reitter, 1890e: 245	
<i>villosa chuvilini</i> Danilevsky, 2012b: 140 E: ST	
<i>villosa kazakorum</i> Danilevsky, 2014i: 167 E: ST	#29
<i>villosa krasnobaevi</i> Danilevsky, 2010a: 58 E: UK	
<i>villosa kuvandykensis</i> Danilevsky, 2012b: 139 E: ST	
<i>villosa mageeovi</i> Danilevsky, 2011a: 42 E: CT	
<i>villosa major</i> Miroshnikov, 2007: 211 E: CT	
<i>villosa mariae</i> Danilevsky, 2010a: 59 E: ST	
<i>villosa mikailovi</i> Danilevsky, 2001a: 8 A: WS	
<i>villosa miroshnikovi</i> Danilevsky, 2010: 43 A: GG	
<i>villosa nakhichevanica</i> Miroshnikov, 2007: 213 A: AB	
<i>villosa parsentjevi</i> Miroshnikov, 2007: 215 E: UK (Krym) [see Danilevsky, 2012b]	
<i>villosa villosa</i> Heyden, 1876a: 318 E: BH BU CR HU MC MD RO SK UK YU	
<i>frivaldszkyi</i> Kraatz, 1876: 318 (Grammoptera)	
<i>nigrita</i> Heyden, 1876a: 318 [DA]	

<i>umbriventris</i> Roubal, 1931c: 131	
<i>villosa zhuravlevi</i> Miroshnikov, 2007: 214 E: ST A: KZ [see Danilevsky, 2012b]	
<i>wewalkai</i> Holzschuh, 1995: 9 A: TR	
<i>wittmeri akshirensis</i> Danilevsky, 2015d: 1043 A: TR	#129
<i>wittmeri gevashensis</i> Danilevsky, 2015d: 1046 A: TR	#129
<i>wittmeri malatyaensis</i> Danilevsky, 2015d: 1045 A: TR	#129
<i>wittmeri sivasensis</i> Danilevsky, 2015d: 1044 A: TR	#129
<i>wittmeri wittmeri</i> Holzschuh, 1995: 9 A: TR [Niğde]	#129
genus <i>Dinoptera</i> Mulsant, 1863: 494 type species <i>Leptura collaris</i> Linnaeus, 1758	
<i>anthracina</i> Mannerheim, 1849: 246 (<i>Pachyta</i>) A: FE MG NE NMO SC SE	
<i>chrysomelina</i> Holzschuh, 2003a: 151 A: SHA	
<i>collaris</i> Linnaeus, 1758: 398 (<i>Leptura</i>) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD NE NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG ES GAN IN KZ NMO TR WS	
<i>carneola</i> Schrank, 1798: 696 (<i>Leptura</i>)	
<i>morio</i> Fabricius, 1793: 349 (<i>Leptura</i>)	
<i>nigricollis</i> Mulsant, 1839: 247 (<i>Pachyta</i>)	
<i>ruficollis</i> DeGeer, 1775: 143 (<i>Leptura</i>)	
<i>sylvestris</i> Geoffroy, 1785: 88 (<i>Stenocorus</i>)	
<i>concolor</i> Heyden & Faust, 1888: 45 (<i>Acmaeops</i>) A: GG TR	
<i>lota</i> Holzschuh, 1998: 8 A: GAN	
<i>minuta criocerina</i> Bates, 1873: 194 (<i>Acmaeops</i>) A: JA	
<i>japonica</i> Pic, 1907d: 20 (<i>Acmaeops</i>)	
<i>minuta minuta</i> Gebler, 1832: 69 (<i>Pachyta</i>) A: ES FE GUX HEB HEI HEN JIL JIX LIA NC NIN NMO SC SHA SHN SHX ZHE	
genus <i>Euracmaeops</i> Danilevsky, 2014i: 147 type species: <i>Leptura marginata</i> Fabricius, 1781	#29
<i>Acmaeops</i> auct., part. (not LeConte, 1850a)	
<i>angusticollis</i> Gebler, 1833: 304 (<i>Pachyta</i>) E: BY CT NT PL A: ES FE JIL JA MG NC NMO SC WS XIN	
<i>amurensis</i> Suvorov, 1915: 346	
<i>sachalinensis</i> Tsherepanov, 1978a: 99	
<i>subbrachypterus</i> Plavilstshikov, 1915c: 105	
<i>viridulus</i> Matsumura, 1911a: 134	
<i>marginatus</i> Fabricius, 1781: 247 (<i>Leptura</i>) E: AU BH BY CR CT CZ EN FI FR GE GR HU IT LA LT NL NR NT PL SK SL SP ST SV SZ UK YU A: ES FE GAN KZ MG NMO TR WS	
<i>annulicornis</i> Pic, 1933f: 4	
<i>bicoloripes</i> Pic, 1933f: 4	
<i>spadiceus</i> Schilsky, 1888: 189	
<i>septentrionis</i> C. G. Thomson, 1866: 61 (<i>Pachyta</i>) E: AU BU BY CT CZ EN FI FR GE IT LA LS LT NR NT PL RO SK SL ST SV SZ UK A: ES FE KZ MG NC SC WS	
<i>alpestris</i> Pic, 1901f: 25	
<i>simplicornis</i> Stierlin, 1880: 550 (<i>Leptura</i>)	
<i>smaragdulus</i> Fabricius, 1793: 342 (<i>Leptura</i>) [NP] E: BY CT FI FR LT NR NT SV SZ A: ES FE HEI JIL KZ LIA MG NC NMO ?SC SHA WS XIN	#80
<i>smaragdinus</i> Naezen, 1792: 173 (<i>Leptura</i>) [NO]	
genus <i>Evodinellus</i> Plavilstshikov, 1915g: 355 type species <i>Leptura borealis</i> Gyllenhal, 1827	#29
<i>Evodinus</i> auct. (nec LeConte, 1850b: 325 type species <i>Leptura monticola</i> Randall, 1838)	
subgenus <i>Evodinellus</i> Plavilstshikov, 1915g: 355 type species <i>Leptura borealis</i> Gyllenhal, 1827	
<i>borealis</i> Gyllenhal, 1827: 36 (<i>Leptura</i>) E: BY CT EN FI LA LT NR NT PL SK SV UK A: ES FE JA MG NC NE NMO SC WS	
<i>brunneonotatus</i> Pic, 1901b: 11 (<i>Brachyta</i>)	
<i>grisescens</i> Pic, 1889b: 78 (<i>Pidonia</i>)	
<i>interruptelunatus</i> G. Schmidt, 1951: 11	
<i>lateobscurus</i> Pic, 1901b: 11 (<i>Brachyta</i>)	
<i>obscurissimus</i> Pic, 1904a: 3	
<i>pallescens</i> Fujimura, 1956: 2	
<i>pictus</i> Mäklin, 1845: 549 (<i>Pachyta</i>)	
<i>schrammi</i> Pic, 1945b: 6	
<i>separatus</i> Pic, 1945b: 6	
subgenus <i>Brachytodes</i> Planet, 1924: 96 type species <i>Rhagium clathratum</i> Fabricius, 1793	#29
<i>clathratus</i> Fabricius, 1793: 306 (<i>Rhagium</i>) E: AU BH BU CR CZ FR GE HU IT LS MC MD PL RO SK SL SZ UK YU	
<i>atromultiplicatus</i> Pic, 1945b: 5	
<i>atroreductus</i> Pic, 1915a: 41	
<i>brunnipes</i> Mulsant, 1839: 238	
<i>diversesignatus</i> Pic, 1945b: 5	
<i>flecki</i> G. Schmidt, 1958: 77	
<i>gallicus</i> Pic, 1945b: 5	
<i>holobrunneus</i> G. Schmidt, 1958: 77	
<i>leprieri</i> Pic, 1945b: 5	
<i>morginius</i> Pic, 1945b: 5	

nigerrimus G. Schmidt, 1958: 74
nigrescens Gredler, 1873: 74 (*Pachyta*)
nigritus Pic, 1891b: 6 (*Brachyta*)
obscuratus G. Schmidt, 1958: 73
pedemontanus K. Daniel & J. Daniel, 1898: 87 (*Brachyta*)
reticulatus Fabricius, 1794: 453 (*Leptura*)
semicinctus Drapiez, 1819a: 52 (*Leptura*)
signatus Panzer, 1793a: 13 (*Leptura*)
tricoloratus G. Schmidt, 1958: 77
vesubiensis Pic, 1945b: 5

genus Fallacia Mulsant & Rey, 1863: 180 type species *Fallacia longicollis* Mulsant & Rey, 1863 (= *Grammoptera elegans* Faldermann, 1837)

elegans Faldermann, 1837: 319 (*Grammoptera*) E: CT ST TR A: AB AR GG IN TR
inapicalis Pic, 1901e: 16
ledei Kraatz, 1879i: 280
longicollis Mulsant & Rey, 1863: 180
mingrelica Kraatz, 1879i: 279
subnotata Pic, 1901e: 16

genus Gaurotina Ganglbauer, 1889a: 49 type species *Gaurotina superba* Ganglbauer, 1889

flavimarginata Pu, 1992b: 617 (*Gaurote*) A: SCH
labrangica Danilevsky & Rapuzzi, 1996: 10 A: GAN
nigroante~~nata~~ L. Chen & Chiang, 2000: 31, 35 A: JIL TIA
nitida Gressitt, 1951a: 62 A: GAN SHA
piligera Pu, 1992b: 617 (*Gaurote*) A: SCH
pulchra Holzschuh, 1991c: 8 A: SCH
sichotensis Danilevsky, 1988c: 372 A: FE
superba Ganglbauer, 1889a: 50 A: GAN SHA

genus Gnathacmaeops Linsley & Chemsak, 1972: 135 type species *Leptura pratensis* Laicharting, 1784

brachypterus K. Daniel & J. Daniel, 1898: 73 (*Acmaeops*) A: KI KZ XIN
pratensis Laicharting, 1784: 172 (*Leptura*) E: AL AN AU BH BU BY CR CT CZ EN FI FR GE HU IT LA LT MC MD NR NT PL RO SK SL SP ST SV SZ YU UK A: AB AR ES FE GG KI KZ MG NC NMO ?SC UZ WS XIN NAR #80
lateralis Estlund, 1796: 127 (*Leptura*)
obscuripennis Pic, 1901: 24 (*Acmaeops*)
spretus Lenz, 1857: 147 (*Pachyta*)
suturalis Mulsant, 1839: 246 (*Pachyta*)
strigilatus Fabricius, 1793: 341 (*Leptura*)
ustulatus Motschulsky, 1860: 148 (*Pachyta*)

genus Japanocorus Danilevsky, 2012m: 919 type species *Toxotus caeruleipennis* Bates, 1873

caeruleipennis Bates, 1873: 193 (*Toxotus*) A: EH FE JA
galloisi K. Ohbayashi, 1961a: 16 (*Toxotus*)

genus Lemula Bates, 1884a: 211 type species *Lemula decipiens* Bates, 1884a

brunneipennis Shimomura, 1979: 271 A: TAI
coerulea Gressitt, 1939b: 84 A: FUJ TAI ZHE
confusa Holzschuh, 2009: 268 A: FUJ
crucifera Shimomura, 1979: 274 A: TAI
cyanipennis Hayashi, 1974a: 3 A: TAI
decipiens Bates, 1884a: 212 A: FE JA
densepunctata Hayashi, 1974a: 4 A: TAI
fracta Holzschuh, 1998: 7 A: SCH
gorodinskii *gorodinskii* Holzschuh, 1999: 8 A: GAN
gorodinskii *henanica* Holzschuh, 2009: 269 A: HEN
inaequalicollis Pic, 1957: 75 A: FUJ TAI
lata Holzschuh, 2009: 270 A: HEN
japonica Tamanuki, 1938b: 166 (*Lemura*) A: JA TAI
longipennis Shimomura, 1979: 278 A: TAI
nishimurai Seki, 1944a: 25 A: JA
 hiratai Hayashi, 1944: 23
obscuripennis Shimomura, 1979: 276 A: TAI
par Holzschuh, 1998: 6 A: YUN
pilifera Holzschuh, 1991c: 8 A: SCH
rufithorax Pic, 1901m: 57 A: JA
setigera Tamanuki & Mitono, 1939: 207 A: TAI
testaceipennis Gressitt, 1939b: 85 A: FUJ ZHE

viridipennis Holzschuh, 1993a: 7 A: GAN

genus Macropidonia Pic, 1901v: 339 type species *Macropidonia ruficollis* Pic, 1901
ruficollis Pic, 1901v: 340 A: JA JIL

genus Pachyta Dejean, 1821: 112 type species *Leptura quadrimaculata* Linnaeus, 1758

Argaleus LeConte, 1850b: 319 type species *Argaleus nitens* LeConte, 1850 (= *Pachyta liturata* Kirby, 1837)

Linsleyana Podaný, 1964b: 43 type species *Pachyta armata* LeConte, 1873

Neopachyta Bedel, 1906: 93 [RN]

bicuneata Motschulsky, 1860b: 147 A: FE GAN HEI JIL NC SC SHA WS

bisbimaculata Pic, 1900f: 17

bisbinotata Pic, 1907b: 5 (*Neopachyta*)

incolumis Heyden, 1886d: 273

degener Semenov & Plavilstshikov, 1936: 399 A: NMO

erebia Bates, 1884a: 212 A: JA

kusamai Hayashi, 1955: 22

uenoi Makihara, 1995: 451

felix Holzschuh, 2007: 182 A: XIZ YUN

#74

gorodinskii Rapuzzi, 2013: 466 A: QIN

lamed ~~lamed~~ Linnaeus, 1758: 391 (*Cerambyx*) E: AU BU BY CT CZ DE EN FI FR GE HU IT LA LT MD NR NT PL RO SK SL SV SZ UK A: ES FE GAN JA JIL MG NC NMO QIN ?SC SHA WS XIN

pedella DeGeer, 1775: 129 (*Leptura*)

spadicea Paykull, 1800: 103 (*Leptura*)

mediofasciata Pic, 1936d: 15 A: HEB JIL NMO QIN SHA

nigromarginalis Pic, 1939b: 2

subapicalis Pic, 1939b: 1

perlata Holzschuh, 1991a: 6 A: KA NP

quadrimaculata Linnaeus, 1758: 397 (*Leptura*) E: AU BH BU BY CR CT CZ DEi EN FI FR GE GR HU IT LA LS LT MC MD NT PL RO SK SL SP ST SZ UK YU A: ES GAN HEB HEI JIL KZ MG NIN QIN SHA WS XIN

basinotata Roubal, 1937: 81

bimaculata Schoenherr, 1817a: 489 (*Leptura*)

mulsanti Pic, 1945b: 5

timida Scopoli, 1763: 53 (*Cerambyx*)

genus Pachytella Heyrovský, 1969b: 226 type species *Pachytella mongolica* Heyrovský, 1969

churkini Danilevsky, 2011: 253 A: MG

mongolica Heyrovský, 1969b: 227 A: MG

genus Paktoxotus Holzschuh, 1974a: 84 type species *Paktoxotus pallidus* Holzschuh, 1974
pallidus Holzschuh, 1974a: 86 A: PA

genus Paragaurotes Plavilstshikov, 1921: 116 type species *Gaurotes ussuriensis* Blessig, 1873

doris doris Bates, 1884a: 212 A: JA SHA

amagisana K. Ohbayashi, 1956a: 7

doris suvorovi Semenov, 1914: 17 A: FE JA

ussuriensis Blessig, 1873: 247 A: ES FE HEB HEI JIL LIA NC SC

donacioides Kraatz, 1879d: 85 (*Lemaope*) [unavailable name]

genus Pidonia Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793

subgenus *Cryptopidonia* Kuboki, 1981: 530 type species *Pidonia lyra* Kuboki & Suzuki, 1978

aenipennis *aenipennis* Gressitt, 1935e: 253 (*Pseudopidonia*) A: TAI

aenipennis continentalis Tippmann, 1955: 90 (*Pseudopidonia*) A: FUJ

albomaculata Matsushita, 1931c: 401 (*Pseudopidonia*) A: TAI

amentata *amentata* Bates, 1884a: 215 (*Grammoptera*) A: JA

breuningi Pic, 1955: 12 (*Pseudopidonia*)

staudingeri Pic, 1901c: 12 (*Pseudopidonia*)

amentata awashimana Kuboki, 1993c: 235 A: JA

amentata kurosawai K. Ohbayashi & Hayashi, 1960: 13 A: FE JA

anmashana Kuboki, 1993a: 33 A: TAI

approximata Kuboki, 1977b: 65 A: JA

chiaomui Kuboki, 1995b: 747 A: TAI

chui Chou, 1998: 434 A: TAI

dealbata Kuboki, 1981: 535 A: JA

fushani Kuboki, 1993a: 37 A: TAI

hamadryas Kuboki, 1977c: 268 A: JA

hayashii Koike, 1971: 25 A: JA

hohuanshana Chou, 1998: 438 A: TAI

- hylophila affinis* Kuboki, 1982b: 118 A: JA
hylophila hylophila Kuboki, 1977b: 67 A: JA
ohdaisana Mizuno, 1978: 39
insuturata Pic, 1901m: 59 A: JA
brevinotata Pic, 1902g: 24 (*Pseudopidonia*)
luna Chou & Wu, 2005: 407 A: TAI
lyra Kuboki & Suzuki, 1978: 297 A: JA
masakii Hayashi, 1955: 28 A: JA
hiurai K. Ohbayashi & Hayashi, 1960: 15
lepesmei Pic, 1956b: 647 (*Pseudopidonia*)
miwai Matsushita, 1933b: 190 (*Pseudopidonia*) A: JA
***nobuoi* Chou, 2009: 110 A: GUX**
pilushana S. Saito, 1979: 211 A: TAI
sadoensis Kuboki, 1993d: 261 A: JA
simillima K. Ohbayashi & Hayashi, 1960: 14 A: JA
subaenea Gressitt, 1935e: 254 (*Pseudopidonia*) A: JIL TAI
taipingshana Kuboki, 1995b: 753 A: TAI
takahashii Kuboki, 1983: 25 A: TAI
***takakuwai* Chou, 2009: 113 A: GUX**
yushana Chou & Wu, 2005: 403 A: TAI
subgenus *Mumon* Hayashi, 1968b: 15 type species *Grammoptera debilis* Kraatz, 1789
aegrota aegrota Bates, 1884a: 214 (*Grammoptera*) A: JA
aegrota kubokii Hayashi, 1984: 22 [RN] A: JA
spectabilis Kuboki, 1982b: 120 [HN]
aestivalis Kuboki, 1994a: 37 A: TAI
alsophila Kuboki, 1997a: 19 A: TAI
amabilis Kuboki, 1980: 58 A: TAI
binigrosignata Hayashi, 1974a: 5 A: TAI
chienhsingi Kuboki, 1995a: 5 A: TAI
confusa S. Saito, 1980: 294 A: TAI
debilis Kraatz, 1879d: 104 (*Grammoptera*) A: FE HEI NC SC
formosana Tamanuki & Mitono, 1939: 208 A: SCH TAI
pudica Kuboki, 1994a: 33 A: TAI
sacrosancta Kuboki, 1995a: 9 A: TAI
telephia Kuboki, 1996b: 805 A: JA
subgenus *Omphalodera* Solsky, 1873: 244 type species *Omphalodera puziloi* Solsky, 1873
changi Hayashi, 1971: 3 A: SHA
diversenotata Pic, 1956b: 648 (*Pseudopidonia*) A: JA
heudei Gressitt, 1939b: 86 (*Pseudopidonia*) A: ZHE
puziloi Solsky, 1873: 245 (*Omphalodera*) A: FE HEI JA MG NC SC
flaviventris Bates, 1884a: 212 (*Omphalodera*)
testacea Matsushita, 1933b: 184 (*Omphalodera*) A: JA
warusawadakensis K. Ohbayashi, 1959: 1 A: JA
subgenus *Paleopidonia* Kuboki, 2003: 1 type species *Pidonia fujisana* Obika & Kusama, 1971
chujoji K. Ohbayashi & Hayashi, 1960: 13 A: JA
fujisana Obika & Kusama, 1971: 233 A: JA
oyamae Oyama, 1908: 19 (*Grammoptera*) A: JA
quadrimaculata Matsushita, 1933b: 192 (*Pseudopidonia*)
subgenus *Pidonia* Mulsant, 1863: 570 type species *Leptura lurida* Fabricius, 1793
lurida Fabricius, 1793: 343 (*Leptura*) E: AU BE BH BU BY CR CZ EN FR GE GR HU IT LA LS LT MD PL RO SK SL SZ UK
 YU
ganglbaueri Ormay, 1888: 168
notaticollis Pic, 1941d: 15
rufithorax Pic, 1902g: 23

suturalis Olivier, 1795: 33 [1797: 521] (*Leptura*) [not a new name]
subgenus *Pseudopidonia* Pic, 1900s: 81 type species *Pseudopidonia amurensis* Pic, 1900
alpina An & Kwon, 1991: 43 A: "Korea"
alticollis Kraatz, 1879d: 103 (*Grammoptera*) A: CH FE NC SC
rubicollis Pic, 1931f: 257 (*Pseudopidonia*)
rufiventris Plavilstshikov, 1932b: 87 (*Pseudopidonia*)
tristicula Kraatz, 1879d: 104 (*Grammoptera*)
amurensis Pic, 1900s: 81 (*Pseudopidonia*) A: FE JIL NC SC SHA
quelpartensis Hayashi, 1983: 32
unifasciata Plavilstshikov, 1915c: 106 (*Pseudopidonia*)
angustata Kuboki, 1994c: 185 A: TAI
armata Holzschuh, 1991c: 9 A: SCH
atripennis Hayashi, 1978a: 85 A: TAI

<i>atritarsis</i> Holzschuh, 2013b: 92 A: SCH	#43
<i>balteata</i> Holzschuh, 2013b: 88 A: SCH	#43
<i>benesi</i> Holzschuh, 1998: 15 A: SCH	
<i>bispina</i> Holzschuh, 1998: 12 A: HUB	
<i>bivittata</i> S. Saito, 1980: 291 A: TAI	
<i>bouvieri</i> Pic, 1901v: 339 A: TAI	
<i>rufithorax</i> Pic, 1956b: 647 (<i>Pseudopidonia</i>) [HN]	
<i>businskyorum</i> Holzschuh, 1998: 13 A: HUB	
<i>chairo</i> Tamanuki, 1942: 38 A: JA	
<i>chinensis</i> Hayashi & Villiers, 1985a: 17 A: CH	
<i>compta</i> Holzschuh, 1998: 16 A: GAN	
<i>cuprescens</i> Holzschuh, 1991c: 10 A: SCH	
<i>dentipes</i> Holzschuh, 1998: 8 A: SHA	
<i>deodara</i> Kuboki, 1986: 63 A: TAI	
<i>determinata</i> Holzschuh, 1998: 14 A: SCH	
<i>discoidalis</i> Pic, 1901m: 58 A: JA	
<i>amagisanus</i> Hayashi, 1953: 39	
<i>japonica</i> Pic, 1953a: 14 (<i>Pseudopidonia</i>) [HN]	
<i>muneaka</i> Hayashi, 1955: 26	
<i>tamanukii</i> Hayashi, 1969b: 71	
<i>effracta</i> Holzschuh, 1998: 17 A: SCH	
<i>elegans</i> An & Kwon, 1991: 47 A: SC	
<i>erlangshana</i> Holzschuh, 2013b: 91 A: SCH	#43
<i>exilis</i> Holzschuh, 1991c: 13 A: SCH	
<i>falcata</i> Kuboki, 1997b: 25 A: JA	
<i>flaccidissima</i> Kuboki, 1994c: 181 A: TAI	
<i>formosissima</i> Kuboki, 1980: 55 A: TAI	
<i>foveolata</i> Holzschuh, 1998: 17 A: YUN	
<i>frivola</i> Holzschuh, 1998: 14 A: SCH	
<i>fumaria</i> Holzschuh, 2003a: 155 A: SCH	
<i>gibbicollis</i> Blessig, 1873: 258 (<i>Leptura</i>) A: FE HEI JA JIL LIA NC SC	#74
<i>marginata</i> Pic, 1931f: 258 (<i>Pseudopidonia</i>)	
<i>gloriosa</i> Kuboki, 1993b: 155 A: TAI	
<i>gorodinskii</i> Holzschuh, 1998: 13 A: GAN	
<i>grallatrix</i> Bates, 1884a: 214 (<i>Grammoptera</i>) A: JA	
<i>harmandi</i> Pic, 1901m: 58	
<i>hamifera</i> Holzschuh, 1998: 10 A: SHA	
<i>hayakawai</i> Kuboki, 2001: 23 A: JA	
<i>himehana</i> S. Saito, 1992: 12 A: JA	
<i>ignobilis</i> Holzschuh, 1991c: 14 A: SCH	
<i>indigna</i> Holzschuh, 1991c: 12 A: SCH	
<i>infuscata</i> Gressitt, 1939b: 88 (<i>Pseudopidonia</i>) A: FUJ ZHE	
<i>jasha</i> S. Saito & A. Saito, 1989: 194 A: JA	
<i>kanwonensis</i> Danilevsky, 1993d: 111 A: NC	
<i>kyushuensis</i> Yamawaki, 1959: 85 A: JA	
<i>leucanthophila</i> Kuboki, 1978a: 33 A: JA	
<i>limbaticollis</i> <i>limbaticollis</i> Pic, 1902g: 27 (<i>Pseudopidonia</i>) A: JA	
<i>naganoensis</i> Pic, 1956b: 648 (<i>Pseudopidonia</i>)	
<i>nikkokensis</i> K. Ohbayashi & Hayashi, 1957: 7	
<i>limbaticollis ohbayashii</i> Matsushita, 1933b: 191 (<i>Pseudopidonia</i>) A: JA	
<i>tokugoana</i> Matsushita, 1933b: 194 (<i>Pseudopidonia</i>)	
<i>limbaticollis stephani</i> Hayashi, 1982: 152 [RN] A: JA	
<i>breuningi</i> K. Ohbayashi & Hayashi, 1957: 5 [HN]	
<i>longipalpis</i> Kuboki, 1985: 115 A: TAI	
<i>longipennis</i> An & Kwon, 1991: 50 A: SC	
<i>lucida</i> Holzschuh, 1991c: 15 A: SCH	
<i>ludmilae</i> Holzschuh, 1998: 12 A: HUB	
<i>luridaria</i> Holzschuh, 1998: 16 A: SCH	
<i>maai</i> Gressitt, 1951a: 73 A: FUJ	
<i>maculithorax</i> Pic, 1901v: 338 A: JA SC	
<i>lineatocollis</i> Pic, 1902g: 24	
<i>trilineata</i> Pic, 1954a: 3 (<i>Pseudopidonia</i>)	
<i>major</i> S. Saito, 1979: 214 A: TAI	
<i>malthinooides</i> Kraatz, 1879d: 104 (<i>Grammoptera</i>) A: FE NC SC	
<i>koreana</i> An & Kwon, 1991: 49	
<i>quercus</i> Tsherepanov, 1975b: 38 (<i>Pseudopidonia</i>)	
<i>maoxiana</i> Holzschuh, 2013b: 89 A: SCH	#43

- matsushitai* K. Ohbayashi, 1958d: 62 [RN] A: JA
ruficollis Matsushita, 1933b: 193 (*Pseudopidonia*) [HN]
maura Danilevsky, 1996b: 19 A: SC
meridionalis Kuboki, 1978b: 85 A: TAI
michinokuensis Hayashi, 1981b: 28 [RN] A: JA
japonica K. Ohbayashi & Hayashi, 1960: 15 [HN]
satoi K. Ohbayashi & Hayashi, 1960: 16
misenina S. Saito & A. Saito, 1992: 19 A: JA
mitis Holzschuh, 1992: 8 A: SCH
modesta Kuboki, 1997c: 421 A: JA
murzini Holzschuh, 2013b: 86 A: SCH #43
mutata Bates, 1884a: 215 (*Grammoptera*) A: JA
shikokensis K. Ohbayashi & Hayashi, 1957: 6 [HN]
shikokuana Hayashi, 1968b: 53 [RN]
neglecta hizena Imasaka & Amano, 2001: 337 A: JA (Western Kyushu)
neglecta neglecta Kuboki, 1982a: 7 A: JA (Kyushu)
obfuscata Holzschuh, 1991c: 14 A: SCH
obscurior hakusana K. Ohbayashi & Hayashi, 1960: 14 A: JA
yokoyamai Hayashi, 1968b: 34
obscurior obscurior Pic, 1901v: 338 A: JA
bisignata Pic, 1935d: 12 (*Pseudopidonia*)
nagayamai Hayashi, 1968b: 37
occipitalis Gressitt, 1935e: 255 (*Pseudopidonia*) A: TAI
oculata Matsushita, 1933b: 191 A: JA
ohminesana Mizuno, 1987: 111 A: JA
orientalis Matsushita, 1933a: 103 A: JA
orophila Holzschuh, 1991a: 6 A: YUN
palleola Holzschuh, 1991c: 11 A: SCH
pallida K. Ohbayashi & Hayashi, 1960: 14 A: JA
pallidicolor Hayashi, 1983: 31 A: JA
palligera Holzschuh, 1995: 8 A: YUN
paradisiacola Kuboki, 1977a: 31 A: TAI
pauperula Holzschuh, 1999: 8 A: SCH
picta Ganglbauer, 1889a: 51 A: GAN NMO
propinquaa Danilevsky, 1993e: 477 A: NC
pullata Holzschuh, 1998: 11 A: HUB
qinlingana Holzschuh, 1998: 11 A: SHA
rutila Holzschuh, 1998: 9 A: HUB
semiobscura Pic, 1901v: 338 A: FE JA
nipponensis Matsushita, 1933b: 190
rufoscutellata Matsushita, 1933b: 192 (*Pseudopidonia*)
serosa Holzschuh, 1991c: 11 A: SCH
sertata Holzschuh, 1998: 18 A: SCH
seungmoi An & Kwon, 1991: 51 A: SC
shikokensis amanoi Hayashi, 1969b: 71 A: JA
shikokensis shikokensis Chûjô & Hayashi, 1951: 4 A: JA
sichuanica Holzschuh, 1992: 7 A: SCH
signata Matsushita, 1933b: 185 A: JA
signifera Bates, 1884a: 215 (*Grammoptera*) A: JA
similis Kraatz, 1879d: 102 (*Grammoptera*) A: FE HEI JIL NC SC
rosti Pic, 1954a: 3 (*Pseudopidonia*)
subobliterata Pic, 1954a: 3 (*Pseudopidonia*)
sororia Holzschuh, 1992: 6 A: SCH
straminea Holzschuh, 1992: 6 A: SCH
striolata Holzschuh, 2013b: 84 A: SCH #43
submetallica Hayashi, 1974a: 6 A: TAI
subsuturalis Plavilstshikov, 1915c: 107 (*Pseudopidonia*) A: JIL
suvorovi Baekmann, 1903a: 115 A: FE NC SC
suzukii Kuboki, 1983: 113 A: JA
sylvicola Kuboki, 1977c: 264 A: JA
takechii Kuboki, 1986: 297 A: JA
tsukamotoi Mizuno, 1978: 39 A: JA
tsushima S. Saito & A. Saito, 1988: 120 A: JA
tsutsuii Kuboki, 1996a: 368 A: JA
tsuyukii Kuboki, 1994b: 132 A: JA
weolseonae An & Kwon, 1991: 55 A: SC

yamato Hayashi & Mizuno, 1953: 38 A: JA JIL
higeshiro Yamawaki, 1977: 61

genus *Pseudodinoptera* Pic, 1900s: 82 type species *Acmaeops daghestanicus* Pic, 1897
daghestanica Pic, 1897o: 262 (*Acmaeops*) E: ST

genus *Pseudogaurotina* Plavilstshikov, 1958b: 722 type species *Gaurotes splendens* Jakovlev, 1893
splendens Jakovlev, 1893: 444 (*Gaurotes*) A: ES ?MG
magnifica Plavilstshikov, 1958b: 720 (*Gaurotes*) A: FE
excellens Brancsik, 1874: 230 (*Pachyta*) E: PL RO SK UK
robertae Pesarini & Sabbadini, 1997: 99 A: SCH

genus *Pseudosieversia* Pic, 1902f: 19 type species *Pidonia rufa* Kraatz, 1879
Macrorhabdium Plavilstshikov, 1915c: 103 type species *Macrorhabdium ruficolle* Plavilstshikov, 1915 (= *Pidonia rufa* Kraatz, 1879)
japonica amanoi Hayashi, 1971: 2 A: JA
japonica japonica K. Ohbayashi, 1937: 5 (*Microrhabdium*) A: JA
japonica shikokensis Hayashi, 1959b: 55 A: JA
rufa Kraatz, 1879d: 101 (*Pidonia*) A: FE JIL NC SC
 bicolor Heyden, 1886d: 276 (*Pidonia*)
 coreana Matsushita, 1934b: 539 [HN]
 coreana Okamoto, 1927: 67 (*Sieversia*)
 matsushitai Tamanuki, 1943: 18 [RN]
 ruficollis Plavilstshikov, 1915c: 104 (*Macrorhabdium*)
 spectabilis Kraatz, 1879h: 228 (*Pidonia*)

genus *Rhagium* Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758
subgenus *Hagrium* Villiers, 1978: 85 type species *Rhagium bifasciatum* Fabricius, 1775
bifasciatum Fabricius, 1775: 183 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD
 NL NR PL PT RO SK SL SP ST SZ TR UK YU A: AB AR GG IN TR
 anglicum Gmelin, 1790: 1844 (*Cerambyx*)
 bicolor Olivier, 1795: 16 (*Stenocorus*) [69th genus]
 bimaculatum Marsham, 1802: 343 (*Leptura*)
 bistrinotatum Pic, 1914c: 3
 deyrollei Pic, 1909b: 123
 ecoffeti Mulsant, 1839: 222
 fasciatum Pic, 1910d: 19
 gravei Hubenthal, 1902: 291
 infaciatum Pic, 1910d: 18
 latefasciatum Pic, 1891b: 2
 lituratum Fügner, 1891: 201 (*Stenocorus*)
 maculatum Goeze, 1777: 462 (*Cerambyx*)
 medionotatum Pic, 1910d: 20
 nigrolineatum Donovan, 1801: 73 (*Leptura*)
 ornatum Fabricius, 1775: 183
 parisinum Geoffroy, 1785: 85 (*Stenocorus*)
 rufum Pic, 1910d: 19
 sudetica Plavilstshikov, 1915a: 46
 unifasciatum Mulsant, 1839: 222
subgenus *Megarhagium* Reitter, 1913a: 6 type species *Cerambyx sycophanta* Schrank, 1781
caucasicum caucasicum Reitter, 1889e: 287 ?E: ?ST A: AB AR GG TR
caucasicum semicorne Holzschuh, 1974b: 118 A: AB IN
elmalicense Schmid, 1999: 157 A: TR
fasciculatum Faldermann, 1837: 304 E: ST A: AB AR GG TR
 rufipes Motschulsky, 1838: 184
iranum Heller, 1940: 842 A: IN
modrax DeGeer, 1775: 124 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU LS MC
 MD ME NL NR NT PL RO SK SL SP ST SV SZ UK YU A: ES KZ TM WS #126
 altajense Podaný, 1964a: 15
 bifasciatum Schrank, 1781a: 137 (*Leptura*) [HN]
 klenkai Pic, 1915e: 4
 linnei Laicharting, 1784: 122
 morvandicum Pic, 1927e: 10
 subdilatatum Pic, 1917g: 3
 vulgare Samouelle, 1819: 210
***pruinosum* Pesarini & Sabbadini, 2011:** 42 E: GR
pygmaeum Ganglbauer, 1882: 718 A: AB IN
 pygmaeum Ganglbauer, 1886d: 234 (*Stenocorus*)
 rosti Pic, 1898b: 18
sycophanta Schrank, 1781a: 137 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE GR HU IR IT LA LT MC MD

NL PL PT RO SK SL SP ST SV SZ TR UK YU A: WS
cephalotes Mulsant, 1839: 224
grandiceps C. G. Thomson, 1866: 50
scrutator Olivier, 1795: 10 (*Stenocorus*)
***syriacum phrygium* K. Daniel, 1906b: 176 A: TR**
syriacum syriacum Pic, 1892s: cxi [= 1893d: 414] A: SY TR
subgenus Rhagium Fabricius, 1775: 182 type species *Cerambyx inquisitor* Linnaeus, 1758
Allorhagium Kolbe, 1884: 270 type species *Cerambyx inquisitor* Linnaeus, 1758
Allorrhagium Semenov, 1898: 601 [unjustified emendation]
Hargium Leach, 1819: 210 type species *Cerambyx inquisitor* Linnaeus, 1758
femorale N. Ohbayashi, 1994: 175 A: JA
fortecostatum Jureček, 1933: 129 A: SCH YUN
heyrovský hayakawai Takakuwa, 1984: 9 A: JA
heyrovský heyrovský Podaný, 1964a: 28 A: JA
inquisitor cedri Reymond, 1953: 201 E: SP N: MO
inquisitor fortipes Reitter, 1898e: 357 A: TR
inquisitor inquisitor Linnaeus, 1758: 393 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT MD NE NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: ES KZ MG **TR** WS
exile Gmelin, 1790: 1844 (*Cerambyx*)
indagator Fabricius, 1787: 145
iberonis Ericson, 1916: 240
investigator Mulsant, 1839: 227
minutum Fabricius, 1787: 146
nubecula Bergsträsser, 1778: 26 (*Cerambyx*)
***sudeticum* Plavilstshikov, 1915a: 35**
inquisitor rugipenne Reitter, 1898e: 357 A: ES FE GAN HEI JIL JIX LIA MG NC NMO SC SHA XIN YUN ZHE
sibiricum Pic, 1905a: 5
inquisitor schtschukini Semenov, 1898: 601 E: ST A: AB AR GG TR
minimum Podaný, 1964a: 19
***stschukini* Plavilstshikov, 1927: 6** [unjustified emendation]
stschukini Plavilstshikov, 1915a: 35 [unjustified emendation]
japonicum Bates, 1884a: 209 A: FE JA
morrisonense Kano, 1933a: 262 A: TAI
pseudojaponicum Podaný, 1964a: 25 A: JA (Tsushima) SC
qinghaiense L. Chen & Chiang, 2000: 32, 36 A: QIN
sinense Fairmaire, 1900: 638 (*Hargium*) A: HEB SCH

genus Rhondia Gahan, 1906a: 79 type species *Leptura pugnax* Dohrn, 1878
Fairmairia Podaný, 1964b: 43 type species *Pachyta oxyoma* Fairmaire, 1889
Rhondiomorpha Matsushita, 1933b: 180 type species *Rhondia formosa* Matsushita, 1931
attelaboides Pesarini & Sabbadini, 1997: 101 A: YUN
bicoloripes Pic, 1957: 75 A: FUJ
bispinosa Holzschuh, 1998: 7 A: SCH
formosa Matsushita, 1931c: 400 A: TAI
cyanea Tamanuki & Mitono, 1939: 207
fragosa Holzschuh, 1998: 8 A: HUB
maculithorax Pu, 1992b: 618 A: SCH
hubeiensis W.-K. Wang & S.-N. Jiang, 1994: 192
oxyoma Fairmaire, 1889a: 58 (*Pachyta*) A: SCH
placida Heller, 1923b: 72 A: HUB SCH SHA
pugnax Dohrn, 1878: 459 (*Leptura*) A: GUA SCH "North India" **XIZ ORR** #74

genus Sinopidonia Holzschuh, 1999: 9 type species *Sinopidonia splendida* Holzschuh, 1999
splendida Holzschuh, 1999: 9 A: SCH

genus Sivana E. Strand, 1942: 391 [RN] type species *Sieversia bicolor* Ganglbauer, 1887
Sieversia Ganglbauer, 1887a: 134 [HN] type species *Sieversia bicolor* Ganglbauer, 1887
bicolor Ganglbauer, 1887a: 134 (*Sieversia*) A: FE HEB LIA NC SC

genus Stenocorus Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758
subgenus Anisorus Mulsant, 1862: 467 type species *Cerambyx quercus* Götz, 1783
brunnescens Holzschuh, 1991a: 5 (*Anisorus*) A: TR
heterocerus Ganglbauer, 1882: 139 (*Toxotus*) A: SY TR
nigripennis Pic, 1896f: 141 (*Anisorus*)
homocerus K. Daniel, 1900: 139 (*Toxotus*) A: TR
quercus aureopubens Pic, 1908b: 2 (*Stenochorus*) A: AB AR GG IN TR
aureopubescens Pic, 1912a: 26 [unnecessary RN]
quercus quercus Götz, 1783: 74 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE FR GE GR HU IT MC MD PL RO SK SL SP ST

- SZ UK YU A: ES MG TR WS
abajus Schrank, 1798: 692 (*Leptura*)
discolor Fleischer, 1887a: 237 (*Toxotus*)
dispar Panzer, 1794a: 2
humeralis Fabricius, 1787: 158 (*Leptura*) [HN]
magdaleneae Pic, 1891b: 4 (*Toxotus*)
punctipennis Reitter, 1914b: 178 (*Stenochorus*)
unicolor Fleischer, 1887b: 272 (*Toxotus*) [unnecessary RN]
- subgenus** *Stenocorus* Geoffroy, 1762: 221 type species *Leptura meridiana* Linnaeus, 1758
Endemus Gistel, 1848a: xi [unnecessary RN]
Minaderus Mulsant, 1862: 467 type species *Leptura meridiana* Linnaeus, 1758
Toxotus Dejean, 1821: 112 type species *Leptura meridiana* Linnaeus, 1758

Toxotopsis Casey, 1913: 206 type species *Leptura cinnamoptera* Randall, 1838
- amurensis* Kraatz, 1879d: 100 (*Toxotus*) A: BEI FE HEI JIL LIA NC SC #74
diversipennis Pic, 1915c: 4 (*Stenochorus*)
lateobscurus Pic, 1904d: 13
obscurissimus Pic, 1900f: 15 (*Toxotus*) [“sous variété”]
sachalinensis Matsumura, 1911a: 133 (*Toxotus*)
- auricomus auricomus* Reitter, 1890f: 250 (*Toxotus*) A: TR
?auricomus latus Pic, 1892s: exi [= 1893d: 414] (*Toxotus*) [“Haute Syrie”] A: TR #69
biformis Tournier, 1872: 342 (*Toxotus*) A: GG
fuscodorsalis L. Chen & Chiang, 1996: 189, 191 A: JIL
gorodinskii Holzschuh, 1999: 7 A: GAN
insitivus insitivus Germar, 1824: 520 (*Leptura*) E: ST UK A: AB AR GG IN TR
brevevittatus Pic, 1945b: 5 (*Stenochorus*)
?guveni Özdi̇kmen, 2014: 702 [Osmaniye] #69
lividipennis Pic, 1945b: 5 (*Stenochorus*)
nigriventris Pic, 1908b: 2 (*Toxotus*)
?obscuripennis Pic, 1900f: 15 (*Toxotus*) [“sous variété”]
rubriventris Pic, 1915c: 4 (*Stenochorus*)
- insitivus persicus* Faldermann, 1837: 307 (*Toxotus*) A: AB IN
bicoloratus Pic, 1915e: 4
lepturoides Reitter, 1914b: 181 (*Stenochorus*) A: FE NE
longevittatus Fairmaire, 1887c: 329 A: HEB QIN SHA SHX
meridianus Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: ES KZ WS
bilineatus Pic, 1908i: 58 (*Stenochorus*)
brevelineatus Pic, 1941e: 5
brevesignatus Pic, 1941e: 5
cantharinus Herbst, 1784: 93 (*Rhagium*)
chrysogaster Schrank, 1781: 132 (*Cerambyx*)
geniculatus Geoffroy, 1785: 86
glabratus Latreille, 1804a: 311 (*Leptura*)
grandis Poda von Neuhaus, 1761: 38 (*Leptura*)
lacordairei Ganglbauer, 1882a (1882b): 715 (37) [unjustified emendation]
lacordairii Pascoe, 1867d: lxxxiv (*Toxotus*)
laevis Olivier, 1795: 21
luteolus L. Petagna, 1819: 37
postsignatus Pic, 1941a: 13
ruficrus Scopoli, 1763: 48 (*Leptura*)
rufiventris Marsham, 1802: 341 (*Leptura*)
sericeus Olivier, 1795: 20
splendens Laicharting, 137 (*Leptura*)
minutus Gebler, 1841a: 375 (*Toxotus*) A: KZ MG WS
obscripes Pic, 1901e: 15 (*Toxotus*)
tataricus Gebler, 1841a: 375 (*Toxotus*)
schizotarsus L. Chen & Chiang, 2002: 125, 127 A: GAN
serratus Holzschuh, 1974a: 86 A: TR
vittatus Fischer von Waldheim, 1842: 19 (*Toxotus*) [HN – not *vittatus* Fabricius, 1801] [prevailing usage] A: KZ XIN #117
obliquus Motschulsky, 1845a: 86 (*Toxotus*)
svorovi Semenov, 1910: 27 (*Toxotus*) [unjustified emendation]
suworowi Reitter, 1907a: 208 (*Toxotus*)
turkestanicus Ganglbauer, 1889b: 280 (*Toxotus*)
vittatus Fischer von Waldheim, 1842: 19 (*Toxotus*) [original spelling]
vittidorsum Reitter, 1890f: 250 (*Toxotus*) A: AB AR GG TR
obscurior Pic, 1900f: 15 (*Toxotus*) [“sous variété”]
subgenus *Toxotochorus* Reitter, 1907a: 208 type species *Toxotus tataricus* sensu Reitter, 1907 (= *Toxotus validicornis* Pic, 1900)
validicornis karatauensis Danilevsky, 2012m: 920 A: KZ
validicornis mediocris Danilevsky, 2012m: 920 A: KZ UZ KI
validicornis milkoi Danilevsky, 2014i: 106 A: KI #29

validicornis tarbinskyi Danilevsky, 2014i: 106 A: KI
validicornis univittatus Reitter, 1914b: 183 A: KZ KI
validicornis validicornis Pic, 1900f: 16 (*Toxotus*) A: KI UZ
alaiensis Pic, 1906b: 6 (*Toxotus*)

#29

genus *Toxotinus* Bates, 1884a: 213 type species *Toxotinus longicornis* Bates, 1884 (= *Toxotus reinii* Heyden, 1879)
reinii Heyden, 1879: 359 (*Toxotus*) A: JA
longicornis Bates, 1884a: 213
nikkoensis Matsushita, 1933b: 175

tribe Rhamnusiini Danilevsky in Althoff & Danilevsky, 1997

genus *Neorhamnusium* Hayashi, 1976: 1 type species *Neorhamnusium taiwanum* Hayashi & Ando, 1976
rugosipenne Pic, 1939b: 2 (*Rhamnusium*) A: SHX
taiwanum Hayashi & Ando, 1976: 2 A: TAI

genus *Rhamnusium* Latreille, 1829: 130 type species *Callidium salicis* Fabricius, 1787 (= *Cerambyx bicolor* Schrank, 1781)
algericum Pic, 1896e: 102 N: AG TU
nigrum Pic, 1906e: 27
testaceum Pic, 1896a: 30
bicolor bicolor Schrank, 1781a: 132 (*Cerambyx*) E: AL AU BE BH BU CR CZ EN FI FR GE GR HU IT LU MC MD NL NT PL
RO SK SL SP SZ UK YU
— *ambustum* Heyden, 1877a: 394
atripennne Bedel, 1897: 43
aubei Pic, 1929b: 9
capitale Pic, 1898a: 2
etruscum Rossi, 1790: 149 (*Rhagium*)
glaucopterum Schaller, 1783: 284 (*Cerambyx*)
gracilicorne Théry, 1895: cclxv
humerale Bedel, 1897: 43
inapicale Pic, 1901h: 31
rubroviolaceum Geoffroy, 1785: 86 (*Cerambyx*)
ruficolle Herbst, 1784: 92 (*Stenocorus*)
rufotestaceum Pic, 1913c: 138
salicis Fabricius, 1787: 154 (*Callidium*)
schrankii Laicharting, 1784: 118 (*Rhagium*)
bicolor constans Danilevsky, 2012e: 48 E: BY CT EN FI KZ LA LT NT ST UK A: KZ
bicolor demaggiii Tippmann, 1956: 484 E: IT
bicolor graecum Schaufuss, 1862: 311 E: GR
limbatum Pic, 1897c: 30
bicolor italicum G. Müller, 1966: 4 E: IT
bicolor lenkoranum Danilevsky, 2012e: 53 A: AB AR IN
bicolor juglandis Fairmaire, 1866b: 276 A: TR
anatolicum Pic, 1901a: 10
delagrangei Pic, 1901a: 10
geniculatum Pic, 1901a: 10
obscuripes Pic, 1903p: 163
rufotibiale Pic, 1917g: 3
bicolor praeustum Reitter, 1895a: 85 A: SY TR
bicolor testaceipenne Pic, 1897p: 299 E: ST A: AR GG TR
mesmini Pic, 1931c: 6

tribe Sachalinobiini Danilevsky, 2010

genus *Sachalinobia* Jakobson, 1899b: 39 type species *Sachalinobia relata* Jakobson, 1899 (= *Brachyta koltzei* Heyden, 1887)
Pseudopachyta Swaine & Hopping, 1928: 16 type species *Pachyta rugipennis* Newman, 1844
koltzei Heyden, 1887c: 304 (*Brachyta*) A: ES FE GUA JA LIA NC NMO SC
relata Jakobson, 1899b: 40

tribe Teledapini Pascoe, 1871

genus *Teledapalus* Miroshnikov, 2000a: 38 type species: *Teledapalus murzini* Miroshnikov, 2000
cremarius Holzschuh, 1999: 6 (*Teledapus*) A: SHA
hospes Holzschuh, 1999: 6 (*Teledapus*) A: GAN SCH
murzini Miroshnikov, 2000a: 41 A: SCH
zamotajlovi Miroshnikov, 2000a: 41 A: SCH
zolotichini Miroshnikov, 2000a: 41 A: SHA

genus *Teledapus* Pascoe, 1871: 268 type species *Teledapus dorcadiooides* Pascoe, 1871
celsicola Holzschuh, 1999: 5 A: XIZ

dorcadoides Pascoe, 1871: 269 A: UP
ocularis Holzschuh, 1981: 94 A: PA
picatus Holzschuh, 2003a: 149 A: SCH
pilosellus Holzschuh, 2007: 181 A: SCH
querceti Holzschuh, 2007: 180 A: UP

tribe Xylosteini Reitter, 1913

genus *Chiangshunania* Bi & N. Ohbayashi, 2014: 6 type species *Encyclops x-signata* Chiang, 1981
x-signata Chiang, 1981: 78 (*Encyclops*) A: HUN SCH

genus *Leptorhabdium* Kraatz, 1879e: 118 type species *Xylosteus gracilis* Kraatz, 1873 (= *Xylosteus illyricum* Kraatz, 1871)
Leptorhabdium Ganglbauer, 1882: 686 [unjustified emendation]
Psilorhabdium Kraatz, 1879e: 118 type species *Psilorhabdium caucasicum* Kraatz, 1879
caucasicum Kraatz, 1879e: 118 (*Psilorhabdium*) E: ST A: AB AR GG TR
illyricum Kraatz, 1871d: 415 (*Xylosteus*) E: AL BH CR GR MC SL YU
gracile Kraatz, 1873b: 202 (*Xylosteus*)
lividipenne Pic, 1906b: 4
nitidum Holzschuh, 1974a: 83 E: GR MC

genus *Notorhabdium* N. Ohbayashi & Shimomura, 1986: 283 type species *Notorhabdium immaculatum* N. Ohbayashi & Shimomura, 1986
bangzhui N. Ohbayashi & W.-K. Wang, 2004: 452 A: HEN HUB [Bi et N. Ohbayashi, 2014]
wenhsini Bi et N. Ohbayashi, 2014: 14 A: HAI

genus *Palaeoxylosteus* N. Ohbayashi & Shimomura, 1986: 288 type species *Palaeoxylosteus kurosawai* N. Ohbayashi & Shimomura, 1986
kucerai Holzschuh, 2015: 471 A: NP #109
kurosawai N. Ohbayashi & Shimomura, 1986: 288 A: SD
motuoensis Bi et N. Ohbayashi, 2014: 11 A: XIZ
yadongensis Bi et N. Ohbayashi, 2014: 10 A: XIZ

genus *Peithona* Gahan, 1906a: 71 type species *Peithona prionoides* Gahan, 1906
prionoides Gahan, 1906a: 72 A: FUJ GUA SD TAI ORR

genus *Xylosteus* Frivaldszky von Frivald, 1837: 180 type species *Xylosteus spinolae* Frivaldszky von Frivald, 1837
bartoni Obenberger & Mařan, 1933: 131 [RN] E: BU GR MC
merkli Pic, 1913c: 178 [HN]
caucasicola Plavilstshikov, 1936: 496 E: ST A: GG TR (Artvin)
kadlecii Miroshnikov, 2000a: 38 A: TR
spinolae Frivaldszky von Frivald, 1837: 180 E: AU BH BU CR IT MC RO SL TR YU
merkli Pic, 1910h: 66
rufiventris Germar, 1845: 16 (*Rhagium*)

subfamily Necydalinae Latreille, 1825

genus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758
subgenus *Eonecydalidis* Ohbayashi, 1961: 17 type species *Necydalis formosana* Kano, 1933
bicolor Pu, 1992a: 221 A: GUX
formosana formosana Kano, 1933a: 270 A: TAI
formosana niimurai Hayashi, 1949b: 14 A: JA
matsudai Hayashi, 1949b: 16
maculipennis Pu, 1992a: 221 A: XIZ
subgenus *Necydalis* Linnaeus, 1758: 421 type species *Necydalis major* Linnaeus, 1758
Gymnopterion Schrank, 1798: 373 type species *Necydalis major* Linnaeus, 1758
Necydalis Gistel, 1856: 376 type species *Necydalis major* Linnaeus, 1758
chouii Niisato, 2004: 430 A: GUX
christinae Rapuzzi & Sama, 2014a: 2 A: TR
esakii Miwa & Mitono, 1937: 161 A: TAI
fujianensis Niisato & Pu, 1998: 446 A: FUJ
gigantea akiyamai Hayashi, 1978a: 87 A: JA
gigantea gigantea Kano, 1933a: 271 A: FE JA
marginalis K. Ohbayashi, 1948: 14
hirayamai flava Niisato, 2008a: 261 A: YUN
hirayamai hirayamai K. Ohbayashi, 1948: 13 A: TAI
hirayamai rufa Niisato, 2008a: 261 A: YUN [never published!]
inermis Pu, 1992a: 221 A: GAN QIN
lateralis Pic, 1939b: 2 A: BEI HEB

major Linnaeus, 1758: 421 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NL NR NT PL RO SK SP ST SV SZ UK YU A: AB GG ES FE ?IN JA KZ MG NC WS XIN
abbreviata Fabricius, 1775: 199 (*Leptura*)
aino Kusama, 1974: 54
altaica Pic, 1941b: 2
duponti Mulsant, 1839: 299 (*Molorchus*)
ichneumonea DeGeer, 1775: 148
majus Schrank, 1798: 688 (*Gymnopteron*)
populi Büttner, 1818: 245 (*Molorchus*)
rufiventris Pic, 1941b: 2
salicis Mulsant, 1839: 112
subnotata Pic, 1941b: 1
xantha Semenov, 1899b: 132
marginipennis Gressitt, 1948a: 47 A: SCH
mizunumai Kusama, 1974: 51 A: TAI
moriyai Kusama, 1970: 73 A: JA
nanshanensis Kusama, 1974: 52 A: TAI
niisatoi Holzschuh, 2003a: 167 A: SCH YUN
rufiabdominis S.-C. Chen, 1991: 345 A: HUB
sabatinellii Sama, 1994a: 10 A: TR
sericella Ganglbauer, 1889a: 46 A: SCH XIZ
shinborii hainana Niisato & Yagi, 2005: 143 A: HAI
[*shinborii* *shinborii* Takakuwa & Niisato, 1996: 81 ORR (N. Vietnam)]
sirexoides Reitter, 1902a: 82 A: IN
siricoides Semenov, 1902: 287 [unjustified emendation]
strnadi Holzschuh, 1989a: 156 A: GUA HAI ORR
nigra Pu, 1992a: 220
similis Pu, 1992a: 220
uenoi Niisato, 2004: 425 A: SCH
ulmi Chevrolat, 1838: 76 (*Molorchus*) [NP] E: AU BH BU BY CR CZ FR GE GR HU IT LA LT MC MD PL RO SK SP ST SZ TR UK YU A: AB AR GG ?IN TR
annulata L. Petagna, 1819: 19 (*Molorchus*) [NO]
mesembria Plavilstshikov, 1936: 467
hadullai Szallies, 1994: 260
panzeri Harold, 1876c: 174
yakushimensis Kusama, 1975: 22 [RN] A: JA
brevicornis Yokoyama, 1971: 93 [HN]
subgenus *Necydalisca* Plavilstshikov, 1936: 462 type species *Necydalis ebenina* Bates, 1884a (= *Necydalis pennata* Lewis, 1879)
harmandi Pic, 1901v: 340 A: JA
indica Pic, 1912d: 19 A: PA
indicola Gardner, 1941: 57 [RN] A: UP
indica Gardner, 1936: 128 [HN]
kucerai Niisato, 2007a: 20, 23 A: UP
oblonga Niisato, 2008a: 257 A: YUN
odai Hayashi, 1951b: 76 A: JA
nepalensis Niisato & Weigel, 2006: 491 A: NP
pennata Lewis, 1879b: 464 A: FE JA NC NE SC
ebenina Bates, 1884a: 225
eoaa Plavilstshikov, 1936: 470
morio Kraatz, 1879d: 106
pacifica Plavilstshikov, 1936: 472
semenovi Plavilstshikov, 1936: 475
ussuriensis Plavilstshikov, 1936: 473
sachalinensis Matsumura & Tamanuki, 1927: 176 A: FE JA SC
solida Bates, 1884a: 225 A: JA
galloisi Matsumura & Tamanuki, 1927: 176
nikkoensis Matsumura & Tamanuki, 1927: 175
towadensis Matsumura & Tamanuki, 1927: 176
genus *Ulochaetes* LeConte, 1854: 82 type species *Ulochaetes leoninus* LeConte, 1854
vacca Holzschuh, 1982a: 65 A: BT SCH SHA YUN XIZ [see: Lin & Tichý, 2014]
fulvus Pu, 1988: 303 [see: Lin & Tichý, 2014]

subfamily Spondylidinae Audinet-Serville, 1832
tribe Anisarthrini Mamaev & Danilevsky, 1973

genus *Anisarthron* Dejean, 1835: 331 type species *Cerambyx barbipes* Schrank, 1781
Falsanoeme Villiers, 1971: 154 type species *Falsanoeme cyrus* Villiers, 1971
barbipes Schrank, 1781a: 148 (*Cerambyx*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SK SZ UK YU
cyrus Villiers, 1971: 154 (*Falsanoeme*) A: AB IN

genus *Alocerus* Mulsant, 1862: 127 type species *Alocerus fulvus* Mulsant, 1862 (= *Callidium moesiacum* Frivaldszky von Frivald, 1837)
Cyamophthalmus Kraatz, 1863: 99 type species *Cyamophthalmus ferrugineus* Kraatz, 1863 = *Callidium moesiacum* Frivaldszky von Frivald, 1837
marcoi Sama, 1987: 46 N: MO
moesiacus Frivaldszky von Frivald, 1837: 177 (*Callidium*) E: BH BU CR GR ITi MC PT SP TR N AG MO TU A: CY IN IQ IS JO LE SY TR
ferrugineus Kraatz, 1863: 100 (*Cyamophthalmus*)
fulvus Mulsant, 1862: 128
nitidus Fairmaire, 1864b: 340 (*Cyamophthalmus*)
syriacus Chevrolat, 1882: 59 (*Smodicum*)

genus *Schurmannia* Sama, 1979a: 369 type species *Schurmannia sicula* Sama, 1979
sicula Sama, 1979a: 369 E: IT (Sicilia)

tribe Asemini J. Thomson, 1861

genus *Arhopalus* Audinet-Serville, 1834b: 77 type species *Cerambyx rusticus* Linnaeus, 1758
Criocephalus Mulsant, 1839: 63 type species *Cerambyx rusticus* Linnaeus, 1758
Criocephalum Dejean, 1835: 328 type species *Cerambyx rusticus* Linnaeus, 1758
Hylescopus Gistel, 1856: 376 [unnecessary substitute name]
angustus Gressitt, 1951a: 36 A: JIA SHA
biaruatus Pu, 1981: 427 A: XIZ
brunneus Gardner, 1942: 67 (*Criocephalus*) A: UP
cavatus Pu, 1981: 428 A: XIZ
coreanus Sharp, 1905a: 153 (*Criocephalus*) A: JA NC NE SC
deceptor Sharp, 1905a: 151 (*Criocephalus*) A: XIZ
exoticus Sharp, 1905a: 159 (*Criocephalus*) A: NP SHA TAI YUN ORR
ferus Mulsant, 1839: 64 (*Criocephalus*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MA MC
MD NL NT PL PT RO SK SL SP ST SV SZ UK N: AG MO MR TU A: AB AR ES CY FE GG IS JO KZ NO NE SY TR WS
AUSi [see: Siering, 2014a]
dichrous Mandl, 1972: 159
epibatus Schiödte, 1864: 521 (*Criocephalum*)
polonicus Motschulsky, 1845a: 88 (*Criocephalum*)
foveatus Chiang, 1963: 64 A: FUJ XIZ YUN
pinetorum Wollaston, 1863: 103 N: CI
rusticus rusticus Linnaeus, 1758: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS
LT LU MC MD NR NT PL RO SK SL SP ST SV SZ TR UK A: AB AR ES FE FUJ GAN GG GUI HAI HEB HEI HUB IN
JA JIL JIX KZ LIA MG NMO NC SC SCH SHA SHN TR WS YUN ZHE N: MO **AUSi NTR**
coriaceus Motschulsky, 1845a: 89 (*Criocephalum*)
lugubris Gmelin, 1790: 1847 (*Cerambyx*)
hispanicus Sharp, 1905a: 157 (*Criocephalus*)
pachymerus Mulsant, 1839: 64 (*Criocephalus*)
tristis Fabricius, 1787: 154 (*Callidium*)
tibetanus Sharp, 1905a: 159 (*Criocephalus*) A: NP PA XIZ
tobirensis Hayashi, 1968a: 20 A: JA

genus *Asemum* Eschscholtz, 1830: 66 type species *Cerambyx striatus* Linnaeus, 1758
Liasemum Casey, 1912: 262 type species *Asemum nitidum* LeConte, 1873
Onychoplectes Gistel, 1856: 376 type species *Cerambyx striatum* Linnaeus, 1758
arisanum Kano, 1930: 42 A: TAI
lucidulum Pesarini & Sabbadini, 1997: 99 A: SCH
punctulatum Blessig, 1872: 182 A: FE HEI JA **NC** SC XIN
striatum Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
MD NR NT PL RO SK SL SP ST SV SZ UK A: AB AR ES FE GG HEI JA JIL KI KZ **LIA** MG NC NMO SC WS TR XIN
ZHE NAR NTR #74
agreste Fabricius, 1787: 152 (*Callidium*)
amputatum Casey, 1912: 259
amurense Kraatz, 1879d: 97
atrum Eschscholtz, 1830: 66
brevicornis Casey, 1912: 261
brunneum Haldeman, 1847: 35
buprestoides Savenius, 1825: 64 (*Callidium*)
carolinum Casey, 1924: 227
costulatum Casey, 1912: 260
curtipenne Casey, 1912: 258
dichroum Gmelin, 1790: 1846 (*Cerambyx*)
ebenum Casey, 1912: 258
fulvipenne Casey, 1912: 260

fuscum Haldeman, 1847: 36
gracilicorne Casey, 1912: 258
japonicum Matsushita, 1933b: 235
juvencum Haldeman, 1847: 36
limbatipenne Pic, 1916a: 10
moestum Haldeman, 1847: 35
obsoletum Haldeman, 1847: 35
parvicorne Casey, 1912: 260
pugetanum Casey, 1912: 261
stocktonense Casey, 1924: 227
substriatum Haldeman, 1847: 36
subsulcatum Motschulsky, 1860b: 152
tomentosum Plavilstshikov, 1915c: 108
theresae Pic, 1945b: 6
tenuicorne tenuicorne Kraatz, 1879d: 97 E: GR IT SP ST SV (Gotska Sandön) UK A: ?GG ?TR
tenuicorne claricostulatum Özdikmen & Aytar, 2012c: 1253 A: TR
— *semivilidum* Pie, 1893d: 417

genus *Cephalallus* Sharp, 1905a: 148 type species *Cephalallus oberthueri* Sharp, 1905
oberthueri Sharp, 1905a: 148 A: FUJ GUX HUB JIX TAI XIZ YUN
ryukyuensis Makihara, 2003: 353 A: JA (Ryukyus)
unicolor Gahan, 1906a: 97 (*Criocephalus*) A: FUJ GUA GUI HAI HEN HKG HUB HUN JA JIA JIL JIX NC SC SCH TAI YUN
ZHE ORR
projectus Okamoto, 1927: 63 (*Megasemum*)
sharpi Reitter, 1913a: 43 (*Megasemum*)

genus *Cephalocrius* Sharp, 1905a: 148 type species *Criocephalus syriacus* Reitter, 1895
syriacus Reitter, 1895a: 86 (*Criocephalus*) E: AL AZ CR FR GR IT PT SP N AG CI MO MR TU A: CY IS JO LE SY TR AUSI
NTRi

genus *Megasemum* Kraatz, 1879d: 97 type species *Megasemum quadricostulatum* Kraatz, 1879
quadricostulatum Kraatz, 1879d: 98 A: FE FUJ HEI HUB JA JIX NC SC SHA TAI
— *brevior* Pic, 1901c: 11
— *sharpi* Reitter, 1913a: 43

tribe Atimiini LeConte, 1873

genus *Atimia* Haldeman, 1847: 56 type species *Atimia tristis* Haldeman, 1847 (= *Clytus confusus* Say, 1827)
Myctus Semenov & Plavilstshikov, 1937: 252 type species *Myctus maculipunctus* Semenov & Plavilstshikov, 1937
chinensis Linsley, 1939: 76 A: ZHE
esakii Hayashi, 1974a: 15 A: TAI
juniperi Holzschuh, 1984c: 340 A: NP
maculipuncta Semenov & Plavilstshikov, 1937: 253 (*Myctus*) A: MG NMO
nadezhdae Tsherepanov, 1973: 80 A: FE NC SC
okayamensis Hayashi, 1972: 26 A: JA
— *fujimurai* Hayashi, 1972: 26
truncatella Holzschuh, 2007: 179 A: SHA YUN

#80

genus *Proatimia* Gressitt, 1951a: 41 type species *Proatimia pinivora* Gressitt, 1951
pinivora Gressitt, 1951a: 42 A: YUN

tribe Nothorhinini Zagaikevich, 1991

genus *Nothorhina* L. Redtenbacher, 1845: 109 type species *Callidium muricatum* Dalman, 1817
gardneri Plavilstshikov, 1934b: 1 A: UP
punctata Fabricius, 1798: 149 (*Callidium*) E: AL AU BH BY BU CR CT CZ EN FI FR GE GR IT LA LT NR NT PL PT SK SP ST
SV UK A: JA KZ TR WS
muricata Dalman, 1817b: 193 (*Callidium*)
scabricollis W. Redtenbacher, 1842: 24 (*Callidium*)

tribe Saphanini Gistel, 1848 Saphaninae, Özdikmen, 2012a: 52

genus *Drymochares* Mulsant, 1847d: 518 type species *Drymochares truquii* Mulsant, 1847
cavazzutii cavazzutii Sama & Rapuzzi, 1993: 288 A: AR GG TR
? *pubescens* Pic, 1907g: 111 (*Drymochares*) [Trébizonde]
cavazzutii ivani Sama & Rapuzzi, 1993: 287 E: TR
cylindraceus Fairmaire, 1849: 475 (*Saphanus*) E: PT SP
starcki Ganglbauer, 1888f: 398 E: ST A: GG
truquii Mulsant, 1847d: 519 E: FR IT

rufipes Pic, 1930c: 6

genus *Oxypleurus* Mulsant, 1839: 57 type species *Oxypleurus nodieri* Mulsant, 1839
nodieri Mulsant, 1839: 57 E: CR BH FR GR IT PT SP UK N AG CI MO MR TU A: GG TR
bewickii Wollaston, 1857: 126 (*Blabinotus*)
pinicola Wollaston, 1863: 102
scutellaris A. Costa, 1855: 38

genus *Saphanus* Audinet-Serville, 1834b: 81 type species *Callidium spinosum* Fabricius, 1793 (= *Callidium piceum* Laicharting, 1784)
kadlecii Rapuzzi & Sama, 2014a: 4 A: TR [Sakarya]
piceus bartolonii Sama & Rapuzzi, 1993: 283 E: GR
piceus ganglbaueri Brancsik, 1886: 71 E: AL BH BU MC TR YU
piceus piceus Laicharting, 1784: 56 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SK SL SZ UK YU
rufipes Pic, 1908l: 72
spinosis Fabricius, 1793: 320 (*Callidium*)
sudeticus C. F. W. Richter, 1820: pl. 10 (*Prionus*)

tribe Spondylidini Audinet-Serville, 1832

genus *Spondylis* Fabricius, 1775: 159 type species *Attelabus buprestoides* Linnaeus, 1758
Sphondyla Illiger, 1804: 115 [unjustified emendation]
Sphondylis Gistel, 1848a: 129 [unnecessary substitute name]
Spondylus C. G. Thomson, 1866: 17 [unjustified emendation]
buprestoides Linnaeus, 1758: 388 (*Attelabus*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LT LU
MC MD NL NR NT PL PT RO SK ST SL SP SV SZ UK YU N: MO A: AB ANH AR ES FE FUJ GG GUA GUI HAI HEB
HEI HEN HKG HUB JA JIA JIX KZ MG NMO NC SC SCH SHA TAI TR WS YUN ZHE
elongatum Latreille, 1829: 107
maxillosus DeGeer, 1775: 84 (*Cerambyx*)
sinensis Nonfried, 1892a: 92
zwerigi Bodemeyer, 1927: 43

tribe Tetropiini Seidlitz, 1891

genus *Tetropium* Kirby, 1837: 174 type species *Tetropium cinnamopterum* Kirby, 1837
Criomorphus Mulsant, 1839: 58 [HN] type species *Callidium aulicum* Fabricius, 1775 (= *Cerambyx castaneus* Linnaeus, 1758)
aquilonium Plavilstshikov, 1940a: 37 E: FI NT SV A: WS
castaneum Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
LU MD NL NR NT PL RO SK SL SP ST SV SZ UK YU A: AB AR ES FE FUJ GAN GG HEB HEI JA JIL KZ MG NC NIN
NMO QIN SC SHA SHX TR WS XIN YUN ZHE
atricorne Pic, 1931f: 258
aulicum Fabricius, 1775: 190 (*Callidium*)
curiale Panzer, 1789: 29 (*Callidium*)
fulcratum Fabricius, 1793: 320 (*Callidium*)
impressum Paykull, 1800: 84 (*Callidium*)
luridum Linnaeus, 1767: 634 (*Cerambyx*)
ruficrum Schrank, 1789: 77 (*Callidium*)
confragosum Holzschuh, 1981: 93 A: BT
danilevskyi Sláma, 2005: 1 A: ES
fuscum fuscum Fabricius, 1787: 154 (*Callidium*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT LA LS LT MD NL
NR NT PL RO SK SL ST SV SZ UK YU A: GG KZ TR WS XIN NAR #37
arvense Panzer, 1789: 30 (*Callidium*)
fuscum lapponicum Sláma M. 2015c: 1126 E: FI #132
gabrieli Weise, 1905e: 136 E: AU BE BY ?CT(Kaliningrad Reg.) CZ DE FR GB GE HU IT IR LS LU NL PL SL SV SK SZ UK
NARI
crawshayi Sharp, 1905b: 271
parcum Sharp, 1905b: 272
gracilicornis Reitter, 1898e: 287 E: CT NT A: ES FE JA KZ MG NC NE NMO SC WS XIN #80
altajense Pic, 1902c: 9
rubripes Pic, 1902c: 9
graciliculum Hayashi, 1983: 29 A: FE HEI JA
laticolle Podaný, 1967: 38 A: SCH
morishimaorum Kusama & Takakuwa, 1984: 149 A: JA NC
oreinum Gahan, 1906a: 95 A: HP KA NP SCH XIN XIZ ORR
lobbichleri Harde, 1959: 1
scabriculum Holzschuh, 1993a: 7 A: SCH
staudingeri Pic, 1901b: 11 A: BT KI KZ UZ XIN
— *laticolle* Podaný, 1967: 38
— *obseuripenne* Semenov, 1907c: 264
tjanshanicum Semenov, 1907c: 263

tauricum Shapovalov, 2007: 71 E: UK

subfamily **Apatophyseinae** Lacordaire, 1869

tribe Apatophyseini Lacordaire, 1869

genus *Agastophysis* Miroshnikov, 2014a: 25 type species *Toxotus griseopubens* Pic, 1957

griseopubens Pic, 1957: 75 (*Toxotus*) A: YUN

[*meiyingae* Miroshnikov, 2014a: 27 – unavailable (no materials published)]

[*meiyingae* Miroshnikov in Miroshnikov & Lin, 2014: 120 – unavailable (description not published)]

meiyingae Miroshnikov, 2014d: 196 A: XIZ

genus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

subgenus *Angustephysis* Pic, 1956a: 2 type species *Apatophysis richteri* Pic, 1956

danczenkoi Danilevsky, 2006c: 5 A: IN

farsicola Sama, Fallahzadeh & Rapuzzi, 2005: 124 A: IN

margiana Semenov & Shchegoleva-Barovskaya, 1936: 77 A: KZ TM UZ

plavilstshikovi Miroshnikov, 1992: 392

modica Gahan, 1906a: 71 A: AF IN PA

richteri Pic, 1956a: 2 A: IN

subgenus *Apatophysis* Chevrolat, 1860a: 95 type species *Apatophysis toxotoides* Chevrolat, 1860 (= *Polyarthron barbarum* P. H. Lucas, 1858)

anatolica Heyrovský, 1938: 93 A: TR

afghanica Miroshnikov, 2014a: 14 A: AF PA

#94

baeckmanniana Semenov, 1907a: 223 A: KI KZ UZ

barbara P. H. Lucas, 1858: clxxix (*Polyarthron*) N: AG TU

ocularis Pic, 1901b: 9

toxotoides Chevrolat, 1860a: 96

caspica Semenov, 1901: 31 E: ST A: AB AF GG IN KZ TM UZ

centralis Semenov, 1901: 32 A: XIN

hotanica Danilevsky, 2008b: 35 A: XIN

kadlecii Danilevsky, 2008b: 29 A: TR

karsica Danilevsky, 2008b: 28 A: TR

kashgarica Semenov, 1901: 29 A: XIN

katbehi Rapuzzi & Sama, 2013: 682 A: JO SY

komarowi Semenov, 1889a: 401 A: AB TD TM

pavlovskii Plavilstshikov, 1954: 470 A: TD UZ

roborowskii Semenov, 1901: 29 A: XIN

serricornis Gebler, 1843: 39 (*Pachytia*) A: KZ MG NMO XIN

kadyrbekovi Kadlec, 2006a: 1

mongolica Semenov, 1901: 28

obtusicollis Motschulsky, 1860d: 538 (*Psilotarsus*)

tomentosa Gebler, 1844: 105 (*Toxotus*)

sieversi Ganglbauer, 1887c: 21 A: BEI LIA

sinica Semenov, 1901: 30 A: SCH

vedica Danilevsky, 2008b: 26 A: AR TR

genus *Formosotoxotus* Hayashi, 1960a: 1 type species *Artelida asiatica* Matsushita, 1933 (= *Toxotinus auripilosus* Kano, 1933) *auripilosus* Kano, 1933a: 263 (*Toxotinus*) A: TAI

asiaticus Matsushita, 1933b: 172 (*Artelida*)

gressity Miroshnikov & Lin, 2014: 117 A: XIZ

kucerae Rapuzzi & Sama, 2014a: 3 A: SHA

masatakai N. Ohbayashi, 2007: 200 A: SD

nobuoii Vives & Niisato, 2006: 273 A: NP

genus *Protapatophysis* Semenov & Stschegeleva-Barovskaya, 1936: 26 type species *Apatophysis kashmiriana* Semenov, 1901

kabakovi Danilevsky, 2011e: 102 A: AF

kashmiriana Semenov, 1901: 29 A: KA

montana Gahan, 1906a: 71 A: KA

vartianae Heyrovský, 1971: 81 A: AF PA

genus *Trypogeus* Lacordaire, 1869: 236 type species *Trypogeus albicornis* Lacordaire, 1869

Paranthophylax Gressitt, 1951a: 50 type species *Paranthophylax sericeus* Gressitt, 1951

aureopubens Pic, 1903i: 121 (*Toxotus*) A: YUN ORR

sericeus Gressitt, 1951a: 50 (*Paranthophylax*) A: FUJ SCH [see Vives, 2015]

subfamily **Cerambycinae** Latreille, 1802

tribe Achrysonini Lacordaire, 1868

genus Crotchiella Israelson, 1985: 475 type species *Crotchiella brachyptera* Israelson, 1985
brachyptera Israelson, 1985: 476 E: AZ

genus Icosium P. H. Lucas, 1854: viii type species *Icosium tomentosum* P. H. Lucas, 1854

Cluvia Stel, 1857b: 63 type species *Cluvia chevrolati* Stel, 1857 (= *Icosium tomentosum* P. H. Lucas, 1854)
tomentosum atticum Ganglbauer, 1882: 743 E: BH BU CR CY FRi GR IT MA A: AB CY JO IS SY TR #98
tomentosum tomentosum P. H. Lucas, 1854: ix E: MA PT SP IT N: AG LB MO TU
chevrolati Stel, 1857b: 63 (*Cluvia*)

genus Nortia J. Thomson, 1864: 252 type species *Nortia cavigollis* J. Thomson, 1864

afghanica Heyrovský, 1967b: 158 A: AF
carinicollis Schwarzer, 1925a: 20 A: FUJ GUX JA TAI
pruinicolis Gressitt, 1965: 61
fuscata Holzschuh, 2005: 1 A: NP UP
geniculata geniculata Pic, 1932e: 32 (*Falsostromatium*) A: HAI ORR
geniculata satsumana Niisato & N. Ohbayashi, 2005: 293 A: JA
kusuii Kusama & Nara, 1974: 121 A: JA
planicollis Gressitt, 1942h: 206 A: HKG

genus Pufujia Holzschuh, 1995: 16 type species *Nortia luteosignata* Pu, 1991
luteosignata Pu, 1991c: 281 (*Nortia*) A: GAN

tribe Anaglyptini Lacordaire, 1868

genus Anaglyptus Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758

subgenus Aglaophis J. Thomson, 1857f: 315 type species *Aglaophis fasciata* J. Thomson, 1857

Epodus Chevrolat, 1863b: 335 type species *Epodus humerosus* Chevrolat, 1863
Metaglaophis K. Ohbayashi, 1960b: 10 type species *Aglaophis colobotheoides* Bates, 1884a
colobotheoides Bates, 1884a: 235 (*Aglaophis*) A: FE JA NC NE SC
angustefasciatus Heyden, 1884: 297 (*Aglaophis*)
arakawai Kano, 1933a: 276
decemmaculatus Gressitt, 1935c: 185 (*Aglaophis*) A: FUJ TAI
fasciatus J. Thomson, 1857f: 316 (*Aglaophis*) A: NP SD
humerosus Chevrolat, 1863b: 336 (*Epodus*) A: "India"
nokosanus Kano, 1930: 46 (*Aglaophis*) A: FUJ HUB TAI ZHE #74

producticollis Gressitt, 1951a: 307 A: FUJ TAI
rufobasalis Tippmann, 1955: 115 (*Anaglyptus*) A: FUJ
subgenus Akajimatora Kusama & Takakuwa, 1984: 10 type species *Anaglyptus bellus* Matsumura & Matsushita, 1933
bellus bellus Matsumura & Matsushita, 1933a: 105 A: JA
dentatipennis Pic, 1935b: 14 (*Oligoenoplus*)
bellus isolatus Gressitt, 1951a: 304 A: HUB SCH
meridionalis Matsushita, 1933b: 291 A: TAI
ikadaii Seki, 1939: 309

subgenus Anaglyptus Mulsant, 1839: 91 type species *Leptura mystica* Linnaeus, 1758

abieticola Holzschuh, 2003b: 307 A: BT NP

ambiguus Holzschuh, 1992: 44 A: YUN

annulicornis Pic, 1933f: 6 (*Oligoenoplus*) A: GUI SCH ?YUN #33

arabicus Küster, 1847c: 95 (*Clytus*) E: ST A: ?AB AR GG TR

deyrollei Tournier, 1872: 277

arakawae amamiensis Fujita, 1980: 14 A: JA

arakawae arakawae Kano, 1933a: 276 (*Aglaophis*) A: JA

arakawae kumagensis Fujita, 1980: 14 A: JA

arcanus Miroshnikov, Bi et Lin, 2014: 256 A: XIZ #33

bicallosus Kraatz, 1882c: 335 (*Clytus*) A: TD UZ

confusus Holzschuh, 1999: 42 A: XIZ

croesus Pesarini & Sabbadini, 1997: 47 A: TR

danilevskii Miroshnikov, 2000b: 77 A: AB AR GG IN TR

dolosulus Holzschuh, 2006c: 484 A: UP

elegantulus Miroshnikov, Bi et Lin, 2014: 256 A: YUN #33

flavus Viktora, Tichý & Rapuzzi, 2013: 81 A: XIZ

ganglbaueri Reitter, 1886: 67 A: AB IN

natae Lobanov, 1994b: 868

persicus Pic, 1906b: 10

persicus Reitter, 1906b: 298 [HN]

gibbosus Fabricius, 1787: 156 (*Callidium*) E: BH CR FR GR HU IT SL SP SZ YU N: AG TU

immaturus Pic, 1898a: 12

- mysticoides* Wagner, 1927b: 96 [HN]
obscuricornis Pic, 1898a: 12
rufotinctus Pic, 1945b: 7
wagneri Pic, 1928c: 6 [RN]
gressitti Holzschuh, 1999: 42 A: FUJ GUA GUX HUB JIX SHX ZHE [see Viktora & Tichý, 2015a] #74
higashiyamai Makihara & Hayashi, 1987: 62 [RN] A: TAI
hirsutus Makihara & Hayashi, 1987: 5 [HN]
kanssuensis Ganglbauer, 1889a: 71 A: GAN HEN SCH [see Viktora & Tichý, 2015a]
longispinus Gardner, 1939: 9 (*Aglaophis*) A: SD
luteofasciatus Pic, 1905j: 153 E: GR
moreanus Demelt, 1970: 30
marmoratus Holzschuh, 1982b: 153 (*Aglaophis*) A: NP UP
matsushitai Hayashi, 1955: 52 A: JA
mysticoides Reitter, 1894c: 128 A: AB AR GG TR
amasinus Pic, 1910a: 10
anatolicus Demelt, 1970: 32
obscurissimus Pic, 1901n: 59
subimpressus Pic, 1901a: 9
mysticus Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD NL
NR PL RO SK SL SP SV SZ TR UK YU A: TR
albofasciatus DeGeer, 1775: 82 (*Cerambyx*)
bequarti Pic, 1910b: 3
hieroglyphicus Herbst, 1784: 99 (*Callidium*)
litteratus Gmelin, 1790: 1857 (*Cerambyx*)
quadricolor Scopoli, 1763: 56 (*Cerambyx*)
ruficornis Pic, 1908i: 35
nipponensis Bates, 1884a: 234 A: JA SC
anticenigris Matsushita, 1933b: 292
kamiyai Kano, 1933a: 276
praecellens Holzschuh, 1981: 101 E: GR (Kríti)
simplicicornis Reitter, 1906b: 298 E: ST A: AB AR GG IN TR
abchasicus Pic, 1911c: 12
prolongatus Pic, 1911c: 12
subapicalis Pic, 1910a: 10
subfasciatus Pic, 1906d: 17 A: HEN JA
rufescens Hayashi, 1955: 49
tersus Viktora & Tichý, 2015a: 10 A: SCH #77
tichyi Miroshnikov, Bi et Lin, 2014: 257 A: YUN #33
ulmiphilus Holzschuh, 1982b: 153 (*Aglaophis*) A: KA PA
vicinulus Holzschuh, 1999: 41 A: BEI GAN HEN HUB SCH SHA SHX [see Viktora & Tichý, 2015a] #74
yakushimanus Hayashi, 1968c: 14 A: JA
zappii Rapuzzi & Sama, 2014a: 7 E: IT
- genus *Hirticlytus* K. Ohbayashi, 1960b:** 9 type species *Anaglyptus comosus* Matsushita, 1941
comosus Matsushita, 1941: 155 (*Anaglyptus*) A: JA
- genus *Oligoenoplus* Chevrolat, 1863b:** 337 type species *Oligoenoplus ventralis* Chevrolat, 1863
Borneoclytus Dauber, 2006: 443 type species *Borneoclytus borneanus* Dauber, 2006
gonggashanus Miroshnikov, 2013a: 239 A: SCH
modicus Holzschuh, 2011: 320 A: HEN
rosti iwatai Ikeda, 1987: 12 A: JA
rosti rosti Pic, 1911c: 15 (*Anaglyptus*) A: FE JA
sapporensis Matsushita, 1933: 100 (*Anaglyptus*)
- genus *Paraclytus* Bates, 1884a:** 234 type species *Paraclytus excultus* Bates, 1884a
albiventris Gressitt, 1937c: 455 (*Aglaophis*) A: GUX HUN JIX YUN #127
apicicornis Gressitt, 1937a: 92 (*Aglaophis*) A: FUJ GAN GUI GUX HUN JIA SCH SHA #74
assamensis Viktora & Tichý, 2015b: 104 A: AP #127
emili Holzschuh, 2003a: 229 A: ?SCH YUN
excellens Miroshnikov et Lin, 2012: 248 A: YUN ORR #127
excultus Bates, 1884a: 234 A: FE JA
interruptus Pic, 1915f: 13
helenae Holzschuh, 1993a: 43 (*Anaglyptus*) A: ?SCH YUN
intermedius Viktora & Tichý, 2015a: 14 A: SCH #77
irenae Holzschuh, 1993a: 43 (*Anaglyptus*) A: YUN
jii Holzschuh, 1992: 43 (*Anaglyptus*) A: SCH
murzini Miroshnikov, 2014b: 82 A: SCH
ochrocaudus Gressitt, 1951a: 305 (*Anaglyptus*) A: FUJ

primus Holzschuh, 1992: 42 A: ?GAN SCH SHA
raddei Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN
 bieberi Pic, 1920e: 21 (*Clytus*)
reitteri Ganglbauer, 1882: 737 [= 1886: 232] (*Anaglyptus*) A: AB IN
scolopax Holzschuh, 1999: 40 (*Anaglyptus*) A: GAN SCH
sexguttatus Adams, 1817: 308 (*Clytus*) E: BU ST TR A: AB AR GG TR
 bruckii Kraatz, 1864: 389 (*Clytus*)
 caucasicus Motschulsky, 1839: 54 (*Clytus*)
 disjunctus Pic, 1909b: 123 (*Anaglyptus*)
shaanxiensis Holzschuh, 2003a: 228 A: HUB SCH SHA
thibetanus Pic, 1914g: 38 (*Anaglyptus*) A: XIZ YUN
wangi Miroshnikov et Lin, 2012: 250 A: SCH
yao Viktora & Tichý, 2015b: 106 A: GUX

#127

genus Yoshiakioclytus Niisato, 2007c: 577 type species *Epiclytus taiwanus* Chang, 1960
taiwanus Chang, 1960: 1 (*Epiclytus*) A: TAI

tribe Brachyptero~~matini~~ Sama, 2008

genus Dolocerus Mulsant, 1862: 230 type species *Dolocerus reichii* Mulsant, 1862
Brachyptero~~ma~~ Heyden, 1863: 128 type species *Brachyptero~~ma~~ ottomanum* Heyden, 1863
holtzi Pic, 1905g: 114 (*Brachyptero~~ma~~*) A: LE SY TR
magnanii Sama, 1987: 51 (*Brachyptero~~ma~~*) N: AG
reichii Mulsant, 1862: 231 E: AL BU CR GR IT SZ A: AB AR GG TR
 mulsanti Stierlin, 1866: 30 (*Molorchus*)
 ottomanus Heyden, 1863: 128 (*Brachyptero~~ma~~*)

tribe Callichromatini Swainson & Shuckard, 1840

genus Anubis J. Thomson, 1864: 177 type species *Cerambyx sexnotatus* Thunberg, 1787 (= *Saperda clavicornis* Fabricius, 1775)
bipustulatus J. Thomson, 1865a: 569 A: SD
 viridis Pic, 1923b: 9
cyaneus Pic, 1924a: 15 A: YUN ORR
 rugenotatus Pic, 1924: 15
fimbriatus Bates, 1879a: 412 A: SD
inermis A. White, 1853: 171 (*Polyzonus*) A: NP PA SD SE SW "North India" ORR
rostratus Bates, 1879a: 412 A: YUN TAI ORR
subobtusus Pic, 1932c: 22 (*Chelidonium*) A: YUN
thoracicus Podaný, 1980: 232 (*Polyzonus*)

genus Aphrodisium J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840
subgenus Aphrodisium J. Thomson, 1864: 173 type species *Callichroma cantori* Hope, 1840

Tomentaromia Plavilstshikov, 1934a: 52 type species *Callichroma faldermannii* Saunders, 1853
attenuatum Gressitt, 1951a: 625 A: FUJ GUA
basifemorale Pic, 1902i: 29 (*Aromia*) A: SCH YUN
cantori Hope, 1839: 43 (*Callichroma*) A: NP SD UP
cribricolle Neervoort van de Poll, 1890: 157 A: NP SD
delatouchei Fairmaire, 1886c: clxxii A: FUJ ORR
distinctipes Pic, 1904c: 11 (*Aromia*) A: SCH YUN
faldermannii basale Pic, 1925b: 19 (*Aromia*) A: JIA
faldermannii faldermannii Saunders, 1853: 111 (*Callichroma*) A: ES MG SC
 insulare Gressitt, 1936: 90 (*Aromia*)
faldermannii horishanense Kano, 1933a: 272 A: TAI
faldermannii obscurithorax Pic, 1925b: 19 (*Aromia*) A: YUN
faldermannii rufiventre Gressitt, 1940c: 174 (*Aromia*) A: FUJ GUX SCH YUN ORR
faldermannii subnigripenne Gressitt, 1937c: 452 (*Aromia*) A: FUJ JIX
faldermannii yugaii Kano, 1933a: 272 A: TAI YUN
gibbicollis A. White, 1853: 160 (*Callichroma*) A: ANH FUJ GUA GUI GUX HAI HUN JIA JIX SCH TAI YUN ZHE ORR
 rubrofemorale Pic, 1932c: 24 (*Chelidonium*)
 subgibbicollis Pic, 1925b: 17 (*Chelidonium*)
gregoryi Podaný, 1971: 265 (*Tomentaromia*) A: YUN
hardwickianum A. White, 1853: 162 (*Callichroma*) A: NP SD
implicatum *implicatum* Pic, 1920a: 2 (*Chloridolum*) A: YUN
implicatum major Gressitt & Rondon, 1970: 148 A: GUX YUN ORR
inexpectatum Podaný, 1971: 293 A: NO
metallicolle Gressitt, 1939b: 97 (*Aromia*) A: FUJ HUB HUN JIX TAI YUN ZHE ORR
muelleri Tippmann, 1955: 105 A: FUJ GUA
neoxenum A. White, 1853: 154 (*Callichroma*) A: HAI HUB SD TAI XIZ ZHE ORR

- niisatoi* Vives & Bentanachs, 2007: 635 A: YUN ORR
planicolle Neervoort van de Poll, 1890: 155 A: SD
robustum Bates, 1879a: 408 (*Leontium*) A: SD YUN ORR
sauteri Matsushita, 1933b: 256 (*Chelidonium*) A: HEN TAI
saxosicollis Fairmaire, 1902a: 245 A: YUN
bicoloripes Pic, 1925b: 18
notatipes Pic, 1925b: 18
schwarzeri Podaný, 1971: 292 A: YUN
sinicum A. White, 1853: 159 (*Callichroma*) A: FUJ GUA HUB SCH YUN ZHE ORR #74
thibetanum Pic, 1925b: 18 A: XIZ
tricoloripes Pic, 1925: 18 A: GUI YUN ORR
vermiculosum Gressitt, 1942d: 1 A: XIZ
viridescens Hayashi, 1974a: 26 A: TAI
subgenus *Opacaphrodisium* Pic, 1932c: 24 type species *Callichroma griffithi* Hope, 1839
griffithi Hope, 1839: 43 (*Callichroma*) A: GUA GUX SD ORR
zonopteroides Fleutiaux, 1887: 66 (*Pachyteria*)
- genus Aromia Audinet-Serville, 1834a: 559** type species *Cerambyx moschatus* Linnaeus, 1758
Terambus Gistel, 1848b: [2] [unnecessary substitute name]
bungii Faldermann, 1835c: 433 (*Cerambyx*) Ei: GE A: ANH FUJ GAN GUA GUI GUX HAI HEB HEI HEN HKG HUB HUN JIA JIL JIX LIA NC NMO SC SCH SHA SHN SHX YUN ZHE
cyanicornis Guérin-Méneville, 1845: 222 (*Callichroma*)
ruficollis L. Redtenbacher, 1868: 149
moschata ambrosiaca Steven, 1809: 40 (*Cerambyx*) E: IT PT SP ST N: AG MO TU A: AB AR GG IN IQ JO LE SY TR
melancholica Reitter, 1895d: 210
notaticollis Pic, 1928c: 9
rosara P. H. Lucas, 1847: pl. 41
rosara A. Costa, 1855: 26 [HN]
thoracica Fischer von Waldheim, 1823: tab. 48, figs 3, 4. [1824: 236] (*Cerambyx*)
moschata cruenta Bogatchev, 1962: 96 A: KI TD
moschata jankowskyi Danilevsky, 2007d: 48 A: KI
moschata moschata Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: ES GG KZ MG WS
alata A. Costa, 1855: 25
auctumnalis Westhoff, 1882: 241
chlorophana Fischer von Waldheim, 1823: pl. xlvi [= 1824: 237] (*Cerambyx*)
cupricollis Pic, 1941e: 5
odorata DeGeer, 1775: 63 (*Cerambyx*)
perroudi Pic, 1941e: 5
thea Reitter, 1894g: 306
moschata sumbarensis Danilevsky, 2007d: 48 A: TM
moschata vetusta Bogatchev, 1962: 98 A: KZ
orientalis Plavilstshikov, 1932a: 114 A: ES FE FUJ GAN HEB HEI HEN JA JIL LIA MG NC NMO SC SHA ZHE
- genus Aromiella Podaný, 1971: 303** type species *Aromiella fruhstorferi* Podaný, 1971
fruhstorferi Podaný, 1971: 303 A: CH ORR
- genus Cataphrodisium Aurivillius, 1907: 8** type species *Purpuricenus rubripennis* Hope, 1842
Asiodiphrum Plavilstshikov, 1934f: 221 type species *Asiodiphrum nigrofasciatum* Plavilstshikov, 1934 (= *Purpuricenus rubripennis* Hope, 1843)
castaneae Gressitt, 1951a: 192 A: YUN
latemaculatum Pic, 1902i: 29 (*Pachyteria*) A: SCH
rubripenne Hope, 1842b: 128 (*Purpuricenus*) A: FUJ GUA GUI HUB JIA SCH SHN TAI YUN ORR
magnificum Pic, 1902i: 29 (*Pachyteria*)
nigrofasciatum Plavilstshikov, 1934f: 224 (*Asiodiphrum*)
simile Podaný, 1971: 256 A: SCH
- genus Chelidonium J. Thomson, 1864: 175** type species *Cerambyx argentatus* Dalman, 1817
argentatum Dalman, 1817b: 151 (*Cerambyx*) A: ANH FUJ GUA GUX HAI HEN HKG HUN JIA JIX SCH SD SHA YUN ZHE ORR
binotaticolle Pic, 1937d: 108 A: GUA GUX ORR
binotatum Brongniart, 1892: 245 (*Leontium*) A: YUN
buddleiae Gressitt & Rondon, 1970: 154 A: GUX YUN
cinctum Guérin-Méneville, 1844: 220 (*Callichroma*) A: TAI YUN ORR
citri Gressitt, 1942b: 2 A: HUN JIX SCH
cyanipes Pic, 1946a: 9 A: SC
herteli Podaný, 1974: 24 A: CH ORR
impressicolle Plavilstshikov, 1934f: 223 A: GUA SCH YUN

- pureipes* Gressitt, 1939a: 27 A: GUA HUB **ORR** #115
russoi Tippmann, 1955: 106 A: FUJ
siamense Podaný, 1974: 40 A: YUN **ORR**
sifanicum Plavilstshikov, 1934f: 224 A: SCH
sinense Hope, 1843: 66 (*Promeces*) A: SD ?**TAI ORR**
testaceicorne Pic, 1946a: 7 A: JA [= *Hybunca chrysogramma barombana* Schmidt, 1922 – Africa] [see Bentanachs et al., 2011]
venereum J. Thomson, 1865a: 568 A: YUN **ORR**
violaceimembris Gressitt & Rondon, 1970: 151 A: HAI YUN **ORR**
yunnanum Podaný, 1974: 39 A: YUN
zaitzevi Plavilstshikov, 1933b: 107 A: FE HEB
- genus** *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* A. White, 1853
subgenus *Chloridolum* J. Thomson, 1864: 174 type species *Callichroma bivittatum* A. White, 1853
accensum *accensum* Newman, 1842a: 246 (*Callichroma*) A: TAI **ORR**
accensum *kazuoi* Hayashi, 1984: 22 A: TAI
addictum Newman, 1842a: 245 (*Callichroma*) A: TAI **ORR**
isburyani Schwarzer, 1929: 359
violacipes Schwarzer, 1926b: 97
alcmene J. Thomson, 1865a: 568 A: SD
bivittatum A. White, 1853: 162 (*Callichroma*) A: BT
cyaneonotatum Pic, 1925b: 18 A: GUA GUI GUX **ORR**
grossepunctatum Gressitt & Rondon, 1970: 170 A: YUN **ORR**
hainanicum Gressitt, 1940b: 60 A: HAI
kurosawai *kurosawai* Hayashi, 1956: 13 A: JA
kurosawai *ohsumiense* Ohbayashi, 1992: 7 A: JA
kwangtungum *kwangtungum* Gressitt, 1939a: 21 A: GUA GUX
kwangtungum *szechuanum* Gressitt, 1951a: 205 A: GUX SCH
lanyuanum Hayashi, 1984: 20 A: TAI
laotium Gressitt & Rondon, 1970: 169 A: HAI YUN **ORR**
loochooanum *chujoji* Makihara, 2005: 121 A: JA (Ryukyus)
loochooanum *loochooanum* Gressitt, 1934: 163 A: ANH JA TAI
nympha A. White, 1853: 161 (*Callichroma*) A: SD
ohbayashii Hayashi, 1971: 8 A: TAI
perlaetum A. White, 1853: 161 A: GUX SD TAI **ORR**
plicaticolle Pic, 1932c: 24 A: GUX SCH YUN
bicoloratum Pic, 1932c: 24
scutellatum Gressitt, 1939a: 22 A: GUA
semipunctatum Gressitt & Rondon, 1970: 171 A: YUN **ORR**
shibatai Hayashi, 1971: 7 A: TAI
sieversi Ganglbauer, 1887a: 135 (*Aromia*) A: FE HEI HEN JIL NC SC
bangi Reitter, 1895d: 209 (*Aromia*)
coreanum Fairmaire, 1897c: 232 (*Aromia*)
splendidulum Gressitt, 1940c: 176 A: ANH
taiwanum Gressitt, 1936: 91 A: TAI
thomsoni Pascoe, 1859: 24 (*Callichroma*) A: TAI **ORR**
thoracicum Gressitt, 1942b: 3 A: SCH
tonguanum Chiang, 1981: 80 A: JIX
variabile Schwarzer, 1926b: 100 A: CH **ORR**
subgenus *Leontium* J. Thomson, 1864: 175 type species *Leontium viride* J. Thomson, 1864
cupreoviride Gressitt, 1942d: 2 (*Leontium*) A: FUJ
jeanvoinei Pic, 1932e: 24 (*Leontium*) A: GUX HAI **ORR**
lameeri Pic, 1900i: 18 (*Leontium*) A: ANH FUJ GAN GUX HEN HUB HUN JIX SC SHA SHG SHN TAI YUN ZHE
[see Oh, 2013] #74

bicolor Kano, 1930: 44 (*Leontium*)
laosense Pic, 1932c: 23 (*Leontium*) A: YUN **ORR**
nigroscutellatum Gressitt, 1940b: 62 (*Leontium*) A: HAI
punctulatum Pic, 1920f: 119 (*Leontium*) A: YUN **ORR**
tenuipes Fairmaire, 1889a: 64 (*Leontium*) A: GUI YUN
implicatum Pic, 1925b: 17 (*Leontium*)
touzalini Pic, 1920f: 118 (*Leontium*) A: YUN
viride J. Thomson, 1864: 175 A: FE HUB JA NC-SC SCH TAI YUN #80
cyanum Fujimura, 1956: 4 (*Leontium*)
multiplicatum Pic, 1946a: 14 (*Leontium*) [see Bentanachs et al., 2011]
tenuatum Bates, 1873: 197 (*Callichroma*)
subgenus *Parachloridolum* Plavilstshikov, 1934a: 67 type species *Callichroma japonica* Harold, 1879
japonicum Harold, 1879b: 335 (*Callichroma*) A: HUB JA NC NE SC SCH SHN

- achardi* Pic, 1911e: 19 (*Callichroma*)
coreanum Okamoto, 1924: 190 [HN]
thaloides Bates, 1884a: 226 A: HUB JA NE SC
japonicum Podaný, 1971: 302 (*Aromia*) [see Bentanachs et al., 2011]
- genus Embrikstrandia Plavilstshikov, 1931c: 278** type species *Callichroma bimaculatum* A. White, 1853
bimaculata A. White, 1853: 165 (*Callichroma*) A: FUJ GUA GUI GUX HEN HKG HUB HUN JIA JIX SCH SHA SHN TAI YUN ZHE
davidis H. C. Deyrolle, 1878: 132 (*Callichroma*)
diversicornis Pic, 1925b: 19 (*Callichroma*)
fujianensis Hua & She, 1987: 54 A: FUJ
unifasciata Ritsema, 1896: 376 (*Zonopterus*) A: ANH FUJ GUA GUX HAI HEN HKG HUB HUN JIX SCH SHX **TAI ZHE ORR**
vivesi Bentanachs, 2005: 2-3 A: YUN **ORR**
- genus Gestriana Podaný, 1971: 306** [RN] type species *Pachyteria superba* Gestro, 1888
Tarsalia Podaný, 1968: 50 [HN] type species *Pachyteria superba* Gestro, 1888
superba Gestro, 1888a: 128 (*Pachyteria*) A: GUX **ORR**
pubemaculata Huang, Zhou & Chen, 2006: 62 (*Embrikstrandia*)
- genus Helymaeus J. Thomson, 1866: 179** type species *Helymaeus cyanipennis* J. Thomson, 1866
pedestris Pascoe, 1878: 370 A: YE
signaticollis Pascoe, 1878: 370 A: YE
- genus Ipothalia Pascoe, 1867a: 314** type species *Ipothalia femorata* Pascoe, 1867
bicoloripes Pic, 1920f: 118 A: FUJ JIX SCH YUN **ORR**
esmeralda Bates, 1879a: 418 A: YUN **ORR**
micaria Holzschuh, 1990: 188 A: SD
plicicollis Pu, 1981: 428 A: XIZ
- genus Laosaphrodisium Bentanachs, 2012: 71** type species *Leontium optimum* Bates, 1879
amadori Bentanachs, 2012: 11 A: GUX YUN XIZ **ORR**
crassum Gressitt, 1939a: 24 (*Aphrodisium*) A: FUJ GUA YUN
subplicatum Pic, 1937a: 11 (*Chelidonium*) A: GUI [?]YUN **ORR**
- genus Leptochroma Vives, 2013b: 86** type species *Leptochroma lini* Vives, 201b
lini Vives, 2013b: 88 A: YUN
paralleloelongatum Hayashi, 1974: 27 (*Chloridolum*) A: TAI
shanxianum Vives, 2013b: 90 A: SHX
- genus Mimochelidonium Bentanachs, 2013: 94** type species *Mimochelidonium sinense* Bentanachs, 2013
sinense Bentanachs, 2013: 96 A: GUI
- genus Osphranteria L. Redtenbacher, 1850: 50** type species *Osphranteria suaveolens* L. Redtenbacher, 1850
Quettania Schwarzer, 1931a: 62 type species *Quettania coeruleipennis* Schwarzer, 1931
coerulescens L. Redtenbacher, 1850: 50 A: IN **IQ PA TR** #39
inaurata Holzschuh, 1981: 98
coeruleipennis Schwarzer, 1931a: 63 (*Quettania*)
mirabilis Podany, 1980: 231 (*Polyzonus*)
lata Pic, 1956a: 3 A: AF IN
richteri Heyrovský, 1959: 4
suaveolens L. Redtenbacher, 1850: 50 A: AF IN
- genus Pachyteria Audinet-Serville, 1834a: 553** type species *Cerambyx fasciatus* Fabricius, 1775
dimidiata Westwood, 1848: 60 A: TAI **ORR**
luteofasciata Pic, 1946a: 7
obertheri Ritsema, 1888a: 190
scheepmakeri Ritsema, 1881b: 38
timorensis Hayashi, 1994: 65
equestris Newman, 1841: 79 (*Niraeus*) A: YUN **ORR**
fasciata Fabricius, 1775: 168 (*Cerambyx*) A: NP "Himalaya" **ORR**
populnea Schröter, 1776: 349 (*Cerambyx*)
voluptosa J. Thomson, 1865a: 568
- genus Paraphrodisium Bentanachs, 2013: 92** type species *Paraphrodisium sinense* Bentanachs, 2013
sinense Bentanachs, 2013: 93 A: YUN
- genus Polyzonus Dejean, 1835: 324** type species *Saperda fasciata* Fabricius, 1781

- subgenus *Parapolyzonus*** Bentanachs, 2012: 11 type species *Promeces prasinus* White 1853
drumonti Bentanachs, 2010: 306 A: YUN ORR
trocolii Bentanachs, 2012: 21 A: YUN ORR
- subgenus *Polyzonides*** Podaný, 1980: 230 type species *Polyzonus obtusus* Bates, 1879
obtusus Bates, 1879a: 413 A: ?TAI YUN ORR
interruptus Pic, 1946a: 14
opacus Pic, 1946: 9
reductus Pic, 1946a: 14
- subgenus *Polyzonus*** Dejean, 1835: 324 type species *Saperda fasciata* Fabricius, 1781
Calliblepharus Gistel, 1848a: x [unnecessary substitute name]
auroviridis Gressitt, 1942b: 3 A: GUX SCH YUN ORR
balachowskii Gressitt & Rondon, 1970: 157 A: YUN XIZ ORR
bizonatus A. White, 1853: 171 A: GUX SD YUN ZHE ORR #74
brevipes Gahan, 1906a: 217 A: SD ORR
cuprarius Fairmaire, 1887a: 132 A: YUN ORR
fasciatus Fabricius, 1781: 232 (*Saperda*) A: ANH ES FE FUJ GAN GUA GUI GUX HEB HEI HEN HKG HUB HUN JIA JIL JIX LIA MG NC NIN NMO QIN SC SHA SHN SHX ZHE
bicinctus Olivier, 1795: no. 67: 46 (*Cerambyx*)
fupingensis Xie & W.-K. Wang, 2009: 58
meridionalis Bates, 1879a: 413
sibiricus Gmelin, 1790: 1840 (*Cerambyx*)
flavocinctus Gahan, 1894a: 17 A: YUN ORR
laurae Fairmaire, 1887a: 132 A: YUN ORR
pakxensis Gressitt & Rondon, 1970: 159 A: YUN ORR
saigonensis Bates, 1879a: 413 A: YUN ORR
laosensis Pic, 1923b: 9
prasinus A. White, 1853: 170 (*Promeces*) A: FUJ GUA HAI HUB HUN JIX SCH TAI YUN ZHE ORR
polyzonoides J. Thomson, 1865a: 568 (*Chelidonium*)
siamense Podany, 1974: 6, 40 (*Chelidonium*)
sinense Hope, 1842a: 63 (*Promeces*) A: FUJ GUA HKG NO SCH ORR
subtruncatus Bates, 1879a: 408 (*Leontium*) A: HAI HKG SHG YUN ORR
testaceipennis Pic, 1922a: 8 A: CH
violaceus Plavilstshikov, 1933c: 111 A: YUN ORR
ynnanum Podaný, 1974: 39 (*Chelidonium*) A: YUN ORR
- subgenus *Striatopolyzonus*** Bentanachs, 2012: 58 type species *Cerambyx tetraspilotus* Hope, 1835
nitidicollis Pic, 1932: 22 A: YUN ORR
tetraspilotus Hope, 1835: 71 (*Cerambyx*) A: SD TAI YUN ORR
latemaculatus Gressitt & Rondon, 1970: 161,
macrospilus Gahan, 1906: 216;
megaspilus Gahan, 1906a: 215
microspilus Gahan, 1906a: 215
quadrimaculatus A. White, 1853: 170
- genus *Pseudopolyzonus*** Bentanachs, 2012: 67 type species *Polyzonus latefasciatus* Hüdepohl, 1998
latefasciatus Hüdepohl, 1998: 225 (*Polyzonus*) A: YUN ORR
- genus *Scalenus*** Gistel, 1848a: 130 [RN] type species *Cerambyx hemipterus* Olivier, 1795
Coloborhomboides Hüdepohl, 1983: 117 type species *Coloborhomboides schererii* Hüdepohl, 1983
Coloborhombus J. Thomson, 1865a: 486 [RN] type species *Cerambyx hemipterus* Olivier, 1795
Colobus Audinet-Serville, 1834a: 554 [HN] type species *Cerambyx hemipterus* Olivier, 1795
Nothopeus Pascoe, 1864c: 287 [RN] type species *Cerambyx hemipterus* Olivier, 1795
fulvus Bates, 1879a: 395 (*Coloborhombus*) A: GUA SD ORR
hemipterus Olivier, 1795: 127 (*Cerambyx*) A: FUJ GUA HAI TAI ORR
ater Fisher, 1936: 176 (*Coloborhombus*)
sericeus Saunders, 1853: 111 (*Colobus*) A: FUJ GUA SHG
- genus *Schmidtiana*** Podaný, 1971: 306 [RN] type species *Pachyteria ilocana* Schultze, 1920
Luzonia Podaný, 1968: 53 [HN] type species *Pachyteria ilocana* Schultze, 1920
violaceothoracica Gressitt & Rondon, 1970: 139 (*Pachyteria*) A: YUN ORR
- genus *Schwarzerium*** Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925
subgenus *Schwarzerium* Matsushita, 1933a: 251 type species *Aphrodisium semivelutinum* Schwarzer, 1925
Schwarzeriella Plavilstshikov, 1934a: 32 type species *Aphrodisium semivelutinum* Schwarzer, 1925
provostii Fairmaire, 1887d: liv (*Callichroma*) A: BEI HEN HUB NE SC SHN YUN ORR
manchuricum Matsushita, 1943: 574
quadricolle Bates, 1884a: 226 (*Chelidonium*) A: HEN JA SC TAI
semivelutinum Schwarzer, 1925a: 24 (*Aphrodisium*) A: TAI
viridicyaneum Hayashi, 1956c: 14 (*Chelidonium*) A: JA

purpureoviolaceum Hayashi, 1956: 14 (*Chelidonium*)
subgenus *Rugosochroma* Vives & Lin, 2013: 68 type species *Schwarzerium yunnanum* Vives & Lin, 2013
yunnanum Vives & Lin, 2013: 68 A: YUN

genus *Sinochroma* Bentanachs, 2013: 94 type species *Sinochroma sinensis* Bentanachs, 2013
sinensis Bentanachs, 2013: 95 A: YUN

genus *Turkaromia* Danilevsky, 1993a: 38 type species *Aromia pruinosa* Reitter, 1903
gromenkoi Danilevsky, 2000c: 289 A: UZ TD
pruinosa Reitter, 1903c: 233 (*Aromia*) A: KZ XIN

genus *Zonopterus* Hope, 1842b: 128 type species *Zonopterus flavitarsis* Hope, 1842
consanguineus Ritsema, 1889: 10 A: "Himalaya"
flavitarsis Hope, 1842b: 128 A: SD YUN ORR

tribe Callidiini Kirby, 1837

genus *Callidiellum* Linsley, 1940: 254 type species *Semanotus cupressi* Van Dyke, 1923
rufipenne Motschulsky, 1861a: 19 (*Callidium*) Ei: BE CR FR IT SP ST A: GG FE GAN HEB HEN JA JIX NC SC SHA TAI NARI
NTRi #51
japonicum Plavilstshikov, 1933f: 126 (*Callidium*) [HN]
plavilstshikovi Matsushita, 1933b: 439 (*Semanotus*) [RN]
villosum arisanum Kano, 1930: 44 A: TAI
villosum villosum Fairmaire, 1900: 639 Ei: MA A: FUJ HEN JIA ZHE NARI #45

genus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758
subgenus *Callidium* Fabricius, 1775: 187 type species *Cerambyx violaceus* Linnaeus, 1758
Meridion Gozis, 1886: 32 type species *Cerambyx violaceus* Linnaeus, 1758
cedri Peyerimhoff, 1918a: 332 N: AG MO
flavosignatum Pu, 1991d: 343 A: QIN
hengduanum Holzschuh, 1999: 39 A: SCH YUN
libani Sama & Rapuzzi, 2002: 111 A: LE
piceonotatum Pic, 1933f: 5 A: HUB
przevalskii Semenov & Plavilstshikov, 1936: 389 A: NMO
syriacum Pic, 1892s: cxi A: SY TR
orientale Pic, 1893d: 417
violaceum Fabricius, 1775: 395 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR IT LA LS LT LU
MD NL NR NT PL RO SK SL SP ST SV SZ UK YU A: AB AR ES FE GG HEI JA JIL KZ MG NC NMO SC TAI TR WS XIN #80

janthinum LeConte, 1851: 34
salessei Pic, 1933d: 1
subgenus *Callidostola* Reitter, 1913a: 37 type species *Cerambyx aeneum* DeGeer, 1775
aeneum aeneum DeGeer, 1775: 89 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU NL
NR NT PL RO SK SL ST SV SZ UK YU A: ES FE HEI JA KZ MG WS
aurichalceum Gmelin, 1790: 1857 (*Cerambyx*)
cognatum Laicharting, 1784: 58
dilatum Paykull, 1800: 91
semitestaceum Pic, 1945b: 6
variabile Fabricius, 1775: 188
venosum Eschscholtz, 1818: 483
viride Schoenherr, 1817a: 459
viridans Gmelin, 1790: 1846 (*Cerambyx*)
aeneum longipenne Plavilstshikov, 1940: 300 E: ST A: AB GG TR
aeneum pilosicollis Özdikmen & Aytar, 2014: 599 A: TR
subgenus *Palaeocallidium* Plavilstshikov, 1940a: 291 type species *Callidium coriaceum* Paykull, 1800
chlorizans Solsky, 1871a: 384 (*Semanotus*) A: ES FE MG "Korea"
viridescens Motschulsky, 1875: 148
coriaceum Paykull, 1800: 91 E: AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LS LT LU NR NT PL RO SK SL ST SV
SZ UK YU A: ES FE HEI HEN JA MG NMO WS #111
aeneipenne Kriechbaumer, 1862: 107
cupripenne Kriechbaumer, 1862: 208
lueidum Scopoli, 1772: 98 (*Stenocorus*) NO
kuratai Yokoyama, 1972: 11 (*Palaeocallidium*) A: JA

genus *Dundaia* Holzschuh, 1993a: 33 type species *Dundaia nitens* Holzschuh, 1993
subtuberculata Pu, 1992b: 619 (*Callidium*) A: SCH SHA [see Lin & Tichý, 2014]
nitens Holzschuh, 1993a: 33

genus *Gerdberndia* Holzschuh, 1982a: 71 type species *Gerdberndia atricolor* Holzschuh, 1982

atricolor Holzschuh, 1982a: 71 A: NP

ferrocyanaea Hayashi, 1979: 87 (*Prosemanotus*) A: BT NP

nubigena Semenov & Plavilstshikov, 1936: 391 (*Rhopalopus*) A: NP

genus *Leioderes* L. Redtenbacher, 1848: 482 type species *Leioderes kollari* L. Redtenbacher, 1849

kollari jacopoi Rapuzzi & Sama, 2010a: 129 E: IT (Sicilia)

kollari kollari L. Redtenbacher, 1848: 482 E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD NR RO PL SK SL SP ST SV SZ UK YU A: GG

tuerki Ganglbauer, 1886c: 517 (*Callidium*) A: LE SY TR

bodemeyeri Reitter, 1903a: 46 (*Callidium*)

karsantianus Pic, 1910b: 2 (*Lioderes*)

lateniger Pic, 1917g: 5 (*Lioderes*)

nigripes Pic, 1891h: 102 (*Lioderes*)

genus *Lioderina* Ganglbauer, 1886c: 517 type species *Callidium lineare* Hampe, 1871

linearis Hampe, 1871: 335 (*Callidium*) E: AU BH BU CR GR HU MC SK A: TR

henschii Puton, 1888: 23 (*Callidium*)

genus *Oupyrrhidium* Pic, 1900f: 50 type species *Callidium cinnabarinum* Blessig, 1872

Upyrrhidium Plavilstshikov, 1940a: 285 [unjustified emendation]

cinnabarinum Blessig, 1872: 179 (*Callidium*) A: FE HEI HEN JIL LIA NC SC

flavum Z. Wang, 2003: 203

chinense Li, 1992: 178 A: LIA

genus *Paraxylocrius* Niisato, 2009: 205 type species *Paraxylocrius testaceus* Niisato, 2009

testaceus Niisato, 2009: 208 A: FE

verigai Danilevsky, 2012h: 4 A: FE

genus *Phymatodes* Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)

subgenus *Melasmetus* Reitter, 1913a: 39 type species *Callidium femorale* Ménétriers, 1832

femoralis demelti Heyrovský, 1962a: 41 A: TR

femoralis femoralis Ménétriers, 1832: 228 (*Callidium*) E: ST A: AB AR GG IN

utschderensis Starck, 1889: 312 (*Callidium*)

subgenus *Paraphymatodes* Plavilstshikov, 1934a: 215 type species *Callidium fasciatum* Villers, 1789

albicinctus Bates, 1873: 198 A: JA SC

#80

albofasciatus Motschulsky, 1866a: 174 (*Callidium*) [HN]

fasciatum Villers, 1789: 257 (*Cerambyx*) E: AU BH BU CR CZ FR GR HU IT LA MD PL RO SK SP SZ UK YU A: CY IS SY TR

#98

unifasciatus Olivier, 1790b: 269 (*Callidium*)

unifasciatus Rossi, 1790: 343 (*Callidium*)

hauseri Pic, 1907f: 104 (*Callidium*) A: KZ XIN

mediofasciatus Pic, 1933b: 29 A: FE GUI JIA JIX NC SC SHA

#80

subgenus *Phymatodellus* Reitter, 1913a: 40 type species *Callidium rufipes* Fabricius, 1777

Microcallidium Casey, 1912: 283 type species *Callidium amoenum* Say, 1823

Phymatodina Casey, 1912: 281 type species *Phymatodes nitidus* Casey, 1874

Pseudopoecilum Planet, 1924: 226 type species *Callidium rufipes* Fabricius, 1777

infasciatus Pic, 1935b: 36 (*Poecilium*) A: FE FUJ JA JIX NC SC SHG

ussuricus Plavilstshikov, 1940a: 318

vandykei Gressitt, 1935b: 172

jiangi Z. Wang & Zheng, 2003: 207, 395 A: JIL SC

kozlovi Semenov & Plavilstshikov, 1936: 290 A: NMO

magnanii Sama & Rapuzzi, 1999: 468 (*Poecilium*) A: TR

murzini Danilevsky, 1993d: 113 A: NC SC

rufipes rufipes Fabricius, 1777: 232 (*Callidium*) E: AU BE BH BU CR CZ FR GE GR HU IT LU MC MD PL RO SK SL SP ST SZ UK YU A: TR

amethystinus Fabricius, 1793: 321 (*Callidium*)

coeruleus Goeze, 1777: 507 (*Leptura*)

cyaneus Geoffroy, 1785: 82 (*Leptura*)

cyanochrysos Gmelin, 1790: 1846 (*Cerambyx*)

erythropus Gmelin, 1790: 1846 (*Cerambyx*)

gallicus Gmelin, 1790: 1877 (*Leptura*)

rufipes syriacus Pic, 1891i: 118 (*Callidium*) A: IS SY TR

semenovi Plavilstshikov, 1935a: 18 A: GUI

sinensis Pic, 1900i: 17 (*Callidium*) A: JIA SHG

zemlinae Plavilstshikov & Anufriev, 1964: 1565 A: FE HEI NC SC

subgenus *Phymatoderus* Reitter, 1913a: 39 type species *Callidium pusillum* Fabricius, 1787

Reitteroderus Sama, 1991: 124 [unnecessary substitute name]

- abietinus* Plavilstshikov & Lurie, 1960: 124 E: CT A: WS
- ahenus* Holzschuh, 2007: 242 (*Poecilium*) A: SCH
- glabratus* Charpentier, 1825: 225 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT PL RO SK SP ST UK YU A: GG
- castaneus* L. Redtenbacher, 1848: 483 (*Callidium*)
- deltili* Chevrolat, 1856b: 435 (*Callidium*)
- gudenzii* Sama, 1987: 57 (*Poecilium*) N: AG MO
- lividus* Rossi, 1794: 98 (*Callidium*) E: BH BU CR CT CZ CZ FR GR IT RO SL SP ST UK YU A: AB GG IS LE SY TR N: AG
- asperipennis* Fairmaire, 1879: 217 (*Callidium*)
- brevicollis* Dalman, 1817b: 191 (*Callidium*)
- melancholicus* Fabricius, 1798: 151 (*Callidium*)
- thoracicus* Comolli, 1837: 44 (*Callidium*)
- tristis* Pic, 1891b: 20
- puncticollis* Mulsant, 1862: 99 E: BU CT GR HU MC MD RO ST UK YU A: KZ
- macedonicus* Pic, 1909b: 130
- pusillus barbipes* Küster, 1847a: 78 (*Callidium*) E: CZ GR HU SK
- pusillus inopinatus* Sláma, 2010: 82 (*Poecilium*) E: GR
- pusillus pusillus* Fabricius, 1787: 155 (*Callidium*) E: AU BE BH BU CR CZ FR GE GR HU IT MD NR PL RO SL SP SV SZ TR
- UK A: TR
- abdominalis* Bonelli, 1812: 180 (*Callidium*)
- humeralis* Comolli, 1837: 44 (*Callidium*)
- luridus* Olivier, 1795: 23 (*Calidium*)
- pusillus rufipennis* Starck, 1889: 312 (*Callidium*) E: ST UK A: AB AR GG IN
- vandae* Danilevsky, 2010d: 67 E: GR
- wrzecionkoi* Rapuzzi & Sama, 2010b: 183 (*Poecilium*) A: SY
- subgenus Phymatodes** Mulsant, 1839: 47 type species *Cerambyx variabilis* Linnaeus, 1760 (= *Cerambyx testaceus* Linnaeus, 1758)
- Merium Kirby, 1837: 172 type species *Merium testaceus* Linnaeus, 1758 [suppressed]
- testaceus* Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
- MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR CY FE GG IQ IS JA KZ NC TR SC SY WS N:
- AG MO MR TU NAR [see Oh, 2013] #84
- analis* L. Redtenbacher, 1848: 481
- barbarorus* Pic, 1917g: 5
- carniolicus* Gmelin, 1790: 1858 (*Cerambyx*)
- crassipes* Goeze, 1777: 507 (*Leptura*)
- deustus* Gmelin, 1790: 1850 (*Cerambyx*)
- dimidiatipennis* Chevrolat, 1882: 58
- elongatus* Iablokoff-Khnzorian, 1953: 60
- fallax* Viller, 1789: 276 (*Leptura*)
- femoratus* Geoffroy, 1785: 83 (*Leptura*)
- fennicus* Linnaeus, 1758: 396 (*Cerambyx*)
- fulvipennis* Reitter, 1901d: 101 (*Phymatodes*)
- italicus* Gmelin, 1790: 1851 (*Cerambyx*)
- luridus* Paykull, 1800: 87 (*Callidium*)
- melanocephalus* Ponza, 1805: 71 (*Cerambyx*)
- nigricollis* Mulsant, 1839: 49
- nigrinus* Mulsant, 1839: 47
- praeustus* Fabricius, 1782: 500 (*Callidium*)
- rufipes* A. Costa, 1855: 34
- sellae* Kraatz, 1868: 338 (*Callidium*)
- similaris* Küster, 1844: 54 (*Callidium*)
- variabilis* Linnaeus, 1760: 192 (*Cerambyx*)
- ventralis* Haldeman, 1847: 375 (*Tessaropa*)
- violaceus* Rossi, 1790: 154 (*Callidium*)
- subgenus Poecilium** Fairmaire, 1864a: 134 type species *Leptura alni* Linnaeus, 1767
- alni alni* Linnaeus, 1767: 639 (*Leptura*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR LA LT LU MC MD NL
- NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: KZ TR
- apicalis* Pic, 1915a: 1 (*Poecilium*)
- biarcuatus* Piller & Mitterpacher, 1783: 112 (*Leptura*)
- fauconneti* Pic, 1915a: 1 (*Poecilium*)
- infuscatus* Chevrolat, 1866: 107 (*Poecilium*)
- nitidus* Chevrolat, 1882: 58 (*Callidium*)
- notaticollis* Pic, 1945b: 6 (*Poecilium*)
- turcicus* Geoffroy, 1785: 83 (*Leptura*)
- alni lateniger* Pic, 1945b: 6 (*Poecilium*) A: AB IN
- elburzense* Holzschuh, 1977a: 128 (*Poecilium*)
- alni pici* Aurivillius, 1912: 349 E: ST A: AB AR GG IN
- alnoides* Reitter, 1913a: 40
- antonini* Rapuzzi, Sama & Tichy, 2011: 673 (*Poecilium*) A: SY
- ermolenkoi* Tsherepanov, 1980: 88 A: FE
- eximius* Holzschuh, 1995: 35 (*Poecilium*) A: YUN

kasnaki Sama, 2011: 826 (*Poecilium*) A: TR

latefasciatus Sh. Yang, 2013: 12 A: GUI

maaki maaki Kraatz, 1879d: 106 (*Callidium*) A: FE HEI JIX NC SC TAI

maaki sylvaticus Z. Wang, 2003: 206, 394 A: NE (Neimenggu)

maaki viarius Danilevsky, 1988c: 371 A: FE JA

mizunumai Hayashi, 1974a: 28 A: TAI

quadrimaculatus Gressitt, 1935b: 171 A: JA

savioi Pic, 1935b: 35 A: JIA SHG

genus Pronocera Motschulsky, 1859b: 494 type species *Pronocera daurica* Motschulsky, 1859 (= *Callidium sibiricum* Gebler, 1848)

Protocalcidium Csiki, 1904: 99 type species *Callidium angustum* Kriechbaumer, 1844

Pseudophytmatodes Pic, 1901c: 12 type species *Phymatodes altaiensis* Pic, 1901 (= *Callidium sibiricum* Gebler, 1848)

angusta Kriechbaumer, 1844: 8 (*Callidium*) E: AU BH CZ GE HU IT PL RO SK UK

sibirica Gebler, 1848a: 391 (*Callidium*) A: ES FE MG NC NE NMO SC WS XIN

altaiensis Pic, 1901c: 12 (*Phymatodes*)

brevicollis Gebler, 1833: 302 (*Callidium*) [HN]

daurica Motschulsky, 1859b: 494

genus Prosemanotus Pic, 1933f: 5 type species *Prosemanotus elongatus* Pic, 1933

elongatus Pic, 1933f: 5 A: CH

subnotatus Pic, 1933f: 5

genus Pyrrhidium Fairmaire, 1864a: 133 type species *Cerambyx sanguineus* Linnaeus, 1758

sanguineum Linnaeus, 1758: 396 E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU N: AG TU A: AB AR GG IN SY TR

genus Rejzekius Adlbauer, 2008: 17 type species *Rejzekius bicolor* Adlbauer, 2008

bicolor Adlbauer, 2008: 17 A: YE

genus Ropalopus Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775

subgenus Pronocerodes Plavilstshikov, 1940a: 248 type species *Ropalopus ruficollis* Matsumura, 1911

aurantiocollis Plavilstshikov, 1940a: 250 (*Ropalopus*) A: FE NC SC #101

ruficollis Matsumura, 1911a: 138 (*Ropalopus*) A: FE

subgenus Prorrhopalopus Plavilstshikov, 1921: 121 type species *Ropalopus signaticollis* Solsky, 1873

signaticollis Solsky, 1873: 177 (*Ropalopus*) A: FE JA NC NE SC #80

speciosus Plavilstshikov, 1915c: 108 (*Ropalopus*) A: FE JIL

subgenus Ropalopus Mulsant, 1839: 40 type species *Callidium clavipes* Fabricius, 1775

Callopedia Binder, 1915: 186 type species *Ropalopus reitteri* Binder, 1915 (= *Callidium ungaricum* Herbst, 1784)

Euryptera Horn, 1860: 571 type species *Euryptera sanguinicollis* Horn, 1860

Ropalopus L. Redtenbacher, 1845: 110 [unjustified emendation]

clavipes Fabricius, 1775: 188 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ DE FR GE GR HU IT LA LT MA MC MD NL NT PL RO SK SL SP ST SZ TR UK YU A: AB AR GG IN KZ TR

nigricans Gmelin, 1790: 1857 (*Cerambyx*)

nigroplanus DeGeer, 1775: 88 (*Cerambyx*)

viduus Geoffroy, 1785: 82 (*Leptura*)

eleonorae Sama & Rapuzzi, 2002: 114 A: LE SY

femoratus Linnaeus, 1758: 395 (*Cerambyx*) E: AU BE BH BU CR CT CZ FR GE HU IT LA MD PL RO SK SL SP SV SZ TR UK

castaneipennis Roubal, 1934b: 43

punctatus Fabricius, 1798: 149 (*Callidium*)

punctuosus Geoffroy, 1785: 83 (*Leptura*)

hanae Sama & Rejzek, 2002: 105 A: TR

insubricus fischeri Krynicki, 1829: 197 (*Callidium*) E: CT ST UK

insubricus insubricus Germar, 1824: 154 (*Callidium*) E: AL AU BH BU CR FR HU IT RO SL SP TR YU A: TR

viridipennis Pic, 1926d: 6 (*Ropalopus*)

ledereri ledereri Fairmaire, 1866b: 269 (*Ropalopus*) A: IS JO TR

ledereri wittmeri Demelt, 1970: 31 A: SY TR

lederi Ganglbauer, 1882: 747 (*Ropalopus*) E: ST UK A: AB AR GG TR

nigripes Pic, 1926d: 6 (*Ropalopus*)

macropus Germar, 1824: 514 (*Callidium*) E: AU BH BU BY CR CT CZ GE HU LA LT MD PL RO SK SL ST SZ TR UK YU A:

AB AR GG IN TR

caucasicus Desbrochers des Loges, 1873b: cxxxvi (*Callidium*)

pilicollis C. G. Thomson, 1866: 29 (*Callidium*)

mali Holzschuh, 1993a: 34 A: KI KZ UZ

nadari Pic, 1894k: 207 (*Ropalopus*) A: KI TD UZ

nataliyae Danilevsky & Skrylnik, 2014: 690 A: IN #23

nubigena Semenov & Plavilstshikov, 1936: 391 (*Ropalopus*) A: XIZ

- ruber* Gressitt, 1939f: 212 (*Rhopalopus*) A: CE
sculpturatus Pic, 1931c: 9 (*Rhopalopus*) A: TR IN
siculus Stierlin, 1864: 152 (*Callidium*) E: GR IT (Sicilia)
ungaricus Herbst, 1784: 96 (*Callidium*) E: AL AU BH BU CR CZ FR GE HU IT MC PL RO SK SL SZ YU UK N: AG
annulus A. Costa, 1855: 30
cognatus Laicharting, 1784: 58 (*Callidium*)
pannonicus Gmelin, 1790: 1856 (*Cerambyx*)
reitteri Binder, 1915: 186 (*Rhopalopus*)
vogti Guerry, 1911: 99
varini Bedel, 1870: 94 (*Callidium*) E: AU BH BU CR CZ FR GE GR HU IT MC MD PL RO SK SL SP SZ UK YU
spinicornis Abeille de Perrin, 1869: 42 (*Callidium*)
- genus Semanotus Mulsant, 1839:** 54 type species *Cerambyx undatus* Linnaeus, 1758
Anocomis Casey, 1912: 271 type species *Callidium ligneum* Fabricius, 1787
Hemicallidium Casey, 1912: 273 type species *Physocnemum amethystinum* LeConte, 1873
Sympiezocera P. H. Lucas, 1852: cvi type species *Sympiezocera laurasii* P. H. Lucas, 1852
Xenodorum Marseul, 1856: 48 type species *Xenodorum bonvouloiri* Marseul, 1856 (= *Sympiezocera laurasii* LeConte, 1851)
algiricus Pic, 1905c: 99 N: AG MO
magnificus Bedel, 1921: 60
bifasciatus Motschulsky, 1875: 148 (*Hylotrupes*) A: ANH FE FUJ GAN GUA GUI GUX HEB HEN HUB JA JIA JIX NC NMO
 QIN SC SCH SHA SHN SHX TAI YUN ZHE
latifasciatus Matsushita, 1933b: 262
sinensis Gahan, 1888b: 61 (*Sympiezocera*)
watanabei Kano, 1933a: 273
japonicus Lacordaire, 1869: 47 (*Sympiezocera*) A: JA TAI ZHE
laurasii corsicus Croissandeau, 1890: 38 (*Sympiezocera*) E: FR (Corse) IT (Sardegna)
laurasii laurasii P. H. Lucas, 1852: cvii (*Sympiezocera*) E: FR SP N: AG MO
bonvouloiri Marseul, 1856: 48 (*Xenodorum*)
verneti Pellet, 1871: 164 (*Callidium*)
nigroalbus Holzschuh, 1984c: 355 A: NP
russicus russicus Fabricius, 1777: 232 (*Callidium*) E: AL AU BU CR GB GR HU IT RO SK ST UK YU A: AB AR GG JO LE SY
 TR
russicus persicus Solsky, 1876: 296 (*Sympiezocera*) A: IN TM
semenovi Okunev, 1933: 135 A: KI KZ TD UZ
sinoauster Gressitt, 1951a: 222 A: ANH FUJ GUA GUI GUX HEB HUB HUN JIA JIX SHA TAI YUN ZHE ORR
undatus Linnaeus, 1758: 396 (*Cerambyx*) E: AU BH BU BY CT CZ EN FI FR GE HU IT LA LS LT NR NT PL RO SK SL ST SV
 SZ UK YU A: ES FE MG NE NMO WS XIN
yakushimensis Makihara, 2004a: 15 A: JA
- genus Turanium Baeckmann, 1922:** 32 type species *Callidium scabrum* Kraatz, 1882
subgenus Chalcoturanium Jankowski, 1934: 100 [= 1935a: 60] type species *Turanium johannis* Baeckmann, 1922
badenkoi Danilevsky, 2001e: 587 A: KZ
johannis johannis Baeckmann, 1922: 24 A: KI
johannis juglandis Jankowski, 1934: 100 [= 1935a: 59] A: KI
subgenus Turanium Baeckmann, 1922: 32 type species *Callidium scabrum* Kraatz, 1882
hladili Kratochvíl, 1985b: 65 A: UZ
pilosum Reitter, 1891a: 33 (*Pronocera*) A: KI KZ TD UZ XIN
rauschorum Holzschuh, 1998: 44 A: KI KZ
scabrum Kraatz, 1882a: 115 (*Callidium*) E: ST A: KI KZ TD TM UZ WS XIN
simplarium Heyden, 1885a: 296 (*Callidium*)
tekeorum Danilevsky, 2001e: 584 A: IN TM
- tribe Callidiopini Lacordaire, 1868
- genus Becvarium Holzschuh, 2011:** 287 type species *Becvarium bioculatum* Holzschuh, 2011
bioculatum Holzschuh, 2011: 288 A: YUN
- genus Ceresium Newman, 1842d:** 322 type species *Ceresium raripilum* Newman, 1842
Diatomocephala Blanchard, 1853: 266 type species *Diatomocephala maculicollis* Blanchard, 1853
Paraceresium Matsushita, 1932: 71 type species *Paraceresium saipanicum* Matsushita, 1932
Pneumida J. Thomson, 1864a: 191 type species *Pneumida argenteofasciata* J. Thomson, 1864
Raphidera Perroud, 1855b: 336 type species *Raphidera gracilis* Perroud, 1855
Rhaphidodera Gemminger, 1872: 2831 [unjustified emendation]
albomaculatum Pic, 1926a: 23 A: HAI ORR
declaratum Holzschuh, 1990: 186 A: SD
elongatum Matsushita, 1933b: 301 A: JA TAI
fallaciosum Holzschuh, 1995: 19 A: YUN ORR
flavipes Fabricius, 1793: 327 (*Callidium*) A: GUA HKG NC TAI AFR AUR NTR ORR #80

ambiguum Newman, 1842a: 246 (*Arhopalus*)
simplex Gyllenhal, 1817: 178 (*Stenocorus*)
fuscum fuscum Matsumura & Matsushita, 1932: 67 A: HAI JA
hachijoense Matsumura & Matsushita, 1932: 68
fuscum shirakii Hayashi, 1963a: 53 A: JA (Ryukyus)
geniculatum A. White, 1855: 245 A: HAI YUN **ORR**
rufipes Pascoe, 1869: 537
holophaeum Bates, 1873: 153 A: JA SC TAI
yuasai Matsushita, 1937: 312
inaequalicolle Pic, 1933b: 28 A: YUN
joannisi Pic, 1935f: 171
lepidulum Holzschuh, 1982b: 150 A: SD YUN
leucosticticum A. White, 1855: 245 A: HAI NP PA SD UP TAI YUN **ORR**
longicorne Pic, 1926a: 24 A: HKG HUB JA JIX SC TAI **ORR**
japonicum Matsushita, 1932: 68
tsushimaum K. Ohbayashi, 1961a: 17
lucifugum Holzschuh, 1982b: 150 A: NP UP
manchuricum Hayashi, 1957a: 39 A: HEI
nilgiriense Gahan, 1906a: 161 A: YUN **ORR**
particulare Pic, 1926a: 24 A: CH
propinquum Holzschuh, 1982b: 149 A: NP SD
quadrimaculatum Gahan, 1900b: 121 A: GUX YUN **ORR**
sculpticolle Gressitt, 1942b: 1 A: SCH
senile Holzschuh, 1998: 32 A: YUN
signaticolle Matsumura & Matsushita, 1932: 69 A: JA
simile flavopubescens Kusama & Takakuwa, 1984: 9 A: JA
simile simile Gahan, 1890b: 169 A: JA
sinicum innotaticolle Pic, 1926a: 24 A: CH
sinicum ornaticolle Pic, 1907d: 20 A: FUJ GUA GUI GUX HUB HUN JIA JIX SCH SHA XIZ YUN **ORR**
sinicum sinicum A. White, 1855: 245 A: BEI FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX **SC** SCH SHA SHG TAI XIZ
#80
sakaiense Matsushita, 1933b: 302
subuniforme Schwarzer, 1925a: 22 A: TAI
swatense Holzschuh, 1974a: 82 A: PA
unicolor pseudounicolor Kusama & Komiya, 1972: 42 A: JA
unicolor unicolor Fabricius, 1787: 147 (*Saperda*) A: JA "North India" **AUS**
ambiguum Newman, 1842a: 246 (*Arhopalus*)
palauense Matsushita, 1932: 169
simplex Gyllenhal, 1817: 178 (*Stenochorus*)

genus Curtomerus Stephens, 1839: 275 [NP] type species *Callidium luteum* Stephens, 1831 (= *Callidium flavum* Fabricius, 1775)
Cylindera Newman, 1833: 509 [HN] type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)
Cylindrodera Gemminger, 1872: 2922 type species *Cylindera pallida* Newman, 1833 (= *Callidium flavum* Fabricius, 1775)
Lampromerus J. Thomson, 1860: 202 type species *Callidium pilicorne* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)
Onchomerus Dejean, 1835: 332 [NO] type species *Callidium pilicorne* Fabricius, 1793 (= *Callidium flavum* Fabricius, 1775)
Sotenus Sharp, 1878: 205 type species *Sotenus setiger* Sharp, 1878 (= *Callidium flavum* Fabricius, 1775)
flavus Fabricius, 1775: 191 (*Callidium*) A: JA **NAR NTR ORR**
barbatus Matsushita & K. Ohbayashi, 1938: 197 (*Trinophylum*)
boninensis Matsumura & Matsushita, 1932: 72 (*Trinophylum*)
impuncticollis Fairmaire, 1881: 473 (*Ceresium*)
luteus Stephens, 1831: 249 (*Callidium*)
pallidus Newman, 1833: 510 (*Cylindera*)
pilicornis Fabricius, 1793: 327 (*Callidium*)
setigerus Sharp, 1878: 203 (*Sotenus*)
subflavus Chemsak, 1966: 213

genus Gelonaetha J. Thomson, 1878: 12 type species *Gelonaetha curtipes* J. Thomson, 1878 (= *Stromatidium hirtum* Fairmaire, 1850)
hirta Fairmaire, 1850: 60 (*Stromatidium*) A: TAI YUN ZHE **ORR**
curtipes J. Thomson, 1878: 13
obscura Sharp, 1878: 204 (*Astrimus*)

genus Parasalpinia Hayashi, 1962c: 4 type species *Parasalpinia kojimai* Hayashi, 1962
kojimai Hayashi, 1962c: 4 A: JA (Ryukyus) TAI
laosensis Gressitt & Rondon, 1970: 102 (*Salpinia*) A: HAI YUN **ORR**

genus Salpinia Pascoe, 1869: 536 type species *Salpinia diluta* Pascoe, 1869
laosensis Gressitt & Rondon, 1970: 102 A: HAI YUN **ORR**

- genus *Stenodryas* Bates, 1873: 153** type species *Stenodryas clavigera* Bates, 1873
apicalis Gahan, 1906a: 161 (*Ceresium*) A: NP
clavigera clavigera Bates, 1873: 154 A: JA JIX SC TAI
clavigera impuncticollis Hayashi, 1974a: 17 A: TAI
clavigera insularis Yokoyama, 1966: 55 A: JA TAI
cylindricollis Gressitt, 1951a: 159 A: SHA TAI YUN
fascipennis Holzschuh, 1984c: 347 A: BT SD
nigromaculata Gardner, 1942: 69 (*Ceresium*) A: BT YUN NP ORR #53
tripunctata Gressitt & Rondon, 1970: 104
punctatella Holzschuh, 1999: 25 A: HUB
suavis Holzschuh, 1998: 33 A: SCH
ventralis Gahan, 1906: 160 A: YUN ORR [see: Xiong, Tian & Chen, 2012]
- genus *Stenygrinum* Bates, 1873: 154** type species *Stenygrinum quadrinotatum* Bates, 1873
quadrinotatum Bates, 1873: 154 A: ANH FE FUJ GAN GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC NMO SC SCH SHA SHN TAI YUN ZHE ORR
- genus *Teladum* Holzschuh, 2011: 289** type species *Lasiophanes comosus* Holzschuh, 1989
angustior Holzschuh, 2011: 292 A: YUN
- genus *Trinophylum* Bates, 1878b: 720** type species *Trinophylum cibratrum* Bates, 1878
cibratrum Bates, 1878b: 720 Ei: GB A: KA PA
impressipenne Pic, 1948: 6 (*Callidium*)
- tribe Cerambycini Latreille, 1802**
- genus *Aeolesthes* Gahan, 1890c: 250** type species *Hammaticherus aurifaber* A. White, 1853
subgenus *Aeolesthes* Gahan, 1890c: 250 type species *Hammaticherus aurifaber* A. White, 1853
holosericea Fabricius, 1787: 135 (*Cerambyx*) A: FUJ GUA GUX HAI HEN HKG HP PA SCH SD SHA TAI YUN ORR
similis Gahan, 1890a: 52 (*Pachydissus*)
velutina J. Thomson, 1865a: 576 (*Pachydissus*)
indicola Bates, 1891a: 21 (*Neocerambyx*) A: AF HP NP SD
induta Newman, 1842a: 245 (*Hammaticherus*) A: ANH FUJ GUA GUI GUX HAI HKG JIX TAI ZHE ORR
sarta Solsky, 1871b: 150 (*Pachydissus*) A: AF IN KI KZ PA TD TM UZ XIZ
sinensis Gahan, 1890c: 255 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX KZ PA SCH SHA TAI YUN "West Himalaya" ORR
subgenus *Pseudaeolesthes* Plavilstshikov, 1931a: 73 type species *Neocerambyx chrysothrix* Bates, 1873
Niphocerambyx Matsushita, 1933b: 244 type species *Neocerambyx chrysothrix* Bates, 1873
aurosignata Pic, 1916l: 325 A: FUJ TAI XIZ YUN
chrysothrix chrysothrix Bates, 1873: 152 (*Neocerambyx*) A: GUI HUB JA SC SHA SHG SHN TAI ZHE
batesi Harold, 1875d: 295 (*Neocerambyx*)
chrysothrix kurosawai Gressitt, 1965: 62 (*Pseudaeolesthes*) A: JA (Ryukyus)
chrysothrix nakamurae Kusama & Takakuwa, 1984: 9 A: JA (Ryukyus)
chrysothrix taiwanensis Hayashi, 1974a: 16 (*Pseudaeolesthes*) A: TAI
chrysothrix tibetana Gressitt, 1942a: 2 (*Pseudaeolesthes*) A: GUI GUX HAI XIZ YUN
chrysothrix yonaguniensis K. Ohbayashi & N. Ohbayashi, 1965: 1 (*Pseudaeolesthes*) A: JA
mutabiliare Chiang, 1951: 20 (*Pseudaeolesthes*) A: GUI GUX
ningshanensis Chiang, 1981: 79 A: SHA
pericalles Gressitt & Rondon, 1970: 61 A: YUN ORR
- genus *Anarchambyx* Sama, 2007b: 101** type species *Anarchambyx pippasamai* Sama, 2007
pippasamai Sama, 2007b: 103 A: YE
- genus *Cerambyx* Linnaeus, 1758: 388** type species *Cerambyx cerdo* Linnaeus, 1758
subgenus *Cerambyx* Linnaeus, 1758: 388 type species *Cerambyx cerdo* Linnaeus, 1758
Hamaticherus Dejean, 1821: 105 type species *Cerambyx heros* Scopoli, 1763 (= *Cerambyx cerdo* Linnaeus, 1758)
Hammatocerus Gistel, 1848a: 130 [unjustified emendation] [HN]
apiceplicatus Pic, 1941b: 2 A: IN IQ
carinatus Küster, 1845a: 46 (*Hammaticherus*) E: BH BU CR GR IT MA MC YU A: TR
landrieui Pic, 1927l: 158
minor Pic, 1926d: 13
cerdo cerdo Linnaeus, 1758: 392 E: AL AU BE BH BU BY CR CT CZ FR GB GE GR HU IR IT LA LU MA MC MD NL PL RO
SK SL ST SV SZ TR UK YU N: MO A: TR
heros Scopoli, 1763: 51
cerdo acuminatus Motschulsky, 1853: 79 E: ST UK A: AB AR GG IN IQ IS JO LE SY TR
klinzigi Podaný, 1964c: 88

- iranicus* Heyrovský, 1951: 156
- cerdo manderstjernaee* Mulsant & Godart, 1855b: 280 [= 1855a: 180] ["la Crimée"] E: ST UK
- cerdo mirbeckii* P. H. Lucas, 1842: 184 (*Hammaticherus*) N: AG MO PT SP TU
tunisicus Pic, 1891b: 18 [DA]
- cerdo pfisteri* Stierlin, 1864: 152 (*Hammaticherus*) E: IT GR
- dux* Faldermann, 1837: 264 (*Hammaticherus*) E: BU MC ST UK A: AB AR GG IN IS JO LE SY
?intricatus Fairmaire, 1848: 167 (*Hammaticherus*)
- nodosus* Mulsant & Rey, 1863: 144
- orientalis* Küster, 1845a: 45 (*Hammaticherus*)
- thirkii* Küster, 1845a: 47 (*Hammaticherus*)
- heinzianus* Demelt, 1976: 65 A: TR
- kodymi* Sláma, 2015c: 1122 A: SY TR 132
- miles* Bonelli, 1812: 178 E: AL AU BH BU CR FR GR HU IT MC PT RO SK SL SP ST SZ TR UK YU A: AB AR GG TR
militaris Latreille, 1829: 116 (*Hammaticherus*)
- nodulosus hermoniacus* Sláma, 2015c: 1121 A: SY 132
- nodulosus nodulosus* Germar, 1817: 220 E: AL BH BU CR GR IT MA MC RO SL ST TR UK YU A: AB AR CY GG LE TR
nodicornis Küster, 1845a: 43 (*Hammaticherus*)
- welensis centurio* Czwalina, 1891: 99 A: IS JO LE SY
- welensis welensis* Küster, 1845a: 44 (*Hammaticherus*) E: AL BH BU CR FR GR HU IT PT RO SK SL SP TR UK YU A: AB CY GG IN IQ TR #39
velutinus Brullé, 1832: 252 [HN]
- subgenus Microcerambyx** Mikšić & Georgijevic, 1973: 22 type species *Cerambyx scopolii* Fuessly, 1775
- elbursi* Jureček, 1924a: 47 A: IN
- multiplicatus* Motschulsky, 1860a: 142 A: AB IN
elegans Dohrn, 1873: 74
- paludivagus* P. H. Lucas, 1842: 185 (*Hammaticherus*) N: AG TU
- scopolii scopolii* Fuessly, 1775: 12 E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG SY TR
helveticus Stierlin, 1878b: 442
nitidus Pic, 1892s: xxi [= 1893d: 417]
piceus Geoffroy, 1785: 74
- scopolii siculosus* Rapuzzi & Sama, 2010a: 129 E: IT (Sicilia)
- genus Derolus** Gahan, 1891a: 26 type species *Hammaticherus mauritanicus* Buquet, 1840
Capnokerambyx Reitter, 1894h: 356 type species *Hammaticherus mauritanicus* Buquet, 1840
- abaii* Holzschuh, 2009:288 A: IN
argentifer argentifer Pic, 1904c: 11 A: YUN
argentifer diversithorax Pic, 1946b: 109 A: CH
asiricus Holzschuh, 1993b: 117 A: SA
brevicornis Holzschuh, 1981: 97 A: IN
bulbicornis Gressitt, 1951a: 142 A: XIZ
discicollis Gahan, 1906a: 136 A: IN PA
[*incultus incultus* Gerstaeker, 1855: 265 (*Cerambyx*) AFR]
incultus yemenensis Villiers, 1977: 167 A: YE
iranensis arabicus Sama, 2007d: 301 A: AE OM
iranensis iranensis Pic, 1956a: 3 A: AF IN PA
iranensis Lepesme & Breuning, 1958: 179 [HN]
janae Holzschuh, 2009:286 A: IN
mauritanicus Buquet, 1840b: 395 ["295"] (*Hammaticherus*) N: AG LB MO TU
nerii Erichson, 1841: 188 (*Hammaticherus*)
[*martini martini* Lepesme & Breuning, 1958: 178 - Djibouti]
martini hajekae Villiers, 1968: 847 A: AE SA YE
pakistanus Holzschuh, 1974a: 81 A: PA
thesigeri Villiers, 1968: 848 A: SA
vastus Holzschuh, 1993b: 118 A: SA YE
volvulus Fabricius, 1801b: 271 (*Cerambyx*) A: FUJ GUA HAI NP ZHE "India" ORR
demissus Pascoe, 1859: 21 (*Cerambyx*)
strigicollis Dalman, 1817b: 158 (*Cerambyx*)
- genus Dialeges** Pascoe, 1856: 46 type species *Dialeges pauper* Pascoe, 1856
pauper Pascoe, 1856: 47 A: NP SD YUN AFR ORR
temicornis Pascoe, 1869: 522
undulatus Gahan, 1891a: 23 A: HAI TAI YUN ORR
- genus Diorthus** Gahan, 1891a: 27 type species *Hammaticherus simplex* A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)
subgenus Diorthus Gahan, 1891a: 27 type species *Hammaticherus simplex* A. White, 1853 (= *Cerambyx cinereus* Fabricius, 1793)
cinereus Fabricius, 1793: 265 (*Cerambyx*) [NP] A: AE AF IN NP PA YE ORR
holosericeus Olivier, 1795: 14 (*Cerambyx*)

- inclemens* J. Thomson, 1865a: 576 (*Pachydissus*)
simplex A. White, 1853: 130 (*Hammaticherus*)
sordidus Pascoe, 1888: 491 (*Neocerambyx*)
vernicosus Pascoe, 1859: 19 (*Cerambyx*)
intricarius Holzschuh, 1984a: 145 A: PA
pellitulus Holzschuh, 1984a: 144 A: NP
**subgenus *Lamellocerambyx* Pic, 1923e: 8 type species *Lamellocerambyx laosensis* Pic, 1923e
laosensis Pic, 1923e: 8 A: YUN ORR**
- genus *Dissopachys* Reitter, 1886: 68 type species *Dissopachys pulvinatus* Reitter, 1886
pulvinatus Reitter, 1886: 68 A: AB IN TM**
- genus *Dymasius* J. Thomson, 1864: 234 type species *Dymasius strigosus* J. Thomson, 1864 (= *Cerambyx macilentus* Pascoe, 1859)
subgenus *Dymasius* J. Thomson, 1864: 234 type species *Dymasius strigosus* J. Thomson, 1864 (= *Cerambyx macilentus* Pascoe, 1859)**
- aureofulvescens* Gressitt & Rondon, 1970: 80 A: JIX YUN ORR
gracilicornis Gressitt, 1951a: 147 (*Zegriades*) A: FUJ YUN ORR
miser Holzschuh, 2005: 14 A: SHA
subvestitus Holzschuh, 1984a: 146 A: NP UP
**subgenus *Elydnus* Pascoe, 1869: 509 type species *Elydnus amictus* Pascoe, 1869
hirayamai Matsushita, 1941: 153 A: JA TAI
kisanus Matsushita, 1934b: 540 A: TAI
minutus Gressitt, 1935f: 379 (*Cerambyx*)**
- genus *Falsoxeanodera* Pic, 1923e: 8 type species *Falsoxeanodera maculata* Pic, 1923
maculata Pic, 1923e: 8 A: FUJ ORR**
- genus *Gibbocerambyx* Pic, 1923e: 12 type species *Gibbocerambyx aureovittatus* Pic, 1923
aurovirgatus Gressitt, 1939b: 96 (*Zegriades*) A: ANH GUX HEN HUB HUN SCH ZHE
maculicollis Matsushita, 1933b: 248 (*Zegriades*) A: TAI
unitarius Holzschuh, 2003a: 173 A: SHA**
- genus *Hemadius* Fairmaire, 1889a: 57 type species *Hemadius oenochrous* Fairmaire, 1889
oenochrous Fairmaire, 1889a: 57 A: ANH FUJ GUX HUB HUN JIX SCH TAI XIZ YUN ZHE ORR
mushaensis Kano, 1928: 224 (*Neocerambyx*)
stoetzneri Heller, 1923b: 72 (*Neocerambyx*)**
- genus *Hoplocerambyx* J. Thomson, 1864: 229 type species *Hammaticherus spinicornis* Newman, 1842
cicatricatus Gardner, 1926: 198 A: HAI ORR
spinicornis Newman, 1842a: 245 (*Hammaticherus*) A: AF BT NP PA UP ORR
minor Pic, 1923e: 8 (*Hoplocerambyx*)
morosus Pascoe, 1857b: 92 (*Cerambyx*)
relictus Pascoe, 1866: 528**
- genus *Lachnopterus* J. Thomson, 1864: 231 type species *Hammaticherus auripennis* Newman, 1842
auripennis Newman, 1842a: 245 (*Hammaticherus*) A: TAI ORR
socius Gahan, 1891a: 24 (*Hammaticherus*) A: TAI ORR**
- genus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858
**subgenus *Margites* Gahan, 1891a: 26 type species *Cerambyx egenus* Pascoe, 1858
auratonotatus Pic, 1923e: 7 A: FUJ GUA GUI HEN HUB HUN JIA JIX SCH TAI
decipiens Holzschuh, 1989c: 396 A: BT
egenus Pascoe, 1858: 236 (*Cerambyx*) A: GUA NO SCH
fulvidus Pascoe, 1858: 236 (*Pachydissus*) A: FUJ GUA GUI HEN HUB HUN JA JIX NC SC SCH SHA TAI YUN
coreanus K. Saito, 1932: 440 (*Ceresium*)
lajoyei Pic, 1926a: 23 A: YUN ORR
luteopubens Pic, 1926a: 23 A: YUN ORR
modicus Gahan, 1906a: 138 A: NP UP ORR****
- genus *Massicus* Pascoe, 1867a: 319 [RN] type species *Cerambyx pascoei* J. Thomson, 1857
Conothorax J. Thomson, 1864: 230 [HN] type species *Cerambyx pascoei* J. Thomson, 1857
Falsomassicus Pic, 1946a: 7 type species *Falsomassicus theresae* Pic, 1946
dierli Heyrovský, 1976: 181 A: NP
taiwanus Makihara & Niisato, 2014: 24 A: TAI
theresae Pic, 1946a: 7 (*Falsomassicus*) A: CH
trilineatus Pic, 1933a: 12 (*Dymasius*) A: AP FUJ HAI JIX TAI YUN ORR
fasciatus Matsushita, 1933b: 243 (*Mallambyx*) [see: Makihara & Niisato, 2014]**

- genus *Nadezhdiella* Plavilstshikov, 1931a: 71** type species *Cerambyx cantori* Hope, 1845
cantori Hope, 1845a: 11 (*Cerambyx*) A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR**
lucasi Brongniart, 1892: 238 (*Cerambyx*)
scabricollis Chevrolat, 1852: 416 (*Hammaticherus*)
fulvopubens Pic, 1933b: 27 (*Plocaederus*) A: CH
aurea Gressitt, 1937a: 91
conica Chiang, 1942: 254
japonica Hayashi, 1972: 27 A: JA (Ryukyus)
- genus *Neocerambyx* J. Thomson, 1861: 194** type species *Cerambyx paris* Wiedemann, 1821
Mallambyx Bates, 1873: 152 type species *Mallambyx japonicus* Bates, 1873 (= *Neocerambyx raddei* Blessig, 1872)
grandis Gahan, 1891a: 20 A: FUJ GUA HAI UP YUN **ORR**
paris Wiedemann, 1821: 167 (*Cerambyx*) A: NP "North India"
raddei Blessig, 1872: 170 A: ANH FE FUJ GUI HEB HEI HUB HUN JA JIA JIX JIL LIA NC SC SCH SHA SHN SHX TAI YUN ZHE **ORR**
japonicus Bates, 1873: 152 (*Mallambyx*)
vitalisi Pic, 1923e: 12 A: FUJ **ORR**
- genus *Neoplocaederus* Sama, 1991: 123** [RN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocaederus J. Thomson, 1861: 197 [HN] type species *Plocaederus cyanipennis* J. Thomson, 1861
Plocoederus Gemminger, 1872: 2799 [HN]
bicolor Gressitt, 1942a: 1 (*Plocaederus*) A: GUI HAI HEB HUB HUN JIX TAI XIZ YUN
caroli Leprieur, 1876: viii (*Plocaederus*) N: AG LB MO TU AFR
jaffeuxi Vuillet, 1911b: 217 (*Plocaederus*)
danilevskyi Lazarev, 2009a: 73 A: UZ
denticornis Fabricius, 1801b: 271 (*Cerambyx*) A: OM SA YE
atlanticus Rungg, 1952: 146 (*Plocaederus*)
cribrithorax Kolbe, 1897: 297 (*Plocaederus*)
serraticornis Bertoloni, 1855: 440 (*Hammaticherus*)
elongatus Holzschuh, 1993: 113 (*Plocaederus*) A: SA
laszlokotani Kotán & Sama, 2011 A: SY
luristanicus Holzschuh, 1977a: 127 (*Plocaederus*) A: IN
obesus Gahan, 1890a: 51 (*Plocaederus*) A: AP BT GUA GUI GUX HAI HKG JIX PA SD TAI UP YUN **ORR** #74
pedestris Cotes, 1889: 91 (*Plocoederus*) [HN]
pedestris A. White, 1853: 127 (*Hammaticherus*) A: "Northern India" **ORR**
humeralis A. White, 1853: 127
ruficornis Newman, 1842a: 245 (*Hammaticherus*) A: NP YUN **ORR**
scapularis Fischer von Waldheim, 1821: 15 (*Cerambyx*) A: AF IN KI KZ TD TM UZ XIN
tataricus Gebler, 1841a: 375 (*Hammaticherus*)
spinicornis Fabricius, 1781: 224 (*Lamia*) A: OM SA YE AFR
- genus *Pachydissus* Newman, 1838b: 494** type species *Pachydissus sericus* Newman, 1838
argentatus Pic, 1923b: 8 A: XIZ
parvicollis Gahan, 1891a: 29 A: NP "North India"
schmutzenhoferi Holzschuh, 1990: 185 A: BT SD
thibetanus Pic, 1946c: 108 A: XIZ
- genus *Pseudopachydissus* Pic, 1933: 11** type species *Pseudopachydissus rufofemoralis* Pic, 1933 [Tonkin] #90
taiwanensis Hayashi, 1992: 138 [*Neocerambyx*] A: TAI #90
- genus *Rhytidodera* A. White, 1853: 132** type species *Rhytidodera bowringii* A. White, 1853
bowringii A. White, 1853: 133 A: ANH FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP SCH SD YUN **ORR**
consona Holzschuh, 1995: 18 A: NP SD
griseofasciata Pic, 1912l: 16 A: CH
integra Kolbe, 1886: 237 A: FUJ GUA GUX HKG HUB HUN SC SCH **TAI YUN ORR**
nebulosa Brongniart, 1892: 240 (*Zatrephus*) [DA]
simulans A. White, 1853: 132 (*Hammaticherus*) A: NP TAI **ORR**
- genus *Sinopachys* Sama, 1999b: 48** type species *Neocerambyx mandarinus* Gressitt, 1939
mandarinus Gressitt, 1939f: 209 (*Neocerambyx*) A: HEN HUB HUN SCH SHA SHX
- genus *Taurotagus* Lacordaire, 1868: 249** type species *Taurotagus klugi* Lacordaire, 1868
Lacordairesius Travassos Santos-Dias, 1960: 237 type species *Taurotagus klugi* Lacordaire, 1969
griseus Guérin-Méneville, 1844: 227 (*Cerambyx*) N: EG A: YE
auberti Fairmaire, 1892a: 118 [DA]
greenfieldi Gahan, 1894c: 408

genus *Trachylophus* Gahan, 1888b: 59 type species *Trachylophus sinensis* Gahan, 1888
rugicollis Gressitt, 1948a: 48 A: SCH
sinensis Gahan, 1888b: 60 A: FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH TAI ZHE **ORR**
piyananensis Kano, 1933a: 261

genus *Trirachys* Hope, 1843: 63 type species *Trirachys orientalis* Hope, 1843
Trirachis Agassiz, 1846b: 378 [unjustified emendation]
Trirrhachys Gemminger, 1872: 2801 [unjustified emendation]
inexpectatus Holzschuh, 1982b: 148 A: UP
orientalis Hope, 1843: 64 A: ANH FUJ HEB HEN HUB JA JIA JIX SCH SHA SHN SHX TAI ZHE **ORR**
formosanus Schwarzer, 1925a: 21

genus *Xenoderolus* Sama, 2007b: 98 type species *Microderolus arabicus* Villiers, 1968
arabicus Villiers, 1968: 848 (*Microderolus*) A: OM SA YE [see Danilevsky, 2014b: 208]

genus *Xenopachys* Sama, 1999b: 46 type species *Dissopachys matthiesseni* Reitter, 1907
matthiesseni Reitter, 1907b: 218 (*Dissopachys*) A: IN TM
schurmanni Sama, 1999b: 46 A: AF

genus *Xoanodera* Pascoe, 1857b: 92 type species *Xoanodera trigona* Pascoe, 1857
subgenus *Xoanodera* Pascoe, 1857b: 92 type species *Xoanodera trigona* Pascoe, 1857

Falsoxanodera Pic, 1923e: 8 type species *Falsoxanodera maculata* Pic, 1923e #71
maculata Pic, 1923e: 8 (*Falsoxanodera*) A: FUJ GUX HAI HUN SCH TAI YUN **ORR** #71 #74
maculata Schwarzer, 1925a: 21
regularis Gahan, 1890a: 52 A: NP YUN "North India" **ORR**

genus *Zatrepheus* Pascoe, 1857b: 94 type species *Zatrepheus pannosus* Pascoe, 1857
longicornis Pic, 1930a: 15 A: GUA **ORR**

genus *Zegriades* Pascoe, 1869: 509 type species *Xoanodera magister* Pascoe, 1857
gracilicornis Gressitt, 1951a: 147 A: FUJ YUN
maculicollis Matsushita, 1933b: 248 A: TAI

tribe Certallini Fairmaire, 1864

genus *Certallum* Dejean, 1821: 111 type species *Saperda ruficollis* Fabricius, 1781 (= *Cerambyx ebulinus* Linnaeus, 1767)
Certallum Audinet-Serville, 1834b: 94 [unjustified emendation]
ebulinum Linnaeus, 1767: 637 (*Cerambyx*) E: BU FR GR MA MC PT SP ST TR UK A: AB AR CY GG IN IQ IS JO LE SY TR N: AG EG LB MO TU #84
monspeliense Gmelin, 1790: 1842 (*Cerambyx*)
nigricolle Pic, 1891b: 17 (*Cartallum*)
ruficolle Fabricius, 1781: 236 (*Callidium*)
tricolor Chevrolat, 1882: 57 (*Obrium*)
martini Sama, 1990: 287 N: AG TU
nigricorne Holzschuh, 1991a: 10 (*Cartallum*)
thoracicum Sharp, 1880: 247 (*Cartallum*) A: IN IQ IS JO LE SY TR
diversipes Pic, 1928c: 9 (*Cartallum*)
laevicolle Pic, 1895d: 76 (*Cartallum*)

tribe Cleomenini Lacordaire, 1868

genus *Artimpaza* J. Thomson, 1864: 160 type species *Artimpaza odontoceroides* J. Thomson, 1864
Cleomenida Schwarzer, 1925a: 29 type species *Cleomenida setigera* Schwarzer, 1925
Falsodebilis Pic, 1918a: 9 type species *Falsodebilis metallica* Pic, 1918
Mimistena Pascoe, 1866: 513 type species *Mimistena femorata* Pascoe, 1866
argenteonotata Pic, 1922c: 10 A: GUA GUX YUN **ORR**
biplagiata Gahan, 1906b: 113 (*Mimistena*) A: TAI **ORR**
brevilineata Tian & Chen, 2012: 43 A: YUN
curtelineata Pic, 1922b: 23 (*Falsodebilis*) A: GUX YUN **ORR**
dehra Gardner, 1939: 13 A: NP UP
lineata Pic, 1927a: 24 (*Falsodebilis*) A: GUX YUN **ORR**
metallica Pic, 1918a: 10 (*Falsodebilis*) A: YUN **ORR**
mimetica Holzschuh, 1989b: 385: A: YUN **ORR**
obscura Gardner, 1926: 207 A: NP SD "India"
patruealis Holzschuh, 1989b: 383 A: YUN **ORR**
pulchella Gressitt, 1935c: 187 (*Cleomenida*) A: TAI
pulchra Gressitt & Rondon, 1970: 292 A: HAI **ORR**

punctigera Holzschuh, 1982a: 72 A: NP **ORR**
sausai Holzschuh, 1995: 31 A: YUN
setigera japonica Pic, 1928a: 27 (*Falsodebilis*) A: JA
nipponica Hayashi, 1956c: 40
setigera setigera Schwarzer, 1925a: 29 (*Cleomenida*) A: TAI
ruficollis Matsushita, 1933a: 107 (*Mimistena*)

genus Cleomenes J. Thomson, 1864: 161 type species *Cleomenes diammaphoroides* J. Thomson, 1864

apicalis Holzschuh, 1977b: 340 A: BT NP **XIZ** #75
atricornis Holzschuh, 1995: 33 A: BT
auricollis Kano, 1933a: 277 A: TAI
diversevittatus Fuchs, 1961: 21 A: YUN
giganteus Holzschuh, 1995: 34 A: YUN
longipennis longipennis Gressitt, 1951a: 313 A: HUB SCH SHA TAI **XIZ** YUN #74 #75
longipennis trilineatus Holzschuh, 2006a: 264 A: YUN
modicatus Holzschuh, 1995: 33 A: YUN
multiplagatus Pu, 1992b: 599 A: YUN
nigricollis Fairmaire, 1895: 148 A: GUX YUN **ORR**
ornatus Holzschuh, 1981: 102 A: NP SD **YUN**
rufofemoratus Pic, 1914e: 17 A: FUJ YUN
semiargenteus Gressitt, 1945a: 127 A: SCH
semilineatus Pic, 1957: 77 A: FUJ
takiguchii K. Ohbayashi, 1936a: 14 A: JA SC
tenuipes Gressitt, 1939b: 106 A: GUX HUB TAI YUN ZHE **ORR**
trinotatithorax Mitono, 1944: 249 A: HAI

genus Dere A. White, 1855: 248 type species *Dere thoracica* A. White, 1855

affinis macilenta Gressitt, 1940b: 87 A: GUA HAI SCH **ORR**
femoralis Holzschuh, 1998: 41 A: YUN
grahami Gardner, 1942: 70 A: NP UP #74
khatrii Holzschuh, 1984c: 367 A: NP SD
kirai Mitono, 1943: 588 A: TAI
opacula Holzschuh, 1984a: 151 A: NP
punctifrons Holzschuh, 1991b: 63 A: YUN **ORR**
reticulata Gressitt, 1942a: 4 A: BEI HEN HUB SCH SHA XIZ YUN ZHE **ORR**
rufeola Holzschuh, 1998: 40 A: HUN
subtilis Holzschuh, 1991b: 63 A: YUN
thoracica A. White, 1855: 249 A: FUJ GUA GUI HEB HEN HUN JA JIA JIX HUB NC SC SCH SHN YUN ZHE **ORR**

genus Diplothorax Gressitt & Rondon, 1970: 312 type species *Diplothorax paradoxus* Gressitt & Rondon, 1970

brevis Niisato, 2008b: 283 A: HUB
fasciatus Holzschuh, 1982a: 74 A: NP UP
ishihamai Niisato, 1998: 208 A: YUN
kaiyuni Niisato & Chou, 2014: 159 A: TAI #28
lucens Holzschuh, 1995: 28 A: SCH
punctator Holzschuh, 2003a: 189 A: SHA
sangayi Holzschuh, 1989c: 394 A: BT CH **ORR**

genus Kurarua Gressitt, 1936: 92 type species *Kurarua constrictipennis* Gressitt, 1936

Cleomenella Fisher, 1940: 203 type species *Cleomenella singhi* Fisher, 1940
Sikimpaza Heyrovský, 1961b: 140 type species *Sikimpaza pedongensis* Heyrovský, 1961
angustissima Pic, 1903e: 105 (*Debilia*) A: SCH YUN
bicolorata Gressitt & Rondon, 1970: 303 A: YUN **ORR**
brevis Holzschuh, 1984: 152 A: NP SD
chujoji Makihara, 1982b: 129 A: JA (Ryukyu) TAI
constrictipennis Gressitt, 1936: 93 A: GUX TAI
nacerdoides Pesarini & Sabbadini, 1997: 113 A: YUN
nigrescens Holzschuh, 1999: 31 A: YUN **ORR**
pedongensis Heyrovský, 1961b: 140 (*Sikimpaza*) A: SD
rhopalophoroides Hayashi, 1951b: 78 A: JA
ruficeps Holzschuh, 1991a: 25 A: CH **ORR**

genus Nida Pascoe, 1867a: 312 type species *Nida flavovittata* Pascoe, 1867

championi Gardner, 1926: 208 A: NP SD UP
flavovittata Pascoe, 1867a: 312 A: GUX TAI YUN **ORR**
vittidorsa Pic, 1904c: 10 (*Ceresium*)

kala Gardner, 1936: 136 A: UP

genus *Paramimistena* Fisher, 1940: 204 type species *Paramimistena polyaltheiae* Fisher, 1940
assimilata Holzschuh, 1999: 38 A: SD
enterolobii Gressitt & Rondon, 1970: 308 A: SHA ORR
gracilicornis Holzschuh, 1999: 38 A: NP
polyaltheiae Fisher, 1940: 205 A: SD
subglabra Gressitt & Rondon, 1970: 306 A: SD YUN ORR

genus *Procleomenes* Gressitt & Rondon, 1970: 309 type species *Procleomenes elongatithorax* Gressitt & Rondon, 1970
jianfenglingensis Hua, 1986b: 204 A: HAI
mioleucus Holzschuh, 1998: 39 A: YUN
robustius Niisato, 1981b: 71 A: TAI

tribe Clytini Mulsant, 1839

genus *Abacoclytus* Pesarini & Sabbadini, 1997: 110 type species *Abacoclytus felicisrosettae* Pesarini & Sabbadini, 1997
felicisrosettae Pesarini & Sabbadini, 1997: 111 A: SCH
ventripennis Pic, 1908k: 61 (*Clytus*) A: SCH YUN

genus *Amamiclytus* K. Ohbayashi, 1964: 21 type species *Amamiclytus nobuoi* Ohbayashi, 1964
hirtipes Matsushita, 1940: 52 (*Raphuma*) A: TAI
juni Niisato & Han, 2011: 40 A: TAI
limaticollis Gressitt, 1939b: 101 (*Raphuma*) A: FUJ ZHE #47
nobuoi akusekianus Niisato, 2005: 383 A: JA (Ryukyu)
nobuoi nobuoi K. Ohbayashi, 1964: 21 A: JA
nubilus Niisato & Han, 2011: 37 A: TAI
setiger Niisato & Han, 2011: 35 A: TAI
subnitidus Holzschuh, 1984c: 358 A: TAI
wenshuani Niisato & Han, 2013: 165 A: YUN #47
yulongi Niisato & Han, 2011: 43 A: TAI

genus *Brachyclytus* Kraatz, 1879d: 107 type species *Brachyclytus singularis* Kraatz, 1879
singularis Kraatz, 1879d: 107 A: FE HEN JA NC SC SHG
fukukii Seki, 1935: 224

genus *Calloides* LeConte, 1873b: 319 type species *Clytus nobilis* Harris, 1836
bicolor Pu, 1991b: 248, 252 A: SCH
magnificus Pic, 1916j: 181 (*Clytus*) A: HEB SHN SHX
yunnanensis J.-X. Zhang & Chen, 2006: 47 A: YUN

genus *Chlorophorus* Chevrolat, 1863b: 290 type species *Callidium annulare* Fabricius, 1787
subgenus *Chlorophorus* Chevrolat, 1863b: 290 type species *Callidium annulare* Fabricius, 1787
annularis Fabricius, 1787: 156 (*Callidium*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIL JIX LIA SC
SCH SHA TAI XIZ YUN ZHE NARi NTRi ORR
bidens Weber, 1801: 90 (*Callidium*)
annularoides Holzschuh, 1983: 372 A: NP SD YUN ORR
rufimembris Gressitt & Rondon, 1970: 221, 223 A: YUN ORR #50
subgenus *Crasso fasciatus* Özdi̇kmen, 2011a: 538 type species *Callidium trifasciatum* Fabricius, 1781
adelii Holzschuh, 1974a: 93 A: IN
aegyptiacus Fabricius, 1775: 194 (*Callidium*) E: BU GR MC A: TR
macedonicus Pic, 1935d: 15
magdaleneae Théry, 1895: cclxvi (*Clytus*)
nigripes Brullé, 1832: 255 (*Clytus*)
rufifrons Pic, 1917g: 5
convexifrons Holzschuh, 1981: 100 E: GR (Samos) A: TR
cursor Rapuzzi & Sama, 1999: 331 A: TR
savieri Fairmaire, 1873b: 351 (*Clytus*) N: MO
***grosseri* Sama & Rapuzzi, 2011: 85 A: TR**
hungaricus Seidlitz, 1891b: 828 E: AL AU BH BU CR CZ GR HU MC MD RO SK YU A: TR
niehuisi Adlbauer, 1992: 497 A: TR
***oezdikmeni* Sama & Rapuzzi, 2011: 87 A: TR**
ringenbachi Sama, 2004: 148 N: LB
robustior Pic, 1900e: 11 (*Clytanthus*) A: TR
ruficornis Olivier, 1790b: 267 (*Callidium*) E: FR PT SP
feneoni Chobaut, 1895b: cccxlvi (*Clytanthus*)
obscuriceps Pic, 1917g: 5

sexguttatus P. H. Lucas, 1847: pl. 42 (*Clytus*) A: AG LB MO TU
trifasciatus Fabricius, 1781: 244 (*Callidium*) E: BH BU CR FR GR HU IT PT RO SL SP SZ N: AG MO TU A: IS SY TR
 balearicus Pic, 1908i: 91 (*Clytanthus*)
 nigrofasciatus Goeze, 1777: 507 (*Leptura*)
 ornatus Herbst, 1784: 98 (*Callidium*)
 perfidus Breit, 1915: 355 [DA]
 paradoxus Dayrem, 1924b: 78 (*Clytanthus*)
 portugallus Gmelin, 1790: 1854 (*Cerambyx*)

subgenus *Humeromaculatus* Özdiemen, 2011a: 536 type species *Cerambyx figuratus* Scopoli, 1763
annulatus Hope, 1831: 28 (*Clytus*) A: NP SD YUN ORR
 nigroannularis Villiers & Chûjô, 1966: 552
anticemaculatus Schwarzer, 1925a: 27 A: TAI
chiuae Nakamura, 1974: 14 A: TAI
diadema diadema Motschulsky, 1854a: 48 (*Clytus*) A: ANH FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX MG NC NMO SC SCH SHA SHN SHX YUN ZHE
 artemisiae Fairmaire, 1888b: 143 (*Clytus*)
 breunigi Heyrovský, 1938: 93
 herzianus Ganglbauer, 1887a: 134 (*Clytus*)
 itoi Matsushita, 1934a: 240
diadema inhirsuta Matsushita, 1934a: 240 A: FE JA
 kurotora Hayashi, 1961a: 26
dinae Rapuzzi & Sama, 1999: 329 A: SY TR
dominici Sama, 1996c: 110 A: TR
douei Chevrolat, 1863b: 294 (*Anthoboscus*) A: FUJ GUA GUI GUX HAI HUN NP SCH YUN ORR
 aei Hayashi, 1979: 90
 laharae Gardner, 1942: 72
 reductus Pic, 1922c: 13
dureli Pic, 1950f: 507 A: BT NP "India"
 athatodae Chatterjee & Misra, 1971: 91
 pseudofiguratus Heyrovský, 1976: 182
figuratus Scopoli, 1763: 55 (*Cerambyx*) E: AL AU BH BU BY CD CR CT CZ EN FR GE GR HU IT LA LS LT LU MC MD NT PL PT RO SK SL SP ST SZ TR UK YU A: AB AR ES GG IN KZ TR WS
 conglobatus Fügner, 1891: 201 (*Clytus*)
 cordiger Aragona, 1830: 26 (*Clytus*)
 funebris Laicharting, 1784: 111 (*Clytus*)
 latifasciatus Fischer von Waldheim, 1832: 439 (*Clytus*)
 leucozonias Gmelin, 1790: 1846 (*Cerambyx*)
 plebejus Fabricius, 1781: 243 (*Callidium*)
 rusticus O. F. Müller, 1776: 93 (*Leptura*) [HN]
 tapaensis Pic, 1924c: 22 (*Clytanthus*)
graphus Holzschuh, 1998: 47 A: TAI
henriettae Holzschuh, 1984c: 358 A: NP SD
hircanus Pic, 1905g: 114 (*Clytanthus*) A: IN
 persicus Breit, 1915: 355 [DA]
japonicus Chevrolat, 1863b: 298 (*Anthoboscus*) A: FE GUA GUI GUX HEB HUB JA JIA JIX SC SCH SHN SHX ZHE ORR
 griseobimaculatus Pic, 1924a: 16 (*Clytanthus*)
 latepubens Pic, 1924a: 15 (*Clytanthus*)
 rufotinctus Pic, 1924a: 16 (*Clytanthus*)
kanekoi Matsushita, 1941: 134 A: TAI
motschulskyi Ganglbauer, 1887a: 135 (*Clytus*) A: ES FE FUJ GAN HEB HEI HEN JIL LIA MG NC NMO SC SHA SHN SHX ZHE
 chasanensis Tsherepanov, 1982a: 175
 latofasciatus Motschulsky, 1861b: 41 (*Clytus*) [HN]
navratili Holzschuh, 1981: 99 A: UZ TD
nivipictus Kraatz, 1879d: 91 (*Clytus*) E: GR (Samos) A: IN SY TR
 cinctiventris Chevrolat, 1882: 58 (*Clytus*)
obliteratus Ganglbauer, 1889a: 70 (*Clytanthus*) A: ES MG NMO
 kaszabi Heyrovský, 1970b: 140
 mongolicus Pic, 1943a: 1
 ubsanurensis Tsherepanov, 1971: 14
quatuordecimmaculatus Chevrolat, 1863b: 295 (*Anthoboscus*) A: AF FUJ GUA GUI GUX HAI HP HUN NP PA SCH YUN ORR
 afghanicus Tippmann, 1958a: 54
 guerryi Pic, 1902i: 30 (*Clytanthus*)
 variabilissimus Tippmann, 1958a: 54
 valderedueus Tippmann, 1958a: 54
separatus Gressitt, 1940b: 78 A: FUJ GUA GUI GUX HAI HEN HUB JIX SCH SHA YUN ZHE
taihorensis Schwarzer, 1925a: 27 A: TAI
tohokensis Hayashi, 1968a: 23 A: FE JA NC SC
verus Holzschuh, 1998: 46 A: TAI
yachovi Sama, 1996b: 97 A: IS LE

subgenus *Immaculatus* Özdikmen, 2011a: 536 type species *Chlorophorus kanoi* Hayashi, 1963

alni Holzschuh, 1982b: 152 A: UP

amami Hayashi, 1968a: 24 A: CH JA

apertulus Holzschuh, 1992: 25 A: SCH

arciferus Chevrolat, 1863b: 330 (*Amauresthes*) A: ANH BT HAI JIX NP SCH SD YUN ZHE **ORR**

pieli Pic, 1924a: 15 (*Clyanthus*)

rectefasciatus Pic, 1937a: 14 (*Clyanthus*)

aritai K. Ohbayashi, 1964: 22 (*Raphuma*) A: JA (Ryukyus)

assimilis Hope, 1831: 28 (*Clytus*) A: BT NP

boninensis Kano, 1933b: 135 A: JA (Ogasawara)

brevenotatus Pic, 1922c: 13 A: GUA **ORR**

caragana Xie & W.-K. Wang, 2012: 55 A: NIN NMO

copiosus Holzschuh, 1991b: 46 A: GUI YUN **ORR**

eckweileri Holzschuh, 1992: 24 A: GAN SCH

elaeagni Plavilstshikov, 1956: 818 E: KZ ST A: AB KI KZ TD TM UZ

eleodes Fairmaire, 1889a: 65 (*Clytus*) A: GUI GUX HUB SCH SHA XIN XIZ YUN

insignifer Pic, 1902i: 31 (*Clyanthus*)

faldermanni Faldermann, 1837: 269 (*Clytus*) E: ST A: AB AF AR GG IN KI KZ TD TM UZ XIN **ORR**

caucasicus Pic, 1897o: 262 (*Clyanthus*)

mesmini Pic, 1908b: 3 (*Clyanthus*)

punctomaculatus Pic, 1893a: 26 (*Clytus*)

quinquemaculatus Gebler, 1845: 104 (*Clytus*)

flavopubescens Hayashi, 1968c: 14 A: JA (Ryukyus)

fraternus Holzschuh, 1992: 23 A: CH **ORR**

furcillatus Holzschuh, 1989a: 166 A: NP SD

gaudens Holzschuh, 1992: 26 A: SCH

glabromaculatus Goeze, 1777: 507 (*Leptura*) E: BE BH CR FR GEi GR IT MA SL SP SZ

naevius Gmelin, 1790: 1877 (*Leptura*)

quadripunctatus Fabricius, 1793: 337 (*Callidium*)

sexpunctatus Olivier, 1790b: 264 (*Callidium*)

uniformis Pic, 1945b: 7 [HN]

villosum Geoffroy, 1785: 80 (*Leptura*)

glaucus Fabricius, 1781: 236 (*Callidium*) E: AZ FR IT (Sardegna) SP PT N: AG MO TU

consobrinus P. H. Lucas, 1851a: xxxi (*Clytus*)

griseus Laporte & Gory, 1836: 80 (*Clytus*)

indus Gmelin, 1790: 1854 (*Cerambyx*)

lugens Küster, 1848c: 76 (*Clytus*)

nigrosignatus Fairmaire, 1856b: 531 (*Clytus*)

pilosus, auct.(not Forster, 1771)

quinquepunctatus P. H. Lucas, 1848: xlvi (Clytus)

unifasciatus Pic, 1898a: 11 (*Clyanthus*)

vittatus Rungs, 1947: 99

webbei Laporte & Gory, 1836: 80 (*Clytus*)

hainanicus Gressitt, 1940b: 75 A: HAI

hederatus Heller, 1926: 25 A: GUX YUN **ORR**

herbstii Brahm, 1790: 148 (*Leptura*) E: AU BH BU BY CR CT CZ EN FI FR GE HU KZ LA LS LT MD NR NT PL RO SK SP ST

SV SZ TR UK YU A: ES KZ TR WS

sulphureus Schaum, 1862: 103 (*Clytus*) [RN]

verbasci Fabricius, 1775: 194 (*Callidium*) [HN]

hrabovskyi Kratochvíl, 1985b: 66 A: TM

ictericus Holzschuh, 1991b: 45 A: YUN **ORR**

inhumeralis Pic, 1918b: 4 A: FUJ YUN **ORR**

insidiosus Holzschuh, 1986a: 124 A: NP SD **YUN**

intactus Holzschuh, 1992: 25 A: YUN

kabateki Holzschuh, 1998: 46 A: SCH

kanoi Hayashi, 1963d: 134 A: JA (Ryukyus)

kobayashii Komiya, 1976: 31 A: JA (Ogasawara)

kusamai Satô, 1999: 47 A: JA (Ogasawara)

lingnanensis Gressitt, 1951a: 626 A: FUJ GUA HUB HUN

macaumensis macaumensis Chevrolat, 1845: 98 (*Clytus*) A: GUA GUX HAI HKG SHA

masatakai Niisato & Karube, 2006: 222 A: JA (Ogasawara)

minamiiwo kitaiwo Niisato & Karube, 2002b: 250 A: JA (Ogasawara)

minamiiwo minamiiwo Satô & N. Ohbayashi, 1982: 50 A: JA (Ogasawara)

miwai Gressitt, 1936: 100 A: ANH FUJ GUA GUI GUX HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE

shirozui Hayashi, 1965: 110

moupinensis Fairmaire, 1888a: 33 (*Clytus*) A: GUI GUX HUB SCH YUN ZHE

immaculithorax Pic, 1933a: 12

muscosus Bates, 1873: 198 (*Clyanthus*) A: JA SC

#74

- bifasciatus* Kano, 1933b: 135
mushanus Matsushita, 1931a: 44 A: TAI
nepalensis Hayashi, 1979: 89 A: NP
nodai Makihara, 1986c: 279 A: JA
praecanus Holzschuh, 2006b: 289 A: YUN
proannulatus Gressitt & Rondon, 1970: 220, 225 A: YUN ORR #53
probsti Holzschuh, 1989b: 380 A: TAI
quinquefasciatus Laporte & Gory, 1836: 101 (*Clytus*) A: JA SC TAI
salicicola Holzschuh, 1993a: 36 A: YUN
semikanoi Hayashi, 1974a: 29 A: TAI
seniculus Holzschuh, 2006b: 287 A: YUN
siegriedae Holzschuh, 1993a: 36 A: YUN ORR
signaticollis Laporte & Gory, 1836: 103 (*Clytus*) A: FUJ GUA HUB JA (Ryukyus) JIX SHA TAI ZHE ORR
fainanensis Pic, 1918b: 4
oppositus Chevrolat, 1863b: 303 (*Anthoboscus*)
simillimus Kraatz, 1879d: 91 (*Clytus*) A: ES FE FUJ GAN GUX HEB HEI HEN HUB HUN JA JIL JIX MG NC NMO QIN SC SCH SHA SHN XIN YUN ZHE
duodecimmaculatus Kraatz, 1879d: 91 (*Clytus*) [RN]
griseopubens Pic, 1904d: 17 (*Clyanthus*)
joannisi Théry, 1896: 108 (*Clyanthus*)
sexmaculatus Motschulsky, 1859b: 494 (*Clytus*) [HN]
taiwanus Matsushita, 1933b: 285 A: FUJ GUA HUB SCH TAI YUN
tredecimmaculatus Chevrolat, 1863b: 305 (*Anthoboscus*) A: FUJ GUA NO
trivialis Holzschuh, 2010: 189 A: SCH YUN XIZ
varius damascenus Chevrolat, 1854: 483 (*Clytus*) E: GR (Rodos) N: EG A: CY IN IS IQ JO LE SY TR
varius varius O. F. Müller, 1766: 188 (*Leptura*) E: AL AU BH BU BY CR CT CZ FR GBi GE GR HU IT LS LT MA MC MD NL PL RO SK SL SP ST SZ TR UK YU A: AB AR GG KZ TR WS
c-duplex Scopoli, 1786: 46 (*Stenocorus*)
ferrugineus Mulsant, 1839: 87 (*Clytus*)
gammoides Geoffroy, 1785: 81 (*Leptura*)
icanus Plavilstshikov, 1924: 229 #72
mixtornatus Fleischer, 1908: 211 (*Clyanthus*)
strigosus Gmelin, 1790: 1877 (*Leptura*)
venustus Gmelin, 1790: 1856 (*Cerambyx*)
viridicollis Kraatz, 1871b: 410 *Clytus*
vartianae Holzschuh, 1974a: 91 A: PA
viridulus Kano, 1933b: 136 A: TAI
parvus Matsushita, 1933b: 284
viticis Gressitt & Rondon, 1970: 225 A: SE SW ORR
yakitai Niisato, 2005: 384 A: JA (Ryukyus)
yayeyamensis Kano, 1933b: 137 A: JA TAI
dubius Matsushita, 1933b: 281
yedoensis Kano, 1933b: 133 (*Clytus*) A: JA
zelus Holzschuh, 1989a: 166 A: TAI
subgenus Perderomaculatus Özdi̇kmen, 2011a: 537 type species *Cerambyx sartor* Müller, 1766
golestanicus Voršek, 2012: 2 A: IN
gratiosus Marseul, 1868: 203 (*Clytus*) A: IS LE
gratiosus sparsus Reitter, 1886: 67 (*Clytus*) E: GR A: SY TR
pelletieri Laporte & Gory, 1836: 93 (*Clytus*) N: AG MO TU
lepeletieri Pic, 1891j: 145
solutus Dayrem, 1922a: 18 (*Clyanthus*)
pseudoswaternsis Holzschuh, 1983: 373 A: PA
sartor O. F. Müller, 1766: 188 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT **KZ** LA LU **MC** MD PL PT RO SK SL SP ST SZ TR UK YU A: AB AR **CY ?ES** GG IN IS JO KZ LE **IQ** SY TM TR WS #39 #84
achilleae Brahm, 1790: 141 (*Leptura*)
angusticollis Mulsant, 1851: 123 (*Clytus*)
corsicus Chevrolat, 1882: 58 (*Clytus*)
fulvicollis Mulsant, 1862: 181 (*Clytus*)
griseus Gabriel, 1910: 556 (*Clyanthus*)
lineola Scopoli, 1786: 44 (*Stenocorus*)
massiliensis Linnaeus, 1767: 1067 (*Leptura*)
mequignoni Pic, 1945a: 13
ruficeps Pic, 1917g: 5
rusticus Geoffroy, 1785: 81 (*Leptura*)
spinosulus Mulsant, 1862: 182 (*Clytus*)
swaternsis Holzschuh, 1974a: 92 A: PA
wewalkai Holzschuh, 1969: 77 A: TR
subgenus ???

- acrocarpi* Gardner, 1942: 71 A: NP "Bengal"
- albopunctatus* Pic, 1916h: 13 (*Clytanthus*) A: YUN
- anulifer* Heller, 1926: 26 A: NP UP
- biinterruptus* Pic, 1943a: 1 A: CH
- capensis* Laporte & Gory, 1836: 90 (*Clytus*) A: SA YE AFR
caffer Fehræus, 1872a: 66 (*Xylotrechus*)
- curvatofuscatus* Aurivillius, 1922a: 6 A: TAI ORR
- duo* Fairmaire, 1888a: 33 (*Clytus*) A: JIA JIX
- externesignatus* Pic, 1936b: 13 A: YUN
- hauseri* Pic, 1931r: 258 A: YUN
- ignobilis* Bates, 1878b: 721 (*Clytanthus*) A: KA PA
- impressithorax* Pic, 1950c: 6 A: "Kashmir"
- kinganus* Pic, 1903e: 105 (*Clytanthus*) A: CH
innotatus Pic, 1920a: 2
uniformis Pic, 1920d: 16
- lepesmei* Pic, 1950f: 507 A: BT
- micheli* Pic, 1950c: 11 A: CH ORR
- rubricollis* Laporte & Gory, 1836: 88 (*Clytus*) A: YUN ORR
- semiformosus* Pic, 1908f: 14 (*Clytanthus*) A: YUN
- semisinuatus* Pic, 1949b: 54 A: SD
- socius* Gahan, 1906a: 264 (*Caloclytus*) A: SD
- sulcataiceps* Pic, 1924a: 16 (*Clytanthus*) A: ANH FUJ HUB JIA YUN ZHE
- tixieri* Pic, 1902i: 31 (*Clytanthus*) A: CH ORR
- touzalini* Pic, 1920g: 198 A: YUN
- genus *Chlorophorus*, nomen dubium
minomensis Seki & Suematsu, 1935: 203 A: JA
- genus *Clytobius* Gressitt, 1951a: 261 type species *Clytus davidis* Fairmaire, 1878
davidis Fairmaire, 1878: 132 (*Clytus*) A: BEI CE SHN
- genus *Clytocera* Gahan, 1906a: 279 type species *Clytocera chionospila* Gahan, 1906
taiwanensis Hayashi, 1974a: 30 A: TAI
- genus *Clytosaurus* J. Thomson, 1864: 190 type species *Clytosaurus priapus* J. Thomson, 1864
siamensis Jordan, 1894b: 497 A: HAI YUN ORR
signaticollis Pic, 1922a: 8 (*Xylotrechus*)
- genus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758
 subgenus *Clytus* Laicharting, 1784: 88 type species *Leptura arietis* Linnaeus, 1758
Clytumnus J. Thomson, 1861: 404 [RN] type species *Leptura arietis* Linnaeus, 1758
Europa J. Thomson, 1861: 221 type species *Leptura arietis* Linnaeus, 1758
Sphegesthes Chevrolat, 1863b: 333 type species *Leptura arietis* Linnaeus, 1758
 ambigenus Chevrolat, 1882: 58 N: AG TU
biinterruptus Pic, 1895k: cclxxiv
externeinterruptus Pic, 1934c: 22
lebouli Pic, 1932d: 25
lepriuri Pic, 1934e: 20
arietis arietis Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE ES FI FR GB GE GR HU IR IT LA LS LT
 LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: TR N: MR
arcuatus Sulzer, 1761: 12 (*Leptura*)
bickhardti Pic, 1913c: 98
bourdillonii Mulsant, 1839: 81
chapmani Pic, 1937c: 13
cloueti Théry, 1893: cxxiii
gazella Fabricius, 1793: 333 (*Callidium*)
heyrowskyi Pic, 1931c: 14
quadrifasciatus DeGeer, 1775: 81 (*Cerambyx*)
arietis lederi Ganglbauer, 1882: 730 [= 1886: 232] A: AB IN TM
arietis oblitus Roubal, 1932: 17 E: ST A: AB AR GG TR
arietoides Reitter, 1900f: 281 E: CT ST A: ES FE JA KZ MG NC NE NMO SC WS XIN #80
sachalinensis Matsushita, 1933a: 274
sibiricus Pic, 1900e: 11
venustulus Plavilstshikov, 1940a: 412
auripilis Bates, 1884a: 230 A: HUB JA
buglanicus Kadlec, 2005: 106 A: TR
ciliciensis Chevrolat, 1863b: 334 (*Sphegesthes*) A: SY TR
bifarius Heyden, 1889b: 329

- delagrangei* Pic, 1945b: 6
griseofasciatus Pic, 1908b: 3
reitteri Théry, 1892: xcvi
clavicornis Reiche, 1860: 734 E: IT (Sicilia)
crassicornis Mulsant, 1862: 159
fibularis Holzschuh, 2003a: 207 A: HEB NMO
gulekanus Pic, 1904k: 65 A: TR
insignitus Fairmaire, 1866b: 269 [DA] A: TR
signifer Marseul, 1875a: 396
kabateki Sama, 1998: 49 A: LE SY
kumalariensis Johanides, 2001: 219 A: TR
lama Mulsant, 1847c: 421 E: AU BU BY CR CZ FR GE GR HU IT LS PL RO SK SL SZ UK YU
bifasciatus Nicolas, 1901: 29
maritimus Pic, 1945b: 6
vesubiensis Pic, 1900w: 110
larvatus Gressitt, 1939b: 99 A: ANH JIX ZHE
madoni Pic, 1891n: ccxi A: IS LE SY TR
preapicalis Pic, 1939c: 17
mayeti Théry, 1892: xcvi A: "Siberia"
melaenus Bates, 1884a: 220 A: FE JA JIX NC SC
montanus Nonfried, 1893: 337 A: "Himalaya"
monticola Gahan, 1906a: 251 A: KA PA XIZ YUN
nigritulus Kraatz, 1879d: 109 A: ES FE HEI JIL NC SC
fulvohirsutus Pic, 1904e: 18
orientalis Kano, 1933b: 133 A: TAI
paradisiacus Rapuzzi & Jeniš, 2015b: 767 E: GR #123
parvigranulatus Holzschuh, 2006b: 285 A: SHA
peyroni Pic, 1899c: 209 A: LE
planiantennatus Lim & Han, 2012: 193 A: SC
quadraticollis Ganglbauer, 1889a: 66 A: GAN
raddensis Pic, 1904e: 18 A: FE GUI HUB JA NC NE SC SHN
hypocrita Plavilstshikov, 1940a: 416
rhamni rhamni Germar, 1817: 223 E: AL BH CR GR IT MC SL YU
innormalis Pic, 1927e: 11
paliuri Depoli, 1940: 304
rhamni bellieri Gautier des Cottes, 1862: 77 E: FR GE IT PT SP SZ
ferruginipes Pic, 1891b: 26
siculus Wagner, 1927b: 93 [HN]
rhamni temesiensis Germar, 1824: 519 (*Callidium*) E: AU BU CT CZ GE HU MD RO SK SL ST TR UK A: AB AR CY GG IN IS KZ LE SY TR
ferruginipes Pic, 1891b: 26
longicollis Reitter, 1904: 82
robertae Mineau & Teocchi, 1986: 12 E: FR
rufoapicalis Pic, 1917d: 7 A: XIZ YUN
subinterruptus Pic, 1920g: 197
rufobasalis Pic, 1917j: 353 A: YUN
schneideri inapicalis Pic, 1895b: 38 A: TR
schneideri schneideri Kiesenwetter, 1879: 313 [= 1879: 57] A: AR AB GG IN TR
schurmanni Sama, 1996c: 108 A: TR
taurusiensis Pic, 1903m: 139 (*Chlorophorus*) A: IS TR
bytinskii Heyrovský, 1954: 395
triangulimacula A. Costa, 1847: 110 E: IT
tropicus Panzer, 1795: 265 (*Callidium*) E: AU BH BU BY CR CZ FR GE GR HU MC MD PL RO SK SL SP ST SZ TR UK YU
interruptus Pic, 1931c: 14
mucronatus Laporte & Gory, 1836: 52
prescutellaris Pic, 1931c: 14
unicolor Kano, 1933b: 132 (*Xylotrechus*) A: TAI
validus Fairmaire, 1896a: 128 A: HEN SCH SHX XIZ YUN
viridescens Matsushita, 1933b: 274 A: TAI
subgenus *Sphegoclytus* Sama, 2005c: 69 type species *Clytus stepanovi* Danilevsky & Miroshnikov, 1985
stepanovi Danilevsky & Miroshnikov, 1985: 272 E: ST A: GG
vesparum Reitter, 1889f: 375 A: AB IN

genus *Cyrtoclytus* Ganglbauer, 1882: 736 type species *Callidium capra* Germar, 1824
agathus Holzschuh, 1999: 40 A: GAN SHA
capra Germar, 1824: 518 (*Callidium*) E: AU BH BY CT CZ EN FR GE LA LT MD NT PL RO SK ST SZ UK A: AB ES FE HEI IN JIL KZ LIA MG NC NMO SC SCH WS
obliteratus Pic, 1943b: 1

- sachalinensis* Kano, 1933b: 134
zenobia Z. Wang, 2003: 191, 399
caproides caproides Bates, 1873: 200 (*Clytus*) A: FE HEI JA JIL LIA SC
caproides kamakarii Yokoyama, 1971: 94 A: JA
elegantissimus Niisato & Chou, 2009: 222 A: GUI
formosanus Gressitt, 1934: 167 A: TAI
kusamai Niisato, 1988b: 138 A: TAI
luteomarginatus Pic, 1914e: 18 (*Clytus*) A: YUN
monticallus Komiya, 1980: 33 A: GUX JA SC
multizonus Gressitt, 1951a: 260 A: FUJ
ohbayashii Niisato & Chou, 2009: 226 A: GUX
yunamensis Pic, 1906d: 18 (*Clytus*) A: YUN ORR
keiichii Niisato, 1999: 43
- genus Demonax J. Thomson, 1861: 226** type species *Demonax nigrofasciatus* J. Thomson, 1861
- Elezira* Pascoe, 1869: 637 type species *Clytus balyi* Pascoe, 1859
acanthocerus Ganglbauer, 1889a: 68 (*Clyanthus*) A: GAN
albicinctus Hope, 1831: 28 (*Clytus*) A: BT NP SD
filiformis Laporte & Gory, 1836: 95 (*Clytus*)
alboantennatus Gressitt & Rondon, 1970: 271 A: GUX HAI ORR
alcanor Gressitt & Rondon, 1970: 270 A: GUX HAI YUN ORR
angulifascia Aurivillius, 1922a: 11 A: TAI ORR
kotoensis Kano, 1938: 117
annamensis Pic, 1943a: 2 [RN] A: YUN ORR
diversefasciatus Pic, 1937b: 8 [HN]
anticereductus Pic, 1935a: 15 A: CH
ascendens Pascoe, 1859: 27 (*Clytus*) A: NP UP ORR
geniculatus Chevrolat, 1863b: 280 (*Rhaphuma*)
balyi Pascoe, 1859: 27 (*Clytus*) A: NP "India"
bicinctus Hope, 1831: 28 (*Clytus*) A: NP
bidenticornis Hayashi, 1974a: 34 A: TAI
bimaculicollis Schwarzer, 1925a: 28 (*Chlorophorus*) A: TAI
kotahirai Mitono, 1942: 103
bowringii Pascoe, 1859: 28 (*Clytus*) A: FUJ GUA HAI HKG JIX ORR
breveapicalis Pic, 1927b: 33
gracilipes Pic, 1935a: 15
breveluteobasalis Pic, 1943a: 2 A: NP
buteae Gardner, 1940: 217 A: NP PA UP
christinae Holzschuh, 1983: 387 A: NP
confidens Holzschuh, 1993a: 39 A: YUN
contrarius Holzschuh, 1991: 52 A: YUN ORR #53
corallipes Pic, 1920a: 1 A: YUN
bisbinotatus Pic, 1920a: 1
implicatus Pic, 1920a: 1
curvofasciatus Gressitt, 1939a: 39 (*Rhaphuma*) A: FUJ JIA GUA GUI HUN SCH SHA SHX ZHE
determinatus Holzschuh, 2013a: 11 A: GUI SCH SHA
dignus Gahan, 1894a: 26 A: YUN ORR
rubicollis Pic, 1923b: 10
diversefasciatus Pic, 1920a: 1 A: YUN ORR
donaubaueri Holzschuh, 1996: 8 A: YUN
dorotheae Holzschuh, 1983: 385 A: NP
elongatus Gressitt & Rondon, 1970: 263 A: YUN ORR
ferrugatus Holzschuh, 2013a: 12 A: SCH
simbriatulus Holzschuh, 2006b: 296 A: YUN
formosomontanus Ikeda & Niisato, 1984: 9 A: TAI
fugongensis Guo & L. Chen, 2005: 408 A: YUN
funebris Lameere, 1890: ccxii (*Clytus*) A: "Hindostan"
gertrudae Holzschuh, 1983: 395 A: BT NP YUN
gunjii Holzschuh, 1983: 387 A: NP
hengduanus Holzschuh, 2006b: 298 A: YUN
himalayanus Pic, 1912l: 94 (*Chlorophorus*) A: HP NP
ingridae Holzschuh, 1983: 386 A: NP SD
inhumeralis Pic, 1916j: 181 A: SCH
iniquus Holzschuh, 1993a: 38 A: YUN
inops Holzschuh, 1991b: 58 A: YUN ORR
izumii Mitono, 1942: 102 A: TAI
jamesi Holzschuh, 1986a: 125 A: SD

- jendeki* Holzschuh, 1995: 41 A: YUN
josefinae Holzschuh, 1983: 383 A: NP SD
katarinae Holzschuh, 1983: 384 A: NP YUN
kezukai Holzschuh, 1984c: 365 A: TAI
kheoae Gressitt & Rondon, 1970: 272 A: YUN **ORR**
kucerai Holzschuh, 2006b: 295 A: SCH SHA
langsonius Fairmaire, 1895: 181 (*Clytus*) A: YUN **ORR**
languidus Holzschuh, 1992: 37 A: YUN **ORR**
leucophaeus Holzschuh, 1993a: 40 A: SCH
leucoscutellatus Hope, 1831: 28 (*Clytus*) A: GUX NP SD **ORR**
levipes Holzschuh, 1991c: 51 A: YUN **ORR**
lineatus Chevrolat, 1863b: 286 (*Grammographus*) A: BT "India"
literatus hainanensis Mitono, 1944: 248 A: HAI
literatus literatus Gahan, 1894a: 27 A: YUN **ORR**
longissimus Pic, 1914e: 18 A: XIZ YUN
longissimus Gressitt, 1935g: 572
longithorax Pic, 1950f: 508 A: BT
luridicornis Chevrolat, 1863b: 270 A: HKG
mali Gressitt, 1951a: 297 A: GUX YUN
mariae Holzschuh, 1983: 382 A: BT NP
marnei Pic, 1918c: 7 A: GUI YUN
masaoi Niisato, 1984a: 11 A: TAI
masatakai K. Ohbayashi, 1964: 25 A: JA (Ryukyus)
maximus Pic, 1922b: 25 A: GUX **ORR**
mongtsenensis Pic, 1904c: 12 A: YUN
multireductus Pic, 1935a: 16 A: YUN
nansenensis Pic, 1903b: 21 A: YUN **ORR**
lineaticollis Schwarzer, 1931: 64
narayani Holzschuh, 1984c: 366 A: NP SD
nigromaculatus Gahan, 1906a: 284 A: BT NP SD
nishiyamai Niisato, 1984a: 11 A: FUJ TAI
occultus Gressitt & Rondon, 1970: 268 A: YUN **ORR**
ohbayashii Samuelson, 1965a: 79 A: JA
okunii Mitono, 1942: 104 A: TAI
olivaceus Gressitt, 1951a: 299 A: FUJ
palleolus Holzschuh, 2006b: 291 A: SCH SHA
parilis Holzschuh, 1995: 39 A: YUN
probus Holzschuh, 1991b: 52 A: YUN
proculscuti Li, Tian & Chen, 2013a: 455 A: YUN
pseudonotabilis Gressitt & Rondon, 1970: 262 A: SCH **ORR**
pseudosilomerus Gressitt & Rondon, 1970: 272 A: YUN **ORR**
pseudotristiculus Gressitt & Rondon, 1970: 266 A: HAI **ORR**
puerilis Holzschuh, 1991b: 57 A: CH **ORR**
pumilio Holzschuh, 1991c: 48 A: YUN **ORR**
ravus Holzschuh, 1992: 37 A: SCH
reductispinosus Gressitt, 1942c: 30 [RN] A: FUJ HAI
brevespinosus Gressitt, 1940b: 81 [HN]
hainanensis Gressitt & Rondon, 1970: 263 [RN]
reticollis Gahan, 1894a: 28 A: YUN **ORR**
reticulicollis Gressitt, 1940b: 82 A: GUA GUX HAI
rosae Holzschuh, 1983: 393 A: NP SD **YUN**
rosicola Holzschuh, 2006b: 294 A: YUN
rufus Guo & L. Chen, 2005: 407 A: YUN
sabinae Holzschuh, 1983: 390 A: NP UP
salvazai Pic, 1923b: 10 A: YUN **ORR**
nousophi Gressitt & Rondon, 1970: 270
sausai Holzschuh, 1995: 40 A: YUN
sauteri Matsushita, 1933b: 290 [RN] A: TAI
matsushitai Gressitt, 1936: 97
savioi Pic, 1924a: 16 (*Clytanthus*) A: FE GUI HEB NC SC SHA SHG SHX
sawatti Ikeda, 1990: 7 A: JA
semiluctuosus A. White, 1855: 283 (*Clytus*) A: NP YUN **ORR**
allobifasciatus Pic, 1920a: 1
mouhouti Pascoe, 1869: 604 (*Clytanthus*)
praecanus Chevrolat, 1863b: 277 (*Raphuma*)
semixeniscus Hayashi, 1962a: 12 A: JA (Ryukyus)

seoulensis Mitono & Cho, 1942: 3 A: SC
siccus Holzschuh, 1991b: 57 A: CH **ORR**
sikangensis Gressitt, 1945a: 126 A: SCH
simillimus Gressitt, 1939b: 103 A: FUJ JIA ZHE
spinifer Pic, 1920g: 197 A: YUN
stabilis Holzschuh, 2003a: 222 A: SHA
subai Holzschuh, 1989c: 399 A: BT
subobscuricolor Pic, 1918b: 5 A: YUN
substitutus Gressitt, 1951a: 300 A: TAI
sulinensis Niisato, 1984a: 12 A: TAI
tenuiculus Holzschuh, 1991b: 52 A: YUN **ORR**
testaceoannulatus Pic, 1935a: 15 A: YUN **ORR**
testaceus Hope, 1831: 28 (*Clytus*) A: NP SD
transilis Bates, 1884a: 229 A: JA
traudae Holzschuh, 1983: 391 A: SD YUN
triaculeatus Aurivillius, 1922a: 13 A: TAI **ORR**
triarticulodilatatus Hayashi, 1974a: 35 A: TAI
tristiculus Fairmaire, 1895: 183 (*Clytus*) A: GAN **ORR**
trudae Holzschuh, 1983: 392 A: BT NP SD YUN
tsitoensis Fairmaire, 1888b: 144 (*Clytus*) A: FUJ JIX SCH ZHE
unidenticornis Hayashi, 1974a: 33 A: TAI
uniformis Pic, 1925b: 21 A: "India"
venosulus Holzschuh, 2006b: 292 A: SCH

genus *Echinocerus* Mulsant, 1862: 143 type species *Cerambyx floralis* Pallas, 1773

Paraplagionotus Kasatkin, 2005: 51 [unnecessary RN]
floralis Pallas, 1773: 724 (*Cerambyx*) E: AL AU BH BU CR CT CZ FR GE GR HU IT LA LT MC MD NT PL RO SK SL SP ST SZ
 TR UK YU A: AB AR ES GG IN **IQ** IS JO KI KZ TD TM TR UZ WS XIN #39
abruptus Kraatz, 1871b: 408 (*Clytus*)
araratensis Pic, 1901b: 11 (*Clytus*)
arcuatus Scopoli, 1772: 97 (*Stenocorus*)
armeniacus Reitter, 1890c: 213 (*Plagionotus*)
aulicus Laicharting, 1784: 103 (*Clytus*)
basicornis Reitter, 1890c: 213 (*Plagionotus*)
clermonti Pic, 1913c: 121 (*Plagionotus*)
controversus Schrank, 1798: 679 (*Clytus*)
fasciatus Herbst, 1784: 98 (*Callidium*)
indicus Gmelin, 1790: 1856 (*Cerambyx*)
massiliensis Pic, 1951a: 1 (*Plagionotus*)
pilifer Reitter, 1890c: 213 (*Plagionotus*)
pruinosus Kraatz, 1871b: 409 (*Clytus*)
variabilis Motschulsky, 1860a: 144 [= 1860c: 305] (*Clytus*)
zebra Dalman, 1817b: 194 (*Clytus*)

genus *Epiclytus* Gressitt, 1935b: 173 type species *Clytus yokoyamai* Kano, 1933

Eoclytus Plavilstshikov, 1940a: 425 type species *Clytus ussuricus* Pic, 1933
breunungi Tippmann, 1955: 110 A: FUJ
insolitus Holzschuh, 1991: 45 A: CH **ORR** #46
itoi Niisato, 1981a: 33 A: TAI
ruficaudus Gressitt, 1951a: 257 A: FUJ
stigmosus Holzschuh, 2003a: 210 A: GAN SHA
ussuricus Pic, 1933d: 10 (*Clytus*) A: FE **NC** SC
velaris Holzschuh, 1998: 46 A: SCH
yokoyamai Kano, 1933a: 275 (*Clytus*) A: JA

genus *Grammographus* Chevrolat, 1863b: 285 type species *Grammographus lineatus* Chevrolat, 1863

Elezira Pascoe, 1869: 637 type species *Clytus balyi* Pascoe, 1859
arcuatus Matsushita, 1939: 57 (*Demonax*) A: TAI
flavicollis Matsushita, 1931c: 403 (*Demonax*) A: TAI
granulicollis Hayashi, 1974a: 31 A: TAI
jezoensis Matsushita & Tamanuki, 1935: 3 (*Demonax*) A: JA
kanoi Hayashi, 1963d: 133 [RN] A: TAI
monticola Kano, 1933b: 136 (*Chlorophorus*) [HN]
notabilis cuneatus Fairmaire, 1888a: 35 (*Clytus*) A: GUA HEN HUB SCH SHA YUN
semiobliteratus Pic, 1902i: 31 (*Clytanthus*)
subobliteratus Pic, 1918b: 4 (*Chlorophorus*) [RN]
notabilis notabilis Pascoe, 1862a: 360 (*Clytus*) A: FUJ GUA GUX HUB JA SHA TAI "Korea"
alphabeticus Chevrolat, 1863b: 308 (*Anthoboscus*)

spadiceus Matsushita, 1933b: 285 (*Chlorophorus*)
submaculatus Hayashi, 1974a: 32 A: TAI
taiwanensis Hayashi, 1966a: 6 A: TAI

genus *Hesperoclytus* Holzschuh, 1986a: 123 type species *Hesperoclytus katarinae* Holzschuh, 1986
bozanoi Pesarini & Sabbadini, 1997: 107 A: SCH
katarinae Holzschuh, 1986a: 123 A: BT NP

genus *Ischnodora* Chevrolat, 1863b: 332 type species *Ischnodora macra* Chevrolat, 1863
decolorata Holzschuh, 1995: 38 A: YUN
macra Chevrolat, 1863b: 332 A: SD
 angustula Holzschuh, 1983: 371
mundula Holzschuh, 1990: 191 A: SD
sejugata Holzschuh, 1991a: 11 A: YUN ORR
separanda Holzschuh, 1983: 370 A: NP
ugyeni Holzschuh, 1989c: 397 A: BT

genus *Isotomus* Mulsant, 1862: 183 type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)
 Caloclytus Fairmaire, 1864a: 145 [RN] type species *Callidium semipunctatum* Fabricius, 1798 (= *Callidium speciosum* D. H. Schneider, 1787)
barbarae Sama, 1977: 66 E IT
comptus *comptus* Mannerheim, 1825: 36 (*Clytus*) E: ST UK A: AB AR GG IN TR
 insularis Laporte & Gory, 1836: 74 (*Clytus*)
 perspicillus Fischer von Waldheim, 1832: 438 (*Clytus*)
 pubicollis Laporte & Gory, 1836: 73 (*Clytus*)
comptus *gilanus* Pic, 1911a: 6 (*Caloclytus*) A: IN
 maculicollis Holzschuh, 1989a: 169
comptus meridionalis Özdikmen & Aytar, 2012b: 691 A: TR
jarmilae Sláma, 1982: 209 E: GR (Kriti)
speciosus ganglbaueri Pic, 1900f: 64 (*Caloclytus*) E: BH CR ME ?SL #14
speciosus speciosus D. H. Schneider, 1787: 125 (*Callidium*) E: AL AU BU CR CZ GE GR HU MD RO SK SL SK ST UK YU A:
 AB AR GG TR
 semipunctatus Fabricius, 1798: 151 (*Callidium*)
 stierlinii Tournier, 1872: 276 (*Clytus*)
syriacus Pic, 1902h: 25 (*Caloclytus*) A: TR
theresae Pic, 1897n: 221 (*Clytus*) N: AG TU

genus *Kazuoclytus* Hayashi, 1968a: 23 type species *Xylotrechus lautooides* Hayashi, 1950
fukienensis Gressitt, 1951a: 254 (*Clytus*) A: FUJ JA TAI
 yukawai Makihara, 2004b: 222 (*Xylotrechus*)
lautooides Hayashi, 1950b: 25 (*Xylotrechus*) A: JA SC

genus *Libanoclytus* Sama, Rapuzzi & Kairouz, 2010: 164 type species *Libanoclytus tommasoi* Sama, Rapuzzi & Kairouz, 2010
tommasoi Sama, Rapuzzi & Kairouz, 2010: 166 A: LE

genus *Neoclytus* J. Thomson, 1860: 67 [RN] type species *Clytus erythrocephalus* Fabricius, 1787 (= *Callidium acuminatum* Fabricius, 1775)
 Rhopalopachys Chevrolat, 1860d: 457 type species *Clytus morosus* Chevrolat, 1860
 Rhopalomerus Chevrolat, 1860d: 457 [HN] type species *Clytus cacicus* Chevrolat, 1860
acuminatus acuminatus Fabricius, 1775: 194 (*Callidium*) Ei: CR FR HU IT SK SL SZ YU NAR NTRi
 americanus Gmelin, 1790: 1854 (*Cerambyx*)
 aspericollis Germar, 1824: 517 (*Callidium*)
 erythrocephalus Fabricius, 1787: 156 (*Callidium*)

genus *Neoplagonotus* Kasatkin, 2005: 51 type species *Clytus bobelayei* Brullé, 1832
andrei Fuente, 1908a: 21 (*Plagionotus*) E: SP
 marcae Lapez-Colyn, 1997: 219 [incorrect orig. spelling]
 marcaorum Lapez-Colyn, 1997: 219 (*Plagionotus*)
 marcorum Vives, 2000: 190 [unjustified emendation]
bobelayei Brullé, 1832: 253 (*Clytus*) E: AL BU GR MC RO ST TR UK A: AB AR GG IN IQ IS JO SY TM TR #39
 luristanicus Pic, 1911a: 6 (*Plagionotus*)
 mouzaferi Pic, 1905g: 114 (*Plagionotus*)
 persicus Pic, 1951a: 1 (*Plagionotus*)
 speciosus Adams, 1817: 309 (*Callidium*) [HN]
scalaris Brullé, 1832: 254 (*Clytus*) E: AL BU GR IT MC A: TR N: AG MO TU [see: López-Colón, 1997] #84
 interruptus Dayrem, 1928b: 77 (*Plagionotus*)
 siculus Laporte & Gory, 1836: 46 (*Clytus*)
 vivesi López-Colón, 1997: 221 (*Plagionotus*)

- genus *Perissus* Chevrolat, 1863b: 262 type species *Perissus x-littera* Chevrolat, 1863
aemulus Pascoe, 1869: 618 A: YUN ORR
angusticinctus Gressitt, 1942g: 81 A: HUB ZHE
arisanus Seki & Suematsu, 1935: 203 A: TAI
asperatus Gressitt, 1951a: 266 A: GUA HAI TAI
atronotatus Pic, 1937a: 12 A: CH ORR
bauhiniae Gardner, 1936: 135 A: UP
cinericus Holzschuh, 2009: 337 A: CH ORR #46
[? *clavicornis clavicornis* Pic, 1927b: 34 (*Xylotrechus*) - Vietnam] #100
clavicornis luteopubescens Pic, 1943b: 1 A: CH
crassicornis Pesarini & Sabbadini, 1997: 112 A: FUJ
dalbergiae Gardner, 1930: 155 A: UP
declaratus Holzschuh, 2003a: 204 A: GUI HUN
delectus Gressitt, 1951a: 267 A: SHA
delerei Tippmann, 1958a: 49 A: AF
demonacoides Gressitt, 1936: 98 (*Chlorophorus*) A: TAI
fairmairei Gressitt, 1940c: 180 [RN] A: HEB NC NMO SC SE SHA
fuliginosus Fairmaire, 1888b: 145 [HN]
semifulvus Pic, 1916h: 13 [HN]
sinho Danilevsky, 1993d: 114
fuliginosus Chevrolat, 1863b: 328 (*Amauresthes*) A: BT NP TAI UP XIZ ORR
basalis Plavilstshikov, 1927b: 106
fulvopictus Matsushita, 1933b: 276 A: TAI
griseus Gressitt, 1936: 95 A: TAI
hooraianus Matsushita, 1943: 573 (*Rhaphuma*) A: TAI
indistinctus Gressitt, 1940b: 72 A: HAI
intersectus Holzschuh, 2003a: 203 A: SCH SHA XIZ
kankauensis Schwarzer, 1925a: 26 A: TAI
kiangsensis Gressitt, 1940c: 180 A: JIA
kimi Niisato & Koh, 2003: 292 A: SC
kiusuensis hisamatsui K. Ohbayashi, 1958a: 12 A: JA
kiusuensis kiusuensis K. Ohbayashi, 1944: 4 A: JA
kiusuensis yamadai Hayashi, 1962a: 11 A: JA
laetus Lameere, 1893a: 283 A: HAI YUN ORR
chungkonensis Gressitt, 1940b: 73
proprius Gahan, 1894a: 21
latepubens Pic, 1950b: 4 A: CH
luteonotatus Pic, 1943b: 2 A: CH
magdalenae Holzschuh, 1990: 189 A: NP
mimicus Gressitt & Rondon, 1970: 215 A: FUJ HAI HUB YUN ORR
multifenestratus Pic, 1926b: 1 (*Amauresthes*) A: CH
mutabilis mutabilis Gahan, 1894a: 23 A: NP SD YUN ORR
ogasawarensis Endo, 2000: 193 A: JA (Ogasawara)
paulonotatus Pic, 1902i: 30 (*Clytus*) A: SCH YUN
persimilis Gahan, 1894: 23 A: YUN ORR
quercus Gardner, 1940: 218 A: NP UP
rayus Gressitt & Rondon, 1970: 212 A: GUA HAI ORR
rhaphumoides Gressitt, 1940c: 181 A: JIA
rubicollis Gressitt, 1937c: 453 A: FUJ
thibetanus Pic, 1918b: 5 A: XIZ
trabealis Holzschuh, 2003: 205 A: SCH
tsutsumii Makihara, 1979: 161 A: JA (Ryukyus)
wenroncheni Niisato, 1986a: 4 A: TAI
- genus *Plagionotus* Mulsant, 1842b: 1 type species *Leptura detrita* Linnaeus, 1758
Plagionotus Thomson, 1861: 220 [unjustified emendation]
Platynotus Mulsant, 1839: 71 [HN] type species *Leptura detrita* Linnaeus, 1758
arcuatus arcuatus Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IR IT LA LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU N: AG MO TU A: GG IN KZ SY TR #84
apicalis Hampe, 1863: 289 (*Clytus*)
buyssoni Dauphin, 1924: 42
interrupeconnatus G. Schmidt, 1951: 16
lunatus Fabricius, 1782: 500 (*Callidium*)
martialis Pic, 1918d: 15
milliati Pic, 1934e: 20
multiinterruptus Pic, 1933d: 6

- pagnioni* Pic, 1925d: 10
plavilstshikovi G. Schmidt, 1951: 15
reichei J. Thomson, 1861: 220 (*Plagyonotus*)
salicis Schrank, 1798: 677 (*Clytus*)
stauropolibus Pic, 1915e: 7
arcuatus ghidottii Pesarini & Sabbadini, 2011: 47 E: GR
arcuatus kirgizicus Lazarev, 2010c: 161 A: KI
arcuatus lugubris Ménétriés, 1832: 229 (*Clytus*) A: AB AR IN TM
flavicornis Pic, 1898b: 19
henoni Pic, 1933d: 6
lenkoranus Pic, 1933d: 6
arcuatus multiinterruptus Pic, 1933: 6 A: AB AR TR
bartholomei Motschulsky, 1860a: 142 (*Clytus*) A: AB IN
admirabilis Heyden, 1879: 314 [1879: 58] (*Clytus*)
?bieberi Bodemeyer, 1927: 93 A: IN
bisbifasciatus Pic, 1915f: 13 A: YUN
christophi Kraatz, 1879d: 108 (*Clytus*) A: ANH FE HEB HEI HEN HUB JA JIL LIA NC SC SHA
detritus caucasicola Plavilstshikov, 1936: 435 E: ST A: AB AR GG SY TR
detritus detritus Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ EN FR GE GR HU IT LA LT MC MD NL NT PL PT RO SK SL SP ST SV SZ TR UK YU A: KZ TR
africae septentrionalis Tippmann, 1952a: 143
anticereductus G. Schmidt, 1951: 14
apicebimaculatus G. Schmidt, 1951: 14
convertini L. Petagna, 1819: 38 (*Callidium*)
obscurebasalis Pic, 1942b: 2
rufescens Pic, 1891b: 24
uralensis Tippmann, 1952a: 144
pulcher Blessig, 1872: 184 (*Clytus*) A: FE HEB HEI JA JIL NC NIN SC SHA SHX
lignatorum Thieme, 1881: 100 (*Clytus*)
maculithorax Pic, 1904d: 15
- genus *Pseudosphegesthes* Reitter, 1913a: 50** type species *Clytus cinereus* Laporte & Gory, 1836
bergeri Sláma, 1982: 207 E: GR (Krití)
brunnescens Pic, 1897o: 262 (*Clytus*) E: ST A: AB AR GG ?IN TR
circassica Pic, 1905a: 10 (*Clytus*) #122
***bubeniki* Rapuzzi & Jeniš, 2015a: 749 E: GR**
cinerea Laporte & Gory, 1836: 68 (*Clytus*) E: FR GE IT SP UK
auboueri Desbrochers des Loges, 1873a: 429 (*Clytus*)
duponti Mulsant, 1839: 84 (*Clytus*)
sternii Kraatz, 1870b: 219 (*Clytus*)
***giglii* Rapuzzi & Jeniš, 2015a: 751 A: TR** #122
longitarsus Holzschuh, 1974a: 90 A: TR
samai Danilevsky, 2000b: 44 A: TR
- genus *Psilomerus* Chevrolat, 1863b: 257** type species *Psilomerus angustus* Chevrolat, 1863
laosensis Gressitt & Rondon, 1970: 277 A: CH ORR
- genus *Rhabdoclytus* Ganglbauer, 1889c: 479** type species *Clytus acutivittis* Kraatz, 1879
Hayashiclytus K. Ohbayashi, 1963: 11 type species *Clytus acutivittis* Kraatz, 1879
acutivittis acutivittis Kraatz, 1879d: 111 (*Clytus*) A: FE HEI JIL LIA NC SC
acutivittis inscriptus Bates, 1884a: 229 (*Clytanthus*) A: JA
alternans Holzschuh, 2003: 219 (*Hayashiclytus*) A: SHA
- genus *Raphuma* Pascoe, 1858: 240 [RN]** type species *Clytus quadricolor* Laporte & Gory, 1836
Arcyphorus Gemminger, 1872: 2938 [unjustified emendation]
Arcyphorus Chevrolat, 1863b: 287 type species *Arcyphorus histrio* Chevrolat, 1863
Raphium A. White, 1855: 289 [HN] type species *Clytus quadricolor* Laporte & Gory, 1836
Raphuma J. Thomson, 1864: 192 [unjustified emendation]
***aequalis* Holzschuh, 1991b: 49 A: YUN ORR** #42
albicolon Holzschuh, 2006b: 300 A: SHA
albonotata Pic, 1915f: 12 A: YUN
afflata Holzschuh, 1983: 374 A: NP
amamiensis Hayashi, 1983: 38 A: JA
angustata Pic, 1920a: 1 (*Chlorophorus*) A: YUN
anongi Gressitt & Rondon, 1970: 247 A: HAI YUN ORR
anopla Holzschuh, 1983: 377 A: NP SD
aperta Gressitt, 1951a: 287 A: FUJ SCH
aranea Holzschuh, 1984c: 359 A: NP SD

baibarae Matsushita, 1931c: 401 A: TAI
bhaktai Holzschuh, 1983: 376 A: NP SD
bicolorifemoralis Gressitt & Rondon, 1970: 249 A: HAI YUN ORR
bimaculata Schwarzer, 1931a: 63 A: UP
binhensis Pic, 1922c: 13 (*Chlorophorus*) A: HAI ORR
brigittae Holzschuh, 1991b: 47 A: NP
chatterjeei Gardner, 1940: 219 A: NP UP
circumscripta Schwarzer, 1925a: 28 (*Chlorophorus*) A: TAI
clarina Gressitt & Rondon, 1970: 250 A: YUN ORR
comosella Holzschuh, 2006b: 301 A: XIZ
constricta Gressitt & Rondon, 1970: 243 A: YUN ORR
decora Holzschuh, 1995: 39 A: YUN
delicata Kano, 1933b: 138 A: TAI
desaai Gardner, 1940: 220 A: YUN ORR
diana Gahan, 1906a: 271 A: GUX YUN ORR
diminuta diminuta Bates, 1873: 199 (*Clyanthus*) A: FE JA NC SC
 misella Bates, 1884a: 228 (*Clyanthus*)
diminuta nitens Hayashi, 1962a: 12 A: JA
diversevittata Pic, 1943b: 1 A: CH
diversipennis Pic, 1920d: 18 A: CH
elegantula Gahan, 1906a: 279 A: TAI ORR
eleodina Gressitt & Rondon, 1970: 244 A: YUN ORR
elongata Gressitt, 1940c: 184 A: HAI HEN HUB HUN SCH SHA SHX YUN ZHE
encausta Holzschuh, 1991a: 12 A: YUN ORR
falx Holzschuh, 1991b: 51 A: YUN ORR
frustrata Holzschuh, 1993a: 37 A: YUN
fulgurata bhotanica Holzschuh, 2003b: 306 A: BT
fulgurata fulgurata Gahan, 1906a: 274 A: NP SD
gracilipes Faldermann, 1835c: 436 (*Clytus*) E: BY CT ?LT NT PL ?RO ST ?UK A: BEI ES FE HEI JIL KZ MG NC SC WS
 angusticollis Mulsant, 1851: 123 (*Clytus*)
 rosinae Pic, 1935d: 15 (*Chlorophorus*)
 sachalinensis Matsumura, 1911a: 139 (*Clyanthus*)
 tenuicornis Fairmaire, 1888b: 142 (*Clytus*)
herminiae Holzschuh, 1984c: 363 A: NP
horsfieldi A. White, 1855: 284 (*Clytus*) A: GUX NP SCH SD SHA TAI YUN ORR
 laosensis Pic, 1923b: 9
illicata Holzschuh, 1991: 50 A: YUN ORR
ilsae Holzschuh, 1983: 379 A: NP SD
impressiceps Pic, 1943b: 1 A: CH
improvisa Holzschuh, 1991a: 48 A: YUN ORR
indifferens Holzschuh, 1992: 33 A: YUN ORR
joshii Holzschuh, 1984c: 361 A: NP SD
klapperichi Tippmann, 1955: 113 A: FUJ
lanzhui Holzschuh, 1991: 48 A: YUN ORR
laosica Gressitt & Rondon, 1970: 241 A: SCH SD YUN ORR
lubricula Holzschuh, 2003b: 306 A: SD
luteopubens Pic, 1937a: 13 A: YUN ORR
maculicollis Gressitt & Rondon, 1970: 237 A: GUX HAI YUN ORR
manipurensis kantiae Holzschuh, 1989c: 398 A: BT
 [*manipurensis manipurensis* Gahan, 1906: 274 - India: Manipur]
minima Gressitt & Rondon, 1970: 242 A: GUX HAI ORR
moerens Holzschuh, 1983: 378 A: KA NP
mushana Matsushita, 1936: 147 A: TAI
nigrocincta Matsushita, 1931c: 401 A: TAI
nigrolineata Pic, 1915b: 11 A: XIZ
 reducta Pic, 1927b: 31
nishidai Hayashi & Makihara, 1981: 196 A: NP SD
notabiloides Gressitt, 1936: 96 A: TAI
ogatai Mitono, 1942: 91 A: TAI
patkaina Gahan, 1906a: 272 A: GUX HAI YUN ORR
 multiinterrupta Pic, 1923b: 10
paucis Holzschuh, 1992: 34 A: YUN ORR
phiale Gahan, 1906a: 273 A: HAI ORR
pieli Gressitt, 1940b: 79 A: HAI
pingana Pic, 1926b: 1 A: CH
placida Pascoe, 1858: 240 A: GUA HAI SCH SD YUN ORR

- pictiventris* Gressitt, 1939a: 40
praeusta Lameere, 1890: ccxii A: NP
pseudobinhensis Gressitt & Rondon, 1970: 249 A: YUN ORR
quadrimaculata quadrimaculata Pic, 1923b: 10 A: NP YUN ORR
quadrimaculata subobliterata Pic, 1930b: 17 A: YUN
querciphaga Holzschuh, 1984c: 364 A: NP SD
quercus Gardner, 1940: 222 A: YUN ORR
ruficollis Mitono, 1942: 92 A: TAI
sharmai Holzschuh, 1990: 192 A: NP
steinkae Holzschuh, 1991a: 16 A: YUN ORR
sulphurea Gressitt, 1941: 336 A: YUN ORR
tenerima Holzschuh, 1991a: 13 A: YUN ORR
testaceiceps Pic, 1915b: 11 A: TAI
araneipes Schwarzer, 1925a: 28
pallida Schwarzer, 1925a: 29
testaceicolor Pic, 1920d: 16 A: TAI
theryi Pic, 1900i: 18 (*Clytus*) A: NMO
unigena Holzschuh, 1993: 37 A: YUN ORR #53
ustulatula Holzschuh, 2006b: 299 A: SHA
virens Matsushita, 1931c: 402 A: FUJ TAI
formosana Mitono, 1936: 424
notabiloides Gressitt, 1936: 96
weigeli Holzschuh, 2003b: 306 A: NP
xenisca Bates, 1884a: 229 (*Clytanthus*) A: JA
- genus *Sclethrus* Newman, 1842a: 247** type species *Ibidion amoenum* Gory, 1833
Neocollyroides Schultze, 1920: 196 type species *Neocollyroides macgregory* Schultze, 1920
stenocylindrus Fairmaire, 1895: 184 A: CHQ GUA GUX HAI HUN YUN ORR #74
- genus *Sinoclytus* Holzschuh, 1995: 37** type species *Sinoclytus emarginatus* Holzschuh, 1995
emarginatus Holzschuh, 1995: 37 A: YUN
- genus *Teratoclytus* Zaitzev, 1937: 213** type species *Teratoclytus plavilstshikovi* Zaitzev, 1937
changi Hayashi, 1983: 38 A: TAI
plavilstshikovi Zaitzev, 1937: 213 A: FE JA NC NE SC SHX
hasegawai K. Ohbayashi, 1941b: 221 (*Epiclytus*)
simplicior Holzschuh, 1992: 20 A: SHA
- genus *Xylotrechus* Chevrolat, 1860d: 456** type species *Clytus sartorii* Chevrolat, 1860
subgenus *Kostiniclytus* Danilevsky, 2009: 211 type species: *Xylotrechus zaisanicus* Plavilstshikov, 1940
arnoldii arnoldii Kostin, 1974: 647 A: KZ #34
arnoldii tenebrosus Shapovalov, 2014: 246 A: KZ #34
katerinae Shapovalov, 2014: 249 A: KZ #34
medvedevi Danilevsky, 2009c: 216 A: MG
volkovitshi Shapovalov, 2014: 251 A: TR #34
zaisanicus Plavilstshikov, 1940a: 354 A: KZ
subgenus *Ootora* Niisato & Wakejima, 2008: 442 type species *Clytus villioni* Villard, 1892
[*khampaseuthi khampaseuthi* Holzschuh, 2007: 244 – Laos]
khampaseuthi shibatai Niisato & Wakejima, 2008: 457 A: GUX
magnificus Pic, 1922c: 12 A: YUN ORR
multiimpressus Pic, 1911e: 19 A: YUN
villioni Villard, 1892: li (*Clytus*) A: FE JA
nipponicus Seki, 1935a: 92
subgenus *Rusticoclytus* Vives, 1977: 130 type species *Leptura rustica* Linnaeus, 1758
adspersus Gebler, 1830: 181 (*Clytus*) A: ES FE HEI JA KZ MG NC NMO SC WS XIN #80
decemmaculatus Pic, 1917g: 5
pantherinus Savenius, 1825: 65 (*Clytus*) E: AU BY CT CZ FI FR GE HU IT LT NT PL RO SK ST SV SZ A: ES FE KZ MG WS XIN
apicenotatus Pic, 1902e: 16
jakowlewi Semenov, 1899b: 134 (*Clytus*)
moei C. G. Thomson, 1874: 552 (*Platynotus*)
rusticus Linnaeus, 1758: 398 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MC MD NR NT PL PT RO SK SL SP ST SV SZ UK YU A: AB AR ES FE GG IN KZ MG NC SC TD TM TR WS N: AG MO
apiceocellatus G. Schmidt, 1951: 13
atomarius Fabricius, 1793: 332 (*Callidium*)
basinotatus Pic, 1934e: 20
brevetestaceus Pic, 1934e: 20

- confusus* Herbst, 1784: 98 (*Callidium*)
fauconneti Pic, 1934e: 20
hafniensis Fabricius, 1775: 190 (*Callidium*)
heros Ganglbauer, 1882: 138 (*Clytus*)
liciatus Linnaeus, 1767: 636 (*Cerambyx*)
longipes Villers, 1789: 256 (*Cerambyx*)
maculatus Gmelin, 1790: 1877 (*Leptura*)
octonotatus Gmelin, 1790: 1846 (*Cerambyx*)
omega Rossi, 1790: 154 (*Callidium*)
oo Schrank, 1781a: 162 (*Leptura*)
signatus Geoffroy, 1785: 81 (*Leptura*)
subuniformis Pic, 1902e: 15
variegatus Geoffroy, 1785: 79 (*Leptura*)
vilosoflavomaculatus Goeze, 1777: 507 (*Leptura*)
viturati Pic, 1934e: 20
salicis Takakuwa & Oda, 1978: 49 A: ES FE JA ?MG NC NE SC
nadezhdae Tsherepanov, 1982a: 63
- subgenus *Turanoclytus* Sama, 1994:** 325 type species *Clytus namanganensis* Heyden, 1885
- aselus* Thieme, 1881: 99 (*Clytus*) A: KI KZ TD TM UZ XIN
grumi Semenov, 1889a: 402 (*Clytus*)
ilamensis campadellii Sama & Rapuzzi, 2003: 92 A: AB IN
ilamensis hadullai Danilevsky, 2010c: 4 A: AR IN #7
ilamensis ilamensis Holzschuh, 1979a: 115 A: IN
namanganensis Heyden, 1885a: 297 (*Clytus*) A: KI KZ TD TM UZ XIN
bucharensis Semenov, 1893: 501 (*Clytus*)
subcrucifer Pic, 1903a: 4
sieversi Ganglbauer, 1890: 429 (*Clytus*) A: AB AR GG IN TR
akbesianus Pic, 1902e: 17
deyrollei Pic, 1897m: 219 (*Clytus*)
raghidae Sama & Rapuzzi, 2000: 14 A: IS LE
- subgenus *Xyloclytus* Reitter, 1913a:** 46 type species *Clytus chinensis* Chevrolat, 1852
- altaicus* Gebler, 1836: 342 (*Clytus*) E: CT A: ES FE KZ MG NE NC NMO SC WS #80
popovii Mannerheim, 1849: 241 (*Clytus*)
chinensis chinensis Chevrolat, 1852: 416 (*Clytus*) A: ANH FUJ GAN GUA GUX HEB HEN HKG HUB JIA JIX LIA NC SC SCH
SHA SHN SHX XIZ ZHE
griseofasciatus Pic, 1943b: 1
laterufescens Pic, 1913a: 19 (*Xyloclytus*)
sekii Matsushita, 1936: 146
chinensis kobayashii Fujita, 2010: 34 A: JA
chinensis kurosawai Fujita, 2010: 34 A: ?FE JA
sauteri Schwarzer, 1925a: 26 A: TAI
- subgenus *Xylotrechus* Chevrolat, 1860d:** 456 type species *Clytus sartorii* Chevrolat, 1860
- albolatifasciatus* Makihara, 1979: 152 A: JA (Ryukyu)
antilope antilope Schoenherr, 1817a: 465 (*Clytus*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LT MD NL NR PL PT RO SK SL SP ST SV SZ TR UK YU A: CY TR
lentoi Paulian, 1986: 96
hieroglyphicus Drapiez, 1819b: 294 (*Callidium*) [HN]
sekerai Paulian, 1986: 95
antilope bitiliensis S. Marklund & D. Marklund, 2013: 7 A: AB AR GG TR
antilope obliquefasciatus Pic, 1890a: 3 (*Clytus*) N: AG MO TU
arunensis Holzschuh, 1982b: 151 A: NP
arvicola arvicola Olivier, 1795: 64 (*Callidium*) E: AL AU BE BH BU BY CR CT CZ EN FR GE GR HU IT KZ LA LT LU MC MD NL PL PT RO SK SL SP ST SZ TR UK YU A: AB AR GG ?KZ SY TR N: AG MO
abbreviatus G. Schmidt, 1951: 14
herzegovinus Pic, 1913c: 98
heydeni Stierlin, 1864: 152 (*Clytus*)
inbasalis Pic, 1911a: 6
kraatzi Lederer, 1864: 485 (*Clytus*)
subangulosus Pic, 1934e: 21§
tridentatus Bleuse, 1905: 21 (*Clytus*)
arvicola iranicus Rapuzzi & Sama, 2014a: 7 A: AB IN
atronotatus angulithorax Gressitt, 1934: 165 A: HUB JA
atronotatus atronotatus Pic, 1917h: 11 A: FUJ HAI TAI
basalis Schwarzer, 1925a: 25
cinerascens Matsushita, 1933b: 268
atronotatus bandaishanus Mitono, 1941: 92 A: TAI
atronotatus draconiceps Gressitt, 1951a: 240 A: GUA JIX
atronotatus generosus Matsushita, 1933b: 270 A: JA
atronotatus subscalaris Pic, 1917h: 11 A: SC

badachschanicus Tippmann, 1958a: 48 A: AF
basifuliginosus Heller, 1926: 23 A: HP NP
bifenestratus Pic, 1916j: 180 A: CH
bilyi Holzschuh, 2003a: 199 A: YUN ORR
binotaticollis Gressitt, 1939a: 36 A: GUA
boreosinicus Gressitt, 1951a: 241 A: HUB SHA
brevicillus Chevrolat, 1863b: 323 A: CH
buqueti Laporte & Gory, 1836: 86 (*Clytus*) A: FUJ GUA GUX HAI HUN JIX SHA XIZ YUN ORR
brevicornis Pascoe, 1869: 608
phidias Newman, 1842a: 246 (*Clytus*)
siamensis Chevrolat, 1863b: 318
capricornus Gebler, 1830: 182 (*Clytus*) E: CT KZ PL SK ST UK A: KZ WS
capricornis Chevrolat, 1863b: 325 (*Clytus*)
chujoji chujoji Hayashi, 1960d: 24 A: JA (Ryukyus)
chujoji ishigakianus Ohbayashi, 1964: 22 (*Perissus*) A: JA (Ryukyus)
tinsunshi K. Ohbayashi & N. Ohbayashi, 1965: 3 (*Clytus*)
clarinus Bates, 1884a: 231 A: FE FUJ GAN HEI HUN JA JIL LIA NC NIN NMO SC SHA
cuneipennis Kraatz, 1879d: 110 (*Clytus*) A: ES FE HEB HEI HUB JA LIA NC SC XIN
albifilis Bates, 1884a: 232
decolor Thieme, 1881: 101 (*Clytus*)
jilinensis Z. Wang, 2003: 237, 395
pallidipennis Matsumura, 1906: 154
daoi Gressitt & Rondon, 1970: 206 A: GUX YUN ORR
deletus Lameere, 1893a: 282 A: CH ORR
diformis Holzschuh, 1983: 369 A: NP
diversesignatus Pic, 1908f: 15 A: XIZ YUN
djoukoulanus Pic, 1920d: 18 A: YUN
dominulus A. White, 1855: 261 (*Clytus*) A: GUA NO ZHE
emaciatus Bates, 1884a: 231 A: CH JA
nijimai Matsushita, 1933b: 277 (*Perissus*)
formosanus Schwarzer, 1925a: 26 A: TAI
aureobrunneus Gressitt, 1934: 166
[*gestroi gestroi* Gahan, 1894: 19 – Burma]
gestroi laosensis Gessitt & Rondon, 1970: 201 A: NP ORR
goetzi Heyrovský, 1970a: 131 A: GAN
grayii bisiniapicalis Takakuwa, 1984: 317 A: TAI
grayii grayii A. White, 1855: 261 A: FUJ GAN GUA GUI HEB HEN HUB HUN JA JIA NE SC SCH SHA SHN TAI XIZ YUN
grayii hachijoensis Takakuwa, 1984: 10 A: JA
grayii yaeyamanus Takakuwa, 1984: 10 A: JA (Ryukyus)
hampsoni Gahan, 1890a: 54 A: UP ORR
unicarinatus Pic, 1917b: 20
hircus Gebler, 1825: 54 (*Clytus*) A: ES FE HEB JA JIL KZ MG NMO WS "Korea"
decolor Thieme, 1881: 101 (*Clytus*)
ibex Gebler, 1825: 53 (*Clytus*) E: CT FI NT PL ST A: ES FE FUJ GAN HEI HUN JIL KZ LIA MG NC NE NIN NMO SC SHA WS XIN
angulosus Motschulsky, 1875: 150 (*Clytus*)
fugitivus Thieme, 1881: 100 (*Clytus*)
rectangulus Motschulsky, 1875: 149 (*Clytus*)
incurvatus contortus Gahan, 1906a: 249 A: FUJ GUA GUX HUB HUN SCH SHA TAI ORR
biarcutatus Pic, 1917d: 6
incurvatus incurvatus Chevrolat, 1863b: 331 (*Amauresthes*) A: BT FUJ GAN GUA HEB HKG HUN NP SC SCH SD TAI XIZ YUN ORR #74 #80
janbar Niisato & N. Ohbayashi, 2002: 34 A: JA (Ryukyus)
javanicus Laporte & Gory, 1836: 87 (*Clytus*) A: GUA GUX HAI HEN HUB HUN JIA SCH TAI YUN ZHE ORR
coffeophagus G. Richter, 1867: 250 (*Cucujus*)
lyratus Pascoe, 1869: 610
quadripes Chevrolat, 1863b: 315
sappho Pascoe, 1858: 239 (*Clytus*)
kayoensis Mitono & Kira, 1934: 589 A: TAI
klapperichi Gressitt, 1951a: 245 A: FUJ
kosempoensis Heyrovský, 1955b: 259 A: TAI
kuatunensis Gressitt, 1951a: 246 A: FUJ GUI YUN
latefasciatus latefasciatus Pic, 1936c: 4 A: FUJ HUN JIX TAI ZHE
serraticornis Mitono, 1941: 101
latefasciatus ochroceps Gressitt, 1951a: 247 A: SCH XIN
lateralis fracturis Guo & L. Chen, 2002: 256 A: YUN
[*lateralis lateralis* Gahan, 1906: 244 – Burma]
lautus fujitai Takakuwa, 1984: 10 A: JA

lautus laetus Matsushita, 1933b: 273 (*Clytus*) A: JA
lepesmei Pic, 1950f: 508 A: BT
liciatulus Holzschuh, 2006c: 483 A: SD
longithorax Pic, 1922c: 13 A: NP YUN ORR
mixtus Plavilstshikov, 1940a: 360 A: FE
monticola Gahan, 1906a: 251 (*Clytus*) A: KA PA "Western Tibet"
multinotatus Pic, 1904c: 11 A: YUN
multisignatus Pic, 1916k: 314 A: YUN
nigrosulphureus Gressitt, 1940b: 69 A: HAI
ogasawarensis Matsushita, 1933: 43 A: JA (Ogasawara)
pavlovskii Plavilstshikov, 1954: 471 A: FE NC SC
pici Heyrovský, 1935b: 115 A: CHQ
polyzonus Fairmaire, 1888b: 143 (*Clytus*) A: FE GUA HEB HUB NC SC
jeholensis Kano, 1935: 5
pyrrhoderus nigrosternus Gressitt, 1939a: 38 A: GUA HEN
pyrrhoderus pyrrhoderus Bates, 1873: 200 A: FUJ GUA GUI HUB JA JIA NC SC SHA SHN SHX ZHE
quattuordecimmaculatus Guo & L. Chen, 2002: 256 A: YUN
reductemaculatus ohtsuboi Fujita, 2010: 35 A: JA
reductemaculatus reductemaculatus Hayashi, 1968c: 14 A: JA
retractus Holzschuh, 1998: 44 A: SHA
robusticollis Pic, 1936c: 4 (*Clytus*) A: GUI HUB JIX SCH
rufilius kadowakii Nakane, 1981: 39 A: JA (Is. Oki)
rufilius rufilius Bates, 1884a: 233 A: FE FUJ GUX HAI HEB HEI HEN HUB HUN JA JIX NC SC SCH SHA SHN TAI YUN ZHE
ORR
atrithorax Pic, 1910g: 30
decoloraipes Pic, 1910g: 30
gahani Stebbing, 1914: 352
irinae Plavilstshikov, 1925: 360
magnicollis Fairmaire, 1888a: 34 (*Clytus*)
renominateus Beeson, 1919: 151
rufoapicalis Pic, 1926b: 1 A: YUN
rufobasalis Pic, 1937b: 7 A: YUN ORR
rufonotatus Gressitt, 1936: 94 A: TAI
savioi Pic, 1935g: 177 A: HUN ZHE
shimomurai Ikeda, 1994: 353 A: TAI
sikangensis Gressitt, 1942b: 3 A: SCH
smei Laporte & Gory, 1836: 37 (*Clytus*) A: BT
stebbingi Gahan, 1906a: 244 E: FR GR IT SL SZ N: TU A: AF BT IS NP PA SD SY TD TR XIZ ORR #98
subcarinatus Gardner, 1939: 8 A: NP UP
subdepressus Chevrolat, 1863b: 329 (*Amauresthes*) A: NP SD
subditus Chevrolat, 1863b: 314 A: KA
suzukii Holzschuh, 1984c: 356 A: TAI
takakuwai Kusama, 1977: 17 A: JA (Ogasawara)
tanoni Gressitt & Rondon, 1970: 208 A: YUN ORR
vinnulus Holzschuh, 1993a: 35 A: YUN ORR
wenii Han & Niisato, 2010: 249 A: TAI
yanoi Gressitt, 1934: 164 A: BEI JA NMO SC ORR
pekingensis Pic, 1939b: 3
zebratus Matsushita, 1938a: 93 A: JA

tribe Deilini Fairmaire, 1864

genus *Deilus* Audinet-Serville, 1834b: 73 type species *Callidium fugax* Olivier, 1790
Dilus Agassiz, 1846b: 124 [unjustified emendation]
fugax Olivier, 1790b: 253 (*Callidium*) E: AL AU BE BH BU CR CT CZ FR GR HU IT LU MD PL PT RO SK SL SP ST SZ A: AB
 AR CY GG IS KZ LE SY TR N: AG MO LB TU [see: Siering, 2014a]
cerambooides Rossi, 1794: 99 (*Necydalis*)
rugosicollis kadleci Rapuzzi & Sama, 2012: 667 A: CY
rugosicollis rugosicollis Rapuzzi & Sama, 2012: 667 A: LE TR SY IS
genus *Delagrangeus* Pic, 1892r: xciii type species *Delagrangeus angustissimus* Pic, 1892
subgenus *Delagrangeus* Pic, 1892r: xciii type species *Delagrangeus angustissimus* Pic, 1892
Edithia Reitter, 1899: 160 type species *Edithia carbonaria* Reitter, 1899 (= *Delagrangeus angustissimus* Pic, 1892)
Mimophymatodes Pic, 1920e: 21 type species *Mimophymatodes asiaticus* Pic, 1920 (= *Delagrangeus angustissimus* Pic, 1892)
angustissimus angustissimus Pic, 1892r: xciii A: TR
asiaticus Pic, 1920e: 21 (*Mimophymatodes*)
carbonarius Reitter, 1899: 160 (*Edithia*)
angustissimus liviae Pesarini & Sabbadini, 2004a: 93 A: E: GR (Rodos)

angustissimus troodi Sama, 1994f: 556 A: CY LE
subgenus *Gertius* Sama, 1994f: 557 type species *Delagrangeus schurmanni* Sama, 1985
schurmanni Sama, 1985c: 97 N: CI

genus *Prosite* J. Thomson, 1864: 248 type species *Oeme filiformis* Buquet, 1859
juniperi Holzschuh, 1993b: 120 A: SA YE

tribe Graciliini Mulsant, 1839

genus *Axinopalpis* Dejean, 1835: 332 type species *Obrium gracile* Krynicki, 1832

Axinuchus Gemminger, 1872: 2840 [unnecessary RN]
alberti Sama, Rapuzzi & Kairouz, 2010: 148 A: LE
barbarae barbarae Sama, 1992b: 303 A: CY
barbarae consobrinus Sama, 1992b: 303 A: CY
gracilis christinae Rapuzzi, 1995: 618 E: GR
gracilis gracilis Krynicki, 1832: 162 (*Obrium*) E: AL AU BH BU CR CT CR CZ GE GR HU IT LA LT MC MD PL RO SK SL ST UK YU A: GG IS SY TR
latrix Pic, 1896b: 35

genus *Gracilia* Audinet-Serville, 1834b: 81 type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)

Aphelocera Gistel, 1848b: [2] type species *Callidium vini* Panzer, 1799 (= *Saperda minuta* Fabricius, 1781)
Nothrus Haldeman, 1847: 43 type species *Nothrus fuscus* Haldeman, 1847 (= *Saperda minuta* Fabricius, 1781)
Oesyophila Bedel, 1894: 156 [RN] type species *Callidium pygmaeum* Fabricius, 1793 (= *Saperda minuta* Fabricius, 1781)
minuta Fabricius, 1781: 235 (*Saperda*) E: AL AU AZ BE BH BU CR CT CZ DE EN FI FR GB GE GR HU IR IT KZ LA LT LU MA MD NL NT NR PL PT RO SK SL SP ST SV SZ TR UK YU N: AG AZ CI EG MO MR TU A: AB AR GG HEN IN NE NO NW SHA TR AURi NARI NTRi ORR
albanica Csiki, 1931: 278
approximata Fairmaire, 1883c: clix
fusca Haldeman, 1847: 43 (*Nothrus*)
obliquata Horn, 1885b: 174
picea Fabricius, 1793: 317 (*Saperda*)
pygmaea Fabricius, 1793: 323 (*Callidium*)
vini Panzer, 1799b: 10 (*Callidium*)

genus *Hybometopia* Ganglbauer, 1889b: 282 type species *Hybometopia starcki* Ganglbauer, 1889

starcki ivani Sama, 1996c: 106 A: TR
starcki starcki Ganglbauer, 1889b: 285 E: ST A: GG TR

genus *Ischnorrhanda* Ganglbauer, 1889a: 61 type species *Ischnorrhanda macilenta* Ganglbauer, 1889
macilenta Ganglbauer, 1889a: 64 A: GAN SCH

genus *Lucasianus* Pic, 1891b: 42 type species *Cerambyx levaillantii* P. H. Lucas, 1849 #107
levaillantii P. H. Lucas, 1847: pl. 41 (*Cerambyx*) E: FR PT SP N: AG MO

genus *Nisibistum* J. Thomson, 1878: 29 type species *Nisibistum kaisanum* J. Thomson, 1878
kaisanum J. Thomson, 1878: 30 A: CH

genus *Penichroa* Stephens, 1839: 270 type species *Callidium fasciatum* Stephens, 1839

Exilia Mulsant, 1862: 195 type species *Callidium timidum* Ménétriés, 1832 (= *Callidium fasciatum* Stephens, 1831)
Graecoeme Adlbauer, 2006: 379 type species *Graecoeme eggeri* Adlbauer, 2006
Liagrica A. Costa, 1855: 59 type species *Callidium timidum* Ménétriés, 1832 (= *Callidium fasciatum* Stephens, 1831)
fasciata Stephens, 1831: 250 (*Callidium*) E: AL BH BU CR FR GR IT MA MC PT SL SP ST TR UK YU A: AB AR CY GG IN IS SY TR N: AG LB MO TU
bipunctata Zubkov, 1833: 336 (*Callidium*)
brunnea Tournier, 1872: 280 (*Exilia*)
eggeri Adlbauer, 2006: 381 (*Graecoeme*)
faginezi Pic, 1945b: 6
fasciolata Krynicki, 1834: 170 (*Callidium*)
lugubris Ragusa, 1884: 333 (*Exilia*)
timida Ménétriés, 1832: 228 (*Callidium*)

tribe Hesperophanini Mulsant, 1839

subtribe Daramina Sama, 2008

genus *Daramus* Fairmaire, 1892a: 121 type species *Daramus serricornis* Fairmaire, 1892

major macrops Peyerimhoff, 1943: 27 (*Tetropiopsis*) N: AG LB MO
mehennii Sama, 1994d: 176
sahrawi Sama & Rapuzzi, 2008: 224
major major Pic, 1924c: 30 (*Tetropiopsis*) A: SI

serricornis Fairmaire, 1892a: 121 N: EG A: YE OM **AFR**

subtribe Hesperophanina Mulsant, 1839

genus *Blabinotus* Wollaston, 1854: 425 type species *Blabinotus spinicollis* Wollaston, 1854
Blabinotus *spinicollis* Wollaston, 1854: 426 N: CI MR

genus *Gnatholea* J. Thomson, 1861: 375 type species *Gnatholea eburifera* J. Thosmon, 1861
biseburata Mitono, 1939: 148 A: JA (Ryukyu) TAI
 loochooana K. Ohbayashi & N. Ohbayashi, 1965: 1
eburifera J. Thomson, 1860: 375 A: GUI GUX HAI YUN **ORR**
simplex Gahan, 1890a: 53 A: SD **TAI ORR**
subnuda Lacordaire, 1868: 284 A: YUN **ORR**

genus *Hesperoferus* Demelt, 1971: 6 type species *Hesperoferus canariensis* Demelt, 1971 (= *Callidium roridum* Brullé, 1839)
machadoi Sama & Schurmann, 1983: 61 (*Trichoferus*) N: CI
 artemisiphagus Leiler, 1984: 155 (*Hesperophanes*)
roridus Brullé, 1839: 62 (*Callidium*) N: CI
canariensis Demelt, 1971: 5

genus *Hesperophanes* Dejean, 1835: 328 type species *Callidium sericeum* Fabricius, 1787
andresi Sama & Rapuzzi, 2006: 183 N: EG
heydeni Baeckmann, 1923: 66 A: KZ MG **NMO XIN**
melonii Fancello & Cillo, 2012: 255 E: IT (Sardegna)
pilosus Bodungen, 1908: 179 A: AB
sericeus Fabricius, 1787: 152 (*Callidium*) E: AL BH CR FR GR MA MC PT SP ST SZ UK YU A: AB AR CY GG IN IQ IS JO **SY**
 TM TR N: AG EG LB MO TU #98
 latreillei Brullé, 1832: 256 (*Callidium*)
 rotundicollis P. H. Lucas, 1842: 185

genus *Jebusaea* Reiche, 1878b: cliii type species *Jebusaea hammerschmidti* Reiche, 1877
Bagdatocerambyx Pic, 1901c: 11 type species *Bagdatocerambyx drurei* Pic, 1901
Pseudophilus Gahan, 1893a: 256 type species *Pseudophilus testaceus* Gahan, 1893
hammerschmidti Reiche, 1878b: cliv A: AE IN IQ OM QA SA
 drurei Pic, 1901c: 11 (*Bagdatocerambyx*)
 persica Reitter, 1907b: 217
 testacea Gahan, 1893a: 256 (*Pseudophilus*)

genus *Stromatium* Audinet-Serville, 1834b: 80 type species *Callidium barbatum* Fabricius, 1775
 Solenophorus Mulsant, 1839: 65 type species *Callidium strepens* Fabricius, 1798 (= *Callidium unicolor* Olivier, 1795)
genus *auratum* Böber, 1793: 135 (*Saperda*) E: AL BH BU CR FR GR HU IT MA MC PT RO SP ST TR UK YU A: AB AR CY GG IN IQ IS JO LE SY TM TR N: AG MO TU LB [see: Lazarev, 2014a: 274]
 fulvum Villers, 1789: 256 (*Cerambyx*) [HN]
 inerme Tournier, 1872: 260
 pallidum Zubkov, 1833: 336 (*Callidium*)
 platyfemur Chevrolat, 1882: 57 (*Hesperophanes*)
 strepens Fabricius, 1798: 150 (*Callidium*)
 unicolor Olivier, 1795: no. 70: 58 (*Callidium*)
 barbatum Fabricius, 1775: 189 (*Callidium*) A: BT NP OM PA YE **AFR** [see Danilevsky, 2014b: 213]
 funestum Boisduval, 1835: 481 (*Callidium*)
 tranquebaricum Gmelin, 1790: 1848 (*Cerambyx*)
 variolosum Fabricius, 1798: 149 (*Callidium*)
 longicorne Newman, 1842a: 246 (*Arhopalus*) A: FUJ GUA GUI GUX HAI HKG JA JIX LIA NMO SHN TAI YUN ZHE "North India" **NARI ORR**
 abeillei Pic, 1891b: 44 (*Hesperophanes*)
 asperulum A. White, 1855: 300
 granulatum Matsumura, 1927: 21 (*Criocephalus*)

genus *Tetropiopsis* Chobaut, 1899a: 356 type species *Tetropiopsis numidica* Chobaut, 1899
numidica Chobaut, 1899a: 357 N: AG MO TU
 guldei Chobaut, 1905: 157

genus *Trichoferus* Wollaston, 1854: 427 type species *Trichoferus senex* Wollaston, 1854 (= *Trichoferus fasciculatus* *senex*)
 Wollaston, 1854)
 Hesperandrius Reitter, 1913a: 45 type species *Callidium griseum* Fabricius, 1793
 antonioi Sama, 1994c: 40 A: CY
 arenbergeri Holzschuh, 1995: 14 E: IT (Sardegna)
 basalis A. White, 1855: 304 (*Hesperophanes*) A: TAI **ORR**
 bergeri Holzschuh, 1982a: 66 E: GR (Kriti)

berberidis Sama, 1994c: 40 E: GR (Kríti)
campestris Faldermann, 1835c: 435 (*Callidium*) E: CT CZ HU MD PLi RO SK ST UK A: AB AR ANH ES FE GAN GUI HEB
 HEI HEN HUB HUN IN JA JIA JIL JIX KI KZ LIA MG NC NMO QIN SC SCH SHA SHN SHX TD TM UZ XIN XIZ YUN
 ZHE **NARI ORR**
flavopubescens Kolbe, 1886: 219 (*Hesperophanes*)
rusticus Ganglbauer, 1887a: 133 (*Hesperophanes*)
turkestanicus Heyden, 1886c: 193 (*Stromatium*)
cisti Sama, 1987: 50 N: MO
cribricollis Bates, 1878b: 720 (*Hesperophanes*) A: KA PA SD
fasciculatus Faldermann, 1837: 266 (*Hesperophanes*) E: AL BU CR FR GR IT MA PT RO SP UK YU N: AG EG LB
 MO TU A: AB AR CY GG IN IQ IS JO LE SY TR
affinis P. H. Lucas, 1842: 186 (*Hesperophanes*)
elongatulus Pic, 1896b: 35 (*Hesperophanes*)
pulverulentus Erichson, 1841: 188 (*Callidium*)
subnudus Dayrem, 1928a: 67 (*Hesperophanes*)
tomentosus P. H. Lucas, 1842: 186 (*Hesperophanes*)
fasciculatus senex Wollaston, 1854: **428** N: CI MR
fissitarsis Sama, Fallahzadeh & Rapuzzi, 2005: 125 A: IN IQ **TR**
georgiou Sama & Makris, 2001: 166 A: CY
griseus Fabricius, 1793: 325 (*Callidium*) E: AL BH BU CR FR GR IT MA PT RO SP **?ST** YU UK N: AG EG LB MO TU A: CY
?GG IQ IS JO LE SY TR
decolor Pic, 1937c: 14 (*Hesperophanes*)
guerryi Pic, 1916k: 314 (*Hesperophanes*) A: HEB HUB SCH SHA SHN YUN
holosericeus Rossi, 1790: 153 (*Callidium*) E: ST UK A: AB AR GG **TR** N: AG LB MO TU
cinereus Villers, 1789: 256 (*Cerambyx*) [HN]
gayi Winkler, 1929: 1143 [RN]
nebulosus Olivier, 1790b: 257 (*Callidium*)
ilicis Sama, 1987: 50 N: MO
ivoi Kadlec, 2005: 103 A: IN
kotschi Ganglbauer, 1883b: 300 (*Hesperophanes*) E: GR (Samos) A: LE SY TR
lunatus Szallies, 1994: 261 (*Hesperophanes*) A: IN TR
magnanii Sama, 1992c: 398 E: PT SP
maculatus Pu, 1991b: 249, 252 A: SCH
pallidus Olivier, 1790b: 256 (*Callidium*) E: AU BH BU CR CZ GE GR HU **IT** PL PT RO SK SP ST UK YU
mixtus Fabricius, 1798: 150 (*Callidium*)
sexpustulatus Companyo, 1858: 571 (*Vesperus*)
sexpustulatum Companyo, 1863: 792 (*Stromatium*)
preissi Heyden, 1894b: 85 (*Hesperophanes*) A: TR
samai Kadlec & Rejzek, 2001: 296 A: TR
sbordonii Sama, 1982: 217 A: TR
robustipes Holzschuh, 2003: 169 A: SHA
semipunctatus Holzschuh, 2003: 170 A: GAN
spartii G. Müller, 1948: 67 (*Hesperophanes*) E: AL CR GR IT

genus Turmenigena Melgunov, 1893: 155 [= 1894: 35] type species *Turmenigena warenzowi* Melgunov, 1894
warenzowi Melgunov, 1893: 155 [= 1894: 35] A: KZ TM UZ XIN

varentzovi Plavilstshikov, 1940a: 54 [unjustified emendation]
warentzovi Aurivillius, 1912: 38 [unjustified emendation]
warentzowi Winkler, 1929: 1141 [unjustified emendation]

genus Zoodes Pascoe, 1867a: 319 type species *Stromatium maculatum* A. White, 1855

Cornutaemospila Pic, 1927b: 30 type species *Cornutaemospila piceosignata* Pic, 1927
basalis A. White, 1855: 304 (*Hesperophanes*) A: NP "Himalaya"
compressus Fabricius, 1787: 153 (*Callidium*) A: AE AF IN **ORR**
soraya Villiers, 1974a: 131 (*Gnatholea*)
formosanus Niisato, 1982: 41 A: TAI **ORR**
fulguratus Gahan, 1906a: 117 A: YUN **ORR**
piceosignatus Pic, 1927b: 20 (*Cornutaemospila*)
japonicus Hayashi, 1963b: 56 A: JA
liturifer Walker, 1871: 18 (*Hesperophanes*) N: EG A: SA YE **AFR**
denticollis Fairmaire, 1891a: 269 (*Gnatholea*)
picicornis Fairmaire, 1888c: 200 (*Gnatholea*)
maculatus A. White, 1855: 301 (*Stromatium*) A: HAI **ORR**

genus Zygoferus Sama, 2008: 223 type species *Trichoferus pubescens* Sama, 1987
pubescens Sama, 1987: 49 (*Trichoferus*) N: AG TU

tribe Hesperophanini, species incertae sedis

Callidium viridicolle Pic, 1926a: 23 A: SD

tribe Hylotrupini Zagajkevitch, 1991

genus *Hylotrupes* Audinet-Serville, 1834b: 77 type species *Cerambyx bajulus* Linnaeus, 1758

Hylotrupes Gistel, 1856: 376 [unnecessary substitute name]

bajulus Linnaeus, 1758: 396 (*Cerambyx*) E: AL AU BE BU BH BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MA MC MD NL NR NT PL PT RO SK SP ST SV SZ TR UK YU N: AG CI EG LB MO MR TU A: AB AR CY GG IS JO JIA LE SHG SY TR WS AFR AUR NAR NTR ORR

affinis Savenius, 1825: 63 (*Callidium*)

bullatus Haldeman, 1847: 36

caudatus DeGeer, 1775: 86 (*Cerambyx*)

inaequalis Casey, 1924: 233

incertus Casey, 1924: 234

koziorowiczi Desbrochers des Loges, 1873a: 429

latus Casey, 1924: 233

linneianus Laicharting, 1784: 69 (*Callidium*)

lividus Mulsant, 1839: 56

minutus Casey, 1924: 235

nematocerus Casey, 1924: 234

pedicellatus Casey, 1924: 235

puellus A. Villa & G. B. Villa, 1833: 36 (*Callidium*)

puncticollis Casey, 1924: 234

quadripunctatus Geoffroy, 1785: 82 (*Leptura*)

similis Marsham, 1802: 335 (*Cerambyx*)

syriacus Théry, 1896: 110

theresae Pic, 1924c: 26

tribe Molorchini Gistel, 1848

genus *Berndgerdia* Holzschuh, 1982a: 68 type species *Berndgerdia balteata* Holzschuh, 1982

balteata Holzschuh, 1982a: 68 A: NP UP

genus *Epania* Pascoe, 1858: 237 type species *Odontocera singaporesis* J. Thomson, 1857

abdominalis Holzschuh, 1984c: 350 A: NP

amooreae Gardner, 1926: 200 A: UP

atra Hayashi, 1978a: 88 A: TAI

atramentaria Holzschuh, 2010: 164 A: SCH

brevipennis Pascoe, 1869: 567 A: TAI ORR

calophylli Gardner, 1926: 201 A: UP

dilaticornis dilaticornis Hayashi, 1950a: 5 A: JA

dilaticornis kumatai Hayashi, 1961b: 45 A: JA

morimotoi Makihara, 2004b: 219

shibatai Hayashi, 1976: 8

discisa Holzschuh, 2006b: 277 A: GUI

immaculata Kano, 1933: 131 A: TAI

iriei Takakuwa, 1981: 6 A: JA (Ryukyus)

mundali Gardner, 1936: 132 A: NP UP

picipes Holzschuh, 1984a: 148 A: NP

pudens Holzschuh, 1993a: 28 A: YUN

septemtrionalis Hayashi, 1950a: 3 A: JA SC

shikokensis maruokai Hayashi, 1968c: 13 A: JA (Ryukyus)

shikokensis shikokensis K. Ohbayashi, 1936a: 13 A: FUJ JA

densepunctata Hayashi, 1968c: 13

okinawana Hayashi, 1976: 7

subchalybeata Miwa, 1931: 227 A: TAI

genus *Leptepania* Heller, 1924a: 30 type species *Epania longicollis* Heller, 1915

Helioomanes Newman, 1840a: 17 [HN] type species *Helioomanes sidus* Newman, 1840

Molorchinus Shabliovsky, 1936: 185 type species *Molorchinus okunevi* Shabliovsky, 1936

insularis A. White, 1855: 179 (*Helioomanes*) A: FUJ GUA HKG

japonica Hayashi, 1949c: 29 (*Molorchus*) A: HUB JA SC

lantauensis Hayashi, 1982: 71 A: HKG

minuta Gressitt, 1935d: 265 A: TAI

kukuanana Chang, 1978: 61

okunevi Shabliovsky, 1936: 186 (*Molorchinus*) A: FE MN

incognita Tsherepanov, 1975d: 83 (*Molorchus*)

ryukyuana Hayashi, 1963a: 54 A: JA

sakaii Hayashi, 1974a: 23 A: TAI ORR

genus Molorchoepania Pic, 1949a: 9 type species *Epania barbieri* Pic, 1949
Kobaneus Hayashi, 1958b: 46 type species *Molorchus mizoguchii* Hayashi, 1955
mizoguchii Hayashi, 1955: 51 (*Molorchus*) A: JA
simplexa Matsushita, 1933b: 228 (*Molorchus*) A: TAI
viticola Holzschuh, 1998: 35 A: SHA

genus Molorchus Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759
subgenus Caenoptera C. G. Thomson, 1859: 150 type species *Necydalis minor* Linnaeus, 1758
abieticola Holzschuh, 2007: 218 A: TR
carus Holzschuh, 1999: 28 A: GAN
changi Gressitt, 1951a: 171 A: SCH SHA
foveolus Holzschuh, 1998: 34 A: YUN
ikedai Takakuwa, 1984: 10 A: JA
juglandis Sama, 1982: 219 A: IS LE SY TR #98
minor fuscus Hayashi, 1955: 164 A: JA
minor minor Linnaeus, 1758: 421 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
LU MD NL NR NT PL RO SK SL ST SV SZ UK YU A: BEI ES FE GAN GG HEI LIA KZ MG NC QIN SC SHA TR WS XIN
NTRi #74 #79
cerambooides DeGeer, 1775: 151 (*Necydalis*)
dimidiatus Fabricius, 1775: 199 (*Leptura*)
medius Schrank, 1798: 688 (*Gymnopterion*)
rufescens Kiesenwetter, 1879: 316 [= 1879: 60]
monticola Plavilstshikov, 1931: 38 A: AB AR GG IN TM
pallidipennis Heyden, 1887d: 321 (*Gymnopterion*) A: KI KZ UZ XIN
pinivorus Takakuwa & Ikeda, 1980: 35 A: JA
relictus Niisato, 1996: 376 A: SCH
fraudator Pesarini & Sabbadini, 1997: 104
tjanschanicus Plavilstshikov, 1959: 1678 A: KZ KI
subgenus Epanioglaphyra Niisato, 1986b: 304 type species *Glaphyra kurosawai* Niisato, 1986
kurosawai Niisato, 1986b: 305 (*Glaphyra*) A: TAI
subgenus Molorchus Fabricius, 1793: 356 type species *Necydalis umbellatarum* Schreber, 1759
Conchopterus Fairmaire, 1864a: 153 type species *Necydalis umbellatarum* Schreber, 1759
Glaphyra Newman, 1840b: 19 type species *Glaphyra semiusta* Newman, 1840
Laphyra Newman, 1842f: 418 [RN] type species *Glaphyra semiusta* Newman, 1840
Linomius Mulsant, 1862: 226 type species *Necydalis umbellatarum* Schreber, 1759
Sinolus Mulsant, 1862: 228 type species *Molorchus kiesenwetteri* Mulsant & Rey, 1861
aceris Holzschuh, 2009: 300 (*Glaphyra*) A: SCH
aureomaculatus Gressitt & Rondon, 1970: 109 A: NP YUN ORR
shimai Hayashi & Makihara, 1981: 191 (*Glaphyra*)
baiocchii Rapuzzi & Sama, 2012: 667 (*Glaphyra*) A: IN
bassettii Sama, 1992b: 302 (*Glaphyra*) A: CY
cobaltinus Hayashi, 1963a: 53 (*Glaphyra*) A: JA
concolor Niisato, 1995: 444 (*Glaphyra*) A: TAI
congrus Holzschuh, 1998: 25 (*Glaphyra*) A: GUI
contristatus Holzschuh, 1991c: 44 (*Glaphyra*) A: SCH
cordigerus Holzschuh, 1992: 14 (*Glaphyra*) A: SCH
cupreoviridis Hayashi, 1966a: 5 A: TAI
cyanescens Gressitt, 1951a: 173 A: FUJ TAI
cyanescens Plavilstshikov, 1952: 287 [HN]
darjeelingensis Gardner, 1936: 129 A: NP SD
densepunctatus Holzschuh, 1977b: 338 A: BT
frivolus Holzschuh, 1998: 38 (*Glaphyra*) A: SCH
gilvitarsis Holzschuh, 2006a: 239 (*Glaphyra*) A: SHA
gracilis Hayashi, 1949c: 29 A: JA
fuscipennis Hayashi, 1963d: 132
grandinotatus Holzschuh, 1992: 15 (*Glaphyra*) A: SCH
grosseri Vorišek, 2012: 1 A: IN
hederae Gardner, 1936: 130 A: HP PA
ishiharai K. Ohbayashi, 1936a: 12 A: FE JA NC SC
kunashiricus Tsherepanov, 1981: 72
tsutsuii Hayashi, 1958b: 47
jiuyuehtanus Hayashi, 1984: 89 A: TAI
kiesenwetteri hircus Abeille de Perrin, 1881: 133 E: ST A: AB AR GG IN TR
anatolica Adlbauer, 1988: 275
angorensis Pic, 1912b: 3 (*Caenoptera*)
kiesenwetteri kiesenwetteri Mulsant & Rey, 1861a: 189 E: AU BH BU CR CZ GE GR HU IT MC ?PL RO SK SL ST SZ UK YU

- kiyoyamai* Hayashi, 1974a: 21 A: TAI
kobotokensis K. Ohbayashi, 1963: 10 A: FE JA NC SC
kojimai Matsushita, 1939: 56 (*Epania*) A: JA SC
lectus Holzschuh, 2006b: 281 (*Glaphyra*) A: SHA
lishanensis Hayashi, 1974a: 22 A: TAI
liukueiensis Hayashi, 1984: 90 (*Glaphyra*) A: TAI
malmusii Sama, 1995a: 370 (*Glaphyra*) A: TR
marmottani andalusica Sláma, 2015b: 1118 (*Glaphyra*) E: SP #110
andalusica Sláma, 2015a: 44 (*Glaphyra*) – not available #110
marmottani crovatoi Sama, 1995a: 373 (*Glaphyra*) E: IT
marmottani frischii Sama, 1995a: 373 (*Glaphyra*) A: TR
marmottani marmottani Brisout de Barneville, 1863: 118 E: AU BU CT CZ FR GE IT PL SK SP ST SZ A: TR
discicollis Heyden, 1876b: 383
modestus Holzschuh, 2006b: 283 (*Glaphyra*) A: GUI
molorchooides Holzschuh, 1984c: 351 (*Epania*) A: NP
moraveci Holzschuh, 2006b: 238 (*Glaphyra*) A: TAI
morii Makihara, 1984: 13 (*Glaphyra*) A: JA
nitidus adachii Takakuwa & Fujita, 1981: 29 A: JA
nitidus nitidus Obika, 1973: 205 A: JA NC SC
perfuga Holzschuh, 1998: 37 (*Glaphyra*) A: YUN
plagiatus Reiche, 1877a: cxxii E: ST A: AB AR GG IN KZ
planicollis Niisato & N. Ohbayashi, 2004: 467 (*Glaphyra*) A: HUB
plavilstshikovi Gressitt, 1951a: 174 A: FUJ TAI
fukiensis Plavilstshikov, 1952: 288
prolixus Holzschuh, 1999: 29 (*Glaphyra*) A: GAN
rufosternalis Hayashi, 1984: 87 A: TAI
satoi Niisato, 2003: 376 (*Glaphyra*) A: TAI
schmidti Ganglbauer, 1883b: 300 E: CT CZ GR HU MD ?PL SK ST UK A: AB KI KZ TM UZ
salicicola Stiller, 1934: 37 (*Caenoptera*)
semenovi Plavilstshikov, 1940a: 167
semitaiwanus Hayashi, 1984: 88 A: TAI
serra Holzschuh, 2006b: 279 (*Glaphyra*) A: SCH SHA
shibatai okinawana Hayashi & Matsuda, 1976: 34 A: JA (Ryukyu)
shibatai shibatai Hayashi, 1961b: 44 A: CHQ JA
sikkimanus Holzschuh, 2003b: 306 (*Glaphyra*) A: SD
starki Shabliovsky, 1936: 184 A: FE NC SC
ichikawai Niisato, 1988a: 89 (*Glaphyra*)
ussuriensis Plavilstshikov, 1940a: 160
sterbai Adlbauer, 1988: 277 A: LE
azri Sama, Rapuzzi & Kairouz, 2010: 151 (*Glaphyra*)
subglaber Gressitt, 1938b: 150 (*Epania*) A: TAI
sungkangensis Hayashi, 1992: 140 (*Glaphyra*) A: TAI
taiwanus Hayashi & Matsuda, 1976: 32 A: TAI
takeuchii ebenina Hayashi, 1961b: 45 A: JA
takeuchii takeuchii K. Ohbayashi, 1937: 6 A: JA
tenuitarsis Holzschuh, 1981: 97 A: TR
uenoi Niisato, 1995: 441 A: TAI (*Glaphyra*)
umbellatarus umbellatarus Schreber, 1759: 9 (*Necydalis*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: AB AR GG TM TR
depressus Motschulsky, 1845a: 85
diversipes Pic, 1897c: 31
minimus Scopoli, 1763: 57 (*Necydalis*)
umbellatarus obscuripes G. Müller, 1948: 66 (*Caenoptera*) E: IT #56
unanimis Holzschuh, 1995: 26 (*Glaphyra*) A: SCH
viridescens Hayashi & Matsuda, 1976: 36 A: TAI
watani Kano, 1933b: 131 (*Epania*) A: TAI
subplana Gressitt, 1951a: 175
yui yui Hayashi, 1984: 88 A: TAI
subgenus *Nathrioglaphyra* Sama, 1995a: 383 type species *Molorchus heptapotamicus* Plavilstshikov, 1940
alashanicus Semenov & Plavilstshikov, 1936: 392 A: NMO
heptapotamicus Plavilstshikov, 1940a: 163 E: ST A: KI KZ NIN UZ
amygdali Holzschuh, 1979a: 114
kucerai Holzschuh, 1998: 36 (*Glaphyra*) A: GAN
ltui Gressitt, 1948a: 51 [Yunnan] A: GAN HUB HUN SHA YUN ZHE
smetanai Danilevsky, 2011f: 105 [Zhejiang] #56
subgenus *Pakmolorchus* Holzschuh, 1989a: 161 type species *Pakmolorchus asperanus* Holzschuh, 1989

asperanus Holzschuh, 1989a: 161 A: PA

subgenus *Yamatoglypha* Niisato, 2006b: 223 type species *Molorchus hattorii* K. Ohbayashi, 1953

aemulatus Holzschuh, 1998: 38 A: GAN SCH

chalybeellus Holzschuh, 2007: 225 A: HEN

hattorii K. Ohbayashi, 1953: 13 (*Molorchus*) A: JA SC

genus *Nadezhdiana* Tsherepanov, 1976a: 66 type species *Nadezhdiana villosa* Tsherepanov, 1976

villosa Tsherepanov, 1976a: 67 A: FE

genus *Tsujius* Ikeda, 2001: 3 type species *Tsujius itoi* Ikeda, 2001

itoi Ikeda, 2001: 3 A: JA

tribe Mythodini Lacordaire, 1868

genus *Phyodexia* Pascoe, 1871: 273 type species *Phyodexia concinna* Pascoe, 1871

concinna Pascoe, 1871: 273 A: BT GUX HAI SD YUN ORR

tribe Nathriini Arnett, 1962

genus *Mourgliana* Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993

subgenus *Mourgliana* Holzschuh, 1993b: 125 type species *Mourgliana conspicua* Holzschuh, 1993

conspicua Holzschuh, 1993b: 125 A: SA

subgenus *Pseudomourgliana* Sama, 2006: 174 type species *Pseudomourgliana vanharteni* Sama, 2006

mollina Holzschuh, 2006a: 235 A: AE OM

vanharteni Sama, 2006: 175

#110

genus *Nathrius* Bréthes, 1916: 76 type species *Nathrius porteri* Bréthes, 1916 (= *Leptidea brevipennis* Mulsant, 1839)

Deuteroleptidea Paclt, 1946: 169 [unnecessary substitute name]

Leptidea Mulsant, 1839: 105 [HN] type species *Leptidea brevipennis* Mulsant, 1839

Leptideella E. Strand, 1936: 169 [unnecessary substitute name]

berlandi Villiers, 1946: 68 (*Leptidea*) E: SP N: MO

#110

brevipennis Mulsant, 1839: 105 (*Leptidea*) E: AU AZ BE BH BU CR CZ DEi Fli GB GE HU IR IT MA MC MD NL NRi PL PT RO SK ST SL SP SVi SZ TR UK YU A: AB AR GG IN IS KZ LE SHX SY TR N: AG EG LB MO TU NARi NTRi

manca LeConte, 1851: 24 (*Gracilia*)

minutus Motschulsky, 1845a: 84 (*Leptidea*)

porteri Bréthes, 1916: 77

rufipennis Dufour, 1851: 351 (*Gracilia*)

cypericus Sláma & Berger, 2006: 56 A: CY

#110

tribe Obriini Mulsant, 1839

genus *Anatolobrium* Adlbauer, 2004b: 419 type species *Anatolobrium eggeri* Adlbauer, 2004

eggeri Adlbauer, 2004b: 421 A: TR

genus *Anisogaster* A. Deyrolle, 1862: 18 type species *Anisogaster flavicans* A. Deyrolle, 1862

kabateki Adlbauer, 2005: 1009 A: YE (Suqutra)

genus *Bolivarita* Escalera, 1914a: 498 type species *Bolivarita oculata* Escalera, 1914

oculata Escalera, 1914a: 498 N: MO

genus *Chinobrium* Gressitt, 1937c: 449 type species *Chinobrium mediofasciatum* Gressitt, 1937

mediofasciatum Gressitt, 1937c: 449 A: JIX ORR

opacum Holzschuh, 1984c: 348 (*Stenhomalus*) A: BT ORR

genus *Comusia* J. Thomson, 1864: 239 type species *Comusia obriumoides* J. Thomson, 1864

Chapaon Pic, 1922b: 24 type species *Chapaon rufum* Pic, 1922

Ciopera Pascoe, 1866: 510 type species *Ciopera decolorata* Pascoe, 1866

Oemospilooides Fisher, 1940: 197 type species *Oemospilooides bengalensis* Fisher, 1940

Ogasawara Gressitt, 1937b: 320 type species *Ogasawara testacea* Gressitt, 1937

bengalensis Fisher, 1940: 198 (*Oemospilooides*) A: SD

bicoloricornis Pic, 1927: 455 (*Chapaon*) A: YUN ORR

testacea Gressitt, 1937b: 321 (*Ogasawara*) A: JA (Ogasawara) TAI

thailandica Hayashi, 1986: 267 A: NP ORR

genus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894

subgenus *Ibidionidum* Gahan, 1894a: 14 type species *Ibidionidum corbetti* Gahan, 1894

corbetti *corbetti* Gahan, 1894a: 15 A: HAI YUN ORR

longithoracicum Chiang, 1963: 65 (*Obrium*) A: YUN

genus *Iranobrium* Villiers, 1967: 338 type species *Iranobrium davatchii* Villiers, 1967
abbreviatum Adlbauer, 2004c: 431 A: YE (Suqutra)
brancucci Holzschuh, 1993b: 122 A: OM SA YE
buettkeri Holzschuh, 1993b: 123 A: AE SA YE
darwini Lo Cascio & Grita, 2009: 123 A: YE (Suqutra)
davatchii Villiers, 1967: 338 A: AE IN QA YE

genus *Longipalpus* Montrouzier, 1861: 275 type species *Longipalpus palazyanus* Montrouzier, 1861
Iphrobrium Gressitt, 1935a: 150 type species *Iphrobrium dilatipenne* Gressitt, 1935
Nerida McKeown, 1940: 293 type species *Nerida carabiformis* McKeown, 1940
dilatipennis Gressitt, 1935a: 151 (*Iphrobrium*) A: JA (Ryukyus)
shigarorogi Kano, 1939: 29 (*Pseudiphra*) A: TAI
tahuensis Chang, 1978: 59 A: TAI
wenhsini Niisato, 2013: 63 A: TAI

genus *Obrium* Dejean, 1821: 110 type species *Cerambyx cantharinus* Linnaeus, 1767
Diozodes Haldeman, 1847: 42 type species *Callidium pallidum* Say, 1823 (= *Cerambyx maculatus* Olivier, 1795)
Phyton Newman, 1840b: 19 type species *Phyton limum* Newman, 1840 (= *Cerambyx maculatus* Olivier, 1795)
aegrotum Holzschuh, 1982a: 67 A: NP
brevicornue Plavilstshikov, 1940a: 138 A: FE JA NC SC
brunneum Fabricius, 1793: 316 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LS LT LU
MD NL NT PL RO SK SL SP ST SV SZ UK YU A: AB AR GG TR
caucasicum Tournier, 1872: 279
cantharinum cantharinum Linnaeus, 1767: 637 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ EN FI FR GB GE GR HU IR IT LA
LT LU MD NE NL NT PL PL RO SK SP ST SV SZ UK YU A: AB AR ES FE GG KZ MG TR WS XIN NTRi
ferrugineum Fabricius, 1781: 235 (*Saperda*)
fuscicornue Gmelin, 1790: 1837 (*Cerambyx*)
cantharinum shimomurai Takakuwa, 1984: 9 A: JA
complanatum Gressitt, 1942h: 208 A: GUA GUI GUX JIX
formosanum Schwarzer, 1925a: 22 A: TAI
fractum Holzschuh, 2003: 178 A: SHA
fumigatum Holzschuh, 1995: 23 A: YUN
fuscoapicale Hayashi, 1974a: 17 A: TAI
hainanum Niisato & Hua, 1998: 452 A: HAI
hattai K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)
kusamai Takakuwa, 1984: 10 A: JA
mendosum Holzschuh, 2010: 156 A: HEN
nakanei K. Ohbayashi, 1959: 2 A: JA
obscuripenne obscuripenne Pic, 1904e: 17 A: FE JA JIL NC SC
gracile Plavilstshikov, 1933g: 167 [HN]
graciliforme Lipp, 1939: 225 [RN]
tsushimaum Hayashi, 1974b: 14
obscuripenne takakuwai Niisato, 2006c: 383 A: JA
oculatum Niisato & Hua, 1998: 454 A: YUN
posticum Gahan, 1894a: 14 A: BT NP
prosperum Holzschuh, 2008: 182 A: YUN
randiae Gardner, 1926: 199 A: UP
rufograndum Gressitt, 1937c: 448 A: JIX
schwarzeri Hayashi, 1974a: 19 A: TAI
semiformosanum abirui Niisato & Takakuwa, 1996: 142 A: JA
semiformosanum semiformosanum Hayashi, 1974a: 18 A: TAI
takahashii Kusama & Takakuwa, 1984: 278 A: JA (Ryukyus)

genus *Ossibia* Pascoe, 1867a: 311 type species *Obrium fuscum* Chevrolat, 1856
Obriaccum J. Thomson, 1878: 24 type species *Obrium fuscum* Chevrolat, 1856
fuscata Chevrolat, 1856c: 570 (*Obrium*) N: EG MO A: YE AFR
crinita Fehraeus, 1872a: 55
picata Holzschuh, 1993b: 124 A: SA

genus *Oxilus* Buquet, 1859: 619 type species *Oxilus terminatus* Buquet, 1859
Metobrium Gahan, 1890d: 303 type species *Obriaccum elegans* Fairmaire, 1887
elegans Fairmaire, 1887b: 334 (*Obriaccum*) N: EG AFR
manzonii Gestro, 1889: 68 (*Ossibia*) A: YE

genus *Pseudiphra* Gressitt, 1935a: 152 [RN] type species *Iphra apicalis* Schwarzer, 1925
Iriomoteus Villiers & Chujô, 1970: 54 type species *Iriomoteus elegans* Villiers & Chujô, 1970

Obriomorpha Matsushita, 1933b: 309 [HN] type species *Iphra apicalis* Schwarzer, 1925
apicalis Schwarzer, 1925a: 23 (*Iphra*) A: JA TAI ORR
bicolor bicolor Nara & Kusui, 1974: 123 A: JA (Ogasawara)
bicolor nigripennis Takakuwa, 1984: 9 A: JA (Ogasawara)
elegans Villiers & Chûjô, 1970: 55 (*Iriomoteus*) A: JA (Ryukyus)
obscura Gressitt, 1951b: 210 A: JA (Ryukyus)

genus Pseudobolivarita Sama & Orbach, 2003: 64 type species *Pseudobolivarita negevensis* Sama & Orbach, 2003
negevensis Sama & Orbach, 2003: 66 A: IS

genus Uenobrium Niisato, 2006a: 207 type species *Obrium laosicum* Gressitt & Rondon, 1970
laosicum Gressitt & Rondon, 1970: 107 (*Obrium*) A: HAI YUN ORR
piceorubrum Hayashi, 1971: 5 (*Obrium*) A: TAI
takeshitai Niisato & Ohmoto, 1994: 350 (*Obrium*) A: JA (Ryukyus)

genus Yemenobrium Adlbauer, 2005: 1008 type species *Yemenobrium velutinum* Adlbauer, 2005
velutinum Adlbauer, 2005: 1008 A: YE

tribe Oemini Lacordaire, 1868

genus Afroeme Adlbauer, 2004a: 3 type species *Afroeme kenyensis* Adlbauer, 2004
fusca Gahan, 1900a: 12 (*Oeme*) A: YE (Suqutra) AFR

genus Dorjia Holzschuh, 1989c: 391 type species *Dorjia tenzingi* Holzschuh, 1989
tenzingi Holzschuh, 1989c: 392 A: BT

genus Entetraommatus Fischer, 1940: 199 type species *Entetraommatus querccicola* Fischer, 1940
querccicola Fischer, 1940: 199 A: UP

genus Fragiliella Holzschuh, 2013a: 8 type species: *Oemospila callidiooides* Gressitt & Rondon, 1970
callidiooides Gressitt & Rondon, 1970: 46 (*Oemospila*) A: YUN ORR

genus Hypoescrus J. Thomson, 1864: 249 type species *Hypoescrus strigosus* Gyllenhal, 1817
subgenus Tibestia Peyerimhoff, 1935: 78 type species *Tibestia dallonii* Peyerimhoff, 1935
dallonii Peyerimhoff, 1935: 78 (*Tibestia*) N: AG LB MO AFR
 gyllenhalii Lepesme & Breuning, 1955: 43
 mirei Lepesme & Breuning, 1955: 43
 pallidipes Quentin, 1956: 40
 peyerimhoffi Lepesme & Breuning, 1955: 42
 rungsi Lepesme & Breuning, 1955: 42
 wittei Lepesme & Breuning, 1955: 44

genus Kabatekiella Holzschuh, 2008: 174 type species *Kabatekiella dalihodi* Holzschuh, 2008
dalihodi Holzschuh, 2008: 175 A: OM YE (Suqutra)

genus Meiyingia Holzschuh, 2010: 144 type species *Meiyingia paradoxa* Holzschuh, 2010
paradoxa Holzschuh, 2010: 145 A: HEN SCH

genus Neocarolus Sama, 2008: 222 type species: *Neomarius thomasi* Holzschuh, 1993
thomasi Holzschuh, 1993a: 24 (*Neomarius*) A: NP PA

genus Neomarius Fairmaire, 1872: 60 type species *Neomarius gandolphii* Fairmaire, 1872
gandolphii Fairmaire, 1872: 60 N: AG TU

genus Noserius Pascoe, 1857b: 95 type species *Noserius tibialis* Pascoe, 1857
gardneri Martins, 1980: 116 [RN] A: NP
 indicus Gardner, 1939: 1 [HN]
indicus Gahan, 1906a: 104 (*Hypoescrus*) A: AE AF IN NP PA
simplex Gressitt & Rondon, 1970: 44 (*Hypoescrus*) A: HAI ORR

genus Oemospila Gahan, 1906a: 104 type species *Oemospila maculipennis* Gahan, 1906
 Falsostromatium Pic, 1926l: 455 type species *Falsostromatium elongatum* Pic, 1926
maculipennis Gahan, 1906a: 105 A: BT GUX NP YUN ORR
 elongata Pic, 1926l: 455 (*Falsostromatium*)

genus Oplatocera A. White, 1853: 121 type species *Oplatocera callidiooides* A. White, 1853
 Hoplitocera Gemminger, 1872: 2795 [unjustified emendation]

subgenus *Epioplatocera* Gressitt, 1951a: 131 type species *Oplatocera oberthuri* Gahan, 1906
mandibulata Miwa & Mitono, 1935: 404 A: CHQ TAI #74
mitonoi Hayashi, 1981b: 30 A: TAI ZHE #74
oberthuri Gahan, 1906a: 108 A: BT GUA GUX HUN NP SCH SD SHA TAI YUN ORR
subgenus *Oplatocera* A. White, 1853: 121 type species *Oplatocera callidoides* A. White, 1853
callidoides A. White, 1853: 121 A: SCH TAI "North India" ORR
grandis Gressitt, 1951a: 131 A: SCH ORR

genus *Tetraommatus* Perroud, 1855b: 390 [= 1855a: 70] type species *Tetraommatus filiformis* Perroud, 1855
Deuteromma Pascoe, 1857b: 98 type species *Deuteromma callidoides* Pascoe, 1857
fragilis Holzschuh, 1984a: 144 A: NP
kuantaoshanensis Chang, 1978: 62 (*Tetrops*) A: TAI
ocularis continentalis Heller, 1926: 22 A: UP
[*ocularis ocularis* Pascoe, 1869: 504 – Moluques]
taiwanus Hayashi, 1978a: 87 A: TAI

genus *Yementallyrama* Adlbauer, 2007: 7 type species *Yementallyrama nasheri* Adlbauer, 2007
nasheri Adlbauer, 2007: 7 A: OM YE

tribe Opsimini LeConte, 1873

genus *Japonopsimus* Matsushita, 1935: 310 [RN] type species *Paraopsimus orientalis* Matsushita, 1933
Paraopsimus Matsushita, 1933b: 238 [HN] type species *Paraopsimus orientalis* Matsushita, 1933
excentroides Holzschuh, 1984c: 342 A: BT
orientalis Matsushita, 1933b: 238 (*Paraopsimus*) A: TAI

tribe Pelossini Tavakilian, 2013

genus *Pelossus* Thomson, 1864: 222 type species *Corethrogaster ruber* J. Thomson, 1858
Alloeme Lameere, 1893b: 40 type species *Alloeme murrayi* Lameere, 1893 (= *Corethrogaster ruber* J. Thomson, 1858)
Ceresida Kolbe, 1894b: 55 type species *Ceresida suturalis* Jordan, 1894 (= *Corethrogaster ruber* J. Thomson, 1858)
Digonium Pic, 1895d: 76 type species *Digonium longicorne* Pic, 1895
Leptosalpinia Gressitt, 1951a: 624 type species *Leptosalpinia unicolor* Gressitt, 1951
Lygrus Fehraeus, 1872a: 55 type species *Lygrus apicalis* Fehraeus, 1872
Nosoeme Kolbe, 1894b: 55 type species *Nosoeme clavipes* Kolbe, 1894
Zolygrus Fehraeus, 1872b: 194 [RN] type species *Zolygrus apicalis* Fehraeus, 1872
becvari Sama, 1999c: 178 (*Lygrus*) A: IS JO SI
longicornis Pic, 1895d: 77 (*Digonium*) A: OM SA YE
unicolor Gressitt, 1951a: 625 (*Leptosalpinia*) A: HUB

tribe Phoracanthini Newman, 1840

genus *Allotraeus* Bates, 1877: 36 type species *Allotraeus sphaerioninus* Bates, 1877
— *Neosphaerion* Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925
orientalis A. White, 1853: 110 (*Sphaerion*) A: YUN ORR
pallidipennis K. Ohbayashi, 1958c: 36 A: HUB
sphaerioninus Bates, 1877: 37 A: JA SC TAI

genus *Nyphasia* Pascoe, 1867a: 313 type species *Nyphasia torrida* Pascoe, 1867
apicalis Gahan, 1893b: 378 A: NP
fuscipennis Gahan, 1890a: 53 A: NP
pascoei Lacordaire, 1868: 309 A: BT YUN NP SD ORR #50

genus *Nysina* Gahan, 1906a: 153 type species *Sphaerion orientale* A. White, 1853
Neosphaerion Schwarzer, 1925a: 21 type species *Neosphaerion asiaticum* Schwarzer, 1925
Pseudallotraeus Pic, 1923a: 13 type species *Pseudallotraeus rufescens* Pic, 1923
asiatica Schwarzer, 1925a: 22 (*Neosphaerion*) A: FUJ GUX HAI TAI ORR
baibarana Matsushita, 1933b: 297 A: TAI
boninensis Gressitt, 1937b: 319 (*Pseudallotraeus*) A: JA (Ogasawara)
gracillima Mitono, 1947b: 24 (*Pseudallotraeus*) A: TAI
grahami Gressitt, 1939a: 68 A: FUJ GUA GUX HEN HUN JIX SCH XIZ YUN
insularis amamiensis Hayashi, 1961b: 42 A: JA
insularis insularis Mitono, 1947b: 25 (*Pseudallotraeus*) A: JA (Ryukyus) SC TAI #80
insularis yamagamii Fujita, 1980: 12 A: JA (Izu)
orientalis A. White, 1853: 110 (*Sphaerion*) A: "Korea" YUN ORR
rubriventris Gressitt, 1937a: 90 A: HAI HUN YUN ORR
rufescens Pic, 1923a: 13 (*Pseudallotraeus*) A: JA SC TAI

japonica K. Ohbayashi, 1936a: 13
sauteri Matsushita, 1931c: 399 (*Neosphaerion*) A: TAI
subtuberculata Pic, 1933b: 27 (*Pseudallotraeus*) A: CH
genus Phoracantha Newman, 1840a: 19 type species *Stenocorus semipunctatus* Fabricius, 1775
recurva Newman, 1840b: 4 E: GR IT MA PT SP N: LB MO TU A: IS LE SY TR AFR AUR NAR NTR #98
papua Gressitt, 1959: 93
semipunctata Fabricius, 1775: 180 (*Stenocorus*) E: FR GR IT MA PT SP A: CY GG IS JO LE SY TR N: AG CI EG LB MO MR TU AFR AUR NAR NTR
hospita Pascoe, 1864b: 232
inscripta Germar, 1848: 226

tribe Prothemiini Lacordaire, 1868

genus Prothema Pascoe, 1856: 43 type species *Prothema signatum* Pascoe, 1856
Sigeum Pascoe, 1866: 523 type species *Blemmya humerale* Pascoe, 1857
astutum Holzschuh, 2011: 305 A: YUN
auratum *auratum* Gahan, 1906a: 235 A: GUA GUI GUX HAI HUN NP SD YUN ORR
auratum *cariniscapum* Gressitt, 1937c: 451 A: GUA GUI HUN ORR
auratum *ininterruptum* Pic, 1927h: 109 A: XIZ
cakli Heyrovský, 1967c: 201 A: HAI YUN ORR
—simile Gressitt & Rondon, 1970: 132
exclamatione Pesarini & Sabbadini, 2000: 58 A: SCH
lineatum Pic, 1920a: 2 A: XIZ
ochraceosignatum Pic, 1915b: 10 A: TAI
nigrum Kano, 1930: 42
signatum Pascoe, 1856: 43 A: FUJ GUA GUI GUX HAI HUN JIX NE NO XIZ ZHE ORR
funereum Pascoe, 1856: 43

tribe Psebiini Lacordaire, 1868

genus Kabatekiipsebium Rapuzzi, 2015: 583 type species *Kabatekiipsebium yemenensis* Rapuzzi, 2015 #121
yemenensis Rapuzzi, 2015: 754 A: OM YE

tribe Purpuricenini J. Thomson, 1861

genus Afghanicenus Heyrovský, 1941a: 36 type species *Purpuricenus nuristanicus* Heyrovský, 1936
aulicus Holzschuh, 1981: 101 A: PA
dreesi Tippmann, 1958a: 57 A: AF
nuristanicus Heyrovský, 1936: 212 (*Purpuricenus*) A: AF

genus Amarysius Fairmaire, 1888b: 140 type species *Amarysius dilatatus* Fairmaire, 1888 (= *Anoplistes sanguinipennis* Blessig, 1872)
Asiates Semenov, 1908: 263 type species *Leptura altajensis* Laxmann, 1770
~~*altajensis allrina* Z. Wang, 2003: 394 A: HEI~~
altajensis altajensis Laxmann, 1770: 597 (*Leptura*) A: CH KZ WS
affinis Motschulsky, 1853: 79 (*Anoplistes*)
basilaris Pic, 1906b: 10 (*Anoplistes*)
sellatus Germar, 1824: 498 (*Cerambyx*)
altajensis coreanus Okamoto, 1924: 191 (*Anoplistes*) A: ES FE HEI LIA MG NC SC
album Z. Wang, 2003: 160, 394
ausinia Z. Wang, 2003: 160
ussuricus Tsherepanov, 1975d: 123
duplicatus Tsherepanov, 1980: 91 A: ES FE KZ MG WS
minax Holzschuh, 1998: 43 A: SCH
sanguinipennis Blessig, 1872: 175 (*Anoplistes*) E: CT A: ES FE HEB HUB JA KZ MG NC NMO SC SHA WS ZHE
dilatatus Fairmaire, 1888b: 141
suturalis Pic, 1906d: 16 (*Anoplistes*) A: FE HEB
grallator Baeckmann, 1924: 233 (*Purpuricenus*)

genus Anoplistes Audinet-Serville, 1834a: 570 type species *Cerambyx halodendri* Pallas, 1773

Asias Semenov, 1914: 19 [unnecessary RN] type species *Cerambyx halodendri* Pallas, 1776
agababiani Danilevsky, 2000b: 41 (*Asias*) A: AR
degener Semenov, 1907b: 255 (*Purpuricenus*) A: MG NMO
diabolicus Reitter, 1915: 170 A: KZ XIN
forticornis Reitter, 1901c: 84 A: CH IN KZ KI UZ
maculibasis Reitter, 1901c: 84
galusoi Kostin, 1974: 648 (*Asias*) A: KZ
gobiensis Namkhaidorzh, 1973: 377 (*Asias*) A: MG
halodendri balcanicus Sláma, 2010: 75 E: AL BU RO

halodendri ephippium Steven & Dalman, 1817: 157 (*Cerambyx*) E: ST UK KZ A: KZ
 elaeagni Fischer von Waldheim, 1823: pl. II [= 1824: 238] (*Purpuricenus*)
 humeralis Olivier, 1795: 38 (*Cerambyx*)
halodendri halodendri Pallas, 1773: 724 (*Cerambyx*) A: KZ WS
 nigromaculatus Pic, 1915e: 6 (*Asiates*)
halodendri heptapotamicus Semenov, 1926: 48 (*Purpuricenus*) A: ES KZ WS
halodendri kasatikini Lazarev, 2014a: 275 E: ST
halodendri minutus Hammarström, 1892: 191 A: ES MG
halodendri pirus Arakawa, 1932: 18 (*Purpuricenus*) A: ES FE GAN GUI HEB HEI HEN HUB HUN JIA JIL JIX LIA NC NIN
 NMO QIN SC SHA SHN SHX TAI XIN ZHE
jacobsoni Baeckmann, 1904: 311 A: KZ
jomudorum Plavilstshikov, 1940a: 606 (*Asias*) A: IN TM
 chodjaii Holzschuh, 1974a: 94 (*Asias*)
kozlovi Semenov & Znoiko, 1934: 211 (*Asias*) A: MG NMG
mongolicus amoenus Reitter, 1898b: 126 A: XIN
 francisci Reymond, 1933: 139
procerus Semenov, 1907b: 256 (*Purpuricenus*)
mongolicus mongolicus Ganglbauer, 1889a: 75 A: MG NMO
tuvensis Tsherepanov, 1978b: 138 (*Asias*) A: ES MG

? genus *Brototyche* Pascoe, 1867a: 317 type species *Brototyche adamsii* Pascoe, 1867
? *adamsii* Pascoe, 1867a: 318 A: KO

genus *Calchaenesthes* Kraatz, 1863: 97 type species *Callidium oblongomaculatum* Guérin-Méneville, 1844
diversicollis Holzschuh, 1977a: 129 A: IN IQ TR
oblongomaculata Guérin-Méneville, 1844: 234 (*Callidium*) E: BU GR RO A: CY JO TR
 nogeli Frivaldszky von Frivald, 1845: 183 (*Callidium*)
 quadrimaculata Pic, 1912f: 13
 subjuncta Pic, 1945b: 6
pistaciavora Holzschuh, 2003a: 195 A: IN
primis Özdi̇kmen, 2013: 150 in Özdi̇kmen et al., 2013 A: CY TR (see: Ambrus et al., 2014: 182)
sexmaculata Reiche, 1861: 91 (*Anoplistes*) E: SP N: AG MO TU
 juncta Pic, 1922d: 27
 parvimaculata Rungs, 1947: 100 (*Purpuricenus*)

genus *Dicelosternus* Gahan, 1900c: 308 type species *Dicelosternus corallinus* Gahan, 1900
corallinus Gahan, 1900c: 309 A: FUJ GUA GUI HAI HUB HUN JIX TAI ZHE

genus *Euryphagus* J. Thomson, 1864: 196 type species *Cerambyx lundii* Fabricius, 1793
 Eurycephalus Dejean, 1835: 323 [HN] type species *Cerambix maxillosus* Olivier, 1795 (= *Cerambyx lundii* Fabricius, 1793)
 lundii Fabricius, 1793: 258 (*Cerambyx*) A: FUJ GUI GUX HAI HP NP SCH TAI YUN ORR
 maxillosus Olivier, 1795: 52 (*Cerambyx*)
 nigripes Olivier, 1795: 52 (*Cerambyx*)
 miniatus Fairmaire, 1904a: 145 (*Purpuricenus*) A: FUJ GUA GUI GUX HAI HKG JIX YUN ORR
 caputorubeus S. T. Yu, 1935: 10 (*Purpuricenus*)
 carinifer Pic, 1910f: 24 (*Purpuricenus*)
 chinensis Gressitt, 1939a: 47

genus *Falsanoplites* Pic, 1915a: 27 type species *Falsanoplites guerryi* Pic, 1915
 Bunothorax Gressitt, 1936: 101 type species *Sternoplites takasagoensis* Kano, 1933
guerryi Pic, 1915a: 27 A: YUN XIZ
takasagoensis Kano, 1933a: 278 (*Sternoplites*) A: SCH TAI ORR

genus *Parabunothorax* Pu, 1991b: 247 type species *Parabunothorax rubripennis* Pu, 1991
rubripennis Pu, 1991b: 248, 251 A: GUI ORR

genus *Peyeremoceras* Sama, 2009: 22 [RN] type species *Eremoceras surcoufi* Peyerimhoff, 1920
 Eremoceras Peyerimhoff, 1920a: 22 [HN] type species *Eremoceras surcoufi* Peyerimhoff, 1920
 surcoufi Peyerimhoff, 1920a: 22 (*Eremoceras*) N: AG

genus *Purpuricenus* Dejean, 1821: 105 type species *Cerambyx kaehleri* Linnaeus, 1758
 Acanthoptera Latreille, 1829: 114 type species *Cerambyx budensis* Götz, 1783
 Cyclodera A. White, 1846: 510 type species *Cyclodera quadrinotata* A. White, 1846
 Hamadrias Gistel, 1848a: 130 [unnecessary substitute name]
 Philagathes J. Thomson, 1864: 196 type species *Philagathes laetus* J. Thomson, 1864
 Porphyrocerus Reitter, 1913a: 34 type species *Purpuricenus spectabilis* Motschulsky, 1858
 Sternoplites Guérin-Méneville, 1844: 224 type species *Purpuricenus temminckii* Guérin-Méneville, 1844
 apicalis Pic, 1905k: 163 A: IN IQ TR

- tommasoi* Sama, 2001: 390
apiceniger Pic, 1914c: 7 E: BH CR GR IT ME
barbarus P. H. Lucas, 1842: 185 N: AG MO TU
dumerili P. H. Lucas, 1847: pl. 41
interruptus Pic, 1891b: 23
limbatus Pic, 1891b: 23
bitlisiensis Pic, 1902: 27 A: TR
budensis Götz, 1783: 72 (Cerambyx) E: BH BU CT CR FR GR HU IT MC MD RO SK SL SP ST TR UK YU A: AB AR CY GG IS LE SY TR WS
affinis Brullé, 1832: 251
ungaricus Herbst, 1784: 90 (*Lamia*)
wredii Fischer von Waldheim, 1823: tab. 49, fig. 2 [1824: 238]
comenius Vartanis & Ambrus, 2015: 315 E: GR #85
cornifrons Sabbadini & Pesarini, 1992b: 58 A: TR [type-Bingöl]
dalmatinus Sturm, 1843: 353 E: BH BU CR GR IT MC SL A: IS JO LE SY TR
biinterruptus Pic, 1901b: 11
bonvouloiri Pic, 1945b: 6
disjunctus Pic, 1916a: 13
hirsutus Heyrovský, 1969a: 34
desfontainii *desfontainii* Fabricius, 1793: 258 (Cerambyx) E: GR (Kriti) N: AG LB MO TU
nigricollis Pic, 1892g: 114
v-signatis Pic, 1922d: 27
desfontainii inhumeralis Pic, 1891b: 24 E: GR TR A: JO IS SY TR
deyrollei J. Thomson, 1867: 164 A: IN TM
ledereri Ferrari, 1869: 199
mediojunctus Pic, 1921a: 4
ferrugineus Fairmaire, 1851a: 528 E: PT SP
jettingi Schaufuss, 1871c: 209
hispanicus K. Daniel & J. Daniel, 1898: 88
foraminifer Pesarini & Sabbadini, 1997: 106 A: SCH
globiger ambrusi Danilevsky, 2012d: 11 A: GAN
globiger globiger Fairmaire, 1888b: 139 A: HEB JIX SHX
globulicollis globulicollis Dejean, 1839: 34 E: AU BH BU CR CT CZ EN FR GR HU IT ME RO SK SL SP ST SZ YU A: KZ WS
grabowski Heyrovský, 1913: 35
tsherepanovae Tsherepanov, 1980: 89
globulicollis skypetarum Rapuzzi & Sama, 2014b: 164 E: AL MC GR #84
graecus neocaucasicus Rapuzzi & Sama, 2014b: 156 E: ST A: AB AR GG TR
graecus baeckmanni Danilevsky, 2007c: 38 E: UK
graecus graecus Sláma, 1993: 56 E: GR
graecus renyvona Sláma, 2001: 225 E: BU CR MC TR YU A: TR
indus Semenov, 1908: 261 [RN] A: AF KA PA "Punjab"
haussknechtii Gahan, 1906a: 186
innotatus Pic, 1910f: 24 A: XIZ YUN ORR
interscapillatus barbareae Rapuzzi & Sama, 2014b: 145 A: IS
interscapillatus hermonensis Rapuzzi & Sama, 2014b: 147 A: IS SY
interscapillatus interscapillatus Pavilstshikov, 1937b: 247 [RN] A: SY TR [type-“Syria”]
humeralis Pic, 1891b: 23 [HN]
interscapillatus longevittatus Pic, 1941b: 2 A: LE [Rapuzzi & Sama, 2014b: 144]
interscapillatus nabateus Sama, 1999c: 178 A: JO [Rapuzzi & Sama, 2014b: 148]
interscapillatus nudicollis Demelt, 1968b: 65 A: ?CY TR [type-Antalya]
kabakovi Miroshnikov & Lobanov, 1990: 15 A: AF KA PA
kaehleri kaehleri Linnaeus, 1758: 393 (Cerambyx) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU IT MC MD PL PT RO SK SL SP ST SZ TR UK YU A: TR
aetnensis Bassi, 1834: 471
bilineatus Mulsant, 1839: 34
bipunctatus A. Villa & G. B. Villa, 1833: 36
boryi Brullé, 1832: 251
carbonarius Reitter, 1901d: 101
cinctus A. Villa & G. B. Villa, 1833: 36
ferrarioi Pic, 1941b: 2
litoralis Depoli, 1913: 22
ruber Geoffroy, 1785: 75 (Cerambyx)
servillei Audinet-Serville, 1834a: 569
tournieri Pic, 1945b: 6
kaehleri menetriesi Motschulsky, 1845a: 87 E: ST A: AB AR GG IN TR
astrabadensis Pic, 1915e: 6
caucasicus T. Pic, 1902: 27 [Rapuzzi & Sama, 2014b: 158]
katerinae Danilevsky, 2012d: 12 A: GAN
lituratus Ganglbauer, 1887a: 136 A: FE GAN GUI GUX HEB HEN HUB HUN JIA JIL JIX LIA NC SC SHA YUN

- hummeli* Pic, 1935c: 11
komarovi Semenov, 1908: 260
petasifer Fairmaire, 1888b: 140
ritsemai Villard, 1913: 237
rosti Pic, 1913e: 135
malaccensis Lacordaire, 1869: 176 (*Philagathes*) A: HAI SHA YUN **ORR**
fasciatus Brongniart, 1892: 241
mesopotamicus Al-Ali & Ismail, 1987: 536, 543 A: IQ
montanus A. White, 1853: 138 A: AF KA XIZ "Tibet"
kashmirensis Pic, 1906b: 10 (*Sternoplistes*)
nanus Semenov, 1907b: 254 A: IN
notatithorax Pic, 1919d: 22
nicoles Schaufuss, 1871c: 209 A: CY
nigropunctatus Pic, 1916a: 13
nigronotatus Pic, 1907i: 169 A: TR [type - Hatay]
konradi Bernhauer, 1976: 123 [type - Adana: Nurdagi gecidi]
optabilis Holzschuh, 1984a: 149 A: NP
robusticollis Pic, 1905a: 9 A: IN
sanguinolentus Olivier, 1795: 93 (*Cerambyx*) A: TAI "North India" **ORR**
sasanus Kadlec, 2006a: 3 A: IN ?IQ
schurmanni Sláma, 1985: 18 E GR (Kriti)
creticus Bernhauer, 1985: 104
sideriger richardi Danilevsky, 2012d: 15 A: GAN
sideriger sideriger Fairmaire, 1888b: 139 A: FE FUJ HEB HEN HUB HUN JIA NC SC SCH SHA
coreanus K. Saito, 1932: 441
pratti Gahan, 1888b: 61
spectabilis Motschulsky, 1858a: 36 A: FUJ GAN GUI HEB HUB HUN JA JIA JIX LIA **SC** SCH SHA TAI YUN ZHE #80
bijunctus Pic, 1923b: 8 (*Sternoplistes*)
subnotatus Pic, 1910f: 24 A: YUN
basipennis Pic, 1916h: 13
talyshensis Reitter, 1891c: 240 A: AB IN
temminckii temminckii Guérin-Méneville, 1844: 224 A: JA
japanus Motschulsky, 1858a: 37
kiotensis Matsushita, 1933b: 312 (*Sternoplistes*)
temminckii oliveri Danilevsky, 2012d: 19 A: GAN
temminckii sinensis A. White, 1853: 139 A: FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX LIA SC SCH SHA SHN TAI YUN ZHE **ORR**
similis Pic, 1923b: 8 (*Sternoplistes*)
wachanrui Levrat, 1858: 261 A: AB CY IN IQ SY TR
aleppensis Witte, 1872: 208
atricolor Pic, 1912c: 4
bilunatus Schaufuss, 1871c: 210
diversipennis Pic, 1915e: 6
haussknechti Witte, 1872: 207
quadrinotatus Pic, 1912a: 35
schoenfeldti Heyden, 1890: 79
zarudnianus Semenov, 1903c: 358 A: IN PA
schauffelei Pic, 1956a: 3
- genus *Quentinius* Vives, 2013a: 105** type species *Philagathes cinctus* Lameere, 1890 (= *Purpuricenus lameerei* Plavilstshikov, 1921)
lameerei Plavilstshikov, 1921: 110 (*Purpuricenus*) [RN] A: SCH XIZ
cinctus Lameere, 1890: cxiii (*Philagathes*) [HN]

tribe Pseudolepturini J. Thomson, 1861

- genus *Erythresthes* J. Thomson, 1864: 158** type species *Erythrus bowringii* Pascoe, 1863
subgenus *Erythresthes* J. Thomson, 1864: 158 type species *Erythrus bowringii* Pascoe, 1863
bowringii Pascoe, 1863a: 52 (*Erythrus*) A: ANH GUA GUX HKG HUB HUN JIX ZHE #74
- genus *Erythrus* A. White, 1853: 142** type species *Erythrus championi* A. White, 1853
Disidaema J. Thomson, 1860: 142 type species *Erythrus fortunei* A. White, 1853
Pseudoleptura J. Thomson, 1860: 142 [RN] type species *Erythrus championi* A. White, 1853
angustatus Pic, 1916h: 19 A: GUA
apicalis Pic, 1922b: 25 A: GUA GUX **ORR**
atripennis Pic, 1926g: 143
bicolor Westwood, 1848: 60 (*Saperda*) A: BT JIA SD **ORR**
biimpressus Pic, 1943c: 5 A: CH
blairi Gressitt, 1939a: 33 A: FUJ GUA GUI GUX HAI HEN HUB HUN JIA NE SHA TAI YUN ZHE

championi A. White, 1853: 142 A: **CE FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX SCH SE SW TAI YUN ZHE ORR**
lineatus Pic, 1916h: 12
schaiblei Nonfried, 1892a: 92 (*Sternoplistes*)
coccineus Gahan, 1906a: 231 A: FUJ NP "North India" **ORR**
congruus Pascoe, 1863a: 51 A: GUA HKG HUB JIA TAI
formosanus Bates, 1866: 350 A: TAI
fortunei A. White, 1853: 142 A: FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI YUN ZHE
bijunctus Pic, 1943c: 5
multiplicatus Pic, 1943c: 5
lineatus Pic, 1943c: 4 A: CH
multimaculatus Pic, 1916h: 19 A: GUA SCH
rotundicollis Gahan, 1902: 275 A: YUN **ORR**
rubriceps Pic, 1916h: 12 A: FUJ HEN HUB NE SCH YUN
quadrimaculatus Pic, 1943c: 4 A: CH
quadrifasciatus Pic, 1943c: 4 A: CH
suturellus Holzschuh, 1984a: 150 A: NP SD
taiwanicus Heyrovský, 1952: 71 A: TAI
westwoodi A. White, 1853: 143 A: NP "Himalaya"

genus Pachylocerus Hope, 1834: 19 type species *Pachylocerus corallinus* Hope, 1834
sulcatus Brongniart, 1892: 240 A: GUX SCH YUN **ORR**

tribe Pyrestini Lacordaire, 1868

genus Pyrestes Pascoe, 1857b: 96 type species *Pyrestes haematicus* Pascoe, 1857
cardinalis Pascoe, 1863a: 50 A: HKG YUN
curticornis Pic, 1923a: 13 A: TAI
 formosanus Schwarzer, 1925a: 24
densatus Holzschuh, 1998: 41 A: SCH
dohertii Gahan, 1906a: 229 A: YUN **ORR**
festus Holzschuh, 1998: 42 A: YUN
haematicus Pascoe, 1857b: 97 A: ANH FUJ GUA GUI HEN HKG HUB HUN JIA JIX **NC NE NO SC TAI YUN ZHE**
 coreanus Okamoto, 1927: 66 (*Leptoxenus*)
hypomelas Fairmaire, 1887a: 131 A: YUN
inaequalicollis Hayashi, 1962a: 9 A: JA
longicollis Pic, 1953a: 8 A: TAI
miniatus Pascoe, 1857b: 97 A: "North India"
munekuro Fujimura, 1956: 3 A: JA
 nipponicus Hayashi, 1987: 157
nigricollis Pic, 1947c: 18 A: YUN
pascoei Gressitt, 1939a: 31 A: FUJ GAN GUA HUN JIA NE YUN ZHE
pyrrhus Gahan, 1906a: 228 A: NP **ORR**
quinquesignatus Fairmaire, 1889a: 65 A: SHX WP
rufipes nepalicus Holzschuh, 1990: 189 A: NP
[*rufipes rufipes* Pic, 1923a: 13 - "North India"]
rugicollis Fairmaire, 1900: 642 A: FUJ GAN GUA HEN HUN JIA YUN ZHE
rugosa Gressitt & Rondon, 1970: 184 A: YUN **ORR**
yayeyamensis Hayashi, 1972: 28 A: JA (Ryukyu)

tribe Rhopalophorini Blanchard, 1845

genus Dymorphocosmisa Pic, 1918e: 6 type species *Dymorphocosmisa diversicornis* Pic, 1918
diversicornis Pic, 1918e: 6 A: YUN

tribe Rosaliini Fairmaire, 1864

genus Acrocyrtidus Jordan, 1894b: 499 type species *Acrocyrtidus fasciatus* Jordan, 1894
Lautitia Matsushita, 1933b: 226 type species *Lautitia elegantula* Matsushita, 1933
Mausaridaeus Pic, 1903c: 29 type species *Mausaridaeus diversinotatus* Pic, 1903
argenteofasciatus Pic, 1903c: 29 (*Mausaridaeus*) A: HAI **ORR**
argenteus Gressitt & Rondon, 1970: 189 A: HUN YUN **ORR**
avarus Holzschuh, 1989a: 165 A: YUN **ORR**
auricomus Holzschuh, 1982a: 70 A: NP
diversinotatus Pic, 1903c: 30 (*Mausaridaeus*) A: HAI **ORR**
elegantulus Matsushita, 1933b: 226 (*Lautitia*) A: TAI
elegantulus longicornis Hayashi, 1962a: 10 A: JA
longipes Matsushita, 1941: 152 (*Mausaridaeus*) A: TAI
simianshanensis Chiang & L. Chen, 1994: 107 A: SCH

genus *Eduardiella* Holzschuh, 1993a: 32 type species *Eduardiella pretiosa* Holzschuh, 1993
pretiosa Holzschuh, 1993a: 32 A: YUN

genus *Luteicenus* Pic, 1922: 25 type species *Purpuricenus atromaculatus* Pic, 1922
 Latecyrtidus Vives & Niisato, 2011: 359 type species *Latecyrtidus yamasakoi* Vives & Niisato, 2011
atromaculatus Pic, 1922: 25 (*Purpuricenus*) A: YUN ORR
 yamasakoi Vives & Niisato, 2011: 105
magnificus Rapuzzi & Sama, 2014a: 6 A: GUX

genus *Pseudocallidium* Plavilstshikov, 1934f: 226 type species *Pseudocallidium violaceum* Plavilstshikov, 1934
obscuriaeneum Hayashi, 1969a: 62 A: TAI
violaceum Plavilstshikov, 1934f: 226 A: SCH

genus *Rosalia* Audinet-Serville, 1834a: 561 type species *Cerambyx alpinus* Linnaeus, 1758
subgenus *Eurybatodes* Semenov, 1911: 121 type species *Rosalia bouvieri* Boppe, 1910
bouvieri Boppe, 1910: 235 A: SCH XIZ YUN
subgenus *Eurybatus* J. Thomson, 1861: 233 type species *Eurybatus hariolus* J. Thomson, 1861
 Eurybatorosalia Plavilstshikov, 1934a: 142 type species *Rosalia lesnei* Boppe, 1911
binotata Heyrovský, 1952: 73 A: XIZ
decempunctata Westwood, 1848: 59 (*Purpuricenus*) A: GUA GUI GUX HAI HUB SD TAI XIZ YUN "North India" ORR
 insulana Kriesche, 1920b: 112
dejeani Vuillet, 1911b: 247 A: SCH
ferriei Vuillet, 1911a: 79 A: JA
formosa conviva Csiki, 1911: 612 A: TAI
formosa formosa Saunders, 1839: 178 (*Cerambyx*) A: NP SD TAI XIZ ORR
formosa nigroapicalis Pic, 1910g: 36 (*Eurybatus*) A: CE SE SW
formosa pallens Gressitt, 1945a: 124 A: GUI HUB HUN ORR
gravida Lameere, 1887: 166 A: CH SD "Himalaya" ORR
hariola J. Thomson, 1861: 250 (*Eurybatus*) A: BT NP SD
 nakanishii Hayashi & Makihara, 1981: 189
kubotai Takakuwa, 1994: 2 A: GUX ORR
lateritia Hope, 1831: 27 (*Lamia*) A: NP SD XIZ "Himalaya" ORR
lesnei Boppe, 1911b: 103 A: JA TAI
 asahinai Mitono, 1943: 587 (*Eurybatus*)
pachycornis Takakuwa & Karube, 1997: 8 A: YUN ORR
subgenus *Rosalia* Audinet-Serville, 1834a: 561 type species *Cerambyx alpinus* Linnaeus, 1758
 Charmides Gistel, 1848b: [2] [unnecessary substitute name]
alpina alpina Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LS MC PL RO SK SL SP ST
 SV SZ TR UK YU A: AB AR GG TR
 bifasciata Reitter, 1900b: 131
 brancsiki Pic, 1911a: 5
bystricensis Roubal, 1937: 82
 cepelaki Pic, 1933d: 6
connexa Reitter, 1900b: 131
croissandeau Pic, 1891b: 22
gelineki Zoufal, 1906: 264
geminata Reitter, 1900b: 131
interrupta Reitter, 1900b: 131
korbeli Roubal, 1937: 82
kyselyi Zoufal, 1906: 264
latemaculata T. Pic, 1908h: 33
multimaculata T. Pic, 1900a: 12
obliterata T. Pic, 1900a: 12
parvonotata Reitter, 1900b: 132
prolongata Reitter, 1900b: 131
pilosa Poda von Neuhaus, 1761: 32 (*Cerambyx*)
quadrivirgata Ragusa, 1905: 8
quadripunctata Reitter, 1901h: 202
transsylvanica Pic, 1908g: 20
triformis Roubal, 1937: 81
v-notata T. Pic, 1908h: 33
uzunkumensis Podaný, 1963a: 10
alpina syriaca Pic, 1895i: cclxxxv A: TR
batesi Harold, 1877b: 360 A: JA SCH SHA TAI
coelestis Semenov, 1911: 118 A: FE GUX HEB HEI HEN JIL NC SC SHN
houlberti Vuillet, 1911b: 215 A: XIZ
lameerei Brongniart, 1890: cxxi A: GUX SCH TAI YUN ORR

bireducta Dayrem, 1935: 25
quadrinotata Dayrem, 1935: 25
semireducta Pic, 1910g: 30
unireducta Pic, 1937a: 11

tribe Stenomalini Miroshnikov, 1989

genus *Stenomalus* A. White, 1855: 243 type species *Stenomalus fenestratus* A. White, 1855

subgenus *Obriopsis* G. Müller, 1948: 65 type species *Obrium bicolor* Kraatz, 1862

bicolor Kraatz, 1862: 126 (*Obrium*) E: AL AU BH BU CR CZ GR HU IT MC SK SL SV YU A: CY IS SY TR

subgenus *Stenomalus* A. White, 1855: 243 type species *Stenomalus fenestratus* A. White, 1855

Stenomalus Gemminger, 1872: 2841 [unjustified emendation]

baibarensis Matsushita, 1933b: 307 A: TAI

cephalotes Pic, 1928a: 28 A: HAI ORR

clarinus Holzschuh, 1995: 23 A: YUN

cleroides Bates, 1873: 155 A: JA TAI

complicatus Gressitt, 1948a: 49 A: SCH SHA SHX YUN

coomani Gressitt, 1951a: 164 A: FUJ

fenestratus A. White, 1855: 243 A: FUJ GUA NE NO NP SCH TAI "North India" ORR

incongruus incongruus Gressitt, 1939f: 211 A: JIA

incongruus muneaka Hayashi, 1981b: 29 A: JA

incongruus parallelus Niisato, 1988c: 791 A: JA SC

japonicus Pic, 1904f: 22 (*Obrium*) A: FE (Kunashir) JA SC

lighti Gressitt, 1935b: 170

vulcanus Tsherepanov, 1975c: 79

koshunensis Seki, 1935a: 91 A: HEN TAI

kumaso Niisato & Makihara, 1991: 164 A: JA

longicornis Bates, 1873: 155 (*Obrium*) A: JA

mecops Holzschuh, 1990: 187 A: SD

nagaoi Hayashi, 1960c: 11 A: JA

odai Niisato & Kinugasa, 1982: 13 A: YUN ORR

pallidus Gressitt, 1935a: 147 A: TAI

ruficollis Gressitt, 1935a: 149 A: TAI

taiwanus Matsushita, 1933b: 307 A: HEB HEN HUB JA SC SHX TAI

takaosanus K. Ohbayashi, 1958c: 37 A: JA

tetricus Holzschuh, 2007: 214 A: HUB

unicolor Niisato & Hua, 1998: 456 A: ZHE

versicolor Holzschuh, 1984a: 147 A: NP

tribe Stenopterini Gistel, 1848

Stenopterinae, Özdi̇kmen, 2012a: 52

genus *Callimoxys* Kraatz, 1863: 105 type species *Stenopterus gracilis* Brullé, 1832

gracilis Brullé, 1832: 257 (*Stenopterus*) E: BH BU CR GR HU MC RO SB SK SL ST UK YU A: AB AR GG IN TM TR

#41

retusifer Holzschuh, 1999: 27 A: HUB

orientalis Niisato & N. Ohbayashi, 2004: 464

genus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)

subgenus *Callimus* Mulsant, 1846: [5] type species *Callimus bourdini* Mulsant, 1846 (= *Saperda angulata* Schrank, 1789)

Callimellum E. Strand, 1928: 2 [unnecessary substitute name]

abdominalis Olivier, 1795: 70 (*Callidium*) E: AL BH CR FR GR IT SP

decorus Gené, 1839: 38 (*Stenopterus*)

diversipes Pic, 1929b: 9

nigricollis Pic, 1890c: 157

akbesianus Pic, 1892s: cxii [= 1893d: 416] A: TR

angulatus angulatus Schrank, 1789: 77 (*Saperda*) E: AL AU BH BU CR CZ GE GR HU MC PL RO SK SP SZ TR UK YU N: AG

MO A: AB AR GG IN SY TR

bourdini Mulsant, 1846: [7]

cyaneus Fabricius, 1793: 330 (*Callidium*)

gallicus Pic, 1932d: 25 (*Callimellum*)

laetus Motschulsky, 1845a: 85 (*Stenopterus*)

variabilis Bonelli, 1812: 181 (*Necydalis*)

angulatus glabrescens Holzschuh, 1989a: 164 E: AL GR

subgenus *Lampropterus* Mulsant, 1862: 214 type species *Necydalis femoratus* Germar, 1824

Callimomimus Ieniștea, 1952: 719 type species *Callimomimus distinctus* Ieniștea, 1952 (= *Necydalis femoratus* Germar, 1824)

femoratus Germar, 1824: 519 (*Necydalis*) E: AL BU GR MC MD RO ST TR UK YU A: AB AR GG IN IS CY LE SY TR #98

adonis Abeille de Perrin, 1881: 139

distinctus Ieniștea, 1952: 719 (*Callimomimus*)

narcissus Abeille de Perrin, 1881: 138

rumelicus Apfelbeck, 1899: 292

thoracicus Chevrolat, 1882: 57 (*Callimoxys*)

subgenus *Nathriopterus* Sama, 2002: 62 type species *Stenopterus shensiensis* Gressitt, 1951

shensiensis Gressitt, 1951a: 176 (*Stenopterus*) A: SHA

truncatipennis Gressitt, 1948a: 52 (*Stenopterus*) A: SHA

subgenus *Procallimus* Pic, 1907b: 7 type species *Callimus egregius* Mulsant & Rey, 1863

distinctipes Pic, 1906a: 11 (*Callimus*) A: IS JO LE

egregius Mulsant & Rey, 1863: 146 (*Callimus*) E: ST UK A: GG LE SY TR

obscurithorax Pic, 1907g: 154 (*Callimus*)

khorasanii Holzschuh, 2006a: 234 A: IN

rapillyi Villiers, 1973a: 33 A: IN

semicyaneus Pic, 1905m: 187 (*Callimus*) E: GR MC

genus *Guerryus* Pic, 1903e: 105 type species *Guerryus aureopubescens* Pic, 1903

argyritis Holzschuh, 1998: 34 A: SCH

aureopubescens Pic, 1903e: 105 A: SCH YUN

genus *Holangus* Pic, 1902l: 33 type species *Holangus flavonotatus* Pic, 1902

guerryi Pic, 1904c: 10 (*Holangus*) A: YUN

genus *Kunbir* Lameere, 1890: cexiii type species *Kunbir telephoroides* Lameere, 1890

Debilia Fairmaire, 1895: 178 [HN] type species *Debilia rufoflavida* Fairmaire, 1895

Debilissa Aurivillius, 1912: 274 [RN] type species *Debilia rufoflavida* Fairmaire, 1895

Kurseonigra Pic, 1930b: 15 type species *Debilissa laboissierei* Pic, 1930

atripennis Pic, 1925b: 15 (*Debilissa*) A: HUN YUN

bicolor Pic, 1928h: 160 (*Debilissa*)

obscuricolor Pic, 1925b: 16 (*Debilissa*)

carinatus Pic, 1928h: 159 (*Debilissa*) A: YUN

cephalotes Pic, 1928h: 159 (*Debilissa*) A: FUJ YUN

crusator Gressitt & Rondon, 1970: 127 A: YUN ORR

laboissierei Pic, 1930: 16 (*Debilissa*) A: SD

nomurai Hayashi, 1974a: 25 A: HUN TAI

pallidipennis Gressitt, 1940b: 56 A: HAI

pilosipes Holzschuh, 2003: 187 A: HUN SHA

rufoflavidus Fairmaire, 1895: 179 (*Debilia*) A: YUN ORR

diversiceps Pic, 1928a: 27 (*Debilissa*)

simplex Gressitt & Rondon, 1970: 128 A: YUN ORR

testaceus Pic, 1924a: 15 (*Debilissima*) A: CH ORR

vartianorum Holzschuh, 1974a: 88 A: PA

genus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858

subgenus *Macromolorchus* Pic, 1922e: 28 type species *Macromolorchus curtipennis* Pic, 1922

Hakata Mitono & Nishimura, 1936: 33 type species *Hakata hirsuta* Mitono & Nishimura, 1936

baoshana Chiang, 1963: 66 A: YUN ORR

aglaospadix Gressitt & Rondon, 1970: 118

eburata Holzschuh, 1989a: 162 A: SD YUN

hirsuta Mitono & Nishimura, 1936: 34 (*Hakata*) A: FUJ HUN JA TAI ZHE

klapperichi Tippmann, 1955: 100 (*Hakata*) A: FUJ

splendida Chiang, 1981: 79 A: GUX HAI

subgenus *Merionoeda* Pascoe, 1858: 237 type species *Merionoeda puella* Pascoe, 1858

fusca Gressitt & Rondon, 1970: 121 A: YUN ORR

indica Hope, 1831: 28 (*Molorchus*) A: NP SCH SD YUN ORR

jeanoinei Pic, 1933a: 9 A: GUX HAI ORR

nigrella Gressitt, 1942g: 79 A: ANH YUN

nigriceps A. White, 1855: 181 (*Heliomanes*) A: NP XIZ

inapicalis Pic, 1922b: 23

nigroapicalis Gressitt et Rondon, 1970: 120 A: YUN ORR

phoebe Gardner, 1939: 3 A: NP UP

scutulata Holzschuh, 1989a: 163 A: SD YUN

uraiensis Kano, 1930: 43 A: TAI

subgenus *Ocytasia* Pascoe, 1869: 565 type species *Ocytasia fulvipennis* Pascoe, 1869

caldwelli Gressitt, 1942a: 3 A: FUJ GUA GUX HUN YUN

catoxelytra Gressitt & Rondon, 1970: 119 A: YUN ORR

formosana burkwalli Gressitt, 1940b: 54 A: HAI

formosana formosana Heller, 1924a: 32 A: FUJ HAI TAI

kurarensis Seki, 1934: 282

nigra Matsushita, 1937: 102

formosana iriomotensis K. Ohbayashi & N. Ohbayashi, 1965: 3 A: JA (Ryukyus)
formosana okinawana K. Ohbayashi & N. Ohbayashi, 1965: 2 A: JA (Ryukyus)
formosana rubriventris Hayashi, 1962a: 8 A: JA
formosana septentrionalis Tamu & Tsukamoto, 1952: 9 A: FUJ JA
tosawai Kobayashi, 1932: 1 A: JA (Ogasawara) TAI

genus Microdebilissa Pic, 1925b: 16 type species *Microdebilissa bipartita* Pic, 1925

Euchlanis Pascoe, 1869: 565 [HN] type species *Euchlanis collaris* Pascoe, 1869
Neodeuteromma Mitono, 1936: 32 type species *Neodeuteromma serratipenne* Mitono, 1936 (= *Mirodebilissa testacea* Matsushita, 1933)
aethiops Holzschuh, 1995: 25 (*Euchlanis*) A: YUN
argentifera Holzschuh, 1984c: 354 (*Euchlanis*) A: BT NP YUN
atricornis Pic, 1940: 4 A: CH ORR
atripennis Pu, 1992b: 600, 620 (*Euchlanis*)
bipartita Pic, 1925b: 16 A: CH
obscura Pic, 1940: 5
diversipes Pic, 1930b: 16 A: SD
furva Holzschuh, 1993a: 30 (*Euchlanis*) A: YUN ORR
homalina Holzschuh, 1993a: 29 (*Euchlanis*) A: YUN ORR
infirma Holzschuh, 1989b: 375 (*Euchlanis*) A: YUN ORR
makiharai Hayashi, 1982: 151 (*Euchlanis*) [RN] A: TAI
obscura Hayashi, 1971: 6 [HN]
minuta Pic, 1927b: 30 A: CH ORR
robustula Holzschuh, 1990: 188 (*Euchlanis*) A: NP
simplicicollis Gressitt, 1951a: 181 [RN] A: GUA
gressitti Hayashi, 1951b: 80 [RN]
serratipennis Gressitt, 1937c: 450 [HN]
testacea Matsushita, 1933b: 229 A: NP TAI YUN
serratipennis Mitono, 1936: 31 (*Neodeuteromma*)

genus Stenopterus Illiger, 1804: 120 type species *Necydalis rufa* Linnaeus, 1767

adlbaueri Sama, 1995b: 408 A: TR
ater Linnaeus, 1767: 642 (*Necydalis*) E: BH CR FR GR IT MC PT SK SL SP UK YU N: AG GG LB MO TU
auriventris Küster, 1851: 96
—bukrensis Dayrem, 1922b: 28
flavipes Pic, 1892e: 66
inustulatus Pic, 1892b: 22
nigripes A. Costa, 1855: 67
praeustus Fabricius, 1793: 354 (*Necydalis*)
ruficollis Pic, 1918d: 23
subhumeralis Pic, 1905j: 156
theryi Pic, 1918d: 23
ustulatus Mulsant, 1839: 115
atricornis Pic, 1891h: 102 E: GR A: TR
creticus Sama, 1995b: 403 E: GR
flavicornis Küster, 1846b: 75 E: AL AU BU CR CZ GR HU IT MC RO SK SL TR UK YU A: IS JO SY
procerus A. Costa, 1855: 64
kraatzii Pic, 1892b: 21 A: TR
mauritanicus P. H. Lucas, 1847: pl. 42 E: PT SP N: AG MO TU
rufus geniculatus Kraatz, 1863: 104 E: AL BU CR GR MC RO SL TR YU A: AB AR GG IN TR
rufus rufus Linnaeus, 1767: 642 (*Necydalis*) E: AU BE BH BU CR CZ FR GE HU IT LU MA MD NL PL SK SL SP ST SZ UK N:
CI (Gran Canaria)
attenuatus Geoffroy, 1785: 84 (*Leptura*) [HN]
rufus syriacus Pic, 1892b: 22 A: IS LE IQ SY TR
rufus transcaspicus Lazarev, 2008: 132 A: TM IN #39
similatus mehli Sama, 1995b: 402 A: CY
similatus similatus Holzschuh, 1979a: 113 E: GR (Ikaria)

tribe Thraniini Gahan, 1906

genus Thranius Pascoe, 1859: 22 type species *Thranius bimaculatus* Pascoe, 1859

Singalia Lacordaire, 1872: 834 type species *Singalia spinipennis* Lacordaire, 1872 (= *Thranius gibbosus* Pascoe, 1859)
formosanus Schwarzer, 1925a: 23 A: TAI
infernalis Matsushita, 1933b: 225 A: TAI
multinotatus latipennis Hayashi, 1963a: 53 A: JA (Ryukyus)
multinotatus multinotatus Pic, 1922a: 22 A: XIZ YUN ORR
multinotatus okinawensis Makihara, 1978: 51 A: JA (Ryukyus)
multinotatus signatus Schwarzer, 1925a: 23 A: FUJ HAI TAI ZHE ORR
obliquefasciatus Pu, 1992b: 596 A: YUN

capucinus Holzschuh, 1993a: 31 [see: Lin & Tichý, 2014]
rufescens Bates, 1884a: 258 (*Singalia*) A: JA TAI ORR
simplex fulvus Pu, 1992b: 596 A: SCH
simplex simplex Gahan, 1894a: 15 A: BT HUB NP SD SCH SHA XIZ YUN ORR
triplagiatus Gahan, 1906a: 238 A: SD ORR
variegatus obscurus Hayashi, 1962a: 8 A: JA
variegatus variegatus Bates, 1873: 196 A: JA TAI
maculicornis Plavilstshikov, 1940a: 649
sapporensis Kano, 1933b: 132

tribe Tillomorphini Lacordaire, 1868

genus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
subgenus *Cleroclytus* Kraatz, 1884a: 226 type species *Cleroclytus semirufus* Kraatz, 1884
francottei Rapuzzi & Sama, 2010b: 185 A: GAN
semirufus collaris Jakovlev, 1885b: 290 A: AF KI KZ XIN
manifestus Jakovlev, 1900d: 664
strigicollis Jakovlev, 1900d: 663
semirufus savitsky Lazarev, 2014: 276a A: MG
semirufus semirufus Kraatz, 1884a: 225 A: KI KZ UZ
vestitus Jakovlev, 1900d: 664
subgenus *Obliqueclytus* Lazarev, 2014a: 276 type species *Anaglyptus banghaasi* Reitter, 1895
banghaasi Reitter, 1895c: 159 (*Anaglyptus*) A: KI TD
semenowi Jakovlev, 1900d: 663
gracilis Jakovlev, 1900d: 665 A: TD
baeckmanni Okunev, 1933: 136
grandiculus Plavilstshikov, 1940a: 542

genus *Clytellus* Westwood, 1854: 240 type species *Clytellus methocoides* Westwood, 1854
methocoides Westwood, 1854: 240 A: GUA GUX HKG ORR

#75

genus *Epipedocera* Chevrolat, 1863b: 339 type species *Epipedocera zona* Chevrolat, 1863
affinis Chevrolat, 1863b: 341 A: NP UP
assamensis Gardner, 1926: 204 A: YUN ORR
atra Pic, 1937b: 7 A: HAI YUN ORR
[*atritarsis atritarsis* Pic, 1922: 25 – Tonkin]
atritarsis djoui Gressitt, 1951a: 627 A: GUA
chakhata Gardner, 1939: 9 A: BT NP UP
guerryi Pic, 1903c: 105 A: CH
hardwicki A. White, 1855: 288 (*Clytus*) [RN] A: NP SD XIZ ORR
 undulata Hope, 1831: 28 (*Clytus*) [HN]
hoffmanni Gressitt, 1940b: 85 A: HAI
laticollis Gahan, 1906a: 307 A: YUN ORR
lugens Holzschuh, 1990: 192 A: SD
lunata Newman, 1842a: 247 (*Clytus*) A: TAI ORR
rollei Pic, 1910g: 30 A: TAI
subatra Gressitt & Rondon, 1970: 283 A: YUN ORR
vitalisi Pic, 1922c: 11 A: YUN ORR
zona Chevrolat, 1863b: 340 A: GUX NP SD YUN ORR

genus *Halme* Pascoe, 1869: 640 type species *Halme cleriformis* Pascoe, 1869
atrocoerulea Gressitt, 1939b: 104 A: FUJ ZHE
basifusca Kusama & Oda, 1979: 74 A: TAI
eburneocincta Gressitt, 1934: 168 A: TAI
masakaoae Niisato, 1984b: 211 A: TAI

genus *Pseudomyrmecion* Bedel, 1885: cxxxii type species *Pseudomyrmecion ramalium* Bedel, 1885
ramalium Bedel, 1885: cxxxii N: AG

tribe Vesperellini Sama, 2008

genus *Vesperella* Dayrem, 1933: 89 type species *Vesperella pallida* Dayrem, 1933
maroccana Sama, 2008: 228 N: MO
pallida Dayrem, 1933: 89 N: AG

tribe Xystrocerini Blanchard, 1845

genus *Jendekia* Holzschuh, 1993a: 24 type species *Jendekia eduardi* Holzschuh, 1993

eduardi Holzschuh, 1993a: 25 A: YUN

genus **Leptoxenus** Bates, 1877: 37 type species *Leptoxenus ibidiiformis* Bates, 1877

Kamuia Matsushita, 1933b: 240 type species *Kamuia bimaculata* Matsushita, 1933
bimaculatus Matsushita, 1933b: 240 (*Kamuia*) A: TAI
ibidiiformis Bates, 1877: 37 A: JA JIX SC TAI
ornaticollis Gressitt & Rondon, 1970: 47 A: YUN ORR

genus **Xystrocera** Audinet-Serville, 1834b: 69 type species *Cerambyx globosus* Olivier, 1795

dispar Fehraeus, 1872a: 49 A: AE SA AFR

festiva J. Thomson, 1861: 251 A: AP HAI SD TAI YUN ORR

globosa Olivier, 1795: 27 (*Cerambyx*) N: EG A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN ISI JA JIA JIX NP PA SC SCH SHA SHG SHN TAI YUN ZHE AFRi AURi NTRi ORR

curticollis Fairmaire, 1882b: 96

invittata Breuning, 1957h: 1241

marginalis Goldfuss, 1805: 44 (*Callidium*)

mediovitticollis Breuning, 1957h: 1241

nitidiventris Fairmaire, 1887c: 326

onomichiensis K. Ohbayashi, 1963: 10 [unavailable; described as morpha]

parvicollis Fairmaire, 1892a: 120

diehli Heyrovský, 1967d: 39

reductevittata Breuning, 1957h: 1241

vittata Fabricius, 1801: 309 (*Stenocorus*) ["Habitat in Brasilia" – wrong locality]

viridipicta Fairmaire, 1896b: 367

#117

subfamily Lamiinae Latreille, 1825

tribe Acanthocinini Blanchard, 1845

genus **Acanthocinus** Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758

subgenus **Acanthobatesianus** Wallin, Kwamme & Lin, 2012: 19 type species *Leiopus guttatus* Bates, 1873

guttatus Bates, 1873: 384 (*Leiopus*) A: FE JA JIX NC SC [see Danilevsky, 2014b: 217]

subgenus **Acanthocinus** Dejean, 1821: 106 type species *Cerambyx aedilis* Linnaeus, 1758

Aedilis Audinet-Serville, 1835a: 32 type species *Aedilis montanus* Audinet-Serville, 1835 (= *Cerambyx aedilis* Linnaeus, 1758)

Astynomus Dejean, 1835: 337 type species *Cerambyx aedilis* Linnaeus, 1758

Canonura Casey, 1913: 335 type species *Aedilis spectabilis* LeConte, 1854

Graphisurus Casey, 1913: 334 type species *Acanthocinus pusillus* Kirby, 1837

Lamia Gistel, 1848a: xi [unjustified substitute name, HN] type species *Cerambyx aedilis* Linnaeus, 1758

Neacanthocinus Dillon, 1956: 230 type species *Acanthocinus obsoletus* Olivier, 1837

Tylocerina Casey, 1913: 335 type species *Cerambyx nodosus* Fabricius, 1775

aedilis Linnaeus, 1758: 392 (*Cerambyx*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT

LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG HEI HEN HUB JIL JIX KZ MG NC NMO SHA SC SHN TR WS

dongbeiensis Z. Wang, 2003: 258

marmoratus Villers, 1789: 239 (*Cerambyx*)

montanus Audinet-Serville, 1835a: 33

obliteratus Pic, 1917g: 9

validus Matsushita, 1936: 148

carinulatus Gebler, 1833: 302 A: ES FE HEI MG NC NE NO SC WS

sibiricus Motschulsky, 1860b: 149 (*Astynomus*)

chinensis Breuning, 1978a: 57 [= 1982a: 24] A: SHG

elegans Ganglbauer, 1884: 534 A: AB IN

griseus Fabricius, 1793: 261 (*Cerambyx*) E: AL AN AU BE BU BY CR CT CZ EN FI FR GE GR HU IT NT LA LS LT MC MD

ND NR PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR CY ES FUJ GAN GG GUA GUI GUX HEB HEI HEN HUB

JIL JIX KZ LIA MG NC NMO SC SHA SY TR WS XIN ZHE #98

alpinus L. Redtenbacher, 1848: 494 (*Astynomus*)

novaki Tippmann, 1952b: 153

obscurus Pic, 1891b: 32

gundaiensis Kano, 1933a: 285 A: TAI

henschi aetnensis Rapuzzi & Sama, 2010a: 130 E: IT (Sicilia)

henschi henschi Reitter, 1900d: 177 E: AL AU BH BU CR IT GR MC SL

hispanicus Sama & Schurmann, 1981: 43 E: SP

meyeri Vitali, 2011: 161 E: PT

orientalis K. Ohbayashi, 1939: 116 A: FE JA NC SC

#80

reticulatus Razoumowsky, 1789: 152 (*Cerambyx*) E: AL AU BH BU BY CR CZ FR GE GR HU IT PL RO SK SL SP SZ UK

atomarius Fabricius, 1793: 271 (*Lamia*)

constrictus Pic, 1891b: 32

costatus Fabricius, 1793: 261 (*Cerambyx*)

criticus Schoenherr, 1817a: 376 (*Lamia*) [RN]

nebulosus Schrank, 1781a: 129 (*Cerambyx*)

sachalinensis Matsushita, 1933a: 391 A: ES FE JA MG NC SC
sinensis Pic, 1916h: 14 A: XYZ YUN
subsolana Z. Wang, 2003: 262, 395 A: NE (Neimenggu)
tethys Z. Wang, 2003: 262, 396 A: LIA
xanthoneurus Mulsant & Rey, 1852: 2 (*Astynomus*) E: IT
disjunctus Pic, 1908b: 6
edmondi Fairmaire, 1852b: lxiii (*Astynomus*)

genus Boninella Gressitt, 1956: 182 type species *Boninella degenerata* Gressitt, 1956
anoplos N. Ohbayashi, 1976: 6 (*Miaenia*) A: JA (Ogasawara)
degenerata Gressitt, 1956: 182 A: JA (Ogasawara)
hirsuta N. Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara)
igai N. Ohbayashi, 1976: 8 (*Miaenia*) A: JA (Ogasawara)
kamezawai Hasegawa et N. Ohbayashi, 2009 A: JA (Ogasawara)
karubei Hasegawa et N. Ohbayashi, 2009 A: JA (Ogasawara)
satoi masakai Hasegawa et N. Ohbayashi, 2009 A: JA (Ogasawara)
satoi *satoi* N. Ohbayashi, 1976: 5 (*Miaenia*) A: JA (Ogasawara)
takakuwai Hasegawa et N. Ohbayashi, 2009 A: JA (Ogasawara)

genus Boninoleiops M. Hasegawa & Makihara, 2001: 71 type species *Boninella kitajimai* M. Hasegawa & Makihara, 2001
kitajimai M. Hasegawa & Makihara, 2001: 72 A: JA (Ogasawara)

genus Cristenes Breuning, 1978a: 19 type species *Enes cristatus* Pic, 1928
cristatus Pic, 1928a: 20 (*Enes*) A: NP ORR

genus Cristosydonia Breuning, 1963b: 45 type species *Cristosydonia cristipennis* Breuning, 1963
alterna Holzschuh, 2003b: 312 A: NP SD

genus Driopea Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858
subgenus Driopea Pascoe, 1858: 243 type species *Driopea clytina* Pascoe, 1858
schmidti Breuning, 1972c: 418 A: IN SD UP
subgenus Fasciatodriopea Breuning, 1963c: 15 type species *Driopea nigrofasciata* Pic, 1923
chinensis Breuning, 1967f: 187 (*Dryopea*) A: GUI
subgenus Trichodriopea Breuning, 1965b: 29 type species *Dryopea excavatipennis* Breuning, 1965
excavatipennis Breuning, 1965b: 38 (*Dryopea*) A: YUN ORR

genus Eporis Pascoe, 1864a: 15 type species *Eporis elegans* Pascoe, 1864
subgenus Eporimimus Schwarzer, 1925c: 147 type species *Eporis bifasciana* Schwarzer, 1925
bifasciana Schwarzer, 1925c: 147 A: TAI
differens Pic, 1926g: 143 A: SD TAI YUN ORR
glabrosignata Pic, 1944a: 10
mitonoi Seki, 1946: 11 (*Rondibilis*) A: TAI
pedongensis Breuning, 1969f: 668 A: SD
simillima Hayashi, 1974c: 57 A: TAI

genus Euryctyosemia Hayashi, 1963c: 15 type species *Euryctyosemia nomurai* Hayashi, 1963
nomurai Hayashi, 1963c: 15 A: JA (Ryukyus) TAI

genus Hoploranomimus Breuning, 1959b: 87 [= 1960d: 18] type species *Acanthocinus harmandi* Pic, 1939
harmandi Pic, 1939i: 183 (*Acanthocinus*) A: BT

genus Ipochiromima Sama & Sudre, 2009: 384 [RN] type species *Mimipochira sikkimensis* Breuning, 1982
Mimipochira Breuning, 1982a: 25 type species *Mimipochira sikkimensis* Breuning, 1982
sikkimensis Breuning, 1982a: 26 (*Mimipochira*) A: SD

genus Jordanoleiopus Lepesme & Breuning, 1955: 96 type species *Jordanoleiopus maynei* Lepesme & Breuning, 1955
[?] *monoxenus* Kolbe, 1894: 284 (*Leptruges*) A: OM AFR

genus Leiopus Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
subgenus Carinopus Wallin, Kwamme & Lin, 2012: 7 type species *Leiopus holzschuhi* Wallin, Kwamme & Lin, 2012
campbelli Gressitt, 1937d: 613 A: JIX
nigropunctatus Wallin, Kwamme & Lin, 2012: 8 A: GUI GUX SCH
fallaciosus Holzschuh, 1993a: 49 A: FUJ
flavomaculatus Wallin, Kwamme & Lin, 2012: 9 A: GUI
ocellatus Wallin, Kwamme & Lin, 2012: 11 A: SHA
shibatai Hayashi, 1974c: 58 A: TAI

- nigrofasciculus* Wallin, Kwamme & Lin, 2012: 12 A: ANH SHA
holzschuhi Wallin, Kwamme & Lin, 2012: 14 A: CHQ GUI HEN SCH SHA
multipunctellus Wallin, Kwamme & Lin, 2012: 16 A: SCH YUN
subgenus *Leiopus* Audinet-Serville, 1835a: 86 type species *Cerambyx nebulosus* Linnaeus, 1758
- #23
- Liopus* Agassiz, 1846b: 212 [unjustified emendation]
Phrurus Gistel, 1856: 376 [unnecessary substitute name]
albivittis *albivittis* Kraatz, 1879d: 112 A: ES FE JIL MG NC SC WS
ganglbaueri Csiki, 1901: 116
albivittis malaisei Aurivillius, 1928b: 42 A: FE
andreae Sama, 1994c: 43 A: CY
bedeli Pic, 1892k: 289 N: AG TU
evgeniyi Danilevsky & Skrylnik, 2014: 691 A: IN
femoratus Fairmaire, 1859a: 62 E: BE BU FR HU IT ?LT LU ME NL SB ST TR UK A: AB AR GG IN TR
caspicus Ganglbauer, 1884: 531 (*Liopus*)
constellatus Mulsant & Rey, 1863: 159
pachymerus Ganglbauer, 1884: 532 (*Liopus*)
kharazii Holzschuh, 1974a: 98 A: AB IN
linnei Wallin, Nylander & Kvamme, 2009: 39 E: ?AL AU BU BY CR CT CZ DE EN FR GB GE ?GR ?HU KZ LA LT MC MD NR
#84
lisae Rapuzzi & Sama, 2012: 679 A: TR
masaoi Tamura & Tamura, 1992: 195 A: JA
montanus Hayashi, 1968a: 25 A: JA
montanoides Breuning, 1978a: 58 (*Acanthocinus*) [RN]
nebulosus caucasicus Ganglbauer, 1887d: 25 (*Liopus*) E: ST A: AB AR GG TR
#110
nebulosus insulanus Sláma, 1985: 19 E: CR
nebulosus nebulosus Linnaeus, 1758: 391 (*Cerambyx*) E: ?AL ?AU BE BH BU ?CR CT[Kaliningrad] DE EN FI FR GB GE ?GR
?HU IR IT LA LS LU ?MD NL NR PL ?PT RO SL ?SP SV SZ TR UK ?YU
bifasciatus Goeze, 1777: 464 (*Cerambyx*)
dissimilis Pic, 1889a: 5
fasciatus Villers, 1789: 239 (*Cerambyx*)
monilis Geoffroy, 1785: 75 (*Cerambyx*)
siculus Pic, 1924c: 22
taeniatus Gmelin, 1790: 1863 (*Cerambyx*)
unifasciatus Pic, 1891c: 23
punctulatus Paykull, 1800: 57 (*Cerambyx*) E: AU BY CT CZ EN FI GE HU LA LT NT PL SK SV SZ UK
settei Sama, 1985d: 408 E: IT
stillatus Bates, 1884a: 254 (*Acanthocinus*) A: FE JA HEB HEI JIL JIX NC SC ZHE
japonicus Pic, 1901v: 342 (*Liopus*)
syriacus abieticola Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 186 A: TR
syriacus syriacus Ganglbauer, 1884: 532 (*Liopus*) A: CY IS LE SY TR
major Pic, 1898n: 125 (*Liopus*)
syriacus tauricus Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 184 A: TR
wrzecionkoi Sama & Rapuzzi, 2011: 88 A: SY
- genus** *Mimeryssamena* Breuning, 1972c: 418 type species *Mimeryssamena besucheti* Breuning, 1972
besucheti Breuning, 1972c: 418 A: UP
- genus** *Mimohoplora* Breuning, 1960f: 144 type species *Mimohoplora puncticollis* Breuning, 1960
puncticollis Breuning, 1960f: 144 A: SD
- genus** *Mimoxenolea* Breuning, 1960e: 36 type species *Mimoxenolea bicoloricornis* Breuning, 1960
Mimaeschopalaea Breuning, 1961a: 31 type species *Mimaeschopalaea ornata* Breuning, 1961
bicoloricornis Breuning, 1960e: 36 A: SD
sikkimensis Breuning, 1961i: 329 (*Mimaeschopalaea*) A: SD
- genus** *Myromexocentrus* Breuning, 1957a: 20 type species *Myromexocentrus tibialis* Breuning, 1957
quadrimaculatus Hayashi, 1983: 43 A: TAI
- genus** *Neacanista* Gressitt, 1940b: 182 type species *Neacanista tuberculipennis* Gressitt, 1940
shirakii Mitono, 1943: 584 (*Acanthocinus*) A: TAI
tuberculipennis Gressitt, 1940b: 182 A: CHQ HAI YUN
#74
- genus** *Neoeryssamena* Hayashi, 1974c: 56 type species *Neoeryssamena mitonoana* Hayashi, 1974
mitonoana Hayashi, 1974c: 56 A: TAI
- genus** *Ostedes* Pascoe, 1859: 43 type species *Ostedes pauperata* Pascoe, 1859
subgenus *Dentatostedes* Breuning, 1961e: 250 type species *Eoporis bidentata* Pic, 1933

bidentata Pic, 1933f: 6 (*Eporis*) A: SCH
 subdentata Breuning, 1961e: 249
subgenus *Ostedes* Pascoe, 1859: 43 type species *Ostedes pauperatus* Pascoe, 1859
albomarmorata Breuning, 1969f: 668 A: SD
binodosa Gressitt, 1945a: 130 A: GUA SCH
brunneovariegata Breuning, 1961i: 337 A: NP
dentata Pic, 1936b: 18 A: SCH YUN
harmandi Breuning, 1968d: 231 A: SD
kadleci Danilevsky, 1992c: 204 A: FE NC SC
inermis densepunctata Hayashi, 1962b: 39 A: JA
inermis dwabina Gressitt, 1940b: 190 A: HAI
inermis inermis Schwarzer, 1925c: 146 A: FUJ GUA TAI ORR
 nubila Matsushita, 1931c: 405
sikkimensis Breuning, 1958a: 34 A: SD
subfasciata Matsushita, 1933b: 392 A: TAI
tuberculata Pic, 1925a: 31 (*Eryssamena*) A: CH

genus *Paracanthocinus* Breuning, 1964e: 52 type species *Paracanthocinus laosensis* Breuning, 1964
laosensis Breuning, 1964e: 53 A: FUJ ORR

genus *Parachydaeopsis* Breuning, 1968a: 28 type species *Parachydaeopsis laosica* Breuning, 1968
shaanxiensis W.-K. Wang & S.-N. Jiang, 2002a: 52 A: SHA
genus *Paraclodia* Breuning, 1974j: 372 type species *Paraclodia besucheti* Breuning, 1974
besucheti Breuning, 1974j: 374 A: NP

genus *Pararondibilis* Breuning, 1961j: 547 type species *Pararondibilis sikkimensis* Breuning, 1961
acrosa Holzschuh, 2003b: 313 A: NP UP
eluta Holzschuh, 2003b: 314 A: NP
macularia Holzschuh, 2003b: 314 A: KA
sikkimensis Breuning, 1961j: 547 A: SD

genus *Pareoporis* Breuning, 1969e: 197 type species *Pareoporis nigrosignata* Breuning, 1969
nigrosignata Breuning, 1969e: 197 A: NP SD

genus *Pareryssamena* Breuning, 1969e: 196 type species *Pareryssamena fuscosignata* Breuning, 1969
fuscosignata Breuning, 1969e: 196 A: BT NP SD

genus *Planeacanista* Hayashi, 1959b: 59 type species *Planeacanista japonica* Hayashi, 1959
japonica Hayashi, 1959b: 60 A: JA

genus *Pterolophioides* Breuning, 1942a: 165 type species *Pterolophioides laterifuscus* Fairmaire, 1886
stramentosus Breuning, 1942a: 165 A: YE AFR

genus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857
subgenus *Rondibilis* J. Thomson, 1857f: 306 type species *Rondibilis bispinosa* J. Thomson, 1857

Eryssamena Bates, 1884a: 251 type species *Eryssamena saperdina* Bates, 1884a
 Parenes Aurivillius, 1928a: 23 type species *Parenes lineata* Aurivillius, 1928
 Polimeta Pascoe, 1864a: 13 type species *Ostedes spinosula* Pascoe, 1860
amanoi Hayashi, 1961a: 23 (*Eryssamena*) A: JA
bastiana Breuning, 1961j: 545 A: BT NP
bispinosa J. Thomson, 1857f: 307 A: IN NP UP "Himalaya"
 schmidtii Breuning, 1972c: 417 (*Eryssamena*)
bispinosoides Hubweber, 2010: 61 A: SHG
 bispinosa Pic, 1926i: 302 (*Eryssamena*) [HN]
chengtuensis Gressitt, 1942b: 6 A: SCH
coreana Breuning, 1974b: 41 (*Eryssamena*) A: NC SC #80
elongata elongata Hayashi, 1963c: 14 A: JA (Ryukyu)
elongata minor Breuning & K. Ohbayashi, 1964: 28 (*Eryssamena*) A: JA
femorata Gressitt, 1938b: 165 A: JA (Ryukyu) TAI
grisescens Pic, 1936b: 19 (*Eryssamena*) A: YUN
horiensis hongshana Gressitt, 1937d: 614 A: GUA HUB JIX ZHE #74
horiensis horiensis Kano, 1933a: 285 A: TAI
 mushensis Matsushita, 1933b: 394
insularis Hayashi, 1962b: 38 (*Eryssamena*) A: JA
japonica Hayashi, 1968a: 26 A: JA
kuluensis Breuning, 1958d: 177 (*Eryssamena*) A: KA

lineaticollis Pic, 1922b: 26 (*Eryssamena*) A: HAI HUB ORR
 indentata Pic, 1922b: 26 (*Eryssamena*)
 seatonii Gressitt, 1940b: 189
microdentata Gressitt, 1942g: 89 (*Eryssamena*) A: ZHE
parcesetosa Gressitt, 1939a: 83 A: GUA
plagiata Gahan, 1894a: 84 A: NP
saperdina Bates, 1884a: 251 (*Eryssamena*) A: FE JA
 acuta Bates, 1884a: 252 (*Eryssamena*)
 spinidorsis Bates, 1884a: 252 (*Eryssamena*)
sapporensis Matsushita, 1933b: 375 (*Rhopaloscelis*) A: JA
schabliovskii Tsherepanov, 1982b: 30 (*Eryssamena*) A: FE NC NE SC
semielongata Hayashi, 1974c: 53 A: TAI
shibatai Hayashi, 1974c: 55 (*Eryssamena*) A: TAI
sikkimensis Breuning, 1961j: 546 (*Eryssamena*) A: SD
simillima Holzschuh, 2003b: 315 A: NP
slocumi Gressitt, 1942b: 6 (*Eryssamena*) A: SCH
subundulata Breuning, 1958a: 35 (*Eryssamena*) A: NP "North India"
szetschuanica Breuning, 1963h: 454 (*Eryssamena*) A: SCH
taiwana Hayashi, 1974c: 54 (*Eryssamena*) A: TAI
undulata Pic, 1922c: 14 (*Eryssamena*) A: GUA SC
 multinotata Gressitt, 1939a: 83
yunnana Breuning, 1957a: 11 (*Eryssamena*) A: YUN
subgenus *Striatorondibilis* Breuning, 1961j: 546 type species *Rondibilis pedongensis* Breuning, 1961
pedongensis Breuning, 1961j: 546 A: NP SD

genus *Rondibilis*, **species incertae sedis**
besucheti Breuning, 1972c: 417 A: AP

genus *Sternacanista* Tippmann, 1955: 128 type species *Sternacanista retrospinosa* Tippmann, 1955
retrospinosa Tippmann, 1955: 130 A: FUJ

genus *Transipochira* Breuning, 1977b: 227 type species *Transipochira sikkimensis* Breuning, 1977
sikkimensis Breuning, 1977b: 227 A: SD

genus *Trichemeopodus* Breuning, 1975d: 357 type species *Trichemeopodus holzschuhi* Breuning, 1975
calosus Holzschuh, 2003b: 311 A: NP
holzschuhi Breuning, 1975d: 358 A: BT NP

genus *Trichodiboma* Breuning, 1961a: 30 type species *Trichodiboma clytoides* Breuning, 1961
clytoides Breuning, 1961a: 30 A: SD

genus *Trichohoplora* Breuning, 1961j: 548 type species *Trichohoplora dureli* Breuning, 1961
dureli Breuning, 1961j: 548 A: SD
juglandis Holzschuh, 1989c: 401 A: BT
mutica Holzschuh, 1990: 193 A: NP
tenuipes Holzschuh, 2015: 473 A: NP #109

genus *Trichorondibilis* Breuning, 1960a: 20 type species *Trichorondibilis rufipennis* Breuning, 1960
rufipennis Breuning, 1960a: 20 A: SD

genus *Trichorondonia* Breuning, 1965c: 60 type species *Trichorondonia hybolasiooides* Breuning, 1965
hybolasiooides Breuning, 1965c: 60 A: GUX ORR

genus *Tuberculipochira* Breuning, 1975d: 359 type species *Tuberculipochira wittmeri* Breuning, 1975
similis Breuning, 1975d: 360 A: BT
wittmeri Breuning, 1975d: 359 A: BT

genus *Tuberenes* Breuning, 1978a: 20 type species *Eryssamena robustipes* Pic, 1939
robustipes Pic, 1939a: 15 (*Eryssamena*) A: GAN SD
sikkimensis Breuning, 1978a: 21 A: SD

tribe Acanthoderini J. Thomson, 1860

genus *Aegomorphus* Haldeman, 1847: 45 type species *Aegomorphus decipiens* Haldeman, 1847 (= *Lamia modesta* Gyllenhal, 1817)
clavipes Schrank, 1781a: 135 (*Cerambyx*) E: AL AU BH BU CR CT CZ DE EN FI FR GE GR HU IT LA LT MD NR NT PL RO
SK SL SP ST SV SZ TR UK YU N: AG TU A: AB AR ES FE GG HEB KZ JA MG NC NE SC TR WS XIN

- lucidus* Starck, 1890: 71 (*Acanthoderes*)
varius Fabricius, 1787: 130 (*Cerambyx*)
- francottei* Sama, 1994e: 331 E: FR MC PL RO YU
- grisescens* Pic, 1898w: 392 (*Acanthoderes*) A: SY TR
planiusculus Holzschuh, 1998: 50
- krueperi* Kraatz, 1859: 56 (*Acanthoderes*) E: GR
- obscurior* Pic, 1904d: 17 (*Acanthoderes*) E: CT LA PL ST A: ES FE JA KZ MG WS
- wajtylai* Hilszczanski & Bystrowski, 2005: 202
- genus *Callapoecus* Bates, 1884a:** 254 type species *Callapoecus guttatus* Bates, 1884
guttatus Bates, 1884a: 254 A: JA
- genus *Oplosia* Mulsant, 1863:** 300 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
Hoplosia Fairmaire, 1864a: 158 [unjustified emendation]
Lepargus Schiödte, 1864: 512 type species *Cerambyx fennicus* Paykull, 1800 (= *Exocentrus cinereus* Mulsant, 1839)
- cinerea* Mulsant, 1839: 152 (*Exocentrus*) E: AU BH BY CR CT CZ DE EN FI FR GE GR HU IT LA LT NR NT PL RO SK SL ST SV SZ UK YU
fennica Paykull, 1800: 58 (*Cerambyx*) [HN]
suvorovi Pic, 1914f: 65 (*Hoplosia*) A: ES FE JA NC SC
jezoensis Matsushita, 1933b: 378
- genus *Psapharochrus* J. Thomson, 1864:** 18 type species *Acanthoderes cylindricus* Bates, 1861
jaspideus Germar, 1824: 475 (*Lamia*) Ei: AZ NTR
- tribe Agapanthiini Mulsant, 1839
- genus *Agapanthia* Audinet-Serville, 1835a:** 35 type species *Cerambyx cardui* Linnaeus, 1767
- subgenus *Agapanthia*** Audinet-Serville, 1835a: 35 type species *Cerambyx cardui* Linnaeus, 1767
Eucrius Gistel, 1856: 376 type species *Cerambyx cardui* Linnaeus, 1767
Segmentaria Gistel, 1848a: viii [unnecessary substitute name]
- cardui* Linnaeus, 1767: 632 (*Cerambyx*) E: AL AU BE BH BU CR CT CZ FR GE GR HU IT KZ MC PL PT RO SK SL SP ST SZ UK YU A: KZ
coeruleascens V. Petagna, 1787: 18 (*Saperda*)
consobrina Chevrolat, 1840: 17
grossa Pic, 1891g: 63
marginalis Mulsant, 1839: 179
nigroaenea Mulsant, 1839: 179
pannonica Kratochvíl, 1985a: 3
peragalli Mulsant, 1863: 364
trilineata Schoenherr, 1817a: 433 (*Saperda*)
suratalis Fabricius, 1787: 149 (*Saperda*) E: FR GR (Dodecanisos) IT MA PT SP N: AG CI LB MO TU A: AB AR GG CY IN IS IQ JO LE SY TR
annulata Fabricius, 1793: 314 (*Saperda*)
ruficornis Pic, 1918d: 5
rufosemoralis Pic, 1946a: 8
subacutalis Chevrolat, 1882: 63
velox Gistel, 1857b: 560
- subgenus *Agapantholia*** Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia coeruleipennis* Frivaldszky, 1878
coeruleipennis Frivaldszky, 1878b: 9 A: IN SY TR
brevis Pic, 1891a: 1
- subgenus *Amurobia*** Pesarini & Sabbadini, 2004b: 128 type species *Agapanthia amurensis* Kraatz, 1879
amurensis Kraatz, 1879d: 115 A: ES FE FUJ HEB HEI HEN HUB HUN JIA JIL JIX MG NC NMO SC SCH SHA SHN XIN ZHE
melanolopha Fairmaire, 1900: 643
plicatipennis Pic, 1915e: 8
semicyanea Pic, 1915e: 8
- japonica* Kano, 1933a: 286 A: JA
pilicornis laushanensis Breuning, 1965g: 92 A: HEN SHN
pilicornis pilicornis Fabricius, 1787: 148 (*Saperda*) A: ES FE HUB JIA JIL JIX NC SC SCH SHA SHN ZHE
fasciculosa Motschulsky, 1861b: 41
yiershiensis Z. Wang, 2003: 266, 396
yagii Hayashi, 1982: 147 A: JA
- subgenus *Chionosticta*** Pesarini & Sabbadini, 2004b: 122 type species *Agapanthia niveisparsa* Holzschuh, 1981
niveisparsa Holzschuh, 1981: 103 A: PA
- subgenus *Drosotrichia*** Pesarini & Sabbadini, 2004b: 126 type species *Saperda annularis* Olivier, 1795
annularis Olivier, 1795: 11 (*Saperda*) E: PT SP N: AG EG LB MO TU
- subgenus *Epoptes*** Gistel, 1857a: 93 [1857b: 605] type species *Lamia asphodeli* Latreille, 1804
Agapanthiella Pesarini & Sabbadini, 2004b: 126 type species *Cerambyx villosoviridescens* DeGeer, 1775
altaica Plavilstshikov, 1933d: 113 A: WS
alternans alternans Fischer von Waldheim, 1842: 26 A: ES KZ MG NC NMO SC WS XIN

coeruleonigra Reitter, 1898c: 132
ganglbaueri Semenov, 1893: 503
transbaicalica Suvorov, 1913: 80
alternans songarica Kostin, 1973: 225 A: KZ
 songarica Kostin, 1978: 605 [HN]
alternans tarbagataica Kostin, 1978: 605 A: KZ
angelicae Reitter, 1898c: 131 A: IN TM
 hauseri Reitter, 1902c: 185
 jacobsoni Plavilstshikov, 1915d: 122
 latior Pic, 1898t: 179
 subnuda Reitter, 1905a: 93
aspodeli Latreille, 1804a: 282 (*Lamia*) E: AL BH BU CR FR GR IT MA MC MD PT RO SP ST SV UK A: AB AR GG KZ TR
 insularis Gautier des Cottes, 1870b: 263
 mimica Pic, 1927e: 1
 reyi Mulsant & Godart, 1870: 27
 spencii Gyllenhal, 1817: 187
auliensis Pic, 1907c: 12 A: KZ UZ
 amabilis Holzschuh, 1981: 104
cretica Bernhauer, 1978: 70 E: GR (Kríti)
cynarae cynarae Germar, 1817: 222 (*Saperda*) E: AL BH BU CR CZ ES GE GR HU IT MC SL RO SK ST TR WS UK YU A: AB AR GG
 boeberi Fischer von Waldheim, 1805: 16 (*Saperda*) [DA]
 decora Krynicki, 1834: 170 (*Saperda*) [DA]
 diversicornis Pic, 1927e: 1
cynarae michaeli Sláma, 1986: 469 E: GR (Kríti)
dahli alaiensis Kratochvíl, 1985b: 68 A: KI UZ
dahli alexandris Pic, 1901r: 82 A: KI KZ
dahli calculensis Lazarev, 2013d: 128 A: KZ
dahli dahli C. F. W. Richter, 1820: pl. 12 (*Saperda*) E: AL AU BH BU BY CR CT CZ FR GE GR HU MC MD RO SK SL SP
 ST SZ UK YU A: CH ES GG MG KZ TD UZ WS
 gyllenhali Ganglbauer, 1883a: 190
dahli ismailovae Lazarev, 2013c: 446 E: ST A: AB
dahli malmerendi Sama, 1981: 504 E: FR (Corse) IT
dahli muellneri Reitter, 1898c: 133 A: KI ZU
dahli nitidipennis Holzschuh, 1984c: 371 E: ST A: GG
dahli persica Semenov, 1893: 505 A: IN
dahli rubenyani Lazarev, 2013c: 443 A: AB AR IN
dahli sicula Ganglbauer, 1884: 541 E: IT (Sicilia)
dahli transcaspica Pic, 1900g: 14 A: TM
dahli walteri Reitter, 1898c: 132 A: AB AR GG IN TR [see: Lazarev, 2013c]
 erivanica Pic, 1900f: 14
 theryi Pic, 1908b: 6
danilevskyi Lazarev, 2013b: 235 A: KZ
daurica daurica Ganglbauer, 1884: 544 A: ES FE HEI HUB JA JIL LIA MG NC NMO SC XIN
 melancholica Suvorov, 1913: 79
daurica sakaii Hayashi, 1982: 149 A: JA
detrita Kraatz, 1882c: 336 A: KI KZ TD UZ
 bucharica Pic, 1901b: 13
fadli Sama & Rapuzzi, 2006: 186 N: EG
hirsuticornis Holzschuh, 1975: 86 A: IN
kindermannii Pic, 1905a: 13 A: TR
 amicula Holzschuh, 1989a: 176
lateralis Ganglbauer, 1884: 541 E: TR
 bilateralis Pic, 1927e: 1
 orientalis Pic, 1901r: 83 [DA]
lederi Ganglbauer, 1884: 542 E: ST A: AB AR GG
 helianthi Plavilstshikov, 1935b: 250
 lopatini Kazutshitz, 1988: 583
 mesmini Pic, 1927e: 7
markusi Rapuzzi, Sama & Kotán, 2013: 583 E: GR
mutinensium Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 179 A: LE
nicosiensis Pic, 1927e: 1 A: CY
nigriventris C. O. Waterhouse, 1889: 130 A: AF TM
obydovi Danilevsky, 2000c: 292 A: KZ
paki Rapuzzi, 2012: 958 A: AF
probsti Holzschuh, 1984c: 370 E: GR (Kríti)
pustulifera Pic, 1905a: 12 A: JO IS LE SY
salviae Holzschuh, 1975: 88 A: IN

- schmidti* Holzschuh, 1975: 89 A: TR #112
schurmanni Sama, 1979b: 505 E: BU GR MC
shovkuni Shapovalov, 2009: 16 A: KZ
simplicicornis Reitter, 1898c: 133 A: TR
subchalybaea Reitter, 1898c: 134 E: ST A: AB GG
 subacuta Pic, 1909b: 106
subflavida Pic, 1903p: 163 A: TR
subnigra Pic, 1890b: 119 E: ST A: GG
subsimplicicornis Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 180 A: LE
turanica Plavilstshikov, 1929c: 131 A: KI KZ UZ XIN
ustinovi Danilevsky, 2013g: 35 A: TD
verecunda Chevrolat, 1882: 63 A: TR
 delagrangei Pic, 1894e: 75
villosoviridescens DeGeer, 1775: 76 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS
 LT LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU A: ES KZ MG TR WS
acutipennis Mulsant, 1863: 357
angusticollis Gyllenhal, 1817: 189 (*Saperda*)
lineatocollis Donovan, 1797: 71 (*Cerambyx*)
nicaeensis Chevrolat, 1881: xcvi
pyrenaaea C. Brisout de Barneville, 1863: 117
viridescens Gmelin, 1790: 1864 (*Cerambyx*)
zappii Sama, 1987: 62 N: AG LB MO TU
subgenus Homolephara Pesarini & Sabbadini, 2004b: 128 type species *Saperda maculicornis* Gyllenhal, 1817
korostelevi Danilevsky, 1985: 385 [= 1987: 620] A: AB AR
fallax Holzschuh, 1974a: 95 A: TR
maculicornis davidi Sláma, 1986: 465 E: IT
maculicornis maculicornis Gyllenhal, 1817, app.: 189 (*Saperda*) E: BH BU GR HU KZ MC MD RO SL ST TR UK A: KZ WS #113
orbachi Sama, 1993e: 471 A: IS
subgenus Smaragdula Pesarini & Sabbadini, 2004b: 128 type species *Saperda violacea* Fabricius, 1775
amitina Holzschuh, 1989a: 174 A: IN
chalybaea Faldermann, 1837: 303 A: AB AR GG IN TR
frivaldszkyi Ganglbauer, 1884: 546 E: BU RO A: IS IN IQ JO SY TR
gemella Holzschuh, 1989a: 175 A: CY
incerta Plavilstshikov, 1930: 12 A: KI TD UZ
intermedia Ganglbauer, 1884: 543 E: AU CT CZ FR GE GR HU IT LU MD NL NT PL SK SP ST SZ UK YU A: GG KZ
izzilloi Rapuzzi, Sama & Kotán, 2013: 582 E: GR
lais Reiche & Sauley, 1858: 21 A: IS JO LE SY TR #98
naciyaiae Rapuzzi & Sama, 2012: 676 A: TR
osmanlis Reiche & Sauley, 1858: 19 E: BU GR HU RO SK YU A: TR
ozdikmeni Rapuzzi & Sama, 2012: 673 A: TR
persicola Reitter, 1894d: 146 A: AB AR GG IN TM
 violaceipennis Pic, 1904b: 9
pesarinii Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 177 A: TR
psoraleae Sama & Rapuzzi in Sama, Rapuzzi & Kairouz, 2010: 176 A: LE
talassica Kostin, 1973: 223 A: KI KZ
violacea Fabricius, 1775: 187 (*Saperda*) E: AL AU BE BU CT CR CZ FR GE GR HU IT LA LU MC MD NT PL PT SK SL SP ST
 TR UK YU A: AB AR ES GG KZ TR
chalybaea Mulsant, 1839: 177 [HN]
coerulea Schoenherr, 1817a: 437 (*Saperda*)
cyanea Herbst, 1784: 95 (*Saperda*)
janthina Gmelin, 1790: 1842 (*Cerambyx*)
micans Fuessly, 1775: 13 (*Cerambyx*)
smaragdina Krynicki, 1832: 161 (*Saperda*)
viti Rapuzzi & Sama, 2012: 675 E: CR HU RO SB SK [see Kovács, Németh & Merkl, 2012]
subgenus Stichodera Pesarini & Sabbadini, 2004b: 126 type species *Saperda irrorata* Fabricius, 1787
irrorata Fabricius, 1787: 147 (*Saperda*) E: FR (Corse) IT PT SP N: AG MO TU
 granulosa Chevrolat, 1881: xciv
 integra Chevrolat, 1882: 64
 pubiventris Mulsant, 1863: 352
 rorida Gmelin, 1790: 1838 (*Cerambyx*)
soror Kraatz, 1882c: 336 A: KI KZ TD UZ
subgenus Synthapsia Pesarini & Sabbadini, 2004b: 121 type species *Saperda kirbyi* Gyllenhal, 1817
kirbyi kirbyi Gyllenhal, 1817: 186 (*Saperda*) E: AL BH BU CR CT FR GR HU IT MD RO SK SP ST TR UK YU A: AB AR GG IN
 IS SY TM TR
latipennis Mulsant, 1863: 352
zawadskyi Fairmaire, 1866b: 275

genus Agapanthiola Ganglbauer, 1900: 139 type species *Agapanthia euterpe* Ganglbauer, 1900 (= *Saperda leucaspis* Steven, 1817) *Calamobiomorphus* Pic, 1904a: 6 type species *Saperda leucaspis* Steven, 1817 *leucaspis* Steven, 1817: 184 (*Saperda*) **E:** AU BH BU CR CT CZ GR HU MC MD RO SK ST TR UK YU **A:** AB AR GG ES KI KZ MG TD **TR** UZ WS *cyanella* Dalman, 1817b: 190 (*Saperda*) *euterpe* Ganglbauer, 1900: 139 (*Agapanthia*) *pectoralis* Eschscholtz, 1818: 482 (*Saperda*) *sinae* Dahlgren, 1986: 75 (*Agapanthia*) **A:** XIN

genus Aulaconotus J. Thomson, 1864: 99 type species *Aulaconotus pachypezoides* J. Thomson, 1864 *atronotatus* Pic, 1927b: 36 **A:** FUJ GUA GUI GUX HAI HUN JIX SCH YUN **ORR** *varius* Gressitt, 1942b: 5 *gracilicornis* Makihara & S. Saito, 1985: 14 **A:** TAI *grammopterus* Breuning, 1940b: 186 **A:** NP **ORR** *incorrugatus* Gressitt, 1939b: 117 **A:** ZHE *pachypezoides* J. Thomson, 1864: 99 **A:** FUJ GUA GUI HUB HUN JA JIA JIX SCH TAI ZHE *breviscapus* Heller, 1923b: 73 (*Phelipara*) *semiaulaconotus* Hayashi, 1974c: 43 (*Pothyne*) **A:** TAI *szetschuanus* Breuning, 1968f: 709 **A:** SCH

genus Calamobius Guérin-Méneville, 1847: xvii type species *Saperda gracilis* Creutzer, 1799 (= *Saperda filum* Rossi, 1790) *filum* Rossi, 1790: 152 (*Saperda*) **E:** AL AU BH BU CR CZ FR GE GR HU IT MA **MC** **MD** **NL** PT RO SK SL SP ST SZ TR UK YU **A:** AB AR CY GG IN IS JO LE SY TR **N:** AG MO TU **#84** *decoloripes* Pic, 1945b: 7 *gracilis* Creutzer, 1799: 124 (*Saperda*) *hirtus* Fabricius, 1793: 317 (*Saperda*) *magnini* Pic, 1931c: 10 *marginellus* Fabricius, 1801b: 332 (*Saperda*) *tenuis* Blanco-Fernández, 1859: 411 (*Saperda*)

genus Cleptometopus J. Thomson, 1864: 95 type species *Cleptometopus terrestris* J. Thomson, 1864 *Acroama* Jordan, 1894b: 501 type species *Acroama armata* Jordan, 1894 *Anapophrena* Pic, 1925a: 28 type species *Anapophrena luteonotata* Pic, 1925 *Apophrena* Pascoe, 1866: 323 type species *Apophrena filifera* Pascoe, 1866 *Itohigea* Matsushita, 1938b: 102 type species *Itohigea bimaculata* Matsushita, 1938 (= *Smermus bimaculatus* Bates, 1873) *Metopoplectus* Gressitt, 1936: 104 type species *Metopoplectus taiwanensis* Gressitt, 1936 *Mimocleptometopus* Pic, 1934g: 36 type species *Mimocleptometopus undulatus* Pic, 1934 *Smermus* Lacordaire, **1872:** 692 type species *Smermus mniszechi* Lacordaire, **1872** *annulicornis* Mitono, 1944: 252 **A:** HAI *aureovittatus* Breuning, 1947a: 63 **A:** BT *bhutanensis* Breuning, 1975d: 342 **A:** BT *bimaculatus* Bates, 1873: 383 (*Smermus*) **A:** JA *bimaculatus* Matsushita, 1938b: 102 (*Itohigea*) [HN] *fuscosignatus* Breuning, 1947a: 63 **A:** SD **grosspunctatus** Breuning, **1967b:** 32 **A:** AP **indecoris** Holzschuh, 2012: 413 **A:** NP *indistinctus* Breuning, 1940b: 206 **A:** NP SD *mimolivaceus* Breuning, 1972a: 50 [RN] **A:** SD *parolivaceus* Breuning, 1972c: 416 [HN] *minor* Gressitt, 1937a: 93 (*Metopoplectus*) **A:** ZHE *mniszechi* Lacordaire, 1872: 696 (*Smermus*) **A:** NP SD *rufovittatus* Breuning, 1966a: 109 *motuoensis* W.-K. Wang & S.-N. Jiang, 1999a: 14 **A:** XIZ *olivaceus* Breuning, 1942a: 172 **A:** NP **ORR** *orientalis* Mitono, 1934: 492 **A:** TAI *parolivaceus* Breuning, 1966b: 13 **A:** NP SD *pseudolivaceus* Breuning, 1975d: 341 **A:** BT *quadrilineatus* Pic, 1924d: 24 (*Pothyne*) **A:** SD **ORR** *flavopictus* Breuning, 1940b: 206 *schmidi* Breuning, 1971b: 77 **[RN]** **A:** AP **grosspunctatus** Breuning, **1967b:** 32 [HN] *sikkimensis* Breuning, 1972c: 416 **A:** SD *similaris* Gressitt, 1945a: 129 (*Metopoplectus*) **A:** SCH *similis* Gahan, 1894a: 81 (*Smermus*) **A:** HUN **ORR** *subterauraeus* Breuning, 1967b: 33 **A:** SD *taiwanensis* Gressitt, 1936: 105 (*Metopoplectus*) **A:** TAI

genus *Coreocalamobius* Hasegawa, Han et Oh, 2014: 50 type species *Coreocalamobius parantennatus* Hasegawa, Han et Oh, 2014
parantennatus Hasegawa, Han et Oh, 2014: 50 A: NC SC

genus *Eucomatocera* A. White, 1846: 49 type species *Eucomatocera vittata* A. White, 1846
minuta Pu, 1988: 303 A: XIZ
vittata A. White, 1846: 49 A: NP SD TAI YUN ORR

genus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
subgenus *Hippocephala* Aurivillius, 1920: 25 type species *Hippocephala suturalis* Aurivillius, 1920
albosuturalis Breuning, 1954c: 16 A: FUJ HUN
dimorpha Gressitt, 1937d: 612 A: FUJ GUX JIX SCH ZHE
guangdongensis Hua, 1991: 348 A: GUA
proxima Breuning, 1940b: 195 A: SD
suturalis Aurivillius, 1920: 25 A: FUJ JIX
subgenus *Mimosmermus* Breuning, 1966a: 104 type species *Hippocephala fuscostriata* Breuning, 1966
argentistriata Holzschuh, 2006c: 485 A: NP
fuscolineata Breuning, 1947a: 64 A: BT

genus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
Falsanandra Pic, 1924a: 17 type species *Falsanandra albocincta* Pic, 1924
subgenus *Hyllisia* Pascoe, 1864c: 285 type species *Hyllisia stenideoides* Pascoe, 1864
albolateralis Breuning, 1950d: 259 A: UP
chinensis Breuning, 1948b: 35 A: GUX JIX
flava Breuning, 1950d: 259 A: UP
indica Breuning, 1947a: 62 A: HP
lineata Gahan, 1894a: 79 A: NP
ruficolor Pic, 1934b: 15 (*Hippopsis*) A: FUJ ORR
rufipes Pic, 1934j: 133 (*Hippopsis*) A: YUN
saigonensis Pic, 1933b: 30 (*Pothyne*) A: YUN ORR
strandi Breuning, 1940b: 198 A: HKG
taihokensis Matsushita, 1933b: 385 (*Pothyne*) A: JA TAI
oshimana Breuning, 1955b: 73
subvittipennis Breuning & K. Ohbayashi, 1966b: 34 (*Pothyne*)

genus *Neoludwigia* Sama, 2008: 235 [RN] type species *Agapanthia lixoides* P. H. Lucas, 1849
Ludwigia Pic, 1891b: 47 [HN] type species *Agapanthia lixoides* P. H. Lucas, 1849
lixoides P. H. Lucas, 1847: pl. 42 (*Agapanthia*) N: AG TU
insuturalis Pic, 1934c: 22 (*Ludwigia*)

genus *Parahyllisia* Breuning, 1942a: 170 type species *Parahyllisia annamensis* Breuning, 1942
hainanensis Breuning, 1966a: 81 A: HAI

genus *Phelipara* Pascoe, 1866: 322 type species *Phelipara marmorata* Pascoe, 1866
subgenus *Phelipara* Pascoe, 1866: 322 type species *Phelipara marmorata* Pascoe, 1866
Diaxenopsis Breuning, 1939b: 202 type species *Diaxenopsis apomecynodes* Breuning, 1939
Falsopothyne Pic, 1932c: 24 type species *Falsopothyne pilosa* Pic, 1932
Oncideropsis Aurivillius, 1922c: 165 type species *Oncideropsis nebulosa* Aurivillius, 1922
Paraphelipara Breuning, 1940b: 204 type species *Paraphelipara indica* Breuning, 1940
affinis Breuning, 1940b: 204 A: NP SD
indica Breuning, 1940b: 204 (*Paraphelipara*) A: NP "North India"
marmorata Pascoe, 1866: 322 A: YUN ORR
radovskyi Hua, 1987: 90 A: GUX

genus *Pothyne* J. Thomson, 1864: 97 type species *Pothyne variegata* J. Thomson, 1864
Neopothyne Matsushita, 1931a: 46 type species *Pothyne variegata* J. Thomson, 1864
acaciae Gardner, 1930: 160 A: UP "North India"
flavescens Breuning, 1940b: 186
albolineata Matsushita, 1933b: 383 A: TAI
albosternalis Breuning, 1982a: 12 A: CH
annulata annulata Breuning, 1942a: 167 A: HAI JA TAI
annulata ishigakiana Takakuwa & Kusama, 1979: 7 A: JA (Ryukyus)
annulata nobuoii Breuning & K. Ohbayashi, 1964: 17 A: JA
annulata yonaguniensis Hayashi, 1976: 17 A: JA (Ryukyus)
miyakoensis Hayashi, 1976: 19
chocolata Gressitt, 1939a: 88 A: GUA HAI HUN JIX TAI ZHE
combreti Gardner, 1930: 160 A: UP

convexifrons Gardner, 1930: 161 A: UP
distincta Breuning, 1950d: 256 A: NP SD
fasciata Gressitt, 1951a: 539 A: HUB
formosana chocolatooides Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)
formosana formosana Schwarzer, 1925c: 146 A: GUA TAI
formosana haterumaensis Takakuwa, 1984: 12 A: JA (Ryukyus)
formosana liturata Matsushita, 1933b: 384 A: JA (Ryukyus)
formosana nanshanchina Takakuwa & Kusama, 1979: 10 A: TAI
fusiscapa Gressitt, 1940b: 194 A: HAI HUB
imasakai Hayashi, 1976: 18 A: JA (Ryukyus)
indica Breuning, 1940b: 188 A: NP **ORR**
indistincta Breuning, 1940b: 187 A: "India"
laeviscapa Breuning, 1950i: 535 A: FUJ
lanhsuensis Hayashi, 1978b: 108 A: TAI
lateralis Gressitt, 1937d: 611 A: GUX JIX
albolateralis Breuning, 1942a: 166
lineolata Gressitt, 1940b: 195 A: HAI YUN
macrophtalma Breuning, 1940b: 187 A: NP SD
obliquetruncate Gressitt, 1939a: 89 A: FUJ GUA GUX HAI HUN JIX
pauloplicata Breuning, 1934: 14 A: CH **ORR**
polyplicata Hu & She, 1987: 55 A: FUJ GUA GUX HAI JIX ZHE
proxima Breuning, 1940b: 186 A: "North India"
rugifrons Gressitt, 1940b: 196 A: FUJ GUA HAI HUN JIX YUN ZHE
septemvittipennis Breuning, 1962d: 61 A: YUN **ORR**
seriata Gressitt, 1940b: 197 A: HAI
sikkimana Breuning, 1968f: 709 A: SD
sikkimensis Breuning, 1940b: 189 A: NP SD **ORR**
nepalensis Hayashi, 1979: 93
silacea Pascoe, 1871: 278 A: HAI TAI ZHE
sinensis Pic, 1926k: 394 A: YUN
suturella Breuning, 1942a: 167 A: GUI HUN NO
thibetana Breuning, 1950i: 535 A: XIZ
variegata hayashii Breuning, 1953: 19 A: JA
variegata okinoerabu Takakuwa & Kusama, 1979: 4 A: JA
variegata ryukyuana Yokoyama, 1974: 279 [RN] A: JA (Ryukyus)
albolateralis Yokoyama, 1971: 95 [HN]
okinawana Takakuwa & Kusama, 1979: 3
variegata variegata J. Thomson, 1864: 97 A: HUN NP SD TAI YUN **ORR**
niveosparsa Pic, 1908f: 16
variegata yayeyamana Breuning & K. Ohbayashi, 1966b: 34 A: JA (Ryukyus)
virginalis Takakuwa & Kusama, 1979: 4 A: TAI

genus *Pseudocalamobius* Kraatz, 1879d: 116 type species *Calamobius japonicus* Bates, 1873
bhutanensis Breuning, 1975d: 340 A: BT
burmanensis Breuning, 1949a: 12 A: NP **ORR**
filiformis Fairmaire, 1888b: 146 A: FUJ HAI HEB HUB HUN TAI ZHE
japonicus Bates, 1873: 383 (*Calamobius*) A: FE FUJ HUB JA JIX **NC** SC TAI ZHE
leptissimus Gressitt, 1936: 103 A: FUJ GUA TAI
luteonotatus Pic, 1908f: 17 A: NP YUN **ORR**
mediomaculatus Breuning, 1940b: 202
montanus Hayashi, 1959b: 58 A: JA
niisatoi M. Hasegawa, 1987: 514 A: TAI
obscuriscapus Breuning, 1975d: 339 A: NP
okinawanus Samuelson, 1965b: 125 A: JA (Ryukyus)
piceus Gressitt, 1951a: 543 A: GUA TAI
proximus Breuning, 1940b: 203 A: NP SD
pubescens M. Hasegawa, 1987: 517 A: TAI
rufescens Breuning, 1940b: 202 A: NP SD **ORR**
rufipennis Gressitt, 1942d: 4 A: XIZ
szetschuanicus Breuning, 1947a: 64 A: SCH TAI
moupinensis Breuning, 1967f: 188
taiwanensis Matsushita, 1931c: 404 A: TAI
talianus Pic, 1916h: 15 A: YUN
truncatus Breuning, 1940b: 203 A: NP SD
tsushima Breuning, 1961c: 156 A: JA
yunnanus Breuning, 1942a: 172 A: YUN

genus *Tetraglenes* Newman, 1842c: 300 type species *Tetraglenes insignis* Newman, 1842
bacillarius Lameere, 1893a: 285 A: CH ORR
hirticornis Fabricius, 1798: 148 (*Saperda*) A: FUJ GUA GUI GUX HAI NP SD YUN ZHE ORR
 sublineatus Gressitt, 1935g: 572
 tonkinicus Pic, 1919c: 11 (*Dorcasta*)
insignis Newman, 1842c: 300 A: PA UP ORR

genus *Theophilea* Pic, 1895b: 39 type species *Theophilea cylindricollis* Pic, 1895
cylindricollis Pic, 1895b: 39 A: AB AR GG TR
 erzurumensis Önalp, 1974: 174 (*Agapanthia*)
subcylindricollis Hladil, 1988: 1 E: CT HU MD RO SB SK ST UK A: KZ

genus *Trichopothyne* Breuning, 1942a: 168 type species *Trichopothyne strandiella* Breuning, 1942
hindostanica Breuning, 1950d: 258 A: UP

tribe Ancylonotini Lacordaire, 1869

genus *Idactus* Pascoe, 1864c: 273 type species *Idactus tridens* Pascoe, 1864
 Togonius Kolbe, 1893: 64 type species *Togonius klingi* Kolbe, 1893
bettoni Gahan, 1898: 46 A: SA
coquereli Fairmaire, 1890: 551 (*Dichostates*) A: YE OM AFR
iranicus Breuning, 1975d: 348 A: AE IN OM
hieroglyphicus Taschenberg, 1883: 179 (*Coptops*) A: YE (Suqutra)
 granti Gahan, 1900a: 12
maculicornis Gahan, 1890d: 312 A: YE AFR
paramaculicornis Breuning, 1973c: 662 A: PA

genus *Palimna* Pascoe, 1862a: 346 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)
 Apalimna Bates, 1884a: 241 type species *Apalimna liturata* Bates, 1884a
 Cylanca J. Thomson, 1864: 58 type species *Golsinda tessellata* Pascoe, 1857 (= *Lamia annulata* Olivier, 1797)
 Goniages Pascoe, 1865: 135 type species *Golsinda infausta* Pascoe, 1859
annulata Olivier, 1797: 465 (*Lamia*) A: FUJ HAI UP TAI YUN ORR
 mouhotii Pascoe, 1866: 237
 nodulosa Schoenherr, 1817a: 395 (*Lamia*)
 reticulata Pascoe, 1857a: 50 (*Golsinda*)
 tessellata Pascoe, 1857a: 49 (*Golsinda*)
formosana Kano, 1933a: 282 (*Apalimna*) A: TAI
fukienae Gressitt, 1951a: 434 A: FUJ
liturata continentalis Semenov, 1914: 20 (*Apalimma*) A: FE NC NO SC
liturata liturata Bates, 1884a: 241 (*Apalimma*) A: JA TAI
 glabriventris Kano, 1933a: 282 (*Apalimma*)
palimnoidea Schwarzer, 1925b: 62 (*Apalimna*) A: BT FUJ GUX HAI NP SD TAI YUN ORR
 similis Gressitt, 1940b: 131
yunnana Breuning, 1935b: 153 A: SD YUN ORR

genus *Palimnodes* Breuning, 1938d: 330 type species *Apalimna ducalis* Bates, 1884a
ducalis Bates, 1884a: 242 (*Apalimna*) A: BT NP XIZ YUN "North India" ORR
 mimica Fairmaire, 1898c: 399 (*Palimna*)

genus *Pseudoparaphloeus* Sama, 2009: 25 [RN] type species *Paraphloeus scortecii* Breuning, 1968
 Paraphloeus Breuning, 1968c: 91 [HN] type species *Paraphloeus scortecii* Breuning, 1968
 scortecii Breuning, 1968c: 92 (*Paraphloeus*) A: SA YE

genus *Parorsidis* Breuning, 1935d: 65 type species *Parorsidis birmanica* Breuning, 1935
 Paranephelotes Breuning, 1935e: 252 type species *Paranephelotes laosensis* Breuning, 1935
nigrosparsa nigrosparsa Pic, 1926a: 15 (*Ostedes*) A: BT HAI ORR
 birmanica Breuning, 1935d: 65

tribe Apodasyini Lacordaire, 1872

genus *Adjinga* Pic, 1926a: 25 type species *Adjinga vittata* Pic, 1926
vittata Pic, 1926a: 25 A: YUN ORR

genus *Anaespongionus* Gressitt, 1938a: 53 type species *Anaespongionus fulvus* Gressitt, 1938
fulvus Gressitt, 1938a: 53 A: SCH
ochraceofulvus Hayashi, 1974c: 49 A: TAI
piceonigris Hayashi, 1972: 39 A: JA

genus Anaesthetis Dejean, 1835: 348 type species *Saperda testacea* Fabricius, 1781

Anaesthetus Gistel, 1856: 377 [unjustified emendation]
anatolica Holzschuh, 1969: 79 A: IS LE SY TR
confoscollis Baeckmann, 1903c: 394 A: ES FE GUI JA JIL JIX NC MG SC
flavipilis Baeckmann, 1903c: 394 A: WS XIN
lanuginosa Baeckmann, 1903c: 395 A: TM
testacea rufescens Baeckmann, 1903c: 395 E: ST A: AB AR GG IN
testacea testacea Fabricius, 1781: 235 (*Saperda*) E: AL AN AU BE BH BU BY CR CT CZ ES FR EN GE GR HU IT LA LT LU
MD NL PL RO SK SL SP ST SV SZ TR UK YU A: CY KZ TR
fusca Geoffroy, 1785: 84 (*Leptura*)
livida Herbst, 1784: 95 (*Saperda*)
teutonica Gmelin, 1790: 1842 (*Cerambyx*)

genus Anaesthetobrium Pic, 1923c: 20 type species *Anaesthetobrium luteipenne* Pic, 1923

Paraphidola Matsushita, 1933b: 376 type species *Paraphidola fuscoflava* Matsushita, 1933
fuscoflavum Matsushita, 1933b: 377 (*Paraphidola*) A: TAI
lieuae Gressitt, 1942b: 5 A: SCH
luteipenne Pic, 1923c: 20 A: HEN JA JIA SC ZHE
pallidipes Holzschuh, 2010: 211 A: SHA

genus Aragea Hayashi, 1953: 41 type species *Aragea mizunoi* Hayashi, 1953
mizunoi Hayashi, 1953: 42 A: JA

genus Arhopaloscelis Murzin, Danilevsky & Lobanov, 1981: 790 type species *Rhopaloscelis bifasciata* Kraatz, 1879
bifasciata Kraatz, 1879d: 113 (*Rhopaloscelis*) A: FE NC NE SC
nipponensis Pic, 1932a: 3 (*Rhopaloscelis*) A: FE (Kuril Is.) JA

genus Bonipogonius Kusama, 1973: 128 type species *Bonipogonius fujitai* Kusama, 1973
fujitai Kusama, 1973: 129 A: JA (Ogasawara)

genus Cervoglenea Gressitt, 1951a: 621 type species *Glenea lata* Gressitt, 1935
lata Gressitt, 1935c: 191 (*Glenea*) A: TAI

genus Clytosemia Bates, 1884a: 253 type species *Clytosemia pulchra* Bates, 1884
bicincta Gressitt, 1938b: 164 A: TAI
pulchra Bates, 1884a: 254 A: FE JA

genus Cristorhodopina Breuning, 1966d: 15 type species *Cristorhodopina assamensis* Breuning, 1965
mussardi Breuning, 1966d: 15 A: AP

genus Cylindilla Bates, 1884a: 250 type species *Cylindilla grisescens* Bates, 1884a
Anaesthetomorphus Pic, 1929b: 6 [RN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)
Ascoldatimura Breuning, 1960a: 27 [RN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)
Microestola Gressitt, 1940b: 180 type species *Microestola bidentata* Gressitt, 1940
Mimatimura Breuning, 1958i: 492 [HN] type species *Atimura ascoldensis* Heyden, 1884 (= *Cylindilla grisescens* Bates, 1884)
Pseudanesthetis Pic, 1922b: 119 [HN] type species *Pseudanesthetis apicalis* Pic, 1929 (= *Cylindilla grisescens* Bates, 1884)
bidentata Gressitt, 1940b: 180 (*Microestola*) A: HAI
formosana Gressitt, 1951a: 513 (*Microestola*) A: TAI
grisescens Bates, 1884a: 250 A: CH FE JA NC SC
apicalis Pic, 1929h: 120 (*Pseudanesthetis*)
ascoldensis Heyden, 1884: 298 (*Atimura*)
inornata Gressitt, 1951a: 514 (*Microestola*) A: GUA
interrupta Gressitt, 1951a: 514 (*Microestola*) A: FUJ SCH
makiharai M. Hasegawa, 1992: 37 A: JA (Ryukyu) TAI
parallela Gressitt, 1951a: 515 (*Microestola*) A: AF HUB ORR

genus Deroplia Dejean, 1835: 348 type species *Saperda genei* Aragona, 1830

Belodera J. Thomson, 1864: 112 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Deroplia Rosenhauer, 1847: 59 type species *Deroplia obliquetruncate* Rosenhauer, 1847 (= *Saperda genei* Aragona, 1830)
Stenidea Mulsant, 1842b: suppl.: 1 [RN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
Stenosoma Mulsant, 1839: 162 [HN] type species *Stenosoma foudrasi* Mulsant, 1839 (= *Saperda genei* Aragona, 1830)
albida Brullé, 1839: 62 (*Cerambyx*) E: CI
annulicornis Brullé, 1839: 62 (*Cerambyx*) E: CI
costigera Demelt, 1982: 97 (*Stenidea*) N: CI (Hierro)
genei genei Aragona, 1830: 25 (*Saperda*) E: AL AU BH BU CR CZ FR GE GR HU IT RO SK SL SP ST SZ UK YU A: AB AR
CY GG IS JO TR

foudrasi Mulsant, 1839: 162 (*Stenosoma*)
obliquetruncate Rosenhauer, 1847: 59
***genei konvickai* Rapuzzi & Sama, 2012: 677 A: CY**
genei naviauxi Villiers, 1970: 136 (*Stenidea*) A: IN
gertiana Sama, 1996a: 86 N: CI (Tenerife)
gomerae Sama, 1996a: 88 N: CI (Gomera)
hesperus Wollaston, 1863: 110 (*Stenidea*) N: CI (Hierro)
lorenzoi García, 2002: 109 N: CI (La Palma)
niveopicta Demelt, 1982: 99 (*Stenidea*) N: CI (Gran Canaria)
pilosa Wollaston, 1862a: 181 (*Blabinotus*) E: CI (Lanzarote, Fuerteventura)
machadoi Demelt, 1982: 100 (*Stenidea*)
schurmanni Sama, 1996a: 88 N: CI (Hierro)
troberti cruciata Sama, 1996d: 37 E: GR (Kriti)
troberti troberti Mulsant, 1843: 283 (*Stenidea*) E: BH CR FR GR IT SP YU N: AG MO TU A: CY

genus *Eunidiella* Breuning, 1940b: 177 type species *Eunidiella pilosa* Breuning, 1940
pilosa Breuning, 1940b: 178 A: SD UP

genus *Eupogoniopsis* Breuning, 1949b: 23 type species *Eupogonius tenuicornis* Bates, 1884a
caudatula Holzschuh, 1999: 46 A: YUN
***granulatus* Lim J., Lim J.-S. & Lee B.-W., 2013: 359 A: SC**
omeimontis Gressitt, 1938a: 54 (*Anaespogonius*) A: SCH
sepicola Holzschuh, 1999: 46 A: NP
tenuicornis Bates, 1884a: 249 (*Eupogonius*) A: JA

genus *Eupogonius* LeConte, 1852: 159 type species *Desmiphora tomentosa* Haldeman, 1847
Eriopsilus Bates, 1866: 193 type species *Eriopsilus nigrinus* Bates, 1866
Phydola J. Thomson, 1864: 110 type species *Phydola maculicornis* Chevrolat, 1862
tomentosus Haldeman, 1847: 50 (*Desmiphora*) Ni: MO NAR
pinivorus Fitch, 1859: 712

genus *Euseboides* Gahan, 1893b: 385 type species *Euseboides plagiatus* Gahan, 1893 #86
gorodinskii Holzschuh, 2006c: 487 A: CHQ GUI HP
matsudai matsudai Gressitt, 1938b: 163 A: JA TAI
matsudai spinipennis Gressitt, 1940b: 137 A: HAI
***motuoensis* Huang, Chen & Li, 2015: 156 A: XIZ** #86
plagiatus Gahan, 1893b: 386 A: AP SD
plagiatooides Breuning, 1950f: 266 A: SD
punctatissimus Holzschuh, 2010: 220 A: HUB GUI
***reni* Huang, Chen & Li, 2015: 157 A: YUN** #86
tonkinensis Breuning, 1973: 45 A: GUI ORR #86

genus *Falseunidia* Breuning, 1943a: 52 type species *Falseunidia albosignata* Breuning, 1943
albosignata Breuning, 1943a: 52 A: HP NP

genus *Falsostesilea* Breuning, 1940b: 168 type species *Stesilea perforata* Pic, 1926
perforata Pic, 1926b: 9 (*Stesilea*) A: GUA YUN ORR
melli Breuning, 1964a: 101

genus *Falsoterinaea* Matsushita, 1938a: 95 [RN] type species *Hirayamaia fuscorufa* Matsushita, 1937 (= *Eupogonius rufipennis* Matsushita, 1933b)
Hirayamaia Matsushita, 1937: 103 [HN] type species *Hirayamaia fuscorufa* Matsushita, 1937
rufipennis Matsushita, 1933b: 377 (*Eupogonius*) A: TAI
formosana Breuning, 1975a: 22 [1976a: 51] (*Pseudanaesthetis*)
fuscorufa Matsushita, 1937: 103 (*Hirayamaia*)
pakistana Breuning, 1975d: 349 A: PA

genus *Graphidessa* Bates, 1884a: 248 type species *Graphidessa venata* Bates, 1884
obliquefasciata Z. Komiya & Kusama, 1973: 138 A: TAI
variegata Hayashi, 1974c: 50 A: TAI
venata takakurawai Fujita, 1980: 15 A: JA
venata venata Bates, 1884a: 248 A: JA

genus *Miccolamia* Bates, 1884a: 253 type species *Miccolamia cleroides* Bates, 1884a
subgenus *Isomiccolamia* K. Ohbayashi, 1963: 12 type species *Miccolamia verrucosa* Bates, 1884a
glabricula glabricula Bates, 1884a: 253 A: FE JA

kaniei Takakuwa & N. Ohbayashi, 1992: 33
glabricula sadoensis M. Hasegawa & N. Ohbayashi, 2001: 22 A: JA
inspinosa Takakuwa & N. Ohbayashi, 1995: 197 A: JA
takakuwai M. Hasegawa & N. Ohbayashi, 2001: 12 A: JA
tuberculata Pic, 1918a: 10 (*Pogonocherus*) A: JA
verrucosa Bates, 1884a: 253 A: JA
palurae Takakuwa & N. Ohbayashi, 1995: 194
yakushimensis M. Hasegawa & N. Ohbayashi, 2001: 24 A: JA (Yakushima)
subgenus *Miccolamia* Bates, 1884a: 253 type species *Miccolamia cleroides* Bates, 1884
albosetosa Gressitt, 1951a: 533 A: TAI
bicristata Pesarini & Sabbadini, 1997: 115 A: SHA
castaneoverrucosa Hayashi, 1974c: 52 A: TAI
cleroides Bates, 1884a: 253 A: FE JA
coenosa Holzschuh, 2010: 207 A: HUB SHA
dracuncula Gressitt, 1942b: 7 A: FUJ SCH
relucens Holzschuh, 2003b: 312 A: NP SD
rugosula Holzschuh, 2003b: 311 A: SD
savioi Gressitt, 1940c: 192 A: JIA SHG
tonsilis Holzschuh, 2010: 207 A: GAN SHA
tuberculipennis Breuning, 1947a: 58 A: FUJ

genus *Mimectatina* Aurivillius, 1928a: 27 type species *Mimectatina singularis* Aurivillius, 1928
Doius Matsushita, 1933b: 380 type species *Doius rufescens* Matsushita, 1933 (= *Sydonia divaricata* Bates, 1884a)
Falsodouis Breuning, 1953: 16 type species *Doius meridianus* Matsushita, 1933
Nippositybra Breuning, 1939b: 280 type species *Nippositybra fuscoplagiata* Breuning, 1939
Parasydonia Breuning, 1949b: 24 type species *Sydonia divaricata* Bates, 1884
divaricata *divaricata* Bates, 1884a: 247 (*Sydonia*) A: FE JA JIA NC SC TAI ZHE
grisea Matsushita, 1940: 53 (*Doius*)
rufescens Matsushita, 1933b: 380 (*Doius*)
divaricata fulvovariegata Hayashi, 1963c: 14 (*Doius*) A: JA
divaricata similaris Takakuwa, 1984: 13 A: JA
divaricata yayeyamana Toyoshima, 1982: 35 (*Doius*) A: JA (Ryukyus)
fukudai Hayashi, 1969a: 65 (*Doius*) A: TAI
fuscoplagiata Breuning, 1939b: 280 (*Nippositybra*) A: JA
adachii Hayashi, 1958b: 49 (*Doius*)
iriei Hayashi, 1984: 34 A: JA TAI
longipennis Makihara, 2004a: 20 A: JA
meridiana meridiana Matsushita, 1933b: 380 (*Doius*) A: TAI
meridiana ohrai Breuning & Villiers, 1973: 50 A: JA
murakamii Hayashi, 1978b: 111 A: TAI
truncatipennis Pic, 1944a: 14 (*Sybra*) A: CH ORR
variegata Kusama & Takakuwa, 1984: 13 A: JA

genus *Mimeuseboides* Breuning, 1967b: 33 type species *Mimeuseboides excavatipennis* Breuning, 1967
excavatipennis Breuning, 1967b: 33 A: AP

genus *Mimoscapeuseboides* Breuning, 1976b: 102 type species *Mimoscapeuseboides pedongensis* Breuning, 1976
pedongensis Breuning, 1976b: 103 A: SD

genus *Mimovitalisia* Breuning, 1959b: 82 type species *Zodale tuberculata* Pic, 1924
wittmeri Breuning, 1975d: 354 A: BT NP

genus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
subgenus *Mimozotale* Breuning, 1951b: 137 type species *Mimozotale flavolineata* Breuning, 1951
sikkimensis Breuning, 1940a: 79 (*Zotale*) A: SD
subgenus *Parazotale* Breuning, 1976a: 52 type species *Zotale longipennis* Pic, 1927
cylindrica Hayashi, 1981a: 16 A: NP
longipennis Pic, 1927f: 6 (*Zotale*) A: YUN
approximata Pic, 1927b: 18 (*Zotale*)

genus *Nedine* J. Thomson, 1864: 27 type species *Nedine longipes* J. Thomson, 1864
Opsioleus Pascoe, 1864a: 10 type species *Opsioleus aduersus* Pascoe, 1864
Parazygocera Heller, 1924c: 200 type species *Parazygocera spaehti* Heller, 1924
sparatis W.-K. Wang & S.-N. Jiang, 1999c: 214 A: YUN
subspinosa W.-K. Wang & S.-N. Jiang, 1999c: 213 A: YUN

genus *Paranaesthetis* Breuning, 1982a: 27 type species *Paranaesthetis metallica* Breuning, 1982
metallica Breuning, 1982a: 28 A: CH

genus *Pararhopaloscelides* Breuning, 1947a: 58 type species *Pararhopaloscelides sericeipennis* Breuning, 1947
Mimostedes Breuning, 1955c: 235 type species *Mimostedes basilewskyi* Breuning, 1955
Punjabostedes Breuning, 1957g: 276 type species *Mimostedes punjabensis* Breuning, 1957
sericeipennis jumlaensis Holzschuh, 2003b: 312 A: NP
sericeipennis sericeipennis Breuning, 1947a: 58 A: KA PA "Punjab"
kashmirensis Breuning, 1957g: 277 (*Mimostedes*)
punjabensis Breuning, 1957g: 276 (*Mimostedes*)

genus *Parectatosia* Breuning, 1940b: 207 type species *Parectatosia valida* Breuning, 1940
valida Breuning, 1940b: 208 A: "North India"

genus *Pareuseboides* Breuning, 1948a: 30 type species *Pareuseboides albomarmorata* Breuning, 1948
albomarmorata Breuning, 1948a: 30 A: NP SD

genus *Paroricopis* Breuning, 1958c: 35 type species *Paroricopis latefasciata* Breuning, 1958
latefasciata Breuning, 1958c: 36 A: BT

genus *Penthides* Matsushita, 1933b: 430 type species *Penthides flavus* Matsushita, 1933
Hirakura Hayashi, 1957b: 47 type species *Hirakura rufoflava* Hayashi, 1957
flavus flavus Matsushita, 1933b: 431 A: TAI
flavus multipubens Makihara, 1978: 57 A: JA (Ryukyus)
modestus Tippmann, 1955: 135 A: FUJ
rufoflalus Hayashi, 1957b: 48 (*Hirakura*) A: JA

genus *Pseudanaesthetis* Pic, 1922c: 15 type species *Pseudanaesthetis langana* Pic, 1922
assamensis Breuning, 1966c: 14 (*Sophronica*) A: NP ORR
formosana Breuning, 1976a: 51 A: TAI
langana Pic, 1922c: 15 A: FUJ GUA GUI HAI HUN JIX SC SCH SHA SHN ZHE ORR
mizunumai Hayashi, 1974c: 48 A: TAI
rufa Gressitt, 1942c: 3 A: FUJ #80

genus *Pseudectatosia* Breuning, 1940b: 209 type species *Pseudectatosia strandiella* Breuning, 1940
strandiella Breuning, 1940b: 209 A: BT SD

genus *Pseudoterinaea* Breuning, 1940b: 178 type species *Pseudanaesthetis bicoloripes* Pic, 1926
Duportius Pic, 1945c: 59 type species *Pseudanaesthetis bicoloripes* Pic, 1926
bicoloripes Pic, 1926a: 26 (*Pseudanaesthetis*) A: FUJ GUA GUX HAI HKG YUN ORR
laosensis Breuning, 1965: 34 (*Desisa*)
marmorata Gressitt, 1940b: 158 (*Phesates*)
seticornis Gressitt, 1940b: 176 (*Pseudanaesthetis*) A: HAI

genus *Quasimesosella* Miroshnikov, 2006: 232 [RN] type species *Microlera ussuriensis* Tsherepanov, 1983
Pseudomesosella Miroshnikov, 1989: 745 [HN] type species *Microlera ussuriensis* Tsherepanov, 1983
ussuriensis Tsherepanov, 1983: 215 (*Microlera*) A: FE NC SC
florovi Tsherepanov, 1984: 128 (*Miaenia*) #80

genus *Rhodopina* Gressitt, 1951a: 439 [RN] type species *Rhodopis pubera* J. Thomson, 1857
Rhodopis J. Thomson, 1857e: 174 [HN] type species *Rhodopis pubera* J. Thomson, 1857
albomaculata Gahan, 1890a: 60 (*Rhodopis*) A: NP SD TAI ORR
albomarmorata Breuning, 1958a: 12 A: NP SD
alboplagiata Gahan, 1890a: 60 (*Rhodopis*) A: NP SD
assamana Breuning, 1966d: 15 A: AP
formosana Breuning, 1954b: 5 (*Rhodopis*) A: TAI
integripennis Bates, 1884a: 243 (*Rhodopis*) A: JA
lewisii koshikijimana Z. Komiya, 1984b: 463, 15 A: JA (Ryukyus)
lewisii lewisii Bates, 1873: 313 (*Rhodopis*) A: JA TAI
japonica Breuning, 1940d: 414 (*Rhodopis*)
lewisii yakushimana Z. Komiya, 1984b: 464, 15 A: JA
laevepunctata Breuning, 1958a: 12 A: SD
manipurensis Breuning, 1972c: 416 A: NP ORR
meshimensis Makihara, 1980: 66 A: JA
modica Komiya, 1984: 15 A: JA
nasui Z. Komiya & Kusama, 1973: 138 A: JA TAI

okinawensis Matsushita, 1933b: 350 (*Rhodopis*) A: JA (Ryukyus)
okinoerabuana Hayashi, 1966b: 67 A: JA
paraseriata Breuning, 1969e: 193 A: "India"
parassamensis Breuning, 1975d: 352 A: BT
pedongensis Breuning, 1969e: 193 A: SD
pubereoides Breuning, 1956g: 682 (*Rhodopis*) A: SD
sakishimana Yokoyama, 1966: 57 A: JA (Ryukyus)
subuniformis Gressitt, 1951a: 440 A: TAI
tokarensis komiyai Hayashi, 1969a: 66 A: JA
tokarensis obscura Makihara, 1977: 65 A: JA (Kuroshima Is., Tokaru Is.)
tokarensis orientalis Yokoyama, 1971: 100 A: JA
tokarensis tokarensis Hayashi, 1956b: 14 A: JA
tuberculicollis Gressitt, 1942b: 4 (*Rhodopis*) A: SCH

genus Rhopaloscelis Blessig, 1873: 205 type species *Rhopaloscelis unifasciata* Blessig, 1873
maculata Bates, 1877: 38 A: FE JA [see:Danilevsky, 2014b: 223]
 apicalis Pic, 1907d: 22 (*Clytosemia*)
 kuwayamanus Kano, 1933a: 286 (*Clytosemia*)
schurmanni Breuning, 1969c: 76 A: AB IN
unifasciata Blessig, 1873: 206 A: ES FE FUJ GUA HKG JA JIL KZ MG NC SC WS ZHE
 obscura Plavilstshikov, 1915c: 109

genus Salvazaon Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
subgenus *Salvazaon* Pic, 1928b: 21 type species *Salvazaon metallicum* Pic, 1928
saginatum Holzschuh, 1999: 45 A: JIX

genus Similonedine Hua, 1993: 31 type species *Similonedine brunniofasciata* Hua, 1993
brunniofasciata Hua, 1993: 31 A: FUJ **GUX** HUN #75

genus Sophronica Blanchard, 1845: 160 type species *Sophronica calceata* Chevrolet, 1855
 Dasyo Pascoe, 1858: 253 type species *Dasyo lineata* Pascoe, 1858
 Dasystola Kolbe, 1894b: 63 type species *Dasystola hirta* Kolbe, 1894 (= *Sophronica carbonaria* Pascoe, 1864)
 Dimbrokoia Pic, 1944b: 16 type species *Dimbrokoia apicalis* Pic, 1944
 Elithiotes Pascoe, 1864c: 279 type species *Elithiotes hirsuta* Pascoe, 1864
 Eupogonioides Fisher, 1930: 275 type species *Eupogonioides gardneri* Fisher, 1930 (= *Phunginus apicalis* Pic, 1922)
 Lasiaphelus Bates, 1873: 382 type species *Lasiaphelus obrioides* Bates, 1873
 Mimanaesthetis Pic, 1926c: 16 type species *Mimanaesthetis atripennis* Pic, 1926
 Phunginus Pic, 1922c: 15 type species *Phunginus apicalis* Pic, 1922
 apicalis Pic, 1922c: 15 (*Phunginus*) A: NP UP
 gardneri Fisher, 1930: 276 (*Eupogonioides*)
 arabica Breuning, 1962f: 239 A: YE
 bicoloripes Pic, 1928a: 29 (*Mimanaesthetis*) A: JIA **ORR**
 bowringi Gressitt, 1939f: 213 (*Mimanaesthetis*) A: FUJ HKG
 brunnea Fisher, 1940: 206 (*Eupogonioides*) A: NP
 carissae Fisher, 1930: 277 (*Eupogonioides*) A: UP
 chinensis Breuning, 1940a: 48 A: GUI GUX
 egena Holzschuh, 2006c: 488 A: AF
 intricata Aurivillius, 1926b: 483 A: YE **AFR**
 koreana Gressitt, 1951a: 508 A: SC
 obrioides Bates, 1873: 382 (*Lasiaphelus*) A: JA TAI
 paupercula Holzschuh, 2006c: 488 A: NP
 pienaari Distant, 1898: 378 (*Tetraglenes*) A: YE **AFR**
 venzoi Breuning, 1940c: 173
 pseudintricata Breuning, 1940a: 55 A: YE **AFR**
 sundukovi Danilevsky, 2009: 25 A: FE NC SC
 talhouki Holzschuh, 1991d: 306 A: SA
 tonkinensis Breuning, 1976a: 51 A: CH **ORR**
 wittmeri Holzschuh, 1991d: 308 A: SA YE

genus Sphigmothorax Gressitt, 1939a: 85 type species *Sphigmothorax bicinctus* Gressitt, 1939
 bicinctus Gressitt, 1939a: 85 A: GUA
 tricinctus Gressitt, 1951a: 534 A: YUN
 tsushimaensis Hayashi, 1961a: 23 A: JA

genus Spinozorilispe Breuning, 1963f: 83 type species *Spinozorilispe fusca* Breuning, 1963
 fusca Breuning, 1963f: 84 A: BT

genus *Sybrinus* Gahan, 1900a: 12 type species *Sybrinus commixtus* Gahan, 1900

Arabosybrinus Breuning, 1948b: 16 type species *Sybrinus albosignatus* Breuning, 1848

Sokotrosybrinus Breuning, 1949b: 21 type species *Sybrinus simonyi* Gahan, 1903

— *Sophronella* Breuning, 1943a: 51 type species *Sophronella pusilla* Breuning, 1943

albosignatus Breuning, 1948b: 16 A: SA YE

commixtus Gahan, 1900a: 12 A: YE (Suqutra)

gahani Aurivillius, 1922b: 299

flavescens Breuning, 1948b: 16 A: SA YE

simonyi Gahan, 1903: 287 A: YE (Suqutra)

sokotrensis Téocchi, Jiroux & Sudre, 2004: 22 (*Arashbosybrinus*)

x-ornatus Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)

kabateki Téocchi, Jiroux & Sudre, 2007: 23 A: YE (Suqutra)

genus *Sybrocentrura* Breuning, 1947a: 57 type species *Sybrocentrura obscura* Breuning, 1947

costigera Holzschuh, 2010: 218 A: SHA

fatalis Holzschuh, 2010: 215 A: SHA

obscura Breuning, 1947a: 57 A: GUX YUN

procerior Holzschuh, 2010: 214 A: GUI

ropicoides Gressitt, 1939f: 214 (*Sydonia*) A: FUJ JIX HAI

tenera Holzschuh, 2010: 219 A: YUN ORR

tristicula Holzschuh, 2010: 216 A: GUI SCH

genus *Taiwanajinga* Hayashi, 1978b: 109 type species *Taiwanajinga albofasciata* Hayashi, 1978

albofasciata Hayashi, 1978b: 110 A: TAI

genus *Terinaea* Bates, 1884a: 249 type species *Terinaea atrofusca* Bates, 1884a

atrofusca Bates, 1884a: 250 A: JA

rufonigra Gressitt, 1940b: 175 A: FUJ GUA GUX HAI ZHE

tiliae Murzin, 1983: 584 (*Miaenia*) A: FE NC SC

genus *Ussurilla* Danilevsky, 1997b: 44 [RN] type species *Ussuria napolovi* Danilevsky, 1995

Ussuria Danilevsky, 1995a: 113 [HN] type species *Ussuria napolovi* Danilevsky, 1995

napolovi Danilevsky, 1995a: 114 (*Ussuria*) A: FE NO

genus *Vittatopothyne* Breuning, 1968b: 58 [RN] type species *Falsopothyne flavovittata* Breuning, 1960

Falsopothyne Breuning, 1960a: 15 [HN] type species *Falsopothyne flavovittata* Breuning, 1960

flavovittata Breuning, 1960a: 16 (*Falsopothyne*) A: SD

genus *Zotalemimon* Pic, 1925a: 29 type species *Zotalemimon apicale* Pic, 1925 (= *Sybra posticata* Gahan, 1894)

Diboma J. Thomson, 1864: 46 [HN] type species *Diboma tranquilla* J. Thomson, 1864 (= *Hathlia procera* Pascoe, 1859)

Donyisia Gressitt, 1940b: 179 type species *Sydonia costata* Matsushita, 1933

bhutanensis Breuning, 1975d: 350 (*Diboma*) A: BT NP

bhutanum Breuning, 1975a: 38 (*Diboma*) [see Danilevsky, 2014b: 221-222]

ciliatum Gressitt, 1942h: 212 (*Donyisia*) A: FUJ GUA HAI HKG YUN

costatum Matsushita, 1933b: 379 (*Sydonia*) A: FUJ HAI JA (Ryukyu) TAI ZHE

loohoanum Breuning, 1940a: 78 (*Diboma*)

formosanum Breuning, 1975a: 38 (*Diboma*) A: TAI

lineatoides Breuning, 1969e: 192 (*Diboma*) A: SD

malinum Gressitt, 1951a: 511 (*Diboma*) A: YUN

obscurior Breuning, 1940a: 78 (*Diboma*) A: UP

posticata Gahan, 1894a: 77 (*Sybra*) A: SD

apicale Pic, 1925a: 29 (*Zotalemimon*)

subglabratum Gressitt, 1938a: 54 (*Sydonia*) A: SCH

tribe Apomecynini J. Thomson, 1860

genus *Apomecyna* Dejean, 1821: 108 type species type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

subgenus *Apomecyna* Dejean, 1821: 108 type species *Saperda alboguttata* Megerle, 1802 (= *Lamia histrio* Fabricius, 1793)

Anapomecyna Pic, 1925a: 29 type species *Anapomecyna luteomaculata* Pic, 1925

Crassapomecyna Breuning, 1958i: 492 type species *Apomecyna crassiuscula* Fairmaire, 1896

Mecynapus J. Thomson, 1858: 187 type species *Apomecyna parumpunctata* Chevrolat, 1856

Pseudoalbana Pic, 1895d: 77 type species *Pseudoalbana lameerei* Pic, 1895

Vocula Lacordaire, 1872: 587 type species *Vocula irrora* Lacordaire, 1872 (= *Apomecyna parumpunctata* Chevrolat, 1856)

cretacea Hope, 1831: 28 (*Callidium*) A: GUA GUX HAI NP SD YUN ORR

laosensis Pic, 1938d: 124

perroteti J. Thomson, 1868: 159

proba Newman, 1842c: 299

fallaciosa Breuning, 1938a: 50 A: PA UP

- flavovittata* Chiang, 1963: 67 A: XIZ YUN
- histrio histrio* Fabricius, 1793: 288 (*Lamia*) A: ES GUI HAI JA MG NP PA SC SD TAI YUN **ORR**
- alboguttata* Megerle, 1802: 10 (*Saperda*)
 - maculaticollis* Pic, 1918b: 6
 - quadrifasciata* J. Thomson, 1868: 159
- histrio okinawana* Makihara, 1992b: 74 A: JA (Ryukyus)
- lameerei* Pic, 1895d: 77 (*Eurycotyle*) N: EG MO A: AE IN IQ IS **OM** PA SA SI YE **AFR**
- arabica* Breuning, 1938a: 50
 - mateui* Breuning, 1953: 11
- leucosticta* Hope, 1831: 28 (*Callidium*) A: AF BT NP PA SD YUN **ORR**
- lineata* Pic, 1937a: 14
- longicollis coreana* Breuning, 1967f: 188 A: "Korea"
- longicollis longicollis* Pic, 1926a: 28 A: GUI HKG JIX YUN **ORR**
- fouqueti* Pic, 1938d: 124
- luteomaculata* Pic, 1925a: 29 (*Anapomecyna*) A: YUN ORR**
- naevia deguchii* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)
- naevia irtiei* Hayashi, 1984: 69 A: JA
- naevia naevia* Bates, 1873: 317 A: **SC** NP #80
- naevia tsutsuii* Hayashi, 1956b: 15 A: JA
- naevia yokoyamai* Hayashi, 1974c: 68 A: JA
- proxima* Breuning, 1938a: 49 A: SW **ORR**
- saltator* Fabricius, **1787**: 141 (*Lamia*) A: NP FUJ GUA GUI GUX HAI HKG HUB HUN JIA JIX PA TAI YUN ZHE **ORR**
- excavaticeps* Pic, 1918b: 6
 - multinotata* Pic, 1918b: 5
 - neglecta* Pascoe, 1865: 152
 - niveosparsa* Fairmaire, 1895: 185
 - pertigera* J. Thomson, 1868: 160
 - sinensis* Pic, 1918b: 6
 - subuniformis* Pic, 1944a: 14
 - tonkinea* Pic, 1918b: 5
- scorteccii* Breuning, 1968c: 90 A: SA YE
- semihistrio* Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus) **TAI**
- tigrina indica* Breuning, 1969f: 656 A: SD
- tigrina tigrina* J. Thomson, 1857g: 343 A: YUN **ORR**
- genus Asaperda** Bates, 1873: 385 type species *Asaperda rufipes* Bates, 1873
- agapanthina* Bates, 1873: 386 A: FE JA TAI
- confutis* Z. Komiya, 1984a: 371, 14
 - nakayamai* Z. Komiya, 1984a: 14
 - obliquevittata* Z. Komiya, 1984a: 370, 14
 - obscura* Breuning, 1939b: 232
 - yamawakii* Z. Komiya, 1984a: 369, 14
- bicostata bicostata* Hayashi, 1956b: 16 A: JA
- bicostata okinawana* Komiya, 1984: 372, 14 A: JA (Ryukyus)
- chongquingensis* L. Chen & Chiang, 1993: 65, 67 A: SCH
- kani* Hayashi, 1976: 15 A: JA**
- maculosa* Pic, 1927o: 199 A: CH **ORR**
- meridiana* Matsushita, 1931a: 45 A: FUJ GUA JIX TAI
- takushaensis* Kano, 1933a: 283
- rufa* Breuning, 1954e: 136 A: SHN
- rufipes* Bates, 1873: 386 A: CH FE JA NC SC TAI
- albosuturalis* Breuning, 1957g: 278
 - nigricornis* Breuning, 1957g: 278
 - tsushima* Breuning, 1955e: 658
 - uniformis* Pic, 1907d: 22
- silvicultrix* Toyoshima & Iwata, 1990: 1 A: JA
- stenostola* Kraatz, 1879h: 227 A: FE KZ MG **NC** SC WS
- tenuicornis* Z. Komiya, 1984a: 370, 15 A: JA
- wadai* Makihara, 1980: 55 A: JA
- genus Asaperdina** Breuning, 1976a: 51 type species *Asaperda regularis* Pic, 1923
- brunnea* Pesarini & Sabbadini, 2000: 62 A: SHA
- regularis* Pic, 1923c: 21 (*Asaperda*) A: CH
- sordida* Gressitt, 1951a: 506 (*Pseudanaesthetis*) A: HUB SHG
- whiteheadi* Gressitt, 1940b: 177 (*Pseudanaesthetis*) A: HAI
- genus Athylia** Pascoe, 1864a: 27 type species *Athylia avara* Pascoe, 1864
- Enispia* Pascoe, 1864a: 28 type species *Enispia venosa* Pascoe, 1864

Sodomorphon Pic, 1926c: 14 type species *Sodomorphon bellum* Pic, 1926 (= *Athylia nobilis* Breuning, 1960)
horishensis Seki, 1946: 10 (*Enispia*) A: TAI
quadristigma Gressitt, 1940b: 156 (*Enispia*) A: HAI

genus Atimura Pascoe, 1863b: 548 type species *Atimura terminata* Pascoe, 1863

affinis Breuning, 1939b: 240 A: UP **ORR**
apicalis Gahan, 1894a: 76 A: FUJ SCH TAI **ORR**
combreti Gardner, 1930: 158 A: NP UP
cylindrica Gressitt, 1940b: 173 A: HAI
formosana Matsushita, 1933b: 371 A: TAI
fijiwarai Hayashi, 1994: 70 A: TAI
fulva Schwarzer, 1925c: 145 A: TAI
japonica Bates, 1873: 381 A: JA SC **ORR**
tonkinea Pic, 1931a: 14
koreana Danilevsky, 1996b: 22 A: SC
minima Breuning, 1939b: 240 A: UP **ORR**
proxima Breuning, 1939b: 240 A: UP **ORR**

genus Brachysybra Breuning, 1940d: 427 type species *Brachysybra elliptica* Breuning, 1940
elliptica Breuning, 1940d: 428 A: TAI **ORR**

genus Callomecyna Tippmann, 1955: 125 type species *Callomecyna superba* Tippmann, 1955

Mimoxenoleoides Breuning, 1963f: 82 type species *Mimoxenoleoides fasciculosa* Breuning, 1963
leehsuehae Yamasako & Chou, 2014a: 252 A: TAI
superba Tippmann, 1955: 126 A: CHQ FUJ GUI GUX HUN #74
 fasciculosa Breuning, 1963f: 83 (*Mimoxenoleoides*)
tigrinula Holzschuh, 1999: 44 A: SCH

genus Coomanum Pic, 1927i: 111 type species *Coomanum singulare* Pic, 1927

Niphosaperda Breuning, 1962d: 49 type species *Niphosaperda rondoni* Breuning, 1962
singulare Pic, 1927i: 112 A: YUN **ORR**
 rondoni Breuning, 1962d: 49 (*Niphosaperda*)

genus Cornallis J. Thomson, 1864: 47 type species *Cornallis gracilipes* J. Thomson, 1864

Parasybrodiboma Breuning, 1969f: 666 type species *Parasybrodiboma sikkimensis* Breuning, 1969
gracilipes J. Thomson, 1864: 47 A: NP SD
 bootangensis Breuning, 1968f: 702 (*Hyagnis*)
 sikkimensis Breuning, 1969f: 667 (*Parasybrodiboma*)
 sybroides Breuning, 1939b: 206 (*Hyagnis*)

genus Diaxenes C. O. Waterhouse, 1884a: 128 type species *Diaxenes taylori* C. O. Waterhouse, 1884
dendrobi Gahan, 1894e: 520 A: SD **ORR**

genus Discolops Fairmaire, 1886a: 459 type species *Discolops strigicollis* Fairmaire, 1886

strigicollis Fairmaire, 1886a: 459 A: YE **AFR**
 aureicornis Gahan, 1890d: 325 (*Stathmodera*)
 basalis Kolbe, 1894: 281
 grandis Waterhouse, 1898: 264 (*Stathmodera*)

genus Doliops G. R. Waterhouse, 1841: 57 [= 1845: 42] type species *Doliops curculionoides* G. R. Waterhouse, 1841

Dolops Agassiz, 1846b: 128 [unjustified emendation]
Lamprobytyle Heller, 1923e: 420 type species *Lamprobytyle magnifica* Heller, 1923 (valid name of Oriental genus – see Barševskis & Jäger, 2014)
similis Miwa & Mitono, 1933: 373 [RN] A: TAI **ORR** #116
 ehengi Nakamura, 1974: 15 A: TAI (unavailable)
 eheni Hu, 2002: 204 [misspelling]
 pachyrrhynchoides Miwa & Mitono, 1932: 306 (*Aprophata*) [HN]

genus Enareta J. Thomson, 1864: 325 type species *Enareta castelnaudi* J. Thomson, 1864

Athenes Fehræus, 1872b: 194 type species *Athenes caudata* Fehræus, 1872
Fouquetia Pic, 1932i: 150 type species *Fouquetia fasciculata* Pic, 1932
Phoryctus Gerstaecker, 1871: 78 type species *Phoryctus mucoreus* Gerstaecker, 1871
Sympiodes Pascoe, 1886: 243 type species *Sympiodes varius* Pascoe, 1886
caudata Fehræus, 1873: 36 (*Athenes*) A: YE **OM AFR**
exigua Gahan, 1904: 152

genus Estigmenida Gahan, 1894a: 82 type species *Estigmenida variabilis* Gahan, 1894
albolineata Breuning, 1940b: 211 A: BT

robusta Breuning, 1940b: 211 A: SD
variabilis Gahan, 1894a: 83 A: CH **ORR**

genus *Eunidia* Erichson, 1843: 261 type species *Eunidia nebulosa* Erichson, 1843

Anomoesia Pascoe, 1858: 255 type species *Anomoesia fulvida* Pascoe, 1858
Aserixia Pic, 1925b: 31 type species *Aserixia savori* Pic, 1925
Boucardia Pic, 1925b: 31 type species *Boucardia nigroapicalis* Pic, 1925
Frixus J. Thomson, 1857f: 313 type species *Frixus variegatus* J. Thomson, 1857
Mycerinella Heller, 1924c: 203 type species *Mycerinella subfasciata* Heller, 1924
Paphraecia Fairmaire, 1894c: 332 type species *Paphraecia obliquepicta* Fairmaire, 1894 (= *Eunidia nebulosa* Erichson, 1843)
Semiclinia Fairmaire, 1897e: 254 type species *Semiclinia denseguttata* Fairmaire, 1898
Syessita Pascoe, 1864c: 284 type species *Syessita vestigialis* Pascoe, 1864
Tritomicrus Fairmaire, 1892a: 125 type species *Tritomicrus marmoreus* Fairmaire, 1892
arabica Breuning, 1968c: 90 A: SA YE
 arabensis Breuning, 1969d: 104 [RN]
atripennis Pu & Yang, 1993: 301, 305 A: **CHQ GUI HUB YUN** #74
atripes Breuning, 1960g: 475 A: GUA
breuningae Villiers, 1951: 201 N: EG A: **OM SA YE AFR**
 djiboutiana Breuning, 1974e: 122
 naviauxi Villiers, 1977: 168
 renaudi Breuning, 1961f: 252
 submarmorata Breuning, 1968c: 91
flavicans Breuning, 1954b: 16 A: YE **AFR**
haplotrita Aurivillius, 1911b: 32 [218] A: SA YE
kristensenii Aurivillius, 1911b: 29 [215] A: **OM SA YE AFR**
kumatai Hayashi, 1981a: 10 A: NP
lateralis Gahan, 1893b: 387 A: HAI NP SC YUN **ORR**
 cincta Pic, 1926h: 237 (*Aserixia*)
nebulosa nebulosa Erichson, 1843: 262 A: **OM SA YE AFR**
 brevicollis Fairmaire, 1896b: 394 (*Paraphraecia*)
 distinguenda Aurivillius, 1926: 480
 laterita Fairmaire, 1903: 255 (*Diadelia*)
 gabonica Breuning, 1938c: 214
 mixta Gahan, 1909: 73
 obliquepicta Fairmaire, 1894c: 332 (*Paraphraecia*)
 proxima Breuning, 1938c: 215
 puncticollis Fehraeus, 1873: 52
 rustica Fehraeus, 1873: 53
 senilis J. Thomson, 1868: 137
savioi Pic, 1925b: 31 (*Aserixia*) A: JIA SHG
taiwanensis Hayashi & Nara, 1992: 148 A: TAI
 fengkangshanensis Hayashi & Nara, 1992: 149
thomseni Distant, 1898: 377 A: SA YE **AFR**
 albicans Breuning, 1938: 211
 apiceclarior Breuning, 1967g: 297
 bicoloripennis Breuning, 1974k: 413
 clarkei Breuning, 1974k: 414
 ferrandi Aurivillius, 1926: 482
 guttata Breuning, 1957b: 71 [RN]
 guttulata Aurivillius, 1908: 8
 pseudoalbicans Breuning, 1968b: 58 [RN]
 rubroscapus Breuning, 1962e: 71
 subalbicans Breuning, 1967d: 86
 suturebrunnea Breuning, 1977b: 273
 zavattarii Breuning, 1942d: 94
yemenensis Breuning, 1968c: 90 A: YE

genus *Eunidiopsis* Breuning, 1939b: 220 type species *Eunidiopsis bicolor* Breuning, 1939
bicolor Breuning, 1939b: 220 A: ZHE

genus *Falsoropica* Breuning, 1939b: 232 type species *Falsoropica clavipes* Breuning, 1939
grossepunctata Breuning, 1968a: 32 A: YUN **ORR**
sikkimensis Breuning, 1973c: 651 A: SD

genus *Falsozorispella* Breuning, 1963a: 4 [RN] type species *Falsozorilispe albosignata* Pic, 1945
 Falsozorilispe Pic, 1945a: 2 [HN] type species *Falsozorilispe albosignata* Pic, 1945
 albosignata Pic, 1945a: 2 (*Falsozorilispe*) A: GUI

genus *Hyagnis* Pascoe, 1864c: 280 type species *Hyagnis fistularius* Pascoe, 1864

apicatus Holzschuh, 1984c: 369 A: UP
chinensis Breuning, 1961i: 317 A: GUA
kashmirensis Breuning, 1939b: 206 A: KA
pakistanus Breuning, 1975d: 352 A: NP PA
persimilis Breuning, 1939b: 206 A: "India"
intuberculata Pic, 1946a: 3 (*Atimura*)

genus *Iproca* Gressitt, 1940b: 165 type species *Iproca acuminata* Gressitt, 1940
acuminata Gressitt, 1940b: 165 A: HAI
aoyamaorum M. Hasegawa & N. Ohbayashi, 2006: 253 A: JA (Ryukyus)
flavolineata Hayashi, 1971: 10 A: TAI **ORR**
ishigakiana Breuning & K. Ohbayashi, 1966: 34 A: JA (Ryukyus)
pedongensis Breuning, 1968f: 701 A: SD

genus *Microlera* Bates, 1873: 380 type species *Microlera ptinoides* Bates, 1873
kanoi Hayashi, 1971: 9 A: TAI
ptinoides Bates, 1873: 380 A: FE JA **NC** SC TAI
yayeyamensis Hayashi, 1968c: 15 A: JA (Ryukyus)

genus *Microleroides* Breuning, 1956g: 691 type species *Microleroides chinensis* Breuning, 1956
chinensis Breuning, 1956g: 692 A: SCH

genus *Mimatimura* Breuning, 1939b: 241 type species *Mimatimura rufescens* Breuning, 1939
subferruginea Gressitt, 1951a: 496 (*Atimura*) A: FUJ HAI

genus *Mimoplocia* Breuning, 1949b: 19 type species *Plocia notata* Newman, 1842
notata Newman, 1842c: 292 (*Plocia*) A: TAI **ORR**
albicornis Heyrovský, 1935a: 19 (*Epaphra*)

genus *Mimophaeopate* Breuning, 1967b: 30 type species *Mimophaeopate assamensis* Breuning, 1967
assamensis Breuning, 1967b: 31 A: AP

genus *Mimophothyne* Breuning, 1956a: 7 type species *Mimophothyne flavolineata* Breuning, 1956
flavolineata Breuning, 1956a: 7 A: CH

genus *Mycerinopsis* J. Thomson, 1864: 50 type species *Mycerinus aridus* Pascoe, 1862 (= *Hathlia lacteola* Hope, 1841)
subgenus *Zotale* Pascoe, 1866: 329 type species *Zotale unicolor* Pascoe, 1866
apomecynoides Hayashi, 1972: 29 A: JA
lineata Gahan, 1894a: 75 A: FUJ GUA JIX HAI HUN YUN **ORR**
subunicolor Breuning, 1968a: 14 A: YUN **ORR**

genus *Neosybra* Breuning, 1939b: 276 type species *Neosybra ropicoides* Breuning, 1939
costata Matsushita, 1933b: 370 A: TAI
cribrella Bates, 1873: 318 (*Sybra*) A: JA
flavovittata Breuning, 1954b: 21 A: SD
flavovittipennis Breuning, 1963d: 6 A: HUN **ORR**
hachijoensis Hayashi, 1961a: 22 (*Palausybra*) A: JA
mizoguchii Hayashi, 1956c: 41 (*Ropica*) A: JA
ochreovittata Breuning, 1939b: 277 A: NP
rotundipennis Breuning, 1939b: 278 A: HKG
ryukyuensis Breuning & K. Ohbayashi, 1964: 28 A: JA (Ryukyus)
sinuicosta Gressitt, 1951a: 502 A: TAI
tokaraensis depressa Makihara, 1980: 58 (*Palausybra*) A: JA (Danjo-guntô)
tokaraensis tokaraensis Makihara, 1977: 53 (*Palausybra*) A: JA (Tokara-rettô)

genus *Novorondonia* Özdikmen, 2008c: 678 [RN] type species *Rondonia ropicoides* Breuning, 1962
Rondonia Breuning, 1962b: 7 [HN] type species *Rondonia ropicoides* Breuning, 1962
bisignata Hayashi, 1976: 16 (*Rondonia*) A: TAI
ropicoides Breuning, 1962: 7 (*Rondonia*) A: YUN **ORR**

genus *Ogmodera* Aurivillius, 1908: 149 type species *Ogmodera sulcata* Aurivillius, 1908
forticornis Breuning, 1942a: 142 A: SA YE **AFR**
sulcata Aurivillius, 1908: 150 A: SA YE **AFR**

genus *Palausybra* Gressitt, 1956: 153 type species *Palausybra vestigialis* Gressitt, 1956

chibi Hayashi, 1974c: 41 A: TAI

genus *Paraneosybra* Hayashi, 1978b: 107 type species *Paraneosybra fulvofasciata* Hayashi, 1978
fulvofasciata Hayashi, 1978b: 108 A: TAI

genus *Pemptolasius* Gahan, 1890a: 64 type species *Pemptolasius humeralis* Gahan, 1890

Parazotalemimon Pic, 1936b: 12 type species *Parazotalemimon nigropunctatum* Pic, 1936
humeralis Gahan, 1890a: 65 A: SD YUN ORR
nigropunctatus Pic, 1936b: 12 (*Parazotalemimon*)

genus *Ropica* Pascoe, 1858: 247 type species *Ropica piperata* Pascoe, 1858

affinis Breuning, 1939b: 224 A: NP SD

assamensis Breuning, 1972c: 415 A: AP

bicostata Pic, 1926a: 27 (*Sybra*) A: CH

caenosa Matsushita, 1932: 107 (*Pterolophia*) A: JA (Ryukyus) TAI

chinensis Breuning, 1964a: 403 A: ZHE

coomani Pic, 1926b: 5 A: SD

coreana Breuning, 1980b: 50 A: NC SC

dorsalis Schwarzer, 1925c: 145 A: BT GUA GUX HAI JA JIA NP SD TAI UP ORR

burketti Gressitt, 1937d: 609

langana Pic, 1945a: 3

rufescens Pic, 1926b: 5

formosana Bates, 1866: 351 A: TAI

hirayamai Matsushita, 1941: 156

fuscolaterimaculata Hayashi, 1974c: 42 A: TAI

honesta Pascoe, 1865: 190 A: JA NP TAI ORR

japonica amamiana Makihara, 1995: 456 A: JA

japonica japonica Hayashi, 1972: 37 A: JA

japonica tokarana Takakuwa, 1984: 12 A: JA

lineatithorax Pic, 1927b: 17 A: NP ORR

elongata Pic, 1929a: 30 (*Sybra*)

vietnamensis Breuning, 1972b: 235

loochooana hayashii Breuning, 1958c: 34 A: JA (Ryukyus)

loochooana loochooana Matsushita, 1933b: 361 (*Pterolophia*) A: JA (Ryukyus)

ngauhilae Gressitt, 1940b: 163 A: HAI

pedongensis Breuning, 1968f: 701 A: SD

rosti Breuning, 1958d: 177 A: KA NP SD

signatoides Breuning, 1939b: 221 A: UP

subaffinis Breuning, 1968f: 701 A: SD

sublineata Gressitt, 1940b: 162 A: FUJ HAI

subnotata Pic, 1925e: 138 A: FUJ GUA GUI HEB HEN HKG HUB JIA JIX SHN SHX YUN ZHE

trichantennalis Breuning, 1968a: 13 A: FUJ ORR

tsushimaensis Hayashi, 1972: 38 A: JA

umbrata Gressitt, 1951a: 492 A: FUJ GUA

variabilis Schwarzer, 1925b: 68 A: TAI

genus *Sybra* Pascoe, 1865: 141 type species *Ropica stigmatica* Pascoe, 1859

subgenus *Microzotale* Hayashi, 1956b: 17 type species *Microzotale uenoii* Hayashi, 1956

Kirishimoopsis Hayashi, 1958b: 48 type species *Kirishimoopsis sakamotoi* Hayashi, 1958

albodistincta Takakuwa, 1984: 382 A: JA (Ryukyus)

kuri K. Ohbayashi & Hayashi, 1962: 33 A: JA

uenoi sakamotoi Hayashi, 1958b: 49 A: JA (Kyushu)

uenoi uenoii Hayashi, 1956b: 18 A: JA (Tokara)

subgenus *Sybra* Pascoe, 1865: 141 type species *Ropica stigmatica* Pascoe, 1859

Gracisybra L. S. Dillon & E. S. Dillon, 1952: 64 type species *Gracisybra flava* L. S. Dillon & E. S. Dillon, 1952

Lamprosybra Aurivillius, 1928c: 144 type species *Lamprosybra sulcata* Aurivillius, 1928

Microopsis L. S. Dillon & E. S. Dillon, 1952: 63 type species *Microopsis dimidiata* L. S. Dillon & E. S. Dillon, 1952

Paroopsis L. S. Dillon & E. S. Dillon, 1952: 64 type species *Paroopsis eumilis* L. S. Dillon & E. S. Dillon, 1952

Ropicomorpha Pic, 1944a: 8 type species *Ropica minuta* Pic, 1927

Sybrinura Gahan, 1907: 88 type species *Sybrinura biapicata* Gahan, 1907

albomaculata albomaculata Breuning, 1939b: 264 A: NO

albomaculata formosana Breuning, 1964a: 305 A: GUX TAI

alternans Wiedemann, 1823: 11 (*Lamia*) A: TAI ORR

angustata Pic, 1926b: 6 (*Atelais*)

carolina Matsushita, 1935: 121

fuscobiplagiata Breuning, 1939b: 265

fuscovittata Aurivillius, 1928a: 24

- latiuscula* Aurivillius, 1928a: 23
multilineata Pic, 1927: 16 (*Atelais*)
baculina baculina Bates, 1866: 352 A: HKG TAI
kotoensis Matsushita, 1934b: 541
baculina miyakoana Hayashi, 1972: 31 A: JA (Ryukyus)
basialbofasciata Hayashi, 1972: 33 A: JA
bioculata bioculata Pic, 1926i: 302 A: FUJ JIA TAI ZHE ORR
bioculata quadrinotata Schwarzer, 1925c: 145 A: JIA TAI YUN ZHE ORR
obliterata Pic, 1927h: 109
bioculata sikkimana Breuning, 1969f: 657 A: SD
botelensis Breuning & K. Ohbayashi, 1966: 11 A: TAI
breunungi Gressitt, 1940b: 169 A: HAI
chaffanjoni Breuning, 1969f: 656 A: GUI
elongatula Breuning, 1939b: 270 A: SD
flavomaculata Breuning, 1939b: 263 A: HUB JA SC
albomarmorata Breuning, 1961i: 333 [Neosybra] A: JA #92
flavostriata flavostriata Hayashi, 1968c: 16 A: JA (Ryukyus) TAI
flavostriata miyakojimana Hayashi, 1972: 33 A: JA (Ryukyus)
icanoides Breuning, 1942a: 150 A: SD
longipes Breuning & De Jong, 1941: 104 A: SD
maculiclinis Matsushita, 1931c: 404 A: JA TAI
marmorea Breuning, 1939b: 264 A: CH ORR
masatakai Makihara, 2007: 216 A: JA (Ryukyus)
mimobaculina Breuning, 1970c: 90 A: TAI
mimogeminata Breuning & K. Ohbayashi, 1964: 17 A: JA (Ryukyus)
carinatipennis Breuning & Chûjô, 1970: 56
miscanthivola Makihara, 1977: 25 A: JA (Ryukyus) TAI
musashinoi Breuning & Chûjô, 1970: 56 A: JA (Ryukyus)
narai Hayashi, 1976: 14 A: TAI
ordinata lochocoana Breuning, 1939b: 263 A: JA (Ryukyus)
ordinata okinoerabuensis Hayashi, 1972: 32 A: JA
ordinata ordinata Bates, 1873: 318 A: JA
ordinata subtesselata Breuning, 1960a: 14 A: JA
ordinata tokara Hayashi, 1972: 33 A: JA
oshimana Breuning, 1958c: 34 A: JA
nipponensis Hayashi, 1972: 32
omoro Hayashi, 1972: 32
parvula Breuning, 1939b: 271 A: "North India"
pascoei ishigakii Breuning & K. Ohbayashi, 1964: 28 A: JA (Ryukyus)
miyakoensis Hayashi, 1972: 31
pascoei okinawana Breuning & K. Ohbayashi, 1967: 4 A: JA (Ryukyus)
pascoei pascoei Lameere, 1893a: 285 A: HAI ORR
pascoei taiwanella Gressitt, 1951a: 499 A: JA TAI
piceomacula Gressitt, 1951a: 500 A: FUJ
punctatostriata Bates, 1866: 351 A: FUJ GUA HAI JIX TAI
gossypi Matsumura, 1912: 219 (*Homonoxa*)
pusilla Breuning, 1939b: 270 A: "North India"
rondoniana Breuning, 1965: 45 A: TAI
savioi Pic, 1925e: 138 A: FUJ HAI JIA TAI
sikkimensis Breuning, 1939b: 270 A: SD
tenganensis Breuning, 1965h: 178 A: JIX
unifasciata Fujimura, 1956: 5 A: JA
unipunctata Breuning, 1939b: 264 A: HKG
subgenus *Sybrodiboma* Breuning, 1953: 16 type species *Sybra subfasciata* Bates, 1884a
subfasciata mikurensis Hayashi, 1971: 17 (*Sybrodiboma*) A: JA
subfasciata subfasciata Bates, 1884a: 246 (*Sybra*) A: JA SC
ohbayashii Breuning, 1960a: 16 (*Hyagnis*)
taiwanensis Hayashi, 1974c: 51 (*Sybrodiboma*) A: TAI
trimeresura Takakuwa, 1984: 12 A: JA

genus Xylariopsis Bates, 1884a: 247 type species *Xylariopsis mimica* Bates, 1884a
Falsosybra Pic, 1928a: 28 type species *Falsosybra fulvonotata* Pic, 1928
esakii Mitono, 1943: 582 A: HUN TAI YUN
fijiwarai Hayashi, 1994: 71 A: TAI
iriei Hayashi, 1976: 13 A: JA (Ryukyus)
mimica Bates, 1884a: 247 A: BEI FE GAN JA JIA NC NE SC SHA SHG #74

uenoi Hayashi, 1994: 72 A: TAI

genus Zorilispe Pascoe, 1865: 156 type species *Zorilispe fulvisparsa* Pascoe, 1865
harai Hayashi, 1979: 92 A: NP

tribe Astathini Thomson, 1864

genus Anastathes Gahan, 1901: 60 type species *Astathes nigricornis* J. Thomson, 1865
nigricornis J. Thomson, 1865a: 560 (*Astathes*) A: FUJ GUI GUX HAI HUN YUN **ORR**
 atricornis Pic, 1922c: 15 (*Chreonomia*)
parallelus Breuning, 1956f: 486 A: HUB FUJ
parvus Gressitt, 1935c: 193 A: FUJ GUA GUX HAI HUN TAI
— *atricornis* Gressitt, 1940b: 223 (*Chreonomia*) [HUN] [wrong identification with Pic's name]
 hainanus Gressitt, 1942c: 7 [RN]
robustus Gressitt, 1940b: 222 A: FUJ GUA GUX HAI JIX

genus Bacchisa Pascoe, 1866a: 329 type species *Bacchisa coronata* Pascoe, 1866

subgenus Atrobacchisa Breuning, 1956f: 457 type species *Chreonomia atrocoerulea* Gressitt, 1951
atrocoerulea Gressitt, 1951a: 617 (*Chreonomia*) A: SHA
subgenus Bacchisa Pascoe, 1866: 329 type species *Bacchisa coronata* Pascoe, 1866
 Chreonomia Pascoe, 1867b: 348 type species *Chreonomia venustum* Pascoe, 1867
atritarsis Pic, 1912h: 21 (*Chreonomia*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIX NE SCH SHA SHN TAI ZHE
basalis Gahan, 1894d: 487 (*Chreonomia*) A: FUJ GUA GUX HAI HKG **ORR**
 tonkinea Pic, 1916h: 15 (*Chreonomia*)
chinensis Breuning, 1948e: 119 A: CH
comata Gahan, 1901: 67 (*Chreonomia*) A: FUJ GUA GUI GUX HAI HKG YUN ZHE
cyaneoapicalis Gressitt, 1939a: 112 (*Chreonomia*) A: GUA HAI
 dimidiata Gressitt, 1940b: 224 (*Chreonomia*)
cyanipennis Breuning, 1961i: 338 A: SCH
dioica Fairmaire, 1878: 133 (*Astathes*) A: SCH YUN **ORR**
fortunei flavicornis Kano, 1933a: 291 (*Chreonomia*) A: TAI
fortunei fortunei J. Thomson, 1857a: 58 (*Plaxomicros*) A: ANH FUJ GAN GUA GUI GUX HEN HUB HUN JIA JIL JIX NC NIN
 QIN SC SCH SHA SHN SHX ZHE
 obscuricollis Pic, 1928: 21 (*Chreonomia*)
fortunei japonica Gahan, 1901: 68 (*Chreonomia*) A: FUJ HUN JA NE
frontalis Gahan, 1894a: 100 (*Chreonomia*) A: NP "North India"
guerryi Pic, 1911e: 20 (*Astathes*) A: FUJ GUA GUX HUN JIX YUN
 apicalis Pic, 1911e: 20 (*Astathes*)
 nigronotata Pic, 1912h: 21 (*Chreonomia*)
hoffmanni Gressitt, 1939a: 113 (*Chreonomia*) A: GUA
klapperichi Breuning, 1956c: 236 A: FUJ
kweichowensis Breuning, 1959e: 174 A: GUI
pallens S.-H. Chen, 1936c: 165 (*Chreonomia*) A: CH
pallidiventris J. Thomson, 1865a: 559 (*Astathes*) A: HAI YUN **ORR**
 aegrota J. Thomson, 1865a: 560 (*Astathes*)
 pallidicolor Pic, 1916d: 6 (*Chreonomia*)
rigida Gressitt, 1942c: 6 (*Chreonomia*) A: SCH ZHE
violaceoapicalis Pic, 1923a: 14 (*Chreonomia*) A: GUX YUN **ORR**
genus Cleonaria J. Thomson, 1864: 119 type species *Cleonaria bicolor* Thomson, 1864
taiwana Hayashi, 1984: 36 A: TAI

genus Lasiophrys Gahan, 1901: 71 type species *Lasiophrys latifrons* Gahan, 1901
latifrons Gahan, 1901: 72 A: BT NP

genus Momisia Pascoe, 1867b: 361 type species *Momisia aegrota* Pascoe, 1867
longicornis Pic, 1912b: 10 (*Lasiophrys*) A: HAI
 tiniosensis Gressitt, 1940b: 226 (*Lasiophrys*)
longzhouensis Hua, 1982: 53 A: GUX
monticola Breuning, 1956f: 467 A: NP SD

genus Plaxomicrus J. Thomson, 1857a: 57 type species *Plaxomicrus ellipticus* J. Thomson, 1857
ellipticus J. Thomson, 1857a: 58 A: GUX HUB JIA NP SCH SHA SHG YUN ZHE **ORR**
 ventralis Gahan, 1901: 70
latus Gahan, 1901: 70 A: BT NP YUN
nigriventris Pu, 1991a: 208, 210 A: YUN
pallidicolor Pic, 1912l: 15 A: GUX **ORR**
sikkimensis Breuning, 1956f: 464 A: SD

szetschuanus Breuning, 1956f: 463 A: SCH
violaceomaculatus Pic, 1912b: 11 A: YUN ORR

genus **Tetraophthalmus** Dejean, 1835: 347 type species *Cerambyx splendidus* Fabricius, 1793

Astathes Newman, 1842c: 299 type species *Astathes perplexa* Newman, 1842
bimaculatus Fabricius, 1793: 263 (*Cerambyx*) A: PA ORR
externus Pascoe, 1859: 46 (*Astathes*)
contentiosus Pascoe, 1867b: 352 (*Astathes*) A: PA
episcopalis Chevrolat, 1852: 418 (*Astathes*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NMO SC
SCH SHA SHX TAI XIN ZHE
formosanus Breuning, 1956f: 499 (*Astathes*) A: TAI
gibbicollis J. Thomson, 1865a: 559 (*Astathes*) A: "North India"
holorufus Breuning, 1968a: 31 (*Astathes*) A: HKG ORR
janthinipennis cyanopterus Gahan, 1900d: 353 (*Astathes*) A: HAI TAI ORR
janthinipennis flavus Chiang, 1963: 68 (*Astathes*) A: YUN
janthinipennis janthinipennis Fairmaire, 1895: 187 A: YUN ORR
janthinipennis yunnanensis Breuning, 1956f: 500 (*Astathes*) A: YUN
japonicus J. Thomson, 1857a: 51 A: "Himalaya"
sikanga Gressitt, 1942c: 6 (*Chreonomia*) A: SCH
splendidus Fabricius, 1793: 263 (*Cerambyx*) A: CH ORR
decipiens Pascoe, 1859: 46 (*Astathes*)
flavicornis Pic, 1939f: 31 (*Astathes*)
splendidulus Aurivillius, 1923: 583 (*Astathes*)
violaceipennis J. Thomson, 1857a: 53 A: GUX NP SD XIZ ORR

tribe Batocerini J. Thomson, 1864

genus **Apriona** Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831

subgenus **Apriona** Chevrolat, 1852: 414 type species *Lamia germari* Hope, 1831

Anapriona Breuning, 1949b: 8 type species: *Apriona submaculosa* Pic, 1917
Cylindrapriona Breuning, 1949b: 8 type species *Monochamus cylindricus* J. Thomson, 1857
Humeroapriona Breuning, 1949b: 8 type species *Lamia swainsoni* Hope, 1840
Mesapriona Breuning, 1949b: 8 type species *Apriona punctatissima* Kaup, 1866
Parapriona Breuning, 1948a: 17 type species: *Parapriona brunneomarginata* Breuning, 1948
cinerea Chevrolat, 1852: 416 A: AF HP PA UP XIZ
newcombei Gilmour, 1958: 112
germari germari Hope, 1831: 28 (*Lamia*) A: BT NP SD XIZ ORR
cribrata J. Thomson, 1878: 57
deyrollei Kaup, 1866: 7
germari parvigranula J. Thomson, 1878: 59 A: GUA HAI YUN ORR
rugicollis rugicollis Chevrolat, 1852: 418 A: ANH FE FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX LIA
NC SC SCH SHA SHN SHX TAI XIZ YUN ZHE
gressitti Gilmour, 1958: 76
japonica J. Thomson, 1878: 58
plicicollis Motschulsky, 1854a: 48
rugicollis nobuoi Breuning & K. Ohbayashii, 1966: 32 A: JA (Ryukyus)
rugicollis yayeyamai Breuning, 1976d: 739 A: JA (Ryukyus)
paucigranula J. Thomson, 1878: 58 A: YUN
sublaevis J. Thomson, 1878: 79 A: HAI GUX ORR
bicolor Kriesche, 1920a: 193
swainsoni swainsoni Hope, 1840: 79 (*Lamia*) A: FUJ GUI HAI HEN JIA NC SC SCH YUN ORR
daifungensis Chiang, 1982: 41
kediana W.-K. Wang, 1999: 125
swainsoni basicornis Fairmaire, 1895: 185 A: HAI YUN ORR
trilineata Chevrolat, 1852: 416 A: SD ORR
subgenus *Cristapriona* Hua, 1986c: 209 type species *Apriona chemsaki* Hua, 1986
chemsaki Hua, 1986c: 209 A: JIX

genus **Batocera** Dejean, 1835: 341 type species *Cerambyx rubus* Linnaeus, 1758

Semibatocera Kriesche, 1915: 115 type species *Batocera calana* Parry, 1844 (= *Batocera parryi* Hope, 1845)
Tyrannolamia Kriesche, 1915: 115 type species *Batocera wallacei* Thomson, 1858
armata Olivier, 1795: 121 (*Cerambyx*) A: YUN AUR ORR
whitei Kaup, 1866: pl. 3
calana Parry, 1844: 454 [= 1845: 86] (*Lamia*) A: AP FUJ HAI SD TAI XIZ YUN ORR #74
bimaculata Schwarzer, 1914: 280
fabricii J. Thomson, 1878: 54
guttata Vollenhoven, 1871: 110 (*Megacriodes*)
immaculata Schwarzer, 1914: 280
narada Kriesche, 1928: 45

parryi Hope, 1845b: 77 (*Lamia*)
davidis H. C. Deyrolle, 1878: 131 A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN SCH SHA TAI YUN ZHE **ORR**
henrietta Kriesche, 1915: 138
obscura Gilmour & Dibb, 1948: 38
horsfieldi Hope, 1839: 42 A: ANH BT FUJ GUA GUI GUX HEB HEN HUB HUN HP JIA JIL JIX SCH SD SHA SHN XIZ YUN ZHE **ORR**
adelpha J. Thomson, 1859: 77
kuntzeni Kriesche, 1915: 139
lineolata Chevrolat, 1852: 417 A: ANH FUJ GUA GUI GUX HAI HEB HUB JA JIA JIX SC SCH SD SHA TAI YUN ZHE **ORR**
catenata Vollenhoven, 1871: 215
chinensis J. Thomson, 1857e: 170
flachi Schwarzer, 1914: 280
hauseri Schwarzer, 1914: 280
joannisi Pic, 1901g: 28
variecollis Schwarzer, 1925b: 60
numitor Newman, 1842b: 275 A: HAI NP SCH SD XIZ YUN **ORR**
ajax J. Thomson, 1858: 455
ferruginea J. Thomson, 1858: 456
javanica J. Thomson, 1859: 83
loki Kriesche, 1915: 143
palawanica Kriesche, 1928: 47
rufopunctata Breuning, 1956a: 1
sumatrensis Aurivillius, 1922b: 126 [RN]
titana J. Thomson, 1859: 82
punctata Schwarzer, 1925b: 60 A: TAI
roylei Hope, 1833: 64 (*Lamia*) A: A: BT GUX HAI KA NP SD YUN **ORR**
coreana Kolbe, 1886: 238
downesii Hope, 1845b: 76
ebenina Vollenhoven, 1871: 211
orientalis Kriesche, 1915: 119
porus Parry, 1844: 454 [= 1845: 86] (*Lamia*)
princeps L. Redtenbacher, 1844: 551
rubus Linnaeus, 1758: 390 (*Cerambyx*) A: FUJ GUA GUI GUX HAI HKG JA NP PA SA SCH SHA SHX TAI UP YUN ZHE **ORR**
albofasciata DeGeer, 1775: 106 (*Cerambyx*)
albomaculata Retzius, 1783: 138 (*Cerambyx*)
bipunctata Kriesche, 1915: 134
dividopunctata Gilmour & Dibb, 1948: 61
formosana Kriesche, 1915: 136
lombokensis Breuning, 1947a: 16
mniszechi J. Thomson, 1859: 79
octomaculata Fabricius, 1793: 290 (*Lamia*)
palawanica Schwarzer, 1926a: 12
punctatella Kriesche, 1915: 135
sabina J. Thomson, 1878: 52
sarawakensis J. Thomson, 1858: 452
sioporensis Schwarzer, 1930: 122
rufomaculata rufomaculata DeGeer, 1775: 107 (*Cerambyx*) A: HKGi IS LE NP OM PA SI SY TR UP XIZ YE **AFR NTRi ORR**
cruentata Gmelin, 1790: 1863 (*Cerambyx*)
diana Nonfried, 1892b: 276
ushijimai Ohbayashi, 1981: 47 A: TAI

genus Microcriodes Breuning, 1943a: 14 type species *Microcriodes sikkimensis* Breuning, 1943
sikkimensis Breuning, 1943a: 15 A: SD **XIZ** [see: Bi & Lin, 2014]
wuchaoi Bi & Lin, 2014: 5 A: **XIZ**

tribe Ceroplesini J. Thomson, 1860
 subtribe Ceroplesina J. Thomson, 1860

genus Ceroplesia Audinet-Serville, 1835a: 93 type species *Lamia aethiops* Fabricius, 1775
Moecha J. Thomson, 1860: 96 type species *Lamia molator* Fabricius, 1787
aestuans Olivier, 1795: 123 (*Cerambyx*) **N: MO AFR**
aegyptiaca Gilmour, 1956c: 753
senegalensis Fiedler, 1938: 591
elegans Gestro, 1889: 70 A: SA YE
millingeni Pic, 1895d: 77 A: SA YE

genus Thysia J. Thomson, 1860: 96 type species *Lamia wallichii* Hope, 1831
Thysiotes J. Thomson, 1868: 201 [RN] type species *Lamia wallichii* Hope, 1831
wallichii tonkinensis Kriesche, 1924: 289 (*Diastocera*) A: GUA GUX **ORR**

dalatensis Breuning, 1968a: 27 (*Diastocera*)

savioi Yen, 1932: 165 (*Diastocera*)

wallichi wallichi Hope, 1831: 27 (*Lamia*) A: AP GUI HP NP PA SD SCH YUN **ORR**

tricincta Duncan, 1835: 254 (*Lamia*)

genus Titoceres J. Thomson, 1868: 201 [RN] type species *Ceratites jaspidea* Audinet-Serville, 1835

Ceratites Audinet-Serville, 1835a: 34 [HN] type species *Ceratites jaspidea* Audinet-Serville, 1835

Paratitoceres Breuning, 1962g: 235 type species *Paratitoceres arabicus* Breuning, 1962

Rangifer Gistel, 1848a: viii [HN]

arabicus Breuning, 1962g: 235 (*Paratitoceres*) A: SA YE

jaspideus Audinet-Serville, 1835a: 35 (*Ceratites*) N: MO A: OM SA YE **AFR**

subtribe Crossotina J. Thomson, 1864

genus Biobessa Gahan, 1898: 56 type species *Biobessa beatrix* Gahan, 1898

holzschuhii Téocchi, 1991: 304 A: SA YE

genus Crossotus Audinet-Serville, 1835a: 52 type species *Lamia plumicornis* Audinet-Serville, 1835

Crossotides Hintz, 1912: 192 type species *Crossotides meridionalis* Hintz, 1912

albicollis Guérin-Méneville, 1844: 249 N: MO **AFR**

obtusus Hintz, 1912: 194

senegalensis Breuning, 1950i: 525

arabicus Gahan, 1896b: 458 A: OM SA YE

kadleci Sama & Sudre, 2010: 953 A: JE

katbehi Sama, 2000b: 107 A: IS JO YE

strigifrons Fairmaire, 1886a: 457 (*Dichosthates*) N: EG A: IS JO OM SA SI YE **AFR**

albicans Breuning, 1942a: 145

nebulosus Fairmaire, 1892a: 124 (*Dichosthates*)

sublineatus Gestro, 1892: 788 N: AG MO **AFR**

subocellatus heimschi Peyerimhoff, 1923b: 318 N: AG MO

subocellatus subocellatus Fairmaire, 1886a: 458 (*Dichosthates*) N: AG EG LB SI **AFR**

phillippii Gahan, 1896b: 458

tamer Sama & Rapuzzi, 2006: 188 N: EG

tubericollis Fairmaire, 1891a: 271 (*Dichosthates*) N: MO **AFR**

robustus Jordan, 1894a: 236

vittatus Aurivillius, 1914: 30

vagepictus Fairmaire, 1886a: 456 A: SA **AFR**

adenensis Breuning, 1969f: 665

lateralis Hintz, 1912: 194

obliquevittatus Breuning, 1940c: 166

saudicola Téocchi, 1991: 304

xanthoneurus Sama, 2000a: 92 A: IS JO SI

genus Ecyroschema J. Thomson, 1864: 48 type species *Ecyroschema favosum* J. Thomson, 1864

favosum J. Thomson, 1864: 48 A: YE **AFR**

genus Gasponia Fairmaire, 1892a: 123 type species *Gasponia gaurani* Fairmaire, 1892

gaurani Fairmaire, 1892a: 123 A: YE **AFR**

genus Moechohecyra Breuning, 1938c: 231 type species *Moechohecyra verrucicollis* Gahan, 1894 *indica* Breuning, 1938 [by original designation]

arctifera W.-K. Wang & S.-N. Jiang, 2002a: 52 A: GUI YUN

genus Moechotypa J. Thomson, 1864: 55 type species *Moechotypa arida* J. Thomson, 1864 (= *Niphona suffusa* Pascoe, 1862)

Scotinauges Pascoe, 1871: 277 type species *Scotinauges diphysis* Pascoe, 1871

Tylophorus Blessig, 1873: 213 type species *Tylophorus wulffiusi* Blessig, 1873

Tylophorus Blessig, 1873: 215 (incorrect subsequent spelling) – not available

alboannulata Pic, 1934a: 13 A: GUI GUX HUN SCH

asiatica Pic, 1903i: 121 (*Hecyrida*) A: GUI GUX NP SD YUN **ORR**

sikkimensis Breuning, 1936: 324

delicatula A. White, 1858a: 268 (*Nyphona*) A: GUI GUX HAI HUN SCH TAI YUN ZHE **ORR**

elongata Pic, 1925b: 29

diphysis Pascoe, 1871: 277 (*Scotinauges*) A: ANH FE GAN GUI GUX HEB HEI HEN HUB HUN JA JIL JIX LIA NC NMO SC

SCH SHA SHX ZHE

davidis Fairmaire, 1887c: 328

fuliginosa Kolbe, 1886: 221

wulffiusi Blessig, 1873: 215 (*Tylophorus*)

formosana Pic, 1917f: 7 (*Hecyrida*) A: TAI

nigricollis W.-K. Wang & S.-N. Jiang, 2000c: 185 A: YUN

paraformosana Breuning, 1979a: 46 [RN] A: TAI
 formosana Breuning, 1974j: 372 [HN]
semenovi Heyrovský, 1934c: 172 A: CHQ
suffusa Pascoe, 1862a: 336 (*Niphona*) A: HAI YUN ORR
 arida J. Thomson, 1864: 55
thoracica A. White, 1858a: 266 (*Nyphona*) A: SD
 infasciculata Pic, 1926b: 7
tuberculicollis W.-K. Wang & S.-N. Jiang, 2000c: 186 A: GUI YUN
uniformis Pic, 1922c: 14 (*Hecyrda*) A: GUX ORR

genus Paramoechotypa Breuning, 1938c: 230 type species *Paramoechotypa fasciculata* Breuning, 1938
fasciculata Breuning, 1938c: 230 A: BT

tribe Dorcadionini Swainson, 1840

Dorcadioninae, Özdkmen, 2012b: 759

genus Dorcadion Dalman, 1817a: 397 type species *Cerambyx glicyrrhizae* Pallas, 1773
subgenus Acutodordadion Danilevsky, Kasatkin & Rubenyan, 2005: 135 type species *Dorcadion acutispinum* Motschulsky, 1860
absinthium absinthium Plavilstshikov, 1937a: 30 A: KZ
absinthium ishkovi Kadyrbekov, 2004: 94 A: KZ
acutispinum Motschulsky, 1860c: 310 A: KZ
alexandris Pic, 1900m: 56 A: KZ
 luteolum Suvorov, 1910b: 63
 staudingeri Pic, 1900l: 29 [HN]
arietinum arietinum Jakovlev, 1898: 678 A: KZ
arietinum charynense Danilevsky, 1996f: 610 A: KZ
arietinum chilikense Danilevsky, 1996f: 611 A: KZ
arietinum ketmeniense Danilevsky, 1996f: 613 A: KZ XIN
arietinum lucae Pic, 1898f: 42 A: XIN
arietinum phenax Jakovlev, 1899b: 68 A: KZ XIN
 strandi Plavilstshikov, 1931b: 274
arietinum zhalanash Danilevsky, 1996f: 614 A: KZ
borochorense Breuning, 1944: 11 A: XIN
 hornianum Plavilstshikov, 1958a: 394
danilevskyi Dolin & Owtchinikov, 1999: 97 A: KI
darjae Danilevsky, 2001f: 632 A: KI
globithorax Jakovlev, 1895: 288 A: KZ
grande Jakovlev, 1906b: 42 A: KZ
irinae Danilevsky, 1997c: 59 A: KZ
kastekum Danilevsky, 1996d: 415 A: KI KZ
kapchagaicum Danilevsky, 1996d: 413 A: KZ
leopardinum Plavilstshikov, 1937a: 28 A: XIN
mystacinum mystacinum Ballion, 1878: 369 A: KI KZ ?UZ
 ataense Pic, 1901e: 18
 auliense Pic, 1901p: 69
 capreolum Heyden, 1887d: 317 [described without own area, so the availability of the name is doubtful]
 kusnezovi Jakovlev, 1906b: 40
mystacinum pumilio Plavilstshikov, 1951: 114 A: KZ
mystacinum rufidens Jakovlev, 1906b: 39 A: KZ
nikolaevi Danilevsky, 1995b: 420 A: KZ
ninae Danilevsky, 1995b: 422 A: KZ
nivosum Suvorov, 1913: 66 (*Compsodordadion*) A: KZ
optatum kadyrbekovi Danilevsky, 1999b: 20 A: KZ
optatum matthieseni Suvorov, 1910b: 66 A: KI
 matthieseni, Winkler, 1929: 1186 [incorrect subsequent spelling] – not available
 luctuosum Suvorov, 1913: 76
optatum optatum Jakovlev, 1906b: 38 A: KI KZ
optatum toropyginae Danilevsky, 1999b: 22 A: KI
 optatum vallesum Danilevsky, 1999b: 27 A: KI
pantherinum desertum Danilevsky, 1995b: 427 A: KZ
pantherinum pantherinum Jakovlev, 1899a: 147 A: KZ
pantherinum sabulosum Danilevsky, 1995b: 426 A: KZ
pantherinum shamaevi Danilevsky, 1995b: 427 A: KZ
pelidnum Jakovlev, 1906b: 38 A: KI
profanifuga Plavilstshikov, 1951: 113 A: KZ
songaricum Ganglbauer, 1884: 477 A: KZ XIN
 ininterruptum Pic, 1897f: 94

- suvorovi karachokense* Danilevsky, 1996e: 459 A: KZ
suvorovi konyrolenum Danilevsky, 1996e: 458 A: KZ
suvorovi suvorovi Jakovlev, 1906c: 274 A: KZ
suvorovi taldykurganum Danilevsky, 1996e: 461 A: KZ
suvorovi tekeliense Danilevsky, 1996e: 459 A: KZ
suvorovianum koramense Danilevsky, 1999b: 32 A: KZ
suvorovianum suvorovianum Plavilstshikov, 1915b: 80 [RN] A: KZ
formosum Suvorov, 1910b: 65 [HN]
- thianshanense* Breuning, 1947d: 142 A: XIN
tianshanskii algaense Danilevsky, 2012i: 12 A: KZ
tianshanskii euzhaisanicum Danilevsky, 2012i: 20 A: KZ
tianshanskii heptapotamicum Plavilstshikov, 1951: 115 A: KZ
tianshanskii otariense Danilevsky, 2012i: 13 A: KZ
tianshanskii parapumilio Danilevsky, 2012i: 15 A: KZ
tianshanskii radkevitshi Suvorov, 1910b: 61 A: KZ
opulentum Suvorov, 1910b: 63 [непригодное название] #95
tianshanskii terminum Danilevsky, 1999b: 23 A: KZ
tianshanskii tianshanskii Suvorov, 1910b: 67 A: KZ
tibiale Jakovlev, 1889: 250 (*Compsodorcadiion*) A: KI XIN
toropovi Danilevsky, 1999b: 34 A: KI
tschitscherini Jakovlev, 1899a: 153 A: KZ
abortivum Suvorov, 1910b: 71
abundans Suvorov, 1910b: 74
mixtum Suvorov, 1910b: 74
perinterruptum Suvorov, 1910b: 74
tshitsherini Plavilstshikov, 1958a: 294, 387 [unjustified emendation]
unidiscale Danilevsky, 1996d: 416 A: KZ
urdzharicum Plavilstshikov, 1937a: 29 A: KZ
zhaisanicum Shapovalov, 2007: 72 A: KZ
subgenus Carinatodorcadion Breuning, 1943d: 524 type species *Cerambyx carinatus* Pallas, 1771
aethiops aethiops Scopoli, 1763: 53 (*Cerambyx*) E: AL AU BU CR CZ GR HU MC MD RO SK SL TR UK YU
bergmanni Tippmann, 1958b: 151
morio Fabricius, 1787: 141 (*Lamia*)
scopolini Gmelin, 1790: 1835 (*Cerambyx*)
aethiops asenovi Danilevsky, 2014c: 253 E: BU
aethiops majoripenne Pic, 1926d: 13 E: GR [see: Danilevsky, 2014c: 251]
aethiops propinquum Breuning, 1962a: 517 E: GR [see: Danilevsky, 2014c: 251]
aethiops strumense Danilevsky, 2014c: 252 E: BU
balthasari Heyrovský, 1962b: 225 E: AL
carinatum carinatum Pallas, 1771: 465 (*Cerambyx*) E: CT KZ ST UK A: KZ
pigrum Schoenherr, 1817a: 398 (*Lamia*)
carinatum cylindraceum Reitter, 1886: 69 E: ST A: AB
carinatum igrenum Danilevsky, 1998b: 137 E: UK
carinatum sunzhenum Danilevsky, 1998b: 138 E: ST
carinatum uralense Danilevsky, 1998b: 138 A: KZ
cervae Frivaldszky, 1892b: 133 E: HU
fulvum erythropterum Fischer von Waldheim, 1823: Tab. L - 7 E: AL BH BU CR MC MD RO PL TR UK YU
canaliculatum Fischer von Waldheim, 1824: 240
fulvum fulvum Scopoli, 1763: 53 (*Cerambyx*) E: AU CZ HU SK SL UK
freyi Tippmann, 1958b: 158
frontale Mulsant & Rey, 1863: 154
kulzeri Tippmann, 1958b: 158
nigripenne Fleischer, 1894: 121
rugipenne Tippmann, 1958b: 155
sanguinolentum Scopoli, 1772: 99 (*Prionus*)
hybridum hedvigae Jureček, 1933: 127 E: GR
hybridum hybridum Ganglbauer, 1884: 441 E: GR TR
ingeae Peks, 1993: 3 E: TR
laevepunctatum Breuning, 1944a: 14 E: AL MC
maderi Breit, 1923: 147 E: AL
sterbai Breuning, 1944a: 14 E: AL
subgenus Cribridorcadion Pic, 1901b: 12 type species *Dorcadion mniszechi* Kraatz, 1873
Autodorcadion Plavilstshikov, 1958a: 45 type species *Cerambyx arenarius* Scopoli, 1763
Bergerianum Pesarini & Sabbadini, 2004c: 150 type species *Dorcadion chrysochroum* Breuning, 1943
Dzungarodorcadion Danilevsky, 1993c: 47 type species *Dorcadion jacobsoni* Jakovlev, 1899
Pedestredorcadion Breuning, 1943d: 526 type species *Lamia pedestris* Poda von Neuhaus, 1761
abtersum Holzschuh, 1982a: 75 A: TR

- accola* Heyden, 1894b: 87 A: TR
glabrolineatum Pic, 1927e: 6
- afflictum* Pesarini & Sabbadini, 1999: 54 A: TR
akpinarensis Bernhauer & Peks, 2010a: 196 A: TR
- albanicum* Heyrovský, 1934b: 135 E: AL
albolineatum Küster, 1847a: 86 A: TR
byzantinum J. Thomson, 1867: 69
albonotatum Pic, 1895b: 39 A: TR
albosuturale Breuning, 1946: 115 E: AL GR MC
altinyaylaense Bernhauer & Peks, 2014b: 106 A: TR #70
amanense Breuning, 1943b: 94 A: TR
amphissae Breuning, 1974g: 153 E: GR
anatolicum Pic, 1900g: 12 A: TR
brevipenne Pic, 1902c: 10
chehirense Pic, 1902c: 10
ininterruptum Pic, 1900g: 13 [HN]
mediointerruptum Pic, 1901p: 73
subuniforme Pic, 1902j: 27
- andirinense* Bernhauer & Peks, 2011b: 218 A: TR #66
amaliae Pesarini & Sabbadini, 2013: 55 #66
- apicerufum* Breuning, 1943b: 91 [RN] A: AB AR GG ?IN TR
sanguinolentum J. Thomson, 1865a: 548 [HN]
thomsonianum Plavilstshikov, 1948: 126 [RN]
- aracense* Bernhauer & Peks, 2011a: 204 A: TR
- arcivagum* J. Thomson, 1867: 121 A: TR
cilicium Pic, 1904a: 4
- ardahense* Breuning, 1975c: 10 A: TR
- arenarium abruptum* Germar, 1839: 18 E: AL BH CR
- arenarium arenarium* Scopoli, 1763: 53 (*Cerambyx*) E: CR IT SL
beszedesi Depoli, 1926a: 11
istrianum Depoli, 1912: 37, 40
liburnicum Depoli, 1912: 37, 39
sabandum Pic, 1945b: 7
vittigerum Panzer, 1797b: 24 (*Lamia*)
- arenarium brattense* J. Müller, 1905: 135 E: BH CR
arenarium dalmatinum J. Müller, 1905: 134 E: BH CR
arenarium hypsophilum J. Müller, 1905: 135 E: BH CR YU
arenarium lemniscatum Küster, 1847a: 89 E: BH CR
mostarensis Pic, 1942a: 1
- arenarium muelleri* Depoli, 1912: 37, 40 E: BH CR
arenarium rubrimembris Pic, 1917g: 6 [RN] E: AL BH CR YU
rubripes J. Müller, 1905: 135 [HN]
- arenarium shkypetarum* Heyrovský, 1937b: 91 E: AL
arenarium marsicanum Fracassi, 1905: 112 E: FR IT
fuscovestitum Pic, 1905a: 11
subcarinatum J. Müller, 1905: 139
- arenarium velebiticum* J. Müller, 1905: 140 E: BH CR
- arenarioides* Rabaron, 1979: 11 E: GR
arianna Pesarini & Sabbadini, 2008: 115 E: GR
- atticum* Kraatz, 1873a: 72 E: GR
luteovittatum Pic, 1942a: 1
multinigrorotatum Pic, 1927e: 6
- auratum* Tournier, 1872: 291 A: GG
lederi Kraatz, 1878a: 217 [1878: 353]
- avgadiense* Bernhauer & Peks, 2011b: 215 A: TR
- axillare* Küster, 1847a: 88 E: BU RO
kraatzi Tournier, 1872: 281
varnanum Pic, 1926d: 13
- bangi bangi* Heyden, 1894b: 89 A: TR
bangi heinzorum Braun, 1975: 17 A: TR
bangi roridum Pesarini & Sabbadini, 1999: 55 A: TR
banjkovskiyi Plavilstshikov, 1958a: 147 A: TR
basale Kraatz, 1873a: 86 A: TR
kagyzmanicum Suvorov, 1915: 120
- beckeri beckeri* Kraatz, 1873a: 71 E: ST A: AB
beckeri koenigi Jakovlev, 1897: 245 E: ST A: AB
impressipenne Pic, 1900g: 14
beloni Pic, 1891l: lxxvii A: TR

beryntense Breuning, 1964c: 31 A: LE
biforme Kraatz, 1873a: 53 A: IN
 discomaculatum Pic, 1905m: 187
bisignatum Jakovlev, **1899b:** 66 A: ?GG TR
bistriatum Pic, 1898h: 55 A: AB AR
bithyniense Chevrolat, 1856a: 88 A: TR
 serotinum J. Thomson, 1865a: 549
blanchardi Mulsant & Rey, 1863: 147 A: IN TR
blandulum Holzschuh, 1977a: 131 A: TR
bodemeyeri K. Daniel, 1900: 140 A: TR
boluense boluense Breuning, 1962c: 38 A: TR
boluense corallinum Pesarini & Sabbadini, 1999: 53 A: TR
boluense imitator Pesarini & Sabbadini, 1999: 53 A: TR
borisi Heyrovský, 1931: 84 E: BU MC
boszdaghense Fairmaire, 1866b: 275 A: TR
 grammophilum J. Thomson, 1867: 70
boucardi Pic, 1942c: 6 A: SY
bouilloni Breuning & Ruspoli, 1975: 116 A: TR
brauni Breuning, 1979b: 92 A: TR
bravardi Pic, 1916a: 22 E: AL GR MC
bremeri Breuning, 1981c: 181 A: TR
brenskei Ganglbauer, 1884: 450 [RN] E: GR
 aeginasum Pic, 1942c: 6
 apicale Kraatz, 1873a: 76 [HN]
 nemeense Breuning, 1974g: 151
breunigi Heyrovský, 1943: 78 E: GR TR
brunneicolle Kraatz, 1873: 37 A: IN
 casvinense Pic, 1905o: 392
 jakovlevi Semenov, 1905: 144
 subfulvovestitum Pic, 1914c: 8
brunoi Breuning, 1964c: 31 A: LE
bulgharmaadense Breuning, 1946: 116 A: TR
buresi Štěrba, 1922: 2 E: GR
cachinno J. Thomson, 1867: 120 A: TR
 immersum Tournier, 1872: 281
caglayanceritense Bernhauer & Peks, 2013a: 314 A: TR
caprai caprai Breuning, **1950:** 303 A: IN
caprai completetomentosum Breuning, 1974f: 133 (*Pedestredorcadion*) A: IN
carinipenne Pic, 1900g: 13 A: TR
carolistanii Breuning & Ruspoli, 1971: 128 A: TR
caspiense Breuning, 1956j: 723 A: AB
catenatum bleusei Pic, 1899d: 300 E: GR
 diversejunctum Pic, 1907j: 179
 rhodicum Depoli, 1924: 43
catenatum catenatum Waltl, 1838: 469 A: TR
 bonyi Pic, 1942b: 1
 divisum Germar, 1839: 15
 dorsale Pic, 1907j: 179
 mancum Gistel, 1848: 431
 smyrnatum Breuning, 1946: 106
 smyrnense Pic, 1917a: 10
 sparsedivisum Pic, 1911h: 185
 subobliteratum T. Pic, 1899: 351
 thebesianum Pic, 1942a: 1
 uninterruptum T. Pic, 1899: 351
catenatum dissimile Ganglbauer, 1884: 458 E: TR
catenatum intercicum Kraatz, 1873a: 66 A: TR
catenatum loratum J. Thomson, 1867: 123 A: TR
catenatum mytilinense Kraatz, 1873a: 66 E: GR
 latevittatum Kraatz, 1873a: 66
catenatum oedemischense Heyrovský, 1932: 104 A: TR
catenatum subdivisum Breuning, 1955d: 263 A: TR
chopardi Breuning, 1948c: 60 A: IN
chrysochroum Breuning, 1943b: 95 E: GR
cinctellum Fairmaire, 1866b: 272 A: TR
cinerarium adygorum Lazarev, 2011c: 276 E: ST
cinerarium azovense Lazarev, 2011c: 281 E: UK
cinerarium bartenevi Lazarev, 2011c: 287 E: UK

- cinerarium belousovi* Lazarev, 2011c: 280 A: AB
cinerarium cinerarium Fabricius, 1787: 140 (*Lamia*) E: CT MD ST UK
tricolor Fischer von Waldheim, 1805: 15 (*Lamia*)
cinerarium demidovi Danilevsky, 2013e: 429 E: UK
cinerarium deniz Lazarev, 2011c: 279 A: AB
cinerarium gorodinskii Danilevsky, 1996c: 65 E: UK
cinerarium macropoides Plavilstshikov, 1932b: 183 E: UK
cinerarium napolovi Lazarev, 2011c: 279 A: AB
cinerarium novorossicum Lazarev, 2015: 1109 A: ST #15
cinerarium panticapaeum Plavilstshikov, 1951: 116 E: UK
cinerarium papayense Lazarev, 2014a: 277 E: ST
cinerarium perroudi Pic, 1942b: 2 E: UK
cinerarium sindorum Lazarev, 2011c: 284 E: ST
cinerarium skrylniki Lazarev, 2011c: 282 E: UK
cinerarium smetanai Lazarev, 2011c: 281 E: ST
cinerarium terkense Lazarev, 2011c: 276 E: ST
cinerarium veniamini Lazarev, 2011c: 275 E: ST
cinerarium zubovi Lazarev, 2011c: 274 E: MD
cineriferum Suvorov, 1910a: 290 A: AB AR
cingulatoides cingulatoides Breuning, 1946: 122 A: IN
cingulatoides hassani Danilevsky, 2010c: 8 A: IN
cingulatum Ganglbauer, 1884: 484 A: IN TR
invicinum Pic, 1902q: 93
persianum Breuning, 1943b: 94
ciscaucasicum abramovi Lazarev, 2009: 14 E: ST
ciscaucasicum mokrzeckii Jakovlev, 1902: 148 E: UK
ciscaucasicum ciscaucasicum Jakovlev, 1899b: 59 E: ST
borodini Suvorov, 1915: 118
coiffaiti Breuning, 1962a: 392 A: TR
complanatum Ganglbauer, 1884: 485 A: IN
condensatum Küster, 1852: 92 E: BU TR A: TR
adampolum Pic, 1917g: 6
inlineatum Pic, 1917g: 6
punctatissimum Ganglbauer, 1884: 94
confluens Fairmaire, 1866b: 274 A: TR
subobscuripes Pic, 1914c: 9
conspersum Pesarini & Sabbadini, 2013: 56 A: TR
corcyricum Ganglbauer, 1884: 453 E: GR
crassicolle Pesarini & Sabbadini, 2007b: 57 E: GR
crux Billberg, 1817: 175 (*Lamia*) A: TR
bifidum Chevrolat, 1882: 60
biinterruptum Pic, 1901d: 19
brevedisjunctum Pic, 1929b: 9
cruciator Gistel, 1848a: 131
graecum Waltl, 1838: 470
grandevittatum Pic, 1904b: 7
integrofasciatum K. Daniel, 1900: 140
lateargenteum Pic, 1929b: 9
lunulatum Pic, 1900g: 12
niveopictum K. Daniel, 1900: 140
subfurcatum Pic, 1914c: 9
culminicola J. Thomson, 1867: 122 A: TR
czegodaevi Danilevsky, 1992b: 110 A: AB
czipkai Breuning, 1973a: 54 A: IN
danczenkoi Danilevsky, 1996d: 417 A: IN AB
daratshitshagi Suvorov, 1915: 120 A: AR
decipiens Germar, 1824: 486 (*Lamia*) E: HU MD RO UK YU
jacqueti Pic, 1902c: 10
delagrangei Pic, 1894h: 110 A: TR
fuscopubescent Pic, 1900g: 12
mardinense Pic, 1900c: 6
deyrollei deyrollei Ganglbauer, 1884: 482 A: TR
deyrollei opacum Pesarini & Sabbadini, 2013: 54 A: TR
dimidiatum dimidiatum Motschulsky, 1838: 186 A: AB AR GG IN TR
degaullei Pic, 1948: 13
erivanicum Pic, 1901s: 91
transitorium Pic, 1948: 13
dimidiatum kelkiticum Özdkmen & Hasbenli, 2004: 23 A: TR #15

- dimidiatum korgei* Breuning, 1966b: 21 A: TR
discodivisum Pic, 1939c: 21 A: IN
dobrovljanskii Suvorov, 1915: 116 A: TR
dokhtouroffi Ganglbauer, 1886b: 130 A: KI TD UZ
dokhturovi Plavilstshikov, 1958a: 145 [unjustified emendation]
subcostatum Heyden, 1887d: 323
- drusoides* Breuning, 1962a: 375 A: SY TR
drusum Chevrolat, 1870: 84 A: IS LE SY
apicale Chevrolat, 1873: 205 [HN]
libanoticum Kraatz, 1873a: 100
perrini Fairmaire, 1881: 88
tarabuliense Ganglbauer, 1889d: 481
- eflaniense* Bernhauer & Peks, 2011a: 205 A: TR
elazigi Fuchs & Breuning, 1971: 439 A: TR
holzschuhii Breuning, 1974g: 148
- elbursense* Breuning, 1943b: 93 A: IN
elegans Kraatz, 1873a: 73 E: KZ ST UK A: KZ
vicinum Pic, 1892f: 91
- enricisturanii densepunctatum* Braun, 1978a: 107 A: TR
enricisturanii enricisturanii Breuning & Ruspoli, 1971: 127 A: TR
epirense Breuning, 1942b: 128 E: GR
- equestre bernhauerorum* Peks, 2010: 213 A: TR
equestre bisuturale Jureček, 1933: 128 [type locality: Griechenland, Bos-Dahr-Gebirge bei Drama] E: BU GR TR
equestre equestris Laxmann, 1770: 596 (*Cerambyx equestris*) E: CT ST UK A: GG
- cruciatum* Fabricius, 1787: 140 (*Lamia*)
cruciferum Lepechin, 1774: 231 (*Cerambyx*)
pallassii Fischer von Waldheim, 1805: 14 (*Lamia*)
razumoffskii Fischer von Waldheim, 1805: 13 (*Lamia*)
- equestre festivum* Pesarini & Sabbadini, 2013: 58 A: TR
- equestre nogelli* Fairmaire, 1866b: 270 A: TR
exclamationis J. Thomson, 1867: 53 - unavailable
nogelii Thomson, 1867: 58 [HN] "Armenia"
- equestre reclinatum* Kraatz, 1892: 173 E: AL GR MC YU
immaculatum Kraatz, 1892: 174 ["Balkan"]
- equestre transsilvanicum* Ganglbauer, 1884: 462 E: MD RO
niveoconunctum T. Pic, 1900c: 352
- quadristrigatum* Kraatz, 1893: 70
romaniense T. Pic, 1900c: 352
- eskipazarensis* Bernhauer & Peks, 2011a: 203 A: TR
- etruscum etruscum* Rossi, 1790: 147 (*Lamia*) E: IT
apenninum Depoli, 1926a: 25
apulum Depoli, 1926a: 25
beieri Pic, 1932d: 18
calabricum Breuning, 1942b: 126
femoratum Brullé, 1832: 259
fuscifrons Chevrolat, 1882: 60
italicum Küster, 1847c: 99
nudum Küster, 1852: 93
romanorum Pic, 1917g: 7
siculum Depoli, 1926a: 25
subiacum Pic, 1917a: 10
- etruscum fiorii* Breuning, 1942b: 126 E: IT
eugeniae emgei Ganglbauer, 1886a: 519 E: GR
eugeniae eugeniae Ganglbauer, 1886a: 521 E: GR
arcadicum Breuning, 1946: 104
- faldermanni* Ganglbauer, 1884: 493 A: IN
ferruginipes Ménétriés, 1836a: 151 E: GR TR A: TR
subfuscopubens Pic, 1911a: 7
sublineatum Pic, 1909b: 99
thracicum Küster, 1846b: 90
- formosum formosum* Kraatz, 1871c: 411 A: TR
formosum ponticum Breuning, 1964b: 1 A: TR
frustrator Plavilstshikov, 1958a: 172 [RN] A: AB
hypocrita Plavilstshikov, 1937a: 27 [HN]
hypocritellum Breuning, 1958b: 29 [RN]
- funestum* Ganglbauer, 1884: 501 E: GR
gallipolitanum atritarse Pic, 1931c: 10 E: GR
gallipolitanum fumidum Pesarini & Sabbadini, 2010: 186 E: GR
gallipolitanum gallipolitanum J. Thomson, 1867: 59 E: GR TR

<i>gandolphi</i> Tournier, 1872: 288	
<i>suturaalba</i> Desbrochers des Loges, 1870c: 125	
<i>gallipolitanum samothrakeanum</i> Breuning, 1962a: 326 E: GR	
<i>gashtarovii</i> Sama, Dascalu & Pesarini, 2010: 287 E: BU RO	
<i>gencense</i> Bernhauer & Peks, 2014b: 110 A: TR	#70
<i>glabricalle</i> Breuning, 1943b: 92 A: TR	
<i>glaucum glaucum</i> Faldermann, 1837: 277 A: ?AB ?AR IN	
<i>glaucum lassalei</i> Lazarev, 2015: 1112 A: IN	#128
<i>glaucum murzinianus</i> Lazarev, 2015: 1113 A: IN	#128
<i>goelbasiense goelbasiense</i> Bernhauer & Peks, 2013a: 310 A: TR	
<i>goelbasiense karadutense</i> Bernhauer & Peks, 2013a: 311 A: TR	
<i>goelbasiense kathaense</i> Bernhauer & Peks, 2013a: 312 A: TR	
<i>goelbasiense oeksuezdagense</i> Bernhauer & Peks, 2013a: 311 A: TR	
<i>gorbunovi gorbunovi</i> Danilevsky, 1985: 313, 328, 332 [= 1987: 617] A: AB AR	
<i>gorbunovi rubenyani</i> Lazarev, 2014a: 278 A: AR	
<i>granigerum</i> Ganglbauer, 1884: 458 E: GR	
<i>gusakovi</i> Danilevsky, 2007b: 1 A: GG	
<i>guzeldereense</i> Bernhauer & Peks, 2012: 213 A: TR	
<i>guezeldereense</i> Bernhauer & Peks, 2013b: 336 [unjustified emendation – Art. 32.5.2.1. (Lazarev, 2014a: 279)]	
<i>guezeldereense</i> Bernhauer & Peks, 2013b: 326, 332 [wrong spelling]	
<i>hagedigense</i> Bernhauer & Peks, 2011b: 216 A: TR	
<i>haemorrhoidale</i> Hampe, 1852b: 313 A: IN TR	
<i>halepense halepense</i> Kraatz, 1873a: 72 A: SY TR	
<i>internenotatum</i> Pic, 1931c: 9	
<i>internesignatum</i> Pic, 1914f: 79	
<i>latealbum</i> Pic, 1926d: 13	
<i>latebivittatum</i> Pic, 1931c: 1	
<i>halepense sehitkamilense</i> Özdkmen, Mercan & Cihan, 2012c: 604 A: TR	
<i>hampii aureovittatum</i> Kraatz, 1873a: 81 A: TR	
<i>hampii hampii</i> Mulsant & Rey, 1863: 157 A: TR	
<i>hanneloreae</i> Bernhauer & Peks, 2014b: 107 A: TR	#70
<i>heinzi</i> Breuning, 1964b: 1 A: TR	
<i>heldreichi</i> Kraatz, 1873a: 90 E: GR	
<i>bilaterale</i> Chevrolat, 1882: 59	
<i>presuturale</i> Pic, 1903a: 5	
<i>hellmanni</i> Ganglbauer, 1884: 486 A: IN IQ TR	
<i>heyrovskyi</i> Breuning, 1943b: 97 E: GR MC	
<i>holosericeum holosericeum</i> Krynicki, 1832: 159 E: BL CT KZ MD PL RO ST UK	
<i>rossicum</i> Plavilstshikov, 1927a: 52 [RN]	
<i>holosericeum tristriatum</i> Suvorov, 1913: 71 E: ST A: GG	
<i>estriatum</i> Suvorov, 1913: 72	
<i>striatum</i> Dalman, 1817b: 175 (<i>Lamia</i>) [HN]	
<i>holtzi</i> Pic, 1905g: 115 A: TR	
<i>iconiense</i> K. Daniel, 1900: 140 ["Asia Minor" - Konya] A: TR	#63
<i>albicolle</i> Breuning, 1943b: 89 [Konya]	
<i>fulvovestitum</i> Pic, 1903a: 5	
<i>muchei</i> Breuning, 1962c: 38 ["Çankırı"]	#63
<i>parescherichi</i> Breuning, 1966e: 146 [Çorum: Boğazkale]	
<i>semisetosum</i> Jakovlev, 1901a: 85 [Konya]	
<i>subatrarse</i> Breuning, 1966e: 146 ["Boğazkale" - Turkey: Çorum]	#63
<i>impressicolle</i> Kraatz, 1873a: 47 A: SY	
<i>indutum</i> Faldermann, 1837: 276 A: AB AR	
<i>infernale asperatum</i> Breuning, 1947e: 169 A: TR [Diarbekir]	
<i>infernale edremitense</i> Breuning, 1966b: 20 A: TR [Edremit]	
<i>infernale erdemi</i> Özdkmen, Kaya & Al-Hamadani, 2014: 179 A: TR [Çorum]	#36
<i>infernale infernale</i> Mulsant & Rey, 1863: 158 A: TR [???	#36
<i>immutatum</i> Pic, 1903e: 171 [Bos-Dagh, Eski-Chehir]	
<i>revestitum</i> K. Daniel, 1900: 140 ["Asia Minor"]	
<i>rugosum</i> J. Thomson, 1867: 46 ["Siberia"]	
<i>infernale miminfernale</i> Breuning, 1970d: 98 A: TR [Binboğa Dağları, Kahramanmaraş]	
<i>infernale postalbosuturale</i> Özdkmen & Koçak, 2015: 672 A: TR [Karaman Prov., Elmaşehir distr.]	#36
<i>inikliense</i> Bernhauer & Peks, 2010b: 208 A: TR	
<i>inopinatum</i> Pesarini & Sabbadini, 2013: 51 A: TR	
<i>inspersum</i> Holzschuh, 1982a: 76 A: TR	
<i>insulare</i> Kraatz, 1873a: 62 E: GR	
<i>intrusum</i> Pesarini & Sabbadini, 2009: 26 E: TR	
<i>investitum</i> Braun, 1978: 111 A: TR [nomen nudum]	

irakense Al-Ali & Ismail, 1987: 1 A: IQ
iranicum Breuning, 1947d: 141 A: IN
ispartense Breuning, 1962a: 394 A: TR
ispirense Bernhauer & Peks, 2013b: 328 A: TR
ivani Pesarini & Sabbadini, 2011: 47 A: TR
jacovleviellum Plavilstshikov, 1951: 120 A: TR
janatai Kadlec, 2006b: 11 A: TR
joanninae Breuning, 1967a: 1 E: GR
johannisfranci Pesarini & Sabbadini, 2007b: 40 E: GR TR
kaimakcalanum Jureček, 1929: 143 E: GR MC
kalashiani Danilevsky, 1992b: 108 A: AB IN
karacaorenense Bernhauer & Peks, 2012: 211 A: TR
karacaorenense Bernhauer & Peks, 2013b: 336 [unjustified emendation – Art. 32.5.2.1. (Lazarev, 2014a: 279)]
karamanense Özdi̇kmen & Koçak, 2013: 672 E: TR
karsense Suvorov, 1915: 118 A: TR
kartaldagense Bernhauer & Peks, 2013a: 314 A: TR
kasikoporatum Pic, 1902c: 10 A: AR TR
kazanciense Bernhauer & Peks, 2010a: 197 A: TR
kharpuense Danilevsky, 1998a: 49 A: IN
kindermannii Waltl, 1838: 470 A: TR
griseum Waltl, 1838: 470
kizildagense Bernhauer & Peks, 2012: 212 A: TR
klavdiae Danilevsky, 1992a: 92 A: GG
koechlini Pic, 1898h: 56 A: SY
komarowi komarowi Jakovlev, 1887a: 155 A: IN TM
janczyki Breuning, 1963e: 36
interruptum Jakovlev, 1895: 510
komarovi, Plavilstshikov, 1932a: 193 [incorrect subsequent spelling] – not available!
transcaspicum Jakovlev, 1901b: 108
komarowi kryzhanovskii Plavilstshikov, 1958a: 167 A: TM
konradi Bernhauer & Peks, 2012: 210 A: TR
kozanii daccordii Pesarini & Sabbadini, 2007b: 42 E: GR
kozanii kozanii Breuning, 1962a: 318 E: GR
kraetschmeri Bernhauer, 1988: 98 A: TR
krueperi Ganglbauer, 1884: 453 E: AL GR MC
thessalicum Pic, 1942a: 3
viturati Pic, 1903a: 5
kuldschanum Pic, 1908b: 4 A: XIN
albidolimbatum Pic, 1912a: 9
juldusianum Pic, 1912j: 89
kuldshananum, Winkler, 1929: 1187 [incorrect subsequent spelling] – not available!
kuldshananum, Breuning, 1962a: 436 [incorrect subsequent spelling] – not available!
kuldzhanum Plavilstshikov, 1958a: 282 [unjustified emendation]
pauli Pic, 1909b: 99
kurdistanum Breuning, 1944a: 12 A: TR
kurucanum Holzschuh, 2007: 249 A: TR
kykladicum Breuning, 1944a: 13 E: GR
ladikanum Braun, 1976b: 173 A: TR
ladikense Breuning, 1975c: 10 [HN]
paraladikense Breuning, 1977a: 60
laeve laeve Faldermann, 1837: 278 A: IN
pernudum Reitter, 1913d: 665
persicum Faldermann, 1837: 282
plasoni Ganglbauer, 1884: 491
laeve hyrcanum Jakovlev, 1899b: 64 A: IN
laeve micula Plavilstshikov, 1937a: 26 A: TR
laeve vladimirii Danilevsky & Murzin, 2009a: 13 A: AR
lameerei Théry, 1896: 109 A: TR
lamiae Breuning, 1962a: 263 E: GR
ledouxi Breuning, 1974c: 65 A: TR
lianokladii Breuning, 1962a: 255 E: GR
linderi Tournier, 1872: 285 A: TR
henrici Pic, 1905j: 156
kollari Kraatz, 1873a: 87
lineatocolle Kraatz, 1873a: 57 E: AL BU GR MC YU [see: Siering, 2014b]
atrofemoratum Pic, 1917g: 7
riveti Pic, 1927l: 162
sinuaticolle Pic, 1927e: 6

- lineatopunctatum* Breuning, 1944a: 13 A: IN
litigiosum litigiosum Ganglbauer, 1884: 454 E: ?MD RO
litigiosum otshakovi Suvorov, 1913: 81 E: UK
ljubetense ljubetense Pic, 1909b: 105 E: AL MC YU
ljubetense Breit, 1929a: 206 [HN]
ljubetense peristeriense Breuning, 1962a: 248 E: GR
lodosi abanozense Bernhauer & Peks, 2010a: 199 A: TR
lodosi lodosi Sabbadini & Pesarini, 1992a: 29 A: TR
lohsei Braun, 1976c: 254 A: TR
longulum Breuning, 1943b: 89 A: TR
lugubre lugubre Kraatz, 1873a: 41 E: ?BU GR MC [described from Saloniki]
discosulcatum Pic, 1926d: 1
pseudolugubre Breuning, 1943b: 96 ["Karatschköi" = Dioni 40°58'45"N, 25°33'46"E or Asvestohori" - 40°38'27"N, 23°1'27"E]
salonicum Pic, 1916a: 22
sparsepilosum Pic, 1926d: 13 ["Salonique"]
lugubre meteorum Breuning, 1969b: 42 E: GR [Meteora]
lugubre minkovae Heyrovský, 1962b: 225 E: BU [Kresna] [see: Danilevsky, 2014c: 252]
lugubre parinfernale Breuning, 1975c: 10 E: GR [Kavala]
giachinoi Pesarini & Sabbadini, 2007b: 45 [Oros Kavala]
lugubre pelionense Breit, 1923: 145 E: GR [Mt. Pelion - 39°26'N, 23°03'E]
lugubre thessalicum Pic, 1916a: 22 E: GR ["Thessalie" - from Pella (Notia - 41°6'6"N, 22°12'30"E) e Kilkis (Fanos - 41°4'46"N, 22°28'39"E) to Kavala]
macedonicum Jureček, 1929: 143 E: AL MC
glabriscapus Breuning, 1943b: 97
maceki Holzschuh, 1995: 41 A: TR
marandense Holzschuh, 2007: 248 A: IN
margheritae Breuning, 1964c: 32 E: GR TR
martini Bernhauer, 1988: 100 A: TR
mediterraneum Breuning, 1942b: 125 E: IT
megriense Lazarev, 2009: 212 A: AR
menradi Holzschuh, 1989a: 172 A: TR
merkli Ganglbauer, 1884: 506 A: TR
meschniggi Breit, 1929a: 205 E: GR
disconigrolineatum Heyrovský, 1940: 59
olympianum Meschnigg, 1947: 137
mesopotamicum Breuning, 1944a: 12 A: IQ TR
micans micans J. Thomson, 1867: 61 ["Armenien" – Anatolia] A: TR #61
amasinum Pic, 1898h: 58 [Amasya]
atrides Reitter, 1900a: 88 [Amasya]
corallicorne Pic, 1904a: 4 [Ankara]
macropus Kraatz, 1873a: 99 ["Amasya"]
obscurans Pic, 1892f: 91 [Amasya]
sericatum Kraatz, 1873a: 98 ["Caucasus" according to Breuning (1962): "Ankara, Brussa"]
subobesum Pic, 1942b: 2 ["Asasia"]
subreductum Pic, 1942b: 2 ["Asie M^e"]
tokatense Pic, 1901b: 12 [Tokat]
micans susheriense Breuning, 1970d: 97 ["au Sud de Susher [Susehri] - Sivas] A: TR
mimarenarium Breuning, 1974g: 152 E: GR
minutum minutum Kraatz, 1873a: 76 E: GR
irroratum Kraatz, 1873a: 76
minutum rugicolle Breuning, 1962a: 263 E: GR
mniszechi cavernosum Lazarev, 2014b: 701 A: AR TR #8
mniszechi georgianum Lazarev, 2014b: 701 A: GG #8
mniszechi mniszechi Kraatz, 1873a: 39 A: AR TR #8
moldavicum Dascalu & Fusu, 2012: 39 E: RO
moreanum Pic, 1907c: 12 E: GR
morozovi Danilevsky, 1992a: 94 A: KZ XIN
mosulense Özdi̇kmen, Al-Hamadani & Ali, 2013: 1 A: TR
multimaculatum Pic, 1932d: 22 A: TR
murrayi Küster, 1847a: 84 E: RO YU
montandoni Pic, 1902c: 9
triste Petri, 1885: 56
murzini Danilevsky, 2015: 221 A: TR #82
musarti Pic, 1907f: 104 A: XIN
musense Bernhauer & Peks, 2014b: 109 A: TR #70
narlianum Özdi̇kmen, Mercan & Cihan, 2012b: 550 A: TR
nigrostriatum Adlbauer, 1982: 104 A: TR

- nigrosuturatum* Reitter, 1897b: 236 A: AR
griseipenne Breuning, 1943b: 92
nithalae Rapuzzi & Sama, 2012: 671 A: TR
niksarensse Bernhauer & Peks, 2013b: 327 A: TR
nitidum Motschulsky, 1838: 185 A: #AR GG TR
suturatum Ferrari, 1865: 481
niveisparsum J. Thomson, 1865a: 548 A: GG TR
cretosum Ferrari, 1865: 479
postobliteratum Pic, 1942c: 1
sobrinum Pic, 1898h: 55
nobile Hampe, 1852b: 313 A: #N TR #70
nurense Danilevsky & Murzin, 2009a: 20 A: IN
obenbergeri Heyrovský, 1940: 58 E: GR
marani Heyrovský, 1940: 59
obtusicolle Pic, 1926d: 2 A: XIN
obtusum marashense Breuning, 1948c: 59 A: TR
obtusum obtusum Breuning, 1944a: 13 A: TR
oetalicum Pic, 1902f: 19 E: GR
oezdurali Önalp, 1988: 361 A: TR
olympicum convexum Breuning, 1943b: 90 A: TR
olympicum flavosuturale Krätschmer, 1987: 340 A: TR
olympicum olympicum Kraatz, 1873a: 78 A: TR #62
obsoletum Kraatz, 1873a: 78
oreophilum Ganglbauer, 1884: 500
subalpinum Kraatz, 1873a: 78
ortrudae Braun, 1978b: 185 A: TR
ossae Heyrovský, 1941c: 79 E: GR
ossaum Meschnigg, 1947: 137
paracinerarium Breuning, 1974g: 149 A: TR ["Mut, Sertavulpass" 36°54'57.60"N, 33°16'1.20"E] #61
pararenarium Breuning, 1969b: 42 E: GR
pararufipenne pararufipenne Braun, 1976c: 257 A: TR
pararufipenne rassei Braun, 1976c: 261 A: TR
parcepunctatum Breuning, 1948c: 60 A: IN
parilis Pesarini & Sabbadini, 2013: 52 A: TR
parnassi Kraatz, 1873a: 72 E: GR
oertzeni Ganglbauer, 1884: 454
pasquieri Breuning, 1975d: 65 A: IN
pavesii Pesarini & Sabbadini, 1999: 57 A: TR
pedestre pedestre Poda von Neuhaus, 1761: 34 (*Cerambyx*) E: AL AU BH BU CR CZ HU MC MD PL RO SK SL TR UK YU #113
austriacum Ganglbauer, 1889d: 481
gogium J. Thomson, 1867: 125

molitor L. Redtenbacher, 1849: 496 [HN]
ruficornis Pic, 1931c: 10
rufipes Fabricius, 1793: 288 (*Lamia*)
zoufali Tippmann, 1958b: 156
pedestre kaszabi Breuning, 1956e: 404 E: HU
peksi Bernhauer, 2010: 190 A: TR
peloponesium Pic, 1902c: 10 E: GR
subjunctum Pic, 1904b: 7
weiratheri Pic, 1929b: 9
peloponnesicum Breuning, 1982b: 146 E: GR
pergamentum Pesarini & Sabbadini, 2009: 22 A: TR
petrovitzii Heyrovský, 1964b: 97 A: TR
pilosellum obscurimembre Breuning, 1946: 110 E: GR
pilosellum pilosellum Kraatz, 1873a: 58 E: GR
pilosipenne kazdagense Özdişmen, 2013: 56 in Küçükaykçı et al., 2013 A: TR
pilosipenne pilosipenne Breuning, 1943b: 90 E: GR
pilosum Breuning, 1943: 91
pindicum Breuning, 1966c: 4 E: GR
piochardi Kraatz, 1873a: 85 A: TR
elongatum Pic, 1898h: 58
ladikense Breuning & Villiers, 1967a: 60 (*Pedestredorcadion*)
mauricei Plavilstshikov, 1927a: 51 [RN]
quadripustulatum Ganglbauer, 1884: 457
pelops Jakovlev, 1901a: 83
roberti Pic, 1905a: 11
theophilei Pic, 1901h: 32 [HN]
varievittatum Pic, 1942a: 1

- pittinorum* Pesarini & Sabbadini, 1999: 48 A: TR
pluto J. Thomson, 1867: 47 A: TR
poleti Breuning, 1948c: 59 A: TR
ponomarenkoi Danilevsky, 2010c: 6 A: AB
praetermissum mikhaiili Özdkmen, 2010: 457 A: TR
praetermissum praetermissum Pesarini & Sabbadini, 1999: 47 A: TR
preissi Heyden, 1894b: 86 A: TR
pseudarcivagum Breuning, 1943b: 91 A: TR
pseudinfernale Breuning, 1943b: 94 A: TR
pseudobithyniense Breuning, 1962a: 465 A: TR
pseudocinctellum Breuning, 1943b: 90 A: TR
pseudoholosericeum Breuning, 1962a: 300 A: TR
pseudolineatocolle Breuning, 1962a: 334 E: GR
pseudonobile Breuning, 1946: 120 A: IN
pseudopreissi Breuning, 1962a: 411 A: TR
pulchrum Pic, 1908i: 58 A: AB
punctipenne Küster, 1852: 94 E: GR A: TR [“Kleinasien”]
distinguendum Pic, 1931c: 10 [“Macédoine”]
gebzeense Breuning, 1974g: 148 [Gebze, Kocaeli] #59
punctulatum Pesarini & Sabbadini, 2013: 57 A: TR
punctulicolle Breuning, 1944a: 12 A: TR
purkynei Heyrovský, 1925: 45 E: GR MC
pusillum berladense Pic, 1903a: 7 E: RO
pusillum pusillum Küster, 1847a: 90 E: MD RO UK
pusillum tanaiticum Kasatkin, 2002: 277 E: ST
pygmaeum Breuning, 1947e: 168 A: TR
quadripustulatum Kraatz, 1873a: 88 A: TR
regulare dramaticum Pesarini & Sabbadini, 2010: 190 E: GR
regulare regulare Pic, 1931c: 6 E: BU GR TR
reitteri Ganglbauer, 1884: 492 A: GG
resadiyeense Bernhauer & Peks, 2011b: 219 A: TR
ressli Holzschuh, 2007: 246 A: IN
rigattii Breuning, 1966e: 145 A: TR
rizeanum Breuning & Villiers, 1967b: 60 (*Pedestredorcadion*) A: TR
ikizderense Breuning, 1973a: 54
robustum Ganglbauer, 1884: 500 A: TR
rolandmenradi Peks, 1992: 197 A: TR
rosti Pic, 1900s: 82 A: GG TR
kalinowskyi König, 1901: 10
rufoapicipenne Breuning, 1946: 125 A: TR
rufoapicale Breuning, 1943b: 91 [HN]
rufogenum discoflavovitatum Breuning, 1946: 129 A: XIN
rufogenum rufogenum Reitter, 1895c: 161 A: KZ XIN
posticejunctum Pic, 1909b: 99
sabanoezueense Bernhauer & Peks, 2013b: 326 A: TR
sapkaianum Krätschmer, 1987: 337 E: GR
sareptanum kubanicum Plavilstshikov, 1934d: 120 E: ST
sareptanum euxinum Suvorov, 1915: 119 E: ST
sareptanum sareptanum Kraatz, 1873a: 74 E: KZ ST A: KZ
sareptanum striatiforme Suvorov, 1913: 73 E: ST
sarkislaense Bernhauer & Peks, 2014b: 105 A: TR #70
saulcyi javeti Kraatz, 1873a: 91 [Akbez?] A: SY TR
destinor Fairmaire, 1884b: 173 [Akbez]
tabense Pic, 1931c: 1 [“Syria: Ain-Tab” – Turkey, Gaziantep]
univestitum Pic, 1903a: 5 [Akbez]
saulcyi saulcyi J. Thomson, 1865a: 549 [“Syria”] A: ?SY TR #58
adanense Pic, 1904a: 4 [Adana]
bilatevittatum Pic, 1927: 167 [Aleppo]
fenestratum Pic, 1895i: cclxxxiv [“Syria: Aïn-Tab” – Turkey, Gaziantep]
simile Kraatz, 1884b: 234 [Malatia]
subelongatum Pic, 1931c: 1 [Akbez]
scabricolle balikesirensense Breuning, 1962a: 460 A: TR
scabricolle caramanicum K. Daniel & J. Daniel, 1903b: 332 A: TR
scabricolle corpulentum Méntriés, 1832: 226 A: AB IN
scabricolle crassofasciatum Özdkmen in Küçükaykayı et al., 2013: 56 A: TR
scabricolle gilanense Lazarev, 2013a: 227 A: IN
scabricolle elisabethpolicum Suvorov, 1915: 119 A: AB

- micheli* Pic, 1948: 13
- scabricolle nakhiczevanum* Danilevsky, 1999a: 28 A: AB
- scabricolle paiz* Danilevsky, 1999a: 28 A: AB
- scabricolle paphlagonicum* Breuning, 1962a: 459 A: TR
- scabricolle sagezense* Lazarev, 2013a: 227 A: IN
- scabricolle scabricolle* Dalman, 1817b: 174 (*Lamia*) A: AB AR GG TR
- lutescens* Kraatz, 1873a: 50
- modestum* Tournier, 1872: 338
- scabricolle skoupyi* Lazarev, 2013a: 226 A: IN
- scabricolle sevangense* Reitter, 1889a: 41 A: AR
- scabricolle subcorplentum* Breuning, 1946: 121 A: IN
- scabricolle uludaghicum* Breuning, 1970d: 98 A: TR
- schultzei* Heyden, 1894b: 86 A: TR
- scopolii* Herbst, 1784: 91 (*Lamia*) E: BU CR CZ HU MD PL RO SK UK YU
- convexicolle* Küster, 1852: 91
- germanicum* Gmelin, 1790: 1835 (*Cerambyx*)
- interclarepubens* Breuning, 1956e: 404
- lineatum* Fabricius, 1787: 141 (*Lamia*)
- ungaricum* Gmelin, 1790: 1836 (*Cerambyx*)
- scrobicolle morulum* Holzschuh, 1995: 42 A: TR
- scrobicolle scrobicolle* Kraatz, 1873a: 97 A: TR
- sebenense* Bernhauer & Peks, 2011a: 202 A: TR
- semenovi almatense* Danilevsky, 2002: 5 A: KZ
- semenovi flavopubescens* Danilevsky, 2002: 13 A: XIN
- semenovi hauseri* Reitter, 1895c: 160 A: KI
- semenovi issykkulense* Pic, 1906h: 96 A: KI
- bisbicostatum* Pic, 1908i: 52
- semenovi kaiduense* Danilevsky, 2002: 14 A: XIN
- semenovi kuvakense* Danilevsky, 2002: 16 A: KI
- semenovi semenovi* Ganglbauer, 1884: 479 A: KI KZ XIN
- semenovi terskeicum* Danilevsky, 2002: 4 A: KI
- semenovi thaisiae* Danilevsky, 2002: 16 A: KI
- semenovi uruktense* Danilevsky, 2002: 9 A: KI
- semiargentatum burdzushense* Danilevsky & Murzin, 2009b: 14 A: IN
- semiargentatum ortrudheinzae* Danilevsky, 1998a: 51 A: IN
- semiargentatum sarabense* Holzschuh, 1993a: 46 A: IN
- semiargentatum sementivum* Danilevsky & Murzin, 2009b: 61 A: IN
- semiargentatum semiargentatum* Pic, 1905n: 300 A: IN
- descampsi* Villiers, 1967: 339 (*Pedestredorcadion*)
- shiita* Plavilstshikov, 1951: 118
- semibrunneum mediocreimpressum* Pic, 1909b: 123 A: TR [♀20mm type label: "Anamas Gbg."] #8
- anamasum* Pic, 1934g: 33
- mediocreimpressum* Pic, 1940b: 5 [incorrect subsequent spelling - unavailable] #8
- semibrunneum notatum* Pesarini & Sabbadini, 2013: 62 A: TR
- semibrunneum semibrunneum* Pic, 1903e: 170 A: TR [type labels: Eski-Chehir, Bos-Dagh]
- semilineatum Fairmaire, 1866b: 273* A: TR
- semilucens* Kraatz, 1873a: 84 A: AB AR
- [?] *mesmini* Pic, 1903n: 146 [Pic, 1904a: 4-5: "Evlak ou plus exactement Golyzino"]
- seminudum* Kraatz, 1873a: 83 A: AB AR
- impuncticolle* Breuning, 1946: 120 – unavailabel, described as morph
- impuncticolle* Breuning, 1962: 452
- nachycevanicum* Breuning, 1943b: 92
- semivelutinum* Kraatz, 1873a: 82 A: TR #70
- septemlineatum abanti* Braun, 1976a: 54 A: TR
- septemlineatum demirciense* Breuning, 1966b: 19 A: TR
- septemlineatum novemlineatum* Kraatz, 1873a: 61 A: TR
- forcipiferum* Kraatz, 1873a: 60
- septemlineatum octolineatum* Kraatz, 1873a: 61 A: TR
- septemlineatum septemlineatum* Walzl, 1838: 469 E: BU GR TR
- apicale* J. Thomson, 1865a: 549
- rufoapicale* Pic, 1942a: 2
- sericatum* C. R. Sahlberg, 1823: 53 E: UK
- velutinum* Kraatz, 1873a: 96
- serouense* Kadlec, 2006b: 8 A: IN
- sevliczi* Danilevsky, 1985: 328 [= 1987: 618] A: AR
- shestopalovi* Danilevsky, 1993b: 9 A: GG
- shirvanicum azerbajdzhanicum* Plavilstshikov, 1937a: 25 A: AB

- shirvanicum shirvanicum* Bogatchev, 1934: 70 A: AB
shushense Lazarev, 2010: 3 A: AB
sinopense Breuning, 1962a: 299 A: TR
sinuatevittatum Pic, 1937c: 6 A: TR
brevemediolineatum Pic, 1942c: 6
sisiyanense Lazarev, 2009: 210 A: AR
skoupyorum Bernhauer & Peks, 2014a: 191 [RN] A: TR
skoupyi Bernhauer & Peks, 2013b: 326 [HN]
sodale blumenthali Breuning, 1966b: 20 A: TR #27
sodale sodale Hampe, 1852b: 313 A: ?GG TR
sodale trapesunticum Breuning, 1946: 124 A: TR
sokolowi Jakovlev, 1899a: 150-151 A: KZ XIN
amymon Jakovlev, 1906c: 276
apicipenne Jakovlev, 1899b: 61
conicolle Breuning, 1946: 130
dsungaricum Pic, 1907f: 104
jacobsoni Jakovlev, 1899c: 243
melancholicum Pic, 1907g: 111 ("Même origine que la forme type", but the name was used as valid by Suvorov, 1913: 70)
merzbacheri Breuning, 1946: 130
sokolovi Winkler, 1929: 1185 [unjustified emendation]
sonjae Peks, 1993: 5 A: TR34
spectabile Kraatz, 1873a: 38 A: IN
steineri Holzschuh, 1977a: 129 A: TR
stephaniae Pesarini & Sabbadini, 2004c: 142 E: GR
striolatum Kraatz, 1873a: 93 A: ?AB AR GG ?IN TR
masculinum Plavilstshikov, 1927a: 51 [RN]
obesum Tournier, 1872: 340 [HN]
suramense Breuning, 1946: 98 [RN]
sturmii Frivaldszky von Frivald, 1837: 179 E: BU MC TR
subcinctellum Breuning, 1962a: 275 A: TR
subinterruptum Pic, 1900g: 12 E: TR A: TR
indivisum Pic, 1900g: 12
subsericatum majus Breuning, 1962a: 371 A: TR
subsericatum rufipenne Breuning, 1946: 118 A: TR
cankiriense Breuning, 1962c: 39
subsericatum subsericatum Pic, 1901b: 12 A: TR
paphlagoniense Breuning, 1944a: 12
subsericatum vulneratum Pesarini & Sabbadini, 1999: 51 A: TR
subvestitum K. Daniel, 1900: 140 A: TR
sulcipenne argonauta Suvorov, 1913: 74 A: AR GG TR #21
kurda Suvorov, 1913: 76

pallescens Suvorov, 1913: 75
sulcipenne caucasicum Küster, 1847c: 98 A: AR GG
impressicorne Tournier, 1872: 282
sulcipenne borzhomiense Danilevsky, 2014g: 677 A: GG #21
sulcipenne demokidovi Suvorov, 1915: 115 A: GG #21
sulcipenne goktshanum Suvorov, 1915: 117 A: AR
armenum Suvorov, 1915: 117 #21
sulcipenne gubini Danilevsky, 2014g: 674 A: GG
sulcipenne maljushenkoi Pic, 1904b: 8 A: AB #21
sulcipenne paki Danilevsky, 2014g: 674 A: GG #21
sulcipenne plushchi Danilevsky, 2014g: 673 A: GG #21
sulcipenne sulcipenne Küster, 1847a: 87 A: GG #21
sulcipenne zekariense Danilevsky, 2014g: 678 A: GG #21
syriense Breuning, 1943b: 94 A: TR
taborskyl Heyrovský, 1941d: 149 E: GR
talyschense Ganglbauer, 1884: 491 A: AB IN
ardebiense Pic, 1905n: 301
morgani Pic, 1905n: 301
posticeinterruptum Pic, 1900g: 12
talyschense Plavilstshikov, 1958a: 234 [unjustified emendation]
tassii Breuning, 1964c: 32 E: GR
tauricum pittinot Pesarini & Sabbadini, 2010: 185 E: GR
tauricum tauricum Waltl, 1838: 468 E: BU GR MD RO TR UK
nigritarse Kraatz, 1873a: 77
taygetanum Pic, 1902c: 10 E: GR
tebrisicum Plavilstshikov, 1951: 119 A: IN
theophilei Pic, 1898h: 57 A: TR

- costiferum* Pic, 1898h: 57
tuerki Ganglbauer, 1884: 486 A: IN
curtulum Pic, 1906f: 50
[?] *lundbladi* Breuning, 1947d: 141 ["Transcaucasie: Achal-Zich" - Akhaltsikhe]
tuleskovi Heyrovský, 1937a: 30 E: GR
frigidum Meschnigg, 1947: 137
olympicola Heyrovský, 1941d: 148
turcicum Breuning, 1963e: 35 A: TR
turkestanicum Kraatz, 1881: 335 A: KI KZ TD UZ #25
samarkandiae Breuning, 1946: 130
ullrichi Bermhauer, 1988: 102 A: TR
urmianum Plavilstshikov, 1937a: 27 A: IN TR
valonense Pic, 1917g: 6 E: AL
apfelbecki Winkler, 1929: 1188
valonense Apfelbeck, 1923: 145
variegatum Ganglbauer, 1884: 502 A: SY TR
veluchense Pic, 1903a: 6 E: GR
vincenae Pesarini & Sabbadini, 2007b: 60 E: GR
wagneri Küster, 1846b: 87 A: AR GG TR #16
[?] *solyzinosum* Pic, 1942b: 2
wewalkai Breuning, 1974g: 150 E: GR
weyersii Fairmaire, 1866b: 271 A: TR
aolense Pic, 1942b: 1
weyersii Thomson, 1867: 51 – "Armenia"
xerophilum Pesarini & Sabbadini, 2007b: 54 E: GR
yahyalense Bernhauer & Peks, 2011b: 217 A: TR
zanteanum Breuning & Villiers, 1967a: 37 (*Pedestredorcadion*) E: GR
subgenus Dorcadion Dalman, 1817a: 397 type species *Cerambyx glycyrrhizae* Pallas, 1773
Compsodorcadion Ganglbauer, 1884: 437 type species *Dorcadion gebleri* Kraatz, 1873
abakumovi abakumovi J. Thomson, 1865a: 548 A: KZ
abakumovi laterale Jakovlev, 1895: 287 A: KZ
abakumovi lepsyense Danilevsky, 2004b: 5 A: KZ
abakumovi sarkanicum Danilevsky, 2004b: 4 A: KZ
aizhanae Kadyrbekov, 2004: 94
alakoliense Danilevsky, 1988a: 12 A: KZ
cephalotes Jakovlev, 1889: 252 (*Compsodorcadion*) A: KZ A: XIN
alexii Suvorov, 1915: 121 (*Compsodorcadion*)
crassipes crassipes Ballion, 1878: 368 A: KZ
crassipes glazunovi Suvorov, 1910b: 69 A: KZ XIN
crassipes validipes Jakovlev, 1906c: 279 A: KI XIN
chantengrii Breuning, 1943b: 95
robustissimum Pic, 1908i: 35
ganglbaueri ganglbaueri Jakovlev, 1898: 676, 677 A: KZ
ganglbaueri paveli Danilevsky, 2013g: 35 A: KZ
gebleri demimetrum Danilevsky, 1996a: 3 A: KZ
gebleri gebleri Kraatz, 1873a: 33 A: KZ XIN
jakovlevianum Suvorov, 1911a: 60
occidentale Breuning, 1947e: 164
*pallasii Gebler, 1833: 303 [HN] (nomen nudum)
pallasii Gebler, 1848: 402 [HN] (not *pallasii* Fischer von Waldheim, 1805)
tryphthis Suvorov, 1911a: 61
zaisanense Suvorov, 1911a: 61
gebleri lukhtanovi Danilevsky, 1996a: 4 A: KZ
gebleri takyr Danilevsky, 1996a: 5 A: KZ
glycyrrhizae androsovi Suvorov, 1909b: 93 A: KZ
dalilae Kadyrbekov, 2004: 94 #31
barsukorum Suvorov, 1909b: 95
rufescens Suvorov, 1909b: 95
glycyrrhizae chuvilini Danilevsky, 2012a: 46 A: KZ
glycyrrhizae dostojewskii Semenov, 1899d: 655 A: KZ
glycyrrhizae dubianskii Jakovlev, 1906c: 278 E: KZ ST A: KZ WS
glycyrrhizae eugenyi Abramov, 2015: 39 A: KZ #99
glycyrrhizae fedorenkoi Danilevsky, 2001c: 17 A: KZ
glycyrrhizae galinae Danilevsky, 2001c: 23 A: KZ
glycyrrhizae glycyrrhizae Pallas, 1773: 723 (*Cerambyx*) E: ?ST KZ A: ?KZ
glycyrrhizae Fabricius, 1781: 222 (*Lamia*) [unjustified emendation]
glycyrrhizae guberlense Danilevsky, 2006a: 19 A: WS
glycyrrhizae inderiense Suvorov, 1911a: 69 E: KZ A: KZ*

<i>—peniehrum</i> Suvorov, 1911a: 70 [unavailable name]	
<i>glicyrrhizae ishkarganum</i> Danilevsky, 2009: 69 A: WS	
<i>glicyrrhizae korshikovi</i> Danilevsky, 2006a: 9 E: ST A: KZ WS	
<i>glicyrrhizae murati</i> Danilevsky, 2013f: 434 A: KZ	
<i>glicyrrhizae nemkovi</i> Danilevsky, 2006a: 15 E: ST KZ A: KZ	
<i>glicyrrhizae nikireevi</i> Danilevsky, 2001c: 19 A: KZ	
<i>glicyrrhizae obtusipenne</i> Motschulsky, 1860d: 538 A: KZ	
<i>glicyrrhizae striatum</i> Goeze, 1777: 464 [HN] (not Linnaeus, 1758) (<i>Cerambyx</i>) E: CT KZ ST A: KZ	#93
<i>fimbriatum</i> Gmelin, 1790: 1862 (<i>Cerambyx</i>)	
<i>iliense</i> Plavilstshikov, 1937a: 31	
<i>olivieri</i> J. Thomson, 1867: 39	
<i>rufifrons</i> Motschulsky, 1860c: 311	
<i>glicyrrhizae tobolense</i> Danilevsky, 2001c: 22 A: KZ	
<i>glicyrrhizae turgaicum</i> Suvorov, 1915: 121 (<i>Compsodorcadiion</i>) A: KZ	
<i>akmolicum</i> Suvorov, 1915: 121 (<i>Compsodorcadiion</i>)	
<i>glicyrrhizae uvarovi</i> Suvorov, 1911b: 279 A: KZ	
<i>tenuelineatum</i> Jakovlev, 1895: 286 A: KZ	
<i>separatum</i> Pic, 1897f: 94	
subgenus <i>Maculatodorcadion</i> Breuning, 1943d: 525 type species <i>Dorcadion quadrimaculatum</i> Küster, 1848	
<i>janssensi</i> Breuning, 1966b: 21 A: TR	
<i>quadrimaculatum nodicorne</i> Tournier, 1872: 287 E: GR TR	
<i>quadrimaculatum quadrimaculatum</i> Küster, 1848c: 79 E: GR TR	
<i>bimaculatum</i> Pic, 1898h: 56	
<i>clementinum</i> Pic, 1918d: 11	
<i>innotatum</i> Pic, 1908a: 2	
<i>triste phrygicum</i> Peks, 1993: 8 A: TR [Antalya: Kas]	#60
<i>triste triste</i> Frivaldszky von Frivald, 1845: 184 A: TR ["Smyrna"]	#60
<i>wolfi</i> Krätschmer, 1985: 24 A: TR	
subgenus <i>Megalodorcadion</i> Pesarini & Sabbadini, 1999: 58 type species <i>Dorcadion ledereri</i> J. Thomson, 1865	#57
<i>Anatolodorcadion</i> Özdīkmen & Kaya, 2015a: 3 type species <i>Dorcadion dombilicoides</i> Özdīkmen & Kaya, 2013	#57
<i>Fusodorcadion</i> Özdīkmen & Kaya, 2015a: 3 type species <i>Dorcadion parallelum</i> Küster, 1847	#57
<i>dombilicoides</i> Özdīkmen & Kaya, 2013: 494 A: TR	
<i>escherichi</i> Ganglbauer, 1897b: 54 A: TR	
<i>angorense</i> Ganglbauer, 1897b: 57	
<i>egregium</i> Ganglbauer, 1897b: 56	
<i>oblique signatum</i> Pic, 1900g: 12	
<i>posticedisjunctum</i> Pic, 1909b: 99	
<i>glabrofasciatum</i> K. Daniel, 1900: 140 A: TR	
<i>imparivittatum</i> K. Daniel, 1900: 140	
<i>nudefasciatum</i> Özdīkmen & Şenyǖz, 2015: 647 (<i>Megalodorcadion</i>)	#120
<i>ledereri</i> J. Thomson, 1865a: 548 A: TR	
<i>parallelum</i> Küster, 1847c: 79 A: TR	
<i>walteri</i> Holzschuh, 1991c: 55 A: TR	
genus <i>Eodorcadion</i> Breuning, 1947d: 142 type species <i>Lamia carinata</i> Fabricius, 1781	
subgenus <i>Eodorcadion</i> Breuning, 1947d: 142 type species <i>Lamia carinata</i> Fabricius, 1781	
<i>altaicum</i> Suvorov, 1909a: 89 (<i>Neodorcadion</i>) A: KZ	
<i>carinatum blessigi</i> Ganglbauer, 1884: 512 (<i>Neodorcadion</i>) A: ES WS	
<i>carinatum bramsoni</i> Pic, 1901p: 67 (<i>Neodorcadion</i>) A: WS	
<i>gassneri</i> Breit, 1917: 65 (<i>Neodorcadion</i>)	
<i>carinatum carinatum</i> Fabricius, 1781: 222 (<i>Lamia</i>) E: CT ST A: ES KZ WS	
<i>carinatum involvens</i> Fischer von Waldheim, 1823: pl. 1 (<i>Dorcadion</i>) A: ES FE HEI MG NMO XIN	
<i>longiangense</i> Z. Wang, 2003: 299	
<i>vestitum</i> Jakovlev, 1901c: 150, 152 (<i>Neodorcadion</i>)	
<i>carinatum kiahtenum</i> Danilevsky, 2007a: 31 A: ES	
<i>chinganicum chinganicum</i> Suvorov, 1909a: 90 (<i>Neodorcadion</i>) A: NMO	
<i>melanocholeum</i> Suvorov, 1909-91 (not available name)	
<i>chinganicum darigangense</i> Heyrovský, 1967a: 104 A: MG	
<i>chinganicum mandschukuoense</i> Breuning, 1944a: 15 (<i>Neodorcadion</i>) A: JIL LIA	
<i>jilinense</i> Chiang, 1983: 60, 66	
<i>gansuense</i> Breuning, 1943b: 99 (<i>Neodorcadion</i>) A: GAN	
<i>glaucopterum</i> Ganglbauer, 1884: 511 (<i>Neodorcadion</i>) A: GAN QIN	
<i>albescens</i> Breuning, 1943b: 99 (<i>Neodorcadion</i>)	
<i>annulicorne</i> Breuning, 1947d: 142	
<i>atratum</i> Jakovlev, 1901c: 153 (<i>Neodorcadion</i>)	
<i>grisescens</i> Breuning, 1947d: 142	
<i>przewalskyi</i> Jakovlev, 1887b: 317 (<i>Neodorcadion</i>)	
<i>przewalskii</i> Jakovlev, 1900c: 71 (<i>Neodorcadion</i>) [unjustified emendation]	

kadleci Danilevsky, 2007a: 62 A: GAN
maurum australis Danilevsky, 2014a: 151 A: MG
maurum katharinae Reitter, 1898a: 21 (*Neodorcadion*) A: ES MG
maurum maurum Jakovlev, 1889: 247 (*Neodorcadion*) A: ES MG
boldi Heyrovský, 1965b: 45
fortecostatum Heyrovský, 1975: 22
grumi Suvorov, 1909a: 80 (*Neodorcadion*)
hirtipes Jakovlev, 1901c: 159 (*Neodorcadion*)
— leucotaenium Suvorov, 1909a: 82 (*Neodorcadion*)
maurum quinquevittatum Hammarström, 1892: 192 (*Neodorcadion*) A: ES
maurum sajanicum Hammarström, 1892: 193 (*Neodorcadion*) A: ES
leucogrammum Suvorov, 1909a: 82 (*Neodorcadion*)
minicarinatum Danilevsky & Lin, 2012: 22 A: ANH
multicarinatum Breuning, 1943b: 99 (*Neodorcadion*) A: GAN QIN SNX
oligocarinatum Danilevsky, 2007a: 55 A: SNX
ptyalopleurum Suvorov, 1909a: 84 (*Neodorcadion*) A: ES
rubrosuturale kerulenum Danilevsky, 2007a: 41 A: MG
rubrosuturale rubrosuturale Breuning, 1943b: 98 (*Neodorcadion*) A: HEB NMO
shanxiense Danilevsky, 2007a: 52 A: SNX
sifanicum Suvorov, 1912: 74 (*Neodorcadion*) A: GAN
sinicum Breuning, 1948c: 57 A: CH
tuvense Plavilstshikov, 1958a: 451 A: ES
virgatum virgatum Motschulsky, 1854b: 65 (*Dorcadion*) A: BEI GAN HEB NMO SNX
virgatum subvirgatum Pic, 1914f: 74 (*Neodorcadion*) A: NMO
virgatum taihangense Danilevsky & Lin, 2012: 21 A: SHX
subgenus *Humerodorcadion* Danilevsky, Kasatkin & Rubenian, 2005: 133 type species *Dorcadion humerale* Gebler, 1823
humerale humerale Gebler, 1823b: 130 (*Neodorcadion*) A: ES HEI MG NMO
humerale impluviatum Faldermann, 1833: 66 (*Dorcadion*) A: MG
irroratum Reitter, 1893b: 224 (*Neodorcadion*)
humerale quadrilineatum Breit, 1915: 355 (*Neodorcadion*) A: HEB NMO
humerale trabeatum Jakovlev, 1901c: 148 (*Neodorcadion*) A: FE HEI NMO
humerale xinganum Chiang [Jiang S.-N.] & Z. Wang, 2003: 304, 396 A: JIL HEI NMO
lutshniki altanelsense Heyrovský, 1973b: 124 A: MG
lutshniki bicoloratum Danilevsky, 2007a: 158 A: ES
lutshniki burenum Danilevsky, 2007a: 158 A: ES
lutshniki lutshniki Plavilstshikov, 1937a: 33 (*Neodorcadion*) A: ES
subgenus *Ornatodorcadion* Breuning, 1947d: 142 type species *Dorcadion ornatum* Faldermann, 1833
argalooides Breuning, 1947e: 172 A: MG NMO
brandti Gebler, 1841b: 610 (*Dorcadion*) A: KZ XIN
dux Jakovlev, 1893: 120 (*Neodorcadion*)
nigrolineatum Reitter, 1897a: 182 (*Neodorcadion*)
consentaneum Jakovlev, 1899: 241 (*Neodorcadion*) A: MG
hirticolle Jakovlev, 1901c: 154 (*Neodorcadion*)
insigne Jakovlev, 1901c: 160 (*Neodorcadion*)
dorcas dorcas Jakovlev, 1901c: 163 (*Neodorcadion*) A: MG
annulatum Heyrovský, 1969b: 229
morosum Jakovlev, 1901c: 162 (*Neodorcadion*)
pruinosum Jakovlev, 1901c: 163 (*Neodorcadion*)
dorcas scabrosum Namkhaidorzh, 1972: 524 A: MG
egregium Reitter, 1897a: 180 (*Neodorcadion*) A: MG XIN
albitarsale Breuning, 1966f: 257
kabaki Kadyrbekov, 2004: 93
exaratum argali Jakovlev, 1889: 249 (*Neodorcadion*) A: MG
hircum Jakovlev, 1906a: 1 (*Neodorcadion*)
miraculum Reitter, 1897a: 182 (*Neodorcadion*)
quadricarinatum Heyrovský, 1970b: 141
exaratum exaratum Ménétriés, 1854: 38 (*Dorcadion*) A: MG NMO
rugipenne Heyrovský, 1967a: 103
gorbunovi Danilevsky, 2004d: 7 A: MG
heros Jakovlev, 1899: 237 (*Neodorcadion*) A: NIN NMO
intermedium intermedium Jakovlev, 1889: 246 (*Neodorcadion*) A: MG
kaszabi Heyrovský, 1965b: 44
mongolicum Jakovlev, 1895: 508 (*Neodorcadion*)
intermedium kozlovi Suvorov, 1912: 71 (*Neodorcadion*) A: MG
hedini Pic, 1935c: 12 (*Neodorcadion*)
jakovlevi fangzhoui Lin et Danilevsky, 2011: 381 A: NMO
jakovlevi jakovlevi Suvorov, 1912: 70 (*Neodorcadion*) A: NMO
kaznakovi kaznakovi Suvorov, 1912: 73 (*Neodorcadion*) A: NIN NMO

- kaznakovi zhilini* Lin et Danilevsky, 2011: 382 A: NMO
licenti Pic, 1939c: 25 (*Neodorcadion*) A: CH
novitzkyi Suvorov, 1909a: 87 (*Neodorcadion*) A: MG NMO
oreadis Reitter, 1897a: 179 (*Neodorcadion*) A: XIN
ornatum Faldermann, 1833: 64 (*Dorcadion*) A: NMO
 princeps Jakovlev, 1899: 239 (*Neodorcadion*)
oryx Jakovlev, 1895: 506 (*Neodorcadion*) A: MG
potaninellum Danilevsky & Lin, 2012: 21 A: SHA
potanini Jakovlev, 1889: 245 (*Neodorcadion*) A: NMO
pseudornatum Danilevsky & Lin, 2012: 24 A: SHA
savitskyi Danilevsky, 2014a: 152 A: MG
wenhsini Yang & Danilevsky, 2013: 93 A: NMO
zichyi Csiki, 1901: 115 (*Neodorcadion*) A: MG
- genus *Iberodorcadion* Breuning, 1943d: 524** type species *Cerambyx fuliginator* Linnaeus, 1758
subgenus *Baeticodorcadion* Vives, 1976: 166 type species *Dorcadion mus* Rosenhauer, 1856
amorii amorii Marseul, 1856: 48 (*Dorcadion*) E: SP
 penascosum Lauffer, 1911: 44 (*Dorcadion*)
 staudingeri Chevrolat, 1862: 345 (*Dorcadion*)
amorii segurensense Escalera, 1911: 82 (*Dorcadion*) E: SP
 albacetae Breuning, 1947e: 161 (*Dorcadion*)
 seguranum Lauffer, 1911: 45 (*Dorcadion*)
atlantis Bedel, 1921: 60 (*Dorcadion*) N: MO
isernii Perez Arcas, 1868: 81 (*Dorcadion*) E: SP
 ceballosi Breuning, 1948c: 64 (*Dorcadion*)
 dispersepunctatum Escalera, 1924: 195 (*Dorcadion*)
 impunctatum Breuning, 1943b: 98 (*Dorcadion*)
 steparium Escalera, 1900: 239 (*Dorcadion*)
lorquinii cobosi Vives, 1979: 155 E: SP
lorquinii lorquinii Fairmaire, 1855: 322 (*Dorcadion*) E: SP
 giganteum Escalera, 1911: 82 (*Dorcadion*)
 rufolabrum Pic, 1912a: 35 (*Dorcadion*)
lusitanicum evorensense Breuning, 1943b: 98 (*Dorcadion*) E: PT SP
lusitanicum lusitanicum Chevrolat, 1840: 16 (*Dorcadion*) E: PT
 boabdil Flach, 1907: 18 (*Dorcadion*)
 carinicollis Breuning, 1948c: 64 (*Dorcadion*)
lusitanicum mimomucidum Breuning, 1976c: 161 (*Dorcadion*) E: PT
marmottani Escalera, 1900: 237 (*Dorcadion*) E: SP
 cabrasense Nicolas, 1904b: 83 (*Dorcadion*)
 robustioripenne Pic, 1941b: 2 (*Dorcadion*)
mucidum annulicorne Chevrolat, 1862: 346 (*Dorcadion*) E: SP
 parmeniforme Escalera, 1902: 288 (*Dorcadion*)
mucidum coeltoi Verdugo, 1996: 11 E: SP
mucidum mucidum Dalman, 1817b: 173 (*Lamia*) E: SP
 handschuchii Küster, 1848c: 77 (*Dorcadion*)
mucidum nigrosparsum Pic, 1941b: 3 (*Dorcadion*) E: SP
mucidum rondense Verdugo, 2003: 127 E: SP
mus grisescens Escalera, 1900: 240 (*Dorcadion*) E: SP [personal message by A.Verdugo-2014]
 escalerae Pic, 1900y: 405 (*Dorcadion*)
mus mus Rosenhauer, 1856: 304 (*Dorcadion*) E: SP
 andalusiacum Breuning, 1962a: 546 (*Dorcadion*)
 quadrifuscivittatum Breuning, 1947e: 162 (*Dorcadion*)
 rondae Flach, 1907: 19 (*Dorcadion*)
suturale Chevrolat, 1862: 345 (*Dorcadion*) E: SP
 insuturale Pic, 1898c: 22 (*Dorcadion*)
 rufescentimembre Pic, 1947a: 9 (*Dorcadion*)
 schaufussi Pic, 1947a: 9 (*Dorcadion*)
 suturaloides Breuning, 1958b: 37 [RN]
subgenus *Hispanodorcadion* Vives, 1976: 166 type species *Dorcadion hispanicum* Mulsant, 1851
abulense abulense Laufer, 1902: 105 (*Dorcadion*) E: SP
 granulosum Pic, 1904c: 17 (*Dorcadion*)
 griseum Escalera, 1911: 83 (*Dorcadion*)
hispanoloides Escalera, 1911: 84 (*Dorcadion*)
infrafasciatum Pic, 1910h: 51 (*Dorcadion*)
laufferoides Escalera, 1911: 83 (*Dorcadion*)
nigripenne Escalera, 1911: 82 (*Dorcadion*)
perezoides Escalera, 1911: 84 (*Dorcadion*)
plurilineatum Escalera, 1911: 84 (*Dorcadion*)
puncticolle Breuning, 1944a: 14 (*Dorcadion*)

- umbripenne* Escalera, 1908: 336 (*Dorcadion*)
umbrosum Escalera, 1911: 83 (*Dorcadion*)
abulense granulipenne Escalera, 1908: 337 (*Dorcadion*) E: SP
aguadoi Aguado & Tomé, 2000: 68 E: SP
albicans albicans Chevrolat, 1862: 341 (*Dorcadion*) E: SP
aestivum Pic, 1910i: 79 (*Dorcadion*)
inalbicans Nicolas, 1904b: 83 (*Dorcadion*)
lainzi Breuning, 1956j: 726 (*Dorcadion*)
multialternatum Pic, 1910i: 79 (*Dorcadion*)
nigrinum Escalera, 1911: 82 (*Dorcadion*)
palentinum Lauffer, 1911: 27 (*Dorcadion*)
palentinum Escalera, 1911: 81 (*Dorcadion*) [HN]
reynosae Brisout de Barneville, 1866: 418 (*Dorcadion*)
albicans demandense Escalera, 1902: 286 (*Dorcadion*) E: SP
incanum Lauffer, 1911: 28 (*Dorcadion*)
albicans marinae Tomé & Bahillo, 1996: 715 E: SP
albicans vanhoegaerdeni Breuning, 1956j: 725 (*Dorcadion*) E: SP
aries Tomé & Berger, 1999: 393 E: SP
becerrae Lauffer, 1901: 90 (*Dorcadion*) E: SP
guadalajaranum Pic, 1910h: 90 (*Dorcadion*) [see Tomé, 1998: 211]
loroi Escalera, 1924: 196 (*Dorcadion*)
monegoyense Nicolas, 1909: 116 (*Dorcadion*) [not available as 4th name]
pruinatum Escalera, 1902: 285 (*Dorcadion*)
saturioi Escalera, 1924: 198 (*Dorcadion*)
bolivari bolivari Lauffer, 1898: 107 (*Dorcadion*) E: SP
diversevittatum Pic, 1941b: 2 (*Dorcadion*)
grisescens Pic, 1900c: 7 (*Dorcadion*)
laufferi Pic, 1900c: 7 (*Dorcadion*)
operosum Pic, 1947b: 1 (*Dorcadion*)
paulovittatum Pic, 1947b: 1 (*Dorcadion*)
rodriguesi Pic, 1900c: 405 (*Dorcadion*)
rufipes Escalera, 1900: 238 (*Dorcadion*)
semifulvovittatum Pic, 1947b: 1 (*Dorcadion*)
sparsealbum Pic, 1941b: 2 (*Dorcadion*)
toledense Pic, 1947a: 9 (*Dorcadion*)
bolivari danielae Saz, 2013: 116 E: SP
circumcinctum circumcinctum Chevrolat, 1862: 341 (*Dorcadion*) E: SP
aranda Schramm, 1911: 306 (*Dorcadion*)
ariasi Chevrolat, 1862: 341 (*Dorcadion*)
burgense Lauffer, 1911: 33 (*Dorcadion*)
burgosense Pic, 1910h: 82 (*Dorcadion*)
candidae Pic, 1914c: 8 (*Dorcadion*)
escorialense Chevrolat, 1866: 107 (*Dorcadion*)
sebastiani Pic, 1901i: 32 (*Dorcadion*)
seeboldi Escalera, 1902: 288 (*Dorcadion*)
circumcinctum tenuecinctum Pic, 1898c: 20 (*Dorcadion*) E: SP
rufobasicorne Pic, 1941b: 3 (*Dorcadion*)
ferdinandi Escalera, 1900: 235 (*Dorcadion*) E: SP
fuentei Pic, 1899a: 81 (*Dorcadion*) E: SP
bouvieri Escalera, 1900: 232 (*Dorcadion*)
elvira Pic, 1904j: 58 (*Dorcadion*)
lesnei Escalera, 1900: 233 (*Dorcadion*)
graellsii cinereum Escalera, 1901: 81 E: SP
atienzanum Pic, 1910h: 51 (*Dorcadion*)
auripenne Escalera, 1908: 334 (*Dorcadion*)
cinerarium Lauffer, 1901: 92 (*Dorcadion*)
fuscolineatum Schramm, 1910: 288 (*Dorcadion*)
graellsii graellsii Graells, 1858: 91 (*Dorcadion*) E: SP
alternatum Chevrolat, 1862: 338 (*Dorcadion*)
consanguineum Lauffer, 1911: 40 (*Dorcadion*)
costicolle Chevrolat, 1862: 339 (*Dorcadion*)
latealbidum Pic, 1910h: 90 (*Dorcadion*)
ovale Chevrolat, 1870: 85 (*Dorcadion*)
subbrevelineatum Pic, 1941a: 5 (*Dorcadion*)
graellsii incallosum Escalera, 1908: 335 (*Dorcadion*) E: SP
paradoxum Escalera, 1908: 336 (*Dorcadion*)
pulvipenne Escalera, 1908: 335 (*Dorcadion*)
graellsii longipenne Chevrolat, 1862: 342 (*Dorcadion*) E: SP
bisbilineatum Pic, 1910h: 90 (*Dorcadion*)
cazurroi Lauffer, 1901: 91 (*Dorcadion*)
matritense Schramm, 1910: 288 (*Dorcadion*)

<i>oberthueri</i> Ganglbauer, 1884: 471 (<i>Dorcadion</i>)	
<i>tenuilineatum</i> Escalera, 1924: 196 (<i>Dorcadion</i>)	
<i>grustani</i> González, 1992: 3 E: SP	
<i>heydenii</i> Kraatz, 1870a: 161 (<i>Dorcadion</i>) E: SP	
<i>internelineatum</i> Pic, 1910h: 82 (<i>Dorcadion</i>)	
<i>semiglabratum</i> Pic, 1910h: 82 (<i>Dorcadion</i>)	
<i>stableaui</i> Chevrolat, 1870: 84 (<i>Dorcadion</i>)	
<i>korbi</i> Ganglbauer, 1884: 469 (<i>Dorcadion</i>) E: SP	
<i>rubrocarinatum</i> Pic, 1912a: 35 (<i>Dorcadion</i>)	
<i>martinezii</i> Perez Arcas, 1874: 145 (<i>Dorcadion</i>) E: SP	
<i>espanoli</i> Breuning, 1956j: 727 (<i>Dorcadion</i>)	
<i>longelineatum</i> Pic, 1941a: 5 (<i>Dorcadion</i>)	
<i>molitor molitor</i> Fabricius, 1775: 176 (<i>Lamia</i>) E: FR SP	
<i>aragonicum</i> Breuning, 1957e: 51	
<i>brisouti</i> Kraatz, 1873a: 68 (<i>Dorcadion</i>)	
<i>donzeli</i> Mulsant, 1839: 129 (<i>Dorcadion</i>)	
<i>lineola</i> Illiger, 1806: 238 (<i>Lamia</i>)	
<i>lutshniki</i> Plavilstshikov, 1915b: 80 (<i>Dorcadion</i>) [RN]	
<i>pseudodonzeli</i> Breuning, 1957e: 51	
<i>rubripes</i> Pic, 1896f: 142 (<i>Dorcadion</i>)	
<i>senegalense</i> J. Thomson, 1867: 54 (<i>Dorcadion</i>)	
<i>superbum</i> Lauffer, 1911: 34 (<i>Dorcadion</i>)	
<i>tutori</i> Lauffer, 1911: 34 (<i>Dorcadion</i>)	
<i>molitor navasi</i> Escalera, 1900: 234 (<i>Dorcadion</i>) E: SP	
<i>caesaraugstae</i> Lauffer, 1911: 34 (<i>Dorcadion</i>)	
<i>tarraconense</i> Breuning, 1967e: 93 (<i>Dorcadion</i>)	
<i>mosqueruelense</i> Escalera, 1902: 283 (<i>Dorcadion</i>) E: SP	
<i>carbonarium</i> Nicolas, 1904b: 83 (<i>Dorcadion</i>)	
<i>glabrocostatum</i> Nicolas, 1909: 115 (<i>Dorcadion</i>)	
<i>nigritulum</i> Escalera, 1924: 197 (<i>Dorcadion</i>)	
<i>prolongatum</i> Pic, 1908i: 58 (<i>Dorcadion</i>)	
<i>pseuduhagoni</i> Breuning, 1948c: 62 (<i>Dorcadion</i>)	
<i>neilense almarzense</i> Escalera, 1902: 279 (<i>Dorcadion</i>) E: SP	
<i>brevipenne</i> Pic, 1903r: 178 (<i>Dorcadion</i>)	
<i>circumalbum</i> Escalera, 1924: 199 (<i>Dorcadion</i>)	
<i>costatum</i> Escalera, 1902: 280 (<i>Dorcadion</i>)	
<i>logronense</i> Pic, 1903r: 178 (<i>Dorcadion</i>)	
<i>nicolasianum</i> Plavilstshikov, 1915b: 80 (<i>Dorcadion</i>)	
<i>nigratum</i> Escalera, 1924: 200 (<i>Dorcadion</i>)	
<i>nivosum</i> Escalera, 1924: 198 (<i>Dorcadion</i>)	
<i>obscuratum</i> Escalera, 1924: 199 (<i>Dorcadion</i>)f	
<i>rufipedes</i> Escalera, 1924: 199 (<i>Dorcadion</i>)	
<i>schrammi</i> Nicolas, 1904a: 40 (<i>Dorcadion</i>)	
<i>subbrevipenne</i> Pic, 1904a: 5 (<i>Dorcadion</i>)	
<i>urbionense</i> Escalera, 1902: 280 (<i>Dorcadion</i>)	
<i>villostadense</i> Escalera, 1902: 280 (<i>Dorcadion</i>)	
<i>vincenti</i> Nicolas, 1904a: 39 (<i>Dorcadion</i>)	
<i>neilense neilense</i> Escalera, 1902: 278 E: SP	
<i>nudipenne nudipenne</i> Escalera, 1908: 337 (<i>Dorcadion</i>) E: SP	#32
<i>riazanum</i> Pic, 1910h: 51 (<i>Dorcadion</i>)	
<i>nudipenne schrammianum</i> Plavilstshikov, 1932d: 198 [RN] E: SP	#32
<i>perchini</i> Saz, 2012: 404	#32
<i>tricolor</i> Schramm, 1910: 287 (<i>Dorcadion</i>) [HN]	
<i>subtricolor</i> Breuning, 1958b: 40 [RN]	
<i>paulae</i> Iharra & Beltrán, 2012: 43 E: SP	
<i>perezi cercedillanum</i> Pic, 1900y: 404 (<i>Dorcadion</i>) E: SP	
<i>laufferi</i> Escalera, 1900: 236 (<i>Dorcadion</i>)	
<i>schrammi</i> Pic, 1903r: 178 (<i>Dorcadion</i>)	
<i>subpolitum</i> Lauffer, 1901: 98 (<i>Dorcadion</i>)	
<i>perezi ghilianii</i> Chevrolat, 1862: 338 (<i>Dorcadion</i>) E: SP	
<i>ebeninum</i> Lauffer, 1901: 96 (<i>Dorcadion</i>)	
<i>reichei</i> Chevrolat, 1862: 342 (<i>Dorcadion</i>)	
<i>perezi hispanicum</i> Mulsant, 1851: 125 (<i>Dorcadion</i>) E: SP	
<i>albidipenne</i> Pic, 1907b: 8 (<i>Dorcadion</i>)	
<i>brunneofasciatum</i> Lauffer, 1901: 94 (<i>Dorcadion</i>)	
<i>cebollerense</i> Lauffer, 1911: 40 (<i>Dorcadion</i>)	
<i>diversepubens</i> Pic, 1907b: 8 (<i>Dorcadion</i>)	
<i>encaustum</i> Chevrolat, 1862: 337 (<i>Dorcadion</i>)	
<i>erythropus</i> Lauffer, 1901: 93 (<i>Dorcadion</i>)	
<i>griseopubescens</i> Lauffer, 1911: 41 (<i>Dorcadion</i>)	
<i>multilineatum</i> Pic, 1907b: 8 (<i>Dorcadion</i>)	

<i>nigrolineatum</i> Chevrolat, 1862: 339 (<i>Dorcadion</i>)	
<i>perezi ortunoi</i> Hernández, 1991: 278 E: SP	
<i>perezi perezi</i> Graells, 1849: 622 (<i>Dorcadion</i>) E: SP	
<i>anthracinum</i> Chevrolat, 1870: 86 (<i>Dorcadion</i>)	
<i>rutilipes</i> Nicolas, 1904b: 82 (<i>Dorcadion</i>)	
<i>septemvittatum</i> Lauffer, 1901: 95 (<i>Dorcadion</i>)	
<i>pseudomolitor</i> Escalera, 1902: 285 (<i>Dorcadion</i>) E: SP	
<i>segovianum dejeanii</i> Chevrolat, 1862: 340 (<i>Dorcadion</i>) E: SP	
<i>albolineatum</i> Escalera, 1924: 200 (<i>Dorcadion</i>)	
<i>baudueri</i> Pic, 1910h: 91 (<i>Dorcadion</i>)	
<i>carbonicum</i> Escalera, 1924: 200 (<i>Dorcadion</i>)	
<i>francianum</i> Breuning, 1956j: 727 (<i>Dorcadion</i>)	
<i>montanum</i> Lauffer, 1911: 53 (<i>Dorcadion</i>)	
<i>submontanum</i> Lauffer, 1911: 54 (<i>Dorcadion</i>)	
<i>segovianum segovianum</i> Chevrolat, 1862: 339 (<i>Dorcadion</i>) E: SP	
<i>castanarensis</i> Breuning, 1948c: 62 (<i>Dorcadion</i>)	
<i>corralimembri</i> Pic, 1917g: 6 (<i>Dorcadion</i>) [RN]	
<i>gredosanum</i> Lauffer, 1911: 50 (<i>Dorcadion</i>)	
<i>merceti</i> Schramm, 1910: 286 (<i>Dorcadion</i>)	
<i>tornavacense</i> Lauffer, 1911: 52 (<i>Dorcadion</i>)	
<i>tournieri</i> Pic, 1910h: 91 (<i>Dorcadion</i>)	
<i>villatorense</i> Breuning, 1962a: 606	
<i>seguntianum belbezei</i> Escalera, 1914b: 152 (<i>Dorcadion</i>) E: SP	#32
<i>bilbilitanum</i> Escalera, 1914b: 153 (<i>Dorcadion</i>)	
<i>ribotense</i> Corralesño Iñarra A., Murria Beltrán Á. & del Saz Facho, 2013: 106	#32
<i>seguntianum intermedium</i> Escalera, 1902: 287 (<i>Dorcadion</i>) E: SP	
<i>seguntianum seguntianum</i> K. Daniel & J. Daniel, 1898: 78 (<i>Dorcadion</i>) E: SP	#32
<i>confluens</i> Schramm, 1910: 288 (<i>Dorcadion</i>)	
<i>insidiosum</i> Escalera, 1901: 87 (<i>Dorcadion</i>)	
<i>ruspolii</i> Breuning, 1974a: 36 (<i>Dorcadion</i>)	
<i>terolense albarium</i> Escalera, 1902: 283 (<i>Dorcadion</i>) E: SP	#32
<i>terolense terolense</i> Escalera, 1902: 282 (<i>Dorcadion</i>) E: SP	#32
<i>georgei</i> Pic, 1904e: 17 (<i>Dorcadion</i>)	
<i>glabripenne</i> Pic, 1904a: 6 (<i>Dorcadion</i>)	
<i>multiplicatum</i> Pic, 1908i: 58	
<i>terolense turdetanum</i> Lauffer, 1911: 25 (<i>Dorcadion</i>) E: SP	#32
<i>denudatum</i> Escalera, 1911: 80 (<i>Dorcadion</i>)	
<i>ignotum</i> Escalera, 1911: 80 (<i>Dorcadion</i>)	
<i>uhagonii pradae</i> Saz Facho, 2007: 196 E: SP	
<i>uhagonii uhagonii</i> Perez Arcas, 1868: 83 (<i>Dorcadion</i>) E: SP	
<i>avilense</i> Breuning, 1947e: 158 (<i>Dorcadion</i>)	
<i>cuencaense</i> Pic, 1941b: 3 (<i>Dorcadion</i>)	
<i>griseolineatum</i> Pic, 1894o: cccxlviii (<i>Dorcadion</i>)	
<i>inhumerale</i> Pic, 1898c: 21 (<i>Dorcadion</i>)	
<i>lacunosum</i> Escalera, 1908: 335 (<i>Dorcadion</i>)	
<i>multidisjunctum</i> Pic, 1941b: 3 (<i>Dorcadion</i>)	
<i>panteli</i> Théry, 1892: xcvi (<i>Dorcadion</i>)	
<i>subirreductum</i> Pic, 1910h: 82 (<i>Dorcadion</i>)	
<i>valencianum</i> Pic, 1910i: 79 (<i>Dorcadion</i>)	
<i>zarcoi</i> zarcoi Schramm, 1910: 285 (<i>Dorcadion</i>) E: SP	#32
<i>curvilineatum</i> Schramm, 1910: 286 (<i>Dorcadion</i>)	
<i>rugulipenne</i> Breuning, 1947e: 160 (<i>Dorcadion</i>)	
<i>zenete</i> Anichtchenko & Verdugo, 2004: 33 E: SP	
subgenus Iberodorcadion Breuning, 1943d: 524 type species <i>Cerambyx fuliginator</i> Linnaeus, 1758	
<i>brannani</i> Schaufuss, 1870: 64 (<i>Dorcadion</i>) E: PT	
<i>lategriseovittatum</i> Breuning, 1947e: 164 (<i>Dorcadion</i>)	
<i>castilianum</i> Chevrolat, 1862: 347 (<i>Dorcadion</i>) E: SP	
<i>ardoisi</i> Schramm, 1909: 297 (<i>Dorcadion</i>)	
<i>fuliginator andianum</i> Pic, 1917g: 8 (<i>Dorcadion</i>) E: SP	
<i>fuliginator fuliginator</i> Linnaeus, 1758: 393 (<i>Cerambyx</i>) E: AU BE FR GE LA NL PL SZ	
<i>annulicorne</i> Chevrolat, 1882: 60 (<i>Dorcadion</i>)	
<i>atrum</i> Bach, 1856a: 32 (<i>Dorcadion</i>)	
<i>chevrolati</i> Ganglbauer, 1884: 475 (<i>Dorcadion</i>)	
<i>epipleurale</i> Breuning, 1957e: 44	
<i>fasciatum</i> Geoffroy, 1785: 75 (<i>Cerambyx</i>)	
<i>flavicolle</i> Breuning, 1957e: 44	
<i>fuliginosum</i> Schrank, 1798: 658 (<i>Lamia</i>)	
<i>hypocrita</i> Mulsant, 1863: 255 (<i>Dorcadion</i>)	
<i>jaenneri</i> Hubenthal, 1908: 43 (<i>Dorcadion</i>)	
<i>lateglabricolle</i> Breuning, 1957e: 44	
<i>mendax</i> Mulsant, 1853b: 33	

- mulsantianum* Breuning, 1957e: 44 (*Dorcadion*)
ovatum Sulzer, 1776: 45 (*Cerambyx*)
pseudomonticola Breuning, 1957e: 45
quadrilineatum Mulsant, 1839: 124 (*Dorcadion*)
subnitidipenne Pic, 1917g: 8 (*Dorcadion*)
vittiferum Aurivillius, 1922b: 46 (*Dorcadion*)
vittigerum Fabricius, 1801b: 303 (*Lamia*)
- fuliginator loarrense* Berger, 1997: 40 E: FR SP
fuliginator meridionale Mulsant, 1839: 125 (*Dorcadion*) E: FR
alpinum Chevrolat, 1856b: 435 (*Dorcadion*)
guerryi Pic, 1917g: 8 (*Dorcadion*)
- fuliginator monticola* Mulsant, 1853b: 27 (*Dorcadion*) E: FR
fuliginator navarricum Mulsant, 1853b: 29 (*Dorcadion*) E: FR SP
fuliginator obesum Gautier des Cottes, 1870b: 263 (*Dorcadion*) E: FR
fuliginator pyrenaeum Germar, 1839: 16 (*Dorcadion*) E: FR SP
albodiversum Pic, 1945b: 7 (*Dorcadion*)
curtecostatum Pic, 1941b: 3 (*Dorcadion*)
- fuliginator striola* Mulsant, 1863: 238 (*Dorcadion*) E: FR
fuliginator urgulli Breuning, 1976c: 161 (*Dorcadion*) E: SP
seoanei kricheldorfii Pic, 1910i: 79 (*Dorcadion*) E: PT SP
cabrerense Breuning, 1956j: 724 (*Dorcadion*)
lainzgalloi Rodríguez, 1996: 189
suturelatum Breuning, 1956j: 725 (*Dorcadion*)
- seoanei laurae* Bahillo, 1994: 65 E: SP
seoanei seoanei Graells, 1858: 93 (*Dorcadion*) E: SP
spinacithorax Pic, 1909b: 186 (*Dorcadion*)
- spinolae caunense* Lauffer, 1910: 92 (*Dorcadion*) E: SP
escalerae Lauffer, 1901: 89 [HN]
laufferianum Plavilstshikov, 1915b: 80 [RN]
- spinolae sorcinum* Chevrolat, 1862: 347 (*Dorcadion*) E: SP
vallisoletanum Lauffer, 1901: 89 (*Dorcadion*)
- spinolae spinolae* Dalman, 1817b: 174 (*Lamia*) E: SP
basigranosum Breuning, 1943b: 97 (*Dorcadion*)
mulsanti Brisout de Barneville, 1866: 420 (*Dorcadion*)
paganetti Pic, 1910i: 79 (*Dorcadion*)
- genus Neodorcadion Ganglbauer, 1884: 437 type species *Lamia bilineata* Germar, 1824**
- #57
- Calabrodorcadion* Özdkmen & Kaya, 2013a: 5 type species *Neodorcadion calabricum* Reitter, 1889
Vacarodorcadion Özdkmen & Kaya, 2013a: 5 type species *Dorcadion virleti* Brullé, 1832
- #57
- bilineatum* Germar, 1824: 485 (*Lamia*) E: AL BH BU CR GR HU MC MD RO SK TR UK YU
macedonicum Pic, 1917g: 5
- calabricum* Reitter, 1889a: 41 E: IT
- exornatooides* Breuning, 1962a: 68 A: TR
- exornatum* Frivaldszky von Frivald, 1835: 268 (*Dorcadion*) E: BU GR RO TR A: TR
- anticejunctum* Pic, 1917g: 6
balcanicum Tournier, 1872: 284 (*Dorcadion*)
labyrinthicum J. Thomson, 1865a: 549 (*Dorcadion*)
subdiversum Pic, 1917g: 6
- fallax* Kraatz, 1873a: 89 (*Dorcadion*) E: BU GR MV
- laqueatum* Waltl, 1838: 469 (*Dorcadion*) E: BU TR A: TR
- abeillei* Tournier, 1872: 208 (*Dorcadion*)
anceyi Pic, 1913c: 186
bulgaricum Pic, 1913c: 186
diversesparsum Pic, 1914c: 8
interruptum Mulsant & Rey, 1863: 150 (*Dorcadion*)
insparsum Pic, 1914c: 8
kadiense Pic, 1917a: 10
lemoulti Pic, 1914c: 8
servilorum Pic, 1917g: 6
sparsenotatum Pic, 1914c: 8
sparsum Mulsant & Rey, 1863: 152 (*Dorcadion*)
subinterruptum Pic, 1917g: 6
- orientale* Ganglbauer, 1884: 510 A: TR
- dispar* Pic, 1892o: xxvii
eduardi Pic, 1900s: 82
flaschneri Pic, 1890e: clxxv
merkli Pic, 1893e: xcvi
- pelleti* Mulsant & Rey, 1863: 149 (*Dorcadion*) E: GR TR A: TR
- credulum* Pic, 1917a: 10
disjunctum Pic, 1917g: 6

segne Mulsant & Rey, 1863: 155 (*Dorcadion*)
virleti Brullé, 1832: 258 (*Dorcadion*) A: GR
 acarnanicum Pic, 1914c: 8
 ionicum Pic, 1901l: 52
 subbinotatum Pic, 1914c: 8

genus *Politodorcadion* Danilevsky, 1996d: 407 type species *Dorcadion politum* Dalman, 1823
archarlense Danilevsky, 1996d: 411 (*Dorcadion*) A: KZ
balchashense *balchashense* Suvorov, 1911a: 64, 69 (*Dorcadion*) A: KZ
balchashense *betpakdalense* Danilevsky, 1996d: 410 (*Dorcadion*) A: KZ
eurygyne eurygyne Suvorov, 1911a: 65, 69 (*Dorcadion*) A: KZ WS
eurygyne larlanum Danilevsky, 2007e: 204 A: KZ
lativittis Kraatz, 1878b: 219 (*Dorcadion*) A: KZ XIN
 altaiene Pic, 1898f: 44 (*Dorcadion*)
 cribricollis Kraatz, 1882b: 196 (*Dorcadion*)
politum akmolense Suvorov, 1911a: 63 (*Dorcadion*) E: ST A: KZ
politum politum Dalman, 1823: 68 (*Dorcadion*) A: KZ WS
 basicorne Pic, 1929b: 9 (*Compsodorcadion*)
 conunctum Pic, 1898f: 45 (*Dorcadion*)
 lydiae Plavilstshikov, 1929b: 209 (*Dorcadion*)
 politipenne Pic, 1897f: 94 (*Dorcadion*)
politum shapovalovi Danilevsky, 2006a: 2 E: ST A: KZ
ribbei bobrovi Danilevsky, 2001f: 631 (*Dorcadion*) A: KZ
ribbei ribbei Kraatz, 1878b: 220 (*Dorcadion*) A: KZ XIN
 corallipes Ganglbauer, 1884: 476 (*Dorcadion*)
 rubrofemoratum Pic, 1897e: 94 (*Dorcadion*)

tribe Dorcaschematini J. Thomson, 1860

genus *Cylindrecamptus* Breuning, 1940e: 560 type species *Olenecamptus lineatus* Aurivillius, 1914
lineatus Aurivillius, 1914: 25 (*Olenecamptus*) A: YUN ORR
 interruptus Pic, 1922c: 14 (*Olenecamptus*)

genus *Cylindrepomus* Blanchard, 1853: 268 type species *Cylindrepomus nigrofasciatus* Blanchard, 1853
 Hipparium Pic, 1925a: 21 type species *Olenecamptus rubriceps* Aurivillius, 1907
 [*fouqueti fouqueti* Pic, 1832h: 138 (*Olenecamptus*) – Saigon]
 fouqueti hainanensis Hua, 1979: 110 (*Olenecamptus*) A: HAI
 viridipennis Pic, 1937b: 7 (*Olenecamptus*) A: YUN ORR

genus *Macrocampus* L. S. Dillon & E. S. Dillon, 1947: 253 type species *Cylindrepomus virgatus* Gahan, 1890
virgatus Gahan, 1890a: 61 (*Cylindrepomus*) A: SD

genus *Micrololenecamptus* Pic, 1925a: 22 type species *Cylindrepomus albonotatus* Pic, 1925
 [*albonotatus albonotatus* Pic, 1925: 22 (*Cylindropomus* - misspelling) – Tonkin]
 albonotatus flavosignatus Breuning, 1965d: 53 A: GUX ORR
 albonotatus reductesignatus Rondon & Breuning, 1970: 480 A: GUX ORR [see Hua, 2002: 216]
 biocellatus Schwarzer, 1925b: 63 (*Olenecamptus*) A: ANH GUA HUN TAI
 virescens Savio, 1929: 8
 nakabayashii Takakuwa, 1992: 102 A: JA (Ryukyus)
 obsoletus Fairmaire, 1888b: 146 (*Olenecamptus*) A: FUJ HEB JIA TAI
 albatus Matsushita, 1933b: 353 (*Dorcaschema*)
 signatus Aurivillius, 1914: 25 (*Cylindrepomus*) A: GUX YUN ORR

genus *Olenecamptus* Chevrolat, 1835: 134 type species *Olenecamptus serratus* Chevrolat, 1835 (= *Saperda biloba* Fabricius, 1801)
 Authades J. Thomson, 1857e: 191 type species *Authades indianus* J. Thomson, 1857
 Ibidimorphum Motschulsky 1860:152 type species *Ibidimorphum octopustulatum* Motschulsky, 1860
 anogeissi Gardner, 1930: 156 A: NP
 bilobus bilobus Fabricius, 1801b: 324 (*Saperda*) A: FUJ GUA GUX HAI HEB HKG JA (Ryukyus) LIA NP PA SCH SD TAI UP
 YUN ZHE AFR AUS ORR
 ? *borneensis* Pic, 1916d: 6 #105
 dahli Kriesche, 1926: 375
 gressitti L. S. Dillon & E. S. Dillon, 1948: 158
 luzonensis L. S. Dillon & E. S. Dillon, 1948: 228
 rouyeri Pic, 1916d: 6
 serratus Chevrolat, 1835: 134
 ternatus L. S. Dillon & E. S. Dillon, 1948: 227
 tonkinus L. S. Dillon & E. S. Dillon, 1948: 230
 bilobus nippensis L. S. Dillon & E. S. Dillon, 1948: 229 A: JA
 bilobus quinquemaculatus L. S. Dillon & E. S. Dillon, 1947: 234 A: BT SD

clarus Pascoe, 1859: 44 A: ANH **FE**-FUJ GUI HEB HEN HUB HUN JA JIA JIX **?NC** SC SCH SHN TAI ZHE
cretaceus cretaceus Bates, 1873: 314 A: HEB HEN HUB JA JIA JIX **SC** SCH TAI ZHE #80
cretaceus marginatus Schwarzer, 1925b: 63 A: HEN TAI **ORR**
dominus J. Thomson, 1860: 362 A: HAI YUN **ORR**
formosanus Pic, 1914e: 19 A: HUB JA SC TAI ZHE **ORR**
decemmaculatus Pic, 1916h: 13
hondoensis Seki, 1941: 453 [31]
fukutomi M. Hasegawa, 2004: 225 A: JA (Ogasawara)
griseipennis Pic, 1932h: 138 A: GUI HUB SCH YUN ZHE
montanus Gressitt, 1942b: 4 (*Olenocampus*)
indianus J. Thomson, 1857e: 192 (*Authades*) A: HAI NP SD TAI UP YUN **ORR**
albolineatus Pic, 1916d: 5
multinotatus Pic, 1916i: 141
salweeni Heller, 1926: 39
nigromaculatus Pic, 1915g: 14 A: XIZ
octopustulatus Motschulsky, 1860b: 152 (*Ibidimorphum*) A: ANH ES FE FUJ **GAN** GUI **GUX** HEI HEN HUB JA **JIL** JIX LIA MG NC NIN NMO SC SHA TAI ZHE **ORR** #74
chinensis L. S. Dillon & E. S. Dillon, 1948: 204
choseni Gilmour, 1956c: 754
mordkovitshi Tshernyshov & Dubatov, 2000: 386
optatus optatus Pascoe, 1866: 253 A: TAI **ORR**
sumbawanus Breuning, 1947a: 29
pseudostrigosus Breuning, 1938c: 226 A: SD
quadriplagiatus L. S. Dillon & E. S. Dillon, 1948: 197 A: GUX **ORR**
riparius Danilevsky, 2011c: 67 A: FE JA NC NE SC YUN ZHE
siamensis Breuning, 1936: 319 A: TAI YUN **ORR**
subobliteratus Pic, 1923c: 19 A: FUJ GUI HUB **JA** JIA JIX NE **SC** SCH SHA TAI YUN ZHE
superbus Pic, 1908f: 16 A: YUN
taiwanus L. S. Dillon & E. S. Dillon, 1948: 229 A: GUA GUX HAI HKG JA TAI YUN

tribe Exocentrini Pascoe, 1864

genus *Acartus* Fehraeus, 1873: 50 type species *Acartus hirtus* Fehraeus, 1873
biplagiatus Aurivillius, 1926: 485 A: YE **AFR**

genus *Exocentrus* Dejean, 1835: 339 type species *Cerambyx balteatus* Fabricius *sensu* Dejean, 1835 (= *Cerambyx lusitanus* Linnaeus, 1767) #55
Bicolorihirtus Kusama & Tahira, 1978: 9 type species *Exocentrus venatoides* Kusama & Tahira, 1978
Formosexocentrus Breuning, 1958f: 322 type species *Exocentrus variepennis* Schwarzer, 1925
adspersus Mulsant, 1846: [9] [NP] E: AL AU BE BH BU CR CZ **CY** GE GR HU IT LU MC MD NL PL RO SK SL SP ST SV SZ TR UK YU A: AB AR GG SY TR (see: Ambrus et al., 2014: 185)
alemdaghensis Breuning, 1981c: 182
clarae Mulsant & Rey, 1861b: 206 [1861c: 193]
hirsutulus Faldermann, 1837: 272 (*Astynomus*) [DA]
quercus Rossi, 1790: 143 (*Cerambyx*)
revelieri Mulsant & Rey, 1875a: 413 [=1875b: 77]
alboguttatus alboguttatus Fisher, 1925: 240 A: GUX HAI KA NP UP YUN **ORR** #55
annamensis Breuning, 1957a: 15
multilineatipennis Breuning, 1974b: 42 [Indien: Kaluwala] #55
[?] *alboguttatus obscurior* Pic, 1929a: 30 [“Tonkin”] A: CH **ORR** #55
rufescens Pic, 1929a: 30 [Chine]
alboguttatus subconjunctus Gressitt, 1940b: 184 A: GUX HAI #55
alboguttatus taiwanensis Kusama & Tahira, 1978: 22 A: TAI
alni Fisher, 1932: 298 A: NP SD
alboseriatus Gahan, 1894a: 85 A: NP **ORR**
albomultiseriatus Breuning, 1964b: 6 [RN]
alboseriatiipennis Breuning, 1963c: 13 [HN]
rubripennis Pic, 1929a: 29
submarginicollis Breuning, 1965b: 40 [Paksane]
andamanensis Fisher, 1932: 231 A: NP **ORR** #55
assamensis Breuning, 1972c: 419 A: AP
basirufus Gressitt, 1940b: 185 A: GUA HAI
becvari Holzschuh, 1999: 48 A: YUN
beijingensis S.-C. Chen, 1993: 197 A: BEI
blanditus Holzschuh, 2010: 199 A: SHA
brevisetosus Gressitt, 1938b: 167 A: HUB TAI YUN **ORR**
businskai Holzschuh, 2007: 266 A: XIZ
carissae Fisher, 1932: 312 A: HP NP PA UP

- kuluensis* Breuning, 1957g: 277
championi Fisher, 1940: 207 A: BT HP KA NP PA SCH UP
kashmirensis Breuning, 1957g: 277
collarti Breuning, 1958a: 41 A: BT
constricticollis Gressitt, 1940b: 186 A: HAI
coronatus Holzschuh, 2007: 276 A: YUN
cudraniae Fisher, 1932: 314 A: NP UP
dalbergiae Fisher, 1932: 310 A: NP UP
dalbergianus Gressitt, 1951a: 528 A: HUB
diminutus Holzschuh, 2007: 280 A: GUI
diversiceps Pic, 1931f: 259 A: BT NP SD YUN **ORR** #55
lateralis Pic, 1936: 299 [HN]
lateraloides Breuning, 1958f: 300
rufoampliatus Breuning, 1958f: 300
rufobasipennis Breuning, 1958f: 300
testaceus Fisher, 1932: 322 #55
euchromius Holzschuh, 2007: 279 A: HUN
explanatidens Pic, 1930e: 58 A: BT NP SD
fasciolatus fasciolatus Bates, 1873: 384 A: JA #10
curtipennis Pic, 1918a: 10 ["Japan"]
fasciolatus plavilstshikovi Danilevsky, 2014f A: FE NC NE SC #10
fastigatus Holzschuh, 2007: 275 A: YUN **ORR**
ficicola Fisher, 1932: 315 A: NP UP **ORR**
fisheri Gressitt, 1935b: 175 A: JA ~~JIX-SC~~
flemingiae Fisher, 1932: 297 A: NP SD UP YUN **ORR**
fuscocapus Breuning, 1958f: 299
rufiscapus Pic, 1939k: 344
formosofasciolatus Kusama & Tahira, 1978: 17 A: TAI
fulvobrunneus Kusama & Tahira, 1978: 15 A: TAI (Roshan)
galloisi Matsushita, 1933a: 397 A: JA NC **SC** #80
gardneri Fisher, 1932: 302 A: UP
grewiae Fisher, 1932: 317 A: NP UP
himalayanus Breuning, 1974b: 42
guttulatus guttulatus Bates, 1873: 385 A: JA
guttulatus ussuricus Tsherepanov, 1973c: 138 A: FE NC NE SC
hayashii Samuelson, 1965b: 119 A: JA (Ryukyus)
hupehensis Gressitt, 1951a: 528 A: HUB
immaculatus Gressitt, 1951a: 529 A: TAI
keiichii Tsuyuki, 1999: 8 A: TAI
kentingensis Kusama & Tahira, 1978: 12 A: TAI
klapperichi Breuning, 1957c: 12 A: AF PA
kleebergi Holzschuh, 2003b: 315 A: NP
kucerai Holzschuh, 1999: 48 A: YUN
kusamai Tsuyuki, 1999: 5 A: TAI
lineatus Bates, 1873: 384 A: FE JA JIX NC SC
longipennis Holzschuh, 1999: 50 A: YUN
lusitanus Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LS LT MC MD NR NT PL RO SK SL SP ST SV SZ **TR** UK YU A: AB AR GG KZ **TR** WS
balteatus, Gyllenhal, 1817: 163 (*Lamia*) – not available name, wrong identification of *Cerambyx lusitanus* L.
crinitus Panzer, 1795: 249 (*Cerambyx*)
lusitanicus Olivier, 1790b: 269 (*Callidium*) - not available name, wrong subsequent spelling
pubicornis Schrank, 1789: 76 (*Cerambyx*)
subpilosus Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
marginatus Tsherepanov, 1973a: 124 A: FE **JIX NC SC** #80
marui Makihara, 1986b: 253 A: JA
melli Breuning, 1961: 323 A: CH
misellomimus Breuning, 1963b: 48 A: GUX **ORR**
montilineatus Kusama & Tahira, 1977: 39 A: JA
m-signatus Pic, 1933f: 6 A: SCH
pici Breuning, 1958f: 230
multiguttulatus Pic, 1927a: 24 A: HAI **ORR**
nakanei Makihara, 1986b: 254 A: JA (Ryukyus)
nanshanensis Kusama & Tahira, 1978: 14 A: TAI
nuboioi nuboioi Breuning & K. Ohbayashi, 1964: 29 A: JA
nuboioi nonakai Makihara, 1986b: 251 A: JA
nuboioi okinawensis Breuning & K. Ohbayashi, 1966: 35 A: JA (Ryukyus)
paraguttulatus Breuning & Chûjô, 1971: 31 A: JA (Okinawa)

- parassamensis* Breuning, 1975d: 355 A: BT
parcus Holzschuh, 1984a: 157 A: NP
parrotiae Fisher, 1932: 304 A: KA
procerulus Holzschuh, 1984: 154 A: NP
pseudopunctipennis Holzschuh, 1979a: 115 A: AB AR GG IN TM
pseudovariepennis Kusama & Tahira, 1978: 18 A: TAI
pubescens Fisher, 1932: 303 A: NP UP ORR
punctipennis *punctipennis* Mulsant & Guillebeau, 1856: 103 E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MD PL RO SK SL SP SZ UK YU A: TR
graecus Pic, 19011: 52
punctipennis signatus Mulsant & Rey, 1863: 163 A: AB GG TR
ravillus Holzschuh, 1984a: 158 A: NP SD
ritae Sama, 1985a: 65 A: SY TR
rondoni Breuning, 1963b: 47 A: YUN ORR
rufithorax Gressitt, 1935e: 286 A: TAI
satoi K. Ohbayashi, 1961a: 20 A: JA
savioi Pic, 1925e: 138 A: FUJ GUX JIA JIX SC TAI
semiglaber Breuning, 1968a: 29 A: YUN ORR
seriatomaculatus Schwarzer, 1925c: 147 A: TAI ORR
seticollis Fisher, 1932: 300 A: UP
specularis Holzschuh, 1989a: 174 A: NP SD
spineus Holzschuh, 2007: 283 A: GUI SHA
spurcatus Holzschuh, 1984a: 156 A: UP
stierlini Ganglbauer, 1883b: 298 E: CZ PL ST UK A: ES FE KZ MG SC WS #118
subbicolor Breuning, 1958f: 300 [RN] A: NP ORR
bicolor Pic, 1929a: 30 [HN]
subbidentatus Gressitt, 1937d: 615 A: FUJ GUA
submoerens Breuning, 1958a: 40 A: HKG
subniger Breuning, 1975d: 356 A: BT
subsolana Z. Wang, 2003: 369, 397 (*Pogonocherus*) A: HEI
superstes Holzschuh, 1995: 46 A: YUN ORR
takakuwai Makihara, 1982a: 43 A: JA
taniguchii Makihara, 1986a: 13 A: JA TAI
tantillus Holzschuh, 2007: 264 A: SCH
tenellus Holzschuh, 1984a: 155 A: NP
testudineus Matsushita, 1931a: 47 A: ?CH FE JA ?SC #80
wistariae Fujimura, 1956: 6
theresae Pic, 1939b: 4 A: BEI
transversifrons Fisher, 1940: 209 A: KA NP SD UP
mediomfasciatus Hayashi, 1981a: 17
trifasciellus Gressitt, 1940b: 187 A: HAI
tsushimaensis Hayashi, 1968a: 27 A: FE JA NC NE SC #10
conjugatofasciatus Tsherepanov, 1973c: 138
ulmicola Holzschuh, 2007: 284 A: HEB
variabilis Holzschuh, 2007: 272 A: YUN ORR
variepennis Schwarzer, 1925c: 147 (*Camptomine*) A: TAI
venatoides Kusama & Tahira, 1978: 9 A: TAI
vetustus Holzschuh, 2007: 281 A: SHA
zikaweiensis Savio, 1929: 3 A: FUJ HUB SC JIA SHG
saitoi Matsushita, 1935: 313
- genus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864 #54**
- subgenus *Estoliops* Matsushita, 1943: 574 type species *Estoliops fasciatus* Matsushita, 1943**
- fasciata fasciata* Matsushita, 1943: 575 (*Estoliops*) A: JA SC
fasciata nobuoi Breuning & K. Ohbayashi, 1964: 29 (*Miaenia*) A: JA
fasciata okinawana Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
fasciata taiwanensis Kusama & Oda, 1979: 76 (*Estoliops*) A: TAI
fasciata yaeyamana Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
sakishimana deguchi Ohbayashi, 1984: 15 (*Sciades*) A: JA (Ryukyus)
sakishimana sakishimana Gressitt, 1951b: 227 (*Miaenia*) A: JA (Ryukyus)
subgenus *Granulimiaenia* Breuning, 1977b: 259 type species *Miaenia granulicollis* Gressitt, 1938
granulicollis Gressitt, 1938b: 166 (*Miaenia*) A: GUA HKG TAI
subgenus *Indoagocidinus* Breuning, 1956d: 360 type species *Aegocidinus indicus* Breuning, 1956
binhanus Pic, 1926e: 48 (*Exocentrus*) A: HAI HKG ORR
laterimaculatus Gressitt, 1940b: 188 (*Miaenia*)
honkongensis Breuning, 1968d: 232 (*Sciades*) A: HKG

subgenus *Miaenia* Pascoe, 1864a: 27 type species *Miaenia marmorea* Pascoe, 1864

Pseudocidnus Breuning, 1957f: 122 type species *Exocentrus tonsus* Bates, 1873

brevicollis Gressitt, 1951b: 225 (*Miaenia*) A: JA (Ryukyus)

changi Kusama & Oda, 1979: 75 (*Miaenia*) A: TAI

elongata Gressitt, 1951a: 532 (*Miaenia*) A: HUB NP

longicollis Breuning & K. Ohbayashi, 1964: 29 (*Miaenia*) A: JA

hirashimai Samuelson, 1965b: 121 (*Miaenia*)

maritima Tsherepanov, 1979: 82 (*Miaenia*) A: FE NC SC

nakanei Hayashi, 1956b: 18 (*Miaenia*) A: JA

subfasciata Schwarzer, 1925c: 148 (*Miaenia*) A: TAI

tonsa Bates, 1873: 385 (*Exocentrus*) A: JA

fujiiyamai Matsumura & Matsushita, 1933a: 108 (*Exocentrus*)

inhrsuta Pic, 1907d: 21 (*Exocentrus*)

leiopodina Matsushita, 1933b: 397 (*Exocentrus*)

subgenus *Truncatomiaenia* Breuning, 1977b: 253 type species *Nonymoides botelensis* Gressitt, 1938

#54

Sciades Pascoe, 1864a: 30 [HN] type species *Leiopus suffusus* Pascoe, 1864

#54

botelensis Gressitt, 1951a: 531 (*Nonymoides*) A: TAI

genus *Nobuoosciades* M. Hasegawa, 2009: 344 type species *Exocentrus bioculatus* Matsumura & Matsushita, 1933

bioculatus Matsumura & Matsushita, 1933a: 108 (*Exocentrus*) A: JA (Ogasawara)

iwojimana Gressitt, 1956: 158 (*Sciadella*)

lanatus Ohbayashi, 1976: 4 (*Miaenia*) A: JA (Ogasawara)

tribe Gnomini J. Thomson, 1860

genus *Imantocera* Dejean, 1835: 341 type species *Lamia plumosa* Olivier, 1797

Himantocera Gistel, 1848a: xi [unjustified emendation]

Himantocera Pascoe, 1866: 288 [unjustified emendation]

penicillata Hope, 1831: 28 (*Lamia*) A: GUI GUX NP SD XIZ YUN ORR

vicina Gahan, 1894a: 47 (*Himantocera*) A: NP UP

genus *Trichognoma* Breuning, 1956g: 674 type species *Trichognoma chinense* Breuning, 1956
chinense Breuning, 1956g: 674 A: CH

tribe Gyaritini Breuning, 1950

genus *Microleropsis* Gressitt, 1937d: 607 type species *Microleropsis rufimembris* Gressitt, 1937

rufimembris Gressitt, 1937d: 608 A: FUJ GUA

genus *Gyaritus* Pascoe, 1858: 244 type species *Gyaritus hamatus* Pascoe, 1858

Zeargyra Pascoe, 1886: 245 type species *Zeargyra vidua* Pascoe, 1886

Mimoenispia Pic, 1936a: 18 type species *Mimoenispia quadridentata* Pic, 1936a

auratus Breuning, 1963: 19 A: YUN ORR

genus *Tinkhamia* Gressitt, 1937d: 605 type species *Tinkhamia hamulata* Gressitt, 1937

hamulata *hamulata* Gressitt, 1937d: 606 A: JIX

hamulata *lantauana* Gressitt, 1937d: 606 A: GUA HKG

validicornis Gressitt, 1951a: 487 A: GUA

genus *Yimnashana* Gressitt, 1937d: 604 type species *Yimnashana denticulata* Gressitt, 1937

denticulata Gressitt, 1937d: 604 A: GUA

lungtauensis Gressitt, 1951a: 484 A: GUA

theae Gressitt, 1951a: 485 A: FUJ

genus *Yimnashaniana* Hua, 1986a: 181 type species *Yimnashaniana jianfenglingensis* Hua, 1986
jianfenglingensis Hua, 1986a: 181 A: HAI

tribe Homonoeini J. Thomson, 1864

genus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858

subgenus *Bumetopia* Pascoe, 1858: 252 type species *Bumetopia oscitans* Pascoe, 1858

Brachyhomonea Aurivillius, 1925: 30 type species *Brachyhomonea conspersa* Aurivillius, 1925

Homonoeomorpha Aurivillius, 1913: 23 type species *Homonoeomorpha flavovariegata* Aurivillius, 1913

Microabryna Pic, 1925b: 28 type species *Microabryna medioidentata* Pic, 1925 (= *Homonoeomorpha flavovariegata* Aurivillius, 1913)

Yochostyla J. Thomson, 1868: 151 type species *Yochostyla japonica* J. Thomson, 1868

brevicornis Makihara, 1978: 54 A: JA (Ryukyus)

japonica *japonica* J. Thomson, 1868: 151 (*Yochostyla*) A: JA

japonica *okinawana* Hayashi, 1963c: 12 A: JA (Ryukyus)

lanhsuana Hayashi, 1974c: 40 A: TAI

lutaiana Hayashi, 1974c: 41 A: TAI
oscitans Pascoe, 1858: 252 A: HKG JA SC SHA TAI

kiushuensis Matsushita & Tamanuki, 1937: 147
plagiata Schwarzer, 1925b: 64

variegata Schwarzer, 1925b: 64

oshimana heiiana Hayashi, 1963b: 57 A: JA

oshimana oshimana Breuning, 1939b: 162 A: JA

sakishimana ishigaki Hayashi, 1966b: 71 A: JA (Ryukyus)

sakishimana sakishimana Hayashi, 1966b: 70 A: JA (Ryukyus)

sakishimana yonaguni Hayashi, 1966b: 71 A: JA (Ryukyus)

senkakuana Hayashi, 1972: 28

stolata Matsushita, 1931a: 45 (*Tmesisternus*) A: TAI

yagii Hayashi, 1994: 69 A: TAI

genus Notomulciber Blackburn, 1894: 166 type species *Notomulciber carpentariae* Blackburn, 1894

subgenus Micromulciber Aurivillius, 1913: 22 type species *Mulciber biguttatus* Pascoe, 1867

Kamikiria Matsushita, 1933b: 348 type species *Kamikiria plagiata* Matsushita, 1933 (= *Micromulciber quadrisignatus* Schwarzer, 1925)

gressitti Tippmann, 1955: 124 (*Kamikiria*) A: FUJ TAI

quadrisignatus Schwarzer, 1925b: 64 (*Micromulciber*) A: JA TAI

plagiatus Matsushita, 1933b: 349 (*Kamikiria*)

genus Pseudokamikiria Breuning, 1964a: 32 type species *Kamikiria klapperichi* Tippmann, 1955

klapperichi Tippmann, 1955: 122 (*Kamikiria*) A: FUJ

tribe Lamiini Latreille, 1825

genus Aethalodes Gahan, 1888a: 270 type species *Aethalodes verrucosus* Gahan, 1888

verrucosus formosanus Kriesche, 1924: 285 A: TAI

verrucosus verrucosus Gahan, 1888a: 270 A: FUJ GUA GUI GUX HUB JIX NO SCH ZHE ORR

armatus Nonfried, 1892a: 93 (*Trachystola*)

nodicollis Fairmaire, 1900: 640 (*Trachystola*)

genus Arctolamia Gestro, 1888a: 129 type species *Arctolamia villosa* Gestro, 1888

fasciata Gestro, 1890: 222 A: GUX YUN ORR

grisea Pic, 1927b: 35

fruhstorferi Aurivillius, 1902: 208 A: GUI GUX SCH YUN ORR

margaretae Gilmour, 1950: 537

luteomaculata Pu, 1981: 436 A: YUN

alcinoides Z. Wang, 2014: 604, 1123

strandi Breuning, 1936: 296 A: YUN

villosa Gestro, 1888a: 129 A: YUN ORR

genus Echinovelleda Breuning, 1936: 284 type species *Echinovelleda chinensis* Breuning, 1936

antiquua Gressitt, 1951a: 347 A: GUI HUB HUN

chinensis Breuning, 1936: 284 A: SCH

genus Echthistatodes Gressitt, 1938a: 49 type species *Echthistatodes brunneus* Gressitt, 1938

brunneus Gressitt, 1938a: 49 A: SCH YUN

subobscurus Holzschuh, 1993a: 46 A: YUN

genus Hayashiechthistatus Miyake, 1980: 70 type species *Parechthistatus inexpectus* Hayashi, 1959

inexpectus Hayashi, 1959b: 56 (*Parechthistatus*) A: JA

genus Eupromus Pascoe, 1868: xii type species *Callimation sieboldi* Guérin-Méneville, 1844 (= *Lamia rubra* Dalman, 1817)

nigrovittatus Pic, 1930a: 16 A: GUA GUI GUX HUB HUN JIA JIX YUN ORR

ruber Dalman, 1817b: 167 (*Lamia*) A: FUJ GUA GUI GUX HUB HUN JA JIA JIX SC SCH TAI ZHE ORR [see Lim et. al. 2013]

championi A. White, 1858b: 398 (*Monochamus*)

sieboldi Guérin-Méneville, 1844: 238 (*Callimation*)

genus Herophila Mulsant, 1863: 273 type species *Dorcadion fairmairei* J. Thomson, 1857

Dorcatypus J. Thomson, 1864: 77 type species *Dorcadion fairmairei* J. Thomson, 1857

fairmairei J. Thomson, 1857d: 151 (*Dorcadion*) E: GR

tristis martinascoi E. Contarini & Garagnani, 1983: 152 (*Dorcatypus*) E: GR IT

tristis tristis Linnaeus, 1767: 629 (*Cerambyx*) E: AL AU BH BU CR FR GR HU IT MC RO SL SZ TR YU A: TR

adspersa Gmelin, 1790: 1863 (*Cerambyx*)

beieri Breuning, 1942c: 135 (*Dorcatypus*)

confirmata Chevrolat, 1882: 61 (*Dorcatypus*)

divisa Pic, 1921a: 5

funerea Schoch, 1878: 134
funesta Fabricius, 1787: 139 (*Lamia*)
gennadii Buquet, 1882: cxxxvii (*Lamia*)
interrupta Pic, 1921a: 5
obliterata Pic, 1921a: 5
obsoleta Fairmaire, 1859a: 62 (*Morimus*)
posticalis Pic, 1921a: 5
pulverulenta Scopoli, 1772: 95 (*Cerambyx*)
veluchiana Breuning, 1943b: 96 (*Dorcadiion*)
zajecarensis Breuning, 1948c: 58 (*Dorcadiion*)

genus Lamia Fabricius, 1775: 170 type species *Cerambyx textor* Linnaeus, 1758

Morimidus J. Thomson, 1859: 95 type species *Cerambyx textor* Linnaeus, 1758
Pachystola Dejean, 1833: 342 type species *Cerambyx textor* Linnaeus, 1758
textor Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG HEB HEI JA JIL KZ MG NC NMO SC SHN WS XIN
nigrorugosa DeGeer, 1775: 64 (*Cerambyx*)
noctis Gronovius, 1764: 162 [n.538] (*Cerambyx*) [description only, without name; name in the Index n.538 (1781)]
tricarinata Cornelius, 1884: 50
unicolor P. Brown, 1776: 134 (*Cerambyx*) [HN]

genus Lamiomimus Kolbe, 1886: 223 type species *Lamiomimus gottschei* Kolbe, 1886

chinensis Breuning, 1936: 286 A: GUI YUN
gottschei Kolbe, 1886: 224 A: ANH FE GAN GUI GUX HEI HEN HUB HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX ZHE
adelphus Ganglbauer, 1887a: 137 (*Lamia*)

genus Mesechthistatus Breuning, 1950c: 222 type species *Echthistatus binodosus* C. O. Waterhouse, 1881

binodosus *binodosus* C. O. Waterhouse, 1881: 431 (*Echthistatus*) A: JA
binodosus insularis Hayashi, 1955: 55 A: JA
fujisanus Hayashi, 1957b: 46 A: JA
furcifer furcifer Bates, 1884a: 237 (*Echthistatus*) A: JA
 furciferus Bates, 1884a: 237 [incorrect orig. spelling]
furcifer meridionalis Hayashi, 1951b: 79 (*Echthistatus*) A: JA
taniguchii Seki, 1944b: 168 (*Echthistatus*) A: JA JIX
hayashii Yokoyama, 1969: 58

genus Mimechthistatus Breuning, 1956i: 706 type species *Echthistatus yamahoi* Mitono, 1943
yamahoi Mitono, 1943: 578 (*Echthistatus*) A: TAI

genus Morimospasma Ganglbauer, 1889a: 78 type species *Morimospasma paradoxum* Ganglbauer, 1889
granulatum Chiang, 1981: 80 A: SHA
nitidituberculatum Hua, 1992: 509, 523 A: HUN
paradoxum Ganglbauer, 1889a: 80 A: GAN HUB QIN SCH SHA
 diformis Pic, 1934a: 12 (*Trachystola*)
tuberculatum Breuning, 1939b: 147 A: HUB SCH ZHE
 bimaculatum Breuning, 1947a: 1

genus Morimus Brullé, 1832: 258 type species *Lamia lugubris* Fabricius, 1793 (= *Cerambyx asper* Sulzer, 1776)

Morinus Brullé, 1832: 258 [original incorrect spelling]
asper asper Sulzer, 1776: 44 (*Cerambyx*) E: AL CR FR GR IT SP SZ YU
 lugubris Fabricius, 1793: 283 (*Lamia*)
asper funereus Mulsant, 1863: 279 E: AL AU BH BU CR CZ GR HU IT MC MD RO SK ?SL UK YU #81
asper ganglbaueri Reitter, 1894b: 44 E: BH CR YU
assamensis Breuning, 1936: 285 A: XIZ ORR
gabzdili Damilevsky, 2015: 215 E: SK ?UK #81
lethalis J. Thomson, 1857e: 182 A: SCH SHG YUN ORR
 morimoides A. White, 1858a: 266 (*Leprodera*)
 quadrimaculatus Pic, 1925a: 17 (*Trachystola*)
 trinotatus Pic, 1925a: 17 (*Trachystola*)
 whitei Lacordaire, 1869: 298
orientalis Reitter, 1894b: 43 E: BU TR A: TR
vereundus Faldermann, 1836: 396 (*Lamia*) E: ST UK(Crimea) A: AB AR GG IN TM TR
 ficator Bogatchev, 1949: 183

genus Neotachystola Breuning, 1942e: 133 type species *Trachystola maculipennis* Fairmaire, 1900

incerta Breuning, 1942e: 134 A: CH
maculipennis Fairmaire, 1900: 639 (*Trachystola*) A: GUA ORR

subobliterata Pic, 1925a: 17 (*Trachystola*)
superciliata Pu, 1997: 821, 834 A: SCH

genus Parechthistatus Breuning, 1942e: 131 type species *Echthistatus gibber* Bates, 1873
chinensis Breuning, 1942e: 132 A: HEN SHA
gibber daisen Miyake & Tsuyi, 1980: 76 A: JA
gibber gibber Bates, 1873: 308 (*Echthistatus*) A: JA
gibber grossus Bates, 1884a: 237 (*Echthistatus*) A: JA
gibber longicornis Hayashi, 1951b: 80 A: JA
gibber nakanei Miyake, 1980: 76 A: JA
gibber nankiensis Yokoyama, 1969: 59 A: JA
gibber pseudogrossus Miyake, 1980: 78 A: JA
gibber shibatai Miyake, 1980: 74 A: JA
gibber tanakai Miyake, 1980: 77 A: JA
gibber tsushima K. Ohbayashi, 1961b: 49 A: JA
sangzhiensis Hua, 1992: 514 A: YUN

tribe Mesosini Mulsant, 1839

genus Aesopida J. Thomson, 1864: 62 type species *Aesopida malasiaca* J. Thomson, 1864
malasiaca J. Thomson, 1864: 62 A: HAI NP SD **YUN ORR**
dubiosa Heller, 1926: 37

genus Agelasta Newman, 1842c: 288 type species *Agelasta transversa* Newman, 1842
subgenus *Agelasta* Newman, 1842c: 288 type species *Agelasta transversa* Newman, 1842
nigromaculata Gahan, 1894a: 52 A: TAI **ORR**
subgenus *Epagelasta* Breuning, 1939c: 429 type species *Agelasta newmani* A. White, 1856
balteata Pascoe, 1866: 236 A: CH **ORR**
subgenus *Dissosira* Pascoe, 1865: 124 type species *Agelasta catenata* Pascoe, 1862
 Anthriboscyla Thomson, 1868. 165 type species *Anthriboscyla mima* Thomson, 1868.
 Pseudaemocia Breuning, 1935. 269 type species *Pseudaemocia rufa* Breuning, 1935.
cana Breuning, 1939c: 520 A: TAI
gardneri Breuning, 1938c: 204 A: NP UP
konoi amamiana Hayashi, 1962a: 13 A: JA (Amami-Ōshima)
konoi konoi Hayashi, 1956b: 13 A: HUB JA
konoi kumejimana Kusama & Takakuwa, 1984: 49 A: JA (Kume Is.)
konoi okinoerabuensis K. Ohbayashi, 1959: 34 A: JA (Okinoerabu Is.)
konoi okinawana Hayashi, 1960d: 27 A: JA (Okinawa Is.)
kumei Takakuwa, 1991: 52 A: TAI
mouhoti Pascoe, 1862a: 335 A: YUN **ORR**
perplexa Pascoe, 1858: 243 A: FUJ HEN JA JIX LIA SC TAI ZHE
 alternans Schwarzer, 1925b: 62 (*Saimia*)
 formosana Pic, 1925b: 30 (*Mimocoptops*)
praelongipes Kusama & Irie, 1976: 20 A: JA (Ryukyus)
rufa Breuning, 1935e: 269 (*Pseudaemocia*) A: JA (Ogasawara)
sikkimensis Breuning, 1963f: 78 A: SD
szetschuanica Breuning, 1967f: 184 A: SCH
tonkinea omeishana Gressitt, 1951a: 427 A: NP FUJ SCH **ORR**
tonkinea palminsolana Gressitt, 1940b: 127 (*Choeromorpha*) A: HAI
tonkinea tonkinea Pic, 1925f: 188 A: TAI **ORR**
 formosana Schwarzer, 1925b: 61
yonaguni kashiwaii Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)
yonaguni similaris Kusama & Takakuwa, 1984: 11 A: JA (Ryukyus)
 semipraelongipes Kusama & Takakuwa, 1984: 358
yonaguni subkonoi Breuning, 1964f: 91 A: JA (Ryukyus)
yonaguni yonaguni Hayashi, 1962c: 5 A: JA (Ryukyus)
yunnanensis Breuning, 1954a: 10 A: YUN
subgenus *Mesolophus* Gahan, 1894a: 56 type species *Mesolophus humeralis* Gahan, 1894
 Samiomimus Pic, 1927b: 36 type species *Samiomimus marmoratus* Pic, 1927
humeralis Gahan, 1894a: 57 (*Mesolophus*) A: NP
marmorata Pic, 1927b: 36 (*Samiomimus*) A: FUJ SCH **ORR**
pici Breuning, 1938c: 210 A: FUJ NMO
yunnana Chiang, 1963: 69 A: YUN
subgenus *Parasaimia* Breuning, 1935e: 267 [RN] type species *Mimocoptops laosensis* Pic, 1925
 Mimocoptops Pic, 1925a: 32 [HN] type species *Mimocoptops laosensis* Pic, 1925
glabrofasciata Pic, 1917j: 353 (*Mesosa*) A: YUN
hirticornis Gressitt, 1936: 102 (*Saimia*) A: TAI

subgenus *Pseudagelasta* Breuning, 1939c: 487 type species *Agelasta bifasciana* A. White, 1858

bifasciana A. White, 1858a: 273 A: JIX NP SD **XIZ YUN ORR**

#74

bisinuata Pic, 1937b: 4 (*Mesosa*)

savioi Pic, 1937b: 4 (*Mesosa*)

birmanica Breuning, 1935c: 273 (*Paragelasta*) A: YUN ORR

fallaciosa Breuning, 1938c: 208 A: SD YUN

genus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925

subgenus *Anagelasta* Pic, 1925a: 31 type species *Anagelasta apicalis* Pic, 1925

apicalis Pic, 1925a: 32 A: CH NP SD UP **ORR**

adspersa Schwarzer, 1931a: 68 (*Choeromorpha*)

lineifrons Gressitt, 1951a: 429 A: FUJ

subgenus *Mesagelasta* Breuning, 1939c: 494 type species *Anagelasta trimaculata* Breuning, 1938

nigromaculata Breuning, 1938c: 212 A: HP

genus *Cacia* Newman, 1842c: 290 type species *Cacia spinigera* Newman, 1842

subgenus *Corethrophora* Blanchard, 1853: 301 type species *Corethrophora semiluctuosa* Blanchard, 1853

shirupiti Kano, 1939: 31 A: TAI

subgenus *Ipocregyes* Pascoe, 1864a: 96 type species *Ipocregyes newmani* Pascoe, 1866

Falsoereis Pic, 1925b: 25 type species *Falsoereis cephalotes* Pic, 1925

arisana Kano, 1933a: 281 (*Ipocregyes*) A: TAI

scopifera Mitono, 1934: 492 (*Cenodocus*)

basialboantennalis Breuning, 1958a: 6 A: BT

bootanana Breuning, 1968f: 693 A: BT

cephaloides Breuning, 1968a: 8 A: YUN **ORR**

cephalotes Pic, 1925b: 25 (*Falsoereis*) A: BT SD YUN **ORR**

formosana Schwarzer, 1925b: 60 (*Mesosa*) A: FUJ HUB JIX TAI ZHE

lepesmei Gressitt, 1951a: 423 A: GUX SHA

nigrofasciata Gressitt, 1940b: 122 A: HAI

watantakkuni Kano, 1933a: 280 (*Ipocregyes*) A: TAI

yunnana Breuning, 1938c: 208 A: YUN

subgenus *Pericacia* Breuning, 1939c: 459 type species *Lamia cretifera* Hope, 1831

cretifera cretifera Hope, 1831: 27 (*Lamia*) A: NP PA SD

incensa Pascoe, 1865: 112

macularia Gressitt, 1939a: 62

dilacerata Breuning, 1939c: 459 A: NP SD

cretifera thibetana Pic, 1917h: 12 (*Mesosa*) A: GUX SCH XIZ YUN

multirustica Chiang, 1951: 64 A: GUI

genus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843

subgenus *Choeromorpha* Chevrolat, 1843: 613 type species *Choeromorpha pigra* Chevrolat, 1843

subfasciata Pic, 1922b: 26 (*Coptops*) A: YUN **ORR**

genus *Clyzomedus* Pascoe, 1865: 115 type species *Coptops nanus* Pascoe, 1859

transversefasciatus Breuning, 1938c: 212 A: UP

genus *Coptops* Audinet-Serville, 1835a: 64 type species *Coptops parallela* Audinet-Serville, 1835 (= *Lamia aedificator* Fabricius, 1793)

aedificator Fabricius, 1793: 275 (*Lamia*) A: OM SA TAI YE **AFR ORR**

ambulator Fabricius, 1775: 171 (*Lamia*)

bidens Wollaston, 1877: 210

fuscus Olivier, 1795: 83 (*Cerambyx*) [1797: 462] (*Lamia*)

parallelus Audinet-Serville, 1835a: 64

quadrifasciatus Fehraeus, 1873: 30

villicus Olivier, 1795: 102 (*Cerambyx*) [1797: 468] (*Lamia*)

albonotatus Pic, 1917j: 354 (*Pachyosa*) A: SCH YUN **ORR**

albosparsus Pic, 1926b: 7 (*Mutatocoptops*)

annulipes annulipes Gahan, 1894a: 54 A: YUN "North India" **ORR**

curvatosignatus Pu, 1992b: 606 A: SCH

diversesparsus Pic, 1917f: 7 (*Pachyosa*) A: YUN

nigroparsus Pic, 1933a: 13 (*Mutatocoptops*)

japonicus Breuning, 1936: 311 A: TAI

leucosticticus leucosticticus A. White, 1858a: 272 A: GUI GUX NP SD XIZ YUN **ORR**

centurio Pascoe, 1869: 205

lacertosus Pascoe, 1865: 121

longipes Pic, 1925b: 29 (*Mutatocoptops*)

niveisparsus Fairmaire, 1904b: 145

- olivaceus* Breuning, 1935e: 263
petechialis Pascoe, 1865: 119
polyspilus Pascoe, 1865: 118
vitalisi Pic, 1926b: 7 (*Mutatocoptops*)
leucosticticus rusticus Gressitt, 1940b: 124 [RN] A: GUX HAI
polyspilus Gahan, 1900d: 351 [HN]
licheneus Pascoe, 1865: 118 A: FUJ GUA GUX HAI NP YUN **ORR**
salvazai Pic, 1925b: 29 (*Mutatocoptops*)
ocellifera Breuning, 1965: 37 A: YUN **ORR** #73
pascoei Gahan, 1894a: 55 A: GUX **ORR**
bidentatithorax Pic, 1925b: 30 (*Mutatocoptops*)
penghuensis Yamasako & Lin, 2010: 292 A: TAI
szechuanicus Gressitt, 1951a: 431 A: SCH
thibetanus Breuning, 1974d: 79 A: XIZ
- genus Epimesosa Breuning, 1939c: 420** type species *Mesosa taliana* Pic, 1917
taliana Pic, 1917h: 13 (*Mesosa*) A: SCH YUN
- genus Ereis Pascoe, 1865: 105** [RN] type species *Eris anthriboides* Pascoe, 1857 #73
Eris Pascoe, 1857: 110 [HN] type species *Eris anthriboides* Pascoe, 1857 (not Koch, 1846, Arachnida)
subfasciata Pic, 1925: 25 A: GUX HAI **ORR**
- genus Falsomesosella Pic, 1925b: 27** type species *Falsomesosella minor* Pic, 1925
subgenus Falsomesosella Pic, 1925b: 27 type species *Falsomesosella minor* Pic, 1925
albofasciata Pic, 1925b: 27 A: YUN
bhutanensis Breuning, 1968e: 859 (*Mesosella*) A: BT NP
breunungi Pic, 1944b: 14 A: CH
gardneri Breuning, 1938c: 197 A: NP SD UP YUN
affinis Breuning, 1938c: 198
annamensis Breuning, 1939c: 516 (*Mesosa*)
gracilior Bates, 1884a: 244 (*Mesosa*) A: JA
grisella A. White, 1858b: 401 (*Cacia*) A: HKG TAI
horishana Gressitt, 1938b: 161 A: TAI
mediosfasciata Breuning, 1968f: 697 A: SD
minor Pic, 1925b: 27 A: YUN TAI
minor Pic, 1926b: 9 (*Mesosa*)
nigronotata hakka Gressitt, 1937d: 597 A: GUA HAI **ORR**
[*nigronotata nigronotata* Pic, 1930: 19 – Viet-Nam]
rufovittata Breuning, 1938c: 198 A: NP UP
transversefasciata Breuning, 1938c: 198 A: UP
subalba Gressitt, 1938b: 162 A: TAI
truncatipennis Pic, 1944b: 13 A: HEN HUB SHA #75
unicolor Breuning, 1965: 44 A: TAI **ORR**
- genus Golsinda Thomson, 1861: 343** type species *Golsinda carolina* Thomson, 1861
basicornis Gahan, 1894a: 48 A: GUI HAI YUN **ORR** #73
rugicollis Gressitt, 1940b: 121 (*Mesocacia*) #73
- genus Hypocacia Breuning, 1935e: 275** type species *Hypocacia biplagiata* Breuning, 1935
shimomurai Holzschuh, 1989b: 386 A: TAI
wenhsini Yamasako & Chou, 2013: 97 A: TAI
- genus Japanomesosa Yamasako & N. Ohbayashi, 2007: 344** type species *Mesosa poecila* Bates, 1884a
poecila Bates, 1884a: 245 (*Mesosa*) A: JA
- genus Leptomesosa Breuning, 1938c: 392** type species *Mesosa cephalotes* Pic, 1903
cephalotes Pic, 1903i: 121 (*Mesosa*) A: SCH YUN **ORR**
nodosipennis Pic, 1917h: 12 (*Mesosa*)
langana Pic, 1917: 12 (*Mesosa*) A: HAI **ORR** #73
- genus Mesocacia Heller, 1926: 32** type species *Mesocacia assamensis* Heller, 1926 (= *Ereis multimaculata* Pic, 1925)
duplicaria Holzschuh, 2006c: 484 A: NP
multimaculata Pic, 1925b: 24 (*Ereis*) A: BT GUX HAI SD YUN **ORR**
assamensis Heller, 1926: 33
punctifasciata Gressitt, 1940b: 120 A: HAI

genus Mesoereis Matsushita, 1933b: 338 type species *Mesoereis koshunensis* Matsushita, 1933

Trichomesosa Breuning, 1938: 389 type species *Ereis bifasciata* Pic, 1925 [Tonkin]

#91

bifasciata Pic, 1925: 25 [*Ereis*] A: HEN TAI ORR

#91

koshunensis Matsushita, 1933b: 339

#91

kikuchii Matsushita, 1933b: 339

horiana Breuning & K. Ohbayashi, 1966b: 33 (*Mesosa*) A: JA (Ryukyus)

ohrai Breuning & Villiers, 1973: 48

genus Mesosa Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760

subgenus Aplocnemia Stephens, 1831: 236 type species *Cerambyx nubilus* Gmelin, 1790 (= *Lamia nebulosa* Fabricius, 1781)

Aphelocnemia Stephens, 1832: 414 [emendation, not in usage]

Haplocnemia Agassiz, 1846b: 172 [unjustified emendation]

Helixoea Pascoe, 1865: 124 type species *Agelasta rupta* Pascoe, 1862

affinis affinis Breuning, 1936: 306 A: NP BT SD

affinis nepalica Holzschuh, 2003b: 307 A: NP

andrewsi Gressitt, 1942c: 3 A: XIZ

angusta Gressitt, 1951a: 417 A: GUA

cheni Gressitt, 1951a: 418 A: HAI HUB

griseomarmorata Breuning, 1939c: 517 A: GUX

#74

latifasciata A. White, 1858b: 401 (*Cacia*) A: FUJ GUA GUX JIA JIX TAI ORR

luteopubens Pic, 1917c: 7

longipennis Bates, 1873: 313 A: GAN GUI HEB JA JIA SC SHX TAI ZHE

amakusae Breuning, 1964f: 91

posticeconnexa Hayashi, 1964: 73

subobliterata Pic, 1901m: 62

nebulosa algerica Pic, 1898h: 58 N: AG TU

nebulosa nebulosa Fabricius, 1781: 218 (*Lamia*) E: AL AU BE BH BU BY CR CT CZ DE FR GB GE GR HU IR IT SL LU MD NL

NR PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR GG HEB TR

brevis Villers, 1789: 257 (*Cerambyx*)

lineatopunctata Baudi di Selve, 1889a: 193

nubila Gmelin, 1790: 1832 (*Cerambyx*)

nebulator Turton, 1802: 306 (*Lamia*)

silvestrii Tippmann, 1956: 492

nigrofasciaticollis Breuning, 1968a: 5 A: YUN ORR

obscuricornis Pic, 1894b: 44 A: AB IN

rupta Pascoe, 1862a: 335 (*Agelasta*) A: GUA GUX YUN ORR

nhouabai Breuning, 1965c: 44

nigrobifasciata Pic, 1925b: 30 (*Mimocoptops*)

unifasciata Pic, 1922b: 26

senilis Bates, 1884a: 245 A: FE JA

sikkimensis Breuning, 1935e: 274 A: SD ORR

subfasciata Gahan, 1894a: 49 A: UP YUN ORR

undata Fabricius, 1793: 270 (*Lamia*) A: GUX ORR

antennata A. White, 1858b: 401 (*Cacia*)

subgenus Lissomesosa Yamasako & N. Ohbayashi, 2007: 340 type species *Mesosa cibrata* Bates, 1884a

cibrata Bates, 1884a: 245 A: JA

kirisimana Matsushita, 1943: 576 A: JA

shikokensis K. Ohbayashi, 1963: 11

subgenus Mesosa Latreille, 1829: 124 type species *Cerambyx curculionoides* Linnaeus, 1760

Dendrobius Gistel, 1834: 30 [unnecessary substitute name]

bipunctata Chiang, 1951: 62 A: GUI GUX

curculionoides Linnaeus, 1760: 193 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA LT MC MD NR PL PT

RO SK SL SP ST SV SZ TR UK YU A: AB AR GG IN TR

— *bioeculata* Nicolas, 1902-28 (*Haplocnemia*) [see Danilevsky, 2014b: 227]

— *curculiooides* Scopoli, 1772: 101

nigroneotata Pic, 1906h: 86 (*Haplocnemia*)

oculata Geoffroy, 1785: 78 (*Leptura*) [HN]

tokatensis Pic, 1904a: 6 (*Haplocnemia*)

japonica Bates, 1873: 312 A: FE(islands) JA JL TAI

mediofasciata Breuning, 1942a: 142 A: HUB JA TAI

myops Dalman, 1817b: 168 (*Lamia*) E: BY CT FI LA LT NT PL ST SV UK A: ?ANH ES FE ?GAN ?GUA ?GUI HEB HEI ?HEN

?HUB JIL KZ LIA MG NC NMO ?QIN SC ?SCH ?SHA TAI WS XIN ?ZHE

plotina Z. Wang, 2003: 323, 396

stictica rugosa Gressitt, 1951a: 416 A: GUI

stictica stictica Blanchard, 1871: 812 A: BEI GAN GUI HUB SCH SHA SHN SHX XIZ YUN ZHE

oculicollis Fairmaire, 1878: 131

subgenus Metamesosa Breuning, 1939c: 411 type species *Mesosa basinodosa* Pic, 1925

basinodosa Pic, 1925b: 28 A: YUN

- nomurai* Hayashi, 1964: 71 A: JA
sinica Gressitt, 1939b: 113 (*Aesopida*) A: FUJ GUX HUN ZHE
subgenus *Perimesosa* Breuning, 1939c: 409 type species *Mesosa hirsuta* Bates, 1884a
atrostigma Gressitt, 1942g: 84 A: ANH FUJ GUX TAI ZHE #74
bimaculata Breuning, 1936: 306 A: SD UP ORR
binigrovittata Breuning, 1942a: 143 A: FUJ TAI
binigrovittipennis Breuning, 1968f: 692 A: AP SD
chassoti Breuning, 1970c: 89 A: TAI
hirsuta albihirsuta Kusama & Takakuwa, 1984: 11 A: JA (Yakushima, Tanegashima Is.)
hirsuta brevihirsuta Makihara, 1980: 53 A: JA (Danjo Is.)
hirsuta hirsuta Bates, 1884a: 244 A: JA
harmandi Pic, 1901v: 341
nigrohumeralis Breuning, 1938c: 203
hirsuta continentalis Hayashi, 1964: 76 [= 1965: 29] A: FE NC NE SC
hirsuta konishi Hayashi, 1964: 76 [= 1965: 30] A: JA (Tsushima Is.)
hyunchaei Yamasako & Hasegawa, 2009: 290 A: SC
irrorata Gressitt, 1939b: 111 A: FUJ HEN HUB HUN JIX SCH SHA ZHE #74
maculifemorata Gressitt, 1940b: 117 A: HAI ORR
medioalbosasciata Breuning, 1969a: 35 A: TAI
pictipes miyamotoi Hayashi, 1956b: 20 A: JA (Tokara Is.)
pictipes pictipes Gressitt, 1937b: 323 A: JA (Ryukyus)
pieli Pic, 1936d: 16 A: JIX
setulosa Breuning, 1938c: 202 A: HP NP
yayeyamai Breuning, 1955b: 61 A: JA (Ryukyus)
subgenus *Saimia* Pascoe, 1866b: 234 [RN] type species *Samia albidorsalis* Pascoe, 1865
Samia Pascoe, 1864a: 96 [HN] type species *Samia albidorsalis* Pascoe, 1865
alternata Breuning, 1936: 311 (*Saimia*) A: TAI ORR
indica Breuning, 1935e: 265 A: UP YUN ORR
lata Breuning, 1956g: 677 A: "North-west India"
kuntzeni Matsushita, 1933b: 340 A: TAI
obscura Gahan, 1894a: 49 A: YUN ORR
yunnana Breuning, 1938c: 202 (*Saimia*) A: HAI YUN

genus *Mutatocoptops* Pic, 1925b: 29 type species *Mutatocoptops alboapicalis* Pic, 1925
alboapicalis Pic, 1925b: 30 A: YUN ORR
cristatus Fisher, 1936: 183 (*Paracoptops*)
anancyloides Schwarzer, 1925b: 61 (*Coptops*) A: TAI ORR

genus *Pachyosa* Fairmaire, 1897a: 71 type species *Pachyosa cervinopicta* Fairmaire, 1897
atronotata *atronotata* Kusama & Irie, 1976: 19 (*Mesosa*) A: JA
atronotata *yamawakii* Hayashi, 1976: 11 (*Mesosa*) A: JA
cervinopicta Fairmaire, 1897a: 71 A: JA (Ryukyus)
guanyin Yamasako & Chou, 2014b: 44 A: TAI
hirtiventris Gressitt, 1937b: 324 (*Coptops*) A: JA (Ogasawara)
itoi Ohbayashi, 1985: 1 (*Mesosa*) A: JA (Ryukyus)
kojimai Hayashi, 1974c: 37 (*Coptops*) A: TAI

genus *Paragolsinda* Breuning, 1956g: 675 type species *Paragolsinda fruhstorferi* Breuning, 1956g
obscura Matsushita, 1933b: 339 (*Mesoereis*) A: TAI
tonkinensis Breuning, 1938c: 197 (*Mesoereis*) A: HAI ORR

genus *Paripocregyes* Breuning, 1938c: 204 type species *Paripocregyes brunneomaculatus* Breuning, 1938
brunneomaculatus Breuning, 1938c: 204 A: UP ORR

genus *Pseudipocregyes* Pic, 1923c: 20 type species *Pseudipocregyes maculatus* Pic, 1923
albosignatus Breuning, 1974d: 74 A: CH ORR
maculatus Pic, 1923c: 20 A: YUN ORR

genus *Spinipocregyes* Breuning, 1949a: 6 type species *Spinipocregyes nigrescens* Breuning, 1949a
wenhsini Bi, 2013: 104 A: HAI

tribe Monochamini Gistel, 1848

- genus** *Acalolepta* Pascoe, 1858: 247 type species *Acalolepta pusio* Pascoe, 1858
Cypriola J. Thomson, 1864: 16 type species *Cypriola acanthocinoides* J. Thomson, 1864

Dihammus J. Thomson, 1864: 80 type species *Monochamus longicornis* J. Thomson, 1857 (= *Monochamus australis* Boisduval, 1835)
Haplohammus Bates, 1884a: 239 type species *Monohammus luxuriosus* Bates, 1873
Neanthes Pascoe, 1878: 372 type species *Monohammus curialis* Pascoe, 1858 (= *Monochamus subfuscus* J. Thomson, 1857)
Niphohammus Matsushita, 1932: 170 type species *Niphohammus korolevskii* Matsushita, 1932
affinis Breuning, 1935d: 55 (*Dihammus*) A: NP SD
amamiana amamiana Hayashi, 1962b: 36 (*Cypriola*) A: JA
amamiana simillima Breuning & K. Ohbayashi, 1966: 32 A: JA (Ryukyus)
okinawensis Breuning & K. Ohbayashi, 1966: 31
aurata Gahan, 1888c: 260 (*Monohammus*) A: NP
basicornis Gahan, 1894a: 37 (*Haplohammus*) A: GUX HUN SD YUN **ORR**
basiplagiata Breuning, 1935c: 249 (*Dihammus*) A: YUN **ORR**
battonii Breuning, 1980a: 16 A: NP
bifasciata Westwood, 1848: 59 (*Monohammus*) A: AP HUB SD "Himalaya" **ORR**
kingana Pic, 1921c: 6 (*Monohammus*)
perplexa Gahan, 1888d: 393 (*Monohammus*)
boninensis Hayashi, 1971: 16 A: JA (Ogasawara)
breuningeri Gressitt, 1951a: 399 (*Dihammus*) A: GUA
breviscapus Hayashi, 1980: 2 A: NP
cervina Hope, 1831: 27 (*Monochamus*) A: FUJ GUA GUI GUX HAI HUB JIX NP SCH SHA XIZ YUN ZHE **ORR**
fulvicornis Pascoe, 1875: 64 (*Monochamus*)
chinensis Breuning, 1970f: 475 A: GUI
coreanica Breuning, 1956c: 234 A: "Korea"
coreensis Breuning, 1967f: 183 A: SC
craspeduncifrons Breuning, 1960d: 34 (*Cypriola*) A: SD
degeneroides Breuning, 1948a: 8 (*Dihammus*) A: JIX
elongata Breuning, 1935c: 251 (*Dihammus*) A: GUI NP SCH **ORR**
fasciata Hua, 1992: 492 A: YUN
ferreii Breuning, 1954d: 73 (*Cypriola*) A: FUJ JA
flocculata flocculata Gressitt, 1935c: 188 (*Monochamus*) A: TAI
flocculata paucisetosa Gressitt, 1938c: 154 (*Dihammus*) A: GUI GUX SCH SHA
formosana Breuning, 1935c: 251 (*Dihammus*) A: TAI
fraudatrix fraudatrix Bates, 1873: 309 (*Monohammus*) A: FE JA **NC** SC
fraudatrix nigricornis Makihara, 1977: 63 A: JA
mogii Makihara, 1980: 62
fraudatrix satoi Breuning & K. Ohbayashi, 1966: 32 A: JA
fraudatrix yakushimana Yokoyama, 1971: 99 A: JA
freudei Heyrovský, 1976: 184 A: NP
gardneri Breuning, 1938c: 186 (*Dihammus*) A: SD
ginkgovora Makihara, 1992a: 62 A: JA
griseipennis J. Thomson, 1857f: 296 (*Monochamus*) A: BT NP SD YUN **ORR**
griseoplagiata Breuning, 1935c: 250 (*Dihammus*) A: SD
grossescapa Breuning, 1942a: 117 (*Dihammus*) A: TAI
hachijoensis Gressitt, 1956: 113 (*Dihammus*) A: JA
mikurensis Hayashi, 1969a: 64
hainana Breuning, 1959d: 149 (*Cypriola*) A: HAI
haradai Hayashi, 1980: 3 A: NP
hingstoni Gilmour, 1956b: 743 (*Dihammus*) A: XIZ
holosericea Breuning, 1939b: 158 (*Dihammus*) A: XIZ **ORR**
hunanensis Breuning, 1963g: 218 A: HUN
inaequalis Gardner, 1937: 8 (*Dihammus*) A: SD
iwashashii Makihara, 1992a: 59 A: JA (Ryukyus)
kuniyoshii Hayashi, 1963c: 11 A: JA (Ryukyus)
kusamai Hayashi, 1969a: 64 A: JA SC
laeviceps Breuning, 1938c: 186 (*Dihammus*) A: SD
longicollis Gilmour, 1956b: 744 (*Dihammus*) A: NP
luxuriosa kawadai Takakuwa, 1984: 431 A: JA
luxuriosa kuro Makihara, 1977: 65 A: JA
luxuriosa luxuriosa Bates, 1873: 309 (*Monohammus*) A: JA
masatakai Makihara, 2003: 356 A: JA
mutans Breuning, 1938a: 32 (*Dihammus*) A: XIZ **ORR**
nepalensis Hayashi, 1980: 1 A: NP
ningshanensis Danilevsky, 2013g: 34 A: GUI HUB SCH SHA YUN
nishimurai Makihara, 1992a: 70 A: JA (Ryukyus)
nivosa A. White, 1858b: 409 (*Monohammus*) A: NP PA "Himalaya"
oshimana omoro Hayashi, 1963c: 11 A: JA (Ryukyus)
oshimana oshimana Breuning, 1954d: 73 (*Cypriola*) A: JA

paraspeciosa Breuning, 1982: 19 A: XIZ
permutans occidentalis Breuning, 1958h: 268 (*Cyriola*) A: SCH
permutans okinawana Gressitt, 1951b: 216 (*Dihammus*) A: JA (Ryukyus)
teragrama Gilmour, 1951: 67 (*Dihammus*)
permutans paucipunctata Gressitt, 1938b: 157 (*Dihammus*) A: JA TAI YUN
permutans permutans Pascoe, 1857b: 103 (*Monohammus*) A: ANH GUA GUI GUX HEN HKG HUB HUN JIX SCH SHA TAI
ZHE ORR
severini Nonfried, 1892a: 94 (*Monohammus*)
vicina Pascoe, 1858: 245 (*Monohammus*)
pseudosericans Breuning, 1949b: 6 A: ZHE **ORR**
punctifrons Gahan, 1894a: 36 (*Haplohammus*) A: SD
rusticatrix formosensis Breuning & K. Ohbayashi, 1966a: 11 A: TAI
rusticatrix rusticatrix Fabricius, 1801b: 294 (*Lamia*) A: TAI **ORR**
bianor Newman, 1842b: 277 (*Monohammus*)
fistulatrix Germar, 1824: 478 (*Lamia*)
musiva Pascoe, 1866c: 251 (*Monochamus*)
scotti Breuning, 1936: 289 (*Dihammus*) A: SD
sejuncta hamai Hayashi, 1962b: 36 (*Cyriola*) A: JA
sejuncta izuinsulana Hayashi, 1968a: 25 A: JA
sejuncta morii Makihara, 1980: 65 A: JA
sejuncta sejuncta Bates, 1873: 310 (*Monohammus*) A: FE FUJ HUB JA **NC SC**
fraxini Matsushita, 1933a: 328 (*Dihammus*)
fulvicornis Pascoe, 1875: 64 (*Monochamus*)
olivacea Breuning, 1944b: 471 (*Dihammus*)
sejuncta tsushima Breuning, 1960e: 35 (*Cyriola*) A: JA
semisericea Pic, 1935b: 17 (*Dihammus*) A: SCH
semidegenera Hayashi, 1981a: 14 A: NP
sericans Breuning, 1938a: 33 (*Dihammus*) A: NP SD UP
sericeomicans Fairmaire, 1889a: 67 (*Monochamus*) A: ANH GUA HAI JIA SCH SHA YUN ZHE **ORR**
seunghwani Danilevsky, 2013g: 32 A: FE JIL **NC SC**
sikkimensis nigrina Breuning, 1975d: 344 A: BT
sikkimensis rufoantennata Breuning, 1975d: 345 A: BT NP
sikkimensis sikkimensis Breuning, 1935c: 250 (*Dihammus*) A: SD
sobria Pascoe, 1858: 246 (*Monohammus*) A: TAI **ORR**
socia Gahan, 1888a: 275 (*Haplohammus*) A: FUJ GUX JIA JIX NO
speciosa Gahan, 1888a: 275 (*Haplohammus*) A: ANH FUJ GUA GUX HAI HKG JIA JIX SCH TAI ZHE **ORR**
sublusca boehmeriavora Makihara, 1992a: 60 A: JA (Ryukyus)
sublusca maculihumera Matsushita, 1933b: 328 (*Dihammus*) A: TAI
sublusca sublusca J. Thomson, 1857f: 293 (*Monochamus*) A: FUJ GUA GUI GUX HAI HUN JIA JIX HEB HEN HUB SCH SHA
SHN ZHE ORR
curialis Pascoe, 1858: 246
subspeciosa Breuning, 1963g: 217 A: ZHE
sulphurifera Hope, 1842b: 128 (*Monochamus*) A: SD **ORR**
szechuanica Gressitt, 1938c: 155 (*Dihammus*) A: SCH
tenuipes Breuning, 1939b: 158 (*Dihammus*) A: SD
ussurica Plavilstshikov, 1951: 121 (*Dihammus*) A: FE
vitalisi Pic, 1925a: 19 (*Monochamus*) A: FUJ GUA GUX HAI HUN JIX SCH TAI ZHE **ORR**
ikedai Mitono, 1943: 581 (*Dihammus*)
wittmeri Breuning, 1975d: 343 A: BT
yokoyamai Hayashi, 1971: 15 A: TAI

genus Agnioides Breuning, 1956g: 671 type species *Agnioides striatopunctatus* Breuning, 1956
striatopunctatus Breuning, 1956g: 671 A: BT CH

genus Agniomorpha Breuning, 1935e: 257 type species *Agniomorpha ochraceomaculata* Breuning, 1935
ochraceomaculata Breuning, 1935e: 257 A: GUI GUX SD **ORR**

genus Agnoderus J. Thomson, 1864: 83 type species *Agnoderus gnomoides* J. Thomson, 1864
gnomoides J. Thomson, 1864: 83 A: SD

genus Anamera J. Thomson, 1864: 63 type species *Anamera alboguttata* J. Thomson, 1864
gigantea gigantea Breuning, 1935d: 66 A: PA ?**ORR**
gigantea iliayashenkoi Jiroux, Garreaux & Gurko, 2012: 19 A: PA

genus Annamanum Pic, 1925a: 23 type species *Annamanum vitalisi* Pic, 1925
Uraechopsis Breuning, 1935f: 76 type species *Uraecha chebana* Gahan, 1894

- albisparsum* Gahan, 1888b: 62 (*Monochamus*) A: FUJ GUI GUX HUN JIX
albonotatum Pic, 1925a: 22 (*Uraecha*)
albomaculatum Breuning, 1935f: 76 A: CH ORR
cardoni Breuning, 1953: 2 A: "India"
chebanum Gahan, 1894a: 41 (*Uraecha*) A: GUA GUX YUN ORR
fuscomaculatum Breuning, 1979c: 99 A: YUN
griseolum Bates, 1884a: 240 (*Uraecha*) A: JA
humerale Pic, 1934a: 35 (*Uraecha*) A: YUN ORR
indicum Breuning, 1938c: 191 A: SD
mediomaculatum Breuning, 1962b: 19 A: GUX ORR
sikkimense Breuning, 1942a: 119 A: NP SD
thoracicum Gahan, 1894a: 42 (*Uraecha*)
touzalini Breuning, 1979c: 99
sinicum Gressitt, 1951a: 387 A: FUJ JIX SCH YUN ZHE #74
strandi Breuning, 1938c: 191 A: XIZ YUN
subauratum Breuning, 1958h: 266 A: SCH
szetschuanicum Breuning, 1947a: 8 A: SCH
yunnanum Breuning, 1947a: 8 A: YUN
- genus *Anoplophora* Hope, 1839: 43** type species *Anoplophora stanleyana* Hope, 1839
Callophora J.Thomson, 1864: 76 [unnecessary replacement name]
Cyriocrates J. Thomson, 1868: 181 type species *Oplophora horsfieldii* Hope, 1842
Falsocyriocrates Pic, 1953a: 2 type species *Cyriocrates elegans* Gahan, 1888
Melanauster J. Thomson, 1868: 181 type species *Cerambyx chinensis* Forster, 1771
Micromelanauster Pic, 1931d: 49 type species *Monochamus bowringii* A. White, 1858
Oplophora Hope, 1839: 42 type species *Oplophora solpii* Hope, 1839
albopicta Matsushita, 1933b: 279 (*Cyriocrates*) A: TAI
elegans Kano, 1933a: 279 (*Melanauster*) [HN]
beryllina Hope, 1840: 79 (*Monochamus*) A: FUJ GUA GUX HUB HUN JIX SCH SD YUN ZHE ORR
argentifera Pic, 1902i: 31 (*Melanauster*)
melanosticta A. White, 1858b: 407 (*Monohammus*)
subberryllina Breuning, 1964e: 47
bowringii A. White, 1858b: 398 (*Monohammus*) A: FUJ GUA GUX HKG HUB JIX ZHE
subuniformis Pic, 1934g: 34
chiangi Hua & Zhang, 1991: 77 A: HUN
chinensis Forster, 1771: 39 (*Cerambyx*) Ei: AU GE A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIL JIX LIA NC SC SCH SHA SHN SHX TAI YUN ZHE ORR
abbreviata J. Thomson, 1865a: 553 (*Callophora*)
afflita J. Thomson, 1865a: 553 (*Callophora*)
farinosa Houttuyn, 1766: 536 (*Cerambyx*) [HN]
luctuosa J. Thomson, 1865a: 553 (*Callophora*)
perroudi Pic, 1953a: 3 (*Melanauster*)
punctator Fabricius, 1777: 230 (*Lamia*)
sepulchralis J. Thomson, 1865a: 553 (*Callophora*)
sinensis Gmelin, 1793: 1863 (*Cerambyx*)
coeruleoantennata Breuning, 1947b: 23 (*Melanauster*) A: SCH
davidis Fairmaire, 1886b: 355 (*Melanauster*) A: SCH SHA TAI XIZ YUN ORR
adonis Pic, 1925a: 20 (*Melanauster*)
alboapicalis Chiang, 1951: 48
vitalisi Pic, 1936b: 16 (*Melanauster*)
decemmaculata Pu, 1999: 82 A: HEB HUN SCH
elegans Gahan, 1888e: 450 (*Cyriocrates*) A: GUA GUI HAI HEN YUN ORR
albonotata Pic, 1926l: 455 (*Melanauster*)
macrospila Gahan, 1900d: 349 (*Melanauster*)
superba Pic, 1925c: 4 (*Melanauster*)
flavomaculata Gressitt, 1935f: 385 (*Melanauster*) A: TAI
freyi Breuning, 1947b: 23 (*Melanauster*) A: SCH
fruhstorferi Aurivillius, 1902: 209 (*Callophora*) A: GUX ORR
depressinotata Chiang, 1951: 50 (*Cyriocrates*)
glabripennis Motschulsky, 1854a: 48 (*Cerosterna*) Ei: AU CZ FR GB GE IT NL TR A: ANH FE FUJ GAN GUA GUI GUX HEB HEI HEN HUB HUN JIA JIL JIX LIA ?NC NIN NMO SC SCH SHA SHN SHX XIZ YUN ZHE AUR NARi #68
angustata Pic, 1925a: 21 (*Melanauster*)
laevigatrix J. Thomson, 1857f: 297 (*Cerosterna*)
laglaisei Pic, 1953a: 3 (*Melanauster*)
luteonotata Pic, 1925a: 21 (*Melanauster*)
nankinea Pic, 1926b: 2 (*Melanauster*)
nobilis Ganglbauer, 1889a: 82 (*Melanauster*)
granata Holzschuh, 1993a: 48 A: GUX ORR
gressitti N.Ohbayashi & Bi, 2014: 156 A: AP XIZ ORR

horsfieldii Hope, 1842a: 61 [= 1843: 64] (*Oplophora*) A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX SCH SHA TAI YUN ZHE **ORR**
nigrofasciata Pic, 1953a: 2 (*Cyriocrates*)
tonkinensis Kriesche, 1924: 287 (*Cyriocrates*)
voluptuosa J. Thomson, 1856b: 529 (*Cerosterna*)
imitatrix A. White, 1858b: 404 (*Cerosterna*) A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SHA ZHE
piroletti Fairmaire, 1889a: 66 (*Melanauster*)
jianfenglingensis Hua, 1989b: 301 A: HAI
leechi Gahan, 1888b: 63 (*Melanauster*) A: HEB HEN HUB HUN JIA JIX TAI ZHE
longehirsuta Breuning, 1968a: 23 A: GUX **ORR**
parelegans Chiang, 1981: 81
lurida Pascoe, 1856: 47 (*Monohammus*) A: GAN GUX HEB HEN HUB HUN JIA JIX SCH TAI ZHE
macularia J. Thomson, 1865a: 553 (*Calloplophora*) A: FUJ GUA GUX HAI HEN JA (Ryukyus) JIA NE SCH TAI ZHE **ORR**
malasiaca J. Thomson, 1865a: 553 (*Calloplophora*) A: JA SC
ogasawaraensis Makihara, 1976: 9 A: JA (Ogasawara)
oshimana oshimana Fairmaire, 1895: 390 (*Melanauster*) A: JA (Ryukyus)
oshimana tokunoshimana Samuelson, 1965b: 89 A: JA (Ryukyus)
rubidacorpora Xie, Shi & W.-K. Wang, 2012b: 2 A: GUI
ryukyuensis Breuning & K. Ohbayashi, 1964: 15 A: JA (Ryukyus)
similis Gahan, 1900d: 350 (*Melanauster*) A: FUJ GUA HAI
sollii Hope, 1839: 43 (*Oplophora*) A: GUX SD **ORR**
stanleyana Hope, 1839: 43 A: BT **NP** SD SE SW **ORR**
angustata Pic, 1934a: 11 [HN]
chapaensis Breuning, 1950i: 511
gloria Tippmann, 1953: 152
grisea Tippmann, 1953: 153
melancholica Tippmann, 1953: 153
tonkinea Breuning, 1943c: 285 [RN]
tonkinea Pic, 1907h: 152 (*Calloplophora*) A: GUX **ORR**
viriantennata W.-K. Wang & Jiang, 1998: 335 A: SCH
wusheana Chang, 1960: 2 A: TAI

genus Aristobia J. Thomson, 1868: 178 type species *Cerosterna hispida* Saunders, 1853
approximatrix J. Thomson, 1865a: 552 (*Celosterna*) A: NP YUN
birmanica Gahan, 1894a: 40
hispida Saunders, 1853: 112 (*Cerosterna*) A: ANH FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JIA JIX SCH SHA TAI XIZ YUN ZHE **ORR**
horridula Hope, 1831: 27 (*Lamia*) A: KA NP PA SCH SD TAI YUN **ORR**
fasciculata L. Redtenbacher, 1844: 552 (*Cerosterna*)
reticulatrix Fabricius, 1781: 219 (*Lamia*) A: FUJ GUA GUX HAI NP SHA YUN **ORR**
clathratrix J. Thomson, 1865a: 552 (*Celosterna*)
voeti J. Thomson, 1878: 51 A: FUJ GUA GUX HAI HEN HUB JIX SHA YUN **ORR**
angustifrons Gahan, 1888a: 276
pulcherrima Nonfried, 1892a: 94

genus Astynoscelis Pic, 1904b: 8 type species *Astynoscelis longicornis* Pic, 1904 (= *Monohammus degener* Bates, 1873)
Saitoa Matsushita, 1937: 104 type species *Saitoa teneburosa* Matsushita, 1937 (= *Monohammus degener* Bates, 1873)
degener degener Bates, 1873: 310 (*Monohammus*) A: FE FUJ GAN GUA GUI GUX HEI HUB HUN JA JIA JIL JIX **NC** NMO SC SCH SHA SHN TAI YUN ZHE "Korea"
contempta Gahan, 1888b: 62 (*Haplohammus*)
longicornis Pic, 1904b: 8
nana Ganglbauer, 1889a: 81 (*Haplohammus*)
savioi Pic, 1925a: 21 (*Orsidis*)
teneburosa Matsushita, 1937: 104 (*Saitoa*)

genus Blepephaeopsis Breuning, 1938c: 193 type species *Blepephaeopsis nigrosparsus* Breuning, 1938
yagii Hayashi, 1992: 150 A: TAI

genus Blepephaeus Pascoe, 1866b: 249 type species *Monohammus succintor* Chevrolat, 1852
Parablepephaeus Breuning, 1980c: 171 type species *Parablepephaeus lumawigi* Breuning, 1980
Perihammus Aurivillius, 1925: 21 type species *Perihammus bifasciatus* Aurivillius, 1924 (= *Monohammus infelix* Pascoe, 1856)
arrowi Breuning, 1935d: 70 A: SD
fulvus Pic, 1933a: 13 (*Uraecha*) A: YUN **ORR**
pardalinus Breuning, 1935d: 68
indicus Breuning, 1935d: 70 A: SD XIZ **ORR**
infelix Pascoe, 1856: 48 (*Monohammus*) A: FUJ GUA GUX HUN JIX SC SCH ZHE
bifasciatus Aurivillius, 1924: 21 (*Perihammus*)
multinotatus Pic, 1925a: 18 (*Nemophas*) A: GUX **ORR**

nepalensis Hayashi, 1981a: 13 (*Perihammus*) A: NP
nigrofasciatus Pu, 1999: 84 A: HAI
nigrosparsus Pic, 1925b: 28 A: UP YUN ORR
ocellatus Gahan, 1888c: 262 (*Monochamus*) A: BT NP YUN ZHE "North India" ORR
 pauloperforatus Pic, 1930b: 17 (*Epepeotes*)
 wittmeri Breuning, 1975d: 342 (*Cyprapepeotes*)
stigmosus Gahan, 1894a: 44 A: YUN ORR
 laosicus Pic, 1930b: 18 (*Epepeotes*)
subannulatus Breuning, 1979c: 100 A: YUN ORR
subcruciatus A. White, 1858b: 410 (*Monohammus*) A: GUA GUX HAI HKG
succinctus Chevrolat, 1852: 417 (*Monohammus*) A: NP SD TAI ORR
 fleutiauxi Lameere, 1893a: 283
fuscomaculatus Breuning, 1948a: 11 (*Perihammus*)
humeralis Pic, 1925: 23
obfuscatus A. White, 1858b: 410
scutellaris Fairmaire, 1895: 179
sublineatus A. White, 1858b: 410
puae Lin, 2011: 44 [RN] A: YUN
 undulatus Pu, 1999: 79 (*Perihammus*)
variegatus Gressitt, 1940b: 107 A: HAI YUN ORR
 sciamae Breuning, 1962b: 19 (*Paramelanauster*)

genus Cereopsius Pascoe, 1857b: 105 type species *Cereopsius exoletus* Pascoe, 1857
 Etymestia Pascoe, 1866: 228 type species *Cereopsius helena* A. White, 1858
 Vitticereopsius Breuning, 1961c: 143 type species *Epepeotes vittipennis* Fisher, 1935
praetorius Erichson, 1834: 268 (*Lamia*) A: TAI ORR
 shamankariyali Kano, 1939: 30
ziczag Matsushita, 1940: 54 (*Etymestia*) A: TAI

genus Cerosterna Dejean, 1835: 341 type species *Lamia gladiator* Fabricius, 1801 (= *Lamia scabrior* Fabricius, 1781) [see: Alonso-Zarazaga, 2009]
 Celosterna Blanchard, 1845: 158 [unavailable]
Celosterna J. Thomson, 1860: 85 [see: Alonso-Zarazaga, 2009]
 Coelosterna Gemminger, 1872: 3024 [unnecessary emendation]
Falsopriona Pic, 1925c: 3 type species *Falsopriona luteopubens* Pic, 1925
Loxotropoides Fisher, 1935: 600 type species *Loxotropoides brunnea* Fisher, 1935
Psaromaia Pascoe, 1866c: 289 type species *Psaromaia tigrina* Pascoe, 1866
Toxosterna J. Thomson, 1868: 178 type species *Lamia spinator* Fabricius, 1798
Trichocelosterna Breuning, 1965: 45 type species *Celosterna rouyeri* Ritsema, 1906
pulchellatrix Westwood, 1838b: 128 (*Lamia*) A: TAI ORR
 argenteomaculata Aurivillius, 1887: 196
scabratris Fabricius, 1781: 224 (*Lamia*) A: NP PA UP "India"
 gladiatrix Fabricius, 1801b: 284 (*Lamia*)
 griseatrix Aurivillius, 1920: 12 (*Celosterna*)
 murina Nonfried, 1894: 82 (*Aristobia*)
 renei Pascoe, 1888: 501 (*Psaromaia*)
 spinatrix Fabricius, 1798: 145 (*Lamia*)

genus Combe J. Thomson, 1864: 83 type species *Monohammus brianus* A. White, 1858
brianus A. White, 1858b: 409 (*Monohammus*) A: NP
fulgoratus J. Thomson, 1864: 84

genus Coscinesthes Bates, 1890: 246 type species *Coscinesthes porosus* Bates, 1890
minuta Pu, 1985b: 271 A: YUN
porosa Bates, 1890: 247 A: GUA HEN SCH SHA YUN ZHE
 grossetofoveata Breuning, 1958h: 262 (*Trichocoscinesthes*)
 multiperforata Pic, 1920a: 2 (*Monochamus*)
salicis Gressitt, 1951a: 380 A: SCH YUN ZHE

genus Cremonsterna Aurivillius, 1920: 12 type species *Monohammus carissimus* Pascoe, 1857
carissima Pascoe, 1857b: 104 (*Monohammus*) A: NP XIZ YUN ORR
 laosensis Breuning, 1965e: 47 (*Jeanvoinea*)
 maculosa J. Thomson, 1865a: 552 (*Celosterna*)
 ocellata Nonfried, 1892c: 379 (*Celosterna*)
 pardalis J. Thomson, 1865a: 552 (*Celosterna*)
 tesselata A. White, 1858b: 404 (*Celosterna*)
 vittata Gilmour, 1956c: 747
plagiata A. White, 1858b: 403 (*Celosterna*) A: PA ORR

genus *Cibragapanthia* Pic, 1903i: 121 type species *Cibragapanthia scutellata* Pic, 1903
scutellata Pic, 1903i: 121 A: GUI GUX SCH YUN **ORR**

genus *Cyanagapanthia* Breuning, 1968a: 25 type species *Cyanagapanthia bicolor* Breuning, 1968
aurescens W.-K. Wang & Zheng, 2002: 79 A: YUN
bicolor Breuning, 1968a: 25 A: CH **ORR**

genus *Dolichoprosopus* Ritsema, 1881c: 149 type species *Dolichoprosopus maculatus* Ritsema, 1881
sameshimai N. Ohbayashi, 2001b: 265 A: JA
yokoyamai Gressitt, 1937b: 322 (*Monochamus*) A: JA

genus *Epepeotes* Pascoe, 1866b: 249 type species *Lamia lusca* Fabricius, 1787
Diochares Pascoe, 1866: 303 type species *Cerambyx fimbriatus* Olivier, 1797 (= *Lamia fimbriata* Olivier, 1795 = *Cerambyx desertus* Linnaeus, 1758)
Falsomonochammus Pic, 1943b: 3 type species *Falsomonochammus diverseglaebratus* Pic, 1943
Mengelotes L. S. Dillon & E. S. Dillon, 1941: 43 type species *Mengelotes ambiguus* L. S. Dillon & E. S. Dillon, 1941
[*ambigenus* *ambigenus* Chevrolat, 1841: 228 (*Monochammus*) **ORR**]
ambigenus formosanus Gressitt, 1951a: 361 A: TAI
himalayanus Breuning, 1950a: 1 A: "Himalaya"
luscus densemaculatus Gressitt, 1951a: 362 A: JIX SCH YUN
luscus luscus Fabricius, 1787: 139 (*Lamia*) A: HP
uncinatus Gahan, 1888a: 271 A: BT NP SD XIZ YUN "North India" **ORR**
lineatus Pic, 1944a: 14 (*Pseudopsacothea*)
salvazai Pic, 1925a: 18

genus *Epicedia* J. Thomson, 1864: 78 type species *Lamia carcelli* Guérin-Méneville, 1833 (= *Lamia maculatrix* Perty, 1831)
maculatrix Perty, 1831: xlvi (*Lamia*) A: HP
carcelli Guérin-Méneville, 1833: 491 (*Lamia*)
pleuricosta J. Thomson, 1857e: 179 (*Leprodera*)

genus *Eutaenia* J. Thomson, 1857e: 184 type species *Ceroplesia javeti* J. Thomson, 1857 (= *Lamia trifasciella* A. White, 1850)
Eutaeniopsis Gahan, 1888a: 277 type species *Lamia trifasciella* A. White, 1850
formosana Matsushita, 1941: 156 A: TAI
trifasciella A. White, 1850: 13 (*Lamia*) A: FUJ GUA GUX HKG HUN JIX TAI YUN **ORR**
javeti J. Thomson, 1857b: 127 (*Ceroplesia*)
trifasciata J. Thomson, 1864: 72

genus *Falsagnia* Breuning, 1938b: 93 type species *Falsagnia obenbergeri* Breuning, 1938
obenbergeri Breuning, 1938b: 93 A: SD

genus *Falsocylindrepomus* Pic, 1927b: 35 type species *Falsocylindrepomus maculosus* Pic, 1927
maculosus Pic, 1927b: 35 A: GUX **ORR**

genus *Gibbohammus* W.-K. Wang & S.-N. Jiang, 1999b: 121 type species *Gibbohammus stricticollis* W.-K. Wang & S.-N. Jiang, 1999
stricticollis W.-K. Wang & S.-N. Jiang, 1999b: 122 A: HAI

genus *Hainanhammus* Gressitt, 1940b: 108 type species *Hainanhammus griseopubens* Gressitt, 1940
griseopubens Gressitt, 1940b: 108 A: HAI

genus *Haplothrix* Gahan, 1888a: 278 type species *Haplothrix simplex* Gahan, 1888
amicator Gahan, 1888c: 261 (*Monochamus*) A: SD
foveatus Chiang & Li, 1984: 99 A: YUN

genus *Macrochenus* Guérin-Méneville, 1843: 59 type species *Cerambyx tigrinus* Olivier, 1797
Mecotagus Pascoe, 1866: 252 type species *Cerambyx tigrinus* Olivier, 1797
assamensis Breuning, 1935d: 61 A: XIZ YUN **ORR**
guerinii A. White, 1858a: 274 (*Pelargoderus*) A: GUX NP SCH SD XIZ YUN **ORR** #74
isabellinus Aurivillius, 1920: 12
tonkinensis Aurivillius, 1920: 12 A: GUA GUI GUX HAI HUB YUN **ORR**
inarmatus Gressitt, 1940b: 92 (*Psacothea*)
semijunctus Pic, 1944a: 11
tigrinus Olivier, 1795: 101 (*Cerambyx*) [1797: 468] (*Lamia*) A: PA **ORR**
birmanus J. Thomson, 1878: 49
tesselatus Guérin-Méneville, 1843: 58

genus *Mecynippus* Bates, 1884a: 240 type species *Mecynippus pubicornis* Bates, 1884

ciliatus Gahan, 1888a: 273 (*Monohammus*) A: CHQ GUA GUX HAI HKG JIX SCH YUN ORR [see: Lin et al., 2014]
delkeskampi Breuning, 1961i: 311 (*Mimothestus*) [see: Lin et al., 2014]
luteicornis Xie, Shi & W.-K. Wang, 2012a: 67 (*Mimothestus*) [see: Lin et al., 2014]
rondoni Breuning, 1964e: 50 (*Monohammus*) [see: Lin et al., 2014]
pubicornis Bates, 1884a: 241 A: HUB JA “Corée” [see Pic, 1907d: 21]

genus Mimocoelosterna Breuning, 1940b: 125 type species *Mimocoelosterna flavesrens* Breuning, 1940
hainanensis Breuning, 1966g: 289 A: HAI

genus Mimocratotragus Pic, 1926j: 323 type species *Mimocratotragus superbus* Pic, 1925
superbus Pic, 1926j: 324 A: HUN YUN

genus Mimognoma Breuning, 1959d: 151 type species *Mimognoma szetschuanense* Breuning, 1959
szetschuanense Breuning, 1959d: 151 A: SCH

genus Mimorsidis Breuning, 1938a: 33 type species *Mimorsidis lemoulti* Breuning, 1938
scutellata Gressitt, 1951a: 404 A: FUJ
taiwanensis Hayashi, 1974c: 47 A: TAI
yayeyamensis Samuelson, 1965b: 96 A: JA (Ryukyu)
ishigakiana Breuning & Villiers, 1973: 49 (*Acalolepta*)

genus Mimothestus Pic, 1935e: 15 type species *Mimothestus annulicornis* Pic, 1935
annulicornis Pic, 1935e: 16 A: GUA GUI GUX HKG HUB YUN ORR [Cambodia]
atricornis Pu, 1999: 81 A: HAI

genus Monochamus Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758
subgenus Monochamus Dejean, 1821: 106 type species *Cerambyx sutor* Linnaeus, 1758
— *Anthores* Pascoe, 1868: xiii type species *Anthores leuconotus* Pascoe, 1868
— *Ceratades* Gistel, 1834: 29 [unnecessary substitute name]
— *Herpetophygas* Fehræus, 1872b: 194 [RN]
— *Megez* Pascoe, 1866: 272 type species *Monohammus gravidus* Pascoe, 1858
— *Monohammus* Dejean, 1835: 340 [unjustified emendation]
— *Noserocera* Bates, 1884b: 17 type species *Noserocera tuberosa* Bates, 1884b (= *Homelix buquetii* J. Thomson, 1858)
— *Panhammus* Kolbe, 1894: 259 type species *Panhammus pauper* Kolbe, 1894
— *Phygas* Fehræus, 1873: 31 type species *Phygas fasciatus* Fehræus, 1873
alboapicalis Pic, 1934a: 9 (*Thrysima*) A: GUX ORR
strandellus Breuning, 1935b: 153
alternatus alternatus Hope, 1842a: 61 A: ANH FUJ GUA GUI GUX HEB HEN HKG HUB HUN JIA JIX SC SCH SHN XIZ YUN ZHE ORR
— *tessellata* A. White, 1858b: 408 (*Monohammus*)
alternatus endai Makihara, 2004a: 17 A: JA TAI
basifossulatus Breuning, 1938c: 185 A: NP YUN ORR
bimaculatus Gahan, 1888c: 260 (*Monohammus*) A: GUA GUX HAI HUB HUN JIX NP PA SD TAI UP XIZ YUN ZHE
— *ingranulatus* Pic, 1925a: 20 (*Monohammus*)
bootangensis Breuning, 1947a: 9 A: BT
convexicollis Gressitt, 1942g: 83 A: TAI ZHE
desperatus J. Thomson, 1857f: 295 A: SD
— *fredericus* A. White, 1858b: 408 (*Monochammus*)
dubius Gahan, 1894a: 35 (*Monohammus*) A: NP SD YUN
— *sintikensis* Matsushita, 1939: 58
— *sparsenotatus* Pic, 1920a: 2
foveatus Breuning, 1961c: 142 A: YUN
galloprovincialis cinerascens Motschulsky, 1860b: 150 (*Monochammus*) E: NT A: ES FE HEI JIL MG NMO WS
— *sibiricus* Pic, 1908b: 5 (*Monohammus*)
galloprovincialis galloprovincialis Olivier, 1795: No. 67: 125 (*Cerambyx*) E: FR IT (Sicily) PT SP N: AG MO TU
— *parenteli* Théry, 1891: xxiii (*Monohammus*)
— *subrufopubens* Pic, 1912g: 18
galloprovincialis pistor Germar, 1818: 242 (*Lamia*) E: AL AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT MC MD NL
NT PL RO SK SL ST SV SZ TR UK YU A: KI KZ WS #98
— *lignator* Krynicki, 1832: 158
— *nitidior* Abeille de Perrin, 1870: 87 (*Monohammus*)
— *unifasciatus* Pic, 1905a: 12 (*Monohammus*) [= “Altai”]
galloprovincialis tauricola Pic, 1912g: 18 E: ST UK (Crimea) A: AB AR GG JO SY TR #74
gardneri Breuning, 1938c: 185 A: SD
grandis C. O. Waterhouse, 1881: 431 A: FE JA
gravidus Pascoe, 1858: 245 (*Monohammus*) A: ANH FUJ HEN HUN SHA SHN ZHE ORR
— *multimaculatus* Pic, 1933j: 31 (*Apriona*)
guerryi Pic, 1903i: 121 (*Monohammus*) A: GUA GUI GUX HUB HUN SCH YUN ORR

granulipennis Breuning, 1938a: 52 (*Melanauster*) [see Hüdepohl & Heffern, 2004: 248]
guttulatus Gressitt, 1951a: 394 [RN] A: FE HEI HEN JIL LIA NC SC
guttatus Blessig, 1873: 196 (*Monohammus*) [HN]
hiekei Breuning, 1964g: 445 A: BT
impluviatus *impluviatus* Motschulsky, 1859a: 571 (*Monohammus*) E: CT NT A: ES FE HEI MG NC NMO SHA WS
impluviatus *silvicola* Z. Wang, 2003: 331, 397 A: HEI
itzingeri Breuning, 1938c: 190 (*Melanauster*) A: FUJ SCH
kaszabi Heyrovský, 1955b: 260 A: TAI
latefasciatus Breuning, 1944b: 435 [RN] A: GUX ORR
unifasciatus Breuning, 1935e: 251 [HN]
luteodispersus Pic, 1927b: 35 (*Monohammus*) A: FUJ ORR
maruokai Hayashi, 1962c: 8 A: JA (Ryukyu)
masaoi Kusama & Takakuwa, 1984: 431 A: JA
nigromaculatus Gressitt, 1942c: 2 A: XIZ
nitens Bates, 1884a: 238 (*Monohammus*) A: FE JA SC
griseonotatus Pic, 1921c: 6 (*Monohammus*)
saltuarius Gebler, 1830: 184 (*Monohammus*) E: AU BH BY CR CT CZ GE HU IT LA LT NT PL RO SK SL UK A: ES FE KZ
 HEI JA JIL JIX MG NC NMO SC SHA SHN SHX WS XIN ZHE
sartor Fabricius, 1787: 137 (*Lamia*) E: AU BH BU BY CR CZ EN FR GB GE HU IT LA LS LT PL RO SK SL SZ UK YU
mulsanti Seidlitz, 1891a: 749 [1891b: 844] (*Monochammus*)
okenianus Gistel, 1857a: 49 (*Monohammus*)
sparsutus Fairmaire, 1889a: 67 A: ANH FUJ HEN HUB HUN JIX SCH SHA TAI YUN ZHE
subconvexicollis Breuning, 1967f: 183 A: BT
subfasciatus *kumageinsularis* Hayashi, 1955: 35 A: JA
subfasciatus *meridianus* Hayashi, 1955: 57 A: JA
subfasciatus *shikokensis* Breuning, 1956a: 1 A: JA
subfasciatus *subfasciatus* Bates, 1873: 308 (*Monohammus*) A: FUJ JA JIX SC TAI
beloni Pic, 1901v: 341 (*Monohammus*)
fascioguttatus Gressitt, 1938b: 156
subgranulipennis Breuning, 1974h: 153 A: GUI
subtrangularis Breuning, 1972c: 416 A: AP
sutor longulus Pic, 1898c: 23 (*Monohammus*) A: ES FE HEI HEN JA JIL MG NC NMO SHN QIN XIN ZHE
sutor sutor Linnaeus, 1758: 392 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IT LA LS LT ME NL
 NR NT PL RO SK SL SP ST SV SZ UK YU A: GG KZ MG WS NARI
atomarius DeGeer, 1775: 65 (*Cerambyx*)
fucocomaculatus Petri, 1912: 249 (*Monochammus*) – unavailable [see Danilevsky, 2014b: 229]
heinrothi Cederhjelm, 1798: 88 (*Lamia*)
hybrida Petri, 1912: 249 (*Monochammus*) – unavailable [see Danilevsky, 2014b: 229]
obscurior Abeille de Perrin, 1869: 42 (*Monohammus*)
pellio Germar, 1818: 244 (*Lamia*)
rosenmuelleri Cederhjelm, 1798: 89 (*Lamia*) [DA]
taiheizanensis Mitono, 1943: 580 A: TAI
talianus Pic, 1912h: 20 A: XIZ YUN
tonkinensis Breuning, 1935c: 249 A: GUA ORR
urussovii Fischer von Waldheim, 1805: 12 (*Cerambyx*) E: BY CT EN FI LA NR NT SV ST UK A: ES FE KZ MG NC NIN NMO
 NW HEB HEI HEN JA JIL SC SHA WS XIN
quadrimaculatus Motschulsky, 1845a: 86 (*Monohammus*)
schaufusi Pic, 1912g: 18
subgenus *Tibetobia* Frivaldszky, 1892a: 118 type species *Tibetobia szechenyiiana* Frivaldszky, 1892 (= *Monohammus millegranus* Bates, 1891)
millegranus Bates, 1891b: 80 (*Monohammus*) A: FUJ GUI SCH XIZ YUN
szechenyiiana Frivaldszky, 1892a: 119 (*Tibetobia*)
touzalini Pic, 1920g: 198 (*Monohammus*)

genus *Murzinia* Lazarev, 2011: 639 type species *Murzinia karatauensis* Lazarev, 2011
karatauensis Lazarev, 2011: 639 A: KZ

genus *Myagrus* Pascoe, 1878: 372 type species *Myagrus hynesi* Pascoe, 1878
yagii Hayashi, 1994: 74 A: TAI

genus *Nanohammus* Bates, 1884a: 243 type species *Nanohammus rufescens* Bates, 1884
Microcybos Pic, 1934a: 9 type species *Microcybos annulicornis* Pic, 1934
Pararhodopis Breuning, 1935b: 174 type species *Rhodopis abberans* Gahan, 1894
Rarasanus Matsushita, 1941: 156 type species *Rarasanus subfasciatus* Matsushita, 1941
aberrans Gahan, 1894a: 59 (*Rhodopis*) A: GUX ORR
sinica Pic, 1926c: 16 (*Orsidis*) A: FUJ GUA HUN JIX SCH
blairi Gressitt, 1937d: 598 (*Rhodopis*)

strandi Breuning, 1935: 173 (*Rhodopis*)
oshimanus Breuning & K. Ohbayashi, 1964: 15 A: JA
rufescens Bates, 1884a: 244 A: HUB JA
 griseonotatus Pic, 1931c: 14
subfasciatus Matsushita, 1941: 157 (*Rarasanus*) A: TAI
 taiyal Gressitt, 1951a: 628
yunnanus W.-K. Wang & S.-N. Jiang, 2000b: 80 A: YUN

genus Nemophas J. Thomson, 1864: 75 type species *Nemophas batoceroides* J. Thomson, 1864 #13
subcylindricus Aurivillius, 1928a: 3 A: SCH ORR
— *virescens* Aurivillius, 1928a: 3
— *zonatoides* Breuning, 1980e: 174
subterribus Heller, 1924b: 164 A: SCH ORR
trifasciatus Heller, 1919: 101 A: SCH YUN AUR

genus Neodihammus Breuning, 1935d: 60 type species *Neodihammus pici* Breuning, 1935
pici Breuning, 1935d: 60 A: SE SW

genus Neoxenicotela Breuning, 1947a: 10 type species *Neoxenicotela mausoni* Breuning, 1947 #74
 Maia Gressitt, 1951a: 384 type species *Maia terminata* Gressitt, 1951
mausoni Breuning, 1947a: 11 A: FUJ GUX HAI ORR
 flavotarsus W.-K. Wang & Zheng, 2002: 377, 379
 terminata Gressitt, 1951a: 385 (*Maia*)

genus Opepharus Pascoe, 1868: xiii type species *Opepharus signator* Pascoe, 1868 (= *Monochamus tridentatus* Chevrolat, 1833)
 Lophoptera Perroud, 1855b: 352 [HN] type species *Lophoptera spectabilis* Perroud, 1855
 Zephyropepharus Hayashi, 1962: 6 type species *Opepharus asiaticus* Hayashi, 1962
asiaticus Hayashi, 1962: 7 A: JA (Ryukyus)

genus Paragnia Gahan, 1893b: 384 type species *Paragnia fulvomaculata* Gahan, 1893
fulvomaculata Gahan, 1893b: 385 A: GUI SD YUN ORR
 aureomaculata Chiang & Li, 1984: 100 (*Stegenagapanthia*)

genus Paraleprodera Breuning, 1935e: 253 type species *Lamia crucifera* Fabricius, 1793
bimaculata W.-K. Wang & S.-N. Jiang, 2000b: 80 A: SCH
carolina Fairmaire, 1900: 641 (*Archidice*) A: FUJ GUI HUB HUN JIA JIX SCH TAI YUN ZHE ORR
diophthalma *diophthalma* Pascoe, 1857a: 49 (*Morimus*) A: ANH FUJ GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA YUN
 ZHE
 bioculata Fairmaire, 1900: 641 (*Leprodera*)
diophthalma formosana Schwarzer, 1925: 58 (*Leprodera*) A: TAI
insidiosa Gahan, 1888d: 391 (*Leprodera*) A: NP SD YUN
 imbasalis Pic, 1925a: 18 (*Epepeotes*)
 unimacula Pic, 1925a: 19 (*Epepeotes*)
itzingeri Breuning, 1935e: 255 A: TAI
mesophthalma Bi & Lin, 2012: 6 A: XIZ
stephana A. White, 1858b: 406 (*Monohammus*) A: BT GUX NP SD XIZ YUN ORR
 fasciata W.-K. Wang, 1997: 440 #104
 officinatrix A. White, 1858b: 409 (*Monohammus*)
 quadrinotata J. Thomson, 1865a: 554 (*Archidice*)
triangularis J. Thomson, 1865a: 554 (*Epicedia*) A: GUX YUN ORR
 lecta Gahan, 1888d: 389 (*Leprodera*)

genus Paramelanauster Breuning, 1936: 294 type species *Paramelanauster bimaculatus* Breuning, 1936
flavosparsus Breuning, 1936: 295 A: YUN ORR

genus Paranamera Breuning, 1935d: 66 type species *Paranamera malaccensis* Breuning, 1935
ankangensis Chiang, 1981: 82 A: HEN SHA

genus Paraepopeotes Pic, 1935: 16 type species *Paraepopeotes breuningi* Pic, 1935
 Parepopeotes Breuning, 1938c: 182 [unjustified emendation]
affinis Breuning, 1938c: 183 (*Parepopeotes*) A: UP ORR
albomaculatus Gahan, 1888a: 272 (*Epepeotes*) A: BT "North India"
breuningi Pic, 1935b: 16 (*Paraepopeotes*) A: SCH XIZ YUN ORR #74
guttatus Guérin-Méneville, 1844: 242 (*Monohammus*) A: NP SCH "Himalaya" ORR
 punctulatus Westwood, 1848: 12 (*Monohammus*)
marmoratus Pic, 1925a: 19 (*Monohammus*) A: YUN ORR
szetschuanicus Breuning, 1969e: 188 (*Parepopeotes*) A: SCH

westwoodi Westwood, 1848: 12 (*Monohammus*) A: SD "Himalaya"

genus *Parapolytretus* Breuning, 1944b: 370 type species *Cycos rugosus* Matsushita, 1933

Breuningia Matsushita, 1943: 576 [HN] type species *Cycos rugosus* Matsushita, 1933
rugosus Matsushita, 1933b: 335 (*Cycos*) A: TAI

genus *Pareutaenia* Breuning, 1948a: 11 type species *Pareutaenia flavostellata* Breuning, 1948
arnaudi Breuning, 1962b: 18 A: GUX ORR

genus *Parhaplothrix* Breuning, 1935e: 255 type species *Parhaplothrix strandi* Breuning, 1935
szetschuanica Breuning, 1935e: 256 A: GUX SCH

genus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935

subgenus *Arisania* Gressitt, 1936: 106 type species *Arisania submarmorata* Gressitt, 1936

acutipennis Gressitt, 1942h: 209 (*Arisania*) A: GUA GUI SHA YUN

submarmorata Gressitt, 1936: 107 (*Arisania*) A: TAI

subgenus *Paruraecha* Breuning, 1935d: 64 type species *Paruraecha szetschuanica* Breuning, 1935

sikkimensis Breuning, 1938c: 192 A: SD

szetschuanica Breuning, 1935d: 65 A: SCH

genus *Pebblephaeus* Kusama & Takakuwa, 1984: 14 type species *Cereopsius decoloratus* Schwarzer, 1925

decoloratus Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI

ishigakianus Yokoyama, 1971: 97 (*Blepephaeus*) A: JA (Ryukyus)

lutoensis Takakuwa, 1991: 55 A: TAI

nobuoi Breuning & K. Ohbayashi, 1966: 31 (*Blepephaeus*) A: JA (Ryukyus)

okinawanus doii Fujita, 2002: 10 A: JA (Ryukyus)

okinawanus okinawanus Hayashi, 1962: 6 (*Blepephaeus*) A: JA (Ryukyus)

satoi Makihara, 2003: 358 A: JA (Amami-Ōshima)

yayeyamai Breuning, 1955b: 60 (*Blepephaeus*) A: JA (Ryukyus)

caesius Takakuwa, 1984: 13

yonagunii Breuning & K. Ohbayashi, 1964: 27 (*Blepephaeus*) A: JA (Ryukyus)

genus *Peribasis* J. Thomson, 1864: 86 type species *Monohammus helenor* Newman, 1851

pubicollis Pascoe, 1866: 231 A: BT

genus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864

subgenus *Antennopharsalia* Breuning, 1944b: 330 type species *Pharsalia antennata* Gahan, 1894

antennata Gahan, 1894a: 46 A: FUJ GUX SD YUN ORR

tuberculifera Pic, 1903b: 22 (*Triammatus*)

subgenus *Cycos* Pascoe, 1866: 244 type species *Monohammus subgemmatus* J. Thomson, 1857

gibbifera Guérin-Méneville, 1844: 243 (*Monohamus*) A: SD

subgemmata J. Thomson, 1857f: 294 (*Monocharmus*) A: FUJ GUA GUX HAI HEN NP SCH SD XIZ YUN "Himalaya" ORR

georgia A. White, 1858b: 407

rondoniana Breuning, 1964: 46 (*Anoplophora*) [see Hüdepohl & Heffern, 2004: 248]

subgenus *Pharsalia* J. Thomson, 1864: 85 type species *Pharsalia malasiaca* J. Thomson, 1864

mandli Tippmann, 1955: 118 A: FUJ

pulchra pulchra Gahan, 1888a: 280 A: GUX HAI HUN ORR

albofasciata Pic, 1932b: 34

ferruginea Gahan, 1906a: 116

nigrofasciata Aurivillius, 1913: 14

thibetana Breuning, 1982: 17 A: XIZ

genus *Polytretus* Gahan, 1893b: 382 type species *Polytretus cribripennis* Gahan, 1893

cribripennis Gahan, 1893b: 383 A: SD XIZ ORR

genus *Psacothea* Gahan, 1888d: 400 type species *Monohammus hilaris* Pascoe, 1857

hilaris botelensis K. Ohbayashi, 1965: 4 A: TAI

hilaris hilaris Pascoe, 1857b: 103 (*Monohammus*) A: ANH FUJ GAN GUA GUI GUX HAI HEB HEN HUB HUN JA JIA JIX NE SC SCH SHA TAI YUN ZHE ORR

albomaculata Kano, 1933a: 278

flavoguttata Fairmaire, 1887a: 133 (*Diocares*)

machidai Seki, 1935b: 292

suzukii Shiraki, 1913: 610 (*Hammaderes*)

szetschuanica Breuning, 1943c: 220

hilaris insularis Hayashi, 1960d: 25 A: JA

hilaris intermedia Breuning & K. Ohbayashi, 1966: 31 A: JA

hilaris ishigakiana K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)

- iriomotensis* Hayashi, 1969a: 63
hilaris macronotata Hayashi, 1956b: 20 A: JA
hilaris maculata Hayashi, 1962: 17 A: JA
hilaris miyakejimana Matsushita, 1937: 314 A: JA
hilaris miyakoana K. Ohbayashi & N. Ohbayashi, 1965: 5 A: JA (Ryukyus)
hilaris teneburosa Matsushita, 1933b: 322 A: JA (Ryukyus)
hilaris yonaguniana K. Ohbayashi & N. Ohbayashi, 1965: 4 A: JA (Ryukyus)
nigrostigma W.-K. Wang, S.-N. Jiang & L.-Y. Zheng, 2002: 177 A: YUN
rubra Gressitt, 1938a: 49 A: SCH
- genus *Pseudagapanthia* Breuning, 1971b: 77 [RN]** type species *Cribohammus chinensis* Breuning, 1966
Cribohammus Breuning, 1966b: 1 [HN] type species *Cribohammus chinensis* Breuning, 1966
chinensis Breuning, 1966b: 2 (*Cribohammus*) A: YUN
fragosa Holzschuh, 1998: 48 (*Cribohammus*) A: SCH
- genus *Pseudechthistatus* Pic, 1917f: 6** type species *Pseudechthistatus obliquefasciatus* Pic, 1917
acutipennis Chiang, 1981: 80 A: SCH
birmanicus Breuning, 1942e: 133 A: YUN ORR
granulatus Breuning, 1942e: 133 A: SCH YUN
obliquefasciatus Pic, 1917f: 7 A: YUN
- genus *Pseudomacrochenus* Breuning, 1943c: 271** type species *Pelargoderus antennatus* Gahan, 1894
affinis Breuning, 1960e: 30 A: BT
albibipennis Chiang, 1981: 81 A: SCH
antennatus Gahan, 1894a: 34 (*Pelargoderus*) A: FUJ HAI SCH YUN ORR
apicalis Gahan, 1900d: 348 (*Pelargoderus*)
perplexus Schwarzer, 1926a: 11 (*Pelargoderus*)
rufulosparsus Fairmaire, 1902b: 268 (*Mecotagus*)
oberthueri Breuning, 1955b: 59 A: SCH
- genus *Pseudomeges* Breuning, 1944b: 299** type species *Hammaticherus marmoratus* Westwood, 1848
marmoratus Westwood, 1848: 11 (*Hammaticherus*) A: BT "Himalaya"
varioti Le Moult, 1946: 136 A: HAI SCH YUN XIZ ORR
- genus *Pseudonemophas* Breuning, 1944b: 281** type species *Monochamus baluanus* Aurivillius, 1923
versteegii Ritsema, 1881d: 155 (*Monohammus*) A: FUJ HAI NP SCH SD YUN ORR
albescens Pic, 1920a: 2 (*Monochamus*)
glabronotatus Pic, 1934g: 34 (*Monochamus*)
siamensis Breuning, 1982: 17 (*Anoplophora*)
subuniformis Pic, 1934g: 34 (*Monochamus*)
- genus *Pseudopsacothea* Pic, 1935b: 16** type species *Pseudopsacothea albonotata* Pic, 1935
albonotata *albonotata* Pic, 1935b: 16 A: GUA GUX JIX ORR
albonotata *psacotheoides* Gressitt, 1942f: 6 (*Epepeotes*) [RN] A: HAI
tonkinensis Gressitt, 1940b: 93 (*Epepeotes*) [HN]
- genus *Pseudorsidis* Breuning, 1944: 495** type species *Diochares griseomaculata* Pic, 1916
griseomaculata Pic, 1916h: 18 (*Diochares*) A: YUN
- genus *Pseudotrachystola* Breuning, 1943c: 187** type species *Trachystola rugiscapus* Fairmaire, 1900
rugiscapus Fairmaire, 1900: 640 (*Trachystola*) A: FUJ ZHE
strix Gressitt, 1939b: 109 (*Leprodera*)
- genus *Pseuduraecha* Pic, 1925a: 23** type species *Pseuduraecha sulcaticeps* Pic, 1925
punctiventris Heller, 1926: 28 (*Dihammus*) A: FUJ GUX SCH
nigronotata Pic, 1935g: 178 (*Uraecha*)
sulcaticeps Pic, 1925a: 23 A: CH
- genus *Rufohammus* Breuning, 1939b: 147** type species *Rufohammus rufescens* Breuning, 1939
rufescens Breuning, 1939: 148 A: GUX ORR
- genus *Stegenagapanthia* Pic, 1924a: 18** type species *Stegenagapanthia albovittata* Pic, 1924
albovittata Pic, 1924a: 18 A: GUX HAI SHA ORR
- genus *Sternohammus* Breuning, 1935c: 253** type species *Dihammus femoralis* Aurivillius, 1928
sericeus Breuning, 1938c: 187 (*Paradihammus*) A: SD

yunnanus W.-K. Wang & S.-N. Jiang, 1998: 462 A: YUN

genus Sternorsidis Breuning, 1959c: 126 type species *Sternorsidis brunnea* Breuning, 1959
brunnea Breuning, 1959c: 126 A: SD

genus Stratioceros Lacordaire, 1869: 303 type species *Stratioceros princeps* Lacordaire, 1869
Cacoscapus J. Thomson, 1878: 47 type species *Cacoscapus mouhoti* Thomson, 1878
princeps Lacordaire, 1869: 303 A: YUN ORR
mouhoti J. Thomson, 1878: 48 (*Cacoscapus*)

genus Taeniotes Audinet-Serville, 1835a: 90 type species *Cerambyx subocellatus* Olivier, 1795 [1797]
Metoscopius Gistel, 1848a: 131 [unnecessary substitute name]
cayennensis J. Thomson, 1859: 96 Ei: AZ NTR
azoricus Kolbe, 1888: 180

genus Thermonotus Gahan, 1888d: 399 type species *Thermonotus nigripes* Gahan, 1888
Gibbanamera Pic, 1923c: 19 type species *Gibbanamera ruber* Pic, 1923
nigripes Gahan, 1888d: 399 A: SD
ruber Pic, 1923c: 20 (*Gibbanamera*) A: YUN ORR

genus Trachystolodes Breuning, 1943c: 188 type species *Trachystola bimaculatus* Kriesche, 1924
tonkinensis Breuning, 1943c: 188 A: FUJ GUA GUX HAI JIX SCH YUN ORR

genus Trichocscinesthes Breuning, 1954d: 70 type species *Trichocscinesthes szetschuanica* Breuning, 1954
szetschuanica Breuning, 1954d: 71 A: SCH

genus Trichohammus Breuning, 1938c: 189 type species *Trichohammus granulosus* Breuning, 1938
granulosus Breuning, 1938c: 189 A: BEI HEB

genus Uraecha J. Thomson, 1864: 84 type species *Uraecha bimaculata* J. Thomson, 1864
albovittata Breuning, 1956c: 233 A: FUJ
angusta Pascoe, 1857a: 49 (*Monohammus*) A: FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHA TAI XIZ ZHE ORR
attenuata Pic, 1925a: 23
bimaculata Matsushita, 1933b: 330 (*Orsidis*) [HN]
horishana Matsushita, 1935: 312 [RN]
bimaculata bimaculata J. Thomson, 1864: 85 A: JA SC TAI
bimaculata brevicornis Makihara, 1980: 60 A: JA
chinensis Breuning, 1935d: 61 A: NMO
gilva gilva Yokoyama, 1966: 56 A: JA
gilva hachijoensis Hayashi, 1969a: 64 A: JA
guerryi Pic, 1903e: 105 A: YUN
longzhouensis W.-K. Wang & S.-N. Jiang, 2000a: 47 A: GUX
obliquefasciata Chiang, 1951: 54 A: GUI
oshimana Breuning, 1954d: 70 A: JA
perplexa Gressitt, 1942d: 3 A: SCH
punctata Gahan, 1888b: 63 A: FUJ GUA HAI JIX YUN ORR #74
yunnana Breuning, 1936: 296 A: SCH YUN

genus Uraechoides Breuning, 1981b: 73 type species *Uraechoides vivesi* Breuning, 1981
taomeiae Hayashi, Nara & Yu, 1995: 149 A: TAI

genus Xenicotela Bates, 1884a: 242 type species *Xenicotela fuscula* Bates, 1884a (= *Monohammus pardalinus* Bates, 1884)
distincta Gahan, 1888d: 392 (*Monohamus*) A: NP SD YUN
quadrimaculata Pic, 1925a: 17 (*Trachystola*)
tonkinensis Pic, 1926g: 143 (*Nephelotes*)
trinotata Pic, 1925a: 17
pardalina Bates, 1884a: 239 (*Monohammus*) A: JA SC
fuscula Bates, 1884a: 242

genus Xenohammus Schwarzer, 1931b: 204 type species *Xenohammus bimaculatus* Schwarzer, 1931
albomaculatus W.-K. Wang & S.-N. Jiang, 2000b: 78, 80 A: SCH
bimaculatus Schwarzer, 1931b: 204 A: FUJ GUA GUI GUX HAI JIX TAI ZHE
filicornis Gressitt, 1935f: 383 (*Monochammus*)
flavoguttatus Pu, 1999: 83 A: HAI
griseomarmoratus Breuning, 1956c: 233 A: FUJ
nebulosus Schwarzer, 1931b: 205 A: TAI
rufomaculatus Pu, 1999: 821, 834 A: SCH [nomen nudum by Hubweber et al., 2010] #108

tribe Morimonellini Lobanov, Danilevsky & Murzin, 1981

genus *Morimonella* Podaný, 1979b: 43 type species *Morimonella bednariki* Podaný, 1979
bednariki Podaný, 1979b: 43 A: ST A: GG

tribe Morimopsini Lacordaire, 1869

genus *Aconodes* Pascoe, 1857b: 106 type species *Aconodes montanus* Pascoe, 1857
Centrura Guérin-Méneville, 1843: 61 [HN] type species *Centrura costata* Guérin-Méneville, 1843
Dioxippe J. Thomson, 1861: 355 type species *Centrura divaricata* Coquerel, 1852
Chambaganorum Pic, 1925a: 27 type species *Chambaganorum angustatum* Pic, 1925
euphorbiae Holzschuh, 2003b: 309 A: NP
latefasciatus Holzschuh, 1984a: 153 A: NP
lima Holzschuh, 1989a: 173 A: BT
montanus Pascoe, 1857b: 107 A: NP "Himalaya"
multituberculatus Breuning, 1947a: 6 (*Centrura*) A: BT
nepalensis Heyrovský, 1976: 183 A: NP
pedongensis Breuning, 1956g: 667 A: SD
piniphilus Holzschuh, 2003b: 309 A: BT
sikkimensis Breuning, 1940b: 118 (*Centrura*) A: SD
submontanus Breuning, 1949a: 4 (*Centrura*) A: BT
truncatus Breuning, 1939b: 144 (*Centrura*) A: SD

genus *Dolophrades* Bates, 1884a: 237 type species *Dolophrades terrenus* Bates, 1884a

Dorcadiohammus Pic, 1934a: 8 type species *Dorcadiohammus punctatus* Pic, 1934 (= *Cereopsius annulicornis* Schwarzer, 1925)
annulicornis Schwarzer, 1925b: 59 (*Cereopsius*) A: TAI
punctatus Pic, 1934a: 8 (*Dorcadiohammus*)
subdenudatus Gressitt, 1938b: 153
mustanganus Holzschuh, 2003b: 308 A: NP
terrenus Bates, 1884a: 238 A: HUB JA

genus *Falsotrachystola* Breuning, 1950c: 218 type species *Trachystola asidiformis* Pic, 1916

asidiformis Pic, 1916l: 326 (*Trachystola*) A: YUN
torquata Holzschuh, 2007: 250 A: YUN

genus *Lamidorcadion* Pic, 1934g: 33 type species *Lamidorcadion annulipes* Pic, 1934

annulipes Pic, 1934g: 33 A: SCH YUN XIZ
tuberosum Holzschuh, 1993a: 47 A: YUN

genus *Mimodorcadion* Breuning, 1942a: 115 type species *Mimodorcadion griseum* Breuning, 1942 (= *Dorcadion indicum* Guérin-Méneville, 1844)

indicum Guérin-Méneville, 1844: 241 (*Dorcadion*) A: "India"
griseum Breuning, 1942a: 115

genus *Morimopsidius* Breuning, 1948a: 4 type species *Morimopsidius triangularis* Breuning, 1948
triangularis Breuning, 1948a: 5 A: BT

genus *Morimopsis* J. Thomson, 1857e: 182 type species *Morimopsis lacrymans* J. Thomson, 1857

assamensis Breuning, 1966d: 14 A: AP
dalihodi Holzschuh, 2003b: 308 A: NP
glabripennis Holzschuh, 2003b: 308 A: BT
granulipennis Breuning, 1966b: 1 A: SD
lacrymans J. Thomson, 1857e: 183 A: SD
mussardi Breuning, 1966d: 14 A: AP
truncatipennis Breuning, 1940d: 410 A: "North India"
unicolor Breuning, 1975d: 347 A: BT

genus *Sinodorcadiion* Gressitt, 1939b: 107 type species *Sinodorcadiion punctulatum* Gressitt, 1939

jiangi Xie, Shi & W.-K. Wang, 2013: 584 A: ZHE
magnispinicollis Xie, Shi & W.-K. Wang, 2013: 585 A: ZHE
punctulatum Gressitt, 1939b: 108 A: ZHE
punctuscapum Xie, Shi & W.-K. Wang, 2013: 587 A: ZHE

genus *Sinomimovelleda* Chiang, 1963: 66 type species *Sinomimovelleda dentithumeralis* Chiang, 1963
dentithumeralis Chiang, 1963: 66 A: SCH

genus *Trichodordion* Breuning, 1942a: 116 type species *Trichodordion gardneri* Breuning, 1942
dubiosum Breuning, 1954f: 265 A: "India"
gardneri Breuning, 1942a: 116 A: NP UP

tribe Nyctimeniini Gressitt, 1951

genus *Nyctimenius* Gressitt, 1951a: 629 [RN] type species *Nyctimene argiloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)
Nyctimene J. Thomson, 1857f: 314 [HN] type species *Nyctimene agriloides* J. Thomson, 1857 (= *Saperda varicornis* Fabricius, 1801)
chiangi Huang, Chen & Liu, 2014 A: YUN #35
tristis Fabricius, 1793: 314 (*Saperda*) A: HAI NP SD YUN ORR
 lineatus Fabricius, 1801b: 326 (*Saperda*)
 testaceovittatus Pic, 1926g: 144 (*Nyctimene*)
 vittatus Pascoe, 1866: 330 (*Nyctimene*)
varicornis Fabricius, 1801b: 325 (*Saperda*) A: TAI ORR
 agriloides J. Thomson, 1857f: 314 (*Nyctimene*)

tribe Parmenini Mulsant, 1839

genus *Deucalion* Wollaston, 1854: 430 type species *Deucalion oceanicus* Wollaston, 1854
oceanicus Wollaston, 1854: 433 N: MR (Salvages Isl.)

genus *Lepromoris* Pascoe, 1864c: 278 [RN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
Anthrodus Gistel, 1848a: xi [HN]
Leprosoma J. Thomson, 1860: 23 [HN] type species *Leprosoma asperatum* J. Thomson, 1860 (= *Lamia gibba* Brullé, 1839)
gibba Brullé, 1839: 62 (*Lamia*) N: CI
 asperata J. Thomson, 1860: 23 (*Leprosoma*)
 pedestris Bory de Saint Vincent, 1803: 366 (*Lamia*) [HN]

genus *Paradeucalion* Breuning, 1950b: 153 type species *Deucalion desertarum* Wollaston, 1854
desertarum Wollaston, 1854: 430 N: MR (Desertas Is.)

genus *Parmena* Dejean, 1821: 108 type species *Lamia unifasciata* Rossi, 1790
aurora Danilevsky, 1980: 852 A: AB GG IN
balearica balearica Vives, 1998: 28 E: SP (Mallorca)
balearica minoricensis Vives, 1998: 30 E: SP (Minorca)
balteus Linnaeus, 1767: 1067 (*Cerambyx*) E: BE FR IT SZ
 balteata Fabricius, 1793: 262 (*Cerambyx*) – wrong subsequent spelling
 fasciata Villers, 1789: 239 (*Cerambyx*)
 gauthieri Stöcklein, 1940: 341
bicincta Küster, 1849c: 69 E: AL BH CR YU
cruciata Pic, 1912c: 4 E: SP
 schrammi Pic, 1945b: 7
lukati Sama, 1994a: 12 A: TR
meregallii Sama, 1984: 218 E: AN FR SP
mutilloides Sabbadini & Pesarini, 1992: 27 A: TR
novaki Sama, 1997a: 98 E: GR
pilosa pilosa Brullé, 1832: 260 E: AL BH CR GR IT SL ?UK
 hirsuta Küster, 1846b: 95
pilosa inclusa Mulsant, 1863: 242 E: FR IT MA N: LB
 dahlii Mulsant, 1863: 245
pontocircassica Danilevsky & Miroshnikov, 1985: 289 E: ST UK (Crimea) A: AB AR GG TR
pubescens Dalman, 1817b: 176 (*Lamia*) E: IT SP N: AG MO TU
 algirica Laporte, 1840: 485
 minuta Pic, 1891b: 29
sericata Sama, 1996c: 104 A: TR
slamai Sama, 1986: 23 E: GR (Kríti, Rodos) TR
solieri breunungi Vives, 1979: 156 E: SP
solieri lanzai Sama, 1985b: 76 E: IT FR (Corse)
solieri solieri Mulsant, 1839: 119 E: FR IT
 pilosa Solier, 1835: 100 [HN]
striatopunctata Sama, 1994f: 553 A: TR
subpubescens Hellrigl, 1971: 445 E: IT
unifasciata Rossi, 1790: 147 (*Lamia*) E: AL BH CR FR GR IT MC MD RO SL SZ UK YU #84

genus *Plectrura* Motschulsky, 1845b: 370 type species *Plectrura spinicauda* Motschulsky, 1845 [see Danilevsky, 2014b: 230-231]
subgenus *Phlyctidola* Bates, 1884a: 236 type species *Phlyctidola metallica* Bates, 1884
 metallica *metallica* Bates, 1884a: 236 (*Phlyctidola*) A: FE HUB JA NC NE SC #80
 mandshurica Jakobson, 1899b: 43

sachalinica Jakobson, 1899b: 44
metallica yoshihiroi Takakuwa, 1984: 12 A: JA

tribe Petrognathini Blanchard, 1845

genus *Ioesse* J. Thomson, 1864: 68 type species *Ioesse sanguinolenta* J. Thomson, 1864
Macrocelosterna Pic, 1925c: 3 type species *Macrocelosterna rubra* Pic, 1924
rubra Pic, 1925c: 3 (*Macrocelosterna*) 68 A: HAI YUN ORR

genus *Ithocritus* Lacordaire, 1872: 447 type species *Monohammus ruber* Hope, 1839
multimaculatus Pic, 1934g: 35 A: GUX ORR
fascicollis Breuning, 1935b: 171
ruber Hope, 1839: 43 (*Monohammus*) A: NP SD YUN ORR [see: Lin & Yang, 2014]

genus *Pseudapriona* Breuning, 1936: 304 type species *Pseudapriona flavoantennata* Breuning, 1936
Parajoesse Breuning, 1982a: 21 type species *Parajoesse nagaensis* Breuning, 1982: 21
flavoantennata Breuning, 1936: 304 A: XIZ ORR
medogensis Chiang & Chen, 1992, 69 (*loesse*)
nagaensis Breuning, 1982a: 21 (*Parajoesse*)
niger Pu, 1988: 300, 303 (*Ithocritus*)

tribe Phrynetini J. Thomson, 1864

genus *Calothyrza* J. Thomson, 1868: 168 type species *Phrynetia margaritifera* Westwood, 1848
margaritifera Westwood, 1848: 11 (*Phrynetia*) A: NP YUN "Himalaya"

genus *Phrynetia* Dejean, 1835: 341 type species *Lamia marmorea* Olivier, 1797
Inesida J. Thomson, 1860: 86 type species *Lamia leprosa* Fabricius, 1775
leprosa Fabricius, 1775: 178 (*Lamia*) Ei: MA AFR
brunicornis Guérin-Méneville, 1844: 239 (*Lamia*)

tribe Phytoeciini Mulsant, 1839

genus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)
subgenus *Conizonia* Fairmaire, 1864a: 176 type species *Saperda vittigera* Fabricius, 1801 (= *Saperda detrita* Fabricius, 1793)
allardi *allardi* Fairmaire, 1866a: 68 N: AG
 elegantula Fairmaire, 1871: 402
 lepraeuri Pic, 1892g: 104
allardi guyi Sama, 2005a: 37 N: MO
aresteni Pic, 1951a: 11 N: MO
detrita Fabricius, 1793: 308 (*Saperda*) N: AG MO TU
 maculosa Mulsant, 1839: 201 (*Phytoecia*)
 vittigera Fabricius, 1801b: 318 (*Saperda*)
guerini Breme, 1840: 277 (*Saperda*) N: AG TU
 glauca Erichson, 1841: 189 (*Saperda*)
 luteopubens Pic, 1918d: 17
 lineata Pic, 1918d: 11
mounai Sama, 2005a: 40 N: MO
simia Sama, 2005a: 38 N: AG
warnieri P. H. Lucas, 1847: pl. 43 (*Phytoecia*) N: AG MO TU
 aumontiana P. H. Lucas, 1851b: xli (*Phytoecia*)
 bicoloricornis Pic, 1942a: 1
 cinerea Guérin-Méneville, 1841: 9 (*Saperda*) [HN]
 coquerelii Fairmaire, 1873b: 353
 fuscicornis Heyden, 1863: 130 (*Phytoecia*)
 henoni Pic, 1891b: 49
 heterogyna Fairmaire, 1871: 402
 inlateralis Pic, 1942d: 3
 invittata Pic, 1942a: 1 [DA]
 mimeuri Pic, 1950d: 93
 poweli Pic, 1941a: 13
 pygidialis Pic, 1911a: 9
 vittithorax Pic, 1900d: 16
subgenus *Conzonoides* Özdkmen, 2015: 50 type species *Conizonia kalashiani* Danilevsky, 1992b #
anularis Holzschuh, 1984a: 160 A: TR
 anulifera Löbl & Smetana, 2013: 41 [unjustified emendation]
kalashiani Danilevsky, 1992b: 113 A: AR
subgenus *Eurycoptosia* Reitter, 1913d: 666 type species *Phytoecia bodoani* Pic, 1912
bodoani Pic, 1912a: 10 (*Phytoecia*) A: AB IN
subgenus *Iranocoptosia* Villiers, 1967: 340 type species *Iranocoptosia balachowskyi* Villiers, 1967 (= *Phytoecia fausti* Ganglbauer,

1886)

fausti Ganglbauer, 1886c: 521 (*Phytoecia*) A: IN TM
balachowskyi Villiers, 1967: 340

genus *Epiglenea* Bates, 1884a: 259 type species *Epiglenea comes* Bates, 1884a

comes comes Bates, 1884a: 259 A: FUJ GUA GUI GUX HEN HUN JA JIX SC SCH ZHE YUN ORR

comes formosana Schwarzer, 1925c: 153 (*Daphisia*) A: TAI

comes szetschuanica Breuning, 1967c: 40 (*Phytoecia*) A: SCH

genus *Kabylophytoecia* Sama, 2005d: 149 [RN] type species *Phytoecia cirteensis* P. H. Lucas, 1842

Tala Sama, 2005a: 18 [HN] type species *Phytoecia cirteensis* P. H. Lucas, 1842

cirteensis P. H. Lucas, 1842: 187 (*Phytoecia*) N: AG TU

cyrtana P. H. Lucas, 1849: 506 (*Phytoecia*) [unjustified emendation]

genus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852

subgenus *Dasylinda* J. Thomson, 1868: 184 type species *Dasylinda scopigera* J. Thomson, 1868 (= *Saperda testacea* Saunders, 1839)

apicalis apicalis Pic, 1906d: 17 A: GUI SCH XIZ YUN

gibbosicollis Pic, 1915c: 12

nigriventris Heller, 1923b: 74

subcincta Pic, 1924a: 19

apicalis yunnana Breuning, 1978b: 7 A: GUI SCH XIZ YUN

yunnanica Breuning, 1979a: 46 [RN]

fasciculata Pic, 1902i: 32 A: SCH SHA YUN

vitalisi Vuillet, 1912: 300 (*Dasylinda*)

testacea Saunders, 1839: 179 (*Saperda*) A: NP SD XIZ YUN ORR

rubripennis Pic, 1923a: 14

scopigera J. Thomson, 1868: 185 (*Dasylinda*)

subgenus *Linda* J. Thomson, 1864: 122 type species *Amphionycha femorata* Chevrolat, 1852

Miocris Fairmaire, 1902a: 245 type species *Miocris nigroscutata* Fairmaire, 1902

[*annamensis annamensis* Breuning, 1954g: 556 ORR (Annam)]

annamensis yunnanensis Breuning, 1960f: 147 A: YUN

annulicornis Matsushita, 1939: 424 A: SE SW TAI

subannulata Breuning, 1966b: 19 [RN]

subannulicornis Breuning & K. Ohbayashi, 1964b: 30 [HN]

atricornis Pic, 1924a: 19 A: FUJ ?GAN GUA GUI GUX ?HEB HEN HUB HUN JIA JIX ?NIN ?NMO SCH ?SHA YUN ZHE

bimaculicollis Breuning, 1954g: 558 A: XIZ ORR

femorata Chevrolat, 1852: 418 (*Amphionycha*) A: FUJ GUA GUI GUX HEN HUB HUN JIA JIX SCH SHA TAI YUN

melanoptera Fairmaire, 1895: 187 (*Amphionycha*)

fraterna Chevrolat, 1852: 419 (*Amphionycha*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JIA JIX SCH SHN TAI YUN

ZHE

luteonotata Pic, 1907d: 24

pratti Pic, 1902a: 3

seminigra Fairmaire, 1887a: 134

subtestacea Pic, 1906d: 17

gracilicornis Pic, 1907d: 24 A: SCH YUN

macilenta Gressitt, 1947: 551 A: SCH

major Gressitt, 1942b: 8 A: ANH FUJ GUI

nigroscutata ampliata Pu, 1993: 361 A: GUI

nigroscutata nigroscutata Fairmaire, 1902a: 245 (*Miocris*) A: GUI HUB HUN SCH XIZ YUN ORR

rubescens frontalis Pu, 1988: 304 A: XIZ

rubescens rubescens Hope, 1831: 28 (*Saperda*) A: BT NP SD YUN

bisbimaculata Pic, 1930e: 59 (*Miocris*)

fulva Fairmaire, 1895: 188

semiatra Holzschuh, 2003b: 315 A: NP

semivittata Fairmaire, 1887a: 134 (*Oberea*) A: YUN

subtestaceicolor Pic, 1916h: 17 (*Oberea*)

tricostata Gressitt, 1947: 554

signaticornis Schwarzer, 1925c: 154 A: TAI

stolata Pesarini & Sabbadini, 1997: 127 A: SCH

subannulicornis Breuning, 1956c: 236 A: FUJ TAI

subatricornis Lin & Yang, 2012: 3 A: CHQ FUJ HEB NIN SCH SHA

zayuensis Pu, 1981: 428 A: XIZ

#75

genus *Mallodia* Mulsant, 1863: 399 type species *Saperda graeca* Sturm, 1843

subgenus *Eumallodia* Danilevsky, 1990: 364 type species *Mallodia herminiae* Reitter, 1890

Anatolomallis Özdi̇kmen & Aytar, 2012a: 658 – unavailable name – wrong original spelling.

Anatolomalloisia Özdi̇kmen & Aytar, 2012a: 659 type species *Mallodia nonnigra* Özdi̇kmen & Aytar, 2012a

- Submallosia* Özdi̇kmen & Aytar, 2012a: 659 type species *Mallosia jakovlevi* Semenov, 1895
armeniaca Pic, 1897i: 188 A: AR IN TR
caucasica Pic, 1898r: 168
haiastanica Danilevsky, 2007b: 3
brevipes Pic, 1897i: 188 A: AR IN TR
cribratofasciata K. Daniel, 1904a: 309
costata Pic, 1898m: 124 A: IN TR
kurdistana Breuning, 1970b: 30
gobustanica Danilevsky, 1990: 366 A: AB
hermina Reitter, 1890d: 241 A: AB IN
imperatrix imperatrix Abeille de Perrin, 1885: cxl [Bloudan (Antiliban)] A: IN IQ LE SY TR
robusta Pic, 1901e: 19 [Syria] #89
imperatrix tauricola K. Daniel, 1904a: 308 A: TR
jakowlewi Semenov, 1895b: 204 A: IN
iranica K. Daniel & J. Daniel, 1898: 79
nognigra Özdi̇kmen & Aytar, 2012a: 656 A: TR
tamashaczi Sama & Székely, 2010: 896 A: IN
subgenus Mallosia Mulsant, 1863: 399 type species *Saperda graeca* Sturm, 1843
graeca Sturm, 1843: 356 (*Saperda*) E: GR
cardoriensis Pic, 1900w: 109
tomentosa Sturm, 1843: 355 (*Dorcadion*)
subgenus Semnossia K. Daniel, 1904a: 304 type species *Saperda scovitzii* Faldermann, 1837
Eusemnossia Özdi̇kmen & Aytar, 2012a: 659 type species *Saperda mirabilis* Faldermann, 1837
baiocchii Sama, 2001: 94 (*Semnossia*) A: SY #12
galinae Danilevsky, 1990: 364 A: AB GG
interrupta Pic, 1905b: 28 A: IN TR ["Kurdistan"]
mirabilis devexula Holzschuh, 1989a: 176 A: TR ["Hakkari"]
mirabilis mirabilis Faldermann, 1837: 283 (*Saperda*) A: IN IQ TR
bitlisensis Pic, 1902m: 42 ["Bitlis"]
delagrangei Pic, 1902m: 42 ["Monts Amanus"]
ganglbaueri Kraatz, 1884b: 233 ["Malatia"]
kotschy Hampe, 1852b: 314 (*Phytoecia*) [Kurdistan]
multimaculata Pic, 1902m: 42 ["Malatia"]
semirubra Pic, 1905b: 31 [no locality, unavailable: "mirabilis ssp. ganglbaueri var. semirubra"]
scovitzii Faldermann, 1837: 284 (*Saperda*) A: AB AR GG ?IN TR
atricornis Pic, 1915e: 10
semilimbata Pic, 1900g: 14
tristis Reitter, 1888a: 134 A: AB IN
angelicae Reitter, 1890d: 242
lederi Pic, 1908e: 14
genus Mallosiola Semenov, 1895b: 205 type species *Mallosia regina* Heyden, 1887
regina Heyden, 1887d: 319 (*Mallosia*) A: TD
lopatini Heyrovský, 1969a: 34 (*Mallosia*)
genus Micromallosia Pic, 1900g: 15 type species *Micromallosia theresae* Pic, 1900
heinzorum Holzschuh, 1991a: 27 (*Mallosia*) A: TR
heydeni Ganglbauer, 1888b: 76 (*Phytoecia*) A: TR
theresae Pic, 1900g: 15 A: TR
genus Mimocoptosia Breuning & Villiers, 1972: 37 type species *Mimocoptosia iraniensis* Breuning & Villiers, 1972 (= *Phytoecia luteovittigera* Pic, 1906)
luteovittigera Pic, 1906a: 4 (*Phytoecia*) A: IN TR
iranensis Breuning & Villiers, 1972: 37
genus Nupserha J. Thomson, 1860: 60 type species *Stibara cosmopolita* J. Thomson, 1860 (= *Saperda ustulata* Erichson, 1834)
acuta Holzschuh, 1986b: 152 A: SD
alexandrovi Plavilstshikov, 1915c: 109 (*Oberea*) A: FE JA JIL
infrequens Plavilstshikov, 1915: 110 (*Oberea*)
annulata annulata J. Thomson, 1857c: 147 (*Stibara*) A: BT NP PA SD
subannulicornis Pic, 1916d: 7 (*Oberea*)
annulata mustangensis Holzschuh, 1990: 194 A: NP
atriceps Breuning, 1948e: 121 A: GUI SD UP **ORR**
basipilosa Holzschuh, 1986b: 148 A: NP SD
bicolor J. Thomson, 1857c: 147 (*Stibara*) A: UP TAI **ORR**
brevior Pic, 1908f: 18 (*Oberea*) A: YUN
cauta Holzschuh, 1986b: 150 A: NP
clypealis clypealis Fairmaire, 1895: 188 (*Oberea*) A: GUI TAI YUN **ORR**

bisbinotaticollis Pic, 1917h: 13 (*Oberea*)
clypealis formosana Breuning, 1960c: 19 A: TAI
dubia Gahan, 1894a: 93 A: AP FUJ GUX HAI NP SD TAI UP YUN ORR
flavipennis Breuning, 1950a: 16 A: BT NP SD
fricator fricator Dalman, 1817b: 183 (*Saperda*) A: AP FUJ GUX HAI NP SD TAI ORR
bipartipennis Pic, 1943b: 3 (*Stibara*)
haddeni Gressitt, 1940d: 419
inopinata Gilmour, 1965: 482
lineatipes Pic, 1928b: 22
producta Schwarzer, 1931b: 212
rufopicea Schwarzer, 1930: 127
fuscoapicalis Breuning, 1949a: 15 A: NP SD ORR
fuscodorsalis W.-K. Wang & S.-N. Jiang, 2002b: 126 A: YUN
infantula Ganglbauer, 1889a: 83 (*Oberea*) A: FUJ GAN GUA GUI GUX HEB HUB HUN JIX SCH SHA YUN ZHE
bisbinota Pic, 1928b: 23 (*Oberea*)
subvelutina Gressitt, 1937d: 619
infuscata Breuning, 1960c: 31 A: XIZ
lenita Pascoe, 1867b: 410 (*Glenea*) A: GUX NP PA SD UP ORR
ambigua Lameere, 1893a: 286
annamensis Pic, 1939a: 18
nigromaculata Pic, 1926c: 18
longipennis Pic, 1926c: 18 A: XIZ
malabarensis Pic, 1939a: 17 A: UP ORR
marginella binhensis Pic, 1926c: 18 A: FUJ HUN ORR
marginella marginella Bates, 1873: 390 (*Oberea*) A: FE FUJ GUA GUI GUX HEN HUB HUN JA JIA JIL JIX MG NC SC SHA SHN TAI ZHE
minor Pic, 1939a: 17 A: FUJ GUX YUN ORR
multimaculata Pic, 1939a: 16 A: YUN ORR
nigriceps Gahan, 1894a: 90 A: NP YUN ORR
nigricollis Breuning, 1960c: 13 A: "North India"
nigrohumeralis Pic, 1927o: 200 A: YUN ORR
pallidipennis flavipennis Breuning, 1950a: 16 A: NP
pallidipennis pallidipennis L. Redtenbacher, 1844: 552 (*Phytoecia*) A: BT JIX KA NP SD UP XIZ ORR
pseudoinfantula Breuning, 1948e: 119 A: GUI
quadrioculata Thunberg, 1787: 57 (*Saperda*) A: NP GUX HAI YUN "North India" ORR
carinata J. Thomson, 1857c: 146 (*Stibara*)
corrugata Gressitt, 1940b: 211
costata Wiedemann, 1923: 112 (*Saperda*)
notaticeps Pic, 1926c: 17
rotundicollis Breuning, 1950d: 263 A: BT NP SD
schmidi arunensis Holzschuh, 1990: 195 A: NP
schmidi darjeelingensis Holzschuh, 1990: 195 A: SD
schmidi schmidi Breuning, 1966d: 16 A: AP NP SD
schmidi tamaensis Holzschuh, 1990: 195 A: NP
sericans Bates, 1884a: 260 (*Oberea*) A: CH FE JA TAI
spinifera spinifera Gressitt, 1948b: 63 A: BT SCH SD
subabbreviata Pic, 1916h: 16 (*Oberea*) A: SCH YUN
szetschuanica Breuning, 1947d: 148 A: SCH
taliana Pic, 1916h: 16 (*Oberea*) A: GUX XIZ YUN ORR
brevilineata Pic, 1928b: 23 (*Oberea*)
lemoulti Pic, 1916h: 18 (*Oberea*)
pseudomarginella Breuning, 1947d: 148
tatsienlui Breuning, 1948e: 120 A: SCH
testaceipes Pic, 1926c: 18 A: FUJ GUA GUI GUX HAI HUB HUN JIA JIX SCH SHN
batesi Gressitt, 1937d: 618
thibetana Breuning, 1948e: 120 A: SCH XIZ
ustulata ustulata Erichson, 1834: 270 (*Saperda*) A: GUX ORR
cosmopolita J. Thomson, 1857c: 146 (*Stibara*)
grandis Pic, 1939a: 17
seminigra Breuning, 1960c: 48
variabilis Gahan, 1894a: 92 A: GUX YUN ORR
apicalis Aurivillius, 1926: 21 (*Stibara*)
ventralis Gahan, 1894a: 91 A: HUN SD XIZ YUN ORR
pseudoventralis Breuning, 1950d: 263
yunnana Breuning, 1960c: 36 A: YUN
yunnanensis Breuning, 1960c: 19 A: YUN

genus *Oberea* Dejean, 1835: 351 type species *Cerambyx linearis* Linnaeus, 1760

subgenus <i>Amaurostoma</i> J. Müller, 1906: 223 type species <i>Cerambyx erythrocephalus</i> Schrank, 1776	
<i>donceeli</i> Pic, 1907d: 23 A: ES FE HEB MG XIN	
<i>atrosignata</i> Breuning, 1960b: 25	#124
<i>obscuripennis</i> Pic, 1939b: 3	#124
<i>erythrocephala amanica</i> Holzschuh, 1993a: 50 A: SY TR	#65
<i>erythrocephala bicolor</i> Reiche, 1878a: cxlix E: PT SP (Andalusía) N: MO	
<i>maroccana</i> Pic, 1914c: 11	
<i>reichei</i> Plavilstshikov, 1927a: 64 [unnecessary RN]	
<i>erythrocephala erythrocephala</i> Schrank, 1776: 67 (<i>Cerambyx</i>) E: AN AU BH BU BY CR CT CZ FR GE GR HU IT LS LT MC MD PL PT RO SK SL SP SZ TR UK YU A: AB AR GG IN KZ LE SY TR WS	
<i>anatolica</i> Pic, 1901d: 19	
<i>brunneicornis</i> Breuning, 1960b: 28	#124
<i>calvescens</i> G. Müller, 1948: 15	
<i>cincta</i> Gebler, 1830: 186 (<i>Saperda</i>)	
<i>discotrimaculata</i> Breuning, 1960b: 28	#124
<i>erivanica</i> Pic, 1917a: 11	
<i>hungarica</i> Pic, 1914c: 11	#124
<i>insidiosa</i> Mulsant, 1863: 396	
<i>luteicollis</i> Gebler, 1833: 303 (<i>Saperda</i>)	
<i>macedonica</i> Breuning, 1960b: 27	#124
<i>melitana</i> Reiche, 1878a: cxlix	
<i>montandoni</i> Pic, 1914c: 11	#124
<i>mulsanti</i> Breuning, 1960b: 27	#124
<i>nigriiceps</i> Mulsant, 1863: 394 [HN]	
<i>planeti</i> Pic, 1945b: 5	
<i>pyretana</i> Breuning, 1960b: 27	#124
<i>richteri</i> Bau, 1888: 425	
<i>rufoscapa</i> Breuning, 1960b: 28	#124
<i>schurmanni</i> Heyrovský, 1962a: 42	#65
<i>sinuatesignata</i> Pic, 1945b: 7	
<i>theophilei</i> Pic, 1914c: 11	
<i>euphorbiae</i> Germar, 1813: 131 (<i>Saperda</i>) E: AU BU CT CZ HU IT MD RO SK ST UK A: AR KZ WS	
<i>imitans</i> G. Müller, 1948: 76	
<i>intermedia</i> Breuning, 1947c: 59 [HN]	
<i>intermissa</i> Breuning, 1960b: 26 [RN]	#124
<i>histrionis</i> Pic, 1917a: 11 E: AU CZ HU MD PL RO SK UK	#125
<i>moravica</i> Kratochvíl, 1989: 1	
<i>ressli</i> Demelt, 1963: 150 A: TR	
<i>ruficeps muchei</i> Breuning, 1981a: 26 A: TD	
<i>ruficeps ruficeps</i> Fischer von Waldheim, 1842: 18 A: KI KZ UZ WS XIN	
<i>semirufa</i> Kraatz, 1882a: 115	
<i>taygetana</i> Pic, 1901d: 27 E: GR	
subgenus <i>Oberea</i> Dejean, 1835 351 type species <i>Cerambyx linearis</i> Linnaeus, 1760	
<i>Isosceles</i> Newman, 1842d: 318 type species <i>Isosceles macilenta</i> Newman, 1842	
<i>acuta</i> Gressitt, 1951a: 629 A: SCH	
<i>atroantennalis</i> Breuning, 1960b: 39 [= 1962f: 190] A: FUJ	
<i>atropunctata</i> Pic, 1916h: 17 A: ANH GUA GUI GUX HUB HUN JIX NP SCH SHA YUN ZHE YUN	
<i>flavescens</i> Breuning, 1947d: 146	
<i>toi</i> Gressitt, 1939b: 106	
<i>bicoloricornis</i> Pic, 1915c: 13 A: FUJ SHA XIZ	
<i>rubroantennalis</i> Breuning, 1960b: 38	#124
<i>binotaticollis binotaticollis</i> Pic, 1915c: 13 A: HUB JIX SCH SHA TAI ZHE	
<i>basimaculata</i> Breuning, 1960b: 34	#124
<i>griseopennis</i> Schwarzer, 1925c: 154	
<i>melli</i> Breuning, 1960b: 33	#124
<i>tiennuana</i> Gressitt, 1939b: 124	
<i>binotaticollis chinensis</i> Breuning, 1982a: 29 A: SCH	
<i>binotaticollis ichangensis</i> Breuning, 1969e: 670 A: HUB	
<i>birmanica</i> Gahan, 1894a: 96 A: GUX SCH YUN ORR	
<i>lajoyei</i> Pic, 1919c: 12	
<i>bisbipunctata bisbipunctata</i> Pic, 1916h: 17 A: GUA GUI GUX NE SCH ZHE ORR	
<i>bisbipunctulata</i> Breuning, 1960b: 34 [= 1962f: 191] A: SD	
[<i>bivittata bivittata</i> Aurivillius, 1911: 40–Indonesia]	
<i>montivagans</i> Fischer, 1937: 202	
<i>bivittata medioplagiata</i> Breuning, 1960b: 51 [= 1962f: 158] A: NP SD YUN ORR	
<i>dorsoplagiata</i> Breuning, 1960b: 51	#124
<i>postfemoralis</i> Breuning, 1960b: 51	#124
<i>bootangensis</i> Breuning, 1960b: 55 [= 1962f: 177] A: SD NP	

- breviantennalis* Kurihara & N. Ohbayashi, 2006: 257 A: TAI
brevithorax Gressitt, 1936: 108 A: HAI TAI
inepta Gressitt, 1939b: 122
- clara* Pascoe, 1866b: 265 A: YUN ORR
armata Gahan, 1894a: 95
fingeriventris W.-K. Wang, Y.-Z. Le & S.-N. Jian, 2002: 75
- conica* W.-K. Wang, Y.-Z. Le & S.-N. Jiang, 2002: 74 A: YUN
consentanea Pascoe, 1867b: 426 A: BT NP SD FUJ GUX HAI JIX YUN ORR
imbrevicollis Pic, 1928d: 16 #124
mausoni Breuning, 1960b: 54
posticata Pic, 1926b: 16 [HN]
rufopyga Pic, 1926b: 10
unicolor Breuning, 1956c: 236
coreana Pic, 1912h: 21 A: SC #80
- coreensis* Breuning, 1947e: 58 A: JA SG [unavailable, see Danilevsky, 2014b: 232-233]
- coxalis* Gressitt, 1940a: 14 [RN] A: GUA
discipennis Gressitt, 1939a: 100 [HN]
curialis Pascoe, 1866: 264 A: CH ORR
nonfriedi Pic, 1923a: 14
- curtilineata* Pic, 1916l: 326 A: YUN
depressa Gebler, 1825: 51 A: ES FE FUJ MG NC NE SC SHA WS XIN
altaica Gebler, 1830: 187 (*Saperda*)
amurica Suvorov, 1913: 78
- nigroreducta* Breuning, 1960b: 32 #124
pupillatoides Breuning, 1947d: 145
rosinae Pic, 1904d: 18
rufomaculata Kôno & Tamanuki, 1926: 278, 293
subdepressa Breuning, 1960b: 33 #124
transbaicalica Suvorov, 1913: 78
distinctipennis Pic, 1902a: 2 A: FUJ HAI SCH XIZ ORR
lateriventris Gressitt, 1939a: 101
subparallelia Pic, 1928b: 23
thibetana Pic, 1916h: 16
- diversimembris* Pic, 1923b: 11 A: XIZ ZHE ORR
elongatipennis Pic, 1940: 11 A: GUI
ferruginea Thunberg, 1787: 57 (*Saperda*) A: NP SD
atricornis Fabricius, 1793: 308 (*Saperda*)
elongata Olivier, 1795: 19 (*Saperda*)
maculiventris Pic, 1923a: 15 [HN]
notativentris Pic, 1924d: 30 [RN]
prolixa Pascoe, 1867b: 424
semiargentata Pic, 1923a: 15
flavipennis Breuning, 1960a: 39 A: TAI #124
formosana Pic, 1911e: 20 A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JIA JIX NP SC SCH SHA TAI ZHE ORR #74
clarior Breuning, 1960b: 43
ruficornis Breuning, 1956c: 235 #124
spinipennis Breuning, 1960b: 43 #124
- formososylvia* Kurihara & N. Ohbayashi, 2007: 207 A: TAI
fuscipennis fairmairei Aurivillius, 1912: 532 [RN] A: FUJ ORR
brevicollis Fairmaire, 1895: 190 [HN]
fuscipennis fuscipennis Chevrolat, 1852: 419 (*Iosceles*) A: FUJ GUA GUI GUX HAI HEB HUB HUN JA JIA JIX NC SC SCH TAI XIZ ZHE ORR
cephalotes Breuning, 1947d: 147
diversipes Pic, 1919c: 11
fulveola Bates, 1873: 390
holoxantha Fairmaire, 1888a: 35
infratestacea Pic, 1936a: 24
rosi Gressitt, 1940b: 214
rufotestacea Pic, 1923b: 12
theryi Pic, 1902a: 2
- fusciventris* Fairmaire, 1895: 189 A: SE SW ORR
gracillima gracillima Pascoe, 1867b: 422 A: ANH FUJ GUA GUI GUX HAI HEN HUB HUN JA JIA JIX LIA NP NMO SC SCH SHN TAI ZHE ORR #124
angustatissima Pic, 1908f: 17
gracillima Pascoe, 1867b: 422
horiensis Matsushita, 1931a: 47
langana Pic, 1902l: 35
michikoi Yokoyama, 1971: 101
nigriventris Bates, 1873: 389 #124

- postrufofemoralis* Breuning, 1960b: 44 #124
subannulipes Pic, 1913a: 19
grosspunctata Breuning, 1947d: 145 A: SHN YUN
hebescens Bates, 1873: 389 A: JA JIA
herzi Ganglbauer, 1887c: 23 A: FE HEB JIA JIL NC QIN SC SHN
~~*mediomaculata* Breuning, 1960b: 32~~ [pronorum black with red spot] #124
rufipennis Breuning, 1960b: 36 ["Chine: Nanking"]
~~*rufithorax* Breuning, 1947e: 58~~ [elytra black]
~~*swampingensis* Breuning, 1960b: 37~~ ["pronotum en partie noire"]
teranishi K. Ohbayashi, 1936b: 17 ["Ikuecho, Osaka" (Japan) – wrong label]
heudei Pic, 1936a: 23 A: SHN
heyrovskyi Pic, 1927e: 10 A: FE NC SC
himalayana Breuning, 1972c: 420 A: NP UP ORR
holatripennoides Löbl & Smetana, 2010: 59 A: CH
holatripennis Breuning, 1982a: 29 [HN]
humeralis Gressitt, 1939a: 103 A: FUJ GUA HUN JIX NE ORR
fruhstorferi Breuning, 1960b: 55 #124
inclusa Pascoe, 1858: 261 A: FUJ GUA GUX HEN HUB JIA JIX NC NMO SC SCH ZHE
basirufa Breuning, 1960b: 19
discipennis Fairmaire, 1889a: 68
partenigrescens Breuning, 1960b: 39 #124
incompleta Fairmaire, 1897e: 255 A: SCH
infranigrescens Breuning, 1960b: 36 A: SC JA #80
ishigakiana Matsushita, 1941: 158 A: JA (Ryukyus)
japonica Thunberg, 1787: 57 (*Saperda*) A: FE FUJ GUA GUX HAI HEB HEN HUB HUN JA JIA JIL JIX LIA NIN SCH SHA
SHN TAI ZHE
japonica Bates, 1873: 388 [HN]
laterifusca Breuning, 1960b: 36 #124
nipponensis Bates, 1884a: 260
komyai Kurihara & N. Ohbayashi, 2006: 261 A: TAI
kostini Danilevsky, 1988b: 35 A: ES KZ WS
lacana Pic, 1923a: 16 A: SD YUN ORR #124
orientalis Breuning, 1960b: 49
lama Gressitt, 1942c: 5 A: XIZ ORR
laosensis Breuning, 1963b: 52 A: YUN ORR
latipennis Gressitt, 1939a: 104 A: GUA ORR
leucothrix Toyoshima, 1982: 33 A: JA
linearis Linnaeus, 1760: 191 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GE GR HU IT LA LS LT LU MD NL
NR PL PT RO SK SL SP ST SV SZ UK YU A: AB AR GG TR
cylindricollis Gray, 1832: 119 (*Saperda*)
fulvipes Geoffroy, 1785: 79 (*Leptura*)
limbata Mulsant, 1839: 197
parallela Scopoli, 1763: 47 (*Leptura*)
regularis Poda von Neuhaus, 1761: 38 (*Leptura*)
lutea lutea Thunberg, 1787: 57 (*Saperda*) A: SD ORR #124
nigroapicalis Breuning, 1960b: 53 ["jusqu'au Sikkim"]
maculicollis P. H. Lucas, 1842: 187 N: AG SP #124
mauritanica P. H. Lucas, 1842: 187
medioobliterata Pic, 1945b: 7
semijuncta Pic, 1945b: 7
mixta Bates, 1873: 389 A: JA ZHE
morio Kraatz, 1879d: 117 A: ES FE MG SC
pictibasis Reitter, 1902c: 186
nigriceps A. White, 1844: 425 (*Saperda*) A: HAI HKG ORR
binhana Pic, 1923b: 12
nigromaculicollis Breuning, 1960: 35 ("Chine: prov. Ngan-hwei") #124
sylvia Pascoe, 1858: 261
notata Pic, 1936a: 24 A: GUA JIA SCH ZHE
kwangtungensis Breuning, 1960: 37 ("Chine: prov. Kwang-Tung Lien-ping") #124
rufoantennata Breuning, 1960: 37 ("Chine: prov. Cheking, Kiukiang") #124
oculata Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
MC MD NC NL NR NT PL PT RO SC SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG HEI HUB IN IQ JIL KZ LIA
MG NMO SC SHA SHN SY TR WS XIN N: MO #80
borysthenica Mokrzecki, 1900: 294
inoculata Heyden, 1892a: 81
~~*mediobliterata* Rungs, 1947: 104~~ #124
nigroabdominalis Breuning, 1960b: 35
quadrimaculata Donisthorpe, 1913: 158 #124

<i>tomensis</i> Kiseleva, 1927: 131	
<i>okinawana</i> Kusakabe, 1992: 40 A: JA (Ryukyus)	
<i>pedemontana</i> Chevrolat, 1856b: 436 E: AU BH BU CR HU IT RO SL SZ YU	
<i>koniensis</i> Breuning, 1960b: 39	#124
<i>melanura</i> Gredler, 1857a: 151	
<i>posticata</i> Gahan, 1894a: 94 A: NP SD TAI ORR	
<i>longulicollis</i> Breuning, 1960b: 53	#124
<i>rubroantennata</i> Breuning, 1960b: 53	#124
<i>pseudoposticata</i> Breuning, 1960b: 53 A: NP ORR	
<i>pupillata</i> Gyllenhal, 1817: 185 (<i>Saperda</i>) E: AU BE BH BY CR CT CZ EN FR GE GR HU IT LA LS LT MC MD NT PL RO SL SK SP ST SZ UK YU	
<i>alsatica</i> Pic, 1915e: 10	#124
<i>bimaculoides</i> Breuning 1960b: 33	
<i>luteonotata</i> Pic, 1918d: 5	
<i>cognata</i> Lentz, 1857: 145	
<i>pseudodepressa</i> Breuning 1960b: 33	#124
<i>subtestacea</i> Breuning, 1960b: 37	#124
<i>reductesignata</i> Pic, 1916h: 17 A: FUJ HUB TAI ORR	
<i>kiotensis</i> Pic, 1916h: 17	
<i>ruficornis</i> Breuning, 1956c: 235 A: CHQ FUJ GUI GUX HUN SCH ZHE ORR	#38
<i>clarior</i> Breuning, 1960b: 43	#38
<i>pseudoformosana</i> Li, Cuccudoro & Chen, 2014: 57	#38
<i>spinipennis</i> Breuning, 1960b: 43	#38
<i>rufiniventris</i> Breuning, 1968a: 41 A: GUX ORR	
<i>rufosternalis</i> Breuning, 1960b: 42 [= 1961b: 95] A: SCH YUN	
<i>savioi</i> Pic, 1924a: 19 A: JIA SHG ZHE	
<i>scutellaroides</i> Breuning, 1947c: 58 [RN] A: CH FE NC SC	#80
<i>chinensis</i> Tsherepanov, 1985: 147 [RN]	
<i>licenti</i> Pic, 1939b: 3 [Chine: Fei hien]	#124
<i>longevittata</i> Breuning, 1960b: 31 ["Corée. Pu Ryöng"] ["le pronotum noir"]	#124
<i>mediomaculata</i> Breuning, 1960b: 32 [pronorum black with red spot] ["Mandchourie"]	#124
<i>rufithorax</i> Breuning, 1960b: 36	#124
<i>scutellaris</i> Fairmaire, 1888b: 147 [HN]	
<i>swampingensis</i> Breuning, 1960b: 37 ["le pronotum en majeure partie noir"] [Chine: Swanmping]	#124
<i>shibatai</i> Hayashi, 1962: 40 A: JA	
<i>shimomurai</i> Kurihara & N. Ohbayashi, 2007: 209 A: TAI	
<i>shirahatai</i> K. Ohbayashi, 1956b: 762 A: JA	
<i>shirakii</i> Hayashi, 1963c: 16 A: JA (Ryukyus)	
<i>sikkimensis</i> Breuning, 1960b: 38 A: SD	#124
<i>simplex</i> Gressitt, 1942g: 91 A: ANH CE FE NE NC SC SHG	
<i>sobosana</i> K. Ohbayashi, 1956b: 761 A: JA	
<i>strigicollis</i> Gressitt, 1942g: 92 A: JIX	
<i>subelongatipennis</i> Breuning, 1955b: 77 A: GUI	
<i>subsericea</i> Breuning, 1960b: 42 [= 1962f: 180] A: GUI YUN	
<i>taihokuensis</i> Breuning, 1960b: 51 [= 1962f: 168] A: TAI	
<i>taiwana</i> Matsushita, 1933b: 423 A: TAI	
<i>tsuyukii</i> Kurihara & N. Ohbayashi, 2007: 206 A: SC TAI	#80
<i>umebayashii</i> K. Ohbayashi, 1964: 24 A: JA	
<i>unimaculicollis</i> Breuning, 1960b: 35 [= 1962f: 194] A: SHA ORR	
<i>nigroampliata</i> Breuning, 1960b: 35	
<i>uninotaticollis</i> Pic, 1939d: 16 A: FUJ GUX JIX YUN ZHE ORR	
<i>unipunctata</i> Gressitt, 1939b: 125	
<i>vittata</i> Blessig, 1873: 223 A: ES FE JA MG	
<i>longissima</i> Pic, 1905a: 15	
<i>walkeri</i> Gahan, 1894d: 487 A: FUJ GUA GUI GUX HAI HEN HKG JIX SCH YUN ZHE ORR	
<i>atroanalis</i> Fairmaire, 1895: 189	
<i>astrosternalis</i> Breuning, 1960: 38 ("Chine: prov. Kwang-Tung, Gao-Tung")	#124
<i>bicoloritarsis</i> Pic, 1923b: 11	
<i>changi</i> Gressitt, 1942c: 5	
<i>nigrobasicollis</i> Breuning, 1960: 38 ("Chine: prov. Kwang-Tung, Lien Distr.")	#124
<i>robustior</i> Pic, 1923b: 12	
<i>wiskotti</i> Z. Wang, 2003: 347, 397 A: JIL	
<i>yaoshana</i> Gressitt, 1942g: 93 A: GUI GUX	
<i>yasuhikoi</i> Kusakabe, 2001: 17 A: JA	
<i>yunnana</i> Pic, 1926b: 10 A: GUA YUN ORR	
<i>yunnanensis</i> Breuning, 1947d: 147 A: GUX HAI YUN ORR	

#124

- atripennis* Breuning, 1960b: 35
- genus *Obereopsis* Chevrolat, 1855: 289 type species *Obereopsis obscuritarsis* Chevrolat, 1855
- Paroberea* Kolbe, 1893: 79 type species *Paroberea fuscipes* Kolbe, 1893 (= *Obereopsis obscuritarsis* Chevrolat, 1855)
- annulicornis* Breuning, 1957d: 107 A: BT NP "North India"
- aterrima* Breuning, 1949a: 17 A: BT "India"
- atritarsis* Pic, 1920b: 3 (*Oberea*) A: XIZ
- astrosternalis* Breuning, 1957: 104 A: NP SD
- bicoloripes* Pic, 1916h: 16 (*Oberea*) A: TAI
- bimaculicollis* Breuning, 1949a: 20 A: "India"
- [*bipuncticollis bipuncticollis* Breuning, 1949a: 4, 19 – Burma]
- bipuncticollis bootanana* Breuning, 1957: 89 A: BT
- borchmanni* Breuning, 1959c: 131 A: "North India"
- bootangensis* Breuning, 1970f: 488 A: SD
- darjeelingensis* Breuning & Heyrovský, 1964: 30 A: SD
- flavicornis* Fairmaire, 1889a: 69 (*Oberea*) A: JIX
- flavodiscalis bhutanensis* Breuning, 1975d: 362 A: BT
- flavodiscalis flavodiscalis* Breuning, 1982a: 29 A: SD
- infranigra* Breuning, 1962f: 181 (*Oberea*) A: NP
- kankauensis* Schwarzer, 1925c: 153 (*Oberea*) A: FUJ SCH TAI
- *nigroventralis* Breuning, 1956c: 235 [as var.]
- *rufoantennalis* Breuning, 1956c: 235 [var. from same locality]
- tetrastigma* Gressitt, 1951a: 601 (*Oberea*)
- limbata* L. Redtenbacher, 1844: 553 (*Phytoecia*) A: KA NP UP
- himalayana* Breuning, 1972c: 420
- lineaticeps* Pic, 1911e: 21 (*Oberea*) A: TAI ZHE
- *fainanensis* Pic, 1912h: 21 (*Oberea*)
- longipes* Breuning, 1957d: 109 A: SD NP
- luteicornis* Breuning, 1957d: 105 A: SD NP "India"
- maculithorax* Matsushita, 1933b: 421 (*Oberea*) A: SCH TAI
- *pulla* Matsushita, 1933b: 421 (*Oberea*)
- modica* Gahan, 1894a: 97 (*Oberea*) A: NP GUX SHG "North India" ORR #124
- *binhensis* Pic, 1926b: 29 (*Oberea*)
- *diversicornis* Pic, 1923a: 15 (*Oberea*)
- *pallidicornis* Gahan, 1894a: 98 (*Oberea*)
- *rufonotaticeps* Pic, 1923c: 21 (*Oberea*)
- *semisericea* Pic, 1923a: 15 (*Oberea*)
- nepalensis* Breuning, 1975d: 362 A: NP
- nigriceps nigriceps* Breuning, 1957d: 81 A: SD
- obscura nigroabdominalis* Breuning, 1972c: 420 A: NP SD UP
- [*obscura obscura* Breuning, 1957d: 57 – India]
- paratricollis* Breuning, 1967b: 36 A: AP
- pedongensis* Breuning, 1960f: 148 A: SD
- pseudannulicornis* Breuning, 1982a: 29 A: SD
- quadrinotaticollis lachungi* Breuning, 1982a: 28 A: SD
- [*quadrinotaticollis quadrinotaticollis* Breuning, 1949a: 4, 18 ORR (Burma)]
- [*rubetra rubetra* Pascoe, 1858: 261 (*Oberea*) – Malaisia, Indonesia]
- *insularis* Fisher, 1937: 198 (*Oberea*)
- rubetra sikkimana* Breuning, 1982a: 29 (*Oberea*) A: SD
- rufescens* Breuning, 1960f: 148 A: SD
- sericea* Gahan, 1894a: 96 (*Oberea*) A: AP BT SD
- sericeoides* Holzschuh, 2006c: 488 A: BT NP SD
- signaticornis* Matsushita, 1933b: 423 (*Oberea*) A: TAI
- sikkimensis* Breuning, 1957d: 108 A: NP SD UP
- *himalayana* Breuning, 1972c: 420
- subteratra* Breuning, 1957d: 75 A: SD "North India"
- trinotaticollis* Breuning, 1967b: 36 A: NP ORR
- truncata* Breuning, 1957d: 109 A: BT
- varieantennalis* Breuning, 1982a: 28 A: SD
- genus *Oxylia* Mulsant, 1863: 398 type species *Phytoecia languida* Ménétriés, 1839
- argentata argentata* Ménétriés, 1832: 227 (*Saperda*) E: UK A: AB AR GG IN TR
- argentata languida* Ménétriés, 1839: 42 (*Phytoecia*) A: CY IN IQ IS JO LE SY TR
- duponcheli* Brullé, 1832: 260 (*Saperda*) E: AL BU MC GR
- *atomaria* Frivaldszky von Frivald, 1837: 178 (*Saperda*)
- *vestita* Küster, 1848c: 82 (*Phytoecia*)
- genus *Paramallosia* Fuchs, 1955b: 274 type species *Paramallosia afghanica* Fuchs, 1955

afghanica Fuchs, 1955b: 274 A: AF TM

genus *Paraserixia* Breuning, 1954g: 442 type species *Paraserixia flava* Breuning, 1954
flava Breuning, 1954g: 442 A: SD

genus *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758

subgenus *Barbarina* Sama, 2010: 49 type species *Phytoecia behen* Sama & Rejzek, 1999

behen Sama & Rejzek, 1999: 330 A: TR

chehirensis Breuning, 1943b: 103 (*Conizonia*) A: TR

nausicae Rejzek & Kakiopoulos, 2004: 405 E: GR

nepheloides Sama, 1997a: 100 A: SY

subgenus *Blepisanius* Pascoe, 1866: 365 type species *Saperda bohemani* Pascoe, 1858

Obereina Ganglbauer, 1886: 524 type species *Phytoecia rubricollis* P. H. Lucas, 1847 (= *Saperda melanocephala* Fabricius, 1787)

Rubrophytoecia Breuning, 1943b: 103 type species *Saperda melanocephala* Fabricius, 1787

forticornis forticornis Breuning, 1947b: 22 A: KA PA

forticornis povolnyi Heyrovský, 1971: 82 A: AF

magnanii Sama, Rapuzzi & Rejzek, 2007: 174 (*Blepisanius*) A: IN

melanocephala Fabricius, 1787: 148 (*Saperda*) E: IT N: AG MO TU

lineatocollis Levrat, 1859: 35

rubricollis P. H. Lucas, 1847: pl. 43

nigrofemorata Breuning, 1947b: 23 A: KA

nivea Kraatz, 1882a: 116 A: KI KZ TD UZ

ochraceipennis Kraatz, 1882c: 337 A: AF KI KZ TD UZ

pallidipennis Plavilstshikov, 1926c: 340 A: TM

remaudierei Villiers, 1967: 341 (*Blepisanius*) A: IN

repetekensis Semenov, 1935a: 279 A: TM

tatyanae Skrylnik, 2010: 260 A: AF

tekensis Semenov, 1896: 258 A: AF IN TM

vittipennis leuthneri Ganglbauer, 1886c: 523 A: IS SY TR

akbesiana Pic, 1900j: 20

inumeralis Pic, 1900c: 7 (*Obereina*)

samai Özdi̇kmen & Turgut, 2008c: 572

vittipennis pallidior Pic, 1901o: 67 (*Obereina*) A: TR

vittipennis pravei Plavilstshikov, 1926a: 8 [= 1926c: 339] A: AB AR GG IN TM TR

vittipennis vittipennis Reiche, 1877c: cxli E: AL BU GR A: LE TR

tokatensis Pic, 1933d: 11

volkovitshi Danilevsky, 2010b: 24 A: TR

subgenus *Cardoria* Mulsant, 1863: 436 type species *Saperda scutellata* Fabricius, 1793

scutellata Fabricius, 1793: 317 (*Saperda*) E: AU CT CZ GE GR HU YU MD RO SK ST UK A: AB AR GG IN TR

obscuricolor Pic, 1952e: 691

subgenus *Cinctophytoecia* Breuning, 1947d: 143 type species *Phytoecia cinctipennis* Mannerheim, 1849

albosuturalis Breuning, 1947d: 143 A: CH

cinctipennis Mannerheim, 1849: 242 A: BEI ES FE MG NC NMO SC WS

coreensis Breuning, 1955e: 658

guilleti callosicollis Pic, 1933e: 7 A: YUN

guilleti guilleti Pic, 1906a: 4 A: SCH YUN

obscurithorax Pic, 1922b: 27

kukunorensis Breuning, 1943b: 102 A: QIN

punctipennis Breuning, 1947d: 143 A: CH

sareptana Ganglbauer, 1888e: 376 A: ES FE HUB

densepubens Pic, 1939b: 3

testaceolimbata Pic, 1933e: 7 A: SCH YUN

subgenus *Coptosia* Fairmaire, 1865: 177 type species *Phytoecia languida* Fairmaire, 1865 (= *Phytoecia albovittigera* Heyden, 1863)

albovittigera Heyden, 1863: 130 (*Phytoecia*) E: BU GR MC TR A: TR

languida Fairmaire, 1865: 177 (*Phytoecia*) [HN]

semiannulicornis Pic, 1936c: 4

bithynensis Ganglbauer, 1884: 573 (*Phytoecia*) A: TR

amasina Pic, 1949c: 60

conjuncta Pic, 1901b: 13 [DA]

latevittata Breuning, 1963a: 10

limbata Pic, 1949c: 61 [DA]

piciana Jakovlev, 1924: 239 (*Phytoecia*) [RN]

trilinea Pic, 1892t: cxii (*Phytoecia*)

trilineata Pic, 1892t: cxii [= 1893d: 419] (*Phytoecia*)

brunnerae Sama, 2000a: 98 A: SY

compacta compacta Ménétríés, 1832: 228 (*Saperda*) A: AB AR GG IN TR

rufobrunnea Heyden, 1894b: 88 (*Conizonia*)

compacta sancta Reiche, 1877b: cxxxvi A: IS JO LE SY

<i>nigrosuturata</i> Bytinski-Salz, 1956: 221 (<i>Coptosia</i>)	
<i>demelti</i> Breuning, 1973b: 143 (<i>Conizonia</i>) A: TR	
<i>ganglbaueri</i> Pic, 1936c: 3 A: CY IS JO LE SY TR	
<i>gianassoi</i> Sama, 2007a: 97 A: IN	
<i>minuta</i> Pic, 1891a: 2 (<i>Phytoecia</i>) A: TR	
<i>kurda</i> Jakobson, 1924c: 239 (<i>Phytoecia</i>) [RN]	
<i>mardinensis</i> Pic, 1901b: 13	
<i>schuberti</i> Fuchs, 1965: 110 (<i>Conizonia</i>) A: TR	
<i>tauricola</i> Breuning, 1943b: 104 (<i>Conizonia</i>) A: TR	
<i>urartica</i> Kasatkin, 2015b: 43 A: TR	#103
subgenus <i>Coptosiella</i> Kasatkin, 2015a: 127 type species <i>Phytoecia antoniae</i> Reitter, 1889	#102
<i>antoniae</i> Reitter, 1889a: 42 (<i>Phytoecia</i>) A: AB AR GG IN TM TR	
<i>uniformis</i> Pic, 1933d: 11	
subgenus <i>Fulgphytoecia</i> Pic, 1900h: 16 type species <i>Phytoecia circumdata</i> Kraatz, 1882	
<i>Pseudomallosia</i> Breuning, 1967a: 1 type species <i>Pseudomallosia parterufipennis</i> Breuning, 1967	
<i>circumdata</i> Kraatz, 1882c: 337 A: AF KI KZ UZ TD	
<i>parterufipennis</i> Breuning, 1967a: 2 (<i>Pseudomallosia</i>)	
<i>sellata</i> Ganglbauer, 1887: 296	
<i>pilosicollis</i> Holzschuh, 1981: 107 A: KZ UZ	
<i>valentinae</i> Skrylnik, 2010: 258 A: AF	
subgenus <i>Helladia</i> Saperda flavescens Brullé, 1832	
<i>adelpha</i> Ganglbauer, 1886c: 522 A: AR CY SY TR	
<i>diversepuncta</i> Pic, 1952e: 691	
<i>alziari</i> Sama, 1992b: 306 (<i>Helladia</i>) E: GR A: CY IS JO LE SY TR	
<i>arianna</i> Pesarini & Sabbadini, 2011: 51 A: TR	
<i>armeniaca</i> Frivaldszky, 1878b: 10 [=1879: 318; =1879: 62] A: AB AR GG IS JO SY TR	#106
<i>demelti</i> Sama, 2003: 73 A: TR	
<i>diademata</i> Faldermann, 1837: 297 A: AB AR GG IN TR	
<i>fatima</i> Ganglbauer, 1884: 570 A: AB	
<i>ferrugata</i> Ganglbauer, 1884: 574 A: IS JO LE SY TR	
<i>dilaticollis</i> T. Pic, 1900b: 67	
<i>flavescens</i> Brullé, 1832: 262 (<i>Saperda</i>) A: AL GR MC	
<i>fumigata</i> Küster, 1848c: 81	
<i>humeralis caneri</i> Özdkmen & Turgut, 2015: 331 A: TR	#67
[<i>humeralis caneri</i> Özdkmen & Turgut, 2010: 331] – unavailable	#67
<i>humeralis humeralis</i> Waltl, 1838: 471 (<i>Saperda</i>) E: GR (Rodos) A: AB CY GG IN IQ IS LE SY TR	#27
<i>frontalis</i> Chevrolat, 1882: 63	
<i>mersinensis</i> Pic, 1900x: 140	
<i>scapularis</i> Chevrolat, 1882: 63	
<i>scapulata</i> Mulsant, 1851: 194 [1852: 54]	
<i>imperialis dorud</i> Sama, Rapuzzi & Rejzek, 2007: 166 (<i>Helladia</i>) A: IN	
<i>imperialis imperialis</i> Sama & Rejzek, 2001: 239 A: IN	
<i>insignata</i> Chevrolat, 1854: 485 A: IS JO SY	
<i>bethaniensis</i> T. Pic, 1900b: 67	
<i>millefolii</i> Adams, 1817: 311 (<i>Saperda</i>) E: BU GR ST UK A: AB AR GG IN TR	
<i>azurea</i> Steven, 1817: 190 (<i>Saperda</i>)	
<i>excelsa</i> Stierlin, 1876: 479	
<i>orbicollis</i> Reiche & Saulcy, 1858: 15 A: JO LE	
<i>damascena</i> Pic, 1899c: 210	
<i>edessensis</i> Reitter, 1898e: 358	
<i>scapipicta</i> Reitter, 1898e: 358	
<i>schniedeknechti</i> Pic, 1899c: 209	
<i>urfanensis</i> Reitter, 1898e: 358	
<i>paulusi bludanica</i> Sama, 2000a: 99 A: SY	
<i>paulusi paulusi</i> Holzschuh, 1971: 67 A: LE	
<i>plasoni</i> Ganglbauer, 1884: 571 A: AB AR IN TM TR	
<i>pontica</i> Ganglbauer, 1884: 574 A: IS JO SY TR	
<i>praetextata nigricollis</i> Pic, 1891h: 102 A: SY TR	
<i>praetextata praetextata</i> Steven, 1817: 184 (<i>Saperda</i>) E: BU RO ST TR UK A: AB AR GG TR	#113
<i>implagiata</i> Reitter, 1898b: 126	
<i>pretiosa nigroapicalis</i> Breuning, 1944: 16 A: IQ	
<i>ninives</i> Sama, 1994b: 33	
<i>pretiosa pretiosa</i> Faldermann, 1837: 298 A: AB AR GG IN SY TR	
<i>testaceovittata testaceovittata</i> Pic, 1934c: 18 (<i>Musaria</i>) A: IN	
<i>iranica</i> Villiers, 1960b: 99	
<i>testaceovittata natali</i> Lobanov, 1994a: 105 A: AB	
subgenus <i>Kalashania</i> Danilevsky, 2010: 43 type species <i>Phytoecia erivanica</i> Reitter, 1899	
<i>erivanica</i> Reitter, 1899: 161 A: AB AR GG IN TR	

- nigripennis* Jakobson, 1924c: 239 **[RN]**
nigritarsis Pic, 1895b: 40 [HN]
rosinae Pic, 1900c: 7
pici Reitter, 1892a: 64 A: AB AR GG IN **TR**
truncatipennis Pic, 1919a: 22 A: IN
subgenus Metallidia Kasatkin, 2012: 143 type species *Phytoecia alinae* Kasatkin, 2012
alinae Kasatkin, 2012: 143 A: TR
subgenus Musaria J. Thomson, 1864: 121 type species *Leptura affinis* Harrer, 1784
affinis affinis Harrer, 1784: 209 (*Leptura*) [NP] E: AL AU BH BU BY CR CT CZ FR GE GR HU IT MC MD PL RO SK SL SP ST SZ UK YU A: KZ TR
bipunctata Piller & Mitterpacher, 1783: 36 (*Cerambyx*) [HN]
compacta Pic, 1890b: 120 [HN]
janus G. F. Frölich, 1793: 154 (*Saperda*)
mutata Pic, 1892a: 4 [RN]
nigritarsis Schoenherr, 1817a: 435 (*Saperda*)
oculata Scopoli, 1763: 47 (*Leptura*) [NO]
subaurata Pic, 1889b: 68
affinis altaica Suvorov, 1913: 79 (*Musaria*) A: ES KZ WS
affinis boeberi Ganglbauer, 1884: 559 E: ST A: AB AR GG IN TR
melichari Pic, 1914c: 10
persathensis Pic, 1895b: 40
teberdensis Pic, 1952e: 693
affinis nigrohirta G. Müller, 1948: 76 E: IT
affinis nigropubescens G. Müller, 1948: **76** E: ST A: AR GG ?TR
— *circassica* Reitter, 1888b: 282 [not available; all three names from “Atschischcho”]
— *nigropubescens* Reitter, 1888b: 282
— *stareki* Reitter, 1888b: 282
affinis tuerki Ganglbauer, 1884: 575 E: BU ?TR A: TR #113
affinis volgensis Kraatz, 1883: 276 E: ST
m-notata Pic, 1911h: 185
anatolica Fuchs & Breunung, 1971: 75 A: TR
argus G. F. Frölich, 1793: 155 (*Saperda*) E: AU BH BU CR CT CZ GR HU IT MD RO SK SL ST UK
astarte astarte Ganglbauer, 1886c: 523 A: SY (north) TR (south-east)
astarte lederi Pic, 1899f: 391 A: AB AR GG IN TR
astarte perrini Pic, 1892m: clxxxvi A: LE
cephalotes Küster, 1846d: 61 E: **CR** GR IT
faldermanni Faldermann, 1837: 296 E: ST UK A: AB AR GG KZ
blessigi Morawitz, 1863: 172
pubicollis Pic, 1917g: 10 (*Musaria*)
rosti Pic, 1900h: 16 (*Musaria*)
griseicornis Pic, 1892m: clxxxvii A: TR #22
krupitskyi Danilevsky, 2014h: **687** A: TR
kurdistana Ganglbauer, 1884: 572 A: AB AR GG IN IQ TR
caucasica Pic, 1897o: 262 (*Musaria*)
innotaticeps Pic, 1931c: 10
korbi Pic, 1898v: 334
luristanica Pic, 1917g: 9 (*Musaria*)
puncticollis puncticollis Faldermann, 1837: 291 E: ST A: AB AR GG IN IQ TR
aladaghensis Reitter, 1906a: 37
diversicollis Pic, 1917g: 9 (*Musaria*)
gamborenis Pic, 1917g: 9 (*Musaria*)
heydeni Pic, 1952e: 693
mardinensis Heyden, 1894b: 87
octopunctata Pic, 1952e: 693
persica Ganglbauer, 1884: 572
quinquepuncticollis Pic, 1952e: 693
trimaculata Pic, 1917g: 9 (*Musaria*)
trinotaticollis Pic, 1952e: 693
turcica Pic, 1952b: 4 (*Musaria*)
verticeuinotata Pic, 1952e: **694**
puncticollis stygia Ganglbauer, 1884: 572 A: IN TM
rubropunctata Goeze, 1777: 507 (*Leptura*) E: FR IT SP
jourdani Mulsant, 1839: 202
nigrescens Pic, 1891b: 38
obscurior Pic, 1896f: 142
punctata Geoffroy, 1785: 80 (*Leptura*)
punctulata Gmelin, 1790: 1877 (*Leptura*)
tirellii Luigioni, 1913: 168 E: GR IT
wachanrui Mulsant, 1851: 127 E: GR (Rodos) **ST** A: IN IS JO LE SY TR
alboscutellata Chevrolat, 1854: 485

beryensis Pic, 1952e: 696
binodosa Chevrolat, 1882: 61
bisulcata Chevrolat, 1882: 61
breunigi Pic, 1952e: 696
coyei Pic, 1952e: 695
haasi Pic, 1952e: 695
innotaticeps Pic, 1952e: 696
irregularisignata Pic, 1952e: 696
hekeli Pic, 1917g: 10 (*Musaria*)
jezabel Reiche & Sauley, 1858: 13
marsabana Pic, 1952e: 696
microquadrisignata Pic, 1952e: 696
obscuricornis Pic, 1897i: 189
pallidithorax Pic, 1898c: 24 (*Musaria*)
rufomaculata Pic, 1917g: 9
syriaca Chevrolat, 1854: 484
trinotatithorax Pic, 1952e: 696
tripunctata Chevrolat, 1882: 61
subgenus *Neomusaria* Plavilstshikov, 1928: 123 type species *Saperda balcanica* Frivaldszky von Frivald, 1835
adusta Reitter, 1889a: 43 A: TR
balcanica Frivaldszky von Frivald, 1835: 268 (*Saperda*) E: BU GR TR A: IQ TR
dantchenkoi Danilevsky, 2008a: 7 A: AR
inapicalis Pic, 1905f: 107 A: SY TR
alepensis Pic, 1931c: 2
latepubens Pic, 1926d: 6 (*Helladia*)
longicornis Pesarini & Sabbadini, 2009: 27 A: TR
merkli Ganglbauer, 1884: 560 A: SY TR
mesopotamica Breuning, 1948d: 91 A: IN IQ SY
pauliraputii Sama, 1993d: 295 (*Neomusaria*) A: TR
salvicola Holzschuh, 1989a: 176 A: TR
suvorowi Pic, 1905c: 38 A: TR
suworowi König, 1906: 26
waltli Sama, 1991: 127 [RN] A: IS JO LE SY TR
modesta Waltl, 1838: 471 (*Saperda*) [HN]
subgenus *Opsilia* Mulsant, 1863: 387 type species *Phytoecia flavicans* Mulsant, 1851 (= *Leptura coerulescens* Scopoli, 1763)
aspericollis Holzschuh, 1981: 106 A: KZ
badenkoi Danilevsky, 1988a: 16 A: KZ
brevicornis Kasatkina, 2013: 265 A: AF
bucharica Breuning, 1943b: 101 A: AF TD
breunigi Dahlgren, 1988: 114
chinensis Breuning, 1943: 102 A: HEB
coerulescens Scopoli, 1763: 49 (*Leptura*) E: AL AU BE BH BU CR CT CZ FR GE GR HU IT LS LU MC MD NL PL PT RO SK SL SP ST SZ TR UK YU N: AG MO TU A: AB AR GG IN IQ IS JIA JO KI KZ LE NE TD TR SY UZ WS
aeruginosa Mulsant, 1839: 210
chlorizans Chevrolat, 1860b: 303
cobaltina Chevrolat, 1860: 270
cretensis Breuning, 1947c: 60
echii Chevrolat, 1860b: 302
estrelana Pic, 1930c: 6 (*Opsilia*)
flavescens Mulsant, 1843: 284 [HN]
flavicans Mulsant, 1851: 137 [RN]
grisescens Chevrolat, 1860: 269
incerta Mulsant, 1863: 433
nigrita Nedelkow, 1905: 204
obscura Brisout de Barneville, 1863: 116
subcoerulea Geoffroy, 1785: 77 (*Leptura*)
tienschanica Fuchs, 1965: 111
virescens Fabricius, 1782: 499 (*Saperda*)
viridiuscula Goeze, 1777: 506 (*Leptura*)
irakensis Breuning, 1967h: 435 A: IQ
molybdaea Dalman, 1817b: 186 (*Saperda*) E: AU BU CZ GE GR HU IT PT RO SK SP ST SZ UK YU A: AB AR ES GG IN KZ TM TR WS N: AG MO TU
longitarsis Reitter, 1911b: 271
prasina kotaika Miroshnikov, 2009: 244 A: AR TR
prasina prasina Reitter, 1911b: 270 A: AB IN TM
schurmanni Fuchs, 1971: 159 E: MC
tenuilinea Fairmaire, 1876c: 98 N: AG MO TU
mateui Breuning, 1951a: 365
transcaspica Fuchs, 1955a: 228 A: TM UZ
uncinata W. Redtenbacher, 1842: 25 (*Saperda*) E: AL AU BH BU CR CT CZ FR GE HU MD PL RO SK ST UK YU A: TM

[see: Siering, 2014a]

- glabricollis* Roubal, 1934c: 140
varentzowi Semenov, 1896: 257 E: ST A: AB AR GG IN KI KZ TD TM UZ
 immundula Reitter, 1911b: 270
 varentzovi Semenov, 1912: 499 [incorrect subsequent spelling] – not available!
- subgenus** *Phytoecia* Dejean, 1835: 351 type species *Cerambyx cylindricus* Linnaeus, 1758
- Hoplotoma* Perez Arcas, 1874: 151 type species *Phytoecia malachitica* P. H. Lucas, 1849
- acridula* Holzschuh, 1981: 105 A: KI TD UZ
 aenigmatica Sama, Rapuzzi & Rejzek, 2007: 166 A: IN
 algerica Desbrochers des Loges, 1870c: 126 N: AG MO
 nigritarsis Chevrolat, 1882: 62
 rufotibialis Pic, 1926d: 6
 annulicornis Reiche, 1878a: cli N: AG
 annulipes Mulsant & Rey, 1863: 165 A: TR
 asiatica asiatica Pic, 1891h: 102 A: SY TR
 achilleae Holzschuh, 1971: 68
 asiatica sublineata Holzschuh, 1984a: 159 A: AB AR TR
 atripes Pic, 1922a: 8 A: CH
 bangi Pic, 1897i: 189 A: IN TR
 bialookii Danilevsky, 2010b: 22 A: TR
 bodemeyeri Reitter, 1913d: 665 A: IN TR
 brunneicollis Pu, 1992b: 613 A: SCH
 caerulea baccueti Brullé, 1832: 262 (*Saperda*) E: GR A: TR
 caerulea bethseba Reiche & Saulcy, 1858: 17 A: IN IS JO LE SY
 caerulea caerulea Scopoli, 1772: 102 (*Saperda*) E: AL AU BH BU BY CR CT CZ GR HU IT IT MC MD PT RO SK SL SP ST SZ
 TR UK YU A: AB AR GG IN KZ SY TD TM TR UZ
 coelestis Townson, 1797: 469 (*Saperda*)
 flavimana Creutzer, 1796: 15 (*Saperda*)
 gilvimana Ménétriés, 1832: 227 (*Saperda*)
 rufimana Schrank, 1789: 77 (*Saperda*)
 viridis Gronovius, 1764: 163 [n. 546] (*Cerambyx*) [description only, without name; name in the Index n.546 (1781)]
 centaureae Sama, Rapuzzi & Rejzek, 2007: 163 A: IN
 coeruleipennis Breuning, 1947b: 22 A: KA
 coeruleomicans Breuning, 1947b: 22 A: JA
 croceipes Reiche & Saulcy, 1858: 17 [RN] A: AB AR CY GG IQ IN IS LE SY TR
 annulifera Pic, 1900b: 67
 longicollis A. Costa, 1875: ??
 macilenta Mulsant & Wachanru, 1863: 421 [RN]
 puncticollis Mulsant & Wachanru, 1852: 175 [HN]
 cylindrica Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT
 LU MC MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GG IN KZ TR WS XIN
- [see: Siering, 2014a]
- cinerea* DeGeer, 1775: 75 (*Cerambyx*)
 fuliginosa Scopoli, 1786: 49 (*Leptura*)
 grandis Pic, 1891a: 2 [DA]
 kammereri Schatzmayr, 1928: 47
 silphoides Schrank, 1781a: 145 (*Cerambyx*)
 simplonica Stierlin, 1878a: 438
 verna O. F. Müller, 1776: 94 (*Leptura*)
 drurei Pic, 1909b: 153 A: IQ
 erythrocnema P. H. Lucas, 1847: pl. 43 E: FR PT SP N: AG MO TU
 grenieri Fairmaire, 1861: xi
 brevis Chevrolat, 1882: 62
 cosettiae Iablokoff-Khnzorian, 1953: 61
 ferrea Ganglbauer, 1887c: 22 A: BEI ES FE HUB GUA MG NE WS
 analis Mannerheim, 1849: 244 [HN]
 atropygidalis Pic, 1939b: 3
 mannerheimi Breuning, 1951a: 368 [RN]
 flavipes Fabricius, 1801b: 329 (*Saperda*) N: MO
 gaubili Mulsant, 1851: 129 N: AG
 gabilloti Pic, 1891b: 39
 griseipes Pic, 1890f: cxi
 impunctata Pic, 1895c: 64
 innotata Pic, 1898a: 14
 peregrina Reiche, 1877b: cxxxv
 separata Pic, 1895c: 70
 geniculata *geniculata* Mulsant, 1863: 420 A: CY IN IQ IS JO LE TR
 ingeniculata T. Pic, 1900b: 67
 nazarena Reiche, 1877b: cxxxvi

- palaestina* Pic, 1930c: 3
geniculata orientalis Kraatz, 1871a: 272 [RN] E: BU GR TR
donatellae Rapuzzi & Sama, 2010b: 187
fuscicornis Mulsant & Rey, 1863: 168 [HN]
gougeleti Fairmaire, 1880b: 251 N: MO
griseola Breuning, 1951a: 359 [RN] A: HP
grisea Breuning, 1947b: 21 [HN]
icterica Schaller, 1783: 292 (*Cerambyx*) E: AU BH BU CR CZ FR GE HU IT LU MC MD PL PT RO SK SL SP ST SZ TR UK YU
A: KZ WS
ephippium Fabricius, 1793: 317 (*Saperda*)
ragusana Küster, 1844: 55 (*Oberea*) [DA]
subannulipes Pic, 1915: 11
kabateki Sama, 1997a: 104 A: SY
kartalensis Danilevsky, 2010b: 21 A: TR
lahoulensis Breuning, 1951a: 359 A: KA
malachitica P. H. Lucas, 1847: pl. 43 E: IT PT SP N: AG MO TU
bolivari Perez Arcas, 1874: 149
hispanica Breuning, 1951a: 364
parvula Breuning, 1960a: 23
manicata Reiche & Saulcy, 1858: 17 A: IS LE SY TR
marki Danilevsky, 2008a: 11 A: AR
mongolorum Namkhaidorzh, 1979: 584 A: MG
napolovi Danilevsky, 2012c: 4 A: IS
nigricornis Fabricius, 1782: 499 (*Saperda*) E: AL AU BE BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT LU MC MD NT
PL RO SK SL SP ST SV SZ TR UK YU A: AB AR ES GG KZ WS
canaliculata Fröhlich, 1793: 144 (*Saperda*)
caroni Mulsant & Godart, 1876: 419
julii Mulsant, 1863: 429
melanocera Gmelin, 1790: 1838 (*Cerambyx*)
solidaginis Bach, 1856a: 39
tristriga Reitter, 1913a: 70
pubescens Pic, 1895c: 64 E: BH BU CR GR MC ST TR A: AB AR GG IN IS JO LE SY TR #113
glaphyra K. Daniel, 1906b: 177
pustulata adulta Ganglbauer, 1884: 572 A: IN [see Danilevsky, 2014b: 236-237]
pustulata pilipennis Reitter, 1895c: 161 A: AB AR IR TR [see Danilevsky, 2014b: 236-237]
adnexa Pic, 1947a: 1
parvimacula Roubal, 1916b: 186
vexans Reitter, 1895c: 162
pustulata pulla Ganglbauer, 1886a: 130 E: ST A: KZ KI UZ
gibbicollis Reitter, 1893a: 114
intermedia Pic, 1895c: 65
kryzhanovskii Kostin, 1973: 230
pustulata pustulata Schrank, 1776: 66 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LA MC MD PL PT RO SK
SL SP SZ ST UK YU A: AB AR GG KI KZ TD TR UZ
brevirostrata Pic, 1936c: 4
lineola Fabricius, 1781: 235 (*Saperda*)
macedonica Pic, 1929b: 9
murina Marseul, 1870: 384
obscuripes Pic, 1895c: 65
posegana Piller & Mitterpacher, 1783: 67 (*Cerambyx*)
vulnerata Schaller, 1783: 293 (*Cerambyx*)
rabatensis Sama, 1992a: 41 E: SP N: MO
rufipes latior Pic, 1895c: 66 A: SY TR
rufipes rufipes Olivier, 1795: 25 (*Saperda*) E: BH BU CR FR GR (Kríti) IT PT SL SP ST SZ UK A: AR ES GG IN KI KZ TD TM
TR UZ WS
coeca Küster, 1848a: 85 (*Oberea*)
femoralis Mulsant, 1863: 416
ledereri Mulsant, 1851: 132
ludovici Pic, 1891: 133 [1891m: cxxxv] ["Sarepta"]
sibirica Gebler, 1833: 304 (*Saperda*)
umbellatarum Gistel, 1831: 303 (*Saperda*)
rufiventris Gautier des Cottes, 1870a: 104 A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX MG NC
NMO SC SHA SHN SHX TAI ZHE
abdominalis Chevrolat, 1882: 62
atrimembris Pic, 1915f: 14
hakutozana Z. Wang, 2003: 365
partenigrescens Breuning, 1947d: 60
pieli Pic, 1952e: 699
punctigera Blessig, 1873: 226
tonkinea Pic, 1902l: 34

tristigma Pic, 1897i: 190
ventralis Bates, 1873: 388
rufovittipennis Breuning, 1972c: 419 A: UP
rungsi Antoine, 1953: 221 N: MO
shokhini Kasatkin, 2010: 61 A: TR
sikkimensis Pic, 1907h: 152 A: KA NP SD
kashmirica Breuning, 1943b: 101
reductevittata Breuning, 1943b: 101
stenostoloides Breuning, 1943b: 101 A: ES FE
subannularis Pic, 1901b: 14 A: TR
vauloegeri Pic, 1892l: 314 N: AG
virgula Charpentier, 1825: 225 (*Saperda*) E: AL AU BH BU BY CR CT CZ FR GE GR HU IT LT MC MD PL PT RO SK SL SP
 ST SZ TR UK YU A: AB AR CY GG IN IS JO KI KZ LE SY TD TM TR UZ XIN
bravardi Pic, 1947a: 1
cyclops Küster, 1848a: 88
grisea Pic, 1891o: 139
major Pic, 1901b: 14
punctum Ménétriés, 1832: 227 (*Saperda*)
vulneris eremita Sama, 1999a: 53 E: IT
vulneris vulneris Aurivillius, 1923: 566 [RN] E: BH CR FR IT MC SL
vulnerata Mulsant, 1851: 131 [HN]
staudingeri Pic, 1947a: 1
paganetti Breuning, 1944: 16
subgenus Pilemia Fairmaire, 1864a: 175 type species *Phytoecia tigrina* Mulsant, 1851
angusterufonotata Pic, 1952a: 2 E: GR
inarmata Holzschuh, 1984b: 168
annulata annulata Hampe, 1852b: 315 A: AB AR IN TR
annulata wawerkana Reitter, 1905b: 239 (*Pilemia*) A: TR ["Akbes"]
angorensis Pic, 1952a: 2 (*Pilemia*)
breverufonotata Pic, 1952a: 2 A: TR
maculifera Holzschuh, 1984b: 170
buglanica D. Marklund & S. Marklund, 2014: 276 A: TR #76
eva D. Marklund & S. Marklund, 2014: 274 A: TR #76
griseomaculata Pic, 1891h: 102 A: SY TR
laterufonotata Pic, 1952a: 2
halperini Holzschuh, 1999: 51 A: IS
hirsutula hirsutula G. F. Frölich, 1793: 141 (*Saperda*) E: AL BH BU CR GR HU KZ MD MC RO SK SL ST UK YU A: AB AR
 GG IN IS JO LE KZ SY TR WS
androsensis Breuning, 1963a: 10 (*Oxylia*)
atomaria Townson, 1797: 470 (*Saperda*)
ciliciae Breuning, 1951a: 406
holosericea Faldermann, 1837: 287 (*Saperda*)
~~*holosericea* Ganglbauer, 1884: 568 [HN]~~
obsoleta Ganglbauer, 1889d: 487 [RN]
tournieri Pic, 1952a: 2
hirsutula homoiesthes Ganglbauer, 1888c: 197 A: IN TM
hirsutula moreana Breuning, 1943b: 102 E: GR
hladilorum Holzschuh, 2006a: 274
holtzi Pic, 1952a: 3
konyaensis Danilevsky, 2010b: 20 A: TR
samii Özdi̇kmen & Turgut, 2010: 97 A: TR
serriventris Holzschuh, 1984b: 169 E: BU
smatanai Holzschuh, 2003: 240 A: TR
tigrina Mulsant, 1851: 134 E: BU HU RO ?ST UK YU A: ?AR
anchusae Fuss, 1852: 138
vagecarinata Pic, 1952a: 3 A: SY TR
subgenus Pseudocoptosia Pic, 1900h: 16 type species *Phytoecia eylandti* Semenov, 1891
cinerascens Kraatz, 1882c: 337 (*Phytoecia*) A: AF KI KZ TD TM UZ
sokolovi Breuning, 1951a: 45 [unjustified emendation – Art. 33.2.1]
sokolowi Semenov, 1895b: 209 (*Phytoecia*)
eylandti Semenov, 1891: 325 (*Phytoecia*) A: KI KZ TM TD UZ
glasunovi Breuning, 1951a: 45 (*Phytoecia*) [unjustified emendation – Art. 33.2.1]
glasunowi Semenov, 1895b: 210 (*Phytoecia*)
kubani Holzschuh, 1991c: 56 A: TD
subgenus Pseudomusaria Pic, 1900h: 16 type species *Phytoecia farinosa* Ganglbauer, 1886
farinosa Ganglbauer, 1886c: 522 (*Phytoecia*) A: IN TM
mucida Semenov, 1893: 506 (*Phytoecia*)
genus Pteromallosia Pic, 1900h: 16 type species *Phytoecia albolellata* Hampe, 1852

albolineata Hampe, 1852b: 314 (*Phytoecia*) A: AB AR GG IN TR
fulvolineata Reitter, 1891a: 33 (*Phytoecia*)

genus Pygoptosia Reitter, 1895a: 86 type species *Phytoecia speciosa* Frivaldszky, 1884
eugeniae Ganglbauer, 1884: 568 (*Phytoecia*) A: IN
speciosa Frivaldszky, 1884: 5 (*Phytoecia*) A: IN LE SY TR
lineolata Reitter, 1895a: 86 (*Phytoecia*)
pictipennis Pic, 1909b: 106 (*Phytoecia*)

genus Semiangusta Pic, 1893d: 421 type species *Conizonia delagrangei* Pic, 1891
ambrusi Danilevsky, 2012m: 934 A: IN
delagrangei Pic, 1891a: 2 (*Conizonia*) A: TR
 brevior Pic, 1897i: 188 (*Phytoecia*)
katarinae Holzschuh, 1974a: 99 (*Phytoecia*) A: TR
rebecca Sama & Rejzek, 2002: 106 A: IN

tribe Pogonocherini Mulsant, 1839

genus Parmenopsis Ganglbauer, 1882: 693 type species *Parmena caucasica* Leder, 1880
caucasica Leder, 1880: 484 (*Parmena*) E: ST A: GG TR

genus Pogonocherus Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
subgenus Pogonocherus Dejean, 1821: 107 type species *Cerambyx hispidus* Linnaeus, 1758
 Eupogonocherus Linsley, 1935: 97 type species *Cerambyx hispidus* Linnaeus, 1758
 Pogonocerus Gistel, 1848a: 131 [unjustified emendation]
 Pogonochaerus Gemminger, 1873: 3116 [unjustified emendation]
 Strophinus Gistel, 1856: 376 type species *Cerambyx hispidus* Linnaeus, 1758
 anatolicus K. Daniel & J. Daniel, 1898: 76 (*Pogonochaerus*) E: GR (Rodos) A: CY SY TR
 barbarae Rapuzzi & Sama, 2012: 678 A: TR
 caroli Mulsant, 1863: 313 E: FR GB SP SV SZ
 cedri Peyerimhoff, 1917: 318 (*Pogonochaerus*) N: AG
 griseus Pic, 1889b: 67
 creticus Kratochvíl, 1985a: 1 E: GR (Kríti)
 dimidiatus Blessig, 1873: 208 A: FE HEI JA JIL NC SC
 bicristatus Kraatz, 1879d: 114
 seminiveus Bates, 1873: 382
 tristiculus Kraatz, 1879d: 115
 eugeniae eugeniae Ganglbauer, 1891: 131 E: AL AU BH CR GR IT RO
 eugeniae *taygetanus* Pic, 1903a: 8 E: GR (Peloponnisos)
 hispidulus Piller & Mitterpacher, 1783: 35 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ FR GR HU IR IT LA LS LT LU MC
 MD NL NT PT RO SK SL SP ST SZ UK YU A: AB AR GG TR N: MR
 bickhardti Pic, 1927e: 1 (*Pogonochaerus*)
 bidentatus C. G. Thomson, 1866: 85
 hispidus Linnaeus, 1758: 391 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU
 MD NL NR NT PL PT RO SK SL SP ST SV SZ UK YU A: AB AR GG TR N: AG TU
 dentatus Geoffroy, 1785: 76 (*Cerambyx*)
 pilosus Fabricius, 1787: 134 (*Cerambyx*)
 rufescens Pic, 1917a: 6
 marcoi Sama, 1993b: 29 E: IT
 neuhausi J. Müller, 1916: 98 (*Pogonochaerus*) E: BH CR GR IT N: AG MO TU
 icosiensis Peyerimhoff, 1918b: 143
 ovatoides Rapuzzi & Sama, 2014a: 9 E: IT
 pepa Verdugo & Torres-Méndez, 2010: 110 E: SP N: MO
 perroudi brevipilosus Holzschuh, 1993a: 50 E: GR (Kríti)
 perroudi perroudi Mulsant, 1839: 158 E: AL BH BU CR FR GR IT SP ST TR UK N: AG MO TU A: GG CY IS LE TR
 vaulgeri Pic, 1927e: 1
 pesaninii Sama, 1993c: 21 N: MO
 pilosipes Pic, 1907d: 21 A: "Chine orientale"
 pilosipes Pic, 1907d: 21 [incorrect original spelling]
 plasoni Ganglbauer, 1884: 526 E: GR
 sieversi Ganglbauer, 1887b: 139 E: UK A: AR GG TR
 caucasicus Ganglbauer, 1891: 132
 kuksha Plavilstshikov, 1924: 225
 slamai Danilevsky, 2015c: 590 A: CY #97
 sturani Sama & Schurmann, 1982: 66 E: SP

subgenus Pityphilus Mulsant, 1863: 302 type species *Cerambyx ovatus* Goeze, 1777

Pityophilus Bedel, 1889: 41 [unjustified emendation] [HN]
 decoratus Fairmaire, 1855: 320 E: AL AU BE BH BU BY CR CT CZ DE EN FR FI GE GR HU IT LA LT MD NL NR NT PL SK

SL SP ST SV SZ UK YU A: TR WS
ovalis Gyllenhal, 1827: 65 (*Lamia*) [wrong spelling?]
***zubovi* Danilevsky, 2015c: 588 E: UK #97**
ehdenensis Sama & Rapuzzi, 2000: 18 A: LE
fasciculatus fasciculatus DeGeer, 1775: 71 (*Cerambyx*) E: AL AU BE BU BY CR CT CZ DE EN ES FI FR GB GE GR HU IR IT
 KZ LA LS LT LU MA MC MD MD NL NR NT PL RO SK SL SP ST SV SZ UK YU A: AB AR ES FE GG KZ MG NC NE SC
 TR WS
costatus Motschulsky, 1859a: 234
fascicularis Panzer, 1793c: 15 (*Cerambyx*)
pullus Matsushita, 1931b: 376
setifer O. F. Müller, 1776: 92 (*Cerambyx*)
fasciculatus hondoensis K. Ohbayashi, 1963: 12 A: JA
inermicollis Reitter, 1894f: 247 E: ST A: GG TR
ovatus Goeze, 1777: 474 (*Cerambyx*) [NP] E: AL AU BE BH CR CZ EN FR GE GR HU IT LA NL PL RO SK SL SP SZ
multipunctatus Georg, 1857: 64
ovalis Gmelin, 1790: 1863 (*Cerambyx*)
schlumbergeri Dufour, 1851: 351
scutellaris Mulsant, 1846: [11]
subovatus Mulsant, 1839: 155
ressli Holzschuh, 1977a: 132 A: AB IN

tribe Prosopocerini J. Thomson, 1864

genus Prosopocera Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)
subgenus Dalterus Fairmaire, 1892a: 125 type species *Dalterus auberti* Fairmaire, 1892
Timoreticus Peringuey, 1896: 181 type species *Monohammus degeeri* Fehræus, 1873
dejeani Gahan, 1890d: 315 A: YE AFR
subgenus Prosopocera Blanchard, 1845: 160 type species *Lamia fronticornis* Fabricius, 1781 (= *Cerambyx bipunctatus* Drury, 1773)
Anoplostetha Dejean, 1835: 341 type species *Lamia lactator* Fabricius, 1801
Hagesata Pascoe, 1864c: 275 type species *Hagesata foxcrofti* Pascoe, 1864
Imalmus Pascoe, 1864c: 276 type species *Imalmus capito* Pascoe, 1864
Zalates J. Thomson, 1860: 376 type species *Zalates callipyga* J. Thomson, 1860
albescens Breuning, 1938e: 110 A: SA

tribe Pteropliini J. Thomson, 1860

genus Abryna Newman, 1842c: 289 type species *Abryna coenosa* Newman, 1842
coenosa coenosa Newman, 1842c: 289 A: SE SW TAI ORR
subuniformis Pic, 1925a: 30
obscura Schwarzer, 1925b: 65 A: JA TAI
oshimensis Breuning, 1955b: 64 (*Palimna*)
superba Pic, 1932d: 24
uniformis Breuning & K. Ohbayashi, 1966b: 32
regispetri Paiva, 1860: 5 A: YUN ORR

genus Albana Mulsant, 1846: [13] type species *Albana m-griseum* Mulsant, 1846
m-griseum Mulsant, 1846: [13] E: FR SP
accentifera Fairmaire, 1856a: 543 (*Pogonocherus*)
[grisea Mulsant, 1846: [13] unused original spelling]

genus Alidus Gahan, 1893a: 258 type species *Alidus biplagiatus* Gahan, 1893
biplagiatus Gahan, 1893a: 258 A: NP YUN ORR

genus Anaches Pascoe, 1865: 160 type species *Sthenias dorsalis* Pascoe, 1858
dorsalis Pascoe, 1858: 251 (*Sthenias*) A: CHQ FUJ GUI GUX HP NP SCH SD YUN ZHE ORR #74
albonotata Pic, 1932c: 25 (*Anaches*)
semicylindricus Hayashi, 1974c: 45 (*Sthenias*) A: TAI
wenhini Holzschuh & Y.-L. Lin, 2013: 152 A: TAI
yitingi Holzschuh & Y.-L. Lin, 2013: 154 A: TAI

genus Cyphoscyla Thomson, 1868: 65 type species *Cyphoscyla lacordairei* Thomson, 1868
Hoabinhia Pic, 1934a: 11 type species *Hoabinhia multituberculata* Pic, 1934a
lacordairei Thomson, 1868: 66 A: YUN ORR
multituberculata Pic, 1934a: 12

genus Desisa Pascoe, 1865: 163 type species *Praonetha subfasciata* Pascoe, 1862
subgenus Desisa Pascoe, 1865: 163 type species *Praonetha subfasciata* Pascoe, 1862
Mesopenthea Schwarzer, 1925b: 67 type species *Mesopenthea variabilis* Schwarzer, 1925
chinensis Breuning, 1938c: 373 A: CH

- dispersa* Pic, 1944a: 10 (*Mesosella*) A: YUN
kuraruana Matsushita, 1935: 312 (*Mesosella*) A: TAI
quadriplagiata Breuning, 1938c: 372 A: PA "North India"
subfasciata Pascoe, 1862a: 348 (*Praonetha*) A: GUA GUX HAI HEN HKG HUB JIA YUN ZHE **ORR**
infasciata Pic, 1944a: 10 (*Mesosella*)
latefasciata Pic, 1924e: 79 (*Mesosella*)
major Pic, 1925b: 28 (*Mesosella*)
rufa Pic, 1936a: 17 (*Falsomesosella*)
takasagoana Matsushita, 1933b: 364 A: FUJ GUA HAI TAI
variabilis Schwarzer, 1925b: 67 (*Mesopenthea*) A: TAI
yunnana Breuning, 1974d: 72 [*Mesoereis*] A: YUN #91
genus Egesina Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864
subgenus Callegesina Breuning, 1943a: 34 type species *Egesina vitticollis* Breuning, 1943
anfracta Gressitt, 1940b: 155 (*Enispia*) A: HAI
subgenus Cuphisia Pascoe, 1866b: 229 type species *Cuphisia callosa* Pascoe, 1866
cleroides Gahan, 1890a: 63 (*Enispia*) A: NP TAI "North India" **ORR**
digitata Pesarini & Sabbadini, 2000: 62 A: SCH
guerryi Pic, 1926c: 12 (*Enispia*) A: CH
salicivora Holzschuh, 2007: 253 A: YUN
subfasciata Pic, 1926b: 2 (*Gyaritus*) A: CH **ORR**
tarsata Holzschuh, 2007: 252 A: YUN
subgenus Callienispia Fisher, 1925: 210 type species *Callienispia elegans* Fisher, 1925
Larica Breuning, 1938c: 388 type species *Egesina cleroides* Breuning, 1938 [HN] (= *Egesina pascoei* Breuning, 1961)
anterufipennis Breuning, 1958a: 16 A: NP SD
subgenus Egesina Pascoe, 1864a: 49 type species *Egesina rigida* Pascoe, 1864
Neoegesina Fisher, 1925: 215 type species *Neoegesina ornata* Fisher, 1925
Platyzearyra Fisher, 1925: 213 type species *Platyzearyra bakeri* Fisher, 1925
albofasciata Hayashi, 1974c: 46 A: TAI
albolineata Breuning, 1942c: 132 A: YUN **ORR**
amoenula Holzschuh & Y.-L. Lin, 2013: 155 A: TAI
basirufa Breuning & Heyrovský, 1961: 142 A: SD
bhutanensis Breuning, 1975d: 338 (*Similosodus*) A: BT
diffusa Holzschuh, 2007: 255 A: YUN
generosa Holzschuh, 2003b: 310 A: NP
lacertosa Holzschuh, 2007: 256 A: GUI
lanigera Holzschuh, 2007: 259 A: GUI
nomurai Hayashi, 1994: 70 A: TAI
picina Holzschuh, 2007: 258 A: SHA
setosa Gressitt, 1937d: 603 (*Enispia*) A: JIX
umbrina Holzschuh, 2007: 260 A: SHA
subgenus Niijimaia Matsushita, 1933a: 386 type species *Niijimaia bifasciana* Matsushita, 1933
Baeckmanella Shabliovsky, 1936: 186 type species *Baeckmanella iljinskyi* Shabliovsky, 1936 (= *Niijimaia bifasciana* Matsushita, 1933)
bifasciana Matsushita, 1933a: 387 (*Niijimaia*) A: CH FE JA **NC SC**
coreana Breuning, 1950e: 266
iljinskyi Shabliovsky, 1936: 187 (*Baeckmanella*)
bifasciana tsushima Breuning & K. Ohbayashi, 1964: 27 A: JA
flavoapicalis Hayashi, 1971: 14 A: JA (Ryukyu)
flavopicta Breuning & Heyrovský, 1961: 144 A: NP SD
formosana Schwarzer, 1925b: 68 (*Enispia*) A: TAI
fujiwarai Toyoshima, 1999: 32 A: JA
fuscolaterimaculata Hayashi, 1971: 13 A: TAI
picea Hayashi, 1962: 16 A: JA
shibatai Hayashi, 1962: 15 A: JA
sikkimensis Breuning, 1940b: 145 A: SD
genus Gibbomesosella Pic, 1932b: 34 type species *Mesosella nodulosa* Pic, 1932
nodulosa Pic, 1932b: 33 (*Mesosella*) A: GUX **ORR**
genus Macropraonetha Breuning, 1961j: 542 type species *Desisa pterolophioides* Gressitt, 1942
pterolophioides Gressitt, 1942a: 6 (*Desisa*) A: FUJ GUX HUN
genus Marmylaris Pascoe, 1866a: 88 type species *Hathlia buckleyi* Pascoe, 1857
buckleyi Pascoe, 1857b: 107 (*Hathlia*) A: NP SD TAI **ORR**
truncatipennis Breuning, 1940b: 140 A: NP SD
genus Mesosella Bates, 1884a: 246 type species *Mesosella simiola* Bates, 1884

kumei Takakuwa, 1984: 12 A: JA
simiola Bates, 1884a: 246 A: JA

genus *Mimectatosia* Breuning, 1959e: 173 type species *Mimectatosia compacta* Breuning, 1959
compacta Breuning, 1959e: 173 A: SD

genus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864

subgenus *Dryusa* Pascoe, 1864a: 58 type species *Dryusa flexuosa* Pascoe, 1864

sonthianae Breuning, 1963: 59 A: GUX ORR

subgenus *Mispila* Pascoe, 1864a: 58 type species *Mispila venosa* Pascoe, 1864

Diatylus Lacordaire, 1872: 552 type species *Diatylus zonarius* Lacordaire, 1872 (= *Mispila curvilinea* Pascoe, 1869)
curvilinea Pascoe, 1869: 206 A: GUX YUN ORR

multilineatus Pic, 1925a: 24 (*Alidus*)

zonaria Lacordaire, 1872: 365

punctifrons Breuning, 1938c: 381 A: YUN ORR

tholana Gressitt, 1940b: 157 (*Enispia*) A: HAI YUN

subgenus *Trichomispila* Breuning, 1939a: 71 type species *Trichomispila picta* Breuning, 1939

pedongensis Breuning, 1968f: 704 A: SD

genus *Niphophila* Gressitt, 1951a: 458 type species *Niphophila chujoi* Gressitt, 1951
chujoi Gressitt, 1951a: 458 A: TAI

genus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839

subgenus *Hammatoniphona* Pic, 1936f: 31 type species *Campocnema longicornis* Pic, 1926

longicornis Pic, 1926b: 8 (*Campocnema*) A: HUN SCH YUN XIZ ORR

lateralba Breuning, 1938c: 241

tibetana Gressitt, 1951a: 457

subgenus *Niphona* Mulsant, 1839: 169 type species *Niphona picticornis* Mulsant, 1839

Aelara J. Thomson, 1864: 54 type species *Niphona regisfernandi* Paiva, 1860

Campocnema J. Thomson, 1864: 54 type species *Niphona lateralis* A. White, 1858

Falsoniphona Pic, 1925b: 26 type species *Falsoniphona lutea* Pic, 1925

Ocheutes J. Thomson, 1864: 54 type species *Ocheutes scopulifera* J. Thomson, 1864

albofasciata Breuning, 1938c: 238 A: HEB

appendiculata Gerstaeker, 1871: 78 A: SA

belligerans Pesarini & Sabbadini, 1997: 114 A: GUX

cantonensis Gressitt, 1939a: 71 A: GUA HAI

chinensis Breuning, 1938c: 240 A: CH

excisa Pascoe, 1862a: 337 A: HAI ORR

falaizei Breuning, 1962b: 67 A: YUN ORR

fasciculata Pic, 1917f: 7 (*Ocheutes*) A: XIZ YUN ORR

furcata Bates, 1873: 314 (*Aelara*) A: HEN HUB JA JIA JIX SC TAI ZHE

fuscatrix Fabricius, 1793: 291 (*Lamia*) A: HP NP PA

spinicollis Bates, 1891a: 22 (*Ocheutes*)

hookeri Gahan, 1900d: 351 A: FUJ GUA GUX HAI HKG HUN SCH SD XIZ YUN ORR

indica Breuning, 1938c: 239 A: AE AF IN OM PA

grisea Breuning, 1938c: 241

lateraliplagiata Breuning, 1943: 49 A: YUN ORR

longesignata Pic, 1936f: 31 A: GUX YUN ORR

lutea Pic, 1925b: 27 (*Falsoniphona*) A: HKG ORR

obliquata Breuning, 1938c: 240 A: CH

obscura Breuning, 1938c: 241 A: NP "India or."

parallela A. White, 1858a: 267 (*Nyphona*) A: FUJ GUA GUI GUX HAI HKG JIX NP TAI "North India" ORR

malaccensis Breuning, 1938c: 240

minor Lameere, 1893a: 284 (*Aelara*)

minuta Pic, 1926b: 8

picticornis Mulsant, 1839: 169 E: AL BH BU CR FR GR IT MA SP YU N: AG MO TU A: CY IS JO LE SY TR

plagiata A. White, 1858a: 267 A: YUN ORR

pluricristata Pesarini & Sabbadini, 2000: 60 A: SCH

similis Breuning, 1938c: 238 A: YE AFR

stoetzneri Breuning, 1938a: 57 A: SCH

stramentosa Breuning, 1938a: 57 A: PA "Punjab"

subgrisea Breuning, 1973c: 654 A: PA

variegata Breuning, 1938c: 239 A: UP

yanoi reducta Gressitt, 1940b: 144 A: HAI

yanoi yanoi Matsushita, 1934a: 240 A: JA TAI

subgenus *Spinoniphona* Hua, 1989a: 74 type species *Niphona longzhouensis* Hua, 1989

longzhouensis Hua, 1989a: 74 A: GUX

genus *Niphosoma* Breuning, 1943a: 29 type species *Niphosoma compactum* Breuning, 1943
sikkimense Breuning, 1957g: 276 A: SD

genus *Paradiexia* Heller, 1923a: 43 type species *Paradiexia pellita* Heller, 1923
pellita Heller, 1923a: 44 A: "India" ORR

genus *Paramesosella* Breuning, 1940b: 143 type species *Paramesosella fasciculata* Breuning, 1940
alboplagiata Breuning, 1948b: 3 A: BT
fasciculata Breuning, 1940: 143 A: YUN ORR
medioalba Breuning, 1956c: 234 A: FUJ
stheniformis Breuning, 1940b: 143 A: NP UP
sthenoides Breuning, 1938c: 374 (*Desisa*) A: KA

genus *Paramispilopsis* Breuning, 1947a: 36 type species *Paramispilopsis indica* Breuning, 1947
indica Breuning, 1947a: 37 A: BT

genus *Paranaches* Breuning, 1959b: 70 type species *Anaches simplex* Pic, 1928
simplex Pic, 1928b: 20 (*Anaches*) A: NP

genus *Paraniphona* Breuning, 1970e: 371 type species *Paraniphona niphonoides* Breuning, 1970
rotundipennis Breuning, 1974h: 151 A: CH

genus *Prosoplius* Blanchard, 1853: 290 type species *Prosoplius sinuatofasciatus* Blanchard, 1853
subgenus *Prosoplius* Blanchard, 1853: 290 type species *Prosoplius sinuatofasciatus* Blanchard, 1853
Aegomomus Pascoe, 1864a: 58 type species *Aegomomus encaustus* Pascoe, 1864
Atyporis Pascoe, 1864a: 58 type species *Atyporis jubata* Pascoe, 1864
Micracantha Montrouzier, 1861: 271 type species *Penthea woodlarkiana* Montrouzier, 1855
Prosacanthus Fauvel, 1862: 163 type species *Prosacanthus chevrolati* Fauvel, 1862 (= *Prosoplius australis* Montrouzier, 1861)
Zaeeralia Pic, 1925a: 28 type species *Zaeera vaulogeri* Pic, 1925 (= *Lamia bankii* Fabricius, 1775)
bankii Fabricius, 1775: 176 (*Lamia*) A: GUA HAI JA TAI AUR ORR
hollandicus Boisduval, 1835: 491 (*Acanthocinus*)
insularis Pascoe, 1859: 39 (*Niphona*)
iratus Pascoe, 1862b: 464 (*Niphona*)
muscarius Pascoe, 1863b: 529 (*Niphona*)
musivus Pascoe, 1864a: 65 (*Aegomomus*)
nutans Sharp, 1878: 209 (*Micracantha*)
torosus Pascoe, 1864b: 223 (*Niphona*)
uchiyamai Matsushita, 1935: 120
vaulogeri Pic, 1925a: 28 (*Zaeera*)
metallicus Pic, 1935g: 178 A: YUN AUR
salomonum Breuning, 1938c: 357

genus *Pseudolophia* Breuning, 1938c: 368 type species *Pseudolophia uniformis* Breuning, 1938
melanura Pascoe, 1857b: 106 (*Pterolophia*) A: NP TAI YUN ORR
moensi Ritsema, 1881a: 15 (*Praonetha*)
montana Pascoe, 1865: 165 (*Praonetha*)
quadraticollis Pascoe, 1865: 168 (*Praonetha*)
uniformis Breuning, 1938c: 368 A: SD

genus *Pseudomiccolamia* Pic, 1916h: 14 type species *Pseudomiccolamia pulchra* Pic, 1916
pulchra Pic, 1916h: 14 A: YUN

genus *Pseudoparmena* Breuning, 1956c: 235 type species *Pseudoparmena borchmanni* Breuning, 1956
borchmanni Breuning, 1956c: 235 A: FUJ

genus *Pterolamia* Breuning, 1942a: 128 type species *Pterolamia strandi* Breuning, 1935
strandi Breuning, 1942a: 128 A: HAI

genus *Pterolophia* Newman, 1842e: 370 [NP] type species *Mesosa bigibbera* Newman, 1842
subgenus *Ale* Pascoe, 1864a: 96 type species *Ale agraria* Pascoe, 1864
albovittata Breuning, 1938c: 250 A: FUJ
bicostata Breuning, 1943a: 26 A: YUN
bilatevittata Breuning, 1942a: 127 A: FUJ
brunnea Breuning, 1938c: 308 A: YUN ORR
camela Pic, 1926a: 30 A: HAI ORR
chekiangensis Gressitt, 1942g: 87 A: FUJ GUA ZHE ORR

cylindricollis Gressitt, 1942a: 4 A: XIZ
gibbosipennis gibbosipennis Pic, 1926a: 32 A: TAI
cristipennis Matsushita, 1931c: 403
gibbosipennis iriomotei Breuning & K. Ohbayashi, 1966: 33 A: JA (Ryukyus)
gibbosipennis kuniyoshii Hayashi, 1968c: 17 A: JA (Ryukyus)
gibbosipennis subcristipennis Breuning & K. Ohbayashi, 1964: 16 A: JA
jugosa carinissima Takakuwa, 1984: 12 A: JA
jugosa jugosa Bates, 1873: 315 (*Praonetha*) A: FE HUB JA NC SC TAI
lineatipennis Breuning, 1974j: 371 A: TAI
nitidomaculata Pic, 1944a: 13 (*Ropica*) A: CH
ochreomaculata Breuning, 1940b: 140 A: SD
postscutellaris Breuning, 1967b: 30 A: AP
sikkimensis Breuning, 1938c: 329 A: SD
sinensis Fairmaire, 1900: 642 (*Praonetha*) A: FUJ JIX
sulcatithorax Pic, 1926a: 31 A: SCH YUN
humero#gibbosa Pic, 1926a: 31
subgenus *Arabopraonetha* Téocchi, 1991: 302 type species *Pterolophia arabica* Téocchi, 1991
arabica Téocchi, 1991: 302 A: SA YE
subgenus *Armatopraonetha* Breuning, 1961j: 539 type species *Pterolophia armata* Gahan, 1894
bifasciata Breuning, 1968d: 227 A: SD
subgenus *Curtolophia* Breuning, 1974h: 165 type species *Pterolophia curticornis* Breuning, 1974
curticornis Breuning, 1974h: 165 A: SD
subgenus *Gibbopraonetha* Breuning, 1961j: 541 type species *Pterolophia quadrigibbosa* Pic, 1926
quadrigibbosa Pic, 1926a: 32 A: YUN
quadrigibbosipennis Breuning, 1968e: 857 A: SCH
subgenus *Hylobrotus* Lacordaire, 1872: 538 type species *Hylobrotus ploemi* Lacordaire, 1872
albanina Gressitt, 1942g: 85 A: ANH ANH FUJ GAN GUX HEB HEI HEN HUB HUN JIA JIX SCH ZHE
annulata Chevrolat, 1845: 99 (*Coptops*) A: FUJ GUA GUI GUX HAI HEB HEN HKG HUB HUN JA JIA JIX NC SC SCH SD
 SHA TAI YUN ZHE **ORR**
annulicornis Pic, 1925e: 138
bowringii Pascoe, 1865: 170 (*Praonetha*)
lacosa Pic, 1926b: 3
scutellata Schwarzer, 1925b: 66
discalis Gressitt, 1951a: 468 A: GUA GUX HAI **ORR**
formosana Schwarzer, 1925b: 66 A: JA TAI
humerosopunctata Breuning, 1938c: 320 A: UP
latefascia Schwarzer, 1925b: 65 A: JA (Ryukyus) TAI
fainanensis Pic, 1926a: 32
horii Breuning & K. Ohbayashi, 1967: 3
yayeyamai Breuning, 1961a: 9
lateralis Gahan, 1894a: 65 A: TAI YUN **ORR**
moupinensis Breuning, 1973c: 657 A: SCH
obscurooides Breuning, 1938c: 274 A: BT SD
oculata Breuning, 1938c: 271 A: NP UP
subunicolor Breuning, 1965: 44 A: TAI
szetschuanensis Breuning, 1973c: 658 A: SCH
tibialis Breuning, 1938c: 275 A: NP SD
trilineicollis Gressitt, 1951a: 475 A: FUJ GUA HUN JIX
yunnanensis Breuning, 1974i: 237 A: YUN
subgenus *Lychrosis* Pascoe, 1866a: 89 type species *Mycerinus luctuosus* Pascoe, 1863
caballina Gressitt, 1951a: 476 (*Lychrosis*) A: FUJ GUA GUX HUN YUN
caballina Chiang, 1951: 74 [HN]
gressitti Hubweber, 2010: 61 A: HAI
fasciata Gressitt, 1940b: 152 (*Lychrosis*) [HN]
humerosa J. Thomson, 1865a: 550 (*Mycerinus*) A: CH UP **ORR**
albonotata Pic, 1918a: 10 (*Lychrosis*)
varipennis J. Thomson, 1865a: 550 (*Mycerinus*) A: "North India"
mimica Gressitt, 1942g: 88 (*Lychrosis*) A: FUJ GUA JIX ZHE
obscuricolor Breuning, 1943a: 29 A: YUN
zebrina Pascoe, 1858: 252 (*Hathlia*) A: FUJ GUA GUX HAI HUB HUN JIX NP SD TAI
subgenus *Mimoron* Pic, 1925a: 27 type species *Mimoron phungi* Pic, 1934
brevegibbosa Pic, 1926a: 32 A: HAI HKG NP SD UP **ORR**
gardneri Schwarzer, 1931a: 71 (*Cenodocus*)
pedongensis Breuning, 1968f: 705 A: NP SD
phungi Pic, 1925a: 28 A: NP YUN **ORR**
ropicoides Breuning, 1968e: 857 A: BT SD
subgenus *Ovalopraonetha* Breuning, 1961j: 541 type species *Pterolophia ovalis* Breuning, 1938

kanoi Hayashi, 1966a: 7 A: TAI
subgenus *Paramimoron* Breuning, 1961j: 539 type species *Pterolophia albilateralis* Breuning, 1938
subropicoides Breuning, 1968e: 857 A: GUI
subgenus *Pseudale* Schwarzer, 1925b: 67 type species *Pseudale fasciata* Schwarzer, 1925
adachii Hayashi, 1983: 41 (*Pseudale*) A: JA
dorsotubercularis Hayashi, 1984: 33 (*Pseudale*) A: TAI
fasciata Schwarzer, 1925b: 67 (*Pseudale*) A: TAI
izumikurana Hayashi, 1971: 13 (*Pseudale*) A: JA
jiriensis Danilevsky, 1996b: 21 A: SC
coreana M. Hasegawa & Lee, 2000: 198
koshikijimana Makihara, 2006: 10 (*Pseudale*) A: JA
kyushuensis Takakuwa, 1988: 103 A: JA
obovata Hayashi, 1971: 12 (*Pseudale*) A: JA (Ryukyu)
oshimana Breuning, 1955b: 64 A: JA
nobuoi Breuning & K. Ohbayashi, 1964: 17 (*Ropica*)
suginoi Makihara, 1986a: 9 A: TAI
subgenus *Pterolophia* Newman, 1842c: 370 [NP] type species *Mesosa bigibbera* Newman, 1842
Acroptycha Quedenfeldt, 1888: 209 type species *Acroptycha spinifera* Quedenfeldt, 1888
Alyattes J. Thomson, 1864: 48 type species *Alyattes guineensis* J. Thomson, 1864
Cormia Pascoe, 1864c: 281 type species *Cormia ingrata* Pascoe, 1864
Eurycotyle Blessig, 1873: 210 type species *Eurycotyle maacki* Blessig, 1873
Incamelomorpha Pic, 1926b: 4 type species *Pterolophia depensis* Pic, 1926
Paralophia Aurivillius, 1925: 30 [HN] type species *Paralophia quadrinodosa* Aurivillius, 1925
Praonetha Dejean, 1835: 344 [NO] type species *Lamia crassipes* Wiedemann, 1823
Praonetha Pascoe, 1862a: 348 [HN, RN] type species *Prioneta albosignata* Blanchard, 1853
Prioneta Blanchard, 1853: 292 [RN] type species *Prioneta albosignata* Blanchard, 1853
Prionetopsis J. Thomson, 1864: 49 type species *Prionetopsis balteata* J. Thomson, 1864 (= *Lamia inaequalis* Fabricius, 1801)
Theticus J. Thomson, 1858: 190 type species *Theticus biarcuatus* J. Thomson, 1858
albonigra Gressitt, 1940b: 146 A: HAI
alboplagiata Gahan, 1894a: 70 A: YUN ORR
albomaculipennis Breuning, 1962d: 51
bifasciculata Breuning, 1940d: 422
flavovittata Breuning, 1938a: 47
alternata Gressitt, 1938a: 51 A: SCH
angusta angusta Bates, 1873: 317 (*Praonetha*) A: JA TAI
angusta multinotata Pic, 1931c: 1 A: ES FE MG NC NE SC [see Lazarev, 2008]
burakowskii Heyrovský, 1973a: 117
mandshurica Breuning, 1938a: 46
selengensis Lyamtzeva, 1979: 79
ussuriensis Plavilstshikov, 1954: 473
apicefusca Breuning, 1938c: 319 A: AF PA "North-West India"
arcuata Breuning, 1938c: 306 A: GUI
baiensis Pic, 1926a: 30 A: FUJ ORR
bigibbera Newman, 1842d: 323 (*Mesosa*) A: JA TAI ORR
binodosa Bates, 1866: 350 (*Praonetha*)
camura Newman, 1842c: 371
saipana K. Ohbayashi, 1941b: 225
bimaculiceps Pic, 1926b: 3 A: CH
bituberata Breuning, 1938c: 328 A: SD
bituberculata Breuning, 1938c: 270 A: SD
bottangensis Breuning, 1968e: 854 A: BT
brahma Holzschuh, 2006c: 486 A: NP
carinata Gahan, 1894a: 72 A: NP
carinipennis Gressitt, 1942h: 210 A: GUA
castaneivora K. Ohbayashi & Hayashi, 1962: 33 A: JA SC
caudata caudata Bates, 1873: 315 (*Praonetha*) A: JA SC TAI
caudata curtipennis Makihara, 1980: 59 A: JA
chinensis Breuning, 1982: 14 A: CH
consularis Pascoe, 1866b: 240 (*Praonetha*) A: BT GUA GUI GUX HAI YUN SD ORR
cervina Gressitt, 1939a: 74
cristulata Fairmaire, 1896b: 391 (*Praonetha*)
notaticeps Pic, 1934b: 12
ochreomaculipennis Breuning, 1968e: 852
crassipes Wiedemann, 1823: 111 (*Lamia*) A: GUAI ORR
iliaca Pascoe, 1865: 178 (*Praonetha*)
imbuta Newman, 1842: 381
dalbergiae Breuning, 1938c: 268 A: UP
dalbergicola Gressitt, 1951a: 467 A: HEB

densefasciculata Breuning, 1938c: 269 A: BT "Himalaya" **ORR**
discalis Gressitt, 1951a: 468 A: GUA **ORR**
elegans Breuning, 1938c: 321 A: FUJ **ORR**
elongata Pic, 1934b: 12 A: CH
elongatissima Breuning, 1938c: 255 A: "North India"
externemaculata Breuning, 1938c: 292 A: SCH
fuchsi Breuning, 1970a: 9 A: TAI
fukienae Gressitt, 1940c: 189 A: FUJ
fulvescens Breuning, 1938c: 324 A: UP
granulata Motschulsky, 1866a: 174 (*Pogonocherus*) A: JA NC SC TAI
granulosa Breuning, 1938c: 294 A: SD
hongkongensis Gressitt, 1942h: 211 A: HKG
holzschuhi Breuning, 1975d: 335 A: PA
indica Breuning, 1938c: 328 A: "India"
indra Holzschnuh, 2012: 218 A: NP
inexpectata Breuning, 1938c: 255 A: UP
kaleea inflexa Gressitt, 1940a: 11 A: FUJ GUA SCH TAI
kaleea kaleea Bates, 1866: 351 (*Praonetha*) A: GUI HAI JA TAI
 subleipodina Breuning & K. Ohbayashi, 1964: 16
kiangsina Gressitt, 1937d: 601 A: FUJ JIX SCH
krishna Holzschnuh, 2006c: 487 A: NP
kubokii Hayashi, 1976: 20 A: JA (Ryukyu) TAI
kusamai M. Hasegawa & Makihara, 1999: 28 A: JA (Ogasawara)
lama Breuning, 1943a: 20 A: XIZ
lateralba Schwarzer, 1925b: 68 (*Albana*) A: TAI
leiopodina Bates, 1873: 317 (*Praonetha*) A: FUJ JA JIX
 subangusta Matsushita, 1933b: 362
ligata Pascoe, 1862a: 350 (*Praonetha*) A: SD
 apicalis Schwarzer, 1924: 238
lunigera Aurivillius, 1913: 25 A: NP **ORR**
maacki Blessig, 1873: 211 (*Eurycotyle*) A: FE HEB JIX NC NE SC SHN
 chahara Gressitt, 1940c: 188
 latenotata Pic, 1927k: 153 (*Sybra*)
marmorata Breuning, 1938c: 322 A: SD
matsushitai Breuning, 1938c: 289 A: TAI
multifasciculata Pic, 1926a: 30 A: YUN **ORR**
nigricans Breuning, 1938c: 323 A: SD
nigrobiarciata Breuning, 1938a: 45 A: UP
nigrofasciculata Breuning, 1938c: 295 A: YUN **ORR**
nigroplagiata Breuning, 1938c: 320 A: UP
nigrovirgulata Breuning, 1939b: 196 A: NP SD
obscura Schwarzer, 1925b: 66 A: TAI
— *postmaculata* Breuning & K. Ohbayashi, 1966a: 13 [HN] (not available - described as morpha)
— *postmaculoides* Breuning, 1968: 57 [RN] (not available - described as morpha)
 schwarzeri Mitono, 1944: 161
obscurata Breuning, 1938c: 269 A: NP SD "Himalaya"
occidentalis Schwarzer, 1931a: 72 A: UP
omeishana Gressitt, 1945a: 128 A: SCH
pedongana Breuning, 1968d: 228 A: SD
penicillata Pascoe, 1862a: 349 (*Praonetha*) A: YUN **ORR**
 tonkinea Pic, 1926b: 3
persimilis Gahan, 1894a: 71 A: FUJ GUA HKG HP HUB NP SD UP **YUN ORR**
 subexternefasciata Pic, 1926a: 29
persimiloides Breuning, 1968e: 854 A: SCH
postalbofasciata Breuning, 1962b: 23 A: YUN **ORR**
postfasciculata Pic, 1934b: 11 A: **GUA HAI HKG NP SD UP YUN ORR**
 arctofasciata Gressitt, 1940b: 147
 gerardiniae Breuning, 1938c: 272
 subfasciculata Breuning, 1938c: 291
postfuscumaculata Breuning, 1973c: 655 A: CH **ORR**
pseudobscuroides Breuning, 1938c: 318 A: SD
pseudoculata Breuning, 1938c: 265 A: UP
pseudoculatooides Breuning, 1968d: 227 A: SD
pseudotincta Breuning, 1938c: 295 A: SD
quadrifasciata Gahan, 1894a: 71 A: NP
quadrivittata Breuning, 1938c: 319 A: UP
reduplicata Gressitt, 1951a: 471 A: HUB TAI

rigida Bates, 1873: 316 (*Praonetha*) A: ANH GAN GUI GUX HEB HEI HUB JIA JIL JIX NIN SCH TAI ZHE
rubricornis Gressitt, 1951a: 472 A: FUJ HUN
rufobrunnea Breuning, 1938c: 267 A: SD
***salebrosa* Breuning, 1938: 289 A: YUN ORR**
serrata Gressitt, 1939a: 52 A: SCH
serricornis Gressitt, 1937d: 599 [RN] A: FUJ HEB HUB JIX ZHE
 rigida Gahan, 1894d: 485 [HN]
shiva Holzschuh, 2006c: 486 A: NP
sikkimana Breuning, 1973c: 657 A: SD
spinicornis Breuning, 1938c: 256 A: "India"
sthenioides grossepunctipennis Breuning, 1969f: 660 A: BT SD
***sthenioides sthenioides* Breuning, 1938c: 309 A: SD**
subbicularinata Breuning, 1968e: 853 A: SD
***subbitubericollis* Breuning, 1968a: 2 [RN] A: YUN ORR**
 subtubericollis Breuning, 1965e: 48 [HN]
***subtubericollis* Breuning & Heyrovský, 1964: 27 A: SD**
suisapana Gressitt, 1951a: 473 A: HUB
szetschuanica Breuning, 1973c: 656 A: SCH
tenebrica Breuning, 1938c: 324 A: HP
thibetana Pic, 1926a: 32 A: XIZ
touzalini Breuning, 1973c: 655 A: SD
transversefasciata Breuning, 1938c: 252 A: FUJ SD UP YUN ORR
transverseplagiata Breuning, 1938c: 275 A: NP UP
tsurugiana Matsushita, 1934b: 541 (*Desisa*) A: JA
 japonica Breuning, 1939b: 195
tubericollis Breuning, 1938a: 46 A: SD
variantennalis Breuning, 1970a: 10 A: TAI
wittmeri Breuning, 1975d: 337 A: BT
yunnana Breuning, 1968e: 855 A: YUN
yunnanica Hubweber, 2010: 61 A: YUN
 yunnanensis Breuning, 1982: 14
zonata Bates, 1873: 315 (*Praonetha*) A: JA NC SC TAI
subgenus *Sociopraonetha* Breuning, 1961j: 542 type species *Pterolophia nigrocincta* Gahan, 1894
nigrocincta Gahan, 1894a: 69 A: BT
 atrofasciata Pic, 1925e: 138 (*Stesilea*)
 socia Gahan, 1894a: 70
quadratiplagiata Breuning, 1938a: 44 A: NP

genus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865
subgenus *Similosodus* McKeown, 1945: 292 [RN] type species *Sodus verticalis* Pascoe, 1865
 Sodus Pascoe, 1864a: 96 [HN] type species *Sodus verticalis* Pascoe, 1865
bhutanensis Breuning, 1975d: 338 A: BT
chinensis Gressitt, 1951a: 483 A: FUJ
taiwanus Hayashi, 1966a: 8 A: TAI
torui Holzschuh, 1989b: 388 A: TAI

genus *Sthenias* Laporte, 1840: 466 type species *Lamia grisator* Fabricius, 1787
subgenus *Albosthenias* Breuning, 1961j: 538 type species *Sthenias albicollis* Gahan, 1860
leucothorax Breuning, 1938c: 370 A: JIA
partealbicollis Breuning, 1968a: 17 A: GUI YUN ORR #74
subgenus *Sthenias* Laporte, 1840: 466 type species *Lamia grisator* Fabricius, 1787
 Anomamomus Fehraeus, 1872b: 194 [RN] type species *Sthenias leucaspis* Fehraeus, 1872 (= *Lamia leucaspis* Fabricius, 1801)
 Chalarus Fehraeus, 1873: 45 [HN] type species *Sthenias leucaspis* Fehraeus, 1873 (= *Lamia leucaspis* Fabricius, 1801)
 Thysanodes Newman, 1842c: 292 type species *Thysanodes jucunda* Newman, 1842
cylindricus Gressitt, 1939b: 114 A: FUJ HUN TAI ZHE
franciscanus J. Thomson, 1865a: 550 A: FUJ GUX HUN SD YUN ORR
gahani Pic, 1912d: 19 (*Anaches*) A: YUN
gracilicornis Gressitt, 1937d: 602 A: FUJ GUA GUX HAI HUN JIX XIZ YUN #74
gracilis Breuning, 1938c: 370 A: "India or."
grisator Fabricius, 1787: 136 A: PA UP
javanicus Breuning, 1940d: 424 A: GUX ORR
longeantennatus Breuning, 1938c: 369 A: NP ORR
pascoei Ritsema, 1888b: 272 A: YUN "North India" ORR
persimilis Breuning, 1938c: 368 A: SD
***pictus* Breuning, 1938c: 369 A: YUN ORR**
***nigrosignatus* Breuning, 1965e: 41 (*Paramesosella*)**

pseudodorsalis Breuning, 1938c: 369 A: BT NP SD XIZ **ORR**
semicylindricus Hayashi, 1974c: 45 A: TAI
tonkineus Pic, 1925b: 26 A: CH **ORR**
yunnanus Breuning, 1938c: 370 A: XIZ YUN

genus Trichoniphona Breuning, 1968e: 860 type species *Trichoniphona albomarmorata* Breuning, 1968
albomarmorata Breuning, 1968e: 860 A: SD

genus Xynenon Pascoe, 1865: 159 type species *Sthenias bondii* Pascoe, 1859
Falsoxynenon Pic, 1925a: 26 type species *Falsoxynenon convexum* Pic, 1925 (= *Sthenias bondii* Pascoe, 1859)
bondii Pascoe, 1859: 48 (*Sthenias*) A: SD
convexum Pic, 1925a: 26 (*Falsoxynenon*)

tribe Saperdini Mulsant, 1839

genus Blamada Lin & Holzschuh, 2013: 95 type species *Blamada rubripronota* Lin & Holzschuh, 2013
rubripronota Lin & Holzschuh, 2013: 97 A: GUX **ORR**

genus Cagosisma J. Thomson, 1864: 116 type species *Cagosisma sanguinolenta* J. Thomson, 1864
sanguinolenta J. Thomson, 1864: 116 A: FE GUX JA TAI
kiushiuensis K. Ohbayashi, 1956a: 8
oshimaensis Kano, 1933a: 287
tetrastigma Matsumura, 1906: 135 (*Saperda*)

genus Callundine J. Thomson, 1879: Ivi type species *Callundine lacordairei* J. Thomson, 1879
Pseudosaperda Pic, 1903i: 121 type species *Pseudosaperda goliath* Pic, 1903
lacordairei J. Thomson, 1879: Ivii A: BT "India"
goliath Pic, 1903i: 121 (*Pseudosaperda*)

genus Dystomorphus Pic, 1926c: 11 type species *Dystomorphus notatus* Pic, 1926
esakii Hayashi, 1974c: 59 A: TAI
nigrosignatus Pu, Y. Wang & Li, 1998: 82, 83 A: GAN
notatus Pic, 1926c: 12 A: GAN QIN SCH SHA
piceae Holzschuh, 2003: 238 A: HUB SCH SHA YUN
sichuanensis C.-K. Yu, 1994: 388 A: SCH

genus Entelopes Guérin-Méneville, 1844: 245 type species *Entelopes glaucus* Guérin-Méneville, 1844
subgenus Aspineoentelops Hua, 1990: 343 type species *Entelopes longzhouensis* Hua, 1990
longzhouensis Hua, 1990: 343 A: GUX

genus Eumecocera Solsky, 1871a: 391 type species *Saperda impustulata* Motschulsky, 1860
anomala Bates, 1884a: 259 (*Stenostola*) A: JA
 morii Makihara, 2002: 342
argyrosticta Bates, 1884a: 258 (*Stenostola*) A: JA
 japonica Tamanuki, 1927: 124
callosicollis Breuning, 1943b: 100 (*Stenostola*) A: FE NE NC SC
gleneoides Gressitt, 1935c: 177 (*Phytoecia*) A: JA
lineata Gressitt, 1951a: 609 (*Stenostola*) A: HUB SCH SHA TAI
minamii Makihara, 1984: 17 A: JA
trivittata Breuning, 1947d: 143 (*Stenostola*) A: JA
 brunnescens Breuning, 1947d: 144 (*Stenostola*)
impustulata Motschulsky, 1860b: 151 (*Saperda*) A: ES FE JA MG NC NE SC WS
 impunctata Motschulsky, 1875: 151 (*Saperda*)
unicolor Kano, 1933a: 290 (*Stenostola*) A: JA SC
 atrofusca Hayashi, 1960: 12
 univittata Breuning, 1947d: 144 (*Stenostola*)
genus *Eumecocera*, species incertae sedis
acuminata Fischer von Waldheim, 1842: 26 (*Phytoecia*)

genus Eutetrapha Bates, 1884a: 256 type species *Saperda carinata* Blessig, 1873 (= *Saperda sedecimpunctata* Motschulsky, 1860)
bicostata Hayashi, 1994: 75 A: TAI
chlorotica Pu & Jin, 1991: 192, 197 A: YUN
chrysochloris chrysargyrea Bates, 1884a: 256 A: JA
chrysochloris chrysochloris Bates, 1879b: 467 (*Glenea*) A: FE HEN HUB HUN JA SCH SHA TAI ZHE
 piciella Breuning, 1956b: 17
 podanyi Pic, 1953a: 9 [RN]
cinnabarina Pu, 1986: 202 A: HUB
complexa Pu & Jin, 1991: 192, 197 A: SHA

elegans Hayashi, 1966a: 9 A: TAI
flavoguttata Pu & Jin, 1991: 190, 196 A: XIN
laosensis Breuning, 1964d: 62 A: CH ORR
lini Chou, Chung & Lin, 2010: 313 A: TAI
metallescens Motschulsky, 1860b: 150 (*Saperda*) A: ES FE HEB HEI JIL LIA NC SC SHA
ocelota Bates, 1873: 387 (*Glenea*) A: FE (Kunashir) JA SC TAI
maculithorax Pic, 1900i: 19 #9
sedecimpunctata australis Takakuwa & Hirokawa, 1998: 303 A: JA (Kyushu)
sedecimpunctata sedecimpunctata Motschulsky, 1860b: 151 (*Saperda*) A: ES FE HEI HUB JA JIL LIA NC SHA TAI
carinata Blessig, 1873: 219 (*Saperda*)
duodecimpunctata Motschulsky, 1860b: 151 (*Saperda*) [HN]
infrequens Plavilstshikov, 1927b: 108 (*Demonax*)
motschulskyi Plavilstshikov, 1915b: 80 [RN]
rosinae Pic, 1904d: 17 (*Saperda*)
variicornis Bates, 1873: 256
shiqianensis Pu & Jin, 1991: 190, 196 A: GUI
stigmosa Pu & Jin, 1991: 191, 196 A: GUX
velutinofasciata Pic, 1939b: 2 A: BEI HEB NMO SHA
nigromaculata W.-K. Wang & S.-N. Jiang, 2002c: 145 (*Paraglenea*)
virides Pu & Jin, 1991: 191, 196 A: SCH

genus Glenea Newman, 1842c: 301 type species *Glenea lepida* Newman, 1842
subgenus Acutoglenea Breuning, 1958j: 838 type species *Saperda acuta* Fabricius, 1801
langana Pic, 1903f: 107 A: GUX YUN ORR
atrolateralis Pic, 1926c: 24
nigromarginella W.-K. Wang & Jiang, 2002b
versuta versuta Newman, 1842c: 302 A: TAI ORR
basalis Aurivillius, 1925: 39 [HN]
maura Pascoe, 1867b: 405
parasiargonensis Breuning, 1981b: 75
subgenus Aridoglenea Breuning, 1958j: 869 type species *Glenea arida* J. Thomson, 1865
cancellata J. Thomson, 1865a: 565 A: SD YUN ORR
favrei Pic, 1943d: 7
decolorata Heller, 1926: 47 (*Stiroglenea*) A: YUN ORR
flavorubra Gressitt, 1940b: 205 A: HAI ORR
invitticollis Breuning, 1956b: 99
meiyngae Holzschuh, 2009: 423 A: NP SD YUN ORR
shuteae Lin & Yang, 2011a: 40 A: YUN
vaga J. Thomson, 1865a: 565 A: NP SD UP YUN ORR
subgenus Citrinoglenea Breuning, 1958j: 885 type species *Glenea citrina* J. Thomson, 1865
citrina J. Thomson, 1865a: 566 A: YUN ORR
anthyllis Pascoe, 1866: 262
gardneriana Breuning, 1958j: 887 [RN] A: YUN ORR
bifasciata Gardner, 1830: 164 [HN]
subgenus Formosoglenea Breuning, 1969a: 36 type species *Glenea ochreomaculata* Breuning, 1969
ochreomaculata Breuning, 1969a: 35 A: TAI
subgenus Glenea Newman, 1842c: 301 type species *Glenea lepida* Newman, 1842
Accola Jordan, 1894b: 503 [HN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)
Accolona E. Strand, 1942: 392 [RN] type species *Accola citrina* Jordan, 1894 (= *Glenea astathiformis* Breuning, 1958)
Cryllis Pascoe, 1867b: 363 type species *Cryllis clytoides* Pascoe, 1867
Hapochorion Gistel, 1848a: x [RN]
Sphenura Dejean, 1835: 350 [HN]
Sphenura Laporte, 1840: 489 [HN] type species *Sphenura novemguttata* Laporte, 1840
acutoides acutoides Schwarzer, 1925c: 151 A: GUX TAI
albosignata Pic, 1943d: 7
acutoides obliqua Gressitt, 1939b: 119 A: ANH FUJ HUB SHA ZHE
roubali Heyrovský, 1939b: 68 #74 (as a species)
[*aeolis aeolis* Thomson, 1879: 19 – Burma]
aeolis laosica Breuning, 1963b: 49 A: YUN ORR
afghana Breuning, 1971a: 44 A: AF
annulicornis Schwarzer, 1925c: 149 A: TAI
nijimai Matsushita, 1938a: 94
astathiformis Breuning, 1958j: 888 [RN] A: NP SD YUN ORR
citrina Jordan, 1894b: 503 (*Accola*) [HN]
atricilla Pesarini & Sabbadini, 1997: 120 A: FUJ
atricornis apicespinosa Breuning, 1956h: 763 A: GUX ORR
[*atricornis atricornis* Pic, 1943: 11 – Tonkin]
[*bedoci bedoci* Pic, 1926: 22 – Tonkin]

- bedoci mussardi* Breuning, 1967b: 35 A: AP
beesoni Heller, 1926: 46 A: SD UP
bidiscovittata Breuning, 1969e: 190 A: SCH
bimaculatithorax Pic, 1946a: 16 A: YUN ORR
capriciosa J. Thomson, 1857c: 142 A: BT NP
centroguttata Fairmaire, 1897d: 232 A: FUJ GAN GUA GUX HEN JA SCH SHA TAI XIZ YUN #74
issikii Mitono, 1934: 490
chalybeata J. Thomson, 1861: 57 A: SD
inapicalis Pic, 1926c: 20
luteoapicalis Pic, 1926c: 20
mediojuncta Pic, 1946a: 10
changchini Lin & W. Lin, 2011: 13 A: YUN ORR
chlorospila chlorospila Gahan, 1897: 488 A: JA (Ryukyus) TAI
chlorospila hachijonis Matsumura & Matsushita, 1933a: 110 A: JA
hayashii K. Ohbayashi, 1963: 12 [RN]
humeralineata Hayashi, 1956b: 19 [HN]
izuinsularis Umeya & Fujimura, 1954: 13
chlorospila okinawensis Makihara, 1988: 151 A: JA (Ryukyus)
chrysomaculata Schwarzer, 1925c: 152 A: GUX TAI
breameri Kano, 1928: 267
chujoji Mitono, 1937: 149 A: GUA HUB TAI
citrinopubens Pic, 1926c: 20 A: GUI GUX HUB SCH YUN
coomani Pic, 1926c: 21 A: HAI YUN ORR
humerosa Gressitt, 1940b: 206
crucicollis Breuning, 1956h: 671 A: "India"
crucifera Gahan, 1889: 222 A: BT
diana diana J. Thomson, 1865a: 561 A: YUN ORR
theresae Pic, 1943c: 15
didymoides Breuning, 1956b: 166 A: BT
discofasciata Breuning, 1983: 61 A: JA
diverselineata *diverselineata* Pic, 1926c: 23 A: YUN ORR
diverselineatoides Breuning, 1968a: 34
fainanensis fainanensis Pic, 1916h: 17 A: TAI
horishana Matsushita, 1933b: 412
flava Jordan, 1895: 270 A: GUX HUB SD YUN ORR
atroapicalis Pic, 1926c: 21
binhensis Breuning, 1956h: 683
flavosignata Breuning, 1956h: 736 A: YUN ORR
formosana Schwarzer, 1925c: 150 A: TAI
fortii Pesarini & Sabbadini, 1997: 121 A: FUJ
glabronotata Pesarini & Sabbadini, 1997: 122 A: SCH
glechomoides Breuning, 1982: 27 A: SD
hauseri Pic, 1933a: 15 A: HUN SCH YUN
leopardina Gressitt, 1942d: 4
hieroglyphica Pesarini & Sabbadini, 1997: 123 A: YUN
hwasiiana Gressitt, 1945a: 133 A: SCH YUN
indiana J. Thomson, 1857c: 141 (*Stibara*) A: BT NP SD ORR
inlineata Pic, 1943d: 6 A: TAI
iriei heikichii Makihara, 1982a: 45 A: JA (Ryukyus)
iriei iriei Hayashi, 1971: 17 A: JA
iwasakii Kano, 1933b: 139 A: JA (Ryukyus) TAI
stolata Matsumura & Matsushita, 1933b: 413
jeanvoinei Pic, 1927c: 19 A: YUN ORR
jini Lin & Dai, 2012: 6 A: XIZ
kusamai Makihara, 1988: 151 A: JA (Ryukyus)
lacteomaculata lacteomaculata Schwarzer, 1925c: 151 A: TAI
lacteomaculata quadriguttata Pic, 1926c: 22 A: GUX YUN ORR
lecta Gahan, 1889: 219 A: BT ORR
leucomaculata Breuning, 1968a: 33 A: GUX ORR
licenti Pic, 1939b: 3 A: GAN HUB NIN SCH SHA
lineata ihai Hayashi, 1960d: 29 A: JA (Ryukyus)
okinawana K. Ohbayashi & N. Ohbayashi, 1965: 5
lineata lineata Gahan, 1897: 483 A: JA TAI
lineosa Aurivillius, 1923: 499
lineata ryukyuensis Breuning & K. Ohbayashi, 1964: 29 A: JA (Ryukyus)
lineata sauteri Schwarzer, 1925c: 150 A: GUA TAI YUN
synknensis Breuning & K. Ohbayashi, 1964b: 29

- linwenhsini* Lin, 2013: 109 A: GUI
- luteicollis* Gressitt, 1935c: 190 A: TAI
[luteicolle] Gressitt, 1935c: 190 – original spelling
- luteosignata* Pic, 1943c: 15 A: YUN
- magdelainei* Pic, 1943c: 14 A: YUN ORR
- masakii* Makihara, 1978: 60 A: JA (Ryukyus)
- [maunieri maunieri* Pic, 1926c: 22 – Vietnam]
- maunieri horiensis* Breuning, 1953: 21 A: TAI
- mitonoana* Gressitt, 1951a: 576 [RN] A: TAI
ornata Mitono, 1934: 491 [HN]
- mouhoti* J. Thomson, 1865a: 567 A: HKG YUN ORR
- albodiversa* Pic, 1946a: 10
cochinchinensis Breuning, 1956b: 174
- multiinterrupta* Pic, 1947: 14 A: YUN ORR
- nanshanchiana* Hayashi, 1978a: 89 A: TAI
- neohumerosa* Lin et Yang, 2011b: 62 A: FUJ GUX HAI ORR
- nigerrima* Breuning, 1953: 26 A: SD
- octoguttata* Breuning, 1956h: 685 A: HUB
- omeiensis* Chiang, 1963: 68 A: SCH
- ornata* Gahan, 1889: 223 A: BT SD
- pallidipes* Pic, 1926c: 23 A: GUI GUX YUN ORR
- papiliomaculata* Pu, 1992b: 608 A: YUN
- paraornata* Lin, 2013: 113 A: HAI YUN ORR #74
- pici pici* Aurivillius, 1920: 17 A: GUX YUN ORR
rufotibialis Pic, 1947b: 14
- sexmaculata* Pic, 1947b: 14
- pici schmidi* Breuning, 1965a: 16 A: AP
- pieliana nigra* Gressitt, 1940c: 194 A: FUJ GUA GUX HAI JIX #74
- pieliana pieliana* Gressitt, 1939b: 120 A: FUJ HUB JIX ZHE
tienmuschana Heyrovský, 1939b: 69
- plagiata* Gardner, 1930: 164 A: BT
- posticata* Gahan, 1894a: 97 A: YUN ORR
vitalisi Pic, 1926c: 20
- problematica* Lin & Yang, 2009: 171 A: GAN QIN YUN ORR
- pseudocaninia* Lin & Montreuil, 2009: 166 A: YUN ORR
- pseudoscalaris miwai* Mitono, 1943: 585 A: TAI
- pseudoscalaris pseudoscalaris* Fairmaire, 1895: 186 A: GUA GUI GUX ORR
gressitti Breuning, 1956h: 725
monticola Gressitt, 1951a: 576 [HN]
- pseudoluctuosa* Breuning, 1953: 22 A: BT SD
- pulchra* Aurivillius, 1926: 111 A: GUI GUX NP SD TAI XIZ YUN ORR
pulchella J. Thomson, 1860: 58 [HN]
quaduordecimmaculata Hope, 1831: 28 (*Saperda*) A: BT NP UP
argus J. Thomson, 1857c: 145
- regularis* Newman, 1842c: 302 A: TAI ORR
- relicta formosensis* Breuning, 1960d: 15 A: TAI
- relicta izuinsulana* Fujita, 1980: 16 A: HUN JA (Kyushu)
- relicta relicta* Pascoe, 1858: 258 A: ANH FE FUJ GUA GUI GUX HAI HUB HUN JA JIA JIX SC SCH SHA TAI ZHE ORR
- rufipes* Gressitt, 1939a: 94 A: FUJ GUA HKG HUN ORR
atropubens Pic, 1943c: 16
- sanctaemariae* J. Thomson, 1857c: 141 (*Stibara*) A: BT
- saperdiformis* Breuning, 1953: 25 A: AP
- semiluctuosa* Fairmaire, 1902b: 269 (*Sphenura*) A: SCH YUN
reitteri Pic, 1943c: 14
- siamensis* Gahan, 1897: 481 A: HAI YUN ORR
- sikkimensis* Breuning, 1982: 26 A: SD
- silhetica* Plavilstshikov, 1927a: 63 [RN] A: FUJ GUA HAI SCH TAI ORR
assimilis Gahan, 1897: 494 [HN]
- subabbreviata* Breuning, 1956h: 791 [RN] A: TAI
abbreviata Gressitt, 1951a: 573 [HN]
- subalcyone* Breuning, 1964: 20 A: YUN ORR
- subregularis* Pic, 1943c: 14 A: GUA GUX TAI ORR
tenuvittata Gressitt, 1951a: 579
- subsimilis* Gahan, 1897: 479 A: YUN ORR
- subviridescens* Breuning, 1963d: 11 A: YUN ORR
- suensonii* Heyrovský, 1939b: 70 A: ZHE
- pieli* Pic, 1943c: 14

sulphurea J. Thomson, 1865a: 566 A: ?CH SD ORR
sulphuroides Breuning, 1982: 27 A: CH
suturata Gressitt, 1939a: 95 A: ANH FUJ GUA HUB HUN
tatsienlui Breuning, 1956h: 678 A: CH
t-notata Gahan, 1889: 223 A: GUX HUB NP SCH ORR
tonkinea diversenotata Schwarzer, 1925c: 152 A: TAI
tonkinea tonkinea Aurivillius, 1926: 19 A: GUX HAI TAI ORR
torquatella Aurivillius, 1923: 505 [RN] A: YUN ORR
 torquata Gahan, 1907: 104 [HN]
virens bastiana Breuning, 1956h: 700 A: NP
virens virens Aurivillius, 1925: 19 A: BT
viridescens Pic, 1927: 19 A: GUX YUN ORR
weigeli Lin & Liu, 2012: 114 A: YUN
wenhsini Lin, 2013: 107 A: GUI
zalinensis Gahan, 1897: 478 A: BT
subgenus *Lobunguiglenea* Lin & Tavakilian, 2014: 161 type species *Glenea judsoni* Lin & Tavakilian, 2014
judsoni Lin & Tavakilian, 2014: 162 A: ?TAI
subgenus *Rubroglenea* Breuning, 1956b: 109 type species *Colobothea rubricollis* Hope, 1842
nigrorubricollis Lin et Yang, 2009: 11 A: GUI
 rubricollis Hope, 1842b: 128 (*Colobothea*) A: GUA HAI SD ORR
subgenus *Sitroglenea* Aurivillius, 1920: 30 type species *Lamia cantor* Fabricius, 1787
cantor cantor Fabricius, 1787: 142 (*Lamia*) A: GUA GUI GUX HAI HKG JIX SD YUN ORR
 cantor Fabricius, 1801b: 304 (*Lamia*)
 luzonica Aurivillius, 1926: 112
spilota J. Thomson, 1861: 58 A: NP SD

genus *Glenida* Gahan, 1888b: 65 type species *Glenida suffusa* Gahan, 1888
cyaneipennis cyaneipennis Gahan, 1888: 66 A: BT GUA GUX HAI JIX
cyaneipennis ikedai Mitono, 1939: 147 A: TAI
suffusa Gahan, 1888b: 66 A: FUJ GUX JIX SCH TAI

genus *Heteroglenea* Gahan, 1897: 490 type species *Glenea nigromaculata* J. Thomson, 1865
bastiensis Breuning, 1956h: 769 (*Glenea*) A: SD ORR
fissilis Breuning, 1953: 20 (*Glenea*) A: YUN XIZ ORR
gemella Lin & Yang, 2009: 17 A: NP
 glechoma Pascoe, 1867b: 409 (*Glenea*) A: JA (Ryukyu) TAI AUR ORR
 fuscovirgata Fairmaire, 1883a: 53 (*Glenea*)
 guedalcanalana Breuning, 1958g: 315 (*Glenea*)
 hamabovola Hayashi, 1978a: 91 (*Glenea*)
 palawana Breuning, 1956h: 879 (*Glenea*)
 mediodiscoprolongata Breuning, 1965: 43 (*Glenea*) A: YUN
 mimoluctuosa Breuning, 1968a: 34 (*Glenea*)
 nigromaculata J. Thomson, 1865a: 566 (*Glenea*) A: GUX YUN ORR
 amelia Gahan, 1889: 224 (*Glenea*)
 hamifera Heller, 1926: 49 (*Daphisia*)
 vicinalis Lin & Yang, 2009: 18 A: NP ORR

genus *Malloderma* Lacordaire, 1872: 842 type species *Malloderma pascoei* Lacordaire, 1872
kuegleri Holzschuh, 2010: 223 A: YUN ORR
pascoei Lacordaire, 1872: 842 A: BT
 tonkineum Pic, 1932i: 151
pulchrum Pic, 1926a: 29 (*Paraglenea*) A: GUX ORR

genus *Mandibularia* Pic, 1925a: 24 type species *Mandibularia nigriceps* Pic, 1925
nigriceps Pic, 1925a: 24 A: XIZ ORR

genus *Menesia* Mulsant, 1856: 157 type species *Menesia perrisi* Mulsant, 1856 (= *Saperda bipunctata* Zubkov, 1829)
 Daphisia Pascoe, 1867b: 363 type species *Daphisia pulchella* Pascoe, 1867
 akemiae Makihara, 1992b: 78 A: JA
 albifrons Heyden, 1886d: 276 A: ES FE NC SC
 bipunctata Zubkov, 1829: 167 (*Saperda*) E: AU BH BY CR CT CZ EN FR GE HU IT KZ LA LS LT NT PL RO
SK SL ST SZ UK YU
 biguttata W. Redtenbacher, 1842: 26 (*Saperda*)
 perrisi Mulsant, 1856: 158
 quadripustulata Mulsant, 1863: 343
 trimaculata Lentz, 1857: 145 (*Saperda*)
 flavotecta Heyden, 1886d: 276 A: CH FE JA NC SC

- tokioensis* Kobayashi & Seki, 1935: 42
immaculipennis Breuning, 1954g: 410 [RN] A: SCH
immaculata Gressitt, 1945a: 132 [HN]
matsudai Hayashi, 1985: 135 A: TAI
octoguttata Breuning, 1954g: 411 A: SCH
sulphurata Gebler, 1825: 52 (*Saperda*) E: CT A: ES FE HEB HEN HUB JA JIL KZ MG NC SC SCH SHA SHN SHX TAI WS
galathea J. Thomson, 1865a: 566 (*Glenea*)
nigrocincta Pic, 1915e: 10
semivittata Pic, 1915e: 10
yuasai Gressitt, 1935b: 176 (*Praolia*)
vitiphaga Holzschuh, 2003: 237 A: SHA
- genus Mimocagosima Breuning, 1968a: 32** type species *Mimocagosima ochreipennis* Breuning, 1968
humeralis Gressitt, 1951a: 561 (*Mandibularia*) A: FUJ GUA GUX YUN #74
ochreipennis Breuning, 1968a: 32 A: YUN ORR
- genus Neoserixia Schwarzer, 1925c: 148** type species *Neoserixia pulchra* Schwarzer, 1925
subgenus Neopraolia Matsushita, 1933b: 406 type species *Neopraolia delicata* Matsushita, 1933
delicata Matsushita, 1933b: 407 (*Neopraolia*) A: TAI
longicollis Gressitt, 1935e: 287
schwarzeri Gressitt, 1935e: 289
subgenus Neoserixia Schwarzer, 1925c: 148 type species *Neoserixia pulchra* Schwarzer, 1925
infasciata Gressitt, 1935e: 289 A: TAI
pulchra continentalis Gressitt, 1939a: 91 A: GUA
pulchra pulchra Schwarzer, 1925c: 148 A: TAI YUN
- genus Neoxantha Pascoe, 1856: 45** type species *Neoxantha amicta* Pascoe, 1856
amicta Pascoe, 1856: 45 A: FUJ GUX HUB HUN JIA JIX ZHE
immaculata Pic, 1893g: lxxxvii
- genus Nietzscheana Zubov, 2014: 695** type species *Nietzscheana plutenkoi* Zubov, 2014
plutenkoi Zubov, 2014: 696 A: FE
- genus Niponostenostola K. Ohbayashi, 1958d: 64** type species *Stenostola niponensis* Pic, 1901
niponensis konoii Kano, 1933b: 140 (*Stenostola*) A: JA
jezoana Matsushita, 1933b: 427 (*Stenostola*)
niponensis niponensis Pic, 1901c: 12 (*Stenostola*) A: JA
chichibuensis Kano, 1933a: 289 (*Stenostola*)
niponensis pterocaryai Hayashi, 1960c: 11 (*Eumecocera*) A: JA
- genus Paradystus Aurivillius, 1923: 184 [RN]** type species *Dystus notator* Pascoe, 1867
Dystus Pascoe, 1867: 416 [HN] type species *Dystus notator* Pascoe, 1867
infrarufus Breuning, 1954: 458, 460 A: YUN ORR
- genus Paraglenea Bates, 1866: 352** type species *Glenea fortunei* Saunders, 1853
atropurpurea Gressitt, 1951a: 567 A: FUJ GUX
cinereonigra Pesarini & Sabbadini, 1997: 126 A: HEN SHA
fortunei Saunders, 1853: 112 (*Glenea*) A: ANH FUJ GUA GUI GUX HEB HEN HUB HUN JA JIA JIL JIX SC SCH SHA TAI YUN ZHE ORR
bisbinotata Pic, 1915f: 14 (*Glenea*)
chloromelas J. Thomson, 1879: 21 (*Glenea*)
fasciata Pic, 1915f: 14 (*Glenea*)
innotata Pic, 1915f: 14 (*Glenea*)
innotaticollis Pic, 1936d: 17
notatipennis Pic, 1914b: 7 (*Glenea*)
pubescens Pic, 1914b: 7 (*Glenea*)
savioi Pic, 1923c: 21 (*Glenea*)
soluta Ganglbauer, 1887c: 22 (*Glenea*)
szetchwana Heller, 1926: 48
jianfenglingensis Hua, 1985: 87 A: HAI
swinhoei Bates, 1866: 352 A: TAI
- genus Paramenesia Breuning, 1952: 139** type species *Paraglenea theaphia* Bates, 1884a
kasugensis Seki & Kobayashi, 1935: 225 (*Glenea*) A: JA TAI
subcarinata Gressitt, 1951a: 557 (*Menesia*) A: GUA HUB
theaphia Bates, 1884a: 257 (*Paraglenea*) A: FE JA
- genus Parastenostola Breuning, 1952: 200** type species *Saperda brunnipes* Gahan, 1888

brunnipes Gahan, 1888b: 65 (*Saperda*) A: FUJ HUN JIX
quadricolor Gressitt, 1951a: 561
nigroantennata nigroantennata Lin & Yang, 2008: 12 A: GUI GUX HAI
nigroantennata taiwanensis Lin & Yang, 2008: 15 A: TAI

#74

genus Pardaloborea Pic, 1926b: 9 type species *Pardaloborea curvaticeps* Pic, 1926
curvaticeps Pic, 1926b: 10 A: YUN ORR

genus Pareutetrapha Breuning, 1952: 135 type species *Paraglenea eximia* Bates, 1884a
eximia Bates, 1884a: 257 (*Paraglenea*) A: JA NC SC #80
magnifica caeruleithoracica Takakuwa, 1984: 14 A: JA
magnifica magnifica Schwarzer, 1925c: 148 (*Saperda*) A: TAI
olivacea Breuning, 1952: 138 A: CH
simulans Bates, 1873: 388 (*Phytoecia*) A: HEN JA TAI
 daisenensis Matsushita, 1933a: 109 (*Glenea*)
sylvia Gressitt, 1951a: 569 (*Paraglenea*) A: FUJ ORR
 postjuncta Pic, 1952c: 13 (*Paraglenea*)
weixiensis Pu, 1992b: 609 A: CH

genus Praolia Bates, 1884a: 261 type species *Praolia citrinipes* Bates, 1884a
citrinipes atripennis Pic, 1923c: 20 (*Serixia*) A: TAI
 griseipennis Gressitt, 1938b: 169 (*Serixia*)
citrinipes citrinipes Bates, 1884a: 261 A: JA SC
citrinipes ishigakiana Ohbayashi, 1970: 3 (*Serixia*) A: JA (Ryukyus)
 iriomoteana Ohbayashi, 1970: 3 (*Serixia*)
citrinipes takeuchii Ohmoto, 1990: 31 A: JA
citrinipes umui Kusama & Takakuwa, 1984: 14 A: JA (Ryukyus)
hayashii Hayashi, 1974c: 60 (*Serixia*) A: TAI
mizutanii Niisato, 1989: 10 A: JA
yakushima Hayashi, 1976: 22 A: JA

genus Saperda Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758
subgenus Compsidia Mulsant, 1839: 182 type species *Cerambyx populneus* Linnaeus, 1758
balsamifera Motschulsky, 1860b: 151 (*Compsidia*) A: ES FE JA MG NC QIN NMO SC XIN XIZ
 innotatipennis Pic, 1910a: 2
bacillicornis Pesarini & Sabbadini, 1997: 116 A: GAN QIN
bilineatocollis Pic, 1924a: 19 A: FE GAN HEB HEN HUB JIA QIN SCH SHA SHG
gilanense Shapovalov, 2013: 141 (*Compsidia*) A: IN
nigra Gressitt, 1951a: 552 A: SHA
populnea Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU MC
 MD NL NR NT PL PT RO SK SL SP ST SV SZ TR UK YU A: AB AR ANH ES FE FUJ GAN GG GUA HEB HEI HEN HUB
 IN JIA JIL KZ LIA MG NC NIN NMO SC SHA SHN SHX TR WS XIN NAR
betulina Geoffroy, 1785: 78 (*Leptura*)
decempunctata DeGeer, 1775: 78 (*Cerambyx*)
populi Duméril, 1860: 607
salicis Zetterstedt, 1818: 258
quercus ocellata Abeille de Perrin, 1895a: ccxxix A: IS JO SY TR
quercus quercus Charpentier, 1825: 224 E: BH BU GR TR YU
subgenus Lopezcolonia Alonso-Zarazaga, 1998: 131 [RN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)
 Argalia Mulsant, 1863: 381 [HN] type species *Saperda tremula* Fabricius, 1775 (= *Leptura octopunctata* Scopoli, 1772)
alberti Plavilstshikov, 1915b: 80 [RN] A: ES FE GUA HEB JA JIL KZ MG NC SC TAI WS
 decempunctata Gebler, 1830: 186 [HN]
internescalaris Pic, 1934g: 36 A: SCH
interrupta Gebler, 1825: 52 A: ES FE FUJ HEN JA JIL NC SC WS
 laterimaculata Motschulsky, 1860b: 151
kojimai Makihara & Nakamura, 1985: 18 A: TAI
maculosa Ménétriés, 1832: 226 A: AB IN
octomaculata Blessig, 1873: 221 A: ES FE JA MG NC SC SHN
octopunctata Scopoli, 1772: 101 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ FR GE GR HU IT LT MD PL RO SK SL SP ST
 SZ UK YU A: AB AR GG TR
 magnini Dayrem, 1928b: 77
 sexpunctata Reitter, 1909a: 57
 tiliae Schrank, 1798: 667
 tremula Fabricius, 1775: 186
ohbayashii Podány, 1963c: 62 [RN] A: JA
 breunungi K. Ohbayashi, 1957: 14 [HN]

pallidipennis Gressitt, 1951a: 553 A: SHA
perforata Pallas, 1773: 723 (*Cerambyx*) E: AL AU BH BU BY CR CT CZ EN FI FR GE GR HU IT LA LT MD NR NT PL RO SK
 SP ST SV SZ TR UK A: AB AR ES FE GG IN KZ MG NE TR WS XIN N: AG
albella Reitter, 1913d: 665
algerica Pic, 1903a: 8
decempunctata Goeze, 1777: 506 (*Leptura*)
duodecimpunctata Brahm, 1790: 176 (*Cerambyx*)
pallidipes Pic, 1904b: 9
rudolphi Cederhjelm, 1798: 92
seydlii G. F. Frölich, 1793: 135
punctata Linnaeus, 1767: 1067 (*Cerambyx*) E: AL AN AU BH BU BY CR CT CZ EN FR GE GR HU IT KZ LA LT MA MC MD
 NT PL RO SK SL SP ST SZ TR UK YU N: AG A: AB AR CY GG TR
gallica Pic, 1918d: 5
scalaris hieroglyphica Pallas, 1773: 723 (*Cerambyx*) E: CT NT ST A: ES FE HEI JIL KZ LIA MG NC SHN WS XIN
varia Gmelin, 1790: 1875 (*Leptura*)
variegata Goeze, 1777: 506 (*Leptura*)
scalaris scalaris Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT
 LU MD NE NL NR NT PL RO SK SP ST SV SZ TR UK YU A: AB AR GG KZ TR N: AG
algeriensis Breuning, 1952: 176
estellae Mulsant, 1839: 188
feneustrata Reineck, 1919: 72
xantha Demelt, 1960: 182
simulans Gahan, 1888b: 64 A: HUN JIA JIL SCH
subobliterata Pic, 1910c: 13 A: FE HEI JA JIL NC SC
mandschukuoensis Breuning, 1943b: 104
harbinensis Chiang, 1983: 60, 66 [RN]
subscalaris Breuning, 1952: 179 A: YUN
tetrastigma Bates, 1879b: 466 A: JA NC SC TAI
yezoana Matshushita, 1933: 402 (*Cagosisma*)
viridipennis Gressitt, 1951a: 554 A: SHA
subgenus Saperda Fabricius, 1775: 184 type species *Cerambyx carcharias* Linnaeus, 1758
Amilia Mulsant, 1863: 376 type species *Saperda phoca* G. F. Frölich, 1793 (= *Saperda similis* Laicharting, 1784)
Anaarea Mulsant, 1839: 184 type species *Cerambyx carcharias* Linnaeus, 1758
carcharias Linnaeus, 1758: 394 (*Cerambyx*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LT LU
 MC MD NL NR NT PL RO SK SL SP ST SV SZ TR UK YU A: AB AR ES FE GAN GG GUI HEI HUB HUN JIA JIL KZ MG
 NC SCH SHA TR WS XIN
grisescens Mulsant, 1839: 184 (*Anaarea*)
villosa Gmelin, 1790: 1837 (*Cerambyx*)
jansonis Z. Wang, 2003: 382, 397 A: JIL
similis Laicharting, 1784: 31 E: AL AU BE BH BU BY CR CT CZ EN FI FR GE HU IT MC NR NT PL RO SK SL SP ST SV SZ
 UK YU A: ES FE KI KZ MG TD UZ WS
albopubescens Pic, 1925d: 11
phoca G. F. Frölich, 1793: 139
genus Savang Breuning, 1963b: 51 type species *Savang vatthanai* Breuning, 1963
sulphuratus Pesarini & Sabbadini, 1997: 117 A: SCH
genus Serixia Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
subgenus Serixia Pascoe, 1856: 45 type species *Serixia apicalis* Pascoe, 1856
Iole Pascoe, 1858: 254 [HN] type species *Iole prolata* Pascoe, 1858
Iolea Pascoe, 1862a: 353 [RN]
albopleura Gressitt, 1935e: 291 A: TAI
aurescens Breuning, 1965c: 52 A: GUX ORR
botelensis Kano, 1933a: 288 A: TAI
bootangana Breuning, 1958e: 213 A: BT SD
chinensis Breuning, 1948e: 121 A: GUI
formosana Breuning, 1960d: 13 A: TAI
juisuiensis Hayashi, 1974c: 61 A: TAI
kisana Matshushita, 1937: 105 (*Neopraolea*) A: TAI
subsericea Gressitt, 1938b: 170
prolata prolata Pascoe, 1858: 254 (*Iole*) A: HAI ORR
abbreviata Gressitt, 1940b: 200
tonkinea Pic, 1922c: 14
pubescens Gressitt, 1940b: 201 A: HAI YUN
sedata gigantea Breuning, 1950c: 217 A: CH
sedata sedata Pascoe, 1862a: 354 A: GUX HAI YUN ORR
signaticornis Schwarzer, 1925c: 149 A: TAI
sinica Gressitt, 1937d: 616 A: JIX

testaceicollis Kano, 1933a: 287 A: TAI

genus *Stenostola* Dejean, 1835: 350 type species *Saperda nigripes* Fabricius, 1793 (= *Cerambyx ferreus* Schrank, 1776)
alboscutellata Kraatz, 1862: 124 E: GR
atra Gressitt, 1951a: 608 A: SHA
basisuturalis Gressitt, 1935g: 573 A: SCH SHA
dubia Laicharting, 1784: 52 (*Saperda*) E: AU BE BH CR CT CZ DE EN FI FR GE HU IR IT LS LU MD NL NR PL RO SL SK SP ST SL SV SZ UK YU A: AB AR GG
tiliae Küster, 1846d: 59
ferrea ferrea Schrank, 1776: 66 (*Cerambyx*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT LA LT LU MD NR PL RO SK SL SP ST SZ UK YU A: AB AR GG TR
nigripes Fabricius, 1793: 310 (*Saperda*)
plumbea Bonelli, 1812: 180 (*Saperda*)
ferrea maculipennis Holzschuh, 1982b: 155 E: ST ?UK #20
ivanovi Danilevsky, 2014f A: FE #20
nigerrima Breuning, 1947b: 21 (*Phytoecia*) A: JA
pallida Gressitt, 1951a: 610 A: SHA

genus *Spinoberea* Breuning, 1954g: 528 type species *Oberea subspinosa* Pic, 1922
cephalotes Gressitt, 1942b: 7 (*Nupserha*) A: SCH
subspinosa Pic, 1922e: 28 (*Oberea*) A: SCH YUN ORR
rufopubens Gressitt, 1942b: 8 (*Nupserha*)

genus *Stibara* Hope, 1840: 79 type species *Stibara tetraspilota* Hope, 1840
nigrovittata Breuning, 1954g: 467 A: "India"
rufina Pascoe, 1858: 259 A: GUX YUN ORR
 dichroma J. Thomson, 1865a: 560
 grisescens Pic, 1928b: 22
 laosensis Pic, 1925a: 32
 obsoleta J. Thomson, 1860: 60
tetraspilota Hope, 1840: 79 A: NP SD PA
tricolor Fabricius, 1793: 309 (*Saperda*) A: CE SE YUN ORR
 beloni Pic, 1907d: 22
 multipunctata Pic, 1925f: 188
 pallidior Pic, 1943b: 4

genus *Thermistis* Pascoe, 1867b: 438 type species *Lamia croceocincta* Saunders, 1839
cheni Lin & Chou, 2012: 49 A: SCH YUN
conjunctesignata Rondon & Breuning, 1971: 546 A: YUN ORR
croceocincta Saunders, 1839: 178 (*Lamia*) A: ANH FUJ GUA GUI GUX HAI HKG HUB HUN JIX SCH SHA YUN ZHE ORR
hainanensis Lin & Yang, 2012: 32 A: HAI
kaiyuni Chou & Kurihara, 2012: 45 A: TAI
nigromacula Hua, 1992: 523 A: HUN
rubromaculata Pu, 1984: 61 A: GUX
sagittifera Pesarini & Sabbadini, 2000: 65 A: SCH
sulphureonotata Pu, 1984: 61 A: GUX ORR #115
taiwanensis Nara & S.-K. Yu, 1992: 132 A: TAI
xanthomelas Holzschuh, 2007: 263 A: FUJ GUI GUX HAI YUN ORR

genus *Thyestilla* Aurivillius, 1923: 491 [RN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)
Thyestes J. Thomson, 1864: 116 [HN] type species *Thyestes pubescens* J. Thomson, 1864 (= *Saperda gebleri* Faldermann, 1835)
coerulea Breuning, 1943b: 100 A: SCH
gebleri Faldermann, 1835c: 434 (*Saperda*) A: ANH ES FE FUJ GUA GUI GUX HEB HEI HEN HUB HUN JA JIA JIL JIX LIA NC
 NMO QIN SC SCH SHA SHX TAI ZHE
 curtipennis Pic, 1952b: 5 (*Phytoecia*)
 funebris Gahan, 1888b: 67 (*Thyestes*)
 infernalis Pic, 1904e: 17 (*Phytoecia*)
 kadowakii Fujimura, 1962: 211
 lepesmei Gilmour, 1950: 554
 nigrinus Plavilstshikov, 1915: 109
 pubescens J. Thomson, 1864: 116 (*Thyestes*)

tribe Tetropini Portevin, 1927

genus *Lenotetrops* Danilevsky, 2012g: 5 type species *Lenotetrops ivanova* Danilevsky, 2012g
ivanovae Danilevsky, 2012g: 6 A: AF

genus *Tetrops* Kirby, 1826 (in Kirby & Spence 1826: 498) type species *Leptura praeusta* Linnaeus, 1758

Anaetia Dejean, 1835: 350 type species *Leptura praeusta* Linnaeus, 1758

Mimosophronica Breuning, 1943a: 53 type species *Mimosophronica strandiella* Breuning, 1943 (= *Tetrops formosus* Baeckmann, 1903)

Polyopsia Mulsant, 1839: 190 type species *Leptura praeusta* Linnaeus, 1758

bicoloricornis Kostin, 1973: 207 A: KZ UZ

brunneicornis Pu, 1985a: 102 A: XIN

elaeagni Plavilstshikov, 1954: 474 E: ST A: KZ TM UZ

plavilstshikovi Kostin, 1973: 206

formosus bivittulatus Jankowski, 1934: 112 A: KZ

formosus formosus Baeckmann, 1903b: 311 A: KI

strandiellus Breuning, 1943a: 53 (*Mimosophronica*)

formosus songaricus Kostin, 1973: 206 A: KZ

gilvipes adlbaueri Lazarev, 2012: 951 E: (CZ)

gilvipes efetovi Lazarev, 2012: 949 E: UK

gilvipes gilvipes Faldermann, 1837: 290 (*Anaetia*) E: ST UK A: AB AR GG IN TM TR

gilvipes murzini Lazarev, 2012: 950 A: AB IN TM

gilvipes niger Kraatz, 1859: 57 E: IT FR SZ

muehlfeldi Mulsant, 1863: 348 (*Polyopsia*)

hauseri Reitter, 1897c: 225 A: KI XIN

kostini Özdīkmen & Turgut, 2008e: 625 [RN]

niger Kostin, 1973: 207 [HN]

mongolicus Murzin, 1977: 301 A: ES MG

praeustus algiricus Chobaut, 1894b: cclxxvi N: AG

praeustu anatolicus Özdīkmen & Turgut, 2008e: 627 A: TR SY

praeustus angorensis Pic, 1918d: 11 A: TR

praeustus praeustus Linnaeus, 1758: 399 (*Leptura*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT LA LS LT LU MC MD NL NR NT PL PT RO SK SL SL SP ST SV SZ TR UK YU A: AB AR ES GG KZ MG SY TR WS

inapicalis Pic, 1891b: 37

pilosus Geoffroy, 1785: 78 (*Leptura*) [HN]

ustulatus Hagenbach, 1822: 11 (*Saperda*)

rosarum Tsherepanov, 1975a: 34 A: FE

starkii aquilus Danilevsky, 2012m: 937, 939 E: ST

starkii starkii Chevrolat, 1859a: 541 E: AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IR IT LA LT MD NL NR PL RO SK SL SP ST SV SZ UK YU A: AB #52

mesmini Pic, 1928c: 6

vicinus Pic, 1928c: 6

warnckeii Holzschuh, 1977a: 133 A: TR

tribe Tragocephalini J. Thomson, 1857

genus *Chariesthes* Chevrolat, 1858: 312 type species *Chariesthes multinotata* Chevrolat, 1858

subgenus *Sokoesthes* Adlbauer, 2002: 20 type species *Chariesthes socotraensis* Adlbauer, 2002

socotraensis Adlbauer, 2002: 20 A: YE (Suqutra)

genus *Cherochariesthes* Téocchi, 1989: 10 type species *Pseudochariesthes variegata* Breuning, 1939

holzschuhii Téocchi, 1989: 11 (*Freapomecyna*) A: SA YE

genus *Dinocephalus* Peringuey, 1899: 323 type species *Dinocephalus ornatus* Peringuey, 1899

heissii Holzschuh, 1991d: 296 A: SA

tribe Xenoleini Lacordaire, 1872

genus *Hirtaeschopalaea* Pic, 1925a: 22 type species *Hirtaeschopalaea albolineata* Pic, 1925

Jezohammus Matsushita, 1933b: 347 type species *Jezohammus nubilus* Matsushita, 1933

albolineata Pic, 1925a: 22 A: YUN ORR

fasciculata Breuning, 1938c: 226 A: FUJ GUA ORR

obliqua Gressitt, 1940a: 9 (*Xenolea*)

nubila Matsushita, 1933b: 347 (*Yezohammus*) A: JA SC

genus *Xenolea* J. Thomson, 1864: 91 type species *Xenolea collaris* J. Thomson, 1864

Aeschopalaea Pascoe, 1864a: 10 type species *Aeschopalaea agraria* Pascoe, 1864 (= *Xenolea collaris* J. Thomson, 1864)

asiatica Pic, 1925c: 16 (*Aeschopalaea*) A: GUA GUX HAI HEN HKG HUB JA JIX NP SC SCH TAI YUN ZHE ORR

collaris collaris J. Thomson, 1864: 91 A: TAI AUR ORR

agraria Pascoe, 1864a: 24 (*Aeschopalaea*)

grisella Pascoe, 1864a: 25 (*Aeschopalaea*)

laticollis Pascoe, 1864a: 25 (*Aeschopalaea*)

collaris formosana Breuning, 1965h: 177 A: TAI

tribe Xylorhizini Lacordaire, 1872

genus *Cyrtogrammus* Gressitt, 1939a: 67 type species *Cyrtogrammus lateripictus* Gressitt, 1939
lateripictus Gressitt, 1939a: 67 A: GUA HAI ORR

#74

genus *Kuatuniana* Hua, 2002: 212 [RN] type species *Kuatunia subasperata* Gressitt, 1951
Kuatunia Gressitt, 1951a: 437 [HN] type species *Kuatunia subasperata* Gressitt, 1951
subasperata Gressitt, 1951a: 438 (*Kuatunia*) A: FUJ

genus *Microxylorhiza* Hayashi, 1974c: 38 type species *Microxylorhiza matsudai* Hayashi, 1974
matsudai Hayashi, 1974c: 39 A: TAI

genus *Parathylactus* Breuning & de Jong, 1941: 65 type species *Thylactus dorsalis* Gahan, 1890
dorsalis Gahan, 1890a: 58 (*Thylactus*) A: NP

genus *Thylactus* Pascoe, 1866b: 242 type species *Thylactus angularis* Pascoe, 1866
analisis Franz, 1954: 95 A: SCH AURi
chinensis Kriesche, 1924: 289 A: GUA SCH TAI ORR [Yamasako & Chou, 2014c]
angustatus Pic, 1925a: 24
densepunctatus Chiang & Li, 1984: 100 A: GUA HAI YUN #74
dentipennis W.-K. Wang & S.-N. Jiang, 1998: 462 A: YUN
pulawskii Hua, 1986c: 211 A: GUX
sikkimensis Breuning, 1938c: 224 A: NP SD ?YUN #114
simulans Gahan, 1890a: 58 A: GUI HEN HKG HUN JIX NP SD YUN ZHE ORR #114
uniformis Pic, 1934a: 10 A: "South China"

genus *Xylorhiza* Dejean, 1835: 344 type species *Lamia adusta* Wiedemann, 1819
adusta Wiedemann, 1819: 182 (*Lamia*) A: FUJ GUA GUI GUX HAI HEN HKG HUB HUN JIX NP PA SCH SD YUN ZHE ORR
venosa Laporte, 1840: 476
pilosipennis Breuning, 1943a: 16 A: GUX HKG ORR
erectepilosa Tippmann, 1951: 309

family Cerambycidae, nomina dubia
Lamia aspera Roemer, 1789: 46[pl. 5] E: IT
Cerambyx carbonarius Scopoli, 1763: 56
Stenocorus lucidus Scopoli, 1772: 98

References.

- Abramov A.E. 2015: A new subspecies of *Dorcadiion glicyrrhizae* (Pallas, 1773) (Coleoptera: Cerambycidae) from North-West Kazakhstan. *Caucasian Entomological Bulletin* 11(1): 39-41, plates 5-6.
- Alekseev V.L. 2007: Longhorn beetles (Coleoptera, Cerambycidae) of Kaliningrad region. *Acta Biologica Universitatis Daugavpiliensis* 7(1): 37-62.
- Alexandrovich O.R., Lopatin I.K., Pisanenko A.D., Tzinkevich V.A. & Snitko S.M. 1996: *Katalog zhestkokrylykh (Coleoptera, Insecta) Belarusi*. Minsk. FFI RB. 103pp.
- Ali Kh., Rapuzzi P. & Ihsan S. 2015: Contribution to the knowledge of the Longhorn Beetles (Coleoptera Cerambycidae) of the Syrian Coastal Region. *Biodiversity Journal* 6 (2): 637–662.
- Allen A.J. 2013: *Aegosoma scabricorne* (Scopoli, 1763) (Cerambycidae) in a Dorset moth trap. *Coleopterist* 22 (3): 115-116.
- Alonso-Zarazaga M. A. 2009: A peculiar interpretation of the Code: the case of *Cerosterna* Dejean, 1835 (Col., Cerambycidae). *Bulletin de la Société entomologique de France*, vol. 114, no 4: p. 444.
- Ambrus R., Grosser W. & Hrbek J. 2014: Contribution to the knowledge of longhorn beetles from Cyprus (Coleoptera: Cerambycidae). *Humanity space. International almanac* 3(2): 173-190.
- Angelov P. 1995. Coleoptera, Cerambycidae. Part 1 (Prioninae, Lepturinae, Necydalinae, Aseminae, Cerambycinae). *Fauna Bulgarica* 24. Sofia: 206pp.

- Ayberk H., Ozdikmen H. & Cebeci H. 2014: A serious pest alert for Turkey: a newly introduced invasive longhorned beetle, *Anoplophora glabripennis* (Cerambycidae: Lamiinae). *Florida Entomologist* 97(4): 1852-1855.
- Barševskis A. & Jäger O. 2014: Type specimens of the genera *Doliops* Waterhouse, 1841 and *Lamprobityle* Heller, 1923 (stat. nov.) (Coleoptera: Cerambycidae) and description of two new species deposited in Senckenberg Natural History collections Dresden, Germany. *Baltic Journal of Coleopterology* 13(2): 91 – 102.
- Barševskis A. & Savenkov N. 2013: Contribution to the knowledge of long-horned beetles (Coleoptera: Cerambycidae) in Latvia.- *Baltic Journal of Coleopterology*, 13(2): 91 – 102.
- Bassi C. 1834: Description de quelques nouvelles espèces de coléoptères de l'Italie. *Annales de la Société Entomologique de France* 3: 463-**472**.
- Bates H. W. 1884a: Longicorn beetles of Japan. Additions, chiefly from the later collections of G. Lewis, and notes on the synonymy, distribution, and habits of the previously known species.- *Journal of the Linnean Society of London, Zoology*, 18: 205-261. 2 pls.
- Bates H. W. 1884b: New Longicorn Coleoptera of the Monohamminae group from tropical West Africa.- *The Entomologist's Monthly Magazine*, London 21: 14-18.
- Bentanachs J. 2010: Nouveaux Callichromatini de l'Institut royal des Sciences naturelles de Belgique. *Lambilionea* 1(3): 305-309.
- Bentanachs J. 2012: Revision del genero *Polyzonus* Dejean, 1835 y generos afines (Coleoptera, Cerambycidae, Callichromatini). *Cahiers Magellanes* 8 (NS): 1-100.
- Bentanachs J. 2013: Callichromatini nouveaux de la région orientale (Coleoptera, Cerambycidae, Cerambycinae). *Cahiers Magellanes* 11 (NS): 92-102.
- Bentanachs J., Niisato T. & Ohbayashi N. 2011: Synonymic Notes on Callichromatine Species (Coleoptera, Cerambycidae, Cerambycinae) Described from Japan. *Elytra, Tokyo*, New Series, 1(1): 125-129.
- Bernhauer D. 2010: Eine neue Art der Gattung *Dorcadion* Dalm. aus der Türkei, nördlich von Anamur. (Coleoptera, Cerambycidae, Lamiinae). 2. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 14: 189-194.
- Bernhauer D. & Peks H. 2010a: Zwei neue Arten der Gattung *Dorcadion* Dalm. aus der Türkei, nördlich von Anamur. (Coleoptera, Cerambycidae, Lamiinae), sowie eine neue Unterart zu *Dorcadion lodosi* Sabbadini und Pesarini. 3. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 14: 195-206.
- Bernhauer D. & Peks H. 2010b: Eine neue Art der Gattung *Dorcadion* Dalm. aus der Türkei, Umgebung göls. (Coleoptera, Cerambycidae, Lamiinae), sowie eine neue Unterart zu *Dorcadion lodosi* Sabbadini und Pesarini. 4. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 14: 207-212.
- Bernhauer D. & Peks H. 2011a: Vier neue Arten der Gattung *Dorcadion* Dalm. aus der Nord-west-Türkei. (Coleoptera, Cerambycidae, Lamiinae). 5. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 15: 201-214.
- Bernhauer D. & Peks H. 2011b: Fünf neue Arten der Gattung *Dorcadion* Dalm. aus dem mittleren bis östlichen Taurus (Coleoptera, Cerambycidae, Lamiinae). 6. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Coleoptera* 15: 215-227.
- Bernhauer D. & Peks H. 2012: Vier neue Arten der Gattung *Dorcadion* Dalm. aus der Osttürkei. (Coleoptera, Cerambycidae, Lamiinae). 7. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Entomologische Blätter und Coleoptera* 108: 209-221.
- Bernhauer D. & Peks H. 2013a: Drei neue Arten der Gattung *Dorcadion* Dalman, 1817 aus der Südost-Türkei, sowie drei neue Unterarten von *D. (Cribridorcadion) goelbasiense* sp.n. (Coleoptera, Cerambycidae, Lamiinae). 8. Beitrag zur Kenntnis der türkischen *Dorcadion*. *Entomologische Blätter und Coleoptera* 109: 309-323.

- Bernhauer D. & Peks H. 2013b: Vier neue Arten der Gattung Dorcadion Dalman, 1817 aus der Nordtürkei, (Coleoptera, Cerambycidae, Lamiinae). 9. Beitrag zur Kenntnis der türkischen Dorcadion. *Entomologische Blätter und Coleoptera* **109**: 325-336.
- Bernhauer D. & Peks H. 2014a: Dorcadion skoupyorum nom. nov. for Dorcadion skoupyi Bernhauer & Peks, 2014 (Coleoptera, Cerambycidae). *Humanity space. International almanac* **3**(2): 191-192.
- Bernhauer D. & Peks H. 2014b: Fünf neue Arten der Gattung Dorcadion Dalman, 1817 aus der Zentral- und Osttürkei (Coleoptera, Cerambycidae, Lamiinae). 10. Beitrag zur Kenntnis der türkischen Dorcadion. *Entomologische Blätter und Coleoptera* **110**: 101-118.
- Bi W.-X. 2013: Description of a new species of the genus Spinipocregyes Breuning (Coleoptera, Cerambycidae, Lamiinae, Mesosini) from Haianan, South China.). Pp.: 103-106. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhsin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Bi W.-X. & Lin M.-Y. 2012: Description of a new species of the genus Paraleprodera from Xizang, China (Coleoptera, Cerambycidae, Lamiinae, Monochamini). *Humanity space. International almanac* **1**, Supplement 12: 4-11.
- Bi W.-X. & Lin M.-Y. 2013: Description of a new species of Distenia (Coleoptera, Disteniidae, Disteniini) from Southeastern China, with records and diagnoses of similar species. *ZooKeys* **275**: 77-89.
- Bi W.-X. & Lin M.-Y. 2014: Notes on the genus Microcriodes Breuning, with description of a new species from Xizang, China (Coleoptera, Cerambycidae, Lamiinae, Batocerini). *ZooKeys* **412**: 1-8.
- Bi W.-X. & Lin M.-Y. 2015: Discovery of second new species of the genus Spiniphilus Lin & Bi, and female of Heterophilus scabricollis Pu with its biological notes (Coleoptera: Vesperidae: Philinae: Philini). *Zootaxa* **3949** (4): 575-583.
- Bi W.-X. & Ohayashi N. 2014: Notes on the Tribe Xylosteini (Coleoptera, Cerambycidae) with Descriptions of One New Genus and Three New Species from China. *Elytra, Tokyo*, New Series **4** (1): 5-16.
- Braun W. 1975: Beitrag zur Kenntnis der Dorcadien Anatoliens. Systematisch neu bewertete *Dorcadion*-Arten und Bemerkungen zur Variationsbreite des *Dorcadion iconiense* (Col., Cerambycidae, Lamiinae). *Entomologische Zeitschrift* **85** (11): 121-126.
- Braun W. 1979. Beitrag zur Kenntnis der Gattung Dorcadion. Systematisch neu bewertete Dorcadion-Formen (Col., Cerambycidae). *Nachrichtenblatt der Bayerischen Entomologen* **28** (5): 81-86.
- Breuning S. 1950: Nouveaux lamiaires du Musée de Genes (Col., Cerambycidae). *Annali del Museo Civico di Storia Naturale di Genova* **64**: 170-201.
- Breuning S. 1970d: Nouveaux Dorcadion des collections du Muséum de Paris. *L'Entomologiste* **26** (4): 97-101.
- Brullé G. A. 1832: IVe Classe. Insectes. Pp. 1-228. In: *Bory de Saint-Vincent J.B.G.M.: Expédition scientifique de Morée. Section des sciences physiques. Tome III. - I. re Partie. Zoologie. Deuxième Section. - Des animaux articulés*. Paris, Strasburg: F. L. Levraud, [1] + 400 + [2(errata)] pp., pls 27-53 [note: pp. 289-400 issued in 1833; plates in 1832-1836].
- Bullas-Appleton E., Kimoto T. & Turgeon J. J. 2014: Discovery of Trichoferus campestris (Coleoptera: Cerambycidae) in Ontario, Canada and first host record in North America. *Canadian Entomologist* **146** (1): 111-116.
- Büttner [Büttner J. G.] 1818: Molorchus abbreviatus Fab. *Magasin der Entomologie* (Germar) **3**: 245.
- Chemin G., Gouverneur X. & Vitali F. 2014: Note synonymique sur le genre Xoanodera Pascoe, 1857 (Coleoptera Cerambycidae Cerambycinae). *L'Entomologiste* **70** (6): 365 – 368.

- Chevrolat L. A. A. 1838: Du Necydalis major de Linné, Molorchus abbreviatus de Fabricius. *Revue Entomologique* (Silbermann) [5]: 73-78 [separate issue only].
- Chevrolat L. A. A. 1841: Description de trente-quatre espèces de Coléoptères de Manille et d'un Tricondyle de Ceylan. *Revue Zoologique, Paris* 4 [1841]: 221-228.
- Chiang S.-N. 1983: [new taxon]. In: Chou I., Chao H.-F. & Chiang S.-N.: Modification of insect scientific names connected with 'Manchukuo'. *Entomotaxonomia* 5: 60-66.
- Chiang [S.-N.] [=Jiang S.-N.] & Wang Z. 2003: [new taxon], pp. 304, 396.- In: Wang Z. *Monographia of original colored longicorn beetles of China's north-east*. Jilin Science and Technology Publishing House, 420 + [1] pp. (in Chinese with English Abstanct).
- Chou I., Chao H.-F. & Chiang S.-N. 1983: Modification of insect scientific names connected with 'Manchukuo'. *Entomotaxonomia* 5: 60-66.
- Chou W.-I. 2009: Discovery of the Lepturine Genus Pidonia Mulsant (Coleoptera, Cerambycidae) from Guangxi, Southwest China. *Special Bulletin of the Japanese Society of Coleopterology* 7: 109-115.
- Chou W.-I., Chung Y.-T. & Lin M-Y. 2010: Description of Eutetrapha lini sp. nov. from Taiwan, China (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Acta Zootaxonomica Sinica* 35(2): 313-318.
- Chou W.-I & Ohbayashi N. 2007: Notes on the genus Sinostrangalis and Metastrangalis (Coleoptera, Cerambycidae). Studies on the Taiwanese Lepturinae, I. *Japanese Journal of Systematic Entomology* 13 (2): 225-240.
- Chou W.-I. & Ohbayashi N. 2010: A New Genus and Four New Species of Taiwanese Lepturinae (Coleoptera, Cerambycidae). Studies on the Taiwanese Lepturinae, III. *Japanese Journal of Systematic Entomology* 16 (2): 359-371.
- Chou W.-I. & Ohbayashi N. 2011: A Replacement Name for Pseudostrangalia Chou et N. Ohbayashi, 2010 (Coleoptera, Cerambycidae). *Japanese Journal of Systematic Entomology* 17 (1): 9.
- Chou W.-I. & Ohbayashi N. 2014: Two New Species of Taiwanese Lepturini (Coleoptera: Cerambycidae). Studies on the Taiwanese Lepturinae, VI. *Japanese Journal of Systematic Entomology* 20 (2): 347-352.
- Cocquempot Ch. & Mifsud D. 2013: First European interception of the brown fir longhorn beetle, Callidiellum villosulum (Fairmaire, 1900) (Coleoptera, Cerambycidae). *Bulletin of the Entomological Society of Malta* 6: 143-147.
- Costa A. 1855: [new names] Coleotteri tetrameri. Sezione de'longicorni. *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de'nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto: 1- 68 + 1 + Tav. XXXI – XXXVI. [note: Part II issued in 21 "foglio's"]
- Costa A. 1856: Foglio 16. Pp. 49-56. Coleotteri tetrameri. Sezione de'longicorni. [Gen. Clytus (cont.) and Anaglyptus]. In: *Fauna del regno di Napoli ossia enumerazione di tutti gli animali che abitano le diverse regioni di questo regno e le acque che le bagnano contenente la descrizione de'nuovi o poco esattamente conosciuti con figure ricavate da originali viventi e dipinte al naturale. Coleotteri. Parte II. Coleotteri* [1854-1859]. Napoli: Gaetano Sautto, 68 pp.
- Danilevsky M. L. 2009a: A new species of the genus Sophronica Blanchard, 1845 (Coleoptera, Cerambycidae) from Russian Primorie. *Euroasian Entomological Journal* 8 (1): 25-26, tab.II.
- Danilevsky M. L. 2009b: New Dorcadion (s. str.) Dalman, 1817 (Coleoptera: Cerambycidae) from Orenburg Region of Russia. *Caucasian Entomological Bulletin* 5(1): 69-71, plates 1-2.
- Danilevsky M. L. 2009c: [Species Group Taxa of Longhorned Beetles (Coleoptera,Cerambycidae) Described by N. N. Plavilstshikov and Their Types Preserved in the Zoological Museum of the

- Moscow State University and in the Zoological Institute of the Russian Academy of Sciences, St. Petersburg]. *Entomologicheskoe Obozrenie* 88 (3): 630–663. [in Russian]
- Danilevsky M. L. 2009d: Species Group Taxa of Longhorned Beetles (Coleoptera,Cerambycidae) Described by N. N. Plavilstshikov and Their Types Preserved in the Zoological Museum of the Moscow State University and in the Zoological Institute of the Russian Academy of Sciences, St. Petersburg. *Entomological Review* 89 (6): 689–720.
- Danilevsky M. L. 2010: New Acts and Comments. Cerambycidae, pp. 43-49. - In I. Löbl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp
- Danilevsky M. L. 2010a: New and poorly known Longicorn-beetles of the genus *Cortodera* Mulsant, 1863 (Coleoptera: Cerambycidae) from South-East Europe. *Caucasian Entomological Bulletin* 6(1): 57-60, plates 3-5.
- Danilevsky M. L. 2010b: Four new *Phytoecia* (Coleoptera: Cerambycidae) from Turkey. *Studies and reports of District Museum Prague-East. Taxonomical Series* 6(1-2): 19-30.
- Danilevsky M. L. 2010c: New taxa of longicorn-beetles (Coleoptera, Cerambycidae) from Transcaucasia and North Iran. *Eversmannia. Entomological research in the Russia and adjacent regions* 23-24: 3-9 + 2 plates.
- Danilevsky M. L. 2010d: Phymatodes (Phymatoderus) vandae sp. nov. from Greece (Coleoptera: Cerambycidae). *Folia Heyrovskyana*, series A, 18 (1-3): 67-70.
- Danilevsky M.L. 2010e: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. *Russian Entomological Journal* 19, 3: 215-239.
- Danilevsky M. L. 2011a: Novyy zhuk-usach roda *Cortodera* Mulsant, 1863 (Coleoptera, Cerambycidae) iz Zhigulevskogo zapovednika (Samarskaya oblast, Rossiya), pp. 42-47. In: *Issledovaniya v oblasti estestvennyh nauk i obrazovaniya. Mezhvuzovskiy sbornik nauchno-issledovatel'skih rabot. Vypusk 2.* Samara: "Povolzhskaya gosudarstvennaya sotsialno-gumanitarnaya akademiya": 188pp.
- Danilevsky M.L., 2011b: New subspecies of *Stenurella bifasciata* (Müller, 1776) (Coleoptera, Cerambycidae) from South West Turkey. *Munis Entomology & Zoology* 6 (1): 1-5.
- Danilevsky M.L., 2011c: New species of the genus *Olenecamptus* Chevrolat, 1835 (Coleoptera: Cerambycidae) from Russian Ussuri Region. *Russian Entomological Journal* 20(1): 67-70.
- Danilevsky M.L. 2011d: New species of the genus *Pachytella* Heyrovský, 1969 (Coleoptera, Cerambycidae) from Mongolia. *Euroasian Entomological Journal* 10(2): 253-254, Pl.3.
- Danilevsky M.L., 2011e: A review of genus *Protapatophysis* Semenov-Tian-Shanskij et Stschegeleva-Barovskaia, 1936 stat. nov. (Coleoptera: Cerambycidae: Apatophyseinae). *Studies and reports of District Museum Prague-East. Taxonomical Series*, 7(1-2): 93-104.
- Danilevsky M.L., 2011f: *Molorchus (Nathrioglypha) smetanai* sp. nov. (Coleoptera: Cerambycidae) from South China. *Studies and reports of District Museum Prague-East. Taxonomical Series* 7(1-2): 105-108.
- Danilevsky M.L., 2011g: A new species of genus *Aegosoma* Audinet-Serville, 1832 (Coleoptera, Cerambycidae) from the Russian Far East with the notes on allied species. *Far Eastern Entomologist* 238: 1-10.
- Danilevsky M.L., 2011h: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. II. *Russian Entomological Journal* 19 [2010], 4: 313-324.
- Danilevsky M.L., 2012a: A new subspecies of *Dorcadion* (s. str.) *glycyrrhizae* (Pallas, 1773) (Coleoptera: Cerambycidae) from Wst Kazakhstan. *Munis Entomology & Zoology* 7, No. 1: 46-50.

- Danilevsky M.L., 2012b: Two new subspecies of *Cortodera villosa* Heyden, 1876 (Coleoptera, Cerambycidae) from South Russia. *Caucasian Entomological Bulletin* 7[2011] (2): 139-141, plates 3-4.
- Danilevsky M.L. 2012c: A new species of genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae) from Israel. *Humanity Space. International Almanac* 1. Supplement 1: 4-7.
- Danilevsky M.L. 2012d: New Chinese Purpuricenus Dejean, 1821 (Coleoptera, Cerambycidae) close to *P. temminckii* Guérin-Méneville, 1844 group of species. *Humanity Space. International Almanac* 1. Supplement 1: 8-28.
- Danilevsky M.L. 2012e: A contribution to the revision of the genus *Rhamnusium* Latreille, 1829 (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 8 (1-2): 43-65.
- Danilevsky M.L. 2012f: New species of genus *Cortodera* Mulsant 1863 from Bulgaria (Coleoptera, Cerambycidae). *ANIMA.X* 44: 1-4.
- Danilevsky M.L. 2012g: *Lenotetrops ivanovae*, gen. nov., sp. nov. from Afghanistan (Coleoptera, Cerambycidae). *ANIMA.X* 44: 5-8.
- Danilevsky M.L., 2012h: A new species of the genus *Paraxylocrius* Niisato, 2009 (Coleoptera, Cerambycidae) from Ussuriland of Russian Far East. *Humanity Space. International Almanac*, Vol. 1. Supplement 8: 4-10.
- Danilevsky M.L. 2012i: New data on *Dorcadion* Dalman, 1817 (Coleoptera, Cerambycidae) of middle Chu-river basin in Kazakhstan and Kirgizia. *Humanity Space. International Almanac*, Vol. 1. Supplement 11: 4-46.
- Danilevsky M.L., 2012j: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. III. *Munis Entomology & Zoolog* 7, No. 1: 109-173.
- Danilevsky M.L., 2012k: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IV.- *Humanity Space. International Almanac*, Vol. 1, No. 1: 86-136.
- Danilevsky M.L., 2012l: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. V.- *Humanity Space. International Almanac*, Vol. 1, No. 3: 695-741.
- Danilevsky M.L., 2012m: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VI. *Humanity space. International almanac* 1 (4): 900-943.
- Danilevsky M.L. 2013a: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VII. *Humanity space. International almanac* 2 (1): 170-210.
- Danilevsky M.L. 2013b: New and poorly known species of the genus *Cortodera* Mulsant, 1863 (Coleoptera, Cerambycidae) from Kazakhstan. *Humanity space. International almanac* 2 (1): 211-221.
- Danilevsky M.L. 2013c: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VIII. *Humanity space. International almanac* 2 (3): 401-424.
- Danilevsky M.L. 2013d: *Cortodera kiesenwetteri* gusakovi ssp. n. from north-west Kazakhstan (Coleoptera, Cerambycidae). *Humanity space. International almanac* 2 (3): 425-427.
- Danilevsky M.L. 2013e: *Dorcadion* (Cribridorcadion) *cinerarium* demidovi ssp. n. (Coleoptera, Cerambycidae) from South-West Ukraine. *Humanity space. International almanac* 2 (3): 428-432.
- Danilevsky M.L. 2013f: New *Dorcadion* (Coleoptera, Cerambycidae) from Kazakhstan. *Humanity space. International almanac* 2 (3): 433-442.

- Danilevsky M.L. 2013g: Six new Longicorn (Coleoptera, Cerambycidae) taxa from Russia and adjacent countries. *Humanity Space. International Almanac* 2. Supplement 2: 28-41.
- Danilevsky M.L. 2014a: Two new Eodorcadion Breuning, 1947 from Mongolia (Coleoptera, Cerambycidae). Pp. 151-155. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Danilevsky M.L. 2014b: Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IX. *Humanity space. International almanac* 3(2): 193-250.
- Danilevsky M.L. 2014c: Two new subspecies of Dorcadion aethiops (Scopoli, 1763) from Bulgaria (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 251-254.
- Danilevsky M.L. 2014d: Two new species of genus Cortodera Mulsant, 1863 from Asia (Coleoptera, Cerambycidae).- *Humanity space. International almanac* 3(2): 255-258.
- Danilevsky M.L. 2014e: Vadonia vartanisi sp. n. from Turkey and Vadonia hirsuta (K. Daniel & J. Daniel, 1891) (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 259-266.
- Danilevsky M.L. 2014f: Two new Cerambycidae (Coleoptera) taxa from Russian Far East. *Humanity space. International almanac* 3(4): 662-669.
- Danilevsky M.L., 2014g: Five new subspecies of Dorcadion sulcipenne Küster, 1847 (Coleoptera, Cerambycidae) from Georgia. *Humanity space. International almanac* 3(4): 670-686.
- Danilevsky M.L. 2014h: Phytoecia (Musaria) krupitskyi sp. n. (Coleoptera, Cerambycidae) from Turkey. *Humanity space. International almanac* 3(4): 687-689.
- Danilevsky M.L. 2014i: *Longicorn beetles (Coleoptera, Cerambycoidea) of Russia and adjacent countries*. Part 1. Moscow: HSC: 1-522. [in Russian]
- Danilevsky M.L., 2015a: A new species of the genus Morimus Brullé, 1832 (Coleoptera, Cerambycidae) from Central Europe.- *Humanity space. International almanac*, 4(2): 215-219.
- Danilevsky M.L. 2015b: A new species of genus Dorcadion Dalman, 1817 (Coleoptera, Cerambycidae) from Turkey (Ispir, Erzurum). *Humanity space. International almanac* 4(2): 220-223.
- Danilevsky M.L. 2015c: Two new species of genus Pogonocherus Dejean, 1821 (Coleoptera, Cerambycidae) from Europe. *Humanity space. International almanac* 4(4): 588-592.
- Danilevsky M.L. 2015d: New and poorly known taxa of the genus Cortodera Mulsant, 1863 (Coleoptera, Cerambycidae) from South Europe and Near East. *Humanity Space. International Almanac* 4(5): 1034-1084.
- Danilevsky M.L. & Komiya Z. 2014: Pogonarthron (Multicladum subgen. n.) and a female of Pogonarthron (Pseudomonocladum Villiers, 1961, stat. nov.) minutum (Pic, 1905) (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 267-271.
- Danilevsky M.L. & Lin M.Y. 2012: A contribution to the study of China Dorcadioni (Coleoptera, Cerambycidae). Part 2. *Humanity Space. International Almanac* 1. Supplement 4: 20-35.
- Danilevsky M.L. & Peks H. 2015: Brachyta interrogationis eitschbergeri ssp. n. (Coleoptera, Cerambycidae) - black subspecies from south-east Germany. *Humanity Space. International Almanac* 4(5): 1085-1089.
- Danilevsky M.L. & Skrylnik Yu.E. 2014i: Two new Longicorn (Coleoptera, Cerambycidae) species from Iran. *Humanity space. International almanac* 3(4): 690-694.
- Danilevsky M.L. & Vartanis J. 2015: A new subspecies of *Vadonia unipunctata* (Fabricius, 1787) (Coleoptera, Cerambycidae) from Ikaria Island, Greece. *Humanity space. International almanac* 4(2): 224-227.
- Dascalu M.-M. & Fusu L. 2012: Dorcadion axillare Küster, 1847 (Coleoptera, Cerambycidae): distribution, morphometrics, karyotype and description of a new subspecies from Romania. *Zootaxa* 3322: 35-48.

- Dauber D. 2006: Sechsundzwanzig neue Clytini aus Malaysia vornehmlich Borneo und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). *Linzer Biologische Beiträge* 38 (1): 423-453.
- Doychev D. & Bencheva S. 2008: First record of *Callidium coriaceum* Paykull (Coleoptera: Cerambycidae) in Bulgaria. *Silva Balcanica* 9(1): 97-98.
- Drumont A. & Bi W.-X. 2014. Description of a new *Sarmydas* species from Zixang Autonomous Region in China: *Sarmydas cheni* sp. nov. (4th contribution to the study of genus *Sarmydas* Pascoe, 1867) (Coleoptera, Cerambycidae, Prioninae). *Lambillionea* 113 [2013], 3: 267-271.
- Drumont A. & Grifnee V. 2005: Une nouvelle espèce de Longicornes pour la faune de Belgique: *Gaurotes (Carilia) virginea* (Linnaeus, 1758) (Coleoptera, Cerambycidae). *Lambillionea* 105 (3), T.2: 433-436.
- Drumont A. & Weigel A. 2010: Description of a new *Sarmydas* species from Yunnan Province in China: *Sarmydas loebli* sp. n. (Coleoptera, Cerambycidae, Prioninae). *Cahiers Magellanes* 2 (NS): 66-72.
- Donisthorpe H. 1905: *Gramoptera holomelina*, Pool, a good species. Entomologist's Record and Journal of Variation 17: 182-183.
- Doychev D. & Georgiev G. 2006. Notes on distribution and ecology of *Icosium tomentosum* atticum Ganglbauer (Coleoptera: Cerambycidae) in Bulgaria. *Forest Science* No. 3: 117-121.
- Estlund O. 1796: Entomologiske **Anmärkningar** hörande til Fauna Svecica. *Kongl. Vetenskaps Akademiens Nya Handlingar* 17: 126-132.
- Fabricius J. C. 1793: *Entomologia systematica emendata et aucta, secundum classes, ordines, genera, species, adjectis, synonymis, locis, observationibus, descriptionibus. Tomus I. Pars II.* Hafniae: C. G. Proft, xx + 538 pp.
- Fancello L. & Cillo D. 2012: Descrizione di una nuova specie di *Hesperophanes* della Sardegna (Coleoptera, Cerambycidae, Cerambycinae). *Estratto dagli annali del Museo civico di Storia Naturale "G. Doria"* 104: 252-264.
- Feng B. & Chen L. 2009: A new species and a new record species of the genus *Megopis* (Coleoptera, Cerambycidae, Prioninae) from China. *Acta Zootaxonomica Sinica* 34 (1): 38 – 41.
- Fujita H. 2010: Three new subspecies of *Xylotrechus chinensis* (Chevrolat, 1852) and *X. reductemaculatus* Hayashi, 1968 (Coleoptera, Cerambycidae) from Japan. *Gekkan-Mushi*, 476: 30-35.
- Gahan Ch. J. 1894: Viaggio di Leonardo Fea in Birmania e Regioni vicine. LVI. A list of the Longicorn Coleoptera collected by Signor Fea in Burma and the adjoining regions, with descriptions of the new Genera and species. *Annali del Museo Civico di Storia Naturale, Genova (Série 2)* 14: 5-104, 1 pl.
- Gao W.-T., Meng Q.-F. & Yan M.-Z. 2011: A new species and a new record genus *Munamizoa* in Lepturinae (Coleoptera, Cerambycidae) from China. *Acta Zootaxonomica Sinica* 36(2):400-403.
- Gebler F. A. von. 1823b: **Coleoptera Sibiriae Orientalis.** *Mémoires de la Société Impériale des Naturalistes de Moscou* 6: 127-131.
- Georgiev G., Doychev D., Simov N., Guéorguiev B. & Bekchiev R. 2013: Contribution to the knowledge of (Coleoptera: Cerambycidae) of Belasitsa in Bulgaria. *Silva Balcanica* 14(1): 110-117.
- Georgiev G., Gjonov I. & Sakalian V. 2015: New Records of Longhorn Beetles (Coleoptera: Cerambycidae) in Strandzha Mountain. *Journal of the Entomological Research Society* 17(2): 73-88.
- Ghredjyan T.L. & Kalashian M.Yu. 2015: On the finding of longhorn beetle *Parandra caspia* Ménétrier, 1832 (Coleoptera, Cerambycidae) in Nagorno-Karabakh. *Humanity Space. International Almanac* 4(5): 1090.

- Gerstaeker C. E. A. 1855: Hr. Peters über gab die Fortsetzung von Diagnosen der von ihm in Mossambique gesammelten und von Hrn. Dr. Gerstäcker bearbeiteten Käfer aus den Familien der Longicornia, Paussidae und Ptiniores. *Bericht über die zur Bekanntmachung geeigneten Verhandlungen der Königlich Preußischen Akademie der Wissenschaften zu Berlin*: 265-26
- Götz G. F. 1783: Beytrag zur Naturgeschichte der Insekten. *Der Naturforscher* **19**: 70-77, 1 pl.
- Gressitt J. L. 1950: Two new Oriental Prionids of the genus Megopis (Coleoptera: Cerambycidae). *The Pan-Pacific Entomologist* **26** (3): 134-136.
- Gronovius L.T. 1764: Zoophylacii Gronoviani. Fasciculus secundus. Exhibens enumerationem Insectorum, quae in Museo suo adservat, examini subjicit, systematice disposuit atque descriptis. Lugduni Batavorum, sumptibus auctoris: 141-236 [Les 20 planches et le volume 3 datent de 1781 (Index insectorum), la partie 1 de 1763]
- Han Ch.-do & Niisato T. 2010: A New Clytine Beetle Belonging to the Genus Xylotrechus (Coleoptera, Cerambycidae) from Taiwan. *Japanese Journal of Systematic Entomology* **16** (2): 249-254.
- Hasegawa M., Han T. & Oh S. H. 2014: A New Species Belonging to the New Agapanthiine Genus (Coleoptera, Cerambycidae, Lamiinae) from Korea. *Elytra, Tokyo* (NS) **4** (1): 49-55.
- Hasegawa M. & Ohbayashi N. 2009: A Revisional Study of the Genus Boninella Gressitt (Coleoptera, Cerambycidae, Lamiinae). *Special Bulletin of the Japanese Society of Coleopterology* **7**: 407-438.
- Hayashi M. 1982: The Cerambycidae of Japan (Col.) (13). *The Entomological Review of Japan* **37**(2): 141-152.
- Hayashi M. & Villiers A. 1987: Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) With special reference to the type specimens' inspection. Part II. *Bulletin of Osaka Jonan Women's Junior College* **22**: 1-20.
- Heyden C.H.G. von, 1844: Ueber zwei neue europäische Käfer. *Entomologische Zeitung (Stettin)* V, 1: 14-15.
- Heyden L.F.J.D. von & Faust J. 1888: Beiträge zur Kleinasiatischen Coleopteren-Fauna. *Deutsche Entomologische Zeitschrift* **32**: 45-47.
- Hofmański D. & Mazepa J. 2015: Stanowiska dłużynki Oberea (Amaurostoma) histrionis Pic 1917 (Coleoptera Cerambycidae) w Polsce. *Biuletyn Parków Krajobrazowych Wielkopolski*, Zeszyt 21(23): 157-158.
- Holzschuh C. 2009: Beschreibung von 59 neuen Bockkäfern und vier neuen Gattungen aus der orientalischen und palaearktischen Region, vorwiegend aus Laos, Borneo, und China (Coleoptera, Cerambycidae). *Entomologica Basiliensis et Collectionis Frey* **31**: 267-358.
- Holzschuh C. 2009: Eine neue Arten der Gattung Glenea Newman, 1842 aus dem Himalaya (Insecta: Coleoptera: Cerambycidae: Acanthocinini). Biodiversität und Naturausstattung im Himalaya III. Erfurt: 423-424, Taf, XV-XVI.
- Holzschuh C. 2010: Beschreibung von 66 neuen Bockkäfern und zwei neuen Gattungen aus der orientalischen Region, vorwiegend aus Borneo, China, Laos und Thailand (Coleoptera, Cerambycidae). *Entomologica Basiliensis et Collectionis Frey* **32**: 137-225.
- Holzschuh C. 2011: Beschreibung von 69 neuen Bockkäfern und 6 neuen Gattungen aus Asien, vorwiegend aus Borneo, China, Laos und Thailand (Coleoptera, Cerambycidae). *Entomologica Basiliensis et Collectionis Frey* **33**: 249-328.
- Holzschuh C. 2012: Zwei neue Lamiinae aus Nepal (Insecta: Coleoptera: Cerambycidae), S.413-414 + Tf. XXXIV. In: M. Hartmann & J. Weipert (Ed.). Biodiversität und Naturausstattung im Himalaya IV. Verein der Freunde & Foerderer des Naturkundemuseums Erfurt e. V., Erfurt: 492 S.

- Holzschuh C. 2013a: Beschreibung von zehn neuen Bockkäferarten (Coleoptera: Cerambycidae) und einer neuen Gattung aus Südostasien. *Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen* 65: 5-21.
- Holzschuh C. 2013b: Beschreibung von sechs neuen Pidonia-Arten aus China (Cerambycidae, Lepturinae). *Les Cahiers Magellanes* (NS) 13: 84-92, 6 figs.
- Holzschuh C. & Lin Y.-L. 2013: Beitrag zur Bockkäferfauna von Taiwan, mit Beschreibung neuer Arten (Coleoptera, Cerambycidae). Pp.: 147-158. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenshin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Holzschuh C. 2015: Zwei neue Bockkäfer aus Nepal (Insecta: Coleoptera: Cerambycidae). In: M. Hartman & J. Weipert. (eds): *Biodiversität und Naturausstattung im Himalaya* V. Erfurt: 471-474.
- Huang G.-Q., Liu Zh. & Chen L., 2014: A revision of the genus *Nyctimenius* Gressitt, 1951 (Coleoptera: Cerambycidae: Lamiinae), with description of a new species. *Zootaxa* 3860 (5): 435-448, 67 figs, 1 carte.
- Huang G.-Q., Liu Zh. & Chen L., 2015: A revision of the genus *Euseboides* Gahan, 1893 (Coleoptera: Cerambycidae: Lamiinae), with description of two new species. *Zootaxa* 3964 (2): 151-182.
- Huang G.-Q., Tian L.-Ch. & Chen L. 2013: Two new record species of Clytini from China (Coleoptera, Cerambycidae, Cerambycinae). *Acta Zootaxonomica Sinica* 38 (4): 908-911.
- Huang J., Wang W., Zhou Sh. & Wang Sh. 2009: Review of the Chinese species of Apriona Chevrolat, 1852, with proposal of new synonyms (Coleoptera, Cerambycidae, Lamiinae, Batocerini). *Les Cahiers Magellanes* 94: 1-23.
- Huang X.-L., Pan J.-J. & Lin M.-J. 2014: Finding and description on the male of *Cortodera baltea* Holzschuh, 2003 and new province record from Inner Mongolia (Coleoptera: Cerambycidae: Lepturinae: Rhagiini). Pp. 168-172. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Hubweber L. 2010: New Acts and Comments. Cerambycidae, pp. 61-62. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera*, Vol. 6. Stenstrup: Apollo Books, 924pp.
- Hüdepohl K.-E. & Heffern D. J. 2004: Notes on Oriental Lamiini (Coleoptera: Cerambycidae: Lamiinae). *Insecta Mundi* 16 [2002] (4): 247-249.
- Iñarra A. C. & Beltrán A. M. 2012: Descripción de una nueva especie del género *Iberodorcadion* Breuning, 1943 (Coleoptera, Cerambycidae, Lamiinae) de la Península Ibérica.- Biocosme mésogéen, Nice, 29 (2): 43-55.
- Jakobson G. G. 1895: Tria Coleoptera nova e Rossia europea. *Horae Societatis Entomologicae Rossicae* 29 [1895-1896]: 520-524.
- Jakovlev B. E. [Jakowlew] 1893: Neodorcadion dux; sp. n. *Horae Societatis Entomologicae Rossicae* 28: 120-122.
- Jakovlev B. E. [Jakowlew] 1895: Description de quelques longicornes paléarctiques nouveaux ou peu connus. *Horae Societatis Entomologicae Rossicae* 29 [1894-1895]: 506-514.
- Jakovlev B. E. [Jakowleff] 1899a [April]: Quelques nouvelles espèces du sous-genre *Compsodorcadion* Ganglb. *Horae Societatis Entomologicae Rossicae* 33 [1901]: 147-155.
- Jakovlev B. E. [Jakowleff] 1899b [May]: Nouvelles espèces du genre *Dorcadion* Dalm. *Horae Societatis Entomologicae Rossicae* 34 [1899-1900]: 59-70.
- Jang H. K., Lee S. H. & Choi W. 2015. *Cerambycidae of Korea*. Seoul: Geobook, 399pp. [in Korean]
- Jingke L., Drumont A., Xueping Zh.& Lin L. 2013. Note on the egg productivity of females of *Callipogon* (*Eoxenus*) *relictus* Semenov-Tian-Shanskij, 1899, and first record for Inner Mongolia Autonomous Region in China (Coleoptera, Cerambycidae, Prioninae).- *Les Cahiers Magellanes* (NS) 12: 52-56.

- Jiroux E, Garreaux Ph. & Gurko V. 2012: Note concernant *Anamera gigantea* Breuning, 1935, et description d'une nouvelles sous-espèces originaire du Balochistan (Coleoptera, Cerambycidae, Lamiinae). *Les Cahiers Magellanes* (NS) 7: 18-20.
- Kasatkin D. G. 2010: A new species of the genus *Phytoecia* Dejean 1835 (Coleoptera: Cerambycidae) from Eastern Turkey. *Caucasian Entomological Bulletin* 6(1): 73-74, plate 6.
- Kasatkin D. G. 2012: A new species of the genus *Phytoecia* Dejean 1835 (Coleoptera: Cerambycidae) from Eastern Turkey. *Caucasian Entomological Bulletin* 7[2011], 2: 73-74, plates 5-6.
- Kasatkin D. G. 2013: A new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae) from Afghanistan. *Caucasian Entomological Bulletin* 9, 2: 265, plates 5-6.
- Kasatkin D. G. 2015a: A new subgenus of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae: Lamiinae). *Russian Entomological Journal* 24(2): 127-131.
- Kasatkin D. G. 2015b: A new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera: Cerambycidae) from the Near East. *Caucasian Entomological Bulletin* 11, 1: 43-44, plate 7.
- Kiseleva E. F. 1927: O zhykakh – usachakh (Coleoptera, Cerambycidae) okrestnostey g. Tomska. *Izvestiya Tomskogo Gosudarstvennogo Universiteta* 77 [1926]: 123-133.
- Komiya Z. & Drumont A. 2012a: Description of two new taxa of the genus *Aegosoma* Audinet-Serville, 1832 from Borneo (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) 9: 88-97.
- Komiya Z. & Drumont A. 2012b: Description of a New Genus Close to *Aegosoma* (Coleoptera, Cerambycidae, Prioninae) (Revisional Studies of the Genus *Megopis* sensu Lameere, 1909-11). *Elytra* 2 (2): 181-187.
- Kotán A. & Sama G. 2011: A new species of *Neoplocaederus* Sama, 1991 from Syria (Coleoptera: Cerambycidae, Cerambicinae). *Folia Entomologica Hungarica* 72: 59-63.
- Kovács T., Németh T. & Merkl O. 2012: Beetles new to Albania, Croatia and Serbia (Coleoptera: Elateridae, Cucujidae, Melandryidae, Cerambycidae). *Folia Historico Naturali Musei Matraensis* 36: 43-44.
- Kraatz G. 1876 [Fußnote, S.318]. In Heyden L. 1876: Die *Cortodera-* (Muls.) und *Grammoptera-* (Serv.) Arten. *Deutsche Entomologische Zeitschrift* 20: 317-320.
- Kraatz G. 1878. [Dorcadion lederi: 353-355] In: Schneider O. & Leder H.: Beiträge zur Kenntniss der kaukasischen Käferfauna. Brünn: W. Burkart, 358 pp., 6 pls.
- Kraatz G. 1893: Dorcadion equestre Laxm. var. *quadristrigatum* Krtz. *Deutsche entomologische Zeitschrift* 37: 70, 1 pl.
- Krynicki J. [I.], 1832: Enumeratio Coleopterorum Rossiae meridionalis et praecipue in Universitatis Caesareae Charkoviensis circulo obvenientium, quae annorum 1827-1831 spatio observavit.- *Bulletin de la Société Impériale des Naturalistes de Moscou*, 5: [+3pages] 68-179, pls II-III.
- [Krynicki J. I.] 1834 [no author's name in the publication]: Addenda et nonnulla synonyma Rossiae meridionalias Coleopterorum. (vide Bulletin. Vol. v. p. 69).- *Bulletin de la Société Impériale des Naturalistes de Moscou*, 7: 166-173.
- Küçükkaykı E. C., Şirin Ü., Çalışkan H. & Şenyüz Y. 2013: Preliminary work on Longhorned Beetles fauna of Kaz Dağları (Ida Mountain) and near with two new subspecies (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (1): 50-62.
- Laicharting J. N. E. von. 1784: *Verzeichniss und Beschreibung der Tyroler-Insecten. I. Theil. Käferartige Insekten. II. Band.* Zürich: Johann Caspar Füssly, xiv + 176 pp.
- Lameere A. 1912a: Révision des prionides. Vingt-et-unième mémoire: Anacolines. Vingt-deuxième mémoire. Addenda et corrigenda. *Mémoires de la Société Entomologique de Belgique* 21: 1-188.
- Lazarev M. A. 2008: Zametki po spornym voprosam sistematiki i rasprostranenia zhukov-usachev (Coleoptera, Cerambycidae) Rossii i sopredelnyh stran. Pp. 129-136. In: *Aktualnye problemy*

prioritetnyh napravleniy razvitiya estestvennyh nauk. Sbornik statey. Moskva, Izdatelstvo «Prometey» MPGU: 220c.

- Lazarev M. A. 2009a: New species of Longicorn-beetle (Coleoptera: Cerambycidae) of the genus *Neoplocaederus* Sama, 1991 from Uzbekistan.- *Caucasian Entomological Bulletin* 5(1): 143-144, plates 3-4.
- Lazarev M. A. 2009b: Taxonomical structure of *Dorcadiion (Cribridorcadion) cискаусасикум* Jakovlev, 1900 with the description of a new subspecies from Taman. *Eversmannia, Entomological research in the Russia and adjacent regions* No.19-20: 10-15 + 1 plate.
- Lazarev M. A. 2009c: Armenian Dorcadion (Coleoptera, Cerambycidae) of “cinerarium-group”. *Studies and reports of District Museum Prague-East. Taxonomical Series* 5 (1-2): 197-220.
- Lazarev M. A. 2010a: New species of genus *Dorcadiion* (Coleoptera: Cerambycidae) from Transcaucasia. *Eversmannia, Entomological research in the Russia and adjacent regions*, No.21-22: 3-5 + 1 plate.
- Lazarev M. A. 2010b: New subspecies of *Brahyta rosti* Pic, 1900 from North Caucasus (Coleoptera, Cerambycidae). *Lambillionea* 110, 2: 191-196.
- Lazarev M. A. 2010c: New subspecies of *Plagionotus arcuatus* (Linnaeus, 1758) from Transcaucasia and Kyrgyzstan (Coleoptera, Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 6 (1-2): 149-164.
- Lazarev M. A. 2011a: *Murzinia karatauensis*, n. gen., n. sp. (Coleoptera: Cerambycidae: Lamiinae: Monochamini) from Kazakhstan. *Munis Entomology & Zoology* 6 (2): 639-641.
- Lazarev M. A. 2011b: New subspecies of *Brachyta interrogationis* (Linnaeus, 1758) from Caucasus (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 6 (2): 859-865.
- Lazarev M. A. 2011c: A revision of the taxonomic structure of *Dorcadiion cinerarium* (Fabricius, 1787) (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 7 (1-2): 255-292.
- Lazarev M. A. 2012: Revision of the taxonomic structure of *Tetrops gilvipes* (Faldermann, 1837) (Coleoptera, Cerambycidae). *Humanity space. International almanac* 1 (4): 944-957.
- Lazarev M. A. 2013a: New subspecies of *Dorcadiion scabricolle* (Dalman, 1817) of Iran and Azerbaijan (Coleoptera, Cerambycidae). *Humanity space. International almanac* vol. 2, No 1: 222-234.
- Lazarev M. A. 2013b: New species of *Agapanthia danilevskyi* from South Kazakhstan (Coleoptera, Cerambycidae). *Humanity space. International almanac* vol. 2, No 1: 235-237.
- Lazarev M. A. 2013c: Two new subspecies of *Agapanthia dahli* (Richter, 1821) from Dagestan and Armenia (Coleoptera, Cerambycidae). *Humanity space. International almanac* 2(3): 443-448.
- Lazarev M. A. 2013d: A new subspecies of *Agapanthia dahli* (C. F. W. Richter, 1820) from North-East Kazakhstan (Coleoptera: Cerambycidae). *Studies and reports of District Museum Prague-East. Taxonomical Series* 9 (1): 127-131.
- Lazarev M.A. 2014a: Taxonomy notes (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(2): 272-285.
- Lazarev M.A. 2014b: New subspecies of *Dorcadiion (Cribridorcadion) mniszechi* Kraatz, 1873 from Georgia, Armenia and Turkey (Coleoptera, Cerambycidae). *Humanity space. International almanac* 3(4): 698-709.
- Lazarev M.A. 2015: New Dorcadion (Cribridorcadion) (Coleoptera: Cerambycidae) from Caucasus and Iran. *Humanity Space. International Almanac* 4 (5): 1108-1117.
- Lefebvre A. L. 1835: *Description d'un Coléoptère nouveau. Revue Entomologique* (G. Silbermann) 3: 303-307.
- Levrat J. N. G. B. 1858: Description de deux coléoptères nouveaux. *Annales de la Société Linnéenne de Lyon* (2) 5: 261-263.

- Li Zh., Cuccodoro G. & Chen L. 2014: On the identity of *Oberea formosana* Pic, 1911, with description of *Oberea pseudoformosana* sp. n. from China (Coleoptera: Cerambycidae). *Revue Suisse de Zoologie* 121 (1): 51-62, 6 figs.
- Li Zh., Cuccodoro G. & Chen L. 2015: List of unavailable infrasubspecific names originally published in *Oberea* Dejean, 1835, with nomenclatural notes on the genus (Coleoptera: Cerambycidae). *Zootaxa* 4034 (3): 577-586.
- Li Zh., Tian L.-Ch. & Chen L. 2013a: A new species of *Demonax* Thomson (Coleoptera: Cerambycidae: Cerambycinae) from Southwest China, with a key to thirteen species from China. *Zootaxa* 3682 (3): 454-458.
- Li Zh., Tian L.-Ch. & Chen L. 2013b: New records of a genus and two species of Cerambycinae (Coleoptera, Cerambycidae) from China. *Acta Zootaxonomica Sinica* 38 (2): 443-446.
- Lim J., Han Y., Lee B., Oh H. & Lyu D. 2012: A new species of *Clytus* Laicharting (Coleoptera: Cerambycidae) from Korea with a key to Korean species. *Entomological Research* 42: 192-195.
- Lim J., Lim J.-S. & Lee B.-W. 2013: A new species of *Eupogoniopsis* and new record of *Eupromus ruber* (Dalman) (Coleoptera, Cerambycidae) from South Korea.- *Entomological Research* 43: 358-364.
- Lin M.-Y. 2013: Three new species of the genus *Glenea* Newman, 1942 from the Oriental Region (Coleoptera: Cerambycidae: Lamiinae: Saperdini). Pp.: 107-116. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenshin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Lin M-Y. 2014. Some new localities of Chinese longhorn beetles.- *Les Cahiers Magellanes* (NS) 16(3): 110-150.
- Lin M-Y. 2015. Some new localities of Chinese longhorn beetles.- *Les Cahiers Magellanes* (NS) 17(2014): 93-98.
- Lin M.-Y. & Aston P. 2014: First record of the subfamily Lepturinae from the Hong Kong Fauna (Coleoptera, Cerambycidae). *Hong Kong Entomological Bulletin* 6 (1): 19-21.
- Lin M.-Y. & Bi W. 2011: A new genus and species of the subfamily Philinae (Coleoptera: Vesperidae). *Zootaxa* 2777: 54-60.
- Lin M.-Y., Bi W.-X. & Jiroux E. 2014: Three new synonyms of *Mecynippus ciliatus* (Gahan, 1888) (Cerambycidae: Lamiinae: Monochamini). *Journal of Insect Biodiversity* 2(5): 1-6.
- Lin M.-Y. & Dai L. 2012: Description of a new species of the genus *Glenea* from Tibet, China (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *ZooKeys* 216: 5-11.
- Lin M.-Y. & Danilevsky M.L., 2011: Two new subspecies of *Eodorcadion* Breuning, 1947 (Coleoptera, Cerambycidae) from Helan Mountains (Helanshan), Inner Mongolia. *Euroasian Entomological Journal* 10(3): 381-382, 380, Pl. 8.
- Lin M.-Y. & Holzschuh C. 2013: *Blamada rubripronota*, a new genus and species of the tribe Saperdini (Coleoptera: Cerambycidae: Lamiinae) from Southeast Asia. *Zootaxa* 3640 (1): 95-100.
- Lin M.-Y. & Lin W. 2011: *Glenea changchini* sp. nov. from Yunnan of China (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2011 5 Aug.: 13-17.
- Lin M.-Y., Lin Y.-L., Li W.-Zh. & Yang X.-K. 2009: Study on *Glenea fainanensis* species group (Coleoptera, Cerambycidae, Lamiinae). *Acta Zootaxonomica Sinica* 34(2): 214—220.
- Lin M.-Y. & Liu F. 2012: A new species *Glenea weigeli* n. sp. from Yunnan, China, compared with *Glenea loosdregti* Breuning (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Cahiers Magellanes* 8 (NS): 113-117.
- Lin M.-Y., Montreuil O., Tavakilian G., & Yang X. 2009: Reinstatement of the genus *Heteroglenea* Gahan, with four new combinations, four new synonyms and three new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2137: 1-22.

- Lin M.-Y., Tavakilian G. 2014. A strange new species *Glenea judsoni* sp. nov. from Taiwan, China (Coleoptera: Cerambycidae: Lamiinae: Saperdini). Pp. 161-167. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday*. Sun Yat-sen University: i-ii, 1-214.
- Lin M.-Y., Tavakilian G., Montreuil O. & Yang X. 2009: Eight species of the genus *Glenea* Newman, 1842 from the Oriental Region, with description of three new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Zootaxa* 2155: 1–22.
- Lin M.-Y., Tavakilian G., Montreuil O. & Yang X. 2009: A study on the *indiana* & *galathea* species-group of the genus *Glenea*, with descriptions of four new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). *Annales de la Société Entomologique de France* (N. S.) **45** (2): 157-176.
- Lin M.-Y. & Tichý T. 2014: Taxonomic notes on three species described by Fu-Ji Pu (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) 14 mars: 127-132.
- Lin M.-Y., Yamasako J. & Yang X. 2014. New records of three species and one genus of the tribe Mesosini from China, with notes on *Golsinda basicornis* Gahan (Coleoptera: Cerambycidae: Lamiinae). *Entomotaxonomia* 36 (4): 267-274.
- Lin M.-Y. & Yang X. 2011a: A new species *Glenea shuteae* sp. nov. from Yunnan, China, compared with *Glenea decolorata* Heller (Coleoptera, Cerambycidae, Lamiinae, Saperdini). *Acta Zootaxonomica Sinica* 36(1): 40-44.
- Lin M.-Y. & Yang X. 2011b: *Glenea coomani* Pic, 1926 and its related species of South China with description of a new species. *ZooKeys* 153: 57-71.
- Lin M.-Y. & Yang X.-K. 2012: Contribution to the Knowledge of the Genus *Linda* Thomson, 1864 (Part I), with the Description of *Linda* (*Linda*) *subatricornis* n. sp. from China (Coleoptera, Cerambycidae, Lamiinae). *Psyche (Cambridge)* 2012, Article ID 672684: 8 pages.
- Lin M.-Y. & Yang X.-K. 2014: One new record species, *Ithocritus ruber* (Hope, 1839) from China (Coleoptera: Cerambycidae: Lamiinae: Petrognathini). *Zoological Systematics* 39 (2): 309–312.
- Lin M.-Y., Yang X. & Lin Y. 2009: Taxonomic Notes on *Glenea pseudoscalaris* (Fairmaire, 1895) (Coleoptera, Cerambycidae, Lamiinae). *Longicornists, Special Bulletin of the Japanese Society of Coleopterology*, No. 7: 385-390.
- Lo Cascio P. & Grita F. 2010: A new longhorn beetle from Socotra island (Yemen) (Coleoptera, Cerambycidae). *Fragmenta Entomologica* 41(1): 123-127.
- Löbl I. 2010: New Acts and Comments. Cerambycidae, pp. 60-61. - In I. Löbl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp.
- Löbl I. & Smetana A. 2010: New Acts and Comments. Cerambycidae, p. 59. - In I. Löbl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera, Vol. 6*. Stenstrup: Apollo Books, 924pp
- Löbl I. & Smetana A.(ed.) 2010: *Catalogue of Palaearctic Coleoptera, vol. 6. Chrysomeloidea*. Stenstrup, Apollo Books: 924pp.
- Marcu O. 1935: Zur Kenntnis der Coleoptorenfauna von Rumänien, nebst Beschreibung einiger neuen paläarktischen Formen. *Buletinul facultății de științe din Cernăuți* [1934]8: 90–96.
- Makihara H. & Niisato N. 2014: A New *Massicus* (Coleoptera, Cerambycidae) from Taiwan. *Elytra, Tokio* (NS) 4 (1): 23-33.
- Marklund D. & Marklund S. 2014: Description of two new species of *Phytoecia* (Pilemia) Fairmaire, 1864 from Eastern Turkey (Coleoptera, Cerambycidae, Phytoeciini). *Lambillionea* **114**, 3: 274-277.
- Marklund S. & Marklund D. 2013: A new species of *Xylotrechus* (Chevrolat, 1860) from Eastern Turkey (Coleoptera, Cerambycidae, Clytini). *Lambillionea* **113**, 1: 7-8.
- Marseul S. A. de. 1870: Descriptions de coléoptères nouveaux. *L'Abeille, Mémoires d'Entomologie* **6** [1869]: 368-384

- Martins U.R., Galileo M.H.M. & Santos-Silva A. 2015. First record of *Molorchus minor* minor (Coleoptera, Cerambycidae) in Brazil. *Revista Brasileira de Entomologia. A journal of Insect Diversity and Evolution* 59: 61.
- Miroshnikov A. I. 1998: Novaya klassifikacia zhukov-drovosekov kompleksa Anoplodera triby Lepturini (Coleoptera, Cerambycidae) fauny Golarktiki. II. *Entomologicheskoe Obozrenie* 77(3): 587-618.
- Miroshnikov A. I. 2009: Contribution to the knowledge of the little-known longicorn beetles species – *Phytoecia* (*Opsilia*) *prasina* Reitter, 1911 (Coleoptera: Cerambycidae). *Caucasian Entomological Bulletin* 5(2): 243-244, Pl. 9-10. [in Russian]
- Miroshnikov A. I. 2011: Novyy vid zhukov-usachey roda *Cortodera* Mulsant, 1863 (Coleoptera: Cerambycidae) iz Yuzhnogo Zakavkazya. *Caucasian Entomological Bulletin* 7 (1): 53-54, plate 4.
- Miroshnikov A. I. 2013a: The longicorn beetle genus *Oligoenoplus* Chevrolat, (Coleoptera: Cerambycidae) in China. *Humanity space. International almanac* 2 (1): 238-246.
- Miroshnikov A. I. 2013b: Razdelenie roda *Oxymirus* Mulsant, 1863 (Coleoptera: Cerambycidae) na podrody. *Humanity space. International almanac* 2 (3): 453-460.
- Miroshnikov A. I. 2014a: New genera and species of the tribe Apatophyseini Lacordaire, 1869 from continental Asia, with notes on the little-known taxa (Coleoptera: Cerambycidae). Pp. 11-50. In: A.S. Konstantinov, S.A. Ślipiński & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids* (Coleoptera: Cerambycidae). *Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014b: A review of the genus *Paraclytus* Bates, 1884, with the description of a new species from China (Coleoptera: Cerambycidae). Pp. 73-132. In: A.S. Konstantinov, S.A. Ślipiński & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids* (Coleoptera: Cerambycidae). *Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014c: A review of the genus *Clytellus* Westwood, 1853, with notes on its systematic position and descriptions of eleven new species (Coleoptera: Cerambycidae). Pp. 133-237. In: A.S. Konstantinov, S.A. Ślipiński & A.Yu. Solodovnikov (ed.). *Advances in studies on Asian cerambycids* (Coleoptera: Cerambycidae). *Papers by Alexander I. Miroshnikov, dedicated to the memory of Dr. Judson Linsley Gressitt*. Krasnodar-Moscow: KMK Scientific Press Ltd.: 237pp.
- Miroshnikov A. I. 2014d: A new species of the genus *Agastophysis* Miroshnikov, 2014 (Coleoptera: Cerambycidae) from China and corrigenda to the author's publications of 2013 and 2014. *Russian Entomological Journal* 23(3): 195-197.
- Miroshnikov A.I., Bi W.-X. & Lin M.-Y. 2014: New or little-known species of the genus *Anaglyptus* Mulsant, 1839 (Coleoptera: Cerambycidae) from China. *Caucasian Entomological Bulletin* 10(2): 255-259, plates 5-8.
- Miroshnikov A.I. & Lin M.-Y. 2012: New or little-known species of the genus *Paraclytus* Bates, 1884 (Coleoptera: Cerambycidae) from China. *Caucasian Entomological Bulletin* 8 (2): 246-251, plates 3-6.
- Miroshnikov A.I. & Lin M.-Y. 2014: A new species of the genus *Formosotoxotus* Hayashi, 1960 from China, with additions to the description of *Agastophysis meiyingae* Miroshnikov, 2014 (Coleoptera: Cerambycidae). *Russian Entomological Journal* 23(2): 117-120.
- Miroshnikov A. I. & Lobanov A. 1990: Novyy vid zhukov-drovosekov roda *Purpuricenus* (Coleoptera: Cerambycidae) iz Afganistana. *Vestnik Zoologii* 1990 (5): 15-18.

- Müller J., Jarzabek- Müller A. & Bussler H. 2013. Some of the rarest European saproxylic beetles are common in the wilderness of Northern Mongolia. *Journal of Insect Conservation* 17 (5): 989–1001.
- Mulsant E. 1847d: Description de deux coléoptères nouveaux, constituant chacun une nouvelle coupe générique. *Annales des Sciences Physiques et Naturelles, d'Agriculture et d'Industrie de Lyon* 10: 515-521, pl. 7.
- Mulsant E., 1862. Tribu des Longicornes. *Annales des sciences physiques et naturelles, d'agriculture et d'industrie, publiées par La Société impériale d'Agriculture, etc., de Lyon.* Troisième Série. Tome 6: [307]-466.
- Mulsant E., 1863a. Tribu des Longicornes (suite).- *Annales des sciences physiques et naturelles, d'agriculture et d'industrie, publiées par La Société impériale d'Agriculture, etc., de Lyon.* Troisième Série. Tome 7: title + 97-320.
- Mulsant E. 1863b: Histoire naturelle des coléoptères de France. Longicornes. [Pp. 1-480]. Ed. 2. Paris: Magnin, Blanchard et Cie, successeurs de Louis Janet, 590 pp.
- Mulsant E., 1864. Tribu des Longicornes (suite).- *Annales des sciences physiques et naturelles, d'agriculture et d'industrie, publiées par La Société impériale d'Agriculture, etc., de Lyon.* Troisième Série. Tome 8: 1-208.
- Nakamura Sh., Makihara H., Kurihara T. & Yamasako J. 2014. Check-list of Longicorn-beetles of Taiwan. *Miscellaneous Report of the Hiwa Museum for the Natural History* 55: 1-278. Shinsei art Pub., Shobara, Hiroshima, Japan.
- Niisato T. 2009: A new callidine genus and species (Coleoptera, Cerambycidae) from Sakhalin Island, Russia. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 205-210.
- Niisato T. 2013: Longipalpus wenhsini sp. nov. (Coleoptera, Cerambycidae, Cerambycinae, Obriini) discovered from southern Taiwan. Pp.: 63-68. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenhxin Lin.* Formosa Ecological Company, Taiwan, 233pp.
- Niisato T. & Chou W.-I 2014: A New Diplothorax Gressitt et Rondon (Coleoptera, Cerambycidae) discovered from Taiwan. *Elytra*, NS, 4 (2): 159–162.
- Niisato T., Chou W.-I & Kusakabe Y. 2009: Taxonomic notes on the genus *Cyrtoclytus* (Coleoptera, Cerambycidae) from China and Indochina. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 221-235.
- Niisato T. & Han Ch.-D. 2011: A revision of the genus Amamiclytus Ohbayashi from Taiwan and the Ryukyu Islands (Coleoptera, Cerambycidae). *ZooKeys* 118: 19–52.
- Niisato T. & Han Ch.-D. 2013: The Genus Amamiclytus (Coleoptera, Cerambycidae) Firstly Recorded from the Mainland China. *Elytra* 3 (1): 165-172.
- Oh S.H. 2013: Two Additional Species of the Subfamily Cerambycinae (Coleoptera, Cerambycidae) from the Korean Peninsula. *Elytra* 3 (1): 161-163.
- Oh S.H. & Lee S.H. 2013: Four Species of the Subfamily Lamiinae (Coleoptera, Cerambycidae) Newly Recorded from Korea. *Elytra* 3(2): 301-304.
- Ohbayashi N. 2008: A revisional study of the Macroleptura genus-group (Coleoptera: Cerambycidae: Lepturinae). *Special Publication of the Japan Coleopterological Society, Osaka* 2: 407-438.
- Ohbayashi N. 2014: A New Genus Gahanaspia for Leptura miniacea GAHAN, 1906 (Coleoptera, Cerambycidae, Lepturinae). *Elytra, Tokyo*, New Series 4 (1): 17–22.
- Ohbayashi N. & Bi W.-X. 2014. A New Anoplophora Species from Xizang, China and its Adjacent Area (Coleoptera, Cerambycidae, Lamiinae). Pp. 156-160. In: Hua L.-Z. [edit.] *Feelings in China. Memorial works of Dr. J. L. Gressitt of the 100th Anniversary on his Birthday.* Sun Yat-sen University: i-ii, 1-214.

- Ohbayashi N. & Chou W.-I. 2013: Revision of the Genus *Leptura* Linnaeus, 1758 of Taiwan (Coleoptera: Cerambycidae: Lepturinae). Studies on the Taiwanese Lepturinae, IV. Pp.: 17-40. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenshin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Ohbayashi N. & Chou W.-I. 2014: Notes on the Taiwanese carilia atra (Tamanuki, 1943) (Coleoptera: Cerambycidae) Studies on the Taiwanese Lepturinae, V. *Japanese Journal of systematic Entomology* 20 (2): 247-249.
- Ohbayashi N., Kurihara T. & Niisato T. 2008: Some taxonomic changes on the Japanese Cerambycidae, with description of a new subspecies (Coleoptera). *Japanese Journal of systematic Entomology* 11: 287-298.
- Ohbayashi N. & Lin M.-Y. 2012: Studies on the Chinese Lepturinae (Coleoptera, Cerambycidae) I. Genera Nivelliomorpha Boppe, 1920 and Houzhenzia gen. nov. *Elytra*, Tokyo, New Series 2 (1): 13-19.
- Ohbayashi N. & Lin M.-Y. 2012: A Review of the Asian Genera of the Petrognathini, with Description of a New Species and Proposal of a New Synonym (Coleoptera, Cerambycidae, Lamiinae). *Japanese Journal of systematic Entomology* 18 (2): 235-251.
- Ohbayashi N. & Lin M.-Y. 2013: Studies on the Chinese Lepturinae (Coleoptera: Cerambycidae), II. Notes on the Genus *Ischnostrangalis* Ganglbauer, 1890. Pp. 41-56. In: M.-Y Lin & C.-C. Chen (Eds.). *In memory of Mr. Wenshin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Olivier A. G. 1797. *Encyclopédie méthodique, ou par ordre de matières; par une société de gens de lettres, de savans et d'artistes; precede d'un vocabulaire universel, servant de table pour tout l'ouvrage, ornée des portraits de Mm. Diderot et d'Alembert, premiers éditeurs de l'Encyclopédie. Histoire Naturelle. Insectes. Tome septième. Pars II.* Paris: Panckoucke, 369-827 pp.
- Özbek H., Özdkmen H. & Aytar F. 2015: Contributions of the longhorned beetles knowledge of Turkey by the subfamilies Aseminae, Saphaninae, Spondylidinae, Cerambycinae and Stenopterinae (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 10 (1): 291-299.
- Özdikmen H. 2010: The Turkish Dorcadiini with zoogeographical remarks (Coleoptera, Cerambycidae, Lamiinae). *Munis Entomology & Zoology* 5, No. 2: 380-498.
- Özdikmen H. 2012a: Naked lists of Turkish Cerambycoidea and Chrysomeloidea (Coleoptera). *Munis Entomology & Zoology* 7 (1): 51-108.
- Özdikmen H. 2012b: The longhorned beetles that originally described from whole territories of Turkey (Coleoptera: Cerambycoidea) Part II - Cerambycidae (Cerambycinae and Stenopterinae). *Munis Entomology & Zoology* 7 (2): 699-707.
- Özdikmen H. 2012c: The longhorned beetles that originally described from whole territories of Turkey (Coleoptera: Cerambycoidea) Part III - Cerambycidae (Dorcadioninae). *Munis Entomology & Zoology* 7 (2): 759-779.
- Özdikmen H. 2013: An attempt on subgeneric composition of the genus *Stenurella* Villiers, 1974 (Cerambycidae: Lepturinae: Lepturini). *Munis Entomology & Zoology* 8 (2): 509-531.
- Özdikmen H. 2015a: A new subgenus to Conizonia Fairmaire, 1864 (Cerambycidae: Lamiinae: Phytoeciini). *Munis Entomology & Zoology* 10 (1): 49-52.
- Özdikmen H. 2015b: A new synonym of Dorcadion (Cribridorcadion) andirinense Bernhauer & Peks, 2011 (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 289-290.
- Özdikmen H. 2015c: Holotype and paratypes designations of Phytoecia (Helladia) humeralis caneri Ozdikmen & Turgut, 2010 (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 10 (1): 300-300.
- Özdikmen H. 2015d: A new subspecies of Pseudovadonia livida (Fabricius, 1777) from Turkey (Cerambycidae: Lepturinae). *Munis Entomology & Zoology* 10 (2): 319-321.

- Özdikmen H. 2015e: *Mallosia imperatrix tauricola* K. Daniel, 1904 stat. nov. (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 10 (2): 370-371.
- Özdikmen H., Al-Hamadani N. D. S. & Ali M. A. 2013: A new species of *Dorcadion* Dalman, 1817 from Iraq (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (1): 1-3.
- Özdikmen H., Ali M. A. & El-Hamadani N. 2014: New Records for Longhorned Beetles Fauna of Iraq (Coleoptera: Cerambycidae). *Pakistan Journal of Zoology* 46 (1): 267-270.
- Özdikmen H. & Aytar F. 2012a: Subgeneric arrangement of *Mallosia* Mulsant, 1862 with three new subgenera, and a new species from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 653-662.
- Özdikmen H. & Aytar F. 2012b: A new subspecies of *Isotomus comptus* (Mannerheim, 1825) from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 691-694.
- Özdikmen H. & Aytar F. 2014. A new subspecies of *Callidium aeneum* (Degeer) from South Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 599-601.
- Özdikmen H. & Aytar F. 2012c: A new subspecies of *Asemum tenuicorne* Kraatz, 1879 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 1252-1255.
- Özdikmen H., Aytar F., Cihan N., Şamlı N., Özbek H. & Kaya G. 2013: A synopsis of Palearctic genus *Calchaenesthes* Kraatz, 1863 with a new species of *C. primis* sp. n. from Turkey (Cerambycidae: Cerambycinae). *Munis Entomology & Zoology* 8 (1): 148-153.
- Özdikmen H. & Cihan N. 2015a: *Oberea* (*Amaurostoma*) *erythrocephala amanica* Holzschuh, 1993 rest. nov. (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 10 (1): 238-240.
- Özdikmen H. & Cihan N. 2015b: A new synonym of *Cortodera rufipes* (Kraatz, 1876) (Cerambycidae: Lepturinae). *Munis Entomology & Zoology* 10 (1): 281-282.
- Özdikmen H., Cihan N. & Kaya G. 2014a: An approval for acceptance as a separate species of *Purpuricenus nudicollis* Demelt, 1968 (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 724-726.
- Özdikmen H., Cihan N. & Kaya G. 2014b: A Survey of Turkish *Stenocorus* Geoffroy, 1762 (Coleoptera: Cerambycidae) with a New Species *Stenocorus* (s.str.) *guveni*. *Pakistan Journal of Zoology* 46 (3): 697-706.
- Özdikmen H. & Kaya G. 2013: *Dorcadion* (*Megalodorcadion*) *Pesarini* & *Sabbadini*, 1998 with a new species from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (1): 493-501.
- Özdikmen H. & Kaya G. 2015a: A propose to new arrangement on some *Dorcadionini* (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 10 (1): 1-10
- Özdikmen H. & Kaya G. 2015b: *Dorcadion* (*Cribridorcadion*) *javeti* Kraatz, 1873 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 166-168.
- Özdikmen H. & Kaya G. 2015c: *Dorcadion* (*Cribridorcadion*) *gebzeense* Breuning, 1974 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 186-187.
- Özdikmen H. & Kaya G. 2015d: *Dorcadion* (*Maculatodorcadion*) *phrygicum* Peks, 1993 stat. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 199-200.
- Özdikmen H. & Kaya G. 2015e: *Dorcadion* (*Cribridorcadion*) *obsoletum* Kraatz, 1873 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 222-224.
- Özdikmen H. & Kaya G. 2015f: *Dorcadion* (*Cribridorcadion*) *paracinerarium* Breuning, 1974 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 252-254.
- Özdikmen H. & Kaya G. 2015g: *Dorcadion* *mucheui* Breuning, 1962 rest. nov. and *Dorcadion subalritarse* Breuning, 1962 rest. nov. (Cerambycidae). *Munis Entomology & Zoology* 10 (1): 272-276.
- Özdikmen H., Kaya G. & Al-Hamadani N. 2014: A New Species of *Dorcadion* Dalman, 1817 (Coleoptera: Cerambycidae) from Turkey. *Acta Zoologica Bulgarica* 66 (2): 179-180.

- Özdikmen H., Kaya G. & Cihan N. 2014: A proposal on a new taxonomical arrangement of *Aromia moschata* (Linnaeus) species group (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (2): 761-764.
- Özdikmen H. & Koçak Ö. 2013: A new species of *Dorcadion* Dalman, 1817 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 672-676.
- Özdikmen H. & Koçak Ö. 2015: A New Species of Dorcadion (Cribridorcadion) (Coleoptera: Cerambycidae) in Turkey. *Florida Entomologist* 98(2):439-441.
- Özdikmen H., Mercan N. & Cihan N. 2012a: A new species of the genus *Stenurella* Villiers, 1974 from Turkey (Coleoptera: Cerambycidae: Lepturinae). *Munis Entomology & Zoology* 7, No. 1: 18-21.
- Özdikmen H., Mercan N. & Cihan N. 2012b: A new species of *Dorcadion* Dalman, 1817 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7, No. 1: 550-554.
- Özdikmen H., Mercan N. & Cihan N. 2012c: A new subspecies of *Dorcadion halepense* (Kraatz, 1873) from South Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (1): 604-606.
- Özdikmen H., Mercan N. & Cihan N. 2012d: A new subspecies of *Cortodera pumila* Ganglbauer, 1882 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 746-748.
- Özdikmen H. & Özbek H. 2012: A new species of *Cortodera* Mulsant, 1863 from Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 7 (2): 931-934.
- Özdikmen H. & Şenyüz Y. 2015: A New Species of *Megalodorcadion* (Anatolodorcadion) (Coleoptera: Cerambycidae) in Turkey. *Florida Entomologist* 98(2):439-441.
- Özdikmen H. & Turgut S. 2010a: An overview on the palaeartic subgenus *Phytoecia* (Pilemia) fairmaire, 1864 with a new species *Phytoecia* (Pilemia) samii sp. n. from Turkey (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 5, No. 1: 90-108.
- Özdikmen H. & Turgut S. 2010b: An overview on the W-Palaeartic subgenus *Phytoecia* (Helladia) Fairmaire, 1864 with a new subspecies *Phytoecia* (Helladia) humeralis caneri ssp. n. from Turkey (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology*, 5 (2): 317-343.
- Özdikmen H. & Turgut S. 2015: A new subspecies *Phytoecia* (Helladia) humeralis from Turkey (Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 10 (2): 384-387.
- Pak O.V. & Skrylnik Yu.E. 2014: A new subspecies of *Pogonarthron* (s. str.) petrovi Danilevsky, 2004 (Coleoptera: Cerambycidae) from Tajikistan. *Eversmannia, Entomological research in the Russia and adjacent regions* 40: 7-8 + plate 2.
- Panzer G. W. F. 1789: *Einige seltene Insecten. Der Naturforscher* 24: 1-35. [or original version of the title: “*Einige seltene Insecten beschrieben von G. W. F. Panzer, der Arzneykunst Doctor zu Nürnberg.*”]
- Pascoe F. P. 1868: Contributions to a Knowledge of the Coleoptera. Part I (continued). *The Proceedings of the Entomological Society of London for the year 1868*: xi-xiii.
- Pascoe F. P. 1869: Longicornia Malayana; or, a Descriptive Catalogue of the Species of the three Longicorn Families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. (Part VII). *The Transactions of the Entomological Society of London*. (3)3:553-712.
- Paulian A. 1986: Contribution à la connaissance de la faune entomologique de la Corse 5^e note (addenda). *L'Entomologiste* 42: 91-98.
- Peks H. 2010: Eine neue Art der Gattung *Dorcadion* Dalm. aus der Türkei, Umgebung Iznik (Coleoptera, Cerambycidae, Lamiinae). *Coleoptera* 14: 213-220.
- Pesarini C., Rapuzzi P. & Sabbadini A. 2004: [new taxon, p. 158-162]. In: Pesarini C. & Sabbadini A.: Descrizione di due nuove specie di Lepturini di Grecia, note sulle specie affini e considerazioni sistematiche, sinonimiche e nomenclatoriali. *Bollettino de la Società Entomologica Italiana* 136: 157-172.

- Pesarini C. & Sabbadini A. 1999: Osservazioni sistematiche su alcuni *Dorcadion* della fauna anatolica, con descrizione di 9 nuovi taxa (Coleoptera, Cerambycidae). *Annali del Museo Civico di Storia Naturale di Ferrara* 1 (1998): 45-61.
- Pesarini C. & Sabbadini A. 2004: Descrizione di due nuove specie di Lepturini di Grecia, note sulle specie affini e considerazioni sistematiche, sinonimiche e nomenclatoriali. *Bollettino de la Società Entomologica Italiana* 136: 157-172.
- Pesarini C. & Sabbadini A. 2009: Sei nuovi taxa di Cerambycidae della fauna turca e greca (Coleoptera). *Annali del Museo Civico di Storia Naturale di Ferrara* 12: 15-32.
- Pesarini C. & Sabbadini A. 2010: Ricerche sui Dorcadionini di Grecia. IV. Le specie della Macedonia e della Tracia (Coleoptera Cerambycidae).- *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano* 151(2):179-216.
- Pesarini C. & Sabbadini A. 2011: Note su Cerambycidae di Grecia e Turchia, con descrizione di tre nuove specie e una nuova sottospecie (Coleoptera). *Annali del Museo Civico di Storia Naturale di Ferrara* 13 (2010): 41-59.
- Pesarini C. & Sabbadini A. 2013: Note su Dorcadion turchi, con descrizione di cinque nuove specie e tre nuove sottospecie (Coleoptera Cerambycidae). *Annali del Museo Civico di Storia Naturale di Ferrara* 14/15 (2011/2012): 51-64.
- Pic M. 1889a: Un peu de longicornes. *L'Échange, Revue Linnéenne* 5: 4-5 [note: issue mispaginated, pages 4-5 are in fact pages 20-21]
- Pic M. 1890e: [new taxa]. *Bulletin de la Société Entomologique de France* 1889: clxxv-clxxvi.
- Pic M. 1891a: *Descriptions de longicornes de Syrie*. Lyon: L. Jacquet: 2pp.
- Pic M. 1892a: Descriptions et corrections. *L'Échange, Revue Linnéenne* 8: 4.
- Pic M. 1892b: Petite étude sur le genre Stenopterus Steph. *L'Échange, Revue Linnéenne* 8: 21-23.
- Pic M. 1897c: Nouvelles variétés de longicornes. *Revue Scientifique du Bourbonnais* 10: 30-32.
- Pic M. 1897p: Descriptions de coléoptères. *Bulletin de la Société d'Histoire Naturelle d'Autun* 10, 2^{nde} partie: 295-300.
- Pic M. 1898v: Diagnose d'une variété nouvelle de Phytoecia (Col.). *Bulletin de la Société Entomologique de France* 1898: 334-335.
- Pic M. 1900f: Catalogue bibliographique et synonymique d'Europe et des régions avoisinantes comprenant les régions suivantes: Région circuméditerranéenne. Région caucasique. Région transcaspienne. La Perse, le Turkestan, la Sibérie. *Matériaux pour servir à l'étude des longicornes 3^{ème} cahier, 2^{ème} partie*. Lyon: Imprimerie Jacquet Frères, 121 pp.
- Pic M. 1903: Espèces et variétés nouvelles de Coléoptères.- *L'Échange, Revue Linnéenne* 19 (227): 169-171.
- Pic M. 1927: Sur quelques Coléoptères nouveaux ou récemment décrits. *Bulletin de la Société entomologique de France* 10: 167-168.
- Pic M. 1947a: Coléoptères du globe (suite). *L'Échange, Revue Linnéenne* 63: 1-4, 5-8, 9-12.
- Plavilstshikov N. N. 1927: Zametki o zhukakh-drovosekakh Kavkaza. II. (Coleoptera, Cerambycidae). *Izvestia Stavropol'skogo entomologicheskogo obshchestva* 3 (1): 1-7.
- Plavilstshikov N. N. 1932a: *Zhuki-drovoseki vrediteli drevesiny*. Moskva-Leningrad. Gosudarstvennoe Lesnoe Tekhnicheskoe Izdatel'stvo. 200pp.
- Plavilstshikov N. N. 1932b: Lepturinen-Studien (Col., Cerambycidae). I. *Časopis Československé Společnosti Entomologické* 29: 87-88, 174-175.
- Plewa R., Marczak D., Borowski J., Mokrzycki T., Jakubowski M. & Górska P. 2015: New Data on the Occurrence of Longhorn Beetles (Coleoptera: Cerambycidae) in the Republic of Macedonia. *Acta zoologica bulgarica* 67 (1): 43-50.
- Podaný C. 1953: Quelques nouvelles aberrations de Cerambycidae.- *Bulletin de la Société Entomologique de Mulhouse* 1953: 49-52.

- Rapuzzi P. 2012: Agapanthia (Epoptes) paki sp. n. from central Afghanistan (Coleoptera: Cerambycidae). *Humanity space. International almanac* 1, No 4: 958-960.
- Rapuzzi P. 2013: Pachyta gorodinskii n. sp. from Western China (Qinghai) (Coleoptera: Cerambycidae).- *Munis Entomology & Zoology*, 8 (1): 466-467.
- Rapuzzi P. 2015: Kabatekiipsebium yemenensis new genus and new species from Arabic Peninsula (Coleoptera Cerambycidae). *Biodiversity Journal* 6 (3): 753-756.
- Rapuzzi P. & Grego B. 2013: First record of Trichoferus pallidus (Olivier, 1790) for Italy (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 712-713.
- Rapuzzi P. & Sama G. 2010a: Considerazioni tassonomiche su alcuni Cerambycidi di Sicilia e descrizione di tre nuove sottospecie (Coleoptera: Cerambycidae). *Lambillionea*, 110, 1: 127-131.
- Rapuzzi P. & Sama G. 2010b: Description of new Cerambycidae from Greece, Turkey, northern Syria and China (Insecta Coleoptera Cerambycidae). *Quaderno di Studi e Notizie di Storia Naturale della Romagna* 29 (2009): 181-188.
- Rapuzzi P. & Sama G. 2012: New taxa and new records of Longhorn-Beetles from Eastern Mediterranean Region (Coleoptera: Cerambycidae).- *Munis Entomology & Zoology* 7 (2): 663-690.
- Rapuzzi P. & Sama G. 2013: A new species of Apatophysis Chevrolat, 1860 from Jordan (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 682-684.
- Rapuzzi P. & Sama G. 2014a: Descriptions of nine new species of longhorn beetles (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 9 (1): 1-16.
- Rapuzzi P. & Sama G. 2014b: Revision of the Purpuricenus interscapillatus species - group and allied taxa (Coleoptera, Cerambycidae). *Fragmenta entomologica*, Roma 45(2013), 1-2: 143-171.
- Rapuzzi P., Sama G. & Kotán A. 2013: Two new *Agapanthia* Audinet-Serville, 1835 species from Greece (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 8 (2): 582-587.
- Rapuzzi P., Sama G. & Tichy T. 2011: Description of a new species of Poecilium Fairmaire, 1864 from Syria. *Munis Entomology & Zoology* 6 (2): 673-675.
- Rapuzzi P. & Jeniš I. 2015a: Two new species of Pseudosphegesthes Reitter, 1913 from Greece and Turkey (Coleoptera Cerambycidae). *Biodiversity Journal* 6 (3): 749-752.
- Rapuzzi P. & Jeniš I. 2015b: A new species of Clytus Laicharting, 1784 from Greece (Coleoptera Cerambycidae). *Biodiversity Journal* 6 (3): 767-769.
- Reiche L. 1877b: [description trois nouvelles espèces de coléoptères de la famille des Longicornes]. *Bulletin de la Société Entomologique de France* 1877: cxxxv-cxxxvii.
- Reiche L. 1878a: [description de deux nouvelles espèces de Longicornes]. *Bulletin de la Société Entomologique de France* 1877: cxlix-cl.
- Reitter E. 1904: Über vier Coleopteren aus der palaearktischen Fauna. *Wiener Entomologische Zeitung* 23: 81-82.
- Roguet D. 2013: Miaenia nomen revalidatum pro Sciades Pascoe, 1864 (nec Müller & Troschel, 1849) (Coleoptera : Cerambycidae : Lamiinae). Le Coléoptériste, Bulletin de liaison de l'ACOREP 15 (3): 153-155.
- Rost C. 1892: *Brachyta bifasciata* Ol. var. *caucasica* Rost. *Entomologische Nachrichten* 18 (6): 81.
- Sama G. 2010: New Acts and Comments. Cerambycidae, pp. 49-58. - In I. Lobl & A. Smetana (ed.): *Catalogue of Palaearctic Coleoptera*, Vol. 6. Stenstrup: Apollo Books, 924pp.
- Sama G., 2011: [new taxon] p. 826. In: Sama G., Jansson N., Avcı M., Sarıkaya O., Coşkun M., Kayış T. & Özdi̇kmen H. Preliminary report on a survey of the saproxylic beetle fauna living on old hollow oaks (*Quercus* spp.) and oak wood in Turkey (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 6 (2): 819-831.

- Sama G., Dascalu M. & Pesarini C. 2010: Description of *Dorcadion gashtarovi* n.sp. (Coleoptera, Cerambycidae) from Romania and Bulgaria with review of the closely related species. *North-Western Journal of Zoology* 6 (2): 286-293.
- Sama G. & Rapuzzi P.: 2011. Description of three new species of longhorn beetles (Coleoptera, Cerambycidae) from Turkey and Syria. *Biodiversity Journal* 2 (2): 85-88
- Sama G., Rapuzzi P. & Kairouz A. 2010: Catalogue commenté des Cerambycidae du Liban. An annotated catalogue of the Cerambycidae of Lebanon (Insecta Coleoptera Cerambycidae). *Quaderno di Studi e Notizie di Storia Naturale della Romagna* 30: 131-201.
- Sama G. & Sudre J. 2010: Description of *Crossotus kadleci* from Yemen (Coleoptera: Cerambycidae: Lamiinae). *Munis Entomology & Zoology* 5, Supplement: 953-956.
- Sama G. & Székely K., 2010: Description of a new species of *Mallosia (Eumallosia)* from Iran (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 5, Supplement: 896-899.
- Santos-Silva A. 2015: On *Stenocorus vittatus* Fabricius, 1801 (Coleoptera, Cerambycidae, Cerambycinae). *Papéis Avulsos de Zoologia* 55 (26): 373-374.
- Santos-Silva A., Heffern D. & Matsuda K., 2010: Revision of Hawaiian, Australasian, Oriental and Japanese Parandrinae (Coleoptera, Cerambycinae).- Insecta Mundi, 0130: 1-120.
- Santos-Silva A. & Hovore F.T. 2007: Divisão do gênero *Distenia* Lepeletier & Audinet-Serville, notas sobre a venação alar em *Disteniini*, homonímias, sinonímia e redescrições (Coleoptera, Cerambycidae, Disteniinae).** *Papéis Avulsos de Zoologia* 47 (1): 1-29.
- Saz A. del 2012: Descripción de una nueva subespecie de Dorcadionini de la Península Ibérica: Iberodorcadion (Hispanodorcadion) perezi perchini ssp. n. (Coleoptera, Cerambycidae). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* 51: 99-104.
- Saz A. del 2013: Descripción de una nueva subespecie de Cerambycidae de la Comunidad de Madrid (España): Iberodorcadion (Hispanodorcadion) bolivari danielae ssp. n. y ampliación de la corología de los taxones I. bolivari Lauffer, 1898 e I. martinezii Pérez Arcas, 1874 (Coleoptera). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* nº 53 (31/12/2013): 111-119.
- Semenov A. P. 1896: Coleoptera asiatica nova. VII. *Horae Societatis Entomologicae Rossicae* 30 [1896-1897]: 238-259.
- Shapovalov A. M. 2009: New species of the genus *Agapanthia* Serville, 1835 (Coleoptera, Cerambycidae) from South-West Kazakhstan.- *Eversmannia, Entomological research in the Russia and adjacent regions*, N19-20: 16-20 + 1 plate.
- Shapovalov A.M. 2013: A new species and taxonomic changes in the genus *Compsidia* Mulsant, 1839 (Coleoptera, Cerambycidae). *Euroasien Entomological Journal* 12(2): 139-143.
- Shapovalov A.M. 2014: Review of the subgenus *Kostiniclytus* Danilevsky, 2009 of the genus *Xylotrechus* Chevrolat, 1860 (Coleoptera: Cerambycidae). *Caucasian Entomological Bulletin* 10(1): 245-253, plate 4.
- Siering G. 2014a: Bockkäfer-Beobachtungen in Albanien (Coleoptera, Cerambycidae). *Entomologische Nachrichten und Berichte* 58(3): 251-255.
- Siering G. 2014b: Zur Kenntnis der Bockkäfer-Fauna des Prespa-Nationalparks in Albanien (Coleoptera, Cerambycidae). *Entomologische Blätter und Coleoptera* 110: 71-80.
- Skrylnik Yu. E. 2010: Two new species of the genus *Phytoecia* Dejean, 1835 (Coleoptera, Cerambycidae) from Afghanistan. *Lambillionea* 110, 2: 258-262.
- Sláma M. 2010: Contribution to the recognition of Cerambycidae (Cerambycidae). *Biocosme Mésogéen, Nice* 27(3): 74-86.
- Sláma M. 2015a: Taxonomic remarks on some west-palaearctic longhorn beetles (Coleoptera, Cerambycidae) and description of a new subspecies. *Biocosme mésogéen, Nice* 32 (1-2): 33-50.
- Sláma M. 2015b: Redescriptions of two taxa (Coleoptera: Cerambycidae) introduced by M.Sláma (2015). *Humanity Space. International Almanac* 4(5): 1118-1119.

- Sláma M. 2015c: Descriptions of new taxa from Europe and Southwest Asia (Coleoptera: Cerambycidae). *Humanity Space. International Almanac* 4(5): 1120-1133.
- Sláma M. & Sorli A.S. 2001: Contribución al reconocimiento de Longicornios Españoles (Coleoptera: Cerambycidae). *Biocosme Mésogéen, Nice* 17 (2000): 247-251.
- Takakuwa M. & Niisato T. 1996: The genus *Necydalis* (Coleoptera, Cerambycidae) from Northern Vietnam, with Descriptions of Two New Taxa. *Bulletin of the Kanagawa Prefectural Museum (Natural Sciences)* 25: 77-86, 34 figs.
- Tavakilian G. L. 2013: Nouveaux actes nomenclaturaux pour 2013 (Coleoptera, Cerambycidae). *Les Cahiers Magellanes* (NS) 12: 108-111.
- Tekin K. & Özdkmen H. 2015: A contribution of Turkish longhorned beetles fauna from Bursa (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 10 (1): 122-130.
- Tian L., Chen L. & Li Zh., 2012: A new species of *Artimpaza* Thomson (Coleoptera, Cerambycidae, Cerambycinae) from China, with a key to the Chinese species of the genus. *Zootaxa* 3282: 42–44.
- Tian L.-Ch., Chen L. & Li Zh. 2013: Four new record species of Cerambycinae from China (Coleoptera, Cerambycidae). *Acta Zootaxonomica Sinica* 38 (1): 200-202.
- Tomé M. 2012: Conexiones geológicas del Dorcadion (Iberodordadion) perezi Graells, 1849 en la Sierra de Guadarrama (España). *Revista gaditana de Entomología* 3 (1-2): 41- 50.
- Tomé M. 2013a: Nuevos datos y posición sistemática de Dorcadion (Iberodordadion) marinae (Tomé & Bahillo, 1996), con una sinonimia del taxón palentinum Lauffer, 1911 (Coleoptera, Cerambycidae). *Revista gaditana de Entomología* 4 (1): 83-97.
- Tomé M. 2013b: Rehabilitación de Dorcadion (Iberodordadion) demandense Escalera, 1902 y Dorcadion (Iberodordadion) almarzense Escalera, 1902 (Coleoptera, Cerambycidae). *Arquivos Entomológicos* 8: 121-128.
- Tomé M. 2013c: Nueva revisión del género Iberodordadion Breuning, 1943 (Coleoptera, Cerambycidae): Revalidación de la sinonimia de los subgéneros. *Arquivos Entomológicos* 9: 183-195.
- Tomé M. 2014: Nuevas exploraciones y posición taxonómica de Dorcadion tricolor Schramm 1910, Dorcadion albarium Escalera 1902, Dorcadion turdetanum Lauffer 1911 y Dorcadion bilbilitanum Escalera 1914 (Coleoptera, Cerambycidae). *Revista Gaditana de Entomología* 5 (1): 133-148.
- Tournier H. 1872: Catalogue des longicornes récoltés par M. Théophile Deyrolle, en Imerétie, Mingrélie et Georgie, et description des espèces nouvelles. *Revue et Magasin de Zoologie Pure et Appliquée* (2) 23: 257-261, 276-292, 338-349.
- Tsherepanov [=Cherepanov] A. I. 1971: Novyy vid roda *Chlorophorus* (Coleoptera, Cerambycidae). Pp. 14-16. In: *Novye i maloizvestnye vidy fauny Sibiri* 4. Novosibirsk: Nauka, 107 pp.
- Tsherepanov A. I. 1973b: [new taxon]. Pp. 80-85. In: Tsherepanov A. I. & Tsherepanova N. E. 1973: Novyy rod i vid drovoseka (Coleoptera, Cerambycidae) dlya fauny SSSR. Pp. 79-85. In: *Novye i maloizvestnye vidy fauny Sibiri* 7. Novosibirsk, Nauka, 148 pp.
- Tsherepanov A. I. 1973c: Novye vidy zhukov-drovosekov roda *Exocentrus* (Coleoptera, Cerambycidae). Pp. 138-139. In: *Novye i maloizvestnye vidy fauny Sibiri* 7. Novosibirsk: Nauka, 148 pp.
- Vartanis J. & Ambrus R. 2015: A new species of the genus *Purpuricenus* Dejean, 1821 from Greece (Coleoptera: Cerambycidae). *Munis Entomology & Zoology* 10 (2): 315-318.
- Verdugo A. 2009: Descripción de *Vesperus barredai* (Coleoptera, Cerambycidae, Vesperinae), nueva especie de cerambírido de la Península Ibérica. *Boletín de la Sociedad Andaluza de Entomología* 16: 21-32.

- Verdugo A. & Torres-Méndez J. L. 2010: Pogonocherus pepa sp. n., nuevo Cerambícido béticomagrebí (Coleoptera: Cerambycidae: Lamiinae). *Boletín de la Sociedad Entomológica Aragonesa (S.E.A.)* 46: 109–113.
- Viktora P. 2014: Contribution to knowledge of the Clytini Mulsant, 1839 and Anaglyptini Lacordaire, 1869 (Coleoptera: Cerambycidae: Cerambycinae) from the Oriental and Australian Regions. *Studies and reports of District Museum Prague-East. Taxonomical Series* 10 (1): 205–226.
- Viktora P. & Tichý T. 2015a: A contribution to the knowledge of Anaglyptini Lacordaire, 1869 of Sichuan (China) with description of two new species (Coleoptera, Cerambycidae, Cerambycinae). *Les Cahiers Magellanes (NS)* 17: 6–19.
- Viktora P. & Tichý T. 2015b: New Asian species of Paraclytus Bates, 1884 (Coleoptera: Cerambycidae: Cerambycinae: Anaglyptini). *Folia Heyrovskyana*, series A, vol. 23(1): 102–114.
- Viktora P. & Lin M.Y. 2012: Some new country records of five species of Glenea Newman (Coleoptera: Cerambycidae: Lamiinae: Saperdini) from the Oriental Region. *Entomotaxonomia* 34 (1):50-57.
- Vitali F. 2011: Une nouvelle espece d'Acanthocinus du Portugal (Coleoptera, Cerambycidae). *Lambillionea* 111(2): 161-164.
- Vitali F. 2012: Nouvelles données faunistiques sur les Longicornes du Grand-Duché de Luxembourg (Coleoptera, Cerambycidae). *Lambillionea* 112(3): 235-240.
- Vitali F. 2014: Taxonomic revision of the genus Nemophas Thomson, 1864 (Coleoptera, Cerambycidae). *Lambillionea* 113 [2013], 3: 267-271.
- Vitali F., Chemin G. & Gouverneur X. 2015: Révision du genre Pseudopachydissus Pic, 1933 (Coleoptera Cerambycidae). *L'Entomologiste* 71 (3): 185-188.
- Vives E. 2013a: Notas sobre algunos Purpuricenini asiáticos (Coleoptera, Cerambycidae). *Nouvelle Revue d'Entomologie (NS)* 28 [2012] (3/4): 215-222.
- Vives E. 2013b: Leptochroma, a new genus of Callichromatini from China (Coleoptera, Cerambycidae). Pp.: 85-92. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenshin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Vives E. 2015: Revision of the genus Trypogeus Lacordaire, 1869 (Cerambycidae, Dorcasominae). *ZooKeys* 502: 39–60.
- Vives E. & Lin M.Y. 2013: One new and seven newly recorded Callichromatini species from China (Coleoptera, Cerambycidae, Cerambycinae). *ZooKeys* 275: 67–75.
- Vives E. & Niisato T. 2011: Two new genera of Rosaliini from Northern Indochina (Coleoptera, Cerambycidae). *Nouvelle Revue d'Entomologie (NS)* 26 (2009), 4: 359-367.
- Voříšek J. 2012: Two new species of longhorn beetles (Coleoptera, Cerambycidiae) from Iran. *ANIMA.X* 45: 1-6.
- Wagner H. 1928: Beschreibungen neuer Coleopteren der europäischen Fauna, nebst kritischen Bemerkungen zu bekannten Arten. 2. Teil. *Coleopterologisches Centralblatt* 3 [1928-1929]: 111–125.
- Wallin H., Kvamme T. & Lin M.-Y. 2012: A review of the genera *Leiopus* Audinet-Serville, 1835 and *Acanthocinus*, Dejean, 1821 (Coleoptera: Cerambycidae, Lamiinae, Acanthocinini) in Asia, with descriptions of six new species of *Leiopus* from China. *Zootaxa* 3326: 1–36.
- Waltl J. 1838: Beiträge zur Kenntniss der Coleopteren der Türkei. *Isis von Oken* (31) 6 [1838]: 449–472.
- Wang W.-K. 1997: New records of Longicorn Beetles in China (Lamiinae, Cerambycidae, Coleoptera). *Journal of Southwest Agricultural University, Chongqing* 19 (5): 438-441.

- Wang W.-K. 1999: A New Subspecies of *Apriona swainsoni* (Hope) from Hubei, China (Coleoptera: Cerambycidae: Lamiinae). *Journal of Hubei Agricultural College* 19 (2): 125, 130, 1 fig.
- Wang W.-K. & Zheng Le-Yi, 2002: A new species of the genus *Cyanagapanthia* Breuning (Coleoptera: Cerambycidae) from China. *Entomologia Sinica* 9 (1): 79-82, 3 figs.
- Wang Zhicheng, 2014. *Monographia of original colored longicorn beetles of China (Basics)*. Beijing: Scientific and Technical Documentation Press: 1188pp. [Vol. 1: 1-593. Vol. 2: 595-1188]
- Waterhouse C. O. 1889: Coleoptera. Pp. 122-131. In: Aitchison J. E. T.: The Zoology of the Afghan Delimitation Commission. *The Transactions of the Linnean Society of London* (2) 5 Zoology [1888-1894]: 53-142, pls. 6-14.
- Weigel A. 2006: Checklist and Bibliography of Longhorn Beetles from Nepal (Insecta: Coleoptera: Cerambycidae). In M. Hartmann & J. Weipert (Editors). *Biodiversität und Naturausstattung im Himalaya II. Verein der Freunde und Förderer des Naturkundemuseums Erfurt e. V.* Erfurt: 495-510.
- Weigel A. & Holzschuh C. 2009: Die Exocentrus-Arten Nepal (Insecta: Coleoptera: Cerambycidae: Acanthocinini). *Biodiversität und Naturausstattung im Himalaya III*. Erfurt: 411-422, Taf, XV-XVI.
- Weigel A., Meng L.-Z. & Lin M. 2013: *Contribution to the Fauna of Longhorn Beetles in the Naban River Watershed National Nature Reserve*, Formosa Ecological Company, Taiwan: 1-219, 52 pls.
- Xie G.-L., Shi F.-M. & Wang W.-K. 2012a: Synopsis of the genus *Mimohestus* Pic with description of a new species from China (Coleoptera: Cerambycidae: Lamiinae). *Zootaxa* 3385: 62-68.
- Xie G.-L., Shi F.-M. & Wang W.-K. 2012b: An unusual new species of *Anoplophora* Hope, 1839 (Coleoptera: Cerambycidae) from Guizhou, China. *Far Eastern entomologist* 248: 1-4.
- Xie G.-L., Shi F.-M. & Wang W.-K. 2013: A review of the genus *Sinodorcadiion* Gressitt, 1939 with description of three new species from China (Coleoptera: Cerambycidae: Lamiinae). *Zootaxa* 3709 (6): 581-590.
- Xie G.-L. & Wang W.-K. 2012 [Chlorophorus caragana sp.n.]: In: Sh.-X. Zong, G.-L. Xie, W.-K. Wang, Y. Luo & Ch.-J. Cao: A new species of *Chlorophorus* Chevrolat (Coleoptera: Cerambycidae: Cerambycinae) from China with description of biology. *Zootaxa* 3157: 54-60.
- Xiong S., Tian L. & Chen L., 2012: A newly record species in the genus *Stenodryas* Bates (Coleoptera: Cerambycidae: Cerambycinae) from China. *Entomotaxonomia* 34 (2): 395-398, 6 figs.
- Yamasako J. & Chou W.-I 2013: A new species of *Hypocacia* (Coleoptera: Cerambycidae: Lamiinae, Mesosini). Pp.: 97-102. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenshin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Yamasako J. & Chou W.-I 2014a: A new species of the genus *Callomecyna* from Taiwan (Coleoptera: Cerambycidae).- *Acta Entomologica Musei Nationalis Pragae*, 54 (1): 251-256.
- Yamasako J. & Chou W.-I 2014b: An Additional New Species of the Genus *Pachyosa* from Taiwan, with Supplemental Description on the Endophallus of *Pachyosa kojimai* (Coleoptera, Cerambycidae, Lamiinae, Mesosini). *Elytra, Tokyo* (NS) 4 (1): 43-47.
- Yamasako J. & Chou W.-I 2014c: New Rrecord of *Thylactus chinensis* Kriesche (Coleoptera, Cerambycidae, Lamiinae, Xylorhizini) from Taiwan. *Elytra, Tokyo* (NS) 4 (1): 48.
- Yamasako J. & Hasegawa M. 2009: A new Species of *Mesosa* (Perimesosa) from South Korea and Identity of *Mesosa* (Saimia) *amakusae* Breuning, 1964 (Coleoptera, Cerambycidae, Lamiinae [Studies on Asian Mesosini, III]. *Longicornists Special Bulletin of the Japanese Society of Coleopterology* No.7: 289-295.

- Yamasako J. & Lin Y.-L. 2010: A new Species of the genus *Coptops* Serville, 1835 (Coleoptera, Cerambycidae, Lamiini, Mesosini) from Penghu County, Taiwan [Studies of Asian Mesosini, VI]. *Japanese Journal of systematic Entomology* 16(2): 291-296.
- Yamasako J. & Lin Y.-L. 2015: Revision of the genus *Mesoereis* Matsushita, 1933 (Coleoptera: Cerambycidae: Lamiinae: Mesosini). *Japanese Journal of Systematic Entomology*, 21 (1): 19–28.
- Yamasako J. & Ohbayashi N. 2011: Review of the genus *Paragolsinda* Breuning, 1956 (Coleoptera, Cerambycidae, Lamiinae, Mesosini), with reconsideration of the endophallic terminology. *Zootaxa* 2882: 35–50.
- Yamasako J. & Ohbayashi N. 2012a: Revision of the reinstated genus *Pachyosa* Fairmaire, 1897 (Coleoptera: Cerambycidae: Lamiinae: Mesosini). *Zoological Studies* 51(6): 819-831.
- Yamasako J. & Ohbayashi N. 2012b: Taxonomic Position of the Oriental Species of *Mesosa* (Mesosa) (Coleoptera, Cerambycidae, Lamiinae, Mesosini). *Hindawi Publishing Corporation. Psyche*. Volume 2012, Article ID 467949, 15 pages. doi:10.1155/2012/467949.
- Yamasako J. & Ohbayashi N. 2015: Taxonomic Status of *Neosybra albomarmorata* Breuning (Coleoptera, Cerambycidae, Lamiinae, Apomecynini). *Elytra, Tokyo*, New Series 5 (1): 229–231.
- Yang Ch.-W. & Danilevsky M.L. 2013: Description of a new species of the genus *Eodorcadion* Breuning, 1947 from Inner Mongolia, China (Coleoptera, Cerambycidae, Lamiinae, Dorcadionini). Pp.: 93-95. In: M.-Y Lin & C.-C. Chen (Eds.).- *In memory of Mr. Wenshin Lin*. Formosa Ecological Company, Taiwan, 233pp.
- Yang R.-G., Vives E., Zhou Sh.-Y. & Huang J.-H. 2011: Notes on the identification and distribution of *Leptura auratopilosa* (Matsushita, 1931) and *Leptura aurosericans* Fairmaire (Coleoptera, Cerambycidae, Lepturinae, Lepturini). *Acta Zootaxonomica Sinica*, 36 (3): 808-811.
- Yang Sh. 2014: A new species of *Phymatodes* Mulsant (Coleoptera, Cerambycidae) from China.- *ZooKeys*, 367: 11–17.
- Zhang X. & Chen L. 2013: One newly recorded species of the genus *Demonax* (Coleoptera: Cerambycidae) from China. *Entomotaxonomia* 35 (3): 218-220.
- Zubov A.S. 2014: *Nietzscheana plutenkoi*, gen. n., sp. n., (Coleoptera, Cerambycidae, Lamiinae, Saperdini) from the Far East of Russia. *Humanity space. International almanac* 3(4): 695-697.