

## Species Index for Arthropods (Arachnida, Insecta)

### **CLASS ARACHNIDA**

#### **ORDER ARANEAE (SPIDERS), 205**

##### **Gnaphosidae (stealthy ground spiders)**

*Micaria riggsi*, 30  
*Micaria emertoni*, 31  
*Zelotes exiguoides*, 31

##### **Lycosidae (wolf spiders)**

*Geolycosa missouriensis*, 30  
*Geolycosa wrightii*, 30  
*Pardosa concinna*, 30  
*Schizocosa mccooki*, 30  
*Schizocosa minnesotensis*, 30

##### **Salticidae (jumping spiders)**

*Evarcha hoyi*, 31  
*Habronattus americanus*, 31  
*Habronattus amicus*, 31  
*Habronattus decorus*, 31  
*Pelegrina* spp., 31  
*Terralonus* spp., 31

### **ORDER ASTIGMATA**

#### **Carpoglyphidae**

*Carpoglyphus* spp., 285  
*Carpoglyphus lactis*, prune mite, driedfruit mite, 284

### **ORDER IXODIDA**

#### **Ixodidae (hard ticks)**

*Dermacentor* spp., 30  
*Dermacentor albipictus*, winter tick, moose tick, 56, 58, 59  
*Dermacentor andersoni*, Rocky Mountain wood tick, 56-59  
*Dermacentor variabilis*, American dog tick, 56, 58

### **ORDER MESOSTIGMATA**

#### **Ascidae**

*Blattisocius* spp., 286  
*Blattisocius (Melichares) tarsalis*, 285  
*Blattisocius (Melichares) keegani*, 285

#### **Eviphidiidae, 75, 84**

#### **Gamasidae**

*Haemogamasus pontiger*, 285

#### **Halolaelapidae, 75, 84**

#### **Laelapidae**

*Androlaelaps (Haemolaelaps) casalis*, 285-287

#### **Macrochelidae, 75, 77, 83, 84**

#### **Parasitidae, 75, 83, 84**

*Parasitus* spp., 284, 285

*Pergamasus* spp., 285

#### **Uropodidae, 75, 83, 84**

### **ORDER SARCOPTIFORMES**

#### **Acaridae**

*Acarus siro*, flour mite, 284, 285-287  
*Rhizoglyphus* spp., 284

#### **Anoetidae (Histiostomatidae)**

*Myanoetus muscarum*, 83

#### **Glycyphagidae**

*Aeroglyphus robustus*, warty grain mite, 286  
*Glycyphagus domesticus*, house itch mite, 284  
*Lepidoglyphus (Glycyphagus) destructor*, storage mite, fodder mite, 284-287

#### **Psoroptidae, 61**

#### **Sarcoptidae, 61**

#### **Terpnacaridae**

*Alycosmesis* sp., 30

### **ORDER TROMBIDIFORMES**

#### **Bdellidae**

*Bdella longicornis*, 285

#### **Cheyletidae**

*Cheyletus eruditus*, 284-287

#### **Demodicidae, 61**

#### **Eriophyidae**

*Aceria malherbae*, bindweed gall mite, 295  
*Aceria tosicella*, wheat curl mite, 229

#### **Pyemotidae, 75, 77, 84**

#### **Tarsonemidae**

*Tarsonemus* spp., 285, 286

**Tetranychidae**

*Petrobia latens*, brown wheat mite, 229  
*Tetranychus sinhai*, 230

**Tydeidae**

*Tydeus interruptus*, 285, 286

**CLASS INSECTA****ORDER ARCHAEOGNATHA  
(JUMPING BRISTLETAILS)****Meinertellidae (rock bristletails)**

*Machilinus (Nearctolinus) aurantiacus*, 31

**ORDER COLEOPTERA (BEETLES)****Anthicidae (antlike flower beetles)**

*Anthicus* spp., 37  
*Mecynotarsus candidus*, 37  
*Notoxus* spp., 37

**Bostrichidae (branch and twig borers)**

*Rhyzopertha dominica*, lesser grain borer, 275, 277

**Buprestidae (metallic wood-boring beetles)**

*Agrilus hyperici*, 295  
*Sphenoptera jugoslavica*, 302

**Carabidae (ground beetles)**, 205

*Amara apricaria*, 35  
*Amara convexa*, 35  
*Amara obesa*, 35  
*Amara pallipes*, 35  
*Amara quenseli*, 35  
*Amara thoracica*, 35  
*Bembidion acutifrons*, 35  
*Bembidion lachnophoroides*, 328, 330, 342  
*Bembidion nitidum*, 35  
*Bembidion nudipenne*, 35  
*Bembidion obscurellum*, 35  
*Calleida viridis*, 35  
*Calosoma lepidum*, 35  
*Calosoma luxatum*, 35  
*Cicindela decemnotata*, 34  
*Cicindela duodecimguttata*, 34  
*Cicindela formosa*, 34, 35  
*Cicindela formosa fletcheri*, 34, 35  
*Cicindela formosa formosa*, 34  
*Cicindela formosa generosa*, 34  
*Cicindela formosa gibsoni*, Gibson's big sand tiger beetle, 34, 35, 325, 328, 330, 341, 342  
*Cicindela formosa manitoba*, 34, 35  
*Cicindela formosa yampa*, 34  
*Cicindela hirticollis athabascensis*, 336

**Cicindelidae**

*Cicindela lengi*, 34, 41  
*Cicindela lepida*, 34, 326  
*Cicindela limbata*, 29, 34, 35  
*Cicindela limbata nympha*, 35  
*Cicindela longilabris*, 34  
*Cicindela nevadica*, 326  
*Cicindela scutellaris*, 34-36, 41  
*Cicindela scutellaris criddlei*, 35, 36  
*Cicindela scutellaris lecontei*, 35  
*Cicindela scutellaris scutellaris*, 35, 36  
*Cicindela terricola*, variable tiger beetle, 334  
*Cicindela tranquebarica*, 34  
*Cymindis interior*, 35  
*Dyschirius tenuispinus*, 35  
*Euryderus grossus*, 35  
*Geopinus incrassatus*, 35  
*Harpalus amputatus*, 35  
*Harpalus desertus*, 35  
*Harpalus erraticus*, 35  
*Lebia atriventris*, 174  
*Lebia vittata*, 35  
*Microlestes curtipennis*, 35  
*Pasimachus elongatus*, 35  
*Piosoma setosum*, 35  
*Pterostichus lucublandus*, 35  
*Schizogenius ferrugineus*, 36  
*Selenophorus planipennis*, 35  
*Stenolophus conjunctus*, 35

**Cerambycidae (long-horned beetles)**

*Decetes texanus*, 164-166

*Oberea erythrocephala*, 298

**Chrysomelidae (leaf beetles)**

*Altica carduorum*, 301

*Aphthona* spp., 294, 300

*Aphthona cyparissiae*, 298

*Aphthona czerwinae*, 298

*Aphthona flava*, 298

*Aphthona lacertosa*, 298, 300, 301

*Aphthona nigritiscutis*, 298, 301

*Cassida azurea*, 295

*Cassida rubiginosa*, 305

*Chaetocnema protensa*, 187

*Disonycha triangularis*, threespotted flea beetle, 187

*Entomoscelis americana*, red turnip beetle, 184, 188, 189

*Galerucella californiensis*, 295

*Galerucella pusilla*, 295

*Longitarsus flavicornis*, 295

*Longitarsus jacobaeae*, 295

*Longitarsus quadriguttatus*, 295

*Oulema melanopus*, cereal leaf beetle, 221, 222, 307, 309, 310, 315

*Phyllotreta* spp., 187, 307, 309

*Phyllotreta albionica*, cabbage flea beetle, 187

*Phyllotreta armoraciae*, horseradish flea beetle, 187

- Phyllotreta bipustulata*, 187  
*Phyllotreta cruciferae*, crucifer flea beetle, 184, 187, 188, 202, 205, 313  
*Phyllotreta oregonensis*, 187  
*Phyllotreta pusilla*, western black flea beetle, 187  
*Phyllotreta robusta*, 187  
*Phyllotreta striolata*, striped flea beetle, 184, 187, 188, 202, 313  
*Psylliodes punctulata*, hop flea beetle, 187  
*Zygogramma exclamationis*, sunflower beetle, 160, 162, 166, 174
- Clambidae (fringe winged beetles)**, 75
- Cleridae (checkered beetles)**  
*Trichodes nutalli*, 37
- Coccinellidae (ladybird beetles)**, 205, 245, 249  
*Coccinella novemnotata*, nine-spotted lady beetle, 37, 328, 330, 342  
*Coccinella septempunctata*, seven-spotted lady beetle, 37, 231, 246, 249, 311, 315  
*Coccinella transversoguttata*, transverse lady beetle, 37, 231, 315  
*Harmonia axyridis*, multicoloured Asian lady beetle, Halloween lady bug, 231, 311, 312, 315, 342  
*Hippodamia convergens*, convergent lady beetle, 174, 231, 246, 249  
*Hippodamia parenthesis*, 231  
*Hippodamia tredecimpunctata*, thirteen-spotted lady beetle, 174, 231  
*Hyperaspis lugubris*, 37
- Cryptophagidae (silken fungus beetles)**, 75, 280, 281  
*Atomaria* spp., 275, 276  
*Cryptophagus* sp., 277, 279  
*Cryptophagus acutangulus*, acute-angled fungus beetle, 276  
*Cryptophagus obsoletus*, 276  
*Cryptophagus varus*, sigmoid fungus beetle, 275, 276
- Curculionidae (snout beetles, weevils)**  
*Apion occidentale*, black sunflower stem weevil, 162, 164  
*Baris sternua*, sunflower root weevil, 161, 162  
*Ceutorhynchus neglectus*, 191  
*Ceutorhynchus obstrictus (assimilis)*, cabbage seedpod weevil, 185, 190, 202, 203, 306, 309, 312  
*Cylindrocopturus adspersus*, sunflower stem weevil, 162, 164, 173  
*Cyphocleonus achates*, 300, 301, 302  
*Hadropontus litura*, 304  
*Haplorrhynchites aeneus*, sunflower headclipping weevil, 170  
*Hylobius transversovittatus*, 296  
*Hypera nigrirostris*, lesser clover leaf weevil, 244  
*Hypera postica*, alfalfa weevil, 242-244, 306, 309, 313  
*Hypera punctata*, clover leaf weevil, 244  
*Larinus minutus*, 294, 301, 302  
*Larinus obtusus*, 302  
*Larinus planus*, 305  
*Lema cyanella*, 304  
*Listronotus montanus*, 221  
*Mecinus janthinus*, 294, 296, 299, 305  
*Microplontus edentulus*, 296  
*Mogulones crucifer*, 294, 296, 299, 316  
*Nanophyes marmoratus*, 296  
*Omphalapion hookeri*, 296  
*Otiorhynchus ovatus*, strawberry root weevil, 37  
*Perapion wickhami*, 37  
*Rhinocyllus conicus*, 301, 304, 305, 314  
*Rhinusa (Gymnetron) antirrhini*, 296, 305  
*Rhinusa linariae*, 296  
*Rhinusa neta (Gymnetron netum)*, 305  
*Sitona cylindricollis*, sweetclover weevil, 241, 244, 307, 313  
*Sitona flavesens*, 244  
*Sitona hispidulus*, clover root curculio, 244, 313  
*Sitona lineatus*, pea leaf weevil, 245, 313  
*Sitona lineellus (scissifrons)*, alfalfa curculio, 245, 313  
*Sitophilus granarius*, granary weevil, 267, 268, 278, 279, 282-284  
*Sitophilus oryzae*, rice weevil, 277, 278  
*Smicronyx fulvus*, red sunflower seed weevil, 163, 171, 174  
*Smicronyx sordidus*, gray sunflower seed weevil, 163, 171, 174  
*Sphenophorus* spp., 221  
*Trichosirocalus horridus*, 304  
*Tychius meliloti*, 245  
*Tychius picrirostris*, 245  
*Tychius stephensi*, 245
- Dermestidae (dermestid beetles, skin beetles)**, 281  
*Attagenus* spp., 275, 278, 279, 282, 283  
*Attagenus unicolor*, 276, 282  
*Chrysolina hyperici*, 294, 295  
*Chrysolina quadrigemina*, 294, 295  
*Dermestes* spp., 279, 282  
*Dermestes lardarius*, larder beetle, 275, 282  
*Dermestes maculatus*, 282  
*Trogoderma* spp., 279, 281, 282  
*Trogoderma glabrum*, 282  
*Trogoderma granarium*, Khapra beetle, 269  
*Trogoderma inclusum*, 282  
*Trogoderma variable*, 282
- Dytiscidae (predaceous diving beetles)**, 99, 155  
*Agabus margaritae*, Margaret's diving beetle, 335  
*Dytiscus* spp., 155  
*Hydroporus carri*, Carr's Diving Beetle, 328, 330, 339  
*Sanfilippodytes bertae*, Bert's predaceous diving beetle, 328, 339

- Elateridae (click beetles, wireworms)**, 161, 220  
*Aeolus mellilus*, 218  
*Agriotes lineatus*, lined click beetle, 196  
*Agriotes obscurus*, dusky wireworm, 196  
*Agriotes sputator*, common click beetle, 196  
*Cardiophorus cardisce*, 37  
*Ctenicera aeripennis destructor*, prairie grain wireworm, 218  
*Ctenicera pruinia*, Great Basin wireworm, 218  
*Hypolithus bicolor*, 218  
*Hypolithus nocturnis*, 218  
*Limonius californicus*, sugar beet wireworm, 218  
*Limonius infuscatus*, western field wireworm, 218
- Geotrupidae**, 75  
*Geotrupes* spp., 85  
*Eucanthus greeni*, 36
- Glaresidae (enigmatic scarab beetles)**  
*Glaresis canadensis*, 36
- Gyrinidae (whirligig beetles)**, 99
- Haliplidae (crawling water beetles)**, 99
- Histeridae (hister beetles)**, 75  
*Euspilotus cibrum*, 37  
*Euspilotus insertus*, 37  
*Hister abbreviatus*, 37  
*Hister furtivus*, 37  
*Hypocaccus acorni*, 37  
*Hypocaccus fraternus*, 37, 38  
*Hypocaccus iris*, 37  
*Hypocaccus omisssus*, 37  
*Hypocaccus patruelis*, 37  
*Hypocaccus seminitens*, 37  
*Margarinotus harrissii*, 37  
*Saprinus oregonensis*, 37  
*Spilodiscus instratus*, 37  
*Xerosaprinus acilinea*, 37
- Hydrophilidae (water scavenger beetles)**, 75, 99, 155  
*Sphaeridium* spp., 77
- Kateridae (short-winged flower beetles)**  
*Brachypterus pulicarius*, 305
- Laemophloeidae (lined flat bark beetles)**  
*Cryptolestes* sp., 278, 282  
*Cryptolestes turcicus*, 269  
*Cryptolestes ferrugineus*, rusty grain beetle, 267, 268, 271, 272, 274-283  
*Cryptolestes pusillus*, flat grain beetle, 275-279, 283  
*Laemophloeus* sp., 275
- Lathridiidae (minute brown scavenger beetles)**, 75, 279  
*Cartodere constricta*, plaster beetle, 275-277  
*Corticaria serrata*, 276  
*Dienerella filiformis*, 276  
*Enicmus fictus*, 276  
*Lathridius minutus*, 275, 276  
*Melanophthalma* spp., 275
- Meloidae (blister beetles)**  
*Epicauta ferruginea*, 37, 185, 189, 190  
*Lytta nuttalli*, Nuttall's blister beetle, 37, 185, 189
- Melyridae (soft-winged flower beetles)**  
*Collops vittatus*, 205
- Mycetophagidae (hairy fungus beetles)**  
*Typhaea* sp., 277
- Nitidulidae (sap beetles)**  
*Carpophilus* spp., 279  
*Carpophilus pallipennis*, 37
- Ochodaeidae (ochodaeid scarab beetles)**  
*Xenochodaeus* spp., 36
- Pselaphidae (short-winged mold beetles)**, 75
- Ptiliidae (feather-winged beetles)**, 75
- Ptinidae (spider beetles)**, 279  
*Gibbium psylloides*, 283  
*Ptinus villiger*, hairy spider beetle, 275, 276
- Rhipiphoridae (wedge-shaped beetles)**  
*Monotoma* sp., 275  
*Monotoma picipes*, 276
- Scarabaeidae (scarab beetles)**, 75  
*Aegialia* spp., 36  
*Aphodius coloradensis*, 81  
*Aphodius distinctus*, 36, 72, 77, 81, 82, 85  
*Aphodius fimetarius*, 36, 78, 81, 82  
*Aphodius fossor*, 36, 81  
*Aphodius granarius*, 72, 81, 82  
*Aphodius haemorrhoidalis*, 81  
*Aphodius prodromus*, 72, 81  
*Aphodius rufipes*, 79  
*Aphodius vittatus*, 81  
*Canthon* spp., 78  
*Canthon pilularius*, 78  
*Canthon praticola*, 85  
*Cotalpa lanigera*, goldsmith beetle, 37  
*Cremastocheilus* spp., 36  
*Drepanocanthoides walshii*, 36

- Onthophagus hecate*, 36**  
***Onthophagus nuchicornis*, 36, 78, 81**  
***Onthophagus taurus*, 84**  
***Polyphylla decemlineata*, 37**  
***Rhyssemus* spp., 36**
- Silphidae (burying beetles)**  
*Nicrophorus guttula*, 36  
*Nicrophorus hybridus*, 36  
*Nicrophorus obscurus*, 36
- Staphylinidae (rove beetles)**, 75, 205  
*Aleochara* spp., 76  
*Aleochara bilineata*, 202, 306, 312  
*Aleochara bipustulata*, 306, 307, 312  
*Aleochara verna*, 312
- Tenebrionidae (darkling beetles)**  
*Alphitobius diaperinus*, lesser mealworm, 275  
*Asidopsis opaca*, 37  
*Asidopsis polita*, 37  
*Blapstinus moestus*, 219  
*Blapstinus substriatus*, 37  
*Cynaeus angustus*, larger black flour beetle, 269  
*Eleodes extricata*, 37  
*Eleodes hispilabris*, 37, 219  
*Eleodes tricostatus*, 37, 219  
*Glyptasida sordida*, 37  
*Gnathocerus cornutus*, 275  
*Lateticus oryzae*, longheaded flour beetle, 275  
*Palorus subdepressus*, depressed flour beetle, 269, 275  
*Tenebrio molitor*, yellow mealworm, 275, 276, 278-283  
*Tribolium* spp., 267, 268, 283  
*Tribolium audax*, 275, 276  
*Tribolium castaneum*, red flour beetle, 267, 268, 274-277, 279, 282, 283  
*Tribolium confusum*, confused flour beetle, 269, 276, 282, 283  
*Tribolium destructor*, 269
- Silvanidae (silvanid flat bark beetles)**  
*Ahasverus advena*, foreign grain beetle, 276, 277  
*Oryzaephilus mercator*, merchant grain beetle, 269  
*Oryzaephilus surinamensis*, 276, 283, 284
- Trogossitidae (bark-gnawing beetles)**  
*Tenebroides mauritanicus*, cadelle, 275, 278, 283
- ORDER DIPTERA (FLIES)**
- Agromyzidae (leafminer flies)**  
*Agromyza frontella*, alfalfa blotch leafminer, 252, 253, 306, 309, 314  
*Liriomyza* spp., 253
- Anthomyiidae (anthomyiid flies)**, 74  
*Botanophila seneciella*, 297  
*Delia floralis*, turnip maggot, 183, 184, 186, 202  
*Delia florilega*, bean seed maggot, 184, 186  
*Delia planipalpus*, 184, 186  
*Delia platura*, seedcorn maggot, 184, 186, 202  
*Delia radicum*, cabbage maggot, 184, 186, 202, 306, 309, 311  
*Hylemya cerealis*, 225
- Asilidae (robber flies)**  
*Dicropaltum mesae*, 38  
*Laphystia flavipes*, 38  
*Lasiopogon quadrivittatus*, 38  
*Proctacanthella cacopiloga*, 38  
*Stenopogon coyote*, 38  
*Stenopogon inquinatus*, 38  
*Stichopogon trifasciatus*, 38
- Bombyliidae (bee flies)**, 200, 201  
*Anthrax* spp., 38  
*Bombylius* spp., 38  
*Exprosopa* spp., 38  
*Hemipenthes* spp., 38  
*Poecilantrax* spp., 38  
*Systoechus* spp., 38
- Calliphoridae (blow flies)**, 74
- Cecidomyiidae (gall gnats, gall midges)**, 74  
*Contarinia nasturtii*, swede midge, 206  
*Contarinia schulzi*, sunflower midge, 163, 170  
*Cystiphora sonchi*, 297  
*Mayetiola destructor*, Hessian fly, 224, 225  
*Rhopalomyia tripleurospermi*, 297  
*Sitodiplosis mosellana*, orange wheat blossom midge, 223, 224, 307, 309, 310
- Ceratopogonidae (biting midges)**, 74, 99, 147  
*Culicoides davisii*, 49  
*Culicoides denningi*, 49  
*Culicoides gigas*, 49  
*Culicoides obsoletus*, 49  
*Culicoides sonorensis*, 49  
*Culicoides yukonensis*, 49  
*Spurgia capitigena*, 298  
*Spurgia esulae*, 298
- Chamaemyidae (aphid flies)**  
*Leucopis* spp., 306  
*Leucopis atratarsis*, 310  
*Leucopis niniae*, 310
- Chaoboridae (phantom midges)**, 99
- Chironomidae (midges)**, 74, 99, 147  
*Ablabesmyia* spp., 148

- Acricotopus* sp., 149  
*Axarus (Xenochironomus) scopula*, 148  
*Cardiocladius* sp., 149  
*Chernovskia amphitrite*, 148  
*Chironomus* spp., 107, 148  
*Chironomus anthracinus*, 148  
*Chironomus decorus*, 148  
*Chironomus plumosus*, 148  
*Cladopelma* sp., 148  
*Cladotanytarsus* spp., 148  
*Cladotanytarsus* sp. nr. *viridiventris*, 148  
*Conchapelopia telema*, 148  
*Cricotopus* spp., 149  
*Cricotopus bicinctus*, 149  
*Cricotopus curtus*, 149  
*Cricotopus intersectus*, 149  
*Cricotopus politus*, 149  
*Cricotopus slossonae*, 149  
*Cricotopus sylvestris*, 149  
*Cricotopus tremulus*, 149  
*Cricotopus triannulatus*, 149  
*Cricotopus trifasciatus*, 149  
*Cryptochironomus* spp., 148  
*Cryptochironomus digitatus*, 148  
*Cryptochironomus psittacinus (stylifera)*, 148  
*Cryptochironomus scimitarus*, 148  
*Cryptotendipes darbyi*, 148  
*Cyphomella gibbera*, 148  
*Demicryptochironomus* sp., 148  
*Diamesa* cf. *cinerella*, 148  
*Dicrotendipes nervosus*, 148  
*Endochironomus nigricans*, 148  
*Eukiefferiella* sp., 149  
*Glyptotendipes lobiferus*, 148  
*Glyptotendipes paripes*, 148  
*Harnishia curtilamellata*, 148  
*Micropsectra* sp., 148  
*Micropsectra dives*, 148  
*Micropsectra nigripila*, 148  
*Micropsectra polita*, 148  
*Microtendipes caducus*, 148  
*Microtendipes pedellus*, 148  
*Nanocladius anderseni*, 149  
*Nanocladius crassicornus*, 149  
*Nanocladius spiniplenus*, 149  
*Nilothauma babiyi*, 148  
*Orthocladius* sp., 149  
*Orthocladius carlatus*, 149  
*Orthocladius mallochi*, 149  
*Orthocladius nigritus*, 149  
*Orthocladius obumbratus*, 149  
*Orthocladius rivicola*, 149  
*Parachironomus abortivus*, 148  
*Parachironomus frequens*, 148  
*Paracladopelma* spp., 148  
*Paracladopelma nereis*, 148  
*Paracladopelma winnelli*, 148  
*Parakiefferiella torulata*, 149  
*Paralauterborniella nigrohalterale*, 148  
*Paratanytarsus* spp., 148  
*Paratanytarsus confuses*, 148  
*Paratanytarsus laccophilus*, 148  
*Paratanytarsus* sp. nr. *dimorphis*, 148  
*Paratanytarsus* sp. nr. *natvigi*, 148  
*Paratendipes albimanus*, 148  
*Phaenopsectra obediens*, 148  
*Polypedilum* spp., 148  
*Polypedilum aviceps*, 148  
*Polypedilum convictum*, 148  
*Polypedilum digitifer*, 148  
*Polypedilum fallax*, 148  
*Polypedilum illinoense*, 148  
*Polypedilum laetum*, 148  
*Polypedilum obtusum*, 148  
*Polypedilum scalaenum*, 148  
*Pothastia longimana*, 148  
*Procladius bellus*, 148  
*Procladius denticulatus*, 148  
*Procladius freemani*, 148  
*Psectrocladius* spp., 149  
*Psectrocladius flavus*, 149  
*Psectrocladius simulans*, 149  
*Pseudosmittia* sp., 149  
*Rheopelopia* sp., 148  
*Rheosmittia* spp., 149  
*Rheotanytarsus* spp., 148  
*Rheotanytarsus exiguus* group, 148  
*Robackia claviger*, 148  
*Robackia demejerei*, 148  
*Saetheria tylus*, 148  
*Stempellinella* sp., 148  
*Stenochironomus* spp., 148  
*Stenochironomus hilaris (taeniapennis)*, 148  
*Synorthcladius semivierns*, 149  
*Tanytarsus* spp., 148  
*Tanytarsus glabrescens*, 148  
*Tanytarsus guerlus*, 148  
*Thienemanniella xena*, 149  
*Thienemannimyia senata*, 148  
*Tvetenia vitracies*, 149
- Chloropidae (chloropid flies, grass flies)**, 74  
*Meromyza americana*, wheat stem maggot, 224  
*Oscinella frit*, European frit fly, 225  
*Oscinella soror*, 225
- Culicidae (mosquitoes)**, 99  
*Aedes* spp., 150  
*Aedes communis*, 47  
*Aedes dorsalis*, 47  
*Aedes fitchii*, 47  
*Aedes punctor*, 47  
*Aedes vexans*, 47, 48  
*Anopheles* spp., 150

- Culex* spp., 150  
*Culex tarsalis*, 47, 48  
*Culiseta* spp., 150  
*Culiseta inornata*, 47, 48  
*Mansonia* sp., 150  
*Wyeomyia* spp., 150
- Dixidae (dixid midges)**, 99, 147
- Empididae (dance flies)**, 74
- Ephydriidae (shore flies)**, 74
- Hippoboscidae (louse flies)**  
*Melophagus ovinus*, sheep ked, 61, 62
- Lauxaniidae (beach flies, lauxaniid flies)**, 74
- Milichiidae (milichiid flies)**, 74
- Muscidae (muscid flies)**, 74  
*Haematobia irritans*, horn fly, 53, 73  
*Haematobia irritans exigua*, buffalo fly, 73  
*Musca autumnalis*, face fly, 53, 73  
*Musca domestica*, house fly, 85  
*Musca vetustissima*, bush fly, 73  
*Muscina stabulans*, false stable fly, 83  
*Stomoxys calcitrans*, stable fly, 53, 73
- Mycetophilidae (fungus gnats)**, 74
- Oestridae (bot flies, warble flies)**  
*Cuterebra polita*, 38  
*Gasterophilus haemorrhoidalis*, 61  
*Gasterophilus intestinalis*, 61  
*Gasterophilus nasalis*, 61  
*Hypoderma bovis*, 59, 60  
*Hypoderma lineatum*, 59, 60  
*Oestrus ovis*, sheep bot fly, 59
- Otitidae (picture-winged flies)**, 74
- Psychodidae (moth flies)**, 74
- Sarcophagidae (flesh flies)**, 74  
*Blaesoxipha atlantis*, 205  
*Senotainia trilineata*, 38
- Scathophagidae (dung flies)**, 74  
*Scatophaga stercoraria*, yellow dung fly, 76
- Scatopsidae (minute black scavenger flies)**, 74
- Sciaridae (dark-winged fungus gnats)**, 74
- Sepsidae (black scavenger flies)**, 74
- Simuliidae (black flies, buffalo gnats)**, 147  
*Ectemnia taeniifrons*, 150  
*Metacnephia saskatchewanensis*, 150  
*Simulium arcticum*, northern black fly, 50, 51, 150  
*Simulium bivittatum*, 150  
*Simulium decorum*, 150  
*Simulium duplex*, 150  
*Simulium euryadminiculum*, 150  
*Simulium griseum*, 150  
*Simulium luggeri*, 50, 51, 150  
*Simulium meridionale*, 150  
*Simulium rugglesi*, 150  
*Simulium tuberosum*, 150  
*Simulium venustum*, whitestocking black fly, 50, 150  
*Simulium verecundum*, 150  
*Simulium vittatum*, striped black fly, 50, 150
- Sphaeroceridae (small dung flies)**, 74
- Stratiomyidae (soldier flies)**, 74, 99
- Syrphidae (hover flies)**, 200, 201, 205, 245, 172
- Tabanidae (deer flies, horse flies)**, 45, 47, 51, 147
- Tachinidae (tachinid flies)**, 74  
*Athrycia cinerea*, 204  
*Blondeliini* sp., 174  
*Campogaster exigua*, 313  
*Clausicella floridensis*, 174  
*Erynnia tortricis*, 174  
*Eurithia consobrina*, 307, 308  
*Leskiomima tenera*, 174  
*Lixophaga plumbea*, 174  
*Lixophaga variabilis*, 174  
*Myiopharus doryphorae*, 174  
*Myiopharus macellus*, 174  
*Myiopharus neilli*, 174  
*Pseudachaeta* sp., 174
- Tephritidae (fruit flies)**  
*Gymnocarena diffusa*, sunflower receptacle maggot, 169  
*Neotephritis finalis*, sunflower seed maggot, 163, 170  
*Strauzia longipennis*, sunflower stem maggot, 160, 162, 165  
*Terellia ruficauda*, 305  
*Urophora affinis*, 300, 301, 302  
*Urophora cardui*, 304  
*Urophora quadrifasciata*, 300, 303  
*Urophora solstitialis*, 304  
*Urophora stylata*, 304
- Therevidae (stiletto flies)**, 74
- Tipulidae (crane flies)**, 99, 147

**ORDER EPHemeroptera (MAYFLIES)****Acanthametropodidae****(acanthametropodid mayflies)***Analetris eximia*, 122, 129**Ameletidae (combmouthed minnow mayflies)***Ameletus oregonensis*, 129*Ameletus subnotatus*, 129**Ametropodidae (sand minnow mayflies)***Ametropus neavei*, 122, 130, 141**Baetidae (small minnow mayflies)**, 98*Acentrella insignificans*, 122, 130*Acentrella parvula*, 122, 130*Acentrella turbida*, 122, 130*Acerpanna pygmaea*, 122, 130*Apobaetis etowah (indeprensus)*, 122, 131*Apobaetis lakota*, 131*Baetis bicaudatus*, 131*Baetis brunneicolor*, 122, 131*Baetis bundyae*, 131*Baetis flavistigra*, 131*Baetis hudsonicus*, 131*Baetis intercalaris*, 131*Baetis tricaudatus*, 122, 131*Callibaetis* sp., 131*Callibaetis ferrugineus*, 122, 131*Callibaetis pallidus*, 122, 131*Camelobaetidius warreni*, 122, 131*Centroptilum album*, 132*Centroptilum bifurcatum*, 122, 132*Centroptilum conturbatum*, 132*Centroptilum victoriae*, 122, 132*Centroptilum walshi*, 132*Cloeon dipterum*, 132*Diphotor hageni*, 132*Fallceon quilleri*, 122, 132*Plauditus cestus*, 132*Plauditus dubius*, 122, 132*Plauditus gloveri*, 132*Plauditus punctiventris*, 132*Plauditus virilis*, 132*Procloeon ingens*, 132*Procloeon pennulatum*, 122, 132*Procloeon quaesitum*, 122, 132*Procloeon rubropictum*, 122, 132*Procloeon rufostrigatum*, 132*Procloeon simplex*, 132*Procloeon viridoculare (irruberum)*, 123, 132*Pseudocloeon dardanum*, 123, 132*Pseudocloeon propinquum*, 123, 132**Baetiscidae (armored mayflies)***Baetisca lacustris*, 123, 132*Baetisca laurentia*, 132**Caenidae (small square-gill mayflies)**, 98*Brachycercus harrisella (edmundsi)*, 123, 133*Caenis amica*, 123, 133*Caenis hilaris*, 133*Caenis latipennis*, 123, 133*Caenis tardata*, 123, 133*Caenis youngi*, 123, 133*Cercobrachys cree*, 123, 133*Susperatus (Brachycercus) prudens*, 123, 133**Ephemerellidae (spiny crawler mayflies)***Dannella lita*, 133*Dannella simplex*, 133*Ephemerella excrucians (inermis)*, 123, 133*Ephemerella needhami*, 133*Eurylophella bicolor*, 133*Eurylophella temporalis*, 133**Ephemeridae (common burrowing mayflies)***Ephemera simulans*, 123, 133*Hexagenia limbata*, 123, 133**Heptageniidae (flathead mayflies)***Acanthamola pubescens*, 123, 134*Anepeorus rusticus*, 134*Ecdyonurus (Nixe) simplicoides*, 123, 135*Epeorus longimanus*, 134*Heptagenia adaequata (adequata)*, 123, 134, 135*Heptagenia diabasica*, 135*Heptagenia elegantula*, 123, 135*Heptagenia flavescens*, 123, 135*Heptagenia pulla*, 123, 135*Leucrocuta (Heptagenia) hebe*, 124, 135*Leucrocuta (Heptagenia) maculipennis*, 124, 135*Maccaffertium (Stenonema) terminatum*, 124, 137*Macdunnoa* spp., 134*Macdunnoa nipawiniae*, 124, 135*Nixe inconspicua*, 135*Nixe lucidipennis*, 135*Nixe rusticallis*, 135*Raptoheptagenia* spp., 134*Raptoheptagenia cruentata*, 124, 135, 136*Rhithrogena jefuna*, 136*Rhithrogena undulata*, 124, 136*Stenacron (Stenonema) interpunctatum*, 124, 137*Stenonema femoratum*, 137*Stenonema vicarium*, 137**Isonychiidae (brush-legged mayflies)***Isonychia campestris*, 124, 136, 137**Leptohyphidae (little stout crawler mayflies)***Asioplax edmundsi (edmundsi/corpulenta)*, 124, 137*Tricorythodes explicatus (minutus)*, 124, 137**Leptophlebiidae (prong-gilled mayflies)***Choroterpes albannulata*, 124, 137, 138

- Leptophlebia cupida*, 124, 137  
*Leptophlebia nebulosa*, 124, 137  
*Paraleptophlebia adoptiva*, 138  
*Paraleptophlebia debilis*, 138  
*Paraleptophlebia moerens*, 138  
*Paraleptophlebia praepedita*, 138  
*Traverella albertana*, 124, 132, 138, 141
- Metretopodidae (cleft-footed minnow mayflies)**  
*Metretopus borealis*, 124, 138, 140  
*Siphoplecton basale*, 124, 138  
*Siphoplecton interlineatum*, 124, 138
- Oligoneuriidae (brush-legged mayflies)**  
*Lachlania saskatchewanensis*, 124, 132, 138, 139, 141
- Polymitarcyidae (pale burrowing mayflies)**  
*Ephoron album*, 125, 138  
*Tortopus primus*, 138
- Pseudironidae (crab walking mayflies)**  
*Pseudiron centralis*, 125, 139, 140
- Siphlonuridae (primitive minnow mayflies)**  
*Parameletus chelifer*, 139  
*Siphlonurus alternatus*, 140
- ORDER HEMIPTERA  
(HEMIPTERANS, TRUE BUGS)**
- Alydidae (broad-headed bugs)**  
*Alydus pluto*, 32
- Anthocoridae (minute pirate bugs)**, 246, 249  
*Orius tristicolor*, 250
- Aphididae (aphids)**  
*Acyrtosiphon pisum*, pea aphid, 245  
*Aphis chloris*, 297  
*Aphis helianthi*, sunflower aphid, 167  
*Brevicoryne brassicae*, cabbage aphid, 185, 194  
*Diuraphis noxia*, Russian wheat aphid, 15, 228, 306, 309  
*Hysteroneura setariae*, rusty plum aphid, 227  
*Lipaphis pseudobrassicae*, turnip aphid, 185, 194, 195  
*Macrosiphum avenae*, 231  
*Macrosiphum euphorbiae*, potato aphid, 197, 199, 205  
*Metopolophium dirhodum*, rose grass aphid, 227  
*Myzus persicae*, green peach aphid, 185, 194, 309, 310  
*Nearctaphis bakeri*, clover aphid, 247  
*Rhopalosiphum maidis*, corn leaf aphid, 227, 228, 231  
*Rhopalosiphum padi*, bird cherry-oat aphid, 227  
*Schizaphis graminum*, greenbug, 227  
*Sipa agropyrella*, quackgrass aphid, 227  
*Sitobion avenae*, English grain aphid, 227
- Theroaphis maculata*, spotted alfalfa aphid, 246, 247  
*Theroaphis rheimi*, sweetclover aphid, 247  
*Theroaphis trifolii*, yellow clover aphid, 247  
*Uroleucon* spp., 167
- Belostomatidae**  
**(electric light bugs, giant water bugs)**, 98  
*Lethocerus americana*, 153
- Cicadellidae (leafhoppers)**  
*Amplicephalus inimicus*, 195  
*Balclutha* sp., 195  
*Ceratagalia humilis*, 195  
*Diplocolenus configuratus*, 195  
*Endria inimica*, painted leafhopper, 228, 229  
*Euscelis maculipennis*, 195  
*Gyponana* sp., 195  
*Macrosteles quadrilineatus*, aster or six-spotted leafhopper, 185, 195, 197, 200, 228  
*Neokolla hieroglyphica*, 195  
*Psammotettix* sp., 195  
*Scaphytopius acutus*, 195  
*Sorhoanus ulheri*, 195
- Coreidae (squash bugs, leaf-footed bugs)**  
*Chelinidea vittiger*, cactus bug, 32
- Corixidae (water boatmen)**, 32, 98, 153, 155
- Gerridae (water striders)**, 32, 99, 154, 155
- Gelastocoridae (toad bugs)**, 153
- Hebridae (velvet water bugs)**, 155
- Hydrometridae (marsh treaders)**, 99, 155
- Lygaeidae (chinch bugs, seed bugs)**, 242  
*Geocoris bullatus*, 249  
*Geocoris pallens*, 249
- Mesovelidae (water treaders)**, 99, 155
- Miridae (plant bugs)**, 242  
*Adelphocoris lineolatus*, alfalfa plant bug, 249, 306, 309, 313  
*Adelphocoris rapidus*, rapid plant bug, 250  
*Adelphocoris superbus*, superb plant bug, 250, 309, 313  
*Deraeocoris* spp., 250  
*Lygus* spp., 204, 205, 241  
*Lygus atritibialis*, 248  
*Lygus borealis*, 185, 192, 199, 247, 248, 250  
*Lygus convexicollis*, 248, 249  
*Lygus elisus*, pale legume bug, 185, 192, 199, 247, 248  
*Lygus hesperus*, 248  
*Lygus keltoni*, 185, 192, 199, 248

- Lygus lineolaris*, tarnished plant bug, 172, 185, 192, 194, 197, 199, 228, 247-249  
*Lygus plagiatus*, 248  
*Lygus potentillae*, 248  
*Lygus robustus*, 248  
*Lygus rubrosignatus*, 192, 248  
*Lygus rufidorsus*, 248  
*Lygus shulli*, 248  
*Lygus solidaginis*, 192, 248  
*Lygus unctuosus*, 248  
*Lygus vanduzeei*, 248  
*Plagiognathus brunneus (medicagus)*, 250  
*Trigonotylus coelestialium*, green grass bug, 228
- Nabidae (damsel bugs)**, 246, 249  
*Nabis alternatus*, western damsel bug, 205
- Nepidae (water scorpions)**, 99, 155
- Notonectidae (backswimmers)**, 99, 154, 155
- Pentatomidae (stink bugs)**  
*Chlorochroa sayi*, Say stink bug, 228  
*Chlorochroa uhleri*, 228  
*Coenus delius*, 32  
*Perillus bioculatus*, 174  
*Perillus circumcinctus*, 174  
*Podisus maculiventris*, spined soldier bug, 174
- Phymatidae (ambush bugs)**, 250
- Pleidae (pygmy backswimmers)**, 99, 155
- Reduviidae (assassin bugs)**, 249, 250
- Rhyparochromidae (dirt-colored seed bugs)**  
*Uhleriola floralis*, 32
- Saldidae (shore bugs)**, 99, 155
- Thyreocoridae (black bugs)**  
*Corimelaena nigra*, 32
- Veliidae (ripple bugs)**, 99, 155
- ORDER HYMENOPTERA  
(ANTS, BEES, WASPS)**
- Andrenidae (miner bees, andrenid bees)**
- Aphidiidae**  
*Aphidius ervi*, 246  
*Aphidius piivorus*, 246  
*Aphidius smithi*, 246  
*Praon occidentale*, 246  
*Praon pequodorum*, 246

- Aphelinidae**  
*Aphelinus varipes*, 306, 310  
*Aphelinus near varipes* species, 310
- Apidae (bumble bees, euglossines, honey bees, stingless bees)**  
*Apis mellifera*, honey bee, 39, 172, 200, 206, 253  
*Bombus* spp., 172, 200, 253, 172  
*Bombus ashtonii*, Ashton's bumble bee, 328, 330, 342  
*Bombus borealis*, 200  
*Bombus rufocinctus*, 200  
*Epeoloides pilosula*, Macropis cuckoo bee, 328, 330, 339, 341, 342  
*Melissodes* spp., 173  
*Psithyrus* spp., 253
- Anthophoridae (carpenter bees, cuckoo bees, digger bees)**  
*Anthophora furcata*, 253  
*Anthophorini*, digger bees, 39
- Bethylidae (bethylid wasps)**  
*Goniozus floridanus*, 174
- Braconidae (braconid wasps)**, 74  
*Agathis* spp., 174  
*Aphaereta* sp., 306, 312  
*Aphaereta minuta*, 312  
*Bassus arthurellus*, 173  
*Bassus buttricki*, 174  
*Bassus mellitor*, 173, 174  
*Bassus nigripes*, 174  
*Bassus nuperus*, 174  
*Bracon* sp., 173  
*Bracon cephi*, 226, 230  
*Bracon lissogaster*, 230  
*Bracon meromyzae*, 225  
*Chelonus altitudinus*, 174  
*Chelonus phaloniae*, 173  
*Chelonus shoshoneanorum*, 173  
*Coelinidea meromyzae*, 225  
*Dacnusa dryas*, 253, 306, 314, 315  
*Dolichogenidea homoeosomae*, 174  
*Macrocentrus aencylivorus*, 173, 174  
*Microctonus* sp., 307  
*Microctonus aethiopoides*, 243, 244  
*Microctonus aethiops*, 307, 313  
*Microctonus colesi*, 243  
*Microctonus melanopus*, 202  
*Microctonus vittatae*, 202  
*Microplitis mediator*, 307, 308  
*Microplitis plutellae*, 203, 204  
*Nealiolus collaris*, 173  
*Nealiolus curculionis*, 173, 174  
*Nealiolus rufus*, 174  
*Perilitus rutilus*, 306, 307, 313  
*Peristenus* spp., 249

- Peristenus adelphocoridis*, 306, 313  
*Peristenus braunae*, 205, 313  
*Peristenus broadbenti*, 205  
*Peristenus carcamoi*, 205  
*Peristenus digoneutis*, 306-308, 313  
*Peristenus nr mellipes*, 250  
*Peristenus rubricollis*, 306  
*Pygostolus falcatus*, 307, 313  
*Rhaconotus cressoni*, 173  
*Townesilitus bicolor*, 307, 313  
*Triaspis aequoris*, 174  
*Urosigalpus femoratus*, 174
- Cephidae (stem sawflies)**  
*Cephus cinctus*, wheat stem sawfly, 226, 230, 306, 308  
*Cephus pygmaeus*, European wheat stem sawfly, 308
- Chalcididae (chalcidid wasps)**  
*Spilochalcis flavopicta*, 174
- Chrysididae (cuckoo wasps)**, 40
- Colletidae (colletic bees, plasterer bees, yellow-faced bees)**, 39
- Crabronidae (cicadakillers, crabronid wasps, mud daubers, sand wasps)**  
*Bembix* spp., 39  
*Bicyrtes* spp., 39  
*Cerceris* spp., 40  
*Crabro* spp., 39  
*Gorytes* spp., 40  
*Microbembix* spp., 40  
*Nysson* spp., 40  
*Oxybelus* spp., 39  
*Philanthus* spp., 39  
*Tachysphex* spp., 39
- Diapriidae (diapriid wasps)**, 74
- Encyrtidae (encyrtid wasps)**, 74
- Eucoiliidae (eucoiid wasps)**, 74  
*Trybliographa rapae*, 202, 306, 312
- Eulophidae (eulophid wasps)**  
*Aprostocetus bruchophagi*, 251  
*Baryscapus bruchophagi*, 251  
*Chrysocharis giraulti*, 253  
*Chrysocharis punctifaces*, 253  
*Diglyphus intermedius*, 253  
*Elasmus setioscutellatus*, 174  
*Melittobia* sp., 256  
*Necremnus tidius*, 203  
*Quadrastichus ainsliei*, 173  
*Tetrastichus* sp., 256  
*Tetrastichus incertus*, 243
- Tetrastichus julis*, 221, 307, 309, 310, 315
- Eupelmidae (eupelmid wasps)**  
*Eupelmella vesicularis*, 251, 252  
*Eupelmus* sp., 173  
*Eupelmus allynii*, 251  
*Eupelmus amicus*, 174  
*Eupelmus cushmani*, 173  
*Eupelmus cyaniceps*, 173
- Eurytomidae (jointworms, seed chalcids)**  
*Bruchophagus* spp., 252  
*Bruchophagus gibbus*, clover seed chalcid, 250  
*Bruchophagus platypertus*, trefoil seed chalcid, 250  
*Bruchophagus roddi*, alfalfa seed chalcid, 250, 251  
*Eurytoma onobrychidis*, sainfoin seed chalcid, 251, 252  
*Eurytoma* sp., 174  
*Eurytoma tylodermatis*, 173  
*Harmolita secale*, rye jointworm, 227  
*Tetramesa tritici*, wheat jointworm, 227
- Figitidae (figitid wasps)**, 74  
*Trybliographa rapae*, see under Eucoilidae
- Formicidae (ants)**  
*Dolichoderus taschenbergi*, 40  
*Formica bradleyi*, 40  
*Formica lasiooides*, 40  
*Formica neoclara*, 40  
*Formica obscuriventris*, 40  
*Formica oreas*, 40  
*Formica podzolica*, 40  
*Lasius neoniger*, 40, 41  
*Myrmica americana*, 40  
*Myrmica brevispinosa*, 40  
*Pogonomyrmex occidentalis*, western harvester ant, 40  
*Tapinoma sessile*, 40
- Halictidae (halictid bees, sweat bees)**  
*Halictus* spp., 173
- Ichneumonidae (ichneumon wasps)**, 74  
*Banchus flavescentis*, 204  
*Bathyplectes anurus*, 243, 244, 313  
*Bathyplectes curculionis*, 243, 244, 313  
*Bathyplectes stenostigma*, 243  
*Collyria catoptron*, 308  
*Collyria coxator (calcitrator)*, 306, 308  
*Cremastus epagoge*, 174  
*Cremastus* spp., 174  
*Diadegma insulare*, 203, 204  
*Diadegma openangorum*, 174  
*Diadromous subtilicornis*, 203, 204  
*Glypta prognatha*, 173  
*Glypta* sp., 173  
*Mastrus* sp., 173  
*Parania geniculata*, 174

- Parania pulchra*, 174  
*Phygadeuon* spp., 312  
*Phygadeuon trichops*, 306, 311  
*Pristomerus austrinus*, 174  
*Pristomerus pacificus*, 174  
*Scambus canadensis*, 174  
*Scambus tecumseh*, 174  
*Trathala* sp., 173  
*Trichomma maceratum*, 174
- Megachilidae (leafcutter bees)**  
*Celioxis* sp., 253  
*Megachile rotundata*, alfalfa leafcutter bee, 200, 242, 253, 255-257  
*Megachile umatillensis*, 254
- Melittidae (melittid bees)**  
*Macropis* sp., 339, 341
- Mutillidae (velvet ants)**, 40
- Mymaridae (fairyflies)**, 74  
*Anaphes iole*, 205  
*Anaphes pallipes*, 173  
*Polynema* sp., 205  
*Telenomus* sp., 205
- Platygastridae (platygastrid wasps)**  
*Euxestonotus error*, 307, 309  
*Platygaster* spp., 307  
*Platygaster eubius*, 224  
*Platygaster hiemalis*, 224  
*Platygaster tuberosula*, 307, 309, 315
- Pompilidae (spider wasps)**, 40
- Proctotrupidae (proctotrupid wasps)**, 74  
*Trichopria* sp., 312
- Pteromalidae (pteromalid wasps)**, 74, 99  
*Chlorocytus* sp., 173, 203  
*Erixestus winnemana*, 174  
*Eutrichosoma mirabile*, 174  
*Macroglenes penetrans*, 230, 231, 307, 309, 310, 315  
*Mesopolobus* sp., 173, 174  
*Mesopolobus bruchophagi*, 251  
*Mesopolobus morys*, 306, 312  
*Miscogaster hortensis*, 253  
*Neocatolaccus tylodermae*, 173  
*Pattasson luna*, 243  
*Peridesmia discus*, 243  
*Pteromalus microps*, 305  
*Pteromalus sequester* (*Habrocytus medicaginis*), 251, 252  
*Pteromalus* sp., 173, 174, 203  
*Pteromalus venustus*, 256  
*Stenomalina gracilis*, 306, 312, 315
- Tetrastichus bruchophagi*, 251  
*Trichomalopsis sarcophagae*, 204  
*Trichomalus lucidus*, 203  
*Trichomalus perfectus*, 306, 312  
*Trimeromicrus maculatus*, 174, 251  
*Zatropis incertus*, 173, 174
- Sapygidae (sapygid wasps)**  
*Sapyga* spp., 256
- Scelionidae (scelionid wasps)**, 74
- Sphecidae (digger wasps, mud daubers, sand wasps, sphecid wasps)**  
*Ammophila* spp., 39  
*Eremnophila* spp., 39
- Tiphidiidae (tiphiid wasps)**, 40
- Torymidae (torymid wasps)**  
*Idiomacromerus* spp., 251  
*Liodontomerus longfellowi*, 251  
*Monodontomerus* sp., 256  
*Torymus capillaceus albatarsis*, 174  
*Zaglyptonotus schwarzi*, 174
- Trichogrammatidae (trichogrammatid wasps)**  
*Trichogramma brassicae*, 307, 314  
*Trichogramma inyoense*, 204
- Vespidae (hornets, paper wasps, potter wasps, yellowjackets)**  
*Dolichovespula* spp., 40  
*Polistes* spp., 40  
*Vespula* spp., 40
- ORDER LEPIDOPTERA (BUTTERFLIES, MOTHS)**
- Arctiidae (tiger moths)**  
*Estigmene acrea*, salt marsh caterpillar, 167
- Crambidae (crambid snout moths)**  
*Loxostege sticticalis*, beet webworm, 185, 192, 197, 199  
*Ostrinia nubilalis*, European corn borer, 225, 307, 309, 314
- Elachistidae (grass leafminer moths, grass miners)**  
*Ethmia albicostella*, 33
- Erebidae**  
*Catocala*, 325
- Gelechiidae (gelechiid moths)**  
*Gnorimoschema* spp., 32  
*Metzneria paucipunctella*, 303

**Geometridae (cankerworms, measuringworms)**

- Animomyia hardwicki*, 336  
*Aplocera plagiata*, 297  
*Nacophora quernaria*, oak beauty, 33

**Hesperiidae (skippers)**

- Amblyscirtes oslari*, Oslar's roadside skipper, 348  
*Atrytonopsis hianna*, 326  
*Erynnis martialis*, mottled duskywing, 328, 332, 343  
*Hesperia dacotae*, Dakota skipper, 326, 328, 332, 334, 339, 341-343, 347  
*Hesperia ottoe*, Ottoe skipper, 326, 329, 332, 334, 341-343, 348  
*Hesperia pahaska*, 326, 348  
*Hesperia uncas*, Uncas skipper, 334, 345  
*Megathymus streckeri*, Strecker's giant skipper, 329, 331, 339, 348  
*Notamblyscirtes simius*, Simius roadside skipper 348  
*Oarisma poweshiek*, Poweshiek skipperling, 326, 329, 332, 334, 339, 341-344, 347  
*Pyrgus scriptura*, small checked skipper, 326, 348

**Incurvariidae (fairy moths, incurvarid moths, yucca moths)**

- Prodoxus quinquepunctellus*, five-spotted bogus yucca moth, 329, 332, 339, 341

**Lycaenidae (blues, coppers, gossamer-winged butterflies, hairstreaks, harvester)**

- Callophrys augustinus*, 32  
*Callophrys eryphon*, 32  
*Euphilotes ancilla*, Rocky Mountain dotted blue, 348  
*Lycaena rubidus*, ruddy copper, 32  
*Plebejus melissa*, melissa blue, 32

**Noctuidae (cutworms, underwing moths)**

- Agrotis orthogonala*, pale western cutworm, 184, 187, 196, 197, 219  
*Autographa californica*, alfalfa looper, 185, 192  
*Calophasia lunula*, 297  
*Copablepharon grandis*, pale yellow dune moth, 328, 332, 336, 341  
*Copablepharon longipenne*, dusky dune moth, 32, 328, 332, 336, 341  
*Copablepharon viridis*, 32  
*Coranarta macrostigma*, 32  
*Discestra trifolii*, clover cutworm, 185, 192, 197, 199  
*Euxoa auxiliaris*, army cutworm, 220  
*Euxoa messoria*, darksided cutworm, 160, 184, 187  
*Euxoa ochrogaster*, redbacked cutworm, 160, 161, 184, 187, 196, 197, 219, 220  
*Euxoa tristicula*, early cutworm, 196, 197  
*Faronta diffusa*, wheat head armyworm, 222  
*Feltia jaculifera*, dingy cutworm, 160, 184, 187  
*Grammia phyllira*, 33  
*Grammia margo*, 33  
*Heliothis ononis*, flax bollworm, 197, 199, 204

**Mamestridae**

- Mamestra brassicae*, 308  
*Mamestra configurata*, bertha armyworm, 185, 192, 193, 197, 200, 204, 307, 308  
*Melaporphyria immortua*, dark-banded flower gem, 328, 332

**Mythimnidae (Pseudaletia unipuncta)**

- armyworm, 192, 222  
*Papaipema aweme*, Aweme borer moth, 329, 332, 339, 341, 342

**Peridroma saucia**

- variegated cutworm, 192  
*Schinia avemensis*, gold-edged gem, 32, 33, 329, 332, 341, 342

**Schinia bimatrix**

- white flower moth, 32, 329, 332, 341

**Schinia verna**

- Verna's flower moth, 327, 329, 332

**Stiria rugifrons**

- 33

**Tyria jacobaeae**

- 297

**Notodontidae (notodontid moths, prominents)**

- Schizura ipomoeae*, oak-maple humped caterpillar, 33

**Nymphalidae (admirals, anglewings, brush-footed butterflies, checker-spots, crescent-spots, fritillaries, mourningclocks, purples)**

- Chlosyne lacinia*, 167  
*Danaus plexippus*, monarch, 328, 331, 342, 349  
*Erebia magdalena*, magdalena alpine, 333  
*Euptoieta claudia*, variegated fritillary, 197, 198  
*Limenitis weidemeyerii*, Weidemeyer's admiral, 329, 331, 333, 339, 342, 348  
*Neominois ridingsii*, Ridings' satyr, 334, 345, 348  
*Speyeria edwardsii*, Edwards' fritillary, 326, 342, 345, 348  
*Speyeria idalia*, Regal fritillary, 326, 329, 331, 342, 343, 348  
*Vanessa cardui*, thistle caterpillar, painted lady butterfly, 166, 167, 192, 305

**Oecophoridae (oecophorid moths)**

- Endrosis sarcitrella*, white-shouldered house moth, 279, 280, 282  
*Hofmannophila pseudospretella*, brown house moth, 279, 280, 282

**Papilionidae (swallowtail butterflies)**

- Papilio machaon pikei*, Pike's Old World swallowtail, 334, 348

**Phycitidae**

- Plodia interpunctella*, 267, 283, 284

**Plutellidae (diamondback moths)**

- Plutella xylostella*, diamondback moth, 185, 191, 203, 204

**Prodoxidae (yucca moths)**

- Tegeticula corruptrix*, non-pollinating yucca moth, 329, 339, 341

- Tegeticula yuccasella*, yucca moth, 328, 333, 341
- Pterolonchidae (lance-wing moths)**  
*Pterolonche inspersa*, 300, 303
- Pyralidae (grass moths, snout moths)**, 99  
*Homoeosoma electellum*, sunflower moth, 160, 163, 169, 174  
*Pyralis farinalis*, meal moth, 276, 278
- Riodinidae (metalmark butterflies)**  
*Apodemia mormo*, Mormon metalmark, 326, 328, 332, 335, 339, 348
- Saturniidae (giant silkworm moths, royal moths)**  
*Hemileuca nevadensis*, Nevada buck moth, 33
- Scythrididae (scythrid moths)**  
*Areniscyphris brachypterus*, 32
- Sphingidae**  
**(hawk moths, hornworms, sphinx moths)**  
*Hemaris gracilis*, 33  
*Hyles euphorbiae*, 298  
*Sphinx drupiferarum*, plum sphinx, plum tree, sphinx, wild cherry sphinx, 33  
*Sphinx lucitiosa*, 33
- Tineidae (clothes moths)**  
*Haplolinaea ditella*, 279  
*Nemapogon granella*, European grain moth, 278, 279, 281-283
- Tortricidae (tortrix moths)**  
*Agapeta zoegana*, 303  
*Cochylis arthuri*, 168  
*Cochylis atricapitana*, 297  
*Cochylis hospes*, banded sunflower moth, 160, 163, 167, 168, 173  
*Eucosma fandana*, 33  
*Eucosma fernaldiana*, 33  
*Lobesia euphorbiana*, 298  
*Pelochrista medullana*, 303  
*Suleima helianthana*, sunflower bud moth, 163, 168
- ORDER MEGALOPTERA**  
**(ALDERFLIES, DOBSONFLIES, FISHFLIES)**
- Sialidae (alderflies)**  
*Sialis californica*, 155  
*Sialis cornuta*, 155  
*Sialis hamata*, 155  
*Sialis velata*, 155

**ORDER NEUROPTERA**  
**(ANTIONS, LACEWINGS, MANTIDFLIES, OWLFLIES, SPONGILLAFLIES)**

- Chrysopidae (green lacewings)**, 205, 231, 245  
*Chrysoperla carnea*, common green lacewing, 174
- Hemerobiidae (brown lacewings)**, 231
- Myrmeleontidae (antions)**  
*Brachynemurus* sp., 33  
*Myrmeleon* sp., 33
- Sisyridae (spongillaflies)**, 99, 155

**ORDER ODONATA**  
**(DAMSELFLIES, DRAGONFLIES)**, 152

- Aeshnidae (darner)**, 98  
*Aeshna interrupta*, variable darner, 104  
*Aeshna tuberculifera*, black-tipped darner, 150
- Calopterygidae (Agrionidae) (broad-winged damselflies)**, 98  
*Calopteryx (Agrion) aequabile*, 151
- Coenagrionidae (narrow-winged damselflies, pond damsels)**, 99  
*Coenagrion* spp., 31  
*Coenagrion angulatum*, prairie bluet, 104  
*Coenagrion resolutum*, taiga bluet, 152  
*Enallagma* spp., 31  
*Enallagma ebrium*, marsh bluet, 104
- Corduliidae (emeralds, green-eyed skimmers)**, 99  
*Somatochlora ensigera*, plains emerald, 326
- Gomphidae (clubtails)**, 99  
*Gomphus externus*, plains clubtail, 326  
*Ophiogomphus rupinsulensis*, rusty snaketail, 151  
*Ophiogomphus severus*, pale snaketail, 31, 151  
*Stylurus (Gomphus) intricatus*, brimstone clubtail, 31, 151, 326  
*Stylurus notatus*, 343

- Lestidae (spread-winged damselflies)**, 99  
*Lestes* spp., 31

- Libellulidae (common skimmers)**, 99  
*Sympetrum* spp., 31

**ORDER ORTHOPTERA (CRICKETS,  
GRASSHOPPERS, KATYDIDS, LOCUSTS)**

- Acriidae**  
**(grasshoppers, short-horned grasshoppers)**  
*Acrolophitus hirtipes*, 31  
*Aeropedellus clavatus*, club-horned grasshopper, 221  
*Amphitornus coloradus*, 31  
*Arphia pseudonietana*, 31  
*Cannula pellucida*, clearwinged grasshopper, 167, 205, 220, 221  
*Cordillacris occipitalis*, 31  
*Cratypedes neglectus*, 31  
*Hesperotettix* spp., 31  
*Hypochlora alba*, greenish-white grasshopper, 329, 330, 339, 341  
*Melanoplus angustipennis*, 31  
*Melanoplus differentialis*, differential grasshopper, 167  
*Melanoplus bivittatus*, two-striped grasshopper, 167, 184, 197, 220, 221  
*Melanoplus femur-rubrum*, red-legged grasshopper, 167  
*Melanoplus flavidus*, 31  
*Melanoplus gladstoni*, 31  
*Melanoplus packardii*, Packard grasshopper, 31, 220, 221  
*Melanoplus sanguinipes*, migratory grasshopper, 31, 167, 184, 205, 220, 221  
*Melanoplus spretus*, Rocky Mountain grasshopper, 327, 341  
*Orphulella pelidna*, 31  
*Orphulella speciosa*, 31  
*Psoloessa delicatula*, 31, 142  
*Spharagemon bolli*, 31  
*Spharagemon collare*, 31  
*Spharagemon equale*, 31  
*Trachyrhachys kiowa*, 31  
*Trimerotropis agrestis*, 31
- Tetrigidae (grouse locusts, pygmy grasshoppers,  
pygmy locusts)**  
*Tettix subulata*, 153  
*Tettigidea lateralis*, black-sided grouse locust, 153
- Tettigonidae (katydids, long-horned grasshopper)**  
*Scudderia pistillata*, 31
- Trigonidiidae**  
*Allonemobius allardi*, 31  
*Allonemobius griseus*, gray ground cricket, 31

**ORDER PHTHIRAPTERA (LICE), 62****ORDER PLECTOPTERA (STONEFLIES)**

- Pteronarcyidae (giant stoneflies)**  
*Pteronarcella badia*, 141  
*Pteronarcys californica*, 141  
*Pteronarcys dorsata*, 125, 140
- Taeniopterygidae (winter stoneflies)**  
*Capnia gracilaria*, 141  
*Capnia vernalis*, 125, 141  
*Isocapnia crinata*, 141  
*Isocapnia missouri*, 141  
*Oemopteryx fosketti*, 125, 141  
*Taeniopteryx nivalis*, 141  
*Utacapnia trava*, 141
- Nemouridae (spring stoneflies)**  
*Amphinemoura linda*, 142  
*Malenka californica*, 142  
*Nemoura richeri*, 142  
*Podmosta delicatula*, 142  
*Shipsa rotunda*, 125, 142  
*Zapada cinctipes*, 142
- Leuctridae (rolled-winged stoneflies)**  
*Leuctra ferruginea*, 142  
*Paraleuctra vershina*, 142
- Chloroperlidae (green stoneflies)**  
*Haploperla (Hastaperla) brevis*, 142  
*Sutwalia lineosa*, 142
- Perlidae (common stoneflies)**  
*Acroneuria abnormis*, 125, 142  
*Acroneuria lycorias*, 142  
*Claassenia sabulosa*, 125, 142  
*Hesperoperla pacifica*, 142  
*Perlesta placida*, 142
- Perlodidae (perlodid stoneflies)**  
*Isogenoides colubrinus*, 125, 143  
*Isogenoides frontalis*, 143  
*Isoperla bilineata*, 125, 143  
*Isoperla decolorata*, 125, 143  
*Isoperla longiseta*, 125, 143  
*Isoperla marlynia*, 143  
*Isoperla quinquepunctata (patricia)*, 125, 143  
*Isoperla transmarina*, 125, 143  
*Skwala parallela*, 143
- ORDER THYSANOPTERA (THRIPS)**
- Thripidae (common thrips)**, 202  
*Aeolothrips fasciatus*, 196, 229  
*Anaphothrips obscurus*, grass thrips, 229  
*Frankliniella occidentalis*, western flower thrips, 229

*Frankliniella tritici*, flower thrips, 183, 185, 196, 229  
*Limothrips denticornis*, barley thrips, 229  
*Thrips tabaci*, onion thrips, 183, 196  
*Thrips vulgarissimus*, 196

#### ORDER TRICHOPTERA (CADDISFLIES), 144

**Brachycentridae**  
**(humpless case-maker caddisflies)**  
*Brachycentrus occidentalis*, 127, 146

**Glossosomatidae (saddle case-maker caddisflies)**  
*Culoptila (Protoptila) cantha*, 125, 143  
*Protoptila tenebrosa*, 125, 143

**Hydropsychidae (net-spinning caddisflies)**  
*Ceratopsyche alternans (Hydropsyche recurvata)*,  
 126, 144  
*Ceratopsyche (Hydropsyche) bronta*, 126, 144  
*Ceratopsyche morosa (Hydropsyche bifida)*, 126, 144  
*Cheumatopsyche campyla*, 126, 145  
*Cheumatopsyche lasia*, 126, 145  
*Cheumatopsyche speciosa*, 126, 145  
*Hydropsyche guttata*, 126, 144  
*Hydropsyche occidentalis*, 126, 144  
*Hydropsyche placoda*, 126, 144

**Hydroptilidae (micro-caddisflies)**, 99  
*Agraylea multipunctata*, 126, 145  
*Hydroptila ajax*, 126, 145  
*Hydroptila angusta*, 126, 145  
*Hydroptila consimilis*, 127, 145  
*Hydroptila spatulata*, 127, 145  
*Mayatrichia ayama*, 127, 145  
*Neotrichia ersitis*, 127, 145  
*Neotrichia halia*, 127, 145

**Leptoceridae (long-horn caddisflies)**, 99  
*Ceraclea (Athripsodes) annulicornis*, 127, 145  
*Ceraclea (Athripsodes) arielles*, 127, 145  
*Ceraclea tarsipunctata (Athripsodes tarsipunctatus)*,  
 127, 145

*Nectopsyche diarina*, 127, 146  
*Nectopsyche exquisita*, 127, 146  
*Nectopsyche gracilis (intervena)*, 127, 146  
*Oecetis avara*, 127, 146  
*Oecetis inconspicua*, 127, 146  
*Ylodes (Triaenodes) frontalis*, 127, 146

**Limnephilidae (northern caddisflies)**, 99  
*Anabolia bimaculata*, 127, 145  
*Asynarchus lapponicus (curtis)*, 127, 145  
*Onocosmoecus unicolor*, 127, 145

#### Molannidae (hood case-maker caddisflies), 99

**Phryganeidae (giant case-maker caddisflies)**, 99  
*Phryganea cinerea*, 127, 145

**Polycentropodidae (trumpet-net caddisflies,  
 tube-making caddisflies)**, 99  
*Neureclipsis bimaculata*, 126, 144  
*Neureclipsis crepuscularis*, 126, 144

**Psychomyiidae (trumpet-net caddisflies,  
 tube-making caddisflies)**, 99  
*Psychomyia flava*, 126, 144

## Species Index for Plants

### **Agavaceae**

*Yucca glauca*, soapweed or Great Plains yucca, 339, 344

### **Amaranthaceae (pigweeds)**

*Amaranthus* spp., pigweed, 165

### **Asclepiadaceae**

*Asclepias* spp., 349

### **Asteraceae (sunflowers)**

*Achillia millefolium*, common yarrow, 249  
*Actinomerus* sp., 170  
*Ambrosia* spp., bursage or ragweed, 249  
*Ambrosia artemisiifolia*, ragweed, 165, 248  
*Ambrosia trifida*, giant ragweed, 165  
*Antennaria*, pussytoes, 327  
*Arctium* spp., burdock, 166  
*Artemisia* sp., sagebrush or wormwood, 247, 249  
*Artemesia canadensis*, 248  
*Artemesia ludoviciana*, white sage, 339  
*Aster*, aster, 247  
*Balsamorhiza* sp., balsamroot, 170  
*Brickellia oblongifolia*, narrowleaf brickellbush, 249  
*Carduus* spp., plumeless thistle, 166, 301  
*Carduus acanthoides*, spiny plumeless thistle, 301, 304, 314  
*Carduus nutans*, nodding plumeless thistle, 301, 304, 314  
*Carthamus tinctorius*, safflower, 183  
*Centaurea diffusa*, diffuse knapweed, 294, 302  
*Centaurea repens*, Russian knapweed, 165  
*Centaurea stoebe* ssp. *micranthos*, spotted knapweed, 294, 301, 302  
*Chrysothamnus* sp., rabbitbrush, 170  
*Cirsium* spp., thistle, 166, 301, 304, 305  
*Cirsium arvense*, Canada thistle, 105, 168, 301, 304, 305  
*Cirsium flodmanii*, Flodman's thistle, 305  
*Cirsium palustre*, 304  
*Cirsium undulatum*, wavyleaf thistle, 305  
*Cirsium vulgare*, 304  
*Coreopsis tinctoria*, golden tickseed or plains coreopsis, 174  
*Dahlia* sp., dahlia, 170  
*Encelia* spp., brittlebush, 170  
*Eriophyllum lanatum*, woolly sunflower, 170  
*Gaillardia pulchella*, Indian blanket, 174  
*Helianthella uniflora*, oneflower helianthella, 170  
*Helianthus* spp., 166, 168, 169, 171, 173, 174  
*Helianthus annuus*, annual sunflower, 159, 162, 174  
*Helianthus anomalous*, 162  
*Helianthus argophyllus*, 162  
*Helianthus ciliaris*, 162  
*Helianthus debilis*, 162

*Helianthus deserticola*, 162

*Helianthus floridanus*, 162

*Helianthus giganteus*, 162

*Helianthus gracilentus*, 162

*Helianthus grosseserratus*, 162

*Helianthus hirsutus*, 162

*Helianthus maximiliani*, 162

*Helianthus niveus*, 162

*Helianthus nuttallii*, 162

*Helianthus occidentalis*, 162

*Helianthus paradoxus*, 162

*Helianthus pauciflorus*, 162

*Helianthus petiolaris*, 162

*Helianthus praecox*, 162

*Helianthus tuberosus*, 162

*Heliopsis helianthoides*, heliopsis sunflower or oxeye, 171

*Hemizonia luzulaefolia*, 249

*Lygodesmia juncea*, skeletonweed, 27

*Madia* spp., tarweed, 249

*Onopordum* spp., cotton thistle, 301

*Senecio (Packeria) aureus*, golden ragwort, 165  
*Silphium perfoliatum*, cupleaf or squarestem

robinweed, 172

*Silphium terebinthaceum*, prairie rosinweed, 172

*Solidago* spp., goldenrod, 247-249

*Sonchus arvensis*, perennial sowthistle, 165, 297

*Veronica interior*, ironweed, 171

*Wyethia* spp., mule-ears, 170

*Xanthium strumarium*, cocklebur, 165

### **Boraginaceae (borage)**

*Cynoglossum officinale*, houndstongue, 294, 295, 299

### **Brassicaceae (mustards)**

*Brassica juncea*, brown mustard, oriental mustard, 182, 186, 187, 191

*Brassica napus*, canola, 167, 181, 182, 186, 191, 199, 200, 250, 308

*Brassica rapa*, rape mustard, 181, 182, 186, 191, 199, 200, 250

*Camelina sativa*, camelina, 183

*Descurainia pinnata*, tansy mustard, 231

*Descurainia sophia*, flixweed, 190, 191

*Lepidium draba*, hoary cress, 190

*Sinapis alba*, yellow mustard, 182, 186, 187, 191, 192

*Sinapis arvensis*, wild mustard, 190

### **Cactaceae (cactus)**

*Opuntia* spp., pricklypear, 32

### **Caprifoliaceae (honeysuckles)**

*Symporicarpos occidentalis*, western snowberry or wolfberry, 249

**Chenopodiaceae (goosefoots)**

*Chenopodium album*, lamb's quarters or white goosefoot, 165  
*Kochia scoparia*, kochia, 165

**Clusiaceae**

*Hypericum perforatum*, St. John's wort, 294, 295

**Cyperaceae (sedges)**

*Carex* spp., sedges, 105  
*Carex atherodes*, awned or wheat sedge, 94  
*Schoenoplectus acutus*, hardstem bulrush, 94

**Ericaceae (heaths)**

*Arctostaphylos* spp., bearberry or manzanita, 32

**Euphorbiaceae (spurges)**

*Euphorbia cyparissias*, cypress spurge, 300  
*Euphorbia esula*, leafy spurge, 294, 298, 300, 338, 342

**Fabaceae (Leguminosae)**

*Astragalus cicer*, cicer milkvetch, 241  
*Caragana arborescens*, caragana, 189  
*Cassia* spp., cassia, 172  
*Coronilla varia*, crownvetch, 241  
*Glycine max*, soybean, 167  
*Lotus corniculatus*, birdsfoot trefoil, 241  
*Medicago* spp., alfalfa, 241, 308  
*Medicago lupulina*, black medic, 243  
*Medicago sativa*, alfalfa, 172, 243  
*Melilotus* spp., sweetclover, 241  
*Melilotus alba*, white sweetclover, 243  
*Melilotus officinalis*, yellow sweetclover, 243  
*Onobrychis viciifolia*, sainfoin, 241  
*Pisum sativum*, sugar snap pea or garden pea, 191  
*Psoralea (Psoralidium) lanceolata*, lemon or dune surfpea, 27, 30, 32  
*Trifolium hybrida*, alsike clover, 241, 243  
*Trifolium incarnatum*, crimson clover, 243  
*Trifolium pratense*, red clover, 165, 241, 243  
*Trifolium repens*, white clover, 241, 243

**Haloragaceae (water milfoils)**

*Myriophyllum sibiricum*, watermilfoil, 107

**Linaceae (flax)**

*Linum usitatissimum*, flax, 183

**Plantaginaceae (plantains)**

*Linaria dalmatica*, dalmatian toadflax, 294, 296, 299  
*Linaria vulgaris*, yellow toadflax, 296, 305

**Poaceae (grasses)**

*Agropyron* spp., wheatgrass, 224  
*Agropyron cristatum*, crested wheatgrass, 6, 342  
*Ammophila arenaria*, European beachgrass, 40

*Avena sativa*, common or wild oats, 217

*Bromus* spp., brome, 224  
*Bromus inermis*, smooth bromegrass, 16, 342  
*Calamovilfa longifolia*, sand grass or prairie sandreed, 27

*Elymus* spp., wildrye, 224  
*Festuca campestris*, rough fescue grass, 12  
*Festuca hallii*, plains rough fescue, 16  
*Hordeum jubatum*, foxtail barley, 105  
*Hordeum vulgare*, barley or cereal barley, 217, 229  
*Oryzopsis (Achnatherum) hymenoides*, Indian ricegrass, 27  
*Phalaris arundinacea*, reed canarygrass, 105  
*Phleum pratense*, timothy, 17, 222, 224  
*Poa palustris*, fowl bluegrass, 94  
*Poa pratensis*, Kentucky bluegrass, 16  
*Secale cereale*, cereal rye or rye, 217, 229  
*Triticum aestivum*, bread wheat or wheat, 217, 229  
*Triticum turgidum* var. *durum*, durum wheat, 217  
*Zea mays*, corn, 229

**Polygonaceae (knotweeds)**

*Eriogonum niveum*, snow buckwheat, 339  
*Eriogonum pauciflorum*, few-flower wild buckwheat, 339  
*Rumex venosus*, veiny dock, 27, 30, 32

**Potamogetonaceae (pondweeds)**

*Stuckenia pectinata*, sago pondweed, 107

**Primulaceae (primroses)**

*Lysimachia* spp., loosestrife or yellow loosestrife, 339  
*Oenethera pallida*, evening primrose, 254

**Rosaceae (roses)**

*Crataegus* spp., hawthorns, 247  
*Cydonia* spp., cydonia, 247  
*Malus* spp., apples, 247  
*Potentilla fruticosa*, shrubby cinquefoil, 248, 249  
*Prunus virginiana*, chokecherry, 37

**Salicaceae (willows)**

*Populus tremuloides*, trembling or aspen poplar, 14

**Solanaceae (nightshades)**

*Solanum tuberosum*, Irish potato, 311

**Typhaceae**

*Typha latifolia*, broadleaf cattail, 94

## Subject Index

- A**
- alfalfa leafcutting bee, 200, 254-257
    - parasites and pathogens of, 256
  - antelope, pronghorn, 18, 60
  - animal unit, definition, 46
- B**
- biological control, biocontrol
    - agents released against weeds, 293-305
    - agents released against insects, 305-314
    - ecological impact, 314-315
    - rationale, 292
    - selection of agents and approval process, 292-293
  - birds, 47, 47
    - as food for insects, 150
    - grebes, 101
    - lesser prairie-chicken, 18
    - lesser scaup, 101
    - magpies, 61
    - red grouse, 18
    - red-winged blackbird, 101
    - yellow-headed blackbird, 101
    - Sprague's pipit, 17
  - bison, 2, 11, 12, 14, 29, 60, 63, 85, 336, 338, 339, 341
  - black flies, 50-51
  - bot flies, 59-61
- C**
- Canadian Grain Act, 269
  - Canadian Pacific Railway (CPR), 2, 3, 4, 6
  - cattle grub, 59-61, 82
  - chem-fallow, 9
  - climate change, 339
  - conservation, 324-336
  - Committee on the Status of Endangered Wildlife in Canada (COSEWIC), 17, 32, 324, 325, 327, 328, 335, 339, 340, 343, 347, 348
  - crested wheat grass, 6, 14-16, 235, 342
  - crustaceans, 98, 101
- D**
- deer flies (see tabanid flies)
  - development, effects on grasslands, 4, 5, 6, 15, 16, 17, 103
  - disease or causative agents
    - of insects,
      - Bacillus thuringiensis*, 338
      - chalkbrood fungus, 256, 257
      - Pandora neoaphidis*, 246
    - of plants,
      - charcoal stem rot, 165
      - Phoma black stem, 164
      - sooty molds, 167
      - spring black stem, 253
      - yellow aster, 195, 200, 228, 229
- E**
- drought, 2, 6, 9, 14, 17, 27, 41, 106
  - dung, cattle
    - as insect habitat (see chapter 3)
    - effect on pasture productivity, 73
- F**
- earthworms, 71, 79, 104, 344, 147
  - elevators (see grain storage)
  - endangered species
    - notes on prairie butterflies, 347-349
    - of global concern, 343
    - specific threats to, 339-343
    - legislation,
      - in Alberta, 333
      - in British Columbia, 333-334
      - in Canada, 324-332
      - in Manitoba, 334
      - in Saskatchewan, 334-336
  - face fly, 53, 54, 55, 73, 80, 85
  - farming, 6-9
    - crop rotation, 9, 10, 160, 239, 305
    - cropping practices, 7-9
    - dryland farming, 4
    - strip farming, 9
  - feedlots, 12-13, 53, 72
  - fire, 12, 29, 334
    - interaction with bison, 11
    - role in maintaining grassland, 14, 336, 338, 340, 341
    - threat to endangered species, 341
  - fish, 101, 327, 334
    - brook stickleback, 108
    - fathead minnow, 108
    - rainbow trout, 108
  - forage production (see chapter 10)
  - frogs
    - leopard frog, 107, 108
    - wood frog, 107, 108
    - gray tree frog, 108
- G**
- Gardiner Dam, 5, 121
  - gastropod, 98, 101, 102, 104, 106
  - grain
    - annual production in Canada, 269
    - ecosystem of bulk grain, 268
    - production by province, 219
    - storage structures, 270, 272-274
  - Grasslands National Park, 335, 336
  - grazing by cattle (and see ranching), 9, 15, 16, 45, 46, 103-104
    - effect on wetlands, 103
    - overgrazing, 12, 292

grazing by invertebrates, 102

## H

Hind, Henry Youle, 2, 4  
 herbicides (see pesticides)  
 homesteading, 4, 5, 6  
 Homestead Act, 6  
 honey bee, 172, 173, 200, 206, 253-256  
 Hooper, Ron, 337  
 horn fly, 53, 55-56, 73, 78, 80, 85  
 horse flies (see tabanid flies)  
 Hudson's Bay Company, 2, 3

## I

immigration, 2, 3  
 insecticides (see pesticides)  
 invasive species (also see crested wheat grass), 16  
     biological control of, see chapter 12  
     factors contributing to, 17  
     in cereal crops, see chapter 9  
     in legume forage crops, chapter 10  
     in oilseed crops, see chapter 8  
     of wetlands, 105  
     on livestock, 60  
 irrigation  
     for crop production, 5, 8, 13, 18  
     as insect breeding sites, 47, 48, 49, 63

## L

Lake Diefenbaker, 5, 121

## M

Macoun, John, 2, 3  
 Manitoba dragonfly survey, 335  
 mites, 30, 61, 62, 71, 75, 77, 79, 242, 256  
     as pests of cereals, 229-230  
     associated with stored grain, 284-287  
     phoretic on dung insects, 83-84

## N

National General Status Working Group (NGSWG),  
     324  
 nematodes  
     in cattle dung, 71, 77, 82, 83  
     *Stephanofilaria stilesi*, 56  
     *Thelazia* eyeworms, 55  
 NatureServe Canada, 325, 336, 348  
 Noble, Charles, 9  
 Northern Pacific Railroad, 2  
 North West Company, 2  
 North West Mounted Police, 2, 4

## O

Oligochaetes (see earthworms)  
 Ord's kangaroo rat, 17, 18, 29, 30, 38

## P

Palliser, John, 2, 3, 4  
 Palliser Triangle, 2  
 parasites of insects, 77, 285  
     of flies, 38  
     of rodents, 38  
     of wasps and bees, 38, 40, 79, 341  
 parasites of livestock, 82  
     blood-feeding flies, 47-56  
     endoparasites, 59-61  
     field ectoparasites, 56-59  
     host ectoparasites, 61-63  
 pastures, types of, 7, 46, 240, 292  
 pesticides, 106-108, 338  
     as threats to endangered species, 340, 342, 345  
     effects on aquatic insects, 128  
     herbicides, 9, 14, 199, 293, 294  
     insecticides, 160, 195, 206, 244, 246, 257, 309,  
     312  
     residues in cattle dung, 82-83  
 phoresy, 83-84  
 pocket gophers, 29  
 pollination, 172-173, 200-202, 206, 240, 242, 253-  
     255  
 Poweshiek skipperling, 343, 344  
 Prairie Farm Rehabilitation Administration (PFRA),  
     14, 16

## R

ranching, 4, 11-13  
 Rupert's Land, 2, 6

## S

sand dunes, 338, 341 (and see chapter 2)  
 Species at Risk Act (SARA), 19, 325, 327, 349  
 settlement, history of, 2-4  
 sheep ked, 61, 62, 63  
 snail (see gastropod)  
 snakes  
     bullsnake, 17  
     prairie rattlesnake, 17  
 soil  
     compaction, 17, 102, 103, 241  
     erosion, 7, 9, 12, 25, 29, 93, 104, 239, 241, 338  
 soil zones  
     black soil zone, 10, 11  
     brown soil zone, 9-10  
     dark brown soil zone, 10  
     gray and dark gray soil zones, 10, 11  
 spotted salamander, 108  
 squirrel, thirteen-lined ground, 29  
 stable flies, 53, 54, 56, 73, 80, 83, 85  
 stocking rates for cattle, 12, 13, 46, 79  
 stored-product insects, 274  
     in on-farm storage, 275-277  
     in railcars and elevators, 277, 282  
     in processing facilities, 282-284

Suffield, Canadian Forces Base (CFB), 5-6, 15, 17,  
26, 29  
summerfallow, 6, 7, 8, 9, 10, 11  
symbiotic bacteria, 63, 76, 244

**T**

tabanid flies, 51-53  
ticks, 30, 56-59, 82

**V**

viruses

- of vertebrates,
  - West Nile virus, 48
  - bluetongue, 49-50
  - epizootic haemorrhagic disease, 49-50
  - vesicular stomatitis, 49-50
- of plants,
  - barley yellow dwarf virus, 228, 229
  - barley yellow streak mosaic virus, 230
  - soybean dwarf virus, 247
  - verticillium wilt, 245
  - wheat striate mosaic virus, 229

**W**

warble fly, see cattle grub  
weeds (see invasive species)  
wetlands, 5 (and see chapter 5)