

Enumeratio nova Coleopterorum Fennoscandiae, Daniae et Baltiae

Hans Silfverberg

Silfverberg, H. 2004: *Enumeratio nova Coleopterorum Fennoscandiae, Daniae et Baltiae*. — *Sahlbergia* 9:1-111. Helsinki, Finland, ISSN 1237-3273.

A revised check-list is presented of the Coleoptera of northern Europe (Finland, Sweden, Norway, Denmark, Estonia, Latvia, Lithuania and the Fennoscandian parts of Russia).

Hans Silfverberg, Zoological Museum, P.O.Box 17, FI-00014 University of Helsinki; E-mail: hans.silfverberg@helsinki.fi

Esipuhe

Edellisen pohjoismaisen kovakuoriaisluettelon ilmestymisestä on kulunut toistakymmentä vuotta, ja niin systematiikan kuin faunistiikan alalla on tapahtunut paljon sen jälkeen. Näin ollen aika on kypsä uutta luetteloaa varten. Uuden luettelon järjestys perustuu maailmallia nyt jo laajalti omaksuttuun systeemiin, jonka Lawrence & Newton (1995) esittivät. Uutuudet luettelossa perustuvat pääasiassa jo julkaistuihin tietoihin, Suomen kohdalla on kuitenkin mukana joukko lajeja jotka on ilmoitettu kokouksissa (Liite 1), mutta joiden löydöistä ei vielä ole painettua tietoa.

Maat ilmoitetaan samoin kuin ennen, näin ollen F = Suomi, K = Venäjän fennoskandiset osat, S = Ruotsi, N = Norja, D = Tanska, E = Viro, A = Latvia ja I = Liettua (Kuva 1). Erona aikaisempaan vakiintumattomat importtilajit ilmaistaan kyseisen maan pienellä kirjaimella, siten f = importtilaji Suomessa; näissä on pääasiassa huomioitu useita kertoja kulkeutuneet, sekä lähialueilta tulleet lajit.

Förord

Sedan den föregående nordiska skalbaggskatalogen utkom har över ett decennium gått, och mycket har hänt inom såväl systematik som faunistik. Detta gör att tiden är mogen för en ny katalog. Denna är ordnad enligt det system Lawrence & Newton (1995) uppställt, och som redan accepterats i stora delar av världen. De nya uppgifterna i katalogen baseras i huvudsak på publicerad information, för Finlands del ingår

emellertid ett antal arter som anmälts på möten (Appendix 1), men för vilka uppgifter ännu inte kommit i tryck.

Länderna anges på samma sätt som förr, d.v.s. F = Finland, K = ryska delarna av Fennoscandien, S = Sverige, N = Norge, D = Danmark, E = Estland, A = Lettland och I = Litauen (Bild 1). En skillnad är att icke etablerade importarter nu anges med liten bokstav för respektive land (t.ex. f = import till Finland); av dessa har huvudsakligen medtagits ofta inkomna arter, samt sådana som kommit från närliggande områden.

Introduction

A check-list of northern European Coleoptera was published in 1992 (Silfverberg 1992), and after that much has happened both in systematics and in faunistics. A new list is thus appropriate. In general structure this list agrees with the previous one, but some comments on different aspects may be in order.

The countries or regions are indicated in the same way as before, that is F = Finland, K = Russian part of Fennoscandia, S = Sweden, N = Norway, D = Denmark, E = Estonia, A = Latvia and I = Lithuania (Figure 1). As a change from the previous arrangement, imported, unestablished species are now indicated with a lower case letter for the area in question (f = imported to Finland, etc.). There has been no attempt to include all imported species; mainly the frequent ones and those imported from nearby areas are mentioned.



Kuva 1. Luettelossa käytetyt maakohtaiset lyhenteet.
Bild 1. De landsvisa förkortningarna som används i katalogen.

Figure 1. Abbreviations of the countries as used in the catalogue.

The previous list was arranged systematically using the system gradually created by R. Crowson in numerous works. A number of changes were introduced by Lawrence & Newton (1995), and this revised system has already been used widely. It is generally accepted here, too. In some cases the intrafamilial classification is based on still more recent works, so for instance in Adephaga the new Palaearctic catalogue (Löbl & Smetana 2003), in Staphylinidae the catalogue of Herman (2001), in Erotylidae the revision by Węgrzynowicz (2002) and in Curculionidae to a large extent the catalogue of Alonso-Zarazaga & Lyal (1999).

In Staphylinidae many generally used names have been found to be invalid for various reasons (Herman 2001). In order to avoid confusion applications were made (particularly Herman 2002) to the International Commission on Zoological Nomenclature for the preservation a large number of such names, and accordingly customary use has been retained in this catalogue.

There are no objective criteria for deciding the extent of genera, and therefore we can see

quite different approaches in different works. Recent work in some families has led to heavy splitting, and although such an arrangement can be assumed to give a more detailed picture of systematic relationships, I prefer to have the generic level more equal in different families. Thus the treatment of, for instance, Cerambycidae and Apionidae is relatively conservative.

Authors of family-group names were discussed by Lawrence & Newton (1995), and this list generally follows them. Yet many tribal names were not included in their work, and it is quite possible that some of such names will be found to have another author than the one suggested here.

The changes to the previous catalogue are primarily based on published papers. Most of them have been mentioned in Silfverberg (1997) or Silfverberg (2003), some further are listed in references below. The status of some Danish species has been changed in accordance with Hansen (1996). There have been many recent advances in Latvian coleopterology, resulting in a check-list of Latvian beetles (Telnov *et al.* 1997, revised 2002), and the Latvian fauna is mostly listed according to that catalogue. In the previous list there were several species with a B for country, meaning either Estonia or Latvia. Those records that could not be assigned to one country or the other have now been omitted. Concerning the Latvian fauna, the assistance given by A. Barševskis should be specially acknowledged.

Some records that have not yet been published are also included. A few species are reported as new to Estonia in a paper by I. Rutanen, soon to be published. A number of species have been reported from Finland in meetings of scientific societies, but have not yet been published in print. They are listed in the Appendix 1, with a reference to the reporter of the species.

References

- Alonso-Zarazaga, M. A. & Lyal, C. H. C. 1999: A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (Except-

- ing Scolytidae and Platypodidae). — Entomopraxis, Barcelona, 315 p.
- Andersen, J., Hanssen, O. & Ødegaard, F. 2003: *Baranowskiella ehnstromi* Sörensson, 1997 (Coleoptera, Ptiliidae), the smallest known beetle in Europe, recorded in Norway. — Norw. Journ. Entomol. 50:139–141.
- Assing, V. 2003a: A revision of *Calodera* Mannerheim. II. A new species, new synonyms, and additional records (Coleoptera: Staphylinidae: Aleocharinae). — Beitr. Entomol. 53:217–230.
- Assing, V. 2003b: On the taxonomy od *Gyrohypnus* Leach: New synonymies, new species, and a key to the Western palaearctic and Middle Asian representatives of the genus (Insecta: Coleoptera: Staphylinidae). — Entomol. Bl. 99:55–81.
- Barševskis, A. 2002a: Catalogue of Latvian adephagous beetles (Coleoptera: Adephaga). — Acta Biol. Univ. Daugavpils 2:1–102.
- Barševskis, A. 2002b: Vaboļu kārta (Coleoptera). — In: Barševskis, A. & al. (eds.) Silenes dabas parka fauna, flora un vegetācija, Baltijas Koleopterologijas instituts, Daugavpils, p. 37–60.
- Barševskis, A. 2003: Latvijas skrejvaboļes (Coleoptera: Carabidae, Trachypachidae & Rhysodidae). — Baltic Inst. Coleopterol., Daugavpils, 264 p.
- Barševskis, A., Savenkovs, N. & Valainis, U. 2003: Materiāli par dažam retām un mazpazīstamam vaboļu (Coleoptera) sugām latvijas faunā. — 2. Internat. Conf. “Research and conservation of biological diversity in Baltic Region”, Daugavpils. Book of Abstr., p. 19–20.
- Birkemoe, T. 2002: *Lixus iridis* (Olivier) (Coleoptera, Curculionidae) in Norway. — Norw. Journ. Entomol. 49:153.
- Cibuļskis, R. 2002a: Distribution and ecology of Noteridae and Dytiscidae (Coleoptera) in the Daugavpils district. — Latvijas Entomologs 39:70–78.
- Cibuļskis, R. 2002b: Distribution and ecology of Oxyteline rove beetles (Coleoptera, Staphylinidae) in Latvia. — Latvijas Entomologs 39:80–91.
- Cibuļskis, R. & Petrova, V. 2002: New species of rove beetles (Coleoptera: Staphylinidae) in fauna of Latvia from Pure. — Acta Biol. Univ. Daugavpils 2:103–104.
- Cibuļskis, R., Barševskis, A. & Leiskina, I. 2003: New species of rove beetles (Coleoptera, Staphylinidae) in Latvian fauna. — Baltic Journ. Coleopterol. 3:47–49.
- Clayhills, T. 2003: Sarvijäärieni *Stenostola ferrea* (Schrink) ja *S. dubia* (Laicharting) esintyminen Suomessa (Coleoptera, Cerambycidae). — Sahlbergia 7:100.
- Ericson, B. 2003: Fem för Sverige nya skalbaggar från Malmös närratur (Coleoptera). — Entomol. Tidskr. 124:33–39.
- Ferrer, J. & Andersson, B. 2002: Förväxling av arterna i släktet *Cynaeus* Leconte, 1866, i Sverige och Finland [Coleoptera, Tenebrionidae]. — Entomol. Tidskr. 123:219–221.
- Gillerfors, G. 2003a: *Monotoma bicolor* Villa och *Monotoma quadricollis* Aubé (Monotomidae) är två skilda arter. — Entomol. Tidskr. 124:158.
- Gillerfors, G. 2003b: Förekomst av knäpparen *Negastrius arenicola* (Boheman) (Coleoptera, Elateridae) i Sverige. — Entomol. Tidskr. 124:173–175.
- Gönget, H. 2003: The Nemonychidae, Anthribidae and Attelabidae (Coleoptera) of Northern Europe. — Fauna Entomol. Scand. 38:1–132.
- Hansen, M. 1996: Katalog over Danmarks biller. Catalogue of the Coleoptera of Denmark. — Entomol. Meddel. 64:1–231.
- Herman, L. H. 2001: Catalog of the Staphylinidae (Insecta: Coleoptera). 1758 to the end of the second millennium. — Bull. Amer. Mus. Nat. Hist. 265:1–4218.
- Herman, L. H. 2002: Staphylinidae Latreille, 1804 (Insecta, Coleoptera): proposed conservation of 65 specific names. — Bull. Zool. Nomenclat. 59: 99–113.
- Hyvärinen, E. & Mattila, J. 2004: *Carphoborus cholodkowskyi* Spessivtseff, 1916, Suomelle uusi kaarnakuoriaislaji (Coleoptera, Scolytidae). — Sahlbergia 8:82–83.
- Jäch, M. A. & Kodada, J. 1999: *Parnus obscurus* Fabricius is a melandryid! (Coleoptera, Dryopidae, Elmidae, Melandryidae). — Entomol. Bl. 95:81–83.
- Jørum, P., Pedersen, J., Runge, J. B. & Vagtholm-Jensen, O. 2002: Fund af biller i Danmark, 2001. — Entomol. Meddel. 70:81–110.
- Kejval, Z. 2003: The genus *Anthelephila* (Coleoptera: Anthicidae). — Europ. Journ. Entomol. 100:381–392.

- Lawrence, J. F. & Newton, A. F. 1995: Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names). — In: Pakaluk, J. & Slipinski, S.A. (eds.) *Biology, Phylogeny and Classification of Coleoptera: Papers Celebrating the 80th Birthday of Roy A. Crowson*, Warszawa, p. 779–1092.
- Löbl, I. & Smetana, A. (eds.) 2003: Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata - Myxophaga - Adephaga. — Apollo Books, Stenstrup, 819 p.
- Miländer, G. 2002a: 28 species of silken fungus beetles (Coleoptera, Cryptophagidae) new to Estonia, from the collection of Valentin Soo. — Baltic Journ. Coleopterol. 2:71–75.
- Miländer, G. 2002b: *Anthocomus rufus* - uus verevjätkaste (Coleoptera, Malachiidae) liik Eestist. — Lepinfo 13:83.
- Morris, G.M. 2003: An annotated check list of British Curculionoidea (Col.). — Entomol. Monthly Mag. 139:193–225.
- Mossakowski, D., Främbs, H. & Lakomy, W. 2003: The Carabid and Staphilinid fauna of raised bogs. A comparison of Northwest Germany and the Baltic region. — Baltic Journ. Coleopterol. 3:137–144.
- Olberg, S. & Andersen, J. 2003: Contributions to the knowledge of Norwegian Coleoptera. — Norw. Journ. Entomol. 50:131–136.
- Olsvik, P.A., Ødegaard, F. & Hanssen, O. 2001: The beetle fauna (Coleoptera) of the arctic mainland of Norway. — Fauna norveg. 21:17–24.
- Opinion 2053. Staphylinidae Latreille, 1804 (Insecta, Coleoptera): 65 specific names conserved. — Bull. Zool. Nomenclat. 60:237–246.
- Pedersen, J. & Runge, J.B. 2003: Fund af biller i Danmark, 2002 (Coleoptera). — Entomol. Meddel. 71:93–113.
- Rassi, P. 2004: *Harpalus rufipalpis* Sturm (Carabidae) löydetty Suomesta. — Sahlbergia 8:100.
- Roosileht, U. 2003: New Staphylinidae records for Estonian fauna. — Baltic Journ. Coleopterol. 3:35–46.
- Roosileht, U. & Miländer, G. 2003: Uusi ja haruldasi mardikalikke (Coleoptera) Eesti faunas. — Lepinfo (Tartu) 14:100–101.
- Rutanen, I. 2003: Soukkohärölajien *Monotoma quadricollis* Aubé ja *M. bicolor* Villa & Villa esiintymisestä Suomessa (Coleoptera, Monotomidae). — Sahlbergia 8:25–26.
- Silfverberg, H. 1992: *Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae*. — Helsingin Hyönteisvaihtoyhdistys - Helsingfors Entomologiska Bytesförening, 94 p.
- Silfverberg, H. 1997: Additions and corrections to *Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae*. — Sahlbergia 3:33–62.
- Silfverberg, H. 2003: Further additions and corrections to *Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae*. — Sahlbergia 7:67–95.
- Spikkeland, I. & Dolmen, D. 2002: *Stenelmis canaliculata* (Gyllenhal) (Coleoptera, Elmidae) in Norway. — Norw. Journ. Entomol. 49:95–96.
- Sörensson, M. & Rutanen, I. 2003: Two species of *Acrotrichis* Motschulsky new to the Finnish fauna (Coleoptera, Ptiliidae) — Sahlbergia 7:96–99.
- Telnov, D. 2002: To the knowledge of Latvian Coleoptera. 2. — Latvijas Entomologs 39:16–19.
- Telnov, D., Barševskis, A., Savich, F., Kovalevsky, F., Berdnikov, S., Doronin, M., Cibulskis, R. & Ratniece, D. 1997: Check-List of Latvian Beetles (Insecta: Coleoptera). — Mitt. Internat. Entomol. Ver., Suppl. 5:1–140.
- Telnov, D., Barševskis, A., Savich, F., Kovalevsky, F., Berdnikov, S., Doronin, M., Cibulskis, R. & Ratniece, D. 2002: The updated list of Latvian beetles (Coleoptera). — <http://www.lubi.edu.lv/les/coleoptera.htm>. Updated March 2003.
- Telnov, D. & Kalniņš, M. 2003: To the knowledge of Latvian Coleoptera. 3. — Latvijas Entomologs 40:21–33.
- Węgrzynowicz, P. 2002: Morphology, phylogeny and classification of the family Erotylidae based on adult characters (Coleoptera: Cucujoidea). — Genus 13:435–504.
- Wikars, L.-O., Ahnlund, H. & Wiklund, B. 2004: *Atomaria strandi* Johnson, en brandgynnad fuktbagge ny för Sverige. - Entomol. Tidskr. 125:57–59.
- Zamotajlov, A. 2003: Nomenclatural changes in the genus *Patrobus* (Coleoptera: Carabidae: Patrobini). — Acta Soc. Zool. Bohem. 67:239–244.

MYXOPHAGA		
Sphaeriusidae Erichson, 1845		
Microsporidae Crotch, 1873		F-S-DEAI
<i>Sphaerius</i> Waltl, 1838		FKSNDEA-
<i>Microsporus</i> Kolenati, 1846		FKS-DEAI
<i>acaroides</i> Waltl, 1838	FKS-D-AI	FKSND-EA-
<i>obsidianus</i> (Kolenati, 1846)		FKSNDEAI
ADEPHAGA		
Gyrinidae Latreille, 1810		
Gyrininae Latreille, 1810		
<i>Gyrinus</i> Geoffroy, 1762		
<i>minutus</i> Fabricius, 1798	FKSNDEAI	
<i>opacus</i> Sahlberg, 1819	FKSN-EAI	
<i>aeratus</i> Stephens, 1835	FKSNDEAI	
<i>pullatus</i> Zaitzev, 1908	FKS--EAI	
<i>marinus</i> Gyllenhal, 1808	FKSNDEAI	
<i>colymbus</i> Erichson, 1837	----D---	
<i>distinctus</i> Aubé, 1836	FKSNDEAI	
<i>suffriani</i> Scriba, 1855	F-SNDE--	
<i>natator</i> (Linnaeus, 1758)	FKSNDEAI	
<i>substriatus</i> Stephens, 1828	FKSNDEAI	
<i>urinator</i> Illiger, 1807	-----I	
<i>caspicus</i> Ménétriés, 1832	--SNDEAI	
<i>paykulli</i> Ochs, 1927	FKSNDEAI	
<i>Orectochilinae</i> Régimbart, 1882	FKSNDEAI	
<i>Orectochilus</i> Dejean, 1833		
<i>villosus</i> (Müller, 1776)		
<i>Haliplidae</i> Brullé, 1835		
<i>Brychius</i> Thomson, 1859		
<i>elevatus</i> (Panzer, 1793)		
ssp. <i>elevatus</i> (Panzer, 1793)	----D---	
ssp. <i>norvegicus</i> Munster, 1922	--SN----	
ssp. <i>cristatus</i> J.Sahlberg, 1875	FKSN-EAI	
<i>Peltodytes</i> Régimbart, 1879	--S-D--I	
<i>caesus</i> (Duftschmid, 1805)		
<i>Halipplus</i> Latreille, 1802		
<i>lineatocollis</i> (Marsham, 1802)	--S-D--I	
<i>laminatus</i> (Schaller, 1783)	--S-D--I	
<i>flavicollis</i> Sturm, 1834	FKSNDEAI	
<i>fulvus</i> (Fabricius, 1801)	FKSNDEAI	
<i>lapponum</i> Thomson, 1856		
<i>variegatus</i> Sturm, 1834	F-SNDEAI	
<i>confinis</i> Stephens, 1828	FKSNDEAI	
<i>varius</i> Nicolai, 1822	FK---E-I	
<i>obliquus</i> (Fabricius, 1787)	F-SNDEAI	
<i>apicalis</i> Thomson, 1868	--SNDE-I	
<i>Hydroporinae</i> Aubé, 1836		
<i>Laccornini</i> Wolfe & Roughley, 1990		
<i>Laccornis</i> Des Gozis, 1914		
<i>oblongus</i> (Stephens, 1835)		FKSNDEA-
<i>Hydrovatini</i> Sharp, 1882		
<i>Hydrovatus</i> Motschulsky, 1853		
<i>cuspidatus</i> (Kunze, 1818)		----D---
<i>Bidessini</i> Sharp, 1882		
<i>Bidessus</i> Sharp, 1882		
<i>unistriatus</i> (Goeze, 1777)		FKSNDEAI
<i>grossepunctatus</i> Vorbringer, 1907		FKSNDEAI

<i>Hydroglyphus</i> Motschulsky, 1853		
<i>Guignotus</i> Houlbert, 1934		
<i>geminus</i> (Fabricius, 1792)	FKSNDEAI	
<i>pusillus</i> (Fabricius, 1781) nec (Müller, 1776)		
<i>hamulatus</i> (Gyllenhal, 1813)	FKS-DEAI	
<i>Hyhydrini</i> Sharp, 1882		
<i>Hyhydrus</i> Illiger, 1802		
<i>ovatus</i> (Linnaeus, 1761)	FKSNDEAI	
<i>Hygrotini</i> Portevin, 1929		
<i>Hygrotus</i> Stephens, 1828		
<i>decoratus</i> (Gyllenhal, 1810)	FKSNDEAI	
<i>inaequalis</i> (Fabricius, 1777)	FKSNDEAI	
<i>versicolor</i> (Schaller, 1783)	FKSNDEAI	
<i>quinquelineatus</i> (Zetterstedt, 1828)	FKSND-A-	
<i>Coelambus</i> Thomson, 1860		
<i>polonicus</i> (Aubé, 1842)	FK---EAI	
<i>impressopunctatus</i> (Schaller, 1783)	FKSNDEAI	
<i>parallelogrammus</i> (Ahrens, 1812)	F-SNDE-I	
<i>novemlineatus</i> (Stephens, 1829)	FKSNDE--	
<i>marklini</i> (Gyllenhal, 1813)	FKSNDEA-	
<i>nigrolineatus</i> (Steven, 1808)	F-S-D---	
<i>lautus</i> (Schaum, 1843)		
<i>confluens</i> (Fabricius, 1787)	--SNDE--	
<i>Hydroporini</i> Aubé, 1836		
<i>Hydroporus</i> Clairville, 1806		
<i>Hydrocolus</i> Roughley & Nilsson, 2000		
<i>nigrita</i> (Fabricius, 1792)	FKSNDEAI	
<i>brevis</i> F.Sahlberg, 1834	FKSN-EA-	
<i>acutangulus</i> Thomson, 1856	FKSN----	
<i>neuter</i> Fairmaire & Laboulbène, 1854	F-SNDEA-	
<i>discretus</i> Fairmaire, 1859		
<i>pubescens</i> (Gyllenhal, 1808)	FKSNDEA-	
<i>fuscipennis</i> Schaum, 1868	FKSNDEAI	
<i>planus</i> (Fabricius, 1781)	FKSNDEAI	
<i>tessellatus</i> (Drapiez, 1819)	-----A-	
<i>obscurus</i> Sturm, 1835	FKSNDEAI	
<i>elongatus</i> Sturm, 1835	FKSNDEAI	
<i>eugeniae</i> Zaitzev, 1909		
<i>semenowi</i> Jakowlew, 1897	FKSN---	
<i>longitarsis</i> J.Sahlberg, 1910		
<i>afflatus</i> Scholtz, 1917		
<i>tartaricus</i> auct. nec LeConte, 1850		
<i>eugeniae</i> auct. nec Zaitzev, 1909		
<i>geniculatus</i> Thomson, 1854	FKSN----	
<i>subseriatus</i> J.Sahlberg, 1910		
<i>pilipes</i> J.Sahlberg, 1921		
<i>nigellus</i> Mannerheim, 1853	FKSND-A-	
<i>submuticus</i> Thomson, 1874		FKSN----
<i>notabilis</i> LeConte, 1850		FKSN----
ssp. <i>arcticus</i> Thomson, 1856		FKSN----
<i>tomentosus</i> Poppius, 1905		
<i>erythrocephalus</i> (Linnaeus, 1758)	FKSNDEAI	
<i>rufifrons</i> (Müller, 1776)	FKSNDEAI	
<i>piceus</i> Stephens, 1828		
<i>scalesianus</i> Stephens, 1828		FKSNDE--
<i>angustatus</i> Sturm, 1835		FKSNDEAI
<i>lapponum</i> (Gyllenhal, 1808)		FKSN----
<i>puberulus</i> LeConte, 1850		FKS-----
<i>levanderi</i> J.Sahlberg, 1889		
<i>glabriusculus</i> Aubé, 1838		FKSND-AI
<i>umbrosus</i> (Gyllenhal, 1808)		FKSNDEAI
<i>morio</i> Aubé, 1838		FKSNDEAI
<i>valliger</i> Hellén, 1929		
<i>valliger</i> Hellén, 1929		
<i>melanocephalus</i> auct. nec (Marsham, 1802)		
<i>tristis</i> (Paykull, 1798)		FKSNDEAI
<i>gyllenhalii</i> Schiödte, 1841		FKSND---
<i>piceus</i> auct. nec Stephens, 1828		
<i>notatus</i> Sturm, 1835		FKS-DEAI
<i>incognitus</i> Sharp, 1869		FKSND-AI
<i>striola</i> (Gyllenhal, 1826)		FKSNDEAI
<i>palustris</i> (Linnaeus, 1761)		FKSNDEAI
<i>neglectus</i> Schaum, 1845		FKSNDEAI
<i>kraatzii</i> Schaum, 1868		-----E--
<i>melanarius</i> Sturm, 1835		FKSNDEAI
<i>longicornis</i> Sharp, 1871		FKSND-AI
<i>memnonius</i> Nicolai, 1822		FKSNDEAI
<i>obsoletus</i> Aubé, 1838		--SND---
<i>sahlbergi</i> (Nilsson, 2001)		FKSN----
<i>picicornis</i> J.Sahlberg, 1875, nec (Chevrolat, 1863)		
<i>Porhydrus</i> Guignot, 1945		
<i>lineatus</i> (Fabricius, 1775)		FKSNDEAI
<i>Graptodytes</i> Seidlitz, 1887		
<i>granularis</i> (Linnaeus, 1767)		FKSNDEAI
<i>bilineatus</i> (Sturm, 1835)		F-S-DEAI
<i>pictus</i> (Fabricius, 1787)		FKSNDEAI
<i>Oreodytes</i> Seidlitz, 1887		
<i>alpinus</i> (Paykull, 1798)		FKSN----
<i>septentrionalis</i> (Gyllenhal, 1826)		FKSN----
<i>sanmarkii</i> (Sahlberg, 1826)		FKSND--I
<i>rivalis</i> (Gyllenhal, 1827)		
<i>Suphrodytes</i> Des Gozis, 1914		
<i>dorsalis</i> (Fabricius, 1787)		FKSNDEAI
<i>eljasii</i> (Wirén, 1968)		

<i>Deronectes</i> Sharp, 1882		<i>discolor</i> (Harris, 1828)	FKSN----
<i>latus</i> (Stephens, 1829)	FKSNDEAI	<i>levanderi</i> Hellén, 1929	
<i>Scarodytes</i> Des Gozis, 1914		<i>approximatus</i> auct. nec Fall, 1923	
<i>halensis</i> (Fabricius, 1787)	FKSNDEAI	<i>clypealis</i> (Thomson, 1867)	FKS-D-A-
<i>Nebrioporus</i> Régimbart, 1906		<i>setulosus</i> (J.Sahlberg, 1895)	FKSN--A-
<i>Potamoneutes</i> Zimmermann, 1921	--S-D---	<i>confinis</i> (Gyllenhal, 1808)	FKSN--A-
<i>canaliculatus</i> (Lacordaire, 1835)	FKSN-EAI	<i>infuscatus</i> Aubé, 1838	FK-N----
<i>assimilis</i> (Paykull, 1798)	FKSNDEAI	<i>fuscipennis</i> (Paykull, 1798)	FKSNDEAI
<i>depressus</i> (Fabricius, 1775)		<i>uliginosus</i> (Linnaeus, 1761)	FKSNDEAI
<i>Stictotarsus</i> Zimmermann, 1919		<i>undulatus</i> (Schrank, 1776)	--SNDEAI
<i>griseostriatus</i> (DeGeer, 1774)	FKSN-E--	<i>labiatus</i> (Brahm, 1791)	FKSNDEAI
ssp. <i>griseostriatus</i> (DeGeer, 1774)	-K-N----	<i>serricornis</i> (Paykull, 1799)	FKSN----
ssp. <i>strandi</i> (Brinck, 1943)	FKSN----		
<i>multilineatus</i> (Falkenström, 1922)	--SND---	<i>Ilybius</i> Erichson, 1832	
<i>duodecimpustulatus</i> (Fabricius, 1792)		<i>wasastjernai</i> (Sahlberg, 1824)	FKSND-A-
<i>Colymbetinae</i> Erichson, 1837		<i>opacus</i> (Aubé, 1837)	FKSN----
<i>Agabini</i> Thomson, 1867		<i>chalconatus</i> (Panzer, 1796)	F-S-DEAI
<i>Platambus</i> Thomson, 1859	FKSNDEAI	<i>montanus</i> (Stephens, 1828)	----D-AI
<i>maculatus</i> (Linnaeus, 1758)		<i>melanocornis</i> (Zimmermann, 1915)	
<i>Agabus</i> Leach, 1817		<i>neclectus</i> (Erichson, 1837)	--S-DEAI
<i>unguicularis</i> (Thomson, 1867)	FKS-DEA-	<i>subtilis</i> (Erichson, 1837)	FKSNDEAI
<i>affinis</i> (Paykull, 1798)	FKSNDEAI	<i>erichsoni</i> (Gemminger & Harold, 1868)	FKSNDEAI
<i>biguttulus</i> (Thomson, 1867)	FKSN-EAI	<i>nigroaeneus</i> (Erichson, 1837) nec (Marsham, 1802)	
<i>paludosus</i> (Fabricius, 1801)	FKSNDEAI	<i>vittiger</i> (Gyllenhal, 1827)	FKSN----
<i>adpressus</i> Aubé, 1837	FKSN---	<i>picipes</i> (Kirby, 1837)	F-SN----
<i>didymus</i> (Olivier, 1795)	--S-D--I	<i>angustior</i> (Gyllenhal, 1808)	FKSNDEAI
<i>guttatus</i> (Paykull, 1798)	FKSNDEAI	<i>crassus</i> Thomson, 1856	FKSND--I
<i>melanarius</i> Aubé, 1837	FKSNDE-I	<i>subaeneus</i> Erichson, 1837	FKSNDEAI
<i>tarsatus</i> Zetterstedt, 1838		<i>ater</i> (DeGeer, 1774)	FKSNDEAI
<i>bipustulatus</i> (Linnaeus, 1767)	FKSNDEAI	<i>guttiger</i> (Gyllenhal, 1808)	FKSNDEAI
<i>solieri</i> Aubé, 1837		<i>quadriguttatus</i> (Lacordaire, 1835)	FKSNDEAI
<i>conspersus</i> (Marsham, 1802)	--S-D--	<i>obscurus</i> ((Marsham, 1802)	
<i>nebulosus</i> (Forster, 1771)	--SNDEAI	<i>similis</i> Thomson, 1856	FKSNDEAI
<i>striolatus</i> (Gyllenhal, 1808)	FKS-DEAI	<i>aenescens</i> Thomson, 1870	FKSNDEAI
<i>sturmii</i> (Gyllenhal, 1808)	FKSNDEAI	<i>fuliginosus</i> (Fabricius, 1792)	FKSNDEAI
<i>arcticus</i> (Paykull, 1798)	FKSN---	<i>fenestratus</i> (Fabricius, 1781)	FKSNDEAI
<i>zetterstedti</i> Thomson, 1856	FKSN---		
<i>elongatus</i> (Gyllenhal, 1826)	FKSN---	<i>Colymbetini</i> Erichson, 1837	
<i>moestus</i> (Curtis, 1835)	F-----	<i>Rhantus</i> Dejean, 1833	
<i>nigripalpis</i> (J.Sahlberg, 1881)		<i>Nartus</i> Zaitzev, 1907	
<i>congener</i> (Thunberg, 1794)	FKSNDEAI	<i>grapii</i> (Gyllenhal, 1808)	FKSNDEAI
<i>lapponicus</i> (Thomson, 1867)	FKSN---	<i>suturalis</i> (MacLeay, 1825)	FKSNDEAI
<i>thomsoni</i> (J.Sahlberg, 1871)	FKSN---	<i>pulverosus</i> (Stephens, 1828)	
<i>pseudoclypealis</i> Scholtz, 1933	FK---A-	<i>frontalis</i> (Marsham, 1802)	FKSNDEAI
<i>haraldi</i> Håkan Lindberg, 1933		<i>notatus</i> (Fabricius, 1781) nec (Bergsträsser, 1778)	
		<i>notaticollis</i> (Aubé, 1837)	FKSNDEAI
		<i>suturellus</i> (Harris, 1828)	FKSNDEAI
		<i>bistriatus</i> (Bergsträsser, 1778)	FKS-DEAI
		<i>consputus</i> (Sturm, 1834)	-----I

<i>incognitus</i> Scholz, 1927	-----AI	Carabidae Latreille, 1802
<i>exoletus</i> (Forster, 1771)	FKSNDEAI	Omophroninae Bonelli, 1810
<i>latitans</i> Sharp, 1882	-----EAI	Omophron Latreille, 1802
<i>fennicus</i> Huldén, 1982	FKS----	<i>limbatum</i> (Fabricius, 1777) -- S -DEAI
Colymbetes Clairville, 1806		Carabinae Latreille, 1802
<i>fuscus</i> (Linnaeus, 1758)	FKSNDEAI	Pelophilini Kavanaugh, 1996
<i>paykulli</i> Erichson, 1837	FKSNDEAI	Pelophila Dejean, 1821
<i>striatus</i> (Linnaeus, 1758)	FKSNDEAI	<i>borealis</i> (Paykull, 1790) FKSN-EA-
<i>dolabratus</i> (Paykull, 1798)	FKSN----	Nebriini Laporte de Castelnau, 1834
Dytiscinae Leach, 1815		Leistus Frölich, 1799
Hydaticini Sharp, 1882		<i>rufomarginatus</i> (Duftschmid, 1812) -- S -D -AI
Hydaticus Leach, 1817		<i>terminatus</i> (Panzer, 1793) FKSNEAI
<i>transversalis</i> (Pontoppidan, 1763)	FKSNDEAI	<i>rufescens</i> (Fabricius, 1775) nec (Ström, 1768)
<i>continentalis</i> Balfour-Browne, 1944	-- S -DEAI	<i>ferrugineus</i> (Linnaeus, 1758) FKSNEAI
<i>stagnalis</i> (Fabricius, 1787) nec (Geoffroy, 1785)		<i>piceus</i> Frölich, 1799 -----EAI
<i>modestus</i> auct. nec Sharp, 1882		Nebria Latreille, 1802
<i>aruspex</i> Clark, 1864	FKSNDEA-	<i>livida</i> (Linnaeus, 1758) FKSNEAI
<i>laevipennis</i> Thomson, 1867		<i>rufescens</i> (Ström, 1768) FKSNEAI
<i>seminiger</i> (DeGeer, 1774)	FKSNDEAI	<i>gyllenhali</i> (Schönherr, 1806)
Aciliini Thomson, 1867		<i>nivalis</i> (Paykull, 1790) FKSN---
Thermonectini Sharp, 1882		<i>brevicollis</i> (Fabricius, 1792) F-SNDEAI
Graphoderus Dejean, 1833		<i>salina</i> Fairmaire & Laboulbène, 1854 -- SND---
<i>austriacus</i> (Sturm, 1834)	-- S -D -AI	Notiophilini Motschulsky, 1850
<i>bilineatus</i> (DeGeer, 1774)	FKSNDEAI	Notiophilus Duméril, 1806
<i>cinereus</i> (Linnaeus, 1758)	FKSNDEAI	<i>aestuans</i> Dejean, 1826 FKSNEAI
<i>zonatus</i> (Hoppe, 1795)		<i>pusillus</i> Waterhouse, 1833 nec (Schreber, 1759)
ssp. <i>zonatus</i> (Hoppe, 1795)	FKSNDEAI	<i>aquaticus</i> (Linnaeus, 1758) FKSNEAI
ssp. <i>verrucifer</i> (Sahlberg, 1824)	FKSN----	<i>palustris</i> (Duftschmid, 1812) FKSNEAI
<i>piciventris</i> Thomson, 1868		<i>germinalis</i> Fauvel, 1863 FKSNEAI
Acilius Leach, 1817		<i>stipraisi</i> Barševskis, 1993
<i>sulcatus</i> (Linnaeus, 1758)	FKSNDEAI	<i>rufipes</i> Curtis, 1829 -- S -D ---
<i>canaliculatus</i> (Nicolai, 1822)	FKSNDEAI	<i>reitteri</i> Spaeth, 1900 FKSN---
Dytiscini Leach, 1815		<i>biguttatus</i> (Fabricius, 1779) FKSNEAI
Dytiscus Linnaeus, 1758		Carabini Latreille, 1802
<i>semisulcatus</i> Müller, 1776	-- SNDEAI	Calosoma Weber, 1801
<i>dimidiatus</i> Bergsträsser, 1778	FKS-DEAI	<i>sycophanta</i> (Linnaeus, 1758) -- S -DE -I
<i>marginalis</i> Linnaeus, 1758	FKSNDEAI	<i>inquisitor</i> (Linnaeus, 1758) F-SNDEAI
<i>latissimus</i> Linnaeus, 1758	FKSNDEAI	<i>auropunctatum</i> (Herbst, 1784) -- SNDEAI
<i>circumcinctus</i> Ahrens, 1811	FKSNDEAI	<i>denticolle</i> Gebler, 1833 F-----
<i>lapponicus</i> Gyllenhal, 1808	FKSNDEAI	<i>investigator</i> (Illiger, 1798) -- S -----
<i>circumflexus</i> Fabricius, 1801	-- S -DEAI	<i>reticulatum</i> (Fabricius, 1787) -- S -D ---
Cybistrini Sharp, 1882		Carabus Linnaeus, 1758 -- N -----
Cybister Curtis, 1827		<i>monilis</i> Fabricius, 1792 FKSNEAI
<i>lateralimarginalis</i> (DeGeer, 1774)	-- S -D -AI	<i>arcensis</i> Herbst, 1784 FKSNEAI
		<i>granulatus</i> Linnaeus, 1758

<i>menetriesi</i> Hummel, 1827	-K---EAI	<i>Elaphrus</i> Fabricius, 1775	
<i>clathratus</i> Linnaeus, 1761	FKSNDEAI	<i>lapponicus</i> Gyllenhal, 1810	FKSN----
<i>cancellatus</i> Illiger, 1798		<i>uliginosus</i> Fabricius, 1792	FKSNDEAI
ssp. <i>cancellatus</i> Illiger, 1798	--SND---	<i>cupreus</i> Duftschmid, 1812	FKSNDEAI
<i>rauterbergi</i> Kolbe, 1912		<i>riparius</i> (Linnaeus, 1758)	FKSNDEAI
<i>munsteri</i> Born, 1926		<i>aureus</i> Müller, 1821	-----EAI
ssp. <i>tuberculatus</i> Dejean, 1826	FK--DEAI	<i>angusticollis</i> F. Sahlberg, 1844	-K----A-
<i>sajanensis</i> Reitter, 1896			
<i>kuntzeni</i> Eidam, 1930			
<i>auratus</i> Linnaeus, 1761	--SND---	Scaritinae Bonelli, 1810	
<i>nemoralis</i> Müller, 1764	FKSNDEAI	Clivinini Rafinesque, 1815	
<i>hortensis</i> Linnaeus, 1758	FKSNDEAI	<i>Clivina</i> Latreille, 1802	
<i>glabratulus</i> Paykull, 1790	FKSNDEAI	<i>fossor</i> (Linnaeus, 1758)	FKSNDEAI
<i>problematicus</i> Herbst, 1786		<i>collaris</i> (Herbst, 1784)	--S-DEAI
ssp. <i>harcyniae</i> Sturm, 1815	-KSND---	<i>Dyschirius</i> Bonelli, 1810	
<i>muelverstedti</i> Reitter, 1896		<i>digitatus</i> (Dejean, 1825)	-----AI
<i>wockei</i> Born, 1898		<i>thoracicus</i> (Rossi, 1790)	FKSNDEAI
<i>relictus</i> Hellén, 1936		<i>arenosus</i> Stephens, 1827	
ssp. <i>strandi</i> Born, 1926	FKSN----	<i>obscurus</i> (Gyllenhal, 1827)	FKSNDEAI
<i>nitens</i> Linnaeus, 1758	FKSNDEAI	<i>angustatus</i> (Ahrens, 1830)	FKSNDEAI
<i>convexus</i> Fabricius, 1775	FKSNDEAI	<i>nitidus</i> (Dejean, 1825)	FK---EAI
<i>intricatus</i> Linnaeus, 1761	--S-DEA-	<i>neresheimeri</i> Wagner, 1915	--S---EAI
<i>violaceus</i> Linnaeus, 1758	FKSNDEAI	<i>politus</i> (Dejean, 1825)	FKSNDEAI
<i>coriaceus</i> Linnaeus, 1758	--SNDEAI	<i>impunctipennis</i> Dawson, 1854	FKSNDEAI
Cychrini Laporte de Castelnau, 1834		<i>chalceus</i> Erichson, 1837	--S-DE--
Cyclus Fabricius, 1794		<i>salinus</i> Schaum, 1843	F-SNDEA-
<i>caraboides</i> (Linnaeus, 1758)	FKSNDEAI	<i>aeneus</i> (Dejean, 1825)	F-SNDEAI
Cicindelinae Latreille, 1802		<i>tristis</i> Stephens, 1827	FKSNDEAI
Cicindela Linnaeus, 1758		<i>luedersi</i> Wagner, 1915	
<i>sylvatica</i> Linnaeus, 1758	FKSNDEAI	<i>nigricornis</i> Motschulsky, 1844	FKSN-EA-
<i>hybrida</i> Linnaeus, 1758	FKSNDEAI	<i>helleni</i> Müller, 1922	
<i>maritima</i> Latreille & Dejean, 1822	FKSNDEAI	<i>septentrionum</i> Munster, 1923	
<i>campestris</i> Linnaeus, 1758	FKSNDEAI	<i>melancholicus</i> Putzeys, 1866	FKSN----
Cylindera Westwood, 1831		<i>nigricornis</i> auct. nec Motschulsky, 1844	
<i>germanica</i> (Linnaeus, 1758)	-----EAI	<i>intermedius</i> Putzeys, 1846	-KS-D-AI
<i>arenaria</i> (Fuessly, 1775)		<i>laeviusculus</i> Putzeys, 1846	--S-DEAI
ssp. <i>viennensis</i> (Schrank, 1781)	-----A-	<i>globosus</i> (Herbst, 1784)	FKSNDEAI
Loricinae Bonelli, 1810		Trechinae Bonelli, 1810	
Loricera Latreille, 1802		Psydrinae LeConte, 1853	
<i>pilicornis</i> (Fabricius, 1775)	FKSNDEAI	Broscini Hope, 1838	
Elaphrinae Latreille, 1802		Broscus Panzer, 1813	
Blethisa Bonelli, 1810		<i>cephalotes</i> (Linnaeus, 1758)	FKSNDEAI
<i>multipunctata</i> (Linnaeus, 1758)	FKSNDEAI	Miscodera Eschscholtz, 1830	
Diacheila Motschulsky, 1845		<i>arctica</i> (Paykull, 1798)	FKSNDEAI
<i>arctica</i> (Gyllenhal, 1810)	FKSN----	Patrobini Kirby, 1837	
<i>polita</i> (Faldermann, 1835)	-K-N----	Patrobus Dejean, 1821	
		<i>septentrionis</i> Dejean, 1828	
		<i>australis</i> J. Sahlberg, 1875	FKSNDEAI

<i>assimilis</i> Chaudoir, 1844	FKSNDEAI	<i>punctulatum</i> Drapiez, 1820	FK---EAI
<i>atrorufus</i> (Ström, 1768)	FKSNDEAI	<i>bipunctatum</i> (Linnaeus, 1761)	FKSNDEAI
Rhysodini Laporte de Castelnau, 1840		<i>ruficolle</i> (Panzer, 1797)	FKS-DEAI
Rhysodes Dalman, 1823		<i>pallidipenne</i> (Illiger, 1802)	--SNDEAI
<i>sulcatus</i> (Fabricius, 1787)	--S----	<i>illigeri</i> Netolitzky, 1914	F-S-DEAI
Trechini Bonelli, 1810		<i>genei</i> auct. nec Küster, 1847	
Perileptus Schaum, 1860		<i>fellmanni</i> (Mannerheim, 1823)	FKSN----
<i>areolatus</i> (Creutzer, 1799)	-KSN--A-	<i>difficile</i> (Motschulsky, 1844)	FKSN----
Aepus Leach, 1819	--SN---	<i>crenulatum</i> F.Sahlberg, 1844	
<i>marinus</i> (Ström, 1788)		ssp. <i>ponojense</i> J.Sahlberg, 1875	-K-----
Trechus Clairville, 1806		<i>prasimum</i> (Duftschmid, 1812)	FKSN----
<i>secalis</i> (Paykull, 1790)	FKSNDEAI	<i>hyperboraeorum</i> Munster, 1923	FKSN----
<i>rivularis</i> (Gyllenhal, 1810)	FKSNDEAI	<i>virens</i> Gyllenhal, 1827	FKSN----
<i>rubens</i> (Fabricius, 1792)	FKSNDEAI	<i>hastii</i> Sahlberg, 1827	FKSN----
<i>fulvus</i> Dejean, 1831	--N---	<i>hirmocaelum</i> Chaudoir, 1850	-K-----
<i>quadristriatus</i> (Schranck, 1781)	FKSNDEAI	<i>tibiale</i> (Duftschmid, 1812)	--N----
<i>obtusus</i> Erichson, 1837	--SND-A-	<i>mckinleyi</i> Fall, 1926	
<i>austriacus</i> Dejean, 1831	-----AI	ssp. <i>scandicum</i> Lindroth, 1943	F-SN----
Trechoblemus Ganglbauer, 1891	FKSNDEAI	<i>monticola</i> Sturm, 1825	FK--DEAI
<i>micros</i> (Herbst, 1784)		<i>deletum</i> Audinet-Serville, 1821	FKSNDEAI
Blemus Dejean, 1821	FKSNDEAI	<i>nitidulum</i> (Marsham, 1802) nec (Schrank, 1781)	
<i>discus</i> (Fabricius, 1792)		<i>stephensi</i> Crotch, 1869	FKSNDEA-
Pogonini Laporte de Castelnau, 1834		<i>lunatum</i> (Duftschmid, 1812)	--SND-AI
Pogonus Dejean, 1821		<i>grapii</i> Gyllenhal, 1827	FKSN----
<i>luridipennis</i> (Germar, 1823)	--SND--	<i>yukonum</i> Fall, 1926	FKSN----
<i>chalceus</i> (Marsham, 1802)	----D--I	<i>grapeioides</i> Munster, 1930	
Bembidiini Stephens, 1827		<i>dauricum</i> (Motschulsky, 1844)	F-SN----
Bembidiina Stephens, 1827		<i>tetracolum</i> Say, 1823	FKSNDEAI
Asaphidion Des Gozis, 1886	-----I	<i>ustulatum</i> auct. nec (Linnaeus, 1758)	
<i>caraboides</i> (Schrank, 1781)	FKSNDEAI	<i>bruxellense</i> Wesmaël, 1835	FKSNDEAI
<i>pallipes</i> (Duftschmid, 1812)	FKSNDEAI	<i>rupestre</i> auct. nec (Linnaeus, 1758)	
<i>flavipes</i> (Linnaeus, 1761)	--S-D-A-	<i>petrosum</i> Gebler, 1833	
<i>curtum</i> (Heyden, 1870)	-----A-	ssp. <i>siebkei</i> Sparre Schneider, 1910	FKSN----
<i>austriacum</i> Schweiger, 1975		ssp. <i>carlhindrothi</i> Kangas, 1980	-K-----
Bembidion Latreille, 1802		<i>cruciatum</i> Dejean, 1831	
<i>striatum</i> (Fabricius, 1792)	FK--DEAI	<i>andreae</i> auct. nec (Fabricius, 1787)	
<i>velox</i> (Linnaeus, 1761)	FKSN-EAI	ssp. <i>polonicum</i> J.Müller, 1930	FKS-DEAI
<i>lapponicum</i> Zetterstedt, 1828	FKSN---	<i>femoratum</i> Sturm, 1825	FKSNDEAI
<i>argenteolum</i> Ahrens, 1812	-KSN-EAI	<i>maritimum</i> (Stephens, 1835)	----D---
<i>litorale</i> (Olivier, 1791)	FKSNDEAI	<i>obscurellum</i> (Motschulsky, 1845)	-KS-D--
<i>nigricorne</i> Gyllenhal, 1827	FKSNDEAI	<i>saxatile</i> Gyllenhal, 1827	FKSNDEAI
<i>pygmaeum</i> (Fabricius, 1792)	FK---EAI	<i>decorum</i> (Panzer, 1799)	----D---
<i>lampros</i> (Herbst, 1784)	FKSNDEAI	<i>dentellum</i> (Thunberg, 1787)	FKSNDEAI
<i>properans</i> (Stephens, 1828)	FKSNDEAI	<i>tinctum</i> Zetterstedt, 1828	FKS----
<i>obtusum</i> Audinet-Serville, 1821	--SNDEAI	<i>varium</i> (Olivier, 1795)	F-SNDEAI
		<i>semipunctatum</i> (Donovan, 1806)	FKSNDEAI
		<i>obliquum</i> Sturm, 1825	FKSNDEAI
		<i>ephippium</i> (Marsham, 1802)	----D---

<i>rotundicollis</i> Dejean, 1828	--S-D---	<i>munsteri</i> (Hellén, 1935)	FKSNDEA-
<i>piceus</i> (Marsham, 1802) nec (Linnaeus, 1758)		<i>exaratum</i> (Mannerheim, 1853)	-K-----
<i>Sphodrus</i> Clairville, 1806		<i>alanicum</i> Poppius, 1906	
<i>leucophthalmus</i> (Linnaeus, 1758)	F-S-DEAI	<i>gracilipes</i> (Duftschmid, 1812)	FKSNDEAI
<i>Laemostenus</i> Bonelli, 1810		<i>marginatum</i> (Linnaeus, 1758)	FKSNDEAI
<i>Pristonychus</i> Dejean, 1828		<i>sexpunctatum</i> (Linnaeus, 1758)	FKSNDEAI
<i>terrictcola</i> (Herbst, 1784)	FKSNDEAI	<i>impressum</i> (Panzer, 1796)	-K---EAI
<i>Dolichus</i> Bonelli, 1810	--S-D--I	<i>ericeti</i> (Panzer, 1809)	FKSNDEAI
<i>halensis</i> (Schaller, 1783)		<i>viridicupreum</i> (Goeze, 1777)	-----E--
<i>Synuchus</i> Gyllenhal, 1810		<i>muelleri</i> (Herbst, 1784)	FKSNDEAI
<i>vivalis</i> (Illiger, 1798)	FKSNDEAI	<i>chalconotum</i> Ménétriés, 1832	-K----A-
<i>nivalis</i> (Panzer, 1797) nec (Paykull, 1790)		<i>sahlbergii</i> (Chaudoir, 1850)	
<i>Platyderus</i> Stephens, 1828		<i>archangelicum</i> (J.Sahlberg, 1875)	
<i>depressus</i> (Audinet-Serville, 1821)	--N----	<i>dolens</i> (Sahlberg, 1827)	FKSNDEAI
<i>ruficollis</i> (Marsham, 1802) nec (Fabricius, 1801)		<i>versutum</i> Sturm, 1824	FKSNDEAI
<i>Platynini</i> Bonelli, 1810		<i>hypocrita</i> (Apfelbeck, 1904)	FKS-D-A-
<i>Olisthopus</i> Dejean, 1828	FKSNDEAI	<i>viduum</i> (Panzer, 1796)	FKSNDEAI
<i>rotundatus</i> (Paykull, 1790)		<i>afrum</i> (Duftschmid, 1812)	FKSNDEAI
<i>Sericoda</i> Kirby, 1837		<i>moestum</i> auct. nec (Duftschmid, 1812)	
<i>bogemannii</i> (Gyllenhal, 1813)	FKS-----	<i>duftschmidi</i> Schmidt, 1994	--S-D-AI
<i>quadripunctata</i> (DeGeer, 1774)	FKSNDEAI	<i>moestum</i> (Duftschmid, 1812) nec (Gmelin, 1790)	
<i>Anchomenus</i> Bonelli, 1810		<i>lugens</i> (Duftschmid, 1812)	F-S-DEAI
<i>dorsalis</i> (Pontoppidan, 1763)	F-SNDEAI	<i>Zabrina</i> Bonelli, 1810	
<i>Oxypselaphus</i> Chaudoir, 1843		<i>Amarina</i> Zimmermann, 1831	
<i>obscurus</i> (Herbst, 1784)	FKSNDEAI	<i>Amara</i> Bonelli, 1810	
<i>Paranchus</i> Lindroth, 1974		<i>strenua</i> Zimmermann, 1832	----D-A-
<i>albipes</i> (Fabricius, 1796)	FKSNDEAI	<i>tricuspidata</i> Dejean, 1831	--S-D---
<i>ruficornis</i> (Goeze, 1777) nec (DeGeer, 1774)		<i>plebeja</i> (Gyllenhal, 1810)	FKSNDEAI
<i>Platynus</i> Bonelli, 1810		<i>concinna</i> Zimmermann, 1832	-----I
<i>livens</i> (Gyllenhal, 1810)	FKS-DEAI	<i>similata</i> (Gyllenhal, 1810)	FKSNDEAI
<i>mannerheimii</i> (Dejean, 1828)	FKSN-EAI	<i>ovata</i> (Fabricius, 1792)	FKSNDEAI
<i>assimilis</i> (Paykull, 1790)	FKSNDEAI	<i>montivaga</i> Sturm, 1825	FKSN---
<i>krynickii</i> (Sperk, 1835)	--S-DEAI	<i>nitida</i> Sturm, 1825	FKSNDEAI
<i>longiventris</i> Mannerheim, 1825	--S--EAI	<i>communis</i> (Panzer, 1797)	FKSNDEAI
<i>Agonum</i> Bonelli, 1810		<i>pulpani</i> Kult, 1949	-----A-
<i>scitulum</i> Dejean, 1828	-----EA-	<i>pseudocommunis</i> Burakowski, 1957	
<i>micans</i> Nicolai, 1822	FKSNDEAI	<i>convexior</i> Stephens, 1828	FKSNDAI
<i>piceum</i> (Linnaeus, 1758)	FKSNDEAI	<i>nigricornis</i> Thomson, 1857	FKSN---
<i>gracile</i> Sturm, 1824	FKSNDEAI	<i>lunicollis</i> Schiödte, 1837	FKSNDEAI
<i>latvicum</i> Barševskis, 1993		<i>curta</i> Dejean, 1828	FKSNDEAI
<i>fuliginosum</i> (Panzer, 1809)	FKSNDEAI	<i>littorea</i> Thomson, 1857	FKSNDEAI
<i>thoreyi</i> Dejean, 1828	FKSNDEAI	<i>aenea</i> (DeGeer, 1774)	FKSNDEAI
<i>pelidnum</i> (Paykull, 1790) nec (Herbst, 1784)		<i>spreta</i> Dejean, 1831	FKSNDEAI
<i>consimile</i> (Gyllenhal, 1810)	FKSN---	<i>famelica</i> Zimmermann, 1832	FKSNDEAI
		<i>eurynota</i> (Panzer, 1796)	FKSNDEAI
		<i>familiaris</i> (Duftschmid, 1812)	FKSNDEAI
		<i>anthobia</i> Villa & Villa, 1833	--S-D-A-
		<i>lucida</i> (Duftschmid, 1812)	FKSNDEAI

<i>tibialis</i> (Paykull, 1798)	FKSNDEAI	<i>gracilis</i> Villa & Villa, 1833	--S---EAI
<i>erratica</i> (Duftschmid, 1812)	FKSN-EAI	Licinini Bonelli, 1810	
<i>interstitialis</i> Dejean, 1828	FKSN---	Badister Clairville, 1806	
<i>ingenua</i> (Duftschmid, 1812)	FKSNDEAI	<i>unipustulatus</i> Bonelli, 1813	FKS-DEAI
<i>fusca</i> Dejean, 1828	--S-D--	<i>bullatus</i> (Schrank, 1798)	FKSNDEAI
<i>cursitans</i> Zimmermann, 1832	FKSNDEAI	<i>bipustulatus</i> (Fabricius, 1792) nec (Fabricius, 1775)	
<i>municipalis</i> (Duftschmid, 1812)	FKSNDEAI	<i>meridionalis</i> Puel, 1925	--S-DEAI
<i>bifrons</i> (Gyllenhal, 1810)	FKSNDEAI	<i>lacertosus</i> Sturm, 1815	FKSNDEAI
<i>infima</i> (Duftschmid, 1812)	FKSNDEAI	<i>sodalis</i> (Duftschmid, 1812)	-KSNEAI
<i>praetermissa</i> (Sahlberg, 1827)	FKSNDEAI	<i>dorsiger</i> (Duftschmid, 1812)	----D-A-
<i>brunnea</i> (Gyllenhal, 1810)	FKSNDEAI	<i>peltatus</i> (Panzer, 1796)	FKSNDEAI
<i>quenseli</i> (Schönherr, 1806)	FKSNDEAI	<i>dilatatus</i> Chaudoir, 1837	FKSNDEAI
<i>crenata</i> Dejean, 1828	F-S-D-AI	<i>collaris</i> Motschulsky, 1844	--S-DEAI
<i>apricaria</i> (Paykull, 1790)	FKSNDEAI	<i>anomalus</i> (Perrier, 1866)	
<i>fulva</i> (Müller, 1776)	FKSNDEAI	<i>striatulus</i> Hansen, 1944	
<i>majuscula</i> (Chaudoir, 1850)	FKSNDEAI	Licinus Latreille, 1802	
<i>consularis</i> (Duftschmid, 1812)	FKSNDEAI	<i>depressus</i> (Paykull, 1790)	F-SNDEAI
<i>aulica</i> (Panzer, 1796)	FKSNDEAI	Harpalini Bonelli, 1810	
<i>gebleri</i> Dejean, 1831	FKSNDEAI	Harpalina Bonelli, 1810	
<i>helleri</i> Gredler, 1868		Ophonus Stephens, 1828	
<i>convexiuscula</i> (Marsham, 1802)	FKSNDEA-	<i>rupicola</i> (Sturm, 1818)	--S-D-A-
<i>torrida</i> (Panzer, 1796)	FKSN----	<i>laticollis</i> (Mannerheim, 1825)	FKS-DEAI
<i>alpina</i> (Paykull, 1790)	FKSN----	<i>nitidulus</i> Stephens, 1828	
<i>hyperborea</i> Dejean, 1831	FKSN----	<i>punctatulus</i> (Duftschmid, 1812) nec (Fabricius, 1792)	
<i>equestris</i> (Duftschmid, 1812)	FKSNDEAI	<i>puncticollis</i> (Paykull, 1798)	FKSNDEAI
Zabrina Bonelli, 1810		<i>melletii</i> (Heer, 1837)	--S-D---
Zabrus Clairville, 1806		<i>rufibarbis</i> (Fabricius, 1792)	FKSNDEAI
<i>tenebrioides</i> (Goeze, 1777)	--S-D---	<i>seladon</i> (Schauberger, 1926)	
Panagaeini Bonelli, 1810		<i>schaubergerianus</i> (Puel, 1937)	F-----A-
Panagaeus Latreille, 1802	FKSNDEAI	<i>puncticeps</i> Stephens, 1828	-KS-D-A-
<i>cruxmajor</i> (Linnaeus, 1758)	FKSNDEAI	<i>azureus</i> (Fabricius, 1775)	--S-DEA-
<i>bipustulatus</i> (Fabricius, 1775)		Harpalus Latreille, 1802	
Chlaeniini Brullé, 1834		<i>Pseudoophonus</i> Motschulsky, 1844	
Chlaenius Bonelli, 1810		<i>Semioophonus</i> Schauberger, 1933	
<i>tristis</i> (Schaller, 1783)	FKSNDEAI	<i>griseus</i> (Panzer, 1796)	FKSNDEAI
<i>spoliatus</i> (Rossi, 1790)	-----I	<i>rufipes</i> (DeGeer, 1774)	FKSNDEAI
<i>nigricornis</i> (Fabricius, 1787)	FKSNDEAI	<i>pubescens</i> (Müller, 1776)	
<i>nitidulus</i> (Schrank, 1781)	FKS-DEAI	<i>calceatus</i> (Duftschmid, 1812)	FKSNDEAI
<i>tibialis</i> Dejean, 1826	-----A-	<i>melancholicus</i> Dejean, 1829	--S-D---
<i>kindermannii</i> auct. nec Chaudoir, 1856	--S-D-AI	<i>signaticornis</i> (Duftschmid, 1812)	--S-DE-I
<i>vestitus</i> (Paykull, 1790)	F-S-DEAI	<i>affinis</i> (Schrank, 1781)	FKSNDEAI
<i>sulcicollis</i> (Paykull, 1798)	-KS-DEA-	<i>aeneus</i> (Fabricius, 1775) nec (DeGeer, 1774)	
<i>quadrisulcatus</i> (Paykull, 1790)	FKS--EAI	<i>distinguendus</i> (Duftschmid, 1812)	FKSNDEAI
<i>costulatus</i> (Motschulsky, 1859)		<i>smaragdinus</i> (Duftschmid, 1812)	FKSNDEAI
Oodini LaFerté-Sénectère, 1851		<i>caspius</i> (Steven, 1806)	-----I
Oodes Bonelli, 1810		<i>roubali</i> Schauberger, 1928	
<i>helopiooides</i> (Fabricius, 1792)	FKSNDEAI	<i>serripes</i> (Quensel, 1806)	--S-D--I

<i>autumnalis</i> (Duftschmid, 1812)	--S---AI	<i>harpalinus</i> (Audinet-Serville, 1821)	-KSNDEAI
<i>atratus</i> Latreille, 1804	-----I	<i>csikii</i> Laczó, 1912	F-S-D---
<i>solitaris</i> Dejean, 1829	FKSNDEAI	<i>caucasicus</i> (Chaudoir, 1846)	FKSNDEAI
<i>fuliginosus</i> (Duftschmid, 1812) nec (Panzer, 1809)		<i>collaris</i> (Paykull, 1798) nec (Herbst, 1784)	
<i>latus</i> (Linnaeus, 1758)	FKSNDEAI	<i>Dicheirotrichus</i> Jacquelin du Val, 1857	
<i>nigritarsis</i> Sahlberg, 1827	FKS----	<i>Trichocellus</i> Ganglbauer, 1892	
<i>luteicornis</i> (Duftschmid, 1812)	FKSN-EAI	<i>gustavii</i> Crotch, 1871	-KSND---
<i>xanthopus</i> Gemminger & Harold, 1868		<i>pubescens</i> (Paykull, 1790) nec (Müller, 1776)	
ssp. <i>winkleri</i> Schaubberger, 1923	FKSNDEAI	<i>mannerheimii</i> (F.Sahlberg, 1844)	-K-----
<i>laevipes</i> Zetterstedt, 1828	FKSNDEAI	<i>rufithorax</i> (Sahlberg, 1827)	FKSN-EAI
<i>quadripunctatus</i> Dejean, 1829		<i>cognatus</i> (Gyllenhal, 1827)	FKSNDEAI
<i>rubripes</i> (Duftschmid, 1812)	FKSNDEAI	<i>placidus</i> (Gyllenhal, 1827)	FKSNDEAI
<i>progrediens</i> Schaubberger, 1922	----EA-	<i>Acupalpus</i> Dejean, 1829	
<i>rufipalpis</i> Sturm, 1818	F-S-DEAI	<i>flavicollis</i> (Sturm, 1825)	FKSNDEAI
<i>rufitarsis</i> (Duftschmid, 1812) nec (Illiger, 1802)		<i>brunnipes</i> (Sturm, 1825)	--SN-E-I
<i>neglectus</i> Audinet-Serville, 1821	--S-D--I	<i>meridianus</i> (Linnaeus, 1761)	FKSNDEAI
<i>servus</i> (Duftschmid, 1812)	--S-D-AI	<i>suturalis</i> Dejean, 1829	-----A-
<i>tardus</i> (Panzer, 1796)	FKSNDEAI	<i>parvulus</i> (Sturm, 1825)	FKSNDEAI
<i>modestus</i> Dejean, 1829	-----I	<i>dorsalis</i> (Fabricius, 1787) nec (Pontoppidan, 1763)	
<i>anxius</i> (Duftschmid, 1812)	FKS-DEAI	<i>dubius</i> Schilsky, 1888	--S-DEA-
<i>picipennis</i> (Duftschmid, 1812)	--S-DEAI	<i>exiguus</i> Dejean, 1829	FKS-DEAI
<i>pumilus</i> Sturm, 1818	--S-D-AI	<i>elegans</i> (Dejean, 1829)	----D---
<i>vernalis</i> (Fabricius, 1801) nec (Panzer, 1796)		<i>interstitialis</i> Reitter, 1884	-----EA-
<i>froelichii</i> Sturm, 1818	-KS-DEAI	<i>Anthracus</i> Motschulsky, 1850	
<i>hirtipes</i> (Panzer, 1797)	--S-DEAI	<i>consputus</i> (Duftschmid, 1812)	F-S-DEAI
<i>flavescens</i> (Piller & Mitterpacher, 1783)	FKS-D-AI	<i>Perigonini</i> Horn, 1881	
<i>rufus</i> Brüggemann, 1873		<i>Perigona</i> Laporte de Castelnau, 1835	
<i>Microderes</i> Faldermann, 1835		<i>Trechicus</i> LeConte, 1853	
<i>brachypus</i> (Steven, 1809)	F-----	<i>nigriceps</i> (Dejean, 1831)	F-SND-A-
<i>Anisodactylina</i> Lacordaire, 1854		<i>Cyclosomini</i> Laporte de Castelnau, 1834	
<i>Anisodactylus</i> Dejean, 1829		<i>Masoreus</i> Dejean, 1821	
<i>poeciloides</i> (Stephens, 1828)	--S-D---	<i>wetterhallii</i> (Gyllenhal, 1813)	--SNDEAI
<i>binotatus</i> (Fabricius, 1787)	FKSNDEAI	<i>Odacanthini</i> Laporte de Castelnau, 1834	
<i>nemorivagus</i> (Duftschmid, 1812)	FK---D--I	<i>Odacantha</i> Paykull, 1798	
<i>signatus</i> (Panzer, 1797)	----D-AI	<i>melanura</i> (Linnaeus, 1767)	FKSNDEAI
<i>Diachromus</i> Erichson, 1837		<i>Lebiini</i> Bonelli, 1810	
<i>germanus</i> (Linnaeus, 1758)	----D-AI	<i>Lebiina</i> Bonelli, 1810	
<i>Stenolophina</i> Kirby, 1837		<i>Lebia</i> Latreille, 1802	
<i>Stenolophus</i> Dejean, 1821		<i>cyancephala</i> (Linnaeus, 1758)	FKSNDEAI
<i>teutonus</i> (Schrank, 1781)	--S-D-AI	<i>chlorocephala</i> (Hoffmannsegg, 1803)	FKSNDEAI
<i>skrimshiranus</i> Stephens, 1828	--S-D---	<i>cruxminor</i> (Linnaeus, 1758)	FKSNDEAI
<i>mixtus</i> (Herbst, 1784)	FKSNDEAI	<i>Demetriina</i> Bates, 1886	
<i>Bradyceillus</i> Erichson, 1837		<i>Demetrias</i> Bonelli, 1810	
<i>Tetraplatypus</i> Tschitschérine, 1897		<i>monostigma</i> Samouelle, 1819	F-S-DEAI
<i>ruficollis</i> (Stephens, 1828)	FKSNDEAI	<i>atricapillus</i> (Linnaeus, 1758)	--S-D-A-
<i>similis</i> (Dejean, 1829)		<i>imperialis</i> (Germar, 1824)	F-SNDEAI
<i>verbasci</i> (Duftschmid, 1812)	F-SND---		

Dromiina Bonelli, 1810		<i>tuberculatus</i> Gyllenhal, 1808	FKSNDEAI
Paradromius Fowler, 1887		<i>sibiricus</i> (Motschulsky, 1860)	FKSN----
<i>longiceps</i> (Dejean, 1826)	F-S-DEA-	<i>fennicus</i> auct. nec Paykull, 1798	
<i>linearis</i> (Olivier, 1795)	FKSNDEAI	<i>aquaticus</i> (Linnaeus, 1758)	FK--DEAI
Dromius Bonelli, 1810		<i>aequalis</i> Thomson, 1868	F-SND-A-
<i>agilis</i> (Fabricius, 1787)	FKSNDEAI	<i>grandis</i> Illiger, 1798	FKSNDEAI
<i>angustus</i> Brullé, 1834	--SND---	<i>strandi</i> Angus, 1970	FKSN----
<i>quadraticollis</i> Morawitz, 1862	FKS--EAI	<i>brevipalpis</i> Bedel, 1881	FKSNDEAI
<i>meridionalis</i> Dejean, 1825	----D---	<i>arvernicus</i> Mulsant, 1846	FK--DEAI
<i>schniederi</i> Crotch, 1871	FKSNDEAI	<i>glacialis</i> Villa, 1833	FKSN----
<i>marginellus</i> (Fabricius, 1794) nec (Herbst, 1784)		<i>granularis</i> (Linnaeus, 1761)	FKSNDEAI
<i>fenestratus</i> (Fabricius, 1794)	FKSNDEAI	<i>discrepans</i> Rey, 1885	FK---E--
<i>quadrimaculatus</i> (Linnaeus, 1758)	F-SNDEAI	<i>minutus</i> Fabricius, 1775	FKSNDEAI
Calodromius Reitter, 1905		<i>lapponicus</i> Thomson, 1853	FKSNDE--
<i>spilotus</i> (Illiger, 1798)	F-SNDEAI	<i>fulgidicollis</i> Motschulsky, 1860	F-SND---
<i>quadrinotatus</i> (Panzer, 1800) nec (Fabricius, 1798)		<i>griseus</i> Herbst, 1793	F-SNDEAI
Philorhizus Hope, 1838		<i>nanus</i> Sturm, 1836	FKSNDEAI
<i>quadrisignatus</i> (Dejean, 1825)	--S-D--	<i>redtenbacheri</i> Kuwert, 1885	--S-DE-I
<i>sigma</i> (Rossi, 1790)	FKSNDEAI	<i>pumilio</i> Erichson, 1837	----D---
<i>melaenocephalus</i> (Dejean, 1825)	--S-D--	<i>pallidus</i> Gebler, 1830	FKSN-E--
<i>notatus</i> (Stephens, 1827)	F-SNDEA-	<i>laticollis</i> Thomson, 1853	FKSNDE--
<i>nigriventris</i> (Thomson, 1857)		<i>strigifrons</i> Thomson, 1868	FKSNDEAI
Microlestes Schmidt-Goebel, 1846		<i>asperatus</i> Rey, 1885	--S-D---
<i>minutulus</i> (Goeze, 1777)	FKS-DEAI	<i>flavipes</i> Fabricius, 1792	FKSNDEAI
<i>maurus</i> (Sturm, 1827)	FKS-DEAI	<i>obscurus</i> Mulsant, 1844	--SND---
Lionychina Jeannel, 1948		<i>walkeri</i> Sharp, 1916	
Syntomus Hope, 1838		Georissinae Laporte de Castelnau, 1840	
<i>truncatellus</i> (Linnaeus, 1761)	FKSNDEAI	Georissus Latreille, 1809	
<i>ai</i> Barševskis, 1993		<i>crenulatus</i> (Rossi, 1794)	FKSNDEAI
<i>foveatus</i> (Geoffroy, 1785)	FKSNDEAI	Hydrochinae Thomson, 1859	
Lionychus Wissmann, 1846		Hydrochus Leach, 1817	
<i>quadrillum</i> (Dufschmid, 1812)	F-S-----	<i>elongatus</i> (Schaller, 1783)	F-S-D-A-
Cymindina Laporte de Castelnau, 1834		<i>ignicollis</i> Motschulsky, 1860	FKSNDEAI
Cymindis Latreille, 1806	--S-D-AI	<i>elongatus</i> auct. nec (Schaller, 1783)	
<i>humeralis</i> (Geoffroy, 1785)	FKSNDEAI	<i>crenatus</i> (Fabricius, 1792)	F-S-DEAI
<i>angularis</i> Gyllenhal, 1810	FKSNDEAI	<i>carinatus</i> Germar, 1824	
<i>macularis</i> Mannerheim, 1824	FKSNDEAI	<i>brevis</i> (Herbst, 1793)	FKSNDEAI
<i>vaporariorum</i> (Linnaeus, 1758)	FKSNDEAI	<i>megaphallus</i> van Berge Henegouwen, 1988	F-SNDE--
Brachininae Bonelli, 1810		<i>angustatus</i> Germar, 1824	----EA-
Brachinus Weber, 1801		Spercheinae Erichson, 1837	
<i>crepitans</i> (Linnaeus, 1758)	F-S-DEA-	Spercheus Illiger, 1798	
POLYPHAGA		<i>emarginatus</i> (Schaller, 1783)	-KS-DEAI
HYDROPHILOIDEA		Hydrophilinae Latreille, 1802	
Hydrophilidae Latreille, 1802		Berosini Mulsant, 1844	
Helophorinae Leach, 1815		Berosus Leach, 1817	
<i>Helophorus</i> Fabricius, 1775		<i>spinosus</i> (Steven, 1808)	F-SNDE--
<i>nubilus</i> Fabricius, 1777	FKSNDEAI	<i>fulvus</i> Kuwert, 1888	--S-D---

<i>signaticollis</i> (Charpentier, 1825)	F-S?DE-I	<i>arcticus</i> Kuwert, 1890	FKSN----
<i>luridus</i> (Linnaeus, 1761)	FKSNDEAI	<i>Limnoxenus</i> Motschulsky, 1853	-----D---
<i>Chaetarthriini</i> Bedel, 1881 (1844)		<i>niger</i> (Gmelin, 1790)	
<i>Chaetarthria</i> Stephens, 1832		<i>Hydrochara</i> Berthold, 1827	
<i>seminulum</i> (Herbst, 1797)	FKSNDEAI	<i>caraboides</i> (Linnaeus, 1758)	FKSNDEAI
<i>Anacaenini</i> Hansen, 1991		<i>flavipes</i> (Steven, 1808)	-----A-
<i>Paracymus</i> Thomson, 1867	--SND--	<i>Hydrophilus</i> Geoffroy, 1762	
<i>aeneus</i> (Germar, 1824)		<i>Hydrous</i> Linnaeus, 1775	
<i>Anacaena</i> Thomson, 1859		<i>piceus</i> (Linnaeus, 1758)	F-SND-AI
<i>globulus</i> (Paykull, 1798)	F-SNDEA-	<i>aterrimus</i> Eschscholtz, 1822	FKS-DEAI
<i>lutescens</i> (Stephens, 1829)	FKSNDEAI	<i>Sphaeridiinae</i> Latreille, 1802	
<i>limbata</i> auct. nec (Fabricius, 1792)		<i>Coelostomatini</i> Heyden, Reitter & Weise, 1891	
<i>limbata</i> (Fabricius, 1792)	F-S-D-A-	<i>Coelostoma</i> Brullé, 1835	
<i>Laccobiini</i> Bertrand, 1954		<i>orbiculare</i> (Fabricius, 1775)	FKSNDEAI
<i>Oocyclini</i> Hansen, 1991		<i>Megasternini</i> Mulsant, 1844	
<i>Laccobius</i> Erichson, 1837		<i>Cercyon</i> Leach, 1817	
<i>decorus</i> (Gyllenhal, 1827)	F-S---E--	<i>ustulatus</i> (Preyssler, 1790)	FKSNDEAI
<i>minutus</i> (Linnaeus, 1758)	FKSNDEAI	<i>laminatus</i> Sharp, 1873	F-S-DEAI
<i>colon</i> (Stephens, 1829)	FKSND-A-	<i>littoralis</i> (Gyllenhal, 1808)	FKSNDEAI
<i>biguttatus</i> Gerhardt, 1877		<i>depressus</i> Stephens, 1829	FKSNDE--
<i>sinuatus</i> Motschulsky, 1849	FKS-D--I	<i>obsoletus</i> (Gyllenhal, 1808)	FKSNDEAI
<i>striatulus</i> (Fabricius, 1801)	-KSNDEAI	<i>lugubris</i> auct. nec (Olivier, 1790)	
<i>bipunctatus</i> (Fabricius, 1775)	FKSNDEAI	<i>impressus</i> (Sturm, 1807)	FKSNDEAI
<i>Hydrophilini</i> Latreille, 1802		<i>haemorrhoidalis</i> (Fabricius, 1775)	FKSNDEAI
<i>Helochares</i> Mulsant, 1844		<i>melanocephalus</i> (Linnaeus, 1758)	FKSNDEAI
<i>punctatus</i> Sharp, 1869	----D--I	<i>emarginatus</i> Baranowski, 1985	F-SN----
<i>lividus</i> auct. nec (Forster, 1771)		<i>borealis</i> Baranowski, 1985	F-SN----
<i>obscurus</i> (Müller, 1776)	FKSNDEAI	<i>lateralis</i> (Marsham, 1802)	FKSNDEAI
<i>griseus</i> auct. nec (Fabricius, 1787)		<i>bifrenestratus</i> Küster, 1851	FKSNDEAI
<i>Enochrus</i> Thomson, 1859		<i>marinus</i> Thomson, 1853	FKSNDEAI
<i>melanocephalus</i> (Olivier, 1792)	FKSNDEAI	<i>unipunctatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>ochropterus</i> (Marsham, 1802)	FKSNDEAI	<i>quisquilius</i> (Linnaeus, 1761)	FKSNDEAI
<i>frontalis</i> (Erichson, 1837)	FKSND-AI	<i>terminatus</i> (Marsham, 1802)	FKSNDEAI
<i>fuscipennis</i> (Thomson, 1884)		<i>pygmaeus</i> (Illiger, 1801)	FKSNDEAI
<i>sahlbergi</i> (Fauvel, 1887)	FKSNDEAI	<i>nigriceps</i> (Marsham, 1802)	FKSNDEA-
<i>quadripunctatus</i> (Herbst, 1797)	--S-D--	<i>atricapillus</i> (Marsham, 1802)	
<i>halophilus</i> (Bedel, 1878)	FKSNDEAI	<i>granarius</i> Erichson, 1837	-K--D-AI
<i>bicolor</i> (Fabricius, 1792)	FKSNDEAI	<i>tristis</i> (Illiger, 1801)	FKSNDEAI
<i>testaceus</i> (Fabricius, 1801)	FKSNDEAI	<i>convexiusculus</i> Stephens, 1829	FKSNDEAI
<i>affinis</i> (Thunberg, 1794)	FKSNDEAI	<i>sternalis</i> Sharp, 1918	F-S-D-A-
<i>coarctatus</i> (Gredler, 1863)	FKSNDEAI	<i>analis</i> (Paykull, 1798)	FKSNDEAI
<i>Cymbiodyta</i> Bedel, 1881		<i>Megasternum</i> Mulsant, 1844	
<i>marginella</i> (Fabricius, 1792)	FKSNDEAI	<i>concinnum</i> (Marsham, 1802)	FKSNDE-I
<i>Hydrobius</i> Leach, 1815		<i>obscurum</i> (Marsham, 1802)	
<i>fuscipes</i> (Linnaeus, 1758)	FKSNDEAI	<i>Cryptopleurum</i> Mulsant, 1844	
<i>subrotundus</i> Stephens, 1829		<i>subtile</i> Sharp, 1884	F-SND---
<i>rottenbergi</i> Gerhardt, 1872			

<i>minutum</i> (Fabricius, 1775)	FKSNDEAI	<i>planiusculus</i> Motschulsky, 1849	FKSNDEAI
<i>crenatum</i> (Panzer, 1794)	FKSNDEAI	<i>cuspidatus</i> Ihssen, 1949	
Sphaeridiini Latreille, 1802		<i>semistriatus</i> (Scriba, 1790)	FKSNDEAI
Sphaeridium Fabricius, 1775		<i>subnitescens</i> Bickhardt, 1909	----D-A-
<i>bipustulatum</i> Fabricius, 1781	FKSNDEAI	<i>tenuistrius</i> Marseul, 1855	-----A-
<i>marginatum</i> Fabricius, 1787	F-SND--I	<i>virescens</i> (Paykull, 1798)	--S-DEAI
<i>substriatum</i> Faldermann, 1838	--S-D--I	<i>immundus</i> (Gyllenhal, 1827)	FKS-DEAI
<i>lunatum</i> Fabricius, 1792	FKSNDEAI	<i>aeneus</i> (Fabricius, 1775)	F-SNDEAI
<i>scarabaeoides</i> (Linnaeus, 1758)	FKSNDEAI	Chalcionellus Reichardt, 1932	
HISTEROIDEA		<i>decemstriatus</i> (Rossi, 1792)	--S-DEAI
Sphaeritidae Shuckard, 1839		<i>conjugens</i> (Paykull, 1798)	
Sphaerites Duftschmid, 1805	FKSNDEAI	Hypocacculus Bickhardt, 1916	
<i>glabratus</i> (Fabricius, 1792)		<i>rufipes</i> (Kugelann, 1792)	--S-D-AI
Histeridae Gyllenhal, 1808		Hypococcus Thomson, 1867	
Abraeinae MacLeay, 1819		<i>Baeckmanniolas</i> Reichardt, 1926	
Abraeini MacLeay, 1819		<i>rugiceps</i> (Duftschmid, 1805)	FKSND-AI
Chaetabraeus Portevin, 1929		<i>metallicus</i> (Herbst, 1792)	--SNDEAI
<i>globulus</i> (Creutzer, 1799)	--S-DE-I	<i>rugifrons</i> (Paykull, 1798)	FKSNDEAI
Abraeus Leach, 1817	--S-D---	<i>dimidiatus</i> (Illiger, 1807)	
<i>granulum</i> Erichson, 1839	--S-DEAI	<i>ssp. maritimus</i> (Stephens, 1830)	--S-D---
<i>perpusillus</i> (Marsham, 1802)	--S-----	Gnathoncus Jacquelin du Val, 1858	
<i>globosus</i> (Hoffmann, 1803)		<i>rotundatus</i> (Kugelann, 1792)	FKSNDEAI
<i>parvulus</i> Aubé, 1842		<i>nanus</i> (Scriba, 1790) nec (Piller & Mitterpacher, 1783)	
Plegaderini Portevin, 1929		<i>punctulatus</i> Thomson, 1862	
Plegaderus Erichson, 1834		<i>nannetensis</i> (Marseul, 1862)	FKSNDEAI
<i>saucius</i> Erichson, 1834	FKSN-EAI	<i>communis</i> (Marseul, 1862)	FKSND---
<i>vulneratus</i> (Panzer, 1797)	FKSNDEAI	<i>schmidtii</i> Reitter, 1894	
<i>caesus</i> (Herbst, 1792)	F-SN--AI	<i>buyssoni</i> Auzat, 1917	FKSND--I
<i>dissectus</i> Erichson, 1839	--S-D--I	<i>nidorum</i> Stockmann, 1957	F-S---AI
<i>sanatus</i> Truqui, 1852	--S-----	Myrmetes Marseul, 1862	
<i>ssp. gobanzi</i> Müller, 1902		<i>paykulli</i> Kanaar, 1979	FKSNDEAI
Acritini Wenzel, 1944		<i>piceus</i> (Paykull, 1809) nec (Marsham, 1802)	
Acritus LeConte, 1853		Dendrophilinae Reitter, 1909	
<i>minutus</i> (Herbst, 1792)	FKSNDEAI	Dendrophilini Reitter, 1909	
<i>nigricornis</i> (Hoffmann, 1803)	FKSNDEA-	Dendrophilus Leach, 1817	
<i>komai</i> Lewis, 1879	----D---	<i>corticalis</i> (Paykull, 1798)	FKSNDEAI
<i>homoeopathicus</i> Wollaston, 1857	---ND-A-	<i>punctatus</i> (Herbst, 1792) nec (Müller, 1776)	
Aeletes Horn, 1873	--S-D---	<i>pygmaeus</i> (Linnaeus, 1758)	FKSNDEAI
<i>atomarius</i> (Aubé, 1842)		Paromalini Reitter, 1909	
Teretriiini Bickhardt, 1914		Carcinops Marseul, 1855	
Teretrius Erichson, 1834		<i>pumilio</i> (Erichson, 1834)	F-SNDEAI
<i>fabricii</i> Mazur, 1972	F-S--EAI	<i>quatuordecimstriata</i> (Stephens, 1835)	
<i>picipes</i> (Fabricius, 1792) nec (Olivier, 1789)		Platylomalus Cooman, 1948	
Saprininae Blanchard, 1845		<i>complanatus</i> (Panzer, 1797)	-K-N--A-
Saprinus Erichson, 1834			
<i>rugifer</i> (Paykull, 1809)	FKSND-AI		
<i>quadristriatus</i> auct. nec (Thunberg, 1794)			

Paromalus Erichson, 1834		Platysomatini Bickhardt, 1914
<i>Microlomalus</i> Lewis, 1907		Platysoma Leach, 1817
<i>flavicornis</i> (Herbst, 1792)	F-SNDEAI-	<i>Eurylister</i> Bickhardt, 1920
<i>parallelepipedus</i> (Herbst, 1792)	FKSNdEAI	<i>Cylister</i> Cooman, 1941
Onthophilinae MacLeay, 1819		<i>minus</i> (Rossi, 1792)
<i>Onthophilus</i> Leach, 1817	--S-DE--	<i>frontale</i> (Paykull, 1798)
<i>striatus</i> (Forster, 1771)	-----D----	<i>compressum</i> (Herbst, 1783)
<i>punctatus</i> (Müller, 1776)		<i>deplanatum</i> (Gyllenhal, 1808)
<i>sulcatus</i> (Moll, 1784)		<i>angustatum</i> (Hoffmann, 1803)
Histerinae Gyllenhal, 1808		<i>ferrugineum</i> (Thunberg, 1794) nec (Olivier, 1789)
<i>Histerini</i> Gyllenhal, 1808		<i>lineare</i> Erichson, 1834
<i>Margarinotus</i> Marseul, 1853		<i>elongatum</i> (Thunberg, 1787)
<i>Paralister</i> Bickhardt, 1917		<i>oblongum</i> (Fabricius, 1792)
<i>Stenister</i> Reichardt, 1926		
<i>Grammostethus</i> Lewis, 1906		Holeptini Hope, 1840
<i>brunneus</i> (Fabricius, 1775)	FKSNDEAI	<i>Holepta</i> Paykull, 1811
<i>impressus</i> (Fabricius, 1798)		<i>plana</i> (Sulzer, 1776)
<i>cadaverinus</i> (Hoffmann, 1803)		
<i>striola</i> (Sahlberg, 1819)	FKSNDEAI	Hetaeriinae Marseul, 1857
<i>succicola</i> (Thomson, 1862)		<i>Hetaerius</i> Erichson, 1834
<i>merdarius</i> (Hoffmann, 1803)	FKSNDEAI	<i>ferrugineus</i> (Olivier, 1789)
<i>terricola</i> (Germar, 1824)	F-S-DEAI	
<i>bipustulatus</i> (Schrank, 1781)	-----D-AI	STAPHYLINOIDEA
<i>obscurus</i> (Kugelann, 1792)	F-SNDEAI	
<i>stercorarius</i> (Hoffmann, 1803)		<i>Hydraenidae</i> Mulsant, 1844
<i>ventralis</i> (Marseul, 1854)	FKSNDEAI	<i>Hydraeninae</i> Mulsant, 1844
<i>neglectus</i> (Germar, 1813)	FKSNDEAI	<i>Limnebius</i> Leach, 1815
<i>purpurascens</i> (Herbst, 1792)	FKSNDEAI	<i>truncatellus</i> (Thunberg, 1794)
<i>carbonarius</i> (Hoffmann, 1803)	-KSNDDEAI	<i>papposus</i> Mulsant, 1844
<i>marginatus</i> (Erichson, 1834)	--S-DEA-	<i>crinifer</i> Rey, 1885
Hister Linnaeus, 1758		<i>parvulus</i> (Herbst, 1797)
<i>quadrimaculatus</i> Linnaeus, 1758	-----EA-	<i>truncatulus</i> Thomson, 1853
<i>unicolor</i> Linnaeus, 1758	FKSNDEAI	<i>nitidus</i> (Marsham, 1802)
<i>quadrinotatus</i> Scriba, 1790	-----DEAI	<i>picinus</i> (Marsham, 1802)
<i>illigeri</i> Duftschmid, 1805	-----E--	<i>aluta</i> Bedel, 1881
<i>uncinatus</i> Illiger, 1807		
<i>helluo</i> Truqui, 1852	FK---EAI	Hydraena Kugelann, 1794
<i>bissexstriatus</i> Fabricius, 1801	FKSNDEAI	<i>testacea</i> Curtis, 1830
<i>funestus</i> Erichson, 1834	FKSNDEA-	<i>palustris</i> Erichson, 1837
Atholus Thomson, 1859		<i>britteni</i> Joy, 1907
<i>bimaculatus</i> (Linnaeus, 1758)	FKSNDEAI	<i>riparia</i> Kugelann, 1794
<i>duodecimstriatus</i> (Schrank, 1781)	FKSNDEAI	<i>reyi</i> Kuwert, 1888
<i>praetermissus</i> (Peyron, 1856)	-----DE--	<i>sternalis</i> auct. nec Rey, 1893
<i>corvinus</i> (Germar, 1817)	F-SNDEAI	<i>nigrita</i> Germar, 1824
		<i>pulchella</i> Germar, 1824
		<i>gracilis</i> Germar, 1824
		<i>excisa</i> Kiesenwetter, 1849
		Ochthebiinae Thomson, 1859
		<i>Ochthebius</i> Leach, 1815
		<i>auriculatus</i> Rey, 1886
		<i>dilatatus</i> Stephens, 1829

<i>bicolon</i> Germar, 1824	F-SND---	<i>affine</i> Erichson, 1845	-KS-D---
<i>czwalinai</i> Kuwert, 1887	F-----	<i>caesum</i> Erichson, 1845	--S-----
<i>stockmanni</i> Balfour-Browne, 1948		<i>myrmecophilum</i> (Allibert, 1844)	FKSND-A-
<i>kaninensis</i> Poppius, 1909	F-----	<i>exaratum</i> (Allibert, 1844)	FKSNDEA-
<i>minimus</i> (Fabricius, 1792)	FKSNDEAI	<i>horioni</i> Rosskothen, 1934	-KSND---
<i>impressus</i> (Marsham, 1802)		<i>modestum</i> Wankowicz, 1869	F-SND--I
<i>remotus</i> Reitter, 1887	-----A-	<i>Euryptilium</i> Matthews, 1872	
<i>alpinus</i> (Ieniștea, 1979)	FKSN---	<i>gillmeisteri</i> Flach, 1889	---ND-A-
<i>rugulosus</i> auct. nec (Wollaston, 1857)		<i>saxonicum</i> (Gillmeister, 1845)	FKSND---
<i>hungaricus</i> Endrödy-Younga, 1967	FK---E--	<i>marginatum</i> auct. nec (Aubé, 1850)	
<i>nilssoni</i> Hebauer, 1986	--S-----	<i>Ptiliola</i> Haldeman, 1848	
<i>metallescens</i> Rosenhauer, 1847	-----I	<i>Nanoptilium</i> Flach, 1889	
<i>pusillus</i> Stephens, 1835	-----I	<i>kunzei</i> (Heer, 1841)	FKSNDEA-
<i>marinus</i> (Paykull, 1798)	FKSNDEA-	<i>brevicollis</i> (Matthews, 1860)	F-SND-A-
<i>lenensis</i> Poppius, 1907	-K-N----	<i>Ptiliolum</i> Flach, 1888	
<i>viridis</i> Peyron, 1858	--S-D---	<i>stockmanni</i> Besuchet, 1971	F-----
<i>evanescens</i> J.Sahlberg, 1875	-K-----	<i>caledonicum</i> (Sharp, 1871)	FKSN-E--
Ptiliidae Heer, 1843		<i>croaticum</i> (Matthews, 1872)	
Ptiliinae Heer, 1843		<i>schwarzii</i> (Flach, 1887)	F-SNDE--
Nossidium Erichson, 1845		<i>wuesthoffi</i> Rosskothen, 1934	F-SND---
<i>pilosellum</i> (Marsham, 1802)	----D---	<i>spencei</i> (Allibert, 1844)	F-SNDE--
Ptenidium Erichson, 1845	--S-D-AI	<i>fuscum</i> (Erichson, 1845)	F-SND---
<i>gressneri</i> Erichson, 1845	F-SND-A-	<i>flachi</i> (Reitter, 1909)	
<i>laevigatum</i> Erichson, 1845	--SND-AI	<i>marginatum</i> (Aubé, 1850)	--S-D---
<i>turgidum</i> Thomson, 1855	--SND-AI	<i>lederi</i> (Flach, 1888)	
<i>intermedium</i> Wankowicz, 1869	FKSND--I	<i>sahlbergi</i> (Flach, 1888)	FKSN-EA-
<i>fuscicornis</i> Erichson, 1845	F-SNDE--	<i>Microptilium</i> Matthews, 1872	
<i>punctatum</i> (Gyllenhal, 1827)	FKSNDEA-	<i>palustre</i> Kuntzen, 1914	----D---
<i>formicetorum</i> Kraatz, 1851		<i>Nanosellinae</i> Barber, 1924	
<i>myrmecophilum</i> (Motschulsky, 1845) nec (Allibert, 1844)		<i>Baranowskia</i> Sörensson, 1997	
<i>pusillum</i> (Gyllenhal, 1808)	FKSNDEAI	<i>ehnstromi</i> Sörensson, 1997	F-SN----
<i>longicornis</i> (Fuss, 1868)	-----A-	<i>Acrotrichinae</i> Reitter, 1909 (1856)	
<i>nitidum</i> (Heer, 1841)	FKSNDEA-	<i>Ptinella</i> Motschulsky, 1844	
Actidium Matthews, 1868	----D-A-	<i>limbata</i> (Heer, 1841)	F-SND--I
<i>boudieri</i> (Allibert, 1844)	--S-D---	<i>testacea</i> (Heer, 1841)	
<i>coarctatum</i> (Haliday, 1855)		<i>denticollis</i> (Fairmaire, 1858)	FKS-D---
Oligella Motschulsky, 1868	FKSND-A-	<i>johsoni</i> Rutanen, 1985	F-S-----
<i>foveolata</i> (Allibert, 1844)	--SN---	<i>aptera</i> (Guérin-Ménéville, 1839)	F-SND---
<i>nana</i> (Strand, 1946)	--S-----	<i>britannica</i> Matthews, 1858	----D---
<i>intermedia</i> Besuchet, 1971		<i>tenella</i> (Erichson, 1845)	FKSND---
Micridium Motschulsky, 1868	--S-----	<i>microscopica</i> (Gillmeister, 1845)	FKS-----
<i>angulicolle</i> (Fairmaire, 1857)	F-SND-A-	<i>Pteryx</i> Matthews, 1858	
<i>halidaii</i> (Matthews, 1868)		<i>suturalis</i> (Heer, 1841)	FKSND-A-
Ptilium Gyllenhal, 1827		<i>splendens</i> Strand, 1960	F-SN----
Millidium Motschulsky, 1855		<i>Nephanes</i> Thomson, 1859	
<i>minutissimum</i> (Ljungh, 1804)	FKSNDEA-	<i>titan</i> (Newman, 1834)	FKSND-AI

<i>Smicrus</i> Matthews, 1872		<i>Agyrtinae</i> Thomson, 1859
<i>flicornis</i> (Fairmaire & Laboulbène, 1855)	FKSND-A-	<i>Ecanus</i> Stephens, 1833
<i>Baeocrara</i> Thomson, 1859		<i>glaber</i> (Fabricius, 1787) F-S-----
<i>variolosa</i> (Mulsant & Rey, 1873)	FKSND--I	
<i>littoralis</i> (Thomson, 1855) nec (Motschulsky, 1845)		
<i>japonica</i> (Matthews, 1884)	F-SND-A-	<i>Agyrtes</i> Frölich, 1799
<i>Acrotrichis</i> Motschulsky, 1848		<i>bicolor</i> Laporte de Castelnau, 1840 --S-D---
<i>grandicollis</i> (Mannerheim, 1844)	FKSNDEAI	<i>Leiodidae</i> Fleming, 1821
<i>montandonii</i> (Allibert, 1844)	FKSNDEAI	<i>Leiodinae</i> Fleming, 1821
<i>chevrolatii</i> (Allibert, 1844)	FKSND---	<i>Sogdini</i> Lopatin, 1961
<i>thoracica</i> (Waltl, 1838)	FKSND-A-	<i>Triarthron</i> Märkel, 1840
<i>sericans</i> (Heer, 1841)	FKSNDEA-	<i>maerkelii</i> Märkel, 1840 FKSND---
<i>picicornis</i> auct. nec (Mannerheim, 1843)		
<i>dispar</i> (Matthews, 1865)	FKSNDEAI	<i>Sogda</i> Lopatin, 1961
<i>brevipennis</i> (Erichson, 1845)	FKSNDEA-	<i>Trichohydnobius</i> Vogt, 1961
<i>pumila</i> (Erichson, 1845)	FKSNDE--	<i>suturalis</i> (Zetterstedt, 1828) FKSND--I
<i>longicornis</i> auct. nec (Mannerheim, 1844)		<i>perrisi</i> (Fairmaire, 1855)
<i>silvatica</i> Rosskothen, 1935	FKSND---	<i>ciliaris</i> (Thomson, 1874) FKSN----
<i>parva</i> Rosskothen, 1935	FKSND-A-	<i>hyperborea</i> (Strand, 1943)
<i>volans</i> (Motschulsky, 1845)	FKSN----	<i>Hydnobius</i> Schmidt, 1841
<i>fennica</i> Renkonen, 1939		<i>septentrionalis</i> Thomson, 1874 FKSN----
<i>cognata</i> (Matthews, 1877)	FKSNDE--	<i>punctatus</i> (Sturm, 1807) FK--D-A-
<i>platonoffi</i> Renkonen, 1945		<i>latifrons</i> (Curtis, 1840) FKSN----
<i>insularis</i> (Mäklin, 1852)	F-SND---	<i>strigosus</i> Schmidt, 1841
<i>norvegica</i> Strand, 1941	FKSND---	<i>tibialis</i> J.Sahlberg, 1903 F--N----
<i>arnoldi</i> Rosskothen, 1935	--S-D---	<i>spinipes</i> (Gyllenhal, 1813) FKSN-E--
<i>intermedia</i> (Gillmeister, 1845)	FKSNDEAI	<i>edentatus</i> (Sahlberg, 1833) F-----
<i>rosskotheni</i> Sundt, 1971	F-SND---	<i>orientalis</i> Hlisnikovsky, 1967
<i>fraterna</i> Johnson, 1975		<i>claviger</i> Strand, 1943 --SN----
<i>henrici</i> (Matthews, 1872)	---ND---	<i>multistriatus</i> (Gyllenhal, 1813) --S-D---
<i>fratercula</i> (Matthews, 1878)		
<i>atomaria</i> (DeGeer, 1774)	FKSNDEAI	<i>Leiodini</i> Fleming, 1821
<i>lucidula</i> Rosskothen, 1935	F-SND---	<i>Leiodes</i> Latreille, 1796
<i>danica</i> Sundt, 1958	--S-D---	<i>punctulata</i> (Gyllenhal, 1810) FKSND----
<i>sitkaensis</i> (Motschulsky, 1845)	FKSNDEA-	<i>inordinata</i> (J.Sahlberg, 1898) FKSND----
<i>fratercula</i> auct. nec (Matthews, 1878)		<i>silesiaca</i> (Kraatz, 1852) FKSND-AI
<i>sjobergi</i> Sundt, 1958	F-SN----	<i>hybrida</i> (Erichson, 1845) F-SN----
<i>fascicularis</i> (Herbst, 1793)	FKSNDEAI	<i>rugosa</i> Stephens, 1829 F-S-DEA-
<i>rugulosa</i> Rosskothen, 1935	FKSNDE--	<i>brandisi</i> Holdhaus, 1902 F-----
<i>strandii</i> Sundt, 1958	FKSND-A-	<i>ciliaris</i> (Schmidt, 1841) FKSND--I
<i>suecica</i> Sundt, 1958	--SND---	<i>pallens</i> (Sturm, 1807) -K-----
<i>Actinopteryx</i> Matthews, 1872		<i>triepkii</i> (Schmidt, 1841) FKSND-A-
<i>fucicola</i> (Allibert, 1844)	--S-D---	<i>rubiginosa</i> (Schmidt, 1841) F-S-D---
<i>Agyrtidae</i> Thomson, 1859		<i>polita</i> (Marsham, 1802) FKSNDDEAI
<i>Pterolominae</i> Thomson, 1862		<i>calcarata</i> (Erichson, 1845) F-SN----
<i>Pteroloma</i> Gyllenhal, 1827		<i>lucens</i> (Fairmaire, 1855) ? ? --D---
<i>forsstromii</i> (Gyllenhal, 1810)	FKSN-E--	<i>cinnamomea</i> (Panzer, 1793) FKSND-EI
		<i>oblonga</i> (Erichson, 1845) FKSND-A-
		<i>fracta</i> (Seidlitz, 1874) FKSND-A-
		<i>rhaetica</i> auct. nec (Erichson, 1845)

<i>furva</i> (Erichson, 1845)	FKS-DE--	<i>Agathidium</i> Panzer, 1797	
<i>longipes</i> (Schmidt, 1841)	F-SND---	<i>marginatum</i> Sturm, 1807	FKSNDEAI
<i>curta</i> (Fairmaire & Laboulbène, 1854)		<i>haemorrhoum</i> Erichson, 1845	--S-D-A-
<i>picea</i> (Panzer, 1797)	FKSND-AI	<i>varians</i> Beck, 1817	F-SND--I
<i>flavescens</i> (Schmidt, 1841)	F-SNDE-I	<i>convexum</i> Sharp, 1866	--S-DEAI
<i>ruficollis</i> J.Sahlberg, 1898	FKS-DE--	<i>piceum</i> Erichson, 1845, nec Melsheimer, 1844	
<i>nigrita</i> auct. nec (Schmidt, 1841)		<i>mandibulare</i> Sturm, 1807	FKSNDEA-
<i>litura</i> Stephens, 1832	FKSND---	<i>pulchellum</i> Wankowicz, 1869	FKS----I
<i>obesa</i> (Schmidt, 1841)	FKSNDE-I	<i>pallidum</i> (Gyllenhal, 1827)	FKSN----
<i>dubia</i> (Kugelann, 1794)	FKSN-EAI	<i>rotundatum</i> (Gyllenhal, 1827)	FKSNDEAI
<i>rufipennis</i> (Paykull, 1798)	F-S-D---	<i>confusum</i> Brisout de Barneville, 1863	FKSND-AI
<i>bicolor</i> (Schmidt, 1841)	F-----I	<i>plagiatum</i> (Gyllenhal, 1810)	--S---A-
<i>gallica</i> Reitter, 1884	--S-D---	<i>nigrinum</i> Sturm, 1807	FKSNDE--
<i>ferruginea</i> (Fabricius, 1787)	FKSNDEA-	<i>arcticum</i> Thomson, 1862	FKSN----
<i>ovalis</i> (Schmidt, 1841)		<i>discoideum</i> Erichson, 1845	FKSN----
<i>sparreschneideri</i> Strand, 1943	F-SN----	<i>nigripenne</i> (Fabricius, 1792)	FKSNDEAI
<i>puncticollis</i> (Thomson, 1862)	F-SN----	<i>atrum</i> (Paykull, 1798)	FKSNDEAI
<i>sahlbergi</i> Fleischer, 1907	FKSND--I	<i>seminulum</i> (Linnaeus, 1758)	FKSNDEAI
<i>badia</i> (Sturm, 1807)	FKSNDEAI	<i>laevigatum</i> Erichson, 1845	FKSNDEAI
<i>gyllenhalii</i> Stephens, 1829		<i>badium</i> Erichson, 1845	FKSNDEAI
<i>parvula</i> (Sahlberg, 1833)		<i>pisanum</i> Brisout de Barneville, 1872	FKSN--AI
<i>Xanthosphaera</i> Fairmaire, 1859		<i>bicolor</i> J.Sahlberg, 1881	
<i>Liocyrtusa</i> Daffner, 1982		<i>Coloninae</i> Horn, 1880 (1859)	
<i>minuta</i> (Ahrens, 1812)	FKSN--AI	<i>Colon</i> Herbst, 1797	
<i>vittata</i> (Curtis, 1840)	FKSND---	<i>latum</i> Kraatz, 1850	FKSNDE--
<i>pauxilla</i> (Schmidt, 1841)		<i>pseudolatum</i> Palm, 1941	F-SN----
<i>Cyrtusa</i> Erichson, 1842		<i>rufescens</i> Kraatz, 1850	F-SND-A-
<i>subtestacea</i> (Gyllenhal, 1813)	FKSNDEAI	<i>delarouzei</i> Tournier, 1863	--SN----
<i>Pseudoliodini</i> Portevin, 1926		<i>politum</i> Peck & Stephan, 1996	--S-----
<i>Colenis</i> Erichson, 1842	FKSNDEA-	<i>curvipes</i> Mäklin, 1880	F-S-----
<i>immunda</i> (Sturm, 1807)	--S-D-AI	<i>cordigerum</i> Szymczakowski, 1971	
<i>Agaricophagus</i> Schmidt, 1841		<i>arcticum</i> Munster, 1911	F-SN----
<i>cephalotes</i> Schmidt, 1841		<i>brundini</i> Palm, 1941	F-SN----
<i>Agathidiini</i> Westwood, 1838		<i>angulare</i> Erichson, 1837	FKSND---
<i>Anisotoma</i> Panzer, 1797	FKSNDEAI	<i>dentipes</i> (Sahlberg, 1822)	F-SND---
<i>humeralis</i> (Fabricius, 1792)	FKSNDEAI	<i>barnevillei</i> Kraatz, 1858	F-S-D---
<i>axillaris</i> Gyllenhal, 1810	FKSNDEAI	<i>dubiosum</i> Ihssen, 1951	
<i>castanea</i> (Herbst, 1792)	FKSNDEAI	<i>brunneum</i> (Latreille, 1807)	FKSNDEAI
<i>glabra</i> (Kugelann, 1794)	FKSNDEAI	<i>appendiculatum</i> (Sahlberg, 1822)	FKSND---
<i>orbicularis</i> (Herbst, 1792)	FKSNDEAI	<i>denticulatum</i> Kraatz, 1850	
<i>Liodopria</i> Reitter, 1909		<i>calcaratum</i> Erichson, 1837	-----I
<i>serricornis</i> (Gyllenhal, 1813)	F-SN-EAI	<i>serripes</i> (Sahlberg, 1822)	FKSND-A-
<i>Amphicyllis</i> Erichson, 1845		<i>puncticolle</i> Kraatz, 1850	FKS-DE--
<i>globus</i> (Fabricius, 1792)	FKSNDEAI	<i>viennense</i> Herbst, 1797	FKSNDEAI
<i>globiformis</i> (Sahlberg, 1833)	F-SNDEAI	<i>bidentatum</i> (Sahlberg, 1822)	FKSNDEA-

Cholevinae Kirby, 1837		Catops Paykull, 1798	
Ptomaphagini Jeannel, 1911		<i>subfuscus</i> Kellner, 1846	FKSND-AI
Ptomaphagus Illiger, 1798		<i>alpinus</i> Gyllenhal, 1827	FKSN-E--
<i>variicornis</i> (Rosenhauer, 1847)	--SND-AI	<i>luteipes</i> Thomson, 1884	F-SN----
<i>subvillosum</i> (Goeze, 1777)	FKSNDEAI	<i>longulus</i> Kellner, 1846	F-SN----
<i>sericatus</i> (Chaudoir, 1845)	F-SNDE-I	<i>coracinus</i> Kellner, 1846	FKSNDE-I
<i>medius</i> (Rey, 1889)		<i>grandicollis</i> Erichson, 1837	----D-A-
Nemadini Jeannel, 1936		<i>kirbii</i> (Spence, 1815)	--S-D--I
Nemadus Thomson, 1867		<i>tristis</i> (Panzer, 1793)	FKSND--I
<i>colonoides</i> (Kraatz, 1851)	F-SNDEAI	<i>chrysomeloides</i> (Panzer, 1798)	--S-D---
Eocatops Peyerimhoff, 1924		<i>neglectus</i> Kraatz, 1852	--S-D--
<i>lapponicus</i> Szymczakowski, 1975	F-S-----	<i>morio</i> (Fabricius, 1787)	FKSND-AI
Cholevini Kirby, 1837		<i>nigrita</i> Erichson, 1837	FKSNDEAI
Nargus Thomson, 1867		<i>nigriclavis</i> Gerhardt, 1900	F-SND-A-
<i>velox</i> (Spence, 1815)	FKS-DE--	<i>dohrni</i> Reitter, 1913	
<i>wilkinii</i> (Spence, 1815)	--SND-A-	<i>westi</i> Krogerus, 1931	FKSND-AI
<i>nikitanus</i> (Reitter, 1884)	--S-----	<i>fuscus</i> (Panzer, 1794)	FKSNDEAI
<i>anisotomoides</i> (Spence, 1815)	--S-DE--	<i>fuliginosus</i> Erichson, 1837	FKSNDE-I
Choleva Latreille, 1796	--S-D---	<i>borealis</i> Krogerus, 1931	FKSN----
<i>spadicea</i> (Sturm, 1839)	----D---	<i>nigricans</i> (Spence, 1815)	FKSND-AI
<i>paskoviensis</i> Reitter, 1913	F-S-DEAI	<i>picipes</i> (Fabricius, 1787)	--SNDEAI
<i>agilis</i> (Illiger, 1798)	---N----	Platypyllinae Ritsema, 1869	
<i>septentrionis</i> Jeannel, 1923	FKS--E--	Leptininae LeConte, 1872	
<i>lederiana</i> Reitter, 1902		Leptinus Müller, 1817	
<i>aquilonia</i> Krogerus, 1926	FKS-DEAI	<i>testaceus</i> Müller, 1817	--SND---
<i>oblonga</i> Latreille, 1807	-----A-	Platypyllus Ritsema, 1869	
<i>nivalis</i> Kraatz, 1856	--S-D---	<i>castoris</i> Ritsema, 1869	--SN--A-
<i>reitteri</i> Petri, 1915	-----E-I	Scydmaenidae Leach, 1815	
<i>cisteloides</i> (Frölich, 1799)	FKS-DE--	Scydmaeninae Leach, 1815	
<i>glauca</i> Britten, 1918	FKSNDEAI	Eutheiini Casey, 1897	
<i>angustata</i> (Fabricius, 1781)	F-SN----	Euthiconus Reitter, 1882	
<i>sturmii</i> Brisout de Barneville, 1863	F-SND---	<i>conicicollis</i> (Fairmaire & Laboulbène, 1855)	--SND---
<i>fagniezi</i> Jeannel, 1922	FK---EA-	Eutheia Stephens, 1830	--SNDEAI
<i>spinipennis</i> Reitter, 1890	--S-D---	<i>plicata</i> (Gyllenhal, 1813)	--S-D--
<i>jeanneli</i> Britten, 1922	FKSNDEA-	<i>schaumii</i> Kiesenwetter, 1858	FKSND-A-
<i>elongata</i> (Paykull, 1798)		<i>linearis</i> Mulsant, 1861	FKSNDEAI
Catopini Chaudoir, 1845		<i>scydmaenoides</i> Stephens, 1830	
Dreposcia Jeannel, 1922		Veraphis Casey, 1897	
<i>brevipalpis</i> (Reitter, 1901)	FK-N----	<i>engelmarki</i> Franz, 1971	--S-----
ssp. <i>colletti</i> (Münster, 1912)	--S-DEAI	Cephenniini Reitter, 1882	
<i>umbrina</i> (Erichson, 1837)		Cephennium Müller & Kunze, 1822	
Sciodrepoides Hatch, 1933		<i>thoracicum</i> Müller & Kunze, 1822	----D-A-
<i>Sciodrepa</i> auct. nec Thomson, 1859		<i>laticolle</i> Aubé, 1842	-----A-
<i>watsoni</i> (Spence, 1815)	FKSNDEAI	<i>majus</i> Reitter, 1882	-----EAI
<i>fumatus</i> (Spence, 1815)	FKSNDEAI	<i>gallicum</i> Ganglbauer, 1899	--S-D---
<i>alpestris</i> Jeannel, 1934	F-S-----		

Cyrtoscydmini Schaufuss, 1889		Silphidae Latreille, 1807	
Stenichnini Ganglbauer, 1899		Silphinae Latreille, 1807	
<i>Nevraphes</i> Thomson, 1859		Necrodes Leach, 1815	
<i>elongatus</i> (Müller & Kunze, 1822)	--SNDEAI	<i>littoralis</i> (Linnaeus, 1758)	FKSNDEAI
<i>angulatus</i> (Müller & Kunze, 1822)	FKSNDEAI	Thanatophilus Leach, 1815	
<i>carinatus</i> (Mulsant, 1861)	-----E--	<i>lapponicus</i> (Herbst, 1793)	FKSN-E--
<i>perssoni</i> Franz, 1975	--S-----	<i>rugosus</i> (Linnaeus, 1758)	FKSNDEAI
<i>ruthenus</i> Machulka, 1926	--SND---	<i>sinuatus</i> (Fabricius, 1775)	FKSNDEAI
<i>talparum</i> Lokay, 1920	FKS----I	<i>trituberculatus</i> (Kirby, 1837)	-K-----
<i>plicicollis</i> Reitter, 1879	F-SND---	<i>baicalicus</i> Motschulsky, 1860	
<i>coronatus</i> J.Sahlberg, 1881	FKSN-E--	<i>dispar</i> (Herbst, 1793)	FKSNDEAI
<i>praeteritus</i> Rye, 1872	-----E--	Oiceoptoma Leach, 1815	
<i>Scydmorephes</i> Reitter, 1891		<i>thoracica</i> (Linnaeus, 1758)	FKSNDEAI
<i>sparshalli</i> (Denny, 1825)	F-S-D-A-	Aclypea Reitter, 1884	
<i>helvolus</i> (Schaum, 1844)	F-SND-AI	Blitophaga Reitter, 1884	
<i>minutus</i> (Chaudoir, 1845)	FKSNDE-I	<i>opaca</i> (Linnaeus, 1758)	FKSNDEAI
<i>Stenichnus</i> Thomson, 1859		<i>undata</i> (Müller, 1776)	FKS-DEAI
<i>scutellaris</i> (Müller & Kunze, 1822)	F-SNDEAI	Dendroxena Motschulsky, 1858	
<i>pusillus</i> (Müller & Kunze, 1822)	--S-----	Xylodrepa Thomson, 1859	
<i>godarti</i> (Latreille, 1806)	--SND-AI	<i>quadrivittata</i> (Scopoli, 1772)	F-SNDEAI
<i>foveola</i> Rey, 1888	-----A-	<i>quadripunctata</i> (Linnaeus, 1761) nec (Linnaeus, 1758)	
<i>collaris</i> (Müller & Kunze, 1822)	FKSNDEAI	Silpha Linnaeus, 1758	
<i>bicolor</i> (Denny, 1825)	FKSNDEAI	<i>carinata</i> Herbst, 1783	FKSNDEAI
<i>exilis</i> (Erichson, 1837)		<i>obscura</i> Linnaeus, 1758	FKSNDEAI
<i>poweri</i> (Fowler, 1884)	--SND---	<i>tristis</i> Illiger, 1798	FKSNDEAI
<i>harwoodianus</i> Williams, 1927		Ablattaria Reitter, 1884	
<i>Microscydmus</i> Saulcy & Croissandieu, 1893		<i>laevigata</i> (Fabricius, 1775)	-----E--
<i>nanus</i> (Schaum, 1844)	FKSNDE-I	Phosphuga Leach, 1817	
<i>minimus</i> (Chaudoir, 1845)	F-SNDEA-	<i>atrata</i> (Linnaeus, 1758)	FKSNDEAI
<i>Euconnus</i> Thomson, 1859		Nicrophorinae Kirby, 1837	
<i>pubicollis</i> (Müller & Kunze, 1822)	-----I	Nicrophorus Fabricius, 1775	
<i>claviger</i> (Müller & Kunze, 1822)	FKSNDEAI	<i>germanicus</i> (Linnaeus, 1758)	--S-D-A-
<i>pragensis</i> (Machulka, 1923)	F-SN----	<i>humator</i> (Gleditsch, 1767)	F-SNDEAI
<i>maklinii</i> (Mannerheim, 1844)	FKSNDEAI	<i>sepultor</i> Charpentier, 1825	--S-DEAI
<i>wetterhallii</i> (Gyllenhal, 1813)	F-SNDE-I	<i>investigator</i> Zetterstedt, 1824	FKSNDEAI
<i>denticornis</i> (Müller & Kunze, 1822)	--S-DEAI	<i>fossor</i> Erichson, 1837	--S-DEAI
<i>rutilipennis</i> (Müller & Kunze, 1822)	F-S-D--I	<i>interruptus</i> Stephens, 1830, nec Brullé, 1822	
<i>hirticollis</i> (Illiger, 1798)	FKSNDEA-	<i>vespilloides</i> Herbst, 1784	FKSNDEAI
<i>fimetarius</i> (Chaudoir, 1845)	FKSNDEAI	<i>vespillo</i> (Linnaeus, 1758)	FKSNDEAI
<i>Scydmaenini</i> Leach, 1815		<i>vestigator</i> Herschel, 1807	--S-DEAI
<i>Scydmaenus</i> Latreille, 1802		Staphylinidae Latreille, 1802	
<i>tarsatus</i> Müller & Kunze, 1822		Omaliinae MacLeay, 1825	
<i>rufus</i> Müller & Kunze, 1822		Eusphalerini Hatch, 1957	
<i>perrisi</i> (Reitter, 1882)	--S-----	Eusphalerum Kraatz, 1857	
<i>hellwigii</i> (Herbst, 1792)	FKSN-EA-	<i>Anthobium</i> auct., nec Leach, 1819	
		<i>longipenne</i> (Erichson, 1839)	-K-----AI

<i>primulae</i> (Stephens, 1834)	----D-AI	<i>rivulare</i> (Paykull, 1789)	FKSNDEAI
<i>minutum</i> (Fabricius, 1792)	FKSNDEAI	<i>septentrionis</i> Thomson, 1857	FKSNDE-I
<i>sorbicola</i> (Y.Kangas, 1941)	FKSNDE--	<i>allardii</i> Fairmaire & Brisout de Barneville, 1859	--SND---
<i>lapponicum</i> (Mannerheim, 1830)	FKSN-EAI	<i>oxyacanthalae</i> Gravenhorst, 1806	--S-DE-I
<i>luteum</i> (Marsham, 1802)	FKSNDEAI	<i>strigicolle</i> Wankowicz, 1869	FKSN----
<i>ophthalmicum</i> (Paykull, 1800) nec (Scopoli, 1763)		<i>brevicolle</i> Thomson, 1869, nec Heer, 1839	
<i>limbatum</i> (Erichson, 1840)	-----E--	<i>laticolle</i> Kraatz, 1858	FKSND---
<i>pseudaucupariae</i> (E.Strand, 1916)	-K-----	<i>exiguum</i> Gyllenhal, 1810	F-SNDE--
<i>aucupariae</i> (Kiesenwetter, 1866) nec (Gistel, 1857)		<i>imitator</i> Luze, 1906	F-----
<i>borbi</i> (Gyllenhal, 1810)	FKSNDE--	<i>littorale</i> Kraatz, 1858	F-SNDE-I
<i>torquatum</i> (Marsham, 1802)	-KSND---	<i>caesum</i> Gravenhorst, 1806	FKSNDEAI
<i>tenenbaumi</i> (Bernhauer, 1932)	---DE-I	<i>rugatum</i> Rey, 1880	F-SNDE--
<i>florale</i> auct. nec (Panzer, 1793)		<i>muensteri</i> Bernhauer, 1900	F-SN----
Omaliini MacLeay, 1825		<i>excavatum</i> Stephens, 1834	FKSNDEAI
Acrulia Thomson, 1858		Xylostiba Ganglbauer, 1895	
<i>inflata</i> (Gyllenhal, 1813)	FKSNDEA-	<i>monilicornis</i> (Gyllenhal, 1810)	FKSN-EAI
Pycnoglypta Thomson, 1858		Phloeostiba Thomson, 1858	
<i>lurida</i> (Gyllenhal, 1813)	FKSNDEAI	<i>plana</i> (Paykull, 1792)	FKSNDEAI
Acrolocha Thomson, 1858		<i>lapponica</i> (Zetterstedt, 1838)	FKSNDEAI
<i>minuta</i> (Olivier, 1795)	FKS-DE--	Phloeonomus Heer, 1839	
<i>striata</i> (Gravenhorst, 1802)		<i>pusillus</i> (Gravenhorst, 1806)	FKSNDEAI
<i>pliginskii</i> Bernhauer, 1912	FKS-D---	<i>sjobergi</i> Strand, 1937	FKSN-E--
<i>sulcula</i> (Stephens, 1834)	FKS-DE-I	<i>punctipennis</i> Thomson, 1867	FKSNDEAI
Phyllodrepa Thomson, 1859		Xylodromus Heer, 1839	
<i>melanocephala</i> (Fabricius, 1787)	FKSNDEA-	<i>depressus</i> (Gravenhorst, 1802)	FKSNDEA-
<i>salicis</i> (Gyllenhal, 1810)	FKSND---	<i>affinis</i> (Gerhardt, 1877)	--S-D---
<i>nigra</i> (Gravenhorst, 1806)	FKSNDEAI	<i>brunnipennis</i> (Stephens, 1832)	FKSNDEAI
<i>puberula</i> Bernhauer, 1903	F-SND--I	<i>concinnus</i> (Marsham, 1802) nec (Gravenhorst, 1802)	
<i>floralis</i> (Paykull, 1789)	FKSNDEAI	<i>testaceus</i> (Erichson, 1840)	-KS-D---
<i>melis</i> Hansen, 1940	F-S-D--I	Micralymma Westwood, 1838	
<i>sahlbergi</i> Luze, 1906	FKSN----	<i>marinum</i> (Ström, 1783)	-KSN----
<i>baicalensis</i> auct. nec Bernhauer, 1903		Anthophagini Thomson, 1859	
<i>linearis</i> (Zetterstedt, 1828)	FKSN-E--	Philarinum Kraatz, 1857	
<i>clavigera</i> Luze, 1906	FKSN-E--	<i>sordidum</i> (Stephens, 1834)	----D---
<i>ioptera</i> (Stephens, 1832)	FKSNDEAI	Cylletron Thomson, 1859	
<i>vilis</i> (Erichson, 1840)	--SNDE--	<i>nivale</i> Thomson, 1859	FKSN----
<i>gracilicornis</i> (Fairmaire & Laboulbène, 1856)	--S-D---	Porrhodites Kraatz, 1857	
Hapalaraea Thomson, 1858		<i>fenestralis</i> (Zetterstedt, 1828)	FKSN----
<i>pygmaea</i> (Paykull, 1800)	FKSNDEA-	Orochares Kraatz, 1857	
Hypopycna Mulsant & Rey, 1880		<i>angustatus</i> (Erichson, 1840)	--S-D-A-
<i>rufula</i> (Erichson, 1840)	----D---	Mannerheimia Mäklin, 1880	
Omalium Gravenhorst, 1802		<i>arctica</i> (Erichson, 1840)	FKSN----
<i>rugulipenne</i> Rye, 1864	----D---	<i>brevipennis</i> (Motschulsky, 1858)	FKS----
<i>laeviusculum</i> Gyllenhal, 1827	-KSND---	<i>divergens</i> (Mäklin, 1877)	
<i>riparium</i> Thomson, 1857	F-SNDE--		
<i>validum</i> Kraatz, 1858	--S--E--		

Phyllodrepoidea Ganglbauer, 1895		<i>nigrita</i> (Müller, 1821)	FKSN----
<i>crenata</i> Ganglbauer, 1895	--SND---	<i>longipes</i> (Mannerheim, 1830)	FKSN----
Deliphrum Erichson, 1839		<i>hoejeri</i> Palm, 1961	--S-----
<i>tectum</i> (Paykull, 1789)	FKSNDEAI	Anthophagus Gravenhorst, 1802	
Anthobium Leach, 1819		<i>alpinus</i> (Paykull, 1790)	FKSN----
<i>Lathrimaeum</i> Erichson, 1839		<i>angusticollis</i> (Mannerheim, 1830)	FK---EAI
<i>melanocephalum</i> (Illiger, 1794)	--SN-EA-	<i>abbreviatus</i> auct. nec (Fabricius, 1779)	
<i>atrocephalum</i> (Gyllenhal, 1827)	FKSNDEAI	<i>omalinus</i> Zetterstedt, 1828	FKSN-EA-
<i>unicolor</i> (Marsham, 1802)	--SND---	<i>caraboides</i> (Linnaeus, 1758)	FKSNDEAI
<i>fusculum</i> (Erichson, 1839)	F-SND---	Coryphiini Jacobson, 1908	
Olophrum Erichson, 1839		Coryphium Stephens, 1834	
<i>piceum</i> (Gyllenhal, 1810)	F-SNDEAI	<i>angusticolle</i> Stephens, 1834	FKSNDEAI
<i>fuscum</i> (Gravenhorst, 1806)	FKSNDEAI	Coryphiomorphus Zerche, 1988	
<i>assimile</i> (Paykull, 1800)	FKSNDEAI	<i>hyperboreus</i> (Mäklin, 1880)	F-SN----
<i>boreale</i> (Paykull, 1792)	FKSN----	<i>norvegicus</i> (Munster, 1911)	
<i>florae</i> Scheerpeltz, 1935		Eudectus Redtenbacher, 1856	
<i>consimile</i> (Gyllenhal, 1810)	FKSN-E-I	<i>giraudi</i> Redtenbacher, 1856	FKSN-E--
<i>rotundicolle</i> (Sahlberg, 1830)	FKSN---I	Boreaphilus Sahlberg, 1832	
Arpedium Erichson, 1839		<i>henningianus</i> Sahlberg, 1832	FKSN----
<i>quadrum</i> (Gravenhorst, 1806)	FKSNDEAI	Proteininae Erichson, 1839	
Eucnecosum Reitter, 1909		Metopsis Wollaston, 1854	
<i>puncticolle</i> (J.Sahlberg, 1880)	FK-----	<i>Phloeobium</i> auct., nec Dejean, 1829	
<i>brachypterum</i> (Gravenhorst, 1802)	FKSNDEAI	<i>similis</i> Zerche, 1998	--SND---
<i>tenue</i> (LeConte, 1863)	FKSN----	<i>clypeata</i> auct. nec (Müller, 1821)	
<i>norvegicum</i> (Munster, 1933)		<i>clypeata</i> (Müller, 1821)	--S-----
<i>brunnescens</i> (J.Sahlberg, 1871)	FKSN-E--	<i>retusa</i> (Stephens, 1835)	
Deliphrosoma Reitter, 1909	-----A-	<i>gallica</i> (Koch, 1938)	
<i>macrocephalum</i> (Eppelsheim, 1873)	-----E--	Megarthrus Curtis, 1829	
<i>pechlaneri</i> Lohse, 1963		<i>prosseni</i> Schatzmayr, 1904	FKSNDEAI
<i>prolongatum</i> (Rottenberg, 1873)		<i>depressus</i> auct., nec (Paykull, 1789)	
Acidota Stephens, 1829		<i>strandi</i> Scheerpeltz, 1931	FKSN-E--
<i>crenata</i> (Fabricius, 1793)	FKSNDEAI	<i>nigrinus</i> J.Sahlberg, 1876	FKSN----
<i>cruentata</i> Mannerheim, 1830	FKSND-AI	<i>depressus</i> (Paykull, 1789)	FKSNDEAI
<i>quadrata</i> (Zetterstedt, 1838)	FKSN----	<i>sinuatocollis</i> auct., nec (Lacordaire, 1835)	
Lesteva Latreille, 1797		<i>denticollis</i> (Beck, 1817)	FKSNDEAI
<i>punctata</i> Erichson, 1839	F-SNDE--	<i>nitidulus</i> Kraatz, 1857	FKSN-EA-
<i>sicula</i> Erichson, 1840	--SND---	<i>hemipterus</i> (Illiger, 1794)	-----EAI
ssp. <i>heeri</i> Fauvel, 1872	FKSNDEAI	<i>fennicus</i> Lahtinen, 1938	FKSN----
<i>longoelytrata</i> (Goeze, 1777)	FKSN----	Proteinus Latreille, 1797	
<i>monticola</i> Kiesenwetter, 1847	--S-D---	<i>Pteronius</i> Blackwelder, 1952	
<i>hansenii</i> Lohse, 1953		<i>brachypterus</i> (Fabricius, 1792)	FKSNDEAI
<i>fontinalis</i> auct. nec Kiesenwetter, 1850		<i>crenulatus</i> Pandelle, 1867	--SN----
<i>pubescens</i> Mannerheim, 1830	FKSND-A-	<i>altaicus</i> Reitter, 1905	FKSN----
Geodromicus Redtenbacher, 1857		<i>apicidens</i> Jansson & Sjöberg, 1929	
<i>Psephidonus</i> Gistel, 1856		<i>hyperboreus</i> Muona, 1978	FKSN----
<i>plagiatus</i> (Fabricius, 1798)	FKSNDE--	<i>altaicus</i> auct. nec Reitter, 1905	

<i>laevigatus</i> Hochhuth, 1872	FKSNDE-I	<i>karstenii</i> (Reichenbach, 1816)	FKSNDEAI
<i>macropterus</i> (Gyllenhal, 1810) nec (Gravenhorst, 1806)		<i>mutator</i> Fauvel, 1895	FKSNDE--
<i>serrifer</i> (Muona, 1977)		<i>fauveli</i> Guillebeau, 1888, nec Raffray, 1882	
<i>atomarius</i> Erichson, 1840	FKSNDEAI	<i>falsus</i> Bedel, 1906	
Micropelinae Leach, 1815		<i>tomlini</i> Joy, 1906	
Arrhenopeplus Koch, 1937		<i>brunneus</i> (Grimmer, 1841)	--SND---
<i>tesserula</i> (Curtis, 1828)	FKSND--I	<i>duponti</i> Aubé, 1833	--S-D-A-
Micropelus Latreille, 1809		Leptoplectus Casey, 1908	
<i>staphylinoides</i> (Marsham, 1802)	----EA-	<i>Grammoplectus</i> Jeannel, 1950	
<i>latus</i> Hampe, 1861	--S----	<i>spinolai</i> (Aubé, 1844)	--SN----
<i>fulvus</i> Erichson, 1840	F-SNDE--	Plectophloeus Reitter, 1891	
<i>porcatus</i> (Paykull, 1789)	FKSNDEA-	<i>nitidus</i> (Fairmaire, 1857)	F-S-DE--
<i>caelatus</i> Erichson, 1839	--S-D-AI	<i>nubigena</i> (Reitter, 1876)	--S-D---
Pselaphinae Latreille, 1802		<i>fischeri</i> (Aubé, 1833)	-----I
Euplectini LeConte, 1861		Saulcyella Reitter, 1901	
Bibloporus Thomson, 1859		<i>schmidti</i> (Märkel, 1844)	--S-D---
<i>ultimus</i> Guillebeau, 1892	--S----	Trimum Aubé, 1833	
<i>bicolor</i> (Denny, 1825)	FKSNDEAI	<i>brevicorne</i> (Reichenbach, 1816)	FKSNDEAI
<i>minutus</i> Raffray, 1914	FKSND-A-	Batriscini Reitter, 1882	
<i>hoglundi</i> Palm, 1948		Batrissus Aubé, 1833	
Pseudoplectus Reitter, 1881	-KS-D---	<i>formicarius</i> Aubé, 1833	-----I
<i>perplexus</i> (Jacquelin du Val, 1854)		Batrisodes Reitter, 1882	
Bibloplectus Reitter, 1881		<i>delaporti</i> (Aubé, 1833)	--S----
<i>tenebrosus</i> (Reitter, 1880)	F-SND---	<i>venustus</i> (Reichenbach, 1816)	FKSNDEAI
<i>spinosus</i> Raffray, 1914	F-SNDEA-	<i>hubenthali</i> Reitter, 1913	FKS-E--
<i>ambiguus</i> (Reichenbach, 1816)	FKSNDEAI	<i>adnexus</i> (Hampe, 1863)	FKS-DE--
<i>minutissimus</i> (Aubé, 1833)	F-SND-A-	Goniacerini Reitter, 1882 (1872)	
<i>pusillus</i> (Denny, 1825)	----DEA-	Bythinus Leach, 1817	
Meliceria Raffray, 1898	--S--A--	<i>macropalpus</i> Aubé, 1833	F-S-DE-I
<i>tragardhi</i> Palm, 1938		<i>distinctus</i> Chaudoir, 1845	
Euplectus Leach, 1817		<i>burrellii</i> Denny, 1825	--SNDE--
<i>nanus</i> (Reichenbach, 1816)	FKSNDEAI	<i>securiger</i> (Reichenbach, 1816)	-----I
<i>kirbii</i> Denny, 1825		Bryaxis Kugelann, 1794	
ssp. <i>kirbii</i> Denny, 1825	--SND---	<i>puncticollis</i> (Denny, 1825)	FKSNDEAI
ssp. <i>revelierei</i> Reitter, 1884	F----EA-	<i>validus</i> (Aubé, 1844)	
<i>piceus</i> Motschulsky, 1835	F-SNDEAI	<i>nigripennis</i> (Aubé, 1844)	-----A-
<i>decipiens</i> Raffray, 1910	FKSN-E--	<i>bulbifer</i> (Reichenbach, 1816)	FKSNDEAI
<i>infirmus</i> Raffray, 1910	--S-D---	<i>clavicornis</i> (Panzer, 1806)	--S-D---
<i>bescidicus</i> Reitter, 1881	F-SNDE--	<i>curtisii</i> (Leach, 1817)	--SND-A-
<i>bohemicus</i> Machulka, 1930		Trichonyx Chaudoir, 1845	
<i>sanguineus</i> Denny, 1825	FKSNDEAI	<i>sulcicollis</i> (Reichenbach, 1816)	F-SND--I
<i>signatus</i> (Reichenbach, 1816)	FKSNDEAI	Amauronyx Reitter, 1881	
<i>bonvouloiri</i> Reitter, 1881		<i>maerkelii</i> (Aubé, 1844)	--S-D---
ssp. <i>rosae</i> Raffray, 1910	--S-D---	Tychus Leach, 1817	
<i>punctatus</i> Mulsant, 1861	FKSND-A-	<i>niger</i> (Paykull, 1800)	FKSNDEAI
<i>tholini</i> Guillebeau, 1888	--S-D---		

<i>monilicornis</i> Reitter, 1880	--S-D---	<i>tenuis</i> Mulsant & Rey, 1853	FKSN-E-I
<i>normandi</i> Jeannel, 1950	--S-D---	<i>mulsanti</i> Ganglbauer, 1895	
Ryaxis Saulcy, 1876		<i>altaicus</i> Luze, 1901	FKSN----
<i>Bryaxis</i> Leach, 1817, nec Kugelann, 1794		<i>monticola</i> Fowler, 1888	FKSN----
<i>longicornis</i> (Leach, 1817)	FKSNDEAI	<i>piceolus</i> Rey, 1882	-----E--
<i>laminata</i> (Motschulsky, 1836)	---ND---	<i>erichsonanus</i> Fagel, 1965	FKSNDE-I
Brachygluta Thomson, 1859		<i>baudueri</i> auct. nec Mulsant & Rey, 1875	
<i>fossulata</i> (Reichenbach, 1816)	FKSNDEAI	<i>baudueri</i> Mulsant & Rey, 1875	--SNDE-I
<i>haematica</i> (Reichenbach, 1816)		<i>helliesenii</i> Strand, 1950	
ssp. <i>sinuata</i> (Aubé, 1833)	F-SNDEA-	<i>lepidus</i> (Gravenhorst, 1806)	FKSNDEAI
<i>helpferi</i> (Schmidt-Goebel, 1836)	F-SND---	<i>brunneus</i> (Marsham, 1802) nec (Fabricius, 1798)	
<i>paludosa</i> (Peyron, 1858)	----d---	<i>longulus</i> Mannerheim, 1830	FKSNDEAI
<i>hansenii</i> Besuchet, 1954		<i>bimaculatus</i> Lacordaire, 1835	FKSNDEA-
Reichenbachia Leach, 1826		<i>ruficornis</i> Kraatz, 1857	
<i>juncorum</i> (Leach, 1817)	--SNDEAI	<i>despectus</i> Strand, 1969	FKSN----
Trissemus Jeannel, 1949		<i>bimaculatus</i> auct. nec Lacordaire, 1835	
<i>impressus</i> (Panzer, 1803)	F-SNDEAI	<i>nigricollis</i> Stephens, 1835	?????????
Pselaphini Latreille, 1802		<i>splendens</i> (Marsham, 1802) nec (Fabricius, 1793)	
Pselaphaulax Reitter, 1909	FKSNDEAI	<i>glaber</i> (Sperk, 1835)	F-S-----
<i>dresdensis</i> (Herbst, 1792)		<i>dispersus</i> Schülke & Kocian, 2000	--S-----
Pselaphus Herbst, 1792	FKSNDEAI	<i>inarius</i> Luze, 1901	FKSN-E--
<i>heisei</i> Herbst, 1792		<i>maeklini</i> Bernhauer, 1906	FKSN-E--
Chennium Latreille, 1807		<i>forticornis</i> Fauvel, 1875	F-SNDE--
<i>bituberculatum</i> Latreille, 1807	--S-----	<i>clavicornis</i> (Stephens, 1832)	FKSND-AI
Centrotoma Heyden, 1849		<i>solidicornis</i> Wollaston, 1864	-----E--
<i>lucifuga</i> Heyden, 1849	-----I	<i>reichei</i> Pandellé, 1869	
Tyrus Aubé, 1833	FKSNDEAI	<i>aequalis</i> Thomson, 1868	FKSNDE--
<i>mucronatus</i> (Panzer, 1803)		<i>niger</i> Fairmaire & Laboulbène, 1856	FKSND---
Clavigerini Leach, 1815		<i>angularis</i> Mulsant & Rey, 1854	FK-----
Claviger Preysler, 1790	FKSNDEAI	<i>boreellus</i> J.Sahlberg, 1876	FKSN----
<i>testaceus</i> Preysler, 1790	--S-D---	<i>nigrans</i> auct. nec Mäklin, 1853	
<i>longicornis</i> Müller, 1818		<i>maerkeli</i> Kraatz, 1857	FKSN----
Phloeocharinae Erichson, 1839		<i>rufescens</i> (Stephens, 1832)	FKSNDEAI
Phloeocharis Mannerheim, 1830	FKSNDEAI	<i>eppelsheimianus</i> Fagel, 1968	FKSND---
<i>subtilissima</i> Mannerheim, 1830		<i>brucki</i> auct. nec Pandellé, 1869	
Olisthaerinae Thomson, 1859		<i>bruckii</i> (Pandellé, 1869)	FKSN----
Olisthaerus Dejean, 1833	FKSN-E-I	<i>laevicollis</i> Eppelsheim, 1878	
<i>megacephalus</i> (Zetterstedt, 1828)	FKSN---I	<i>punctus</i> (Gravenhorst, 1806)	FKSNDEAI
<i>substriatus</i> (Paykull, 1790)		Ischnosoma Stephens, 1829	
Tachyporinae MacLeay, 1825		<i>bergrothi</i> (Hellén, 1925)	FKSN-EAI
Mycetoporini Thomson, 1859		<i>longicorne</i> (Mäklin, 1847)	FKSNDEA-
<i>Bolitobiini</i> Horn, 1877		<i>splendidum</i> (Gravenhorst, 1806)	FKSNDEAI
Mycetoporus Mannerheim, 1830	FK-----	Bryoporus Kraatz, 1857	
<i>debilis</i> Mäklin, 1847		<i>cernuus</i> (Gravenhorst, 1806)	FKSNDE-I
		<i>merdarius</i> (Olivier, 1794) nec (Fabricius, 1775)	
		Bryophacis Reitter, 1909	
		<i>punctipennis</i> (Thomson, 1861)	FKSN----

<i>rugipennis</i> (Pandellé, 1869)	FKSN-E--	<i>hypnorum</i> (Fabricius, 1775)	FKSNDEAI
<i>rufus</i> (Erichson, 1839)	-----I	<i>chrysomelinus</i> (Linnaeus, 1758)	FKSNDEAI
<i>crassicornis</i> (Mäklin, 1847)	FKSNDE--	<i>dispar</i> (Paykull, 1789)	FKSND---
<i>Carphacis</i> Des Gozis, 1886		<i>tersus</i> Erichson, 1840	F-SNDEA-
<i>striatus</i> (Olivier, 1795)	FKS-D---	<i>atriceps</i> Stephens, 1832	FKSNDEAI
<i>angularis</i> (Paykull, 1800)		<i>duplex</i> Luze, 1901	---N----
<i>Lordithon</i> Thomson, 1859		<i>quadriscopulatus</i> Pandellé, 1869	--SN-EAI
<i>Bolitobius</i> auct., nec Leach, 1819		<i>signifer</i> Pandellé, 1872	
<i>thoraciculus</i> (Fabricius, 1777)	FKSNDEAI	<i>ruficollis</i> Gravenhorst, 1802	----DEA-
<i>exoletus</i> (Erichson, 1839)	FKSNDEAI	<i>transversalis</i> Gravenhorst, 1806	FKSNDEAI
<i>bernhaueri</i> (Wanka, 1929)		<i>pulchellus</i> Mannerheim, 1843	FKSNDE-I
<i>trinotatus</i> (Erichson, 1839)	F-SNDEAI	<i>pusillus</i> Gravenhorst, 1806	FKSNDEAI
<i>trimaculatus</i> (Fabricius, 1793)	FKSN--AI	<i>macropterus</i> Stephens, 1832	
<i>lunulatus</i> (Linnaeus, 1761)	FKSNDEAI	<i>scitulus</i> Erichson, 1839	FKSNDEAI
<i>pulchellus</i> (Mannerheim, 1830)	FKSN-EAI	<i>corpulentus</i> J.Sahlberg, 1876	FKSN-EAI
<i>speciosus</i> (Erichson, 1840)	FKSN-EA-	<i>Lamprinodes</i> Luze, 1901	
<i>Bolitobius</i> Leach, 1819		<i>saginatus</i> (Gravenhorst, 1806)	FKSNDEAI
<i>Bryocaris</i> Lacordaire, 1835		<i>Lamprinus</i> Heer, 1839	
<i>cinctulatus</i> Mannerheim, 1830	FKSNDEAI	<i>erythropterus</i> (Panzer, 1796)	----EA-
<i>castaneus</i> (Stephens, 1832)	FKSNDEAI	<i>Tachinus</i> Gravenhorst, 1802	
<i>analis</i> auct. nec (Fabricius, 1787)	--SND---	<i>signatus</i> Gravenhorst, 1802	FKSNDEAI
<i>inclinans</i> (Gravenhorst, 1806)	FK---EAI	<i>rufipes</i> auct. nec (Linnaeus, 1758)	
<i>formosus</i> (Gravenhorst, 1806)		<i>elegans</i> Eppelsheim, 1893	FKSN----
<i>Tachyporini</i> MacLeay, 1825		<i>pallipes</i> (Gravenhorst, 1806)	FKSNDEAI
<i>Sepedophilus</i> Gistel, 1856		<i>marginatus</i> (Fabricius, 1793)	FKSN-EAI
<i>Conosoma</i> auct., nec Kraatz, 1857		<i>scapularis</i> Stephens, 1832	F-----
<i>littoreus</i> (Linnaeus, 1758)	FKSNDEAI	<i>bipustulatus</i> (Fabricius, 1793)	--S-DEAI
<i>testaceus</i> (Fabricius, 1793)	FKSNDEAI	<i>humeralis</i> Gravenhorst, 1802	----DEAI
<i>marshami</i> (Stephens, 1832)	F-SNDE-I	<i>proximus</i> Kraatz, 1855	FKSNDEAI
<i>constans</i> (Fowler, 1888)	FKSN--A-	<i>rufipennis</i> Gyllenhal, 1810	FKSND-AI
<i>strigosus</i> (J.Sahlberg, 1911)		<i>atripes</i> J.Sahlberg, 1876	F-SN---
<i>stoekli</i> (Lokay, 1913)	--S----	<i>subterraneus</i> (Linnaeus, 1758)	FKSND-AI
<i>lusitanicus</i> Hammond, 1973		<i>filmetarius</i> Gravenhorst, 1802	FKSNDEAI
<i>immaculatus</i> (Stephens, 1832)	FKSNDEAI	<i>lignorum</i> (Linnaeus, 1758)	FKSNDEAI
<i>bipunctatus</i> (Gravenhorst, 1802)	FKSNDEAI	<i>basalis</i> Erichson, 1840	FKS---I
<i>bipustulatus</i> (Gravenhorst, 1802)	--S-DEAI	<i>corticinus</i> Gravenhorst, 1802	FKSNDEAI
<i>pedicularius</i> (Gravenhorst, 1802)	FKSNDE-I	<i>laticollis</i> Gravenhorst, 1802	FKSNDEAI
<i>nigripennis</i> (Stephens, 1832)	----D---	<i>schneideri</i> Luze, 1900	F----A-
<i>Tachyporus</i> Gravenhorst, 1802		<i>marginellus</i> (Fabricius, 1781)	FKSNDEAI
<i>nitidulus</i> (Fabricius, 1781)	FKSNDEAI	<i>elongatus</i> Gyllenhal, 1810	FKSND-AI
<i>obscurellus</i> Zetterstedt, 1838	FKSN---	<i>punctipennis</i> (J.Sahlberg, 1876)	FK---E--
<i>obtusus</i> (Linnaeus, 1767)	FKSNDEAI	<i>Coproporus</i> Kraatz, 1857	
<i>abdominalis</i> (Fabricius, 1781)	FKSN-EAI	<i>Erchromus</i> Motschulsky, 1858	
<i>formosus</i> Matthews, 1838	--S-D---	<i>colchicus</i> Kraatz, 1858	--SN--A
<i>solutus</i> Erichson, 1839	FKSNDEAI	<i>heterocerus</i> auct. nec (Fauvel, 1898)	
<i>pallidus</i> Sharp, 1871	FKSNDEAI		
<i>scutellaris</i> Rye, 1871, nec Lacordaire, 1835			

Cilea Jacquelin du Val, 1856		
<i>Leucoparyphus</i> Kraatz, 1857		
<i>silphoides</i> (Linnaeus, 1767)	FKSNDEAI	
Habrocerinae Mulsant & Rey, 1877		
Habrocerus Erichson, 1839		
<i>capillaricornis</i> (Gravenhorst, 1806)	F-SNDEAI	
Trichophyinae Thomson, 1859		
<i>Trichophya</i> Mannerheim, 1830		
<i>pilicornis</i> (Gyllenhal, 1810)	FKSNDEAI	
Aleocharinae Fleming, 1821		
<i>Aleocharini</i> Fleming, 1821		
<i>Aleochara</i> Gravenhorst, 1802		
<i>curtula</i> (Goeze, 1777)	FKSNDEAI	
<i>haematoptera</i> Kraatz, 1858		
<i>haematoches</i> Schaum, 1862		
<i>ssp. ripicola</i> Mulsant & Rey, 1874	F----E--	
<i>crassicornis</i> Lacordaire, 1835, nec Gyllenhal, 1827		
<i>spissicornis</i> Erichson, 1839	--S-----	
<i>brevipennis</i> Gravenhorst, 1806	FKSNDEAI	
<i>puberula</i> Klug, 1833	F-----	
<i>intricata</i> Mannerheim, 1830	FKSNDEAI	
<i>tristis</i> Gravenhorst, 1806	FKSNDEAI	
<i>moesta</i> Gravenhorst, 1802	FKSNDE-I	
<i>gaudiuscula</i> Tottenham, 1939	--S-----	
<i>pulchra</i> Bernhauer, 1901, nec Gravenhorst, 1806		
<i>inconspicua</i> Aubé, 1850	FKSNDEA-	
<i>sparsa</i> Heer, 1839	FKSNDEAI	
<i>stichai</i> Likovský, 1965	F-S---I	
<i>kamila</i> Likovský, 1984	F-S-E-I	
<i>diversa</i> (J. Sahlberg, 1876) nec Mulsant & Rey, 1853		
<i>funebris</i> Wollaston, 1864	FKSNDE-I	
<i>albovillosa</i> Bernhauer, 1901		
<i>peeziana</i> Lohse, 1961	F-S---	
<i>lanuginosa</i> Gravenhorst, 1802	FKSNDEAI	
<i>lygaea</i> Kraatz, 1862	FKSNDE--	
<i>villosa</i> Mannerheim, 1830	FKSNDE--	
<i>sanguinea</i> (Linnaeus, 1758)	FKSND-A-	
<i>fumata</i> Gravenhorst, 1802	FKSN-EAI	
<i>moerens</i> Gyllenhal, 1827	FKSNDEAI	
<i>maculata</i> Brisout de Barneville, 1863	F-----	
<i>laevigata</i> Gyllenhal, 1810	FKSNDEAI	
<i>haemoptera</i> Kraatz, 1856	FK-----	
<i>cuniculorum</i> Kraatz, 1858	--S-DE--	
<i>spadicea</i> (Erichson, 1837)	FKSNDE--	
<i>ruficornis</i> Gravenhorst, 1802	F---D---	
<i>erythroptera</i> Gravenhorst, 1806	-----I	
<i>bilineata</i> Gyllenhal, 1810	FKSNDEAI	
<i>binotata</i> Kraatz, 1856		FKSNDEAI
<i>verna</i> auct. nec Say, 1836		--S-D--I
<i>verna</i> Say, 1836		FKSN----
<i>brundini</i> Bernhauer, 1936		
<i>suffusa</i> auct. nec (Casey, 1906)		
<i>bipustulata</i> (Linnaeus, 1761)		FKSNDEAI
<i>grisea</i> Kraatz, 1856		F-SNDE-I
<i>obscurella</i> Gravenhorst, 1806		--SND--
<i>algarum</i> Fauvel, 1862		
<i>punctatella</i> Motschulsky, 1858		F-SNDE--
<i>obscurella</i> auct. nec Gravenhorst, 1806		
<i>Tinotus</i> Sharp, 1883		
<i>morion</i> (Gravenhorst, 1802)		FKSNDEAI
Oxypodini Thomson, 1859		
Oxypodina Thomson, 1859		
Oxypoda Mannerheim, 1830		
<i>lugubris</i> Kraatz, 1856		FKSN----
<i>elongatula</i> Aubé, 1850		FKSNDEAI
<i>procerula</i> Mannerheim, 1830		FKSNDEAI
<i>opaca</i> (Gravenhorst, 1802)		FKSNDEAI
<i>nigricornis</i> Motschulsky, 1860		FKSN----
<i>operta</i> Sjöberg, 1950		FKS-----
<i>longipes</i> Mulsant & Rey, 1861		FKSNDE-I
<i>vittata</i> Märkel, 1842		FKSND-AI
<i>acuminata</i> (Stephens, 1832)		FKSNDEAI
<i>lividipennis</i> auct. nec Mannerheim, 1830		
<i>spectabilis</i> Märkel, 1844		FKSNDEAI
<i>funebris</i> Kraatz, 1856		FKSNDEA-
<i>laticollis</i> (Thomson, 1871)		
<i>lentula</i> Erichson, 1837		FKS-D--I
<i>induta</i> Mulsant & Rey, 1861		-----D---
<i>skalitzkyi</i> Bernhauer, 1902		FKSN---I
<i>brevicornis</i> (Stephens, 1832)		FKSNDE-I
<i>umbrata</i> (Gyllenhal, 1810) nec (Gravenhorst, 1802)		
<i>doderoi</i> Bernhauer, 1902		FKS-----
<i>hansseni</i> Strand, 1946		F-SN----
<i>lapponica</i> Lundberg, 1980		
<i>vicina</i> Kraatz, 1856		FKSNDEA-
<i>abdominalis</i> (Mannerheim, 1830)		FKSN-EAI
<i>strandi</i> Scheerpeltz, 1957		F-SND--
<i>rufa</i> Kraatz, 1856		--S-DE--
<i>islandica</i> Kraatz, 1857		FKSN-E--
<i>uhligi</i> Zerche, 1987		---N----
<i>togata</i> Erichson, 1837		FKSNDE-I
<i>exoleta</i> Erichson, 1839		F-SNDE-I
<i>recondita</i> Kraatz, 1856		F-SNDE-I
<i>alternans</i> (Gravenhorst, 1802)		FKSNDEAI

<i>serpentata</i> Kangas, 1983	F-----	<i>Calodera</i> Mannerheim, 1830
<i>praecox</i> Erichson, 1839	FKSNDE-I	<i>Ityocara</i> Thomson, 1867
<i>arborea</i> Zerche, 1994	F-SND---	<i>nigrita</i> Mannerheim, 1830
<i>lucens</i> auct. nec Mulsant & Rey, 1853	F-SNDE-I	<i>protensa</i> Mannerheim, 1830
<i>testacea</i> Erichson, 1837	--S-D---	<i>rufescens</i> Kraatz, 1856
<i>tarda</i> Sharp, 1871	FKSNDE--	<i>aethiops</i> (Gravenhorst, 1802)
<i>brachyptera</i> (Stephens, 1832)	FKSNDE-I	<i>lapponica</i> J.Sahlberg, 1871
<i>annularis</i> (Mannerheim, 1830)	FKSNDE-A-	<i>uliginosa</i> Erichson, 1837
<i>flavicornis</i> Kraatz, 1856	FKSND-A-	<i>riparia</i> Erichson, 1837
<i>amoena</i> Fairmaire & Laboulbène, 1856		<i>rubens</i> Erichson, 1837
<i>advena</i> Mäklin, 1846	FKSN-E-I	
<i>filiformis</i> Redtenbacher, 1849	-----I	<i>Parocyusa</i> Bernhauer, 1902
<i>ferruginea</i> Erichson, 1839	----E-I	<i>Chilopora</i> Kraatz, 1867, nec Haime, 1854
<i>soror</i> Thomson, 1855	FKSNDEA-	<i>rubicunda</i> (Erichson, 1837)
<i>formicetica</i> Märkel, 1841	FKSNDEAI	<i>crebrepunctata</i> (Strand, 1962)
<i>pratensiscola</i> Lohse, 1970	--S----	<i>longitarsis</i> (Erichson, 1839)
<i>scanica</i> Lundberg, 1980		
<i>rugicollis</i> Kraatz, 1856	F-SN-E--	<i>Stichoglossa</i> Fairmaire & Laboulbène, 1856
<i>sjobergi</i> Bernhauer, 1927		<i>semirufa</i> (Erichson, 1839)
<i>bicolor</i> Mulsant & Rey, 1853	F-SN-E--	
<i>haemorrhoa</i> (Mannerheim, 1830)	FKSNDEAI	<i>Ischnoglossa</i> Kraatz, 1856
<i>carbonaria</i> (Heer, 1841)	----D---	<i>prolixa</i> (Gravenhorst, 1802)
<i>Devia</i> Blackwelder, 1952		<i>elegantula</i> (Mannerheim, 1830)
<i>Dasyglossa</i> Kraatz, 1856, nec Illiger, 1807		<i>obscura</i> Wunderle, 1990
<i>prospera</i> (Erichson, 1839)	FKSN-EAI	
<i>Hygropora</i> Kraatz, 1856		<i>Dexiogyia</i> Thomson, 1858
<i>cunctans</i> (Erichson, 1837)	FKSNDE--	<i>corticina</i> (Erichson, 1837)
<i>longicornis</i> Palm, 1949	FKSN----	<i>forticornis</i> (Strand, 1939)
<i>Pyroglossa</i> Bernhauer, 1901		
<i>pulcherrima</i> Bernhauer, 1901	F-SN----	<i>Thiasophila</i> Kraatz, 1856
<i>Acrostiba</i> Thomson, 1858		<i>Thyasophila</i> Fairmaire & Laboulbène, 1856
<i>borealis</i> Thomson, 1858	FKSN----	<i>angulata</i> (Erichson, 1837)
<i>Ocyusa</i> Kraatz, 1856		<i>lohsei</i> Zerche, 1987
<i>Deubelia</i> Bernhauer, 1899		<i>canaliculata</i> Mulsant & Rey, 1874
<i>maura</i> (Erichson, 1837)	FKSNDEA-	<i>wockii</i> (Schneider, 1862)
<i>picina</i> (Aubé, 1850)	FKS-DE-I	<i>rotundicollis</i> Jansson, 1943
<i>Chanoma</i> Blackwelder, 1952		<i>bercioni</i> Bernhauer, 1926
<i>Pseudaphana</i> Bernhauer, 1907, nec Westwood, 1842		<i>inquilina</i> (Märkel, 1842)
<i>vorbringeri</i> (Bernhauer, 1907)	--SN----	<i>Cratarea</i> Thomson, 1858
<i>tullgreni</i> (Palm, 1939)		<i>suturalis</i> (Mannerheim, 1830)
<i>Cephalocousya</i> Lohse, 1971		
<i>nivicola</i> (Thomson, 1871)	FKSN----	<i>Haploglossa</i> Kraatz, 1856
<i>Chilomorpha</i> Krása, 1914		<i>Microglotta</i> Kraatz, 1862
<i>longitarsis</i> (Thomson, 1867)	F-SN-E--	<i>gentilis</i> (Märkel, 1844)
<i>laticollis</i> auct. nec (Thomson, 1871)		<i>villosula</i> (Stephens, 1832)
<i>hibernica</i> (Rye, 1876)		<i>pulla</i> (Gyllenhal, 1827) nec (Gravenhorst, 1802)
		<i>nidicola</i> (Fairmaire, 1852)
		<i>picipennis</i> (Gyllenhal, 1827)
		<i>marginalis</i> (Gravenhorst, 1806)
		<i>Mniusa</i> Mulsant & Rey, 1875
		<i>incrassata</i> (Mulsant & Rey, 1852)
		<i>grandiceps</i> (J.Sahlberg, 1876)

Poromniusa Ganglbauer, 1895	<i>filiformis</i> (Motschulsky, 1860)	FKSNDE--
<i>Eurygnusia</i> Ganglbauer, 1895	<i>capitalis</i> Mulsant & Rey, 1873	
<i>crassa</i> (Eppelsheim, 1883)	<i>apicalis</i> Benick, 1953	
<i>procidua</i> (Erichson, 1837)	<i>clavata</i> Benick, 1953	
Ocalea Erichson, 1837	<i>exillima</i> Sharp, 1915	----D---
<i>badia</i> Erichson, 1837	<i>exilis</i> (Knoch, 1806)	FKSNDE--
<i>picata</i> (Stephens, 1832)	<i>exiliformis</i> Joy, 1915	
<i>concolor</i> Kiesenwetter, 1847	<i>winkleri</i> Benick, 1954	----D---
<i>rivularis</i> Miller, 1851		
<i>latipennis</i> Sharp, 1870		
Ilyobates Kraatz, 1856	Tachyusina Thomson, 1859	
<i>bennetti</i> Donisthorpe, 1914	<i>Dasygnypeta</i> Lohse, 1974	
<i>subopacus</i> Palm, 1953	<i>velata</i> (Erichson, 1837)	FKSNDEAI
<i>nigricollis</i> (Paykull, 1800)		
Pentanota Bernhauer, 1905	Gnypeta Thomson, 1858	
<i>meuseli</i> Bernhauer, 1905	<i>caerulea</i> (Sahlberg, 1831)	FKSN-E--
Amarochara Thomson, 1858	<i>sellmani</i> Brundin, 1929	FKSN----
<i>umbrosa</i> (Erichson, 1837)	<i>brincki</i> Palm, 1966	F-SN----
<i>bonnairii</i> (Fauvel, 1865)	<i>ripicola</i> (Kiesenwetter, 1844)	FKSND---
<i>forticornis</i> (Lacordaire, 1835)	<i>carbonaria</i> (Mannerheim, 1830)	FKSNDE--
Phloeopora Erichson, 1837	<i>rubrior</i> Tottenham, 1939	F-S-DE--
<i>Phloeodroma</i> Kraatz, 1856		
<i>testacea</i> (Mannerheim, 1830)	Ischnopoda Stephens, 1835	
<i>nitidiventris</i> Fauvel, 1900	<i>Tachyusa</i> Erichson, 1837	
<i>corticalis</i> (Gravenhorst, 1802)	<i>constricta</i> (Erichson, 1837)	FKSNDEAI
<i>teres</i> auct. nec (Gravenhorst, 1802)	<i>coarctata</i> (Erichson, 1837)	FKS-DEAI
<i>angustiformis</i> auct. nec Baudi, 1869	<i>balteata</i> (Erichson, 1839)	-K-----
<i>bernhaueri</i> Lohse, 1984	<i>atra</i> (Gravenhorst, 1806)	FKSNDEAI
<i>teres</i> (Gravenhorst, 1802)	<i>leucopus</i> (Marsham, 1802)	FKSNDEAI
<i>teres</i> auct. nec (Gravenhorst, 1802)	<i>umbratica</i> (Erichson, 1837)	FKS-DE-I
<i>opaca</i> Bernhauer, 1902	<i>scitula</i> (Erichson, 1837)	FKSNDEAI
<i>concolor</i> (Kraatz, 1856)		
Dinardina Mulsant & Rey, 1873	Brachyusa Mulsant & Rey, 1874	
Dinarda Samouelle, 1819	<i>concolor</i> (Erichson, 1839)	FKSND-AI
<i>dentata</i> (Gravenhorst, 1806)	Athetini Casey, 1910	
<i>hagensii</i> Wasmann, 1889	<i>Trichomicra</i> Brundin, 1945	
<i>maerkelii</i> Kiesenwetter, 1843	<i>sahlbergiana</i> (Bernhauer, 1910)	F-SN----
Meoticina Seevers, 1978	Dochmonota Thomson, 1859	
Meotica Mulsant & Rey, 1873	<i>clancula</i> (Erichson, 1837)	FKSNDE--
<i>pallens</i> (Redtenbacher, 1849)	<i>rudiventris</i> (Eppelsheim, 1886)	FKSN----
<i>lohsei</i> Benick, 1953	Dacryla Mulsant & Rey, 1874	
<i>hanseni</i> Scheerpeltz, 1954	<i>fallax</i> (Kraatz, 1856)	F-SNDE--
<i>strandi</i> Scheerpeltz, 1958		
<i>stockmanni</i> Muona, 1978	Brundinia Tottenham, 1949	
<i>finnmarchica</i> Benick, 1953	<i>meridionalis</i> (Mulsant & Rey, 1853)	--S-DE--
<i>angulata</i> Benick, 1953	<i>marina</i> (Mulsant & Rey, 1853)	--S-DE--
	Hydrosmecta Thomson, 1858	
	<i>Hydrosmectina</i> Ganglbauer, 1895	
	<i>longula</i> (Heer, 1839)	FKSNDE--
	<i>thinobioides</i> (Kraatz, 1854)	
	<i>delicatula</i> (Sharp, 1869)	F-SN----
	<i>tenella</i> (Mannerheim, 1830)	FK-----

<i>subtilissima</i> (Kraatz, 1854)	F-SN-E--	Geostiba Thomson, 1858
<i>obscurior</i> (Benick, 1969)		Sipalia auct., nec Mulsant & Rey, 1853
<i>septentrionum</i> (Benick, 1969)	----D---	Evanystes auct., nec Gistel, 1856
Dilacra Thomson, 1858		<i>circellaris</i> (Gravenhorst, 1802) FKSNEAI
<i>luteipes</i> (Erichson, 1837)	FKSNDE--	Callicerus Gravenhorst, 1802
<i>vilis</i> (Erichson, 1837)	F-SNDE-I	<i>obscurus</i> Gravenhorst, 1802 F-SND---
Ousipalia Des Gozis, 1886	--S-DE--	<i>rigidicornis</i> (Erichson, 1839) ----D---
<i>caesula</i> (Erichson, 1839)		
Tomoglossa Kraatz, 1856	F-S-DE--	Dadobia Thomson, 1858
<i>luteicornis</i> (Erichson, 1837)		<i>immersa</i> (Erichson, 1837) FKSNEAI
Schistoglossa Kraatz, 1856		Paranopleta Brundin, 1954
<i>viduata</i> (Erichson, 1837)	FKSNDEAI	<i>inhabilis</i> (Kraatz, 1856) FKSNE--
<i>drusilloides</i> (J.Sahlberg, 1876)	FKS-D---	Lundbergia Muona, 1975
<i>gemina</i> (Erichson, 1837)	FKSND-AI	<i>trybomi</i> (J.Sahlberg, 1880) F-SN----
<i>pseudogemina</i> Benick, 1981	----D---	Cadaverota Yosii & Sawada, 1976
<i>curtipennis</i> (Sharp, 1869)	FKSNDE-I	<i>cadaverina</i> (Brisout de Barneville, 1860) FKSNEAI
<i>bergvalli</i> Palm, 1968	--S-D---	<i>hansseni</i> (Strand, 1943) --SND---
<i>benicki</i> Lohse, 1981		
<i>aubei</i> (Brisout de Barneville, 1860)	FKSNDE--	Philhygra Mulsant & Rey, 1873
Aloconota Thomson, 1858		<i>pseudoelongatula</i> (Bernhauer, 1907) F-----
<i>eichhoffi</i> (Scriba, 1867)		<i>arctica</i> (Thomson, 1856) FKSNE-I
<i>planifrons</i> (Waterhouse, 1864)	--N----	<i>botanicarum</i> (Muona, 1983) F-----
<i>strandi</i> (Benick, 1939)	F-SNDE--	<i>polaris</i> (Bernhauer, 1900) FKSNE-E--
<i>currax</i> (Kraatz, 1856)	FKSN----	<i>elongatula</i> (Gravenhorst, 1802) FKSNEAI
<i>sulcifrons</i> (Stephens, 1832)	FKSNDE-I	<i>hygrobia</i> (Thomson, 1856) FKSNEAI
<i>insecta</i> (Thomson, 1856)	FKSNDE--	<i>magniceps</i> (J.Sahlberg, 1876)
<i>subgrandis</i> (Brundin, 1954)	F-SND---	<i>hygrotopora</i> (Kraatz, 1856) F-SNDE--
<i>gregaria</i> (Erichson, 1839)	FKSNDEAI	<i>pinegensis</i> (Muona, 1983) F--N----
Disopora Thomson, 1859		<i>luridipennis</i> (Mannerheim, 1830) FKSNEDEAI
<i>languida</i> (Erichson, 1837)	F-S-DEAI	<i>terminalis</i> (Gravenhorst, 1806) FKSNEDEA-
<i>ultima</i> (Benick & Lohse, 1959)	----E--	<i>grisea</i> (Thomson, 1852) F-S-DE--
<i>longicollis</i> (Mulsant & Rey, 1852)	F----E--	<i>botildae</i> (Brundin, 1954) --S-DE--
<i>coulsoni</i> (Last, 1952)	--S-D---	<i>tmolosensis</i> (Bernhauer, 1940) --S-D---
Liogluta Thomson, 1858		<i>dentifera</i> (Brundin, 1943)
<i>pagana</i> (Erichson, 1839)	F-SNDE--	<i>gyllenhalii</i> (Thomson, 1856) FKSNE-I
<i>granigera</i> (Kiesenwetter, 1850)	FKSNDE-I	<i>melanocera</i> (Thomson, 1856) FKSNEAI
<i>micans</i> (Mulsant & Rey, 1852)	FKSNDE--	<i>?vaga</i> (Heer, 1839)
<i>letzneri</i> (Eppelsheim, 1880)		<i>malleus</i> (Joy, 1913) FKSNE-I
<i>longiuscula</i> (Gravenhorst, 1802)	FKSNDEAI	<i>hygrobia</i> auct. nec (Thomson, 1856)
<i>microptera</i> Thomson, 1867	FKSNDEAI	<i>volans</i> (Scriba, 1859) FKSNE--
<i>oblongiuscula</i> (Sharp, 1869)		<i>halophila</i> (Thomson, 1861)
<i>oblonga</i> (Erichson, 1839) nec (Lacordaire, 1835)		<i>tomlini</i> (Joy, 1913)
<i>alpestris</i> (Heer, 1839)	FKSNDE-I	<i>obtusangula</i> (Joy, 1913) F-SND---
<i>nitidula</i> (Kraatz, 1856)		<i>palustris</i> (Kiesenwetter, 1844) FKSNE-I
		<i>debilis</i> (Erichson, 1837) FKSNEAI
		<i>debilooides</i> (Strand, 1962) F-SN----
		<i>scotica</i> (Elliman, 1909) F-SND---

<i>parca</i> (Mulsant & Rey, 1874)	F-S-DEA-	<i>celata</i> (Erichson, 1837)	FKSNDEAI
<i>nannion</i> (Joy, 1931)		<i>arenicola</i> Thomson, 1868	
<i>deformis</i> (Kraatz, 1856)	FKSND---	sg. <i>Xenota</i> Mulsant & Rey, 1874	
<i>kaiseriana</i> (Brundin, 1943)	--S-D---	<i>myrmecobia</i> (Kraatz, 1856)	FKSNDE-I
<i>britteni</i> (Joy, 1913)	FKSN-EA-	sg. <i>Mycetota</i> Ádám, 1987	
<i>mahleri</i> Muona, 1995	----D---	<i>laticollis</i> (Stephens, 1832)	FKSNDE-I
<i>ripicola</i> (Hanssen, 1932)	FKSNDE-I	sg. <i>Mocyta</i> Mulsant & Rey, 1874	
<i>flavithorax</i> (Benick, 1976)		<i>clientula</i> (Erichson, 1839)	F-SND---
<i>fallaciosa</i> (Sharp, 1869)	FKSNDE-I	<i>orphana</i> (Erichson, 1837)	FKSNDEA-
<i>Atheta</i> Thomson, 1858		<i>orbata</i> (Erichson, 1837)	FKSNDE-I
sg. <i>Parameotica</i> Ganglbauer, 1895		<i>negligens</i> (Mulsant & Rey, 1873)	--SNDE--
<i>laticeps</i> (Thomson, 1856)	F-S-D---	<i>fungi</i> (Gravenhorst, 1806)	FKSNDEAI
sg. <i>Amidobia</i> Thomson, 1858		<i>amplicollis</i> (Mulsant & Rey, 1873)	FKSN---
<i>talpa</i> (Heer, 1841)	FKSNDE-AI	<i>amblystegii</i> Brundin, 1952	F-SN----
sg. <i>Microdota</i> Mulsant & Rey, 1873		sg. <i>Lypoglossa</i> Fenyes, 1918	
<i>palleola</i> (Erichson, 1837)	F-SN----	<i>lateralis</i> (Mannerheim, 1830)	FKSN-E--
<i>benickiella</i> Brundin, 1948	FKSNDE--	sg. <i>Alaobia</i> Thomson, 1858	
<i>wireni</i> Brundin, 1948	F-S-----	<i>scapularis</i> (Sahlberg, 1831)	FKSNDE--
<i>amicula</i> (Stephens, 1832)	FKSNDE-I	<i>sodalis</i> (Erichson, 1837)	FKSNDEAI
<i>pittionii</i> Scheerpeltz, 1950	F-----	<i>gagatina</i> (Baudi, 1848)	FKSNDEAI
<i>spatuloides</i> Benick, 1939	FKSN---	<i>pandionis</i> Scheerpeltz, 1958	F-SN-E--
<i>inquinula</i> (Gravenhorst, 1802)	FKS-DE-I	<i>pallidicornis</i> (Thomson, 1856)	FKSNDE-I
<i>ganglbaueri</i> Brundin, 1948	-----E--	<i>hybrida</i> (Sharp, 1869)	--S-D---
<i>excelsa</i> Bernhauer, 1911	FKSND---	<i>trinotata</i> (Kraatz, 1856)	FKSNDEAI
<i>subtilis</i> (Scriba, 1866)	FKSNDEAI	<i>sparreschneideri</i> Munster, 1923	FKSN----
<i>nesslingi</i> Bernhauer, 1928	FKSND---	<i>serrata</i> Benick, 1938	--S-----
<i>atomaria</i> (Kraatz, 1856)	F-SND---	<i>taxiceroides</i> Munster, 1935	F-SN----
<i>kerstensi</i> Benick, 1968	----D---	<i>subglabra</i> (Sharp, 1869)	F-SND--I
<i>minuscula</i> (Brisout de Barneville, 1859)	--SND---	sg. <i>Notothecta</i> Thomson, 1858	
<i>perexigua</i> (Sharp, 1869))		<i>flavipes</i> (Gravenhorst, 1806)	FKSND-AI
<i>glabricula</i> Thomson, 1867	F-SND---	<i>confusa</i> (Märkel, 1844)	FKSNDE-I
<i>glabriculoides</i> Strand, 1958	--SND---	sg. <i>Neohilara</i> Lohse, 1971	
<i>sundti</i> Strand, 1971	---N----	<i>subterranea</i> (Mulsant & Rey, 1853)	FKSNDE--
<i>indubia</i> (Sharp, 1869)	F-SND---	sg. <i>Badura</i> Mulsant & Rey, 1873	
<i>liliputana</i> (Brisout de Barneville, 1860)	FKSND---	<i>macrocera</i> (Thomson, 1856)	FKSNDE-I
<i>alpina</i> Benick, 1940		<i>ehnstroemi</i> Baranowski, 1982	--S-----
<i>boreella</i> Brundin, 1948	FKSND---	<i>puncticollis</i> Benick, 1938	F-SNDE--
<i>platonoffi</i> Brundin, 1948	FKS-----	sg. <i>Chaetida</i> Mulsant & Rey, 1874	
sg. <i>Datomicra</i> Mulsant & Rey, 1874		<i>longicornis</i> (Gravenhorst, 1802)	FKSNDEAI
<i>Datostiba</i> Yosii & Sawada		sg. <i>Trochanterella</i> Brundin, 1954	
<i>zosterae</i> (Thomson, 1856)	FKSNDEA-	<i>cribripennis</i> J.Sahlberg, 1890	FKSN----
<i>nigra</i> (Kraatz, 1856)	FKSNDEAI	sg. <i>Rhagocneme</i> Munster, 1923	
<i>dadopora</i> Thomson, 1867	FKSND--I	<i>subsinguata</i> (Erichson, 1839)	FKSND-AI
<i>canescens</i> (Sharp, 1869)	FKSNDE-I	<i>dwinensis</i> Poppius, 1908	FKSN----
<i>sordidula</i> (Erichson, 1837)	FKSNDE-I		

sg. Boreophilia Benick, 1973		
<i>munsteri</i> Bernhauer, 1902	FKSN----	ravilla (Erichson, 1839)
<i>subplana</i> J.Sahlberg, 1880	F-SN----	<i>angusticollis</i> (Thomson, 1856)
<i>islandica</i> (Kraatz, 1857)	FKSN-E--	<i>procera</i> (Kraatz, 1856)
<i>eremita</i> (Rye, 1866)	FKSNDE--	<i>basicornis</i> (Mulsant & Rey, 1852)
<i>hercynica</i> Renkonen, 1936		<i>nidicola</i> (Johansen, 1914)
<i>hyperborea</i> Brundin, 1940	FKSN----	<i>allocera</i> Eppelsheim, 1893
<i>fusca</i> (Sahlberg, 1831)	FKSN----	<i>oblita</i> (Erichson, 1839)
<i>insecuta</i> Eppelsheim, 1893	F-----	<i>autumnalis</i> (Erichson, 1839)
<i>latifemorata</i> Brundin, 1940	F-SN----	<i>boletophila</i> (Thomson, 1856)
sg. Dimetrota Mulsant & Rey, 1873		<i>diversa</i> (Sharp, 1869)
<i>nigripes</i> (Thomson, 1856)	FKSNDE-I	<i>strandieilla</i> Brundin, 1954
<i>marcida</i> (Erichson, 1837)	F-SNDE--	<i>pilicornis</i> (Thomson, 1852)
<i>putrida</i> (Kraatz, 1856)	-----I	<i>acutangula</i> Hanssen, 1936
<i>europaea</i> Likovský, 1984	FKS--E--	<i>boleticola</i> J.Sahlberg, 1876
<i>livida</i> (Mulsant & Rey, 1852) nec (Erichson, 1837)		<i>fungicola</i> (Thomson, 1852)
<i>cinnamoptera</i> (Thomson, 1856)	FKSNDE--	<i>britanniae</i> Bernhauer & Scheerpeltz, 1926
<i>aeneipennis</i> (Thomson, 1856)	FKSNDE-I	<i>crassicornis</i> (Fabricius, 1793)
<i>picipennis</i> auct. nec (Mannerheim, 1843)		<i>repanda</i> Mulsant & Rey, 1873
<i>parapicipennis</i> Brundin, 1954	FKSN----	<i>paracrassicornis</i> Brundin, 1954
<i>picipennoides</i> Hanssen, 1932	FKSN-E--	<i>pfaundleri</i> Benick, 1940
<i>lapponica</i> J.Sahlberg, 1876	FKSN----	<i>pachycera</i> (Eppelsheim, 1893)
<i>altaica</i> Bernhauer, 1901	FKSN----	<i>contristata</i> (Kraatz, 1856)
<i>intermedia</i> (Thomson, 1852)	FKSNDE-I	<i>euryptera</i> (Stephens, 1832)
sg. Atheta s.str.		<i>divisa</i> (Märkel, 1844)
<i>Coproceramius</i> Gistel, 1857		<i>liturata</i> (Stephens, 1832)
<i>cauta</i> (Erichson, 1837)		<i>nigricornis</i> (Thomson, 1852)
<i>ischnocera</i> Thomson, 1870	FKSNDE-I	<i>harwoodi</i> Williams, 1930
<i>setigera</i> (Sharp, 1869)	FKSNDE-I	<i>coriaria</i> (Kraatz, 1856)
<i>laevana</i> (Mulsant & Rey, 1852)	FKSNDEAI	sg. Boreostiba Lohse, 1990
<i>atramentaria</i> (Gyllenhal, 1810)	FKSNDE-I	<i>sibirica</i> (Mäklin, 1880)
<i>hypnorum</i> (Kiesenwetter, 1850)	FKSNDEA-	
<i>laevicauda</i> J.Sahlberg, 1876	FKSN---I	<i>frigida</i> J.Sahlberg, 1880
<i>brunneipennis</i> (Thomson, 1852)	FKSN-E--	<i>piligera</i> J.Sahlberg, 1876
<i>castanoptera</i> (Mannerheim, 1830)	FKSNDEA-	
<i>pertyi</i> (Heer, 1839)		<i>thulea</i> Poppius, 1909
<i>triangulum</i> (Kraatz, 1856)	F-S-D---	sg. Plataraea Thomson, 1858
<i>xanthopus</i> (Thomson, 1856)	F-SNDE--	<i>nigrifrons</i> (Erichson, 1839)
<i>graminicola</i> (Gravenhorst, 1806)	FKSNDEAI	<i>dubiosa</i> Benick, 1934
<i>ebenina</i> (Mulsant & Rey, 1873)	FKSNDE--	<i>brunnea</i> (Fabricius, 1798)
<i>heymesi</i> Hubenthal, 1913	F-SN----	<i>nigritula</i> (Gravenhorst, 1802)
<i>aquatalis</i> (Thomson, 1867)	--S-D---	sg. Traumoecia Mulsant & Rey, 1874
<i>incognita</i> (Sharp, 1869)	FKSNDE--	<i>picipes</i> (Thomson, 1856)
<i>aquatica</i> (Thomson, 1852)	F-SNDE-I	sg. Bessobia Thomson, 1858
<i>aeneicollis</i> (Sharp, 1869)	--SND-A-	<i>occulta</i> (Erichson, 1837)
<i>pertyi</i> auct. nec (Heer, 1839)		<i>fungivora</i> (Thomson, 1867)
		<i>monticola</i> (Thomson, 1852)
		<i>excellens</i> (Kraatz, 1856)

<i>sg. Enalodroma</i> Thomson, 1859		<i>aterrima</i> (Gravenhorst, 1802)	FKSNDEAI
<i>hepatica</i> (Erichson, 1839)	--SND---	<i>benicki</i> (Allen, 1940)	F-SND--I
<i>sg. Thinobaena</i> Thomson, 1859	FKSNDE--	<i>pusilla</i> (Brundin, 1952)	
<i>vestita</i> (Gravenhorst, 1806)		<i>parvula</i> (Mannerheim, 1830)	FKSNDEAI
<i>Anopleta</i> Mulsant & Rey, 1874		<i>Actophylla</i> Bernhauer, 1908	
<i>corvina</i> (Thomson, 1856)	FKSNDE-I	<i>varendorffiana</i> (Bemhauer & Scheerpeltz, 1926)	----D----
<i>sodermani</i> (Bernhauer, 1931)	F-SND---	<i>Coprothassa</i> Thomson, 1859	
<i>depressicollis</i> (Fauvel, 1872)	FKSN-E-I	<i>melanaria</i> (Mannerheim, 1830)	FKSNDEAI
<i>janssoni</i> (Bernhauer, 1923)	F-S-----	<i>Halobrecta</i> Thomson, 1858	
<i>nitella</i> (Brundin, 1948)	--SND---	<i>puncticeps</i> (Thomson, 1852)	FKSNDE--
<i>Alevonota</i> Thomson, 1858	--SND---	<i>flavipes</i> Thomson, 1861	F-SNDE--
<i>rufotestacea</i> (Kraatz, 1856)	FKSND--I	<i>Amischa</i> Thomson, 1858	
<i>gracilenta</i> (Erichson, 1839)		<i>decipiens</i> (Sharp, 1869)	F-SNDEAI
<i>Alianta</i> Thomson, 1858	FKSNDE-I	<i>andreasi</i> Muona, 1990	F-----
<i>incana</i> (Erichson, 1837)	F-SND---	<i>nigrofusca</i> (Stephens, 1832)	FKSNDEAI
<i>Trichiusa</i> Casey, 1893		<i>soror</i> (Kraatz, 1856)	
<i>immigrata</i> Lohse, 1984		<i>simillima</i> (Sharp, 1869)	
<i>Pachnida</i> Mulsant & Rey, 1874		<i>sarsi</i> Munster, 1927	
<i>nigella</i> (Erichson, 1837)	F-S-DE--	<i>analis</i> (Gravenhorst, 1802)	FKSNDEAI
<i>Dinaraea</i> Thomson, 1858	FKSNDEAI	<i>bifoveolata</i> (Mannerheim, 1830)	FKSND---
<i>angustula</i> (Gyllenhal, 1810)	FKSNDEAI	<i>cavifrons</i> (Sharp, 1869)	
<i>aequata</i> (Erichson, 1837)	FKSNDEAI	<i>Pycnota</i> Mulsant & Rey, 1874	
<i>linearis</i> (Gravenhorst, 1802)	FKSNDEAI	<i>paradoxa</i> (Mulsant & Rey, 1861)	F-SNDE--
<i>arcana</i> (Erichson, 1839)	FKSN-E-I	<i>nidorum</i> (Thomson, 1868)	
<i>Lyprocorrhe</i> Thomson, 1859		<i>Pachyatheta</i> Munster, 1930	
<i>anceps</i> (Erichson, 1837)	FKSNDEAI	<i>mortuorum</i> (Thomson, 1867)	FKSN----
<i>Nehemitropia</i> Lohse, 1971		<i>cribrata</i> (Kraatz, 1856)	FKSNDE--
<i>lividipennis</i> (Mannerheim, 1830)	FKSNDEAI	<i>Thamiaraea</i> Thomson, 1858	
<i>curvipes</i> (Stephens, 1832)		<i>cinnamomea</i> (Gravenhorst, 1802)	FKSNDEAI
<i>sordida</i> (Marsham, 1802) nec (Gravenhorst, 1802)		<i>hospita</i> (Märkel, 1844)	F-SND---
<i>Acrotona</i> Thomson, 1859		<i>Falagriini</i> Mulsant & Rey, 1873	
<i>Colpodota</i> Mulsant & Rey, 1873		<i>Falagria</i> Samouelle, 1819	
<i>exigua</i> (Erichson, 1837)	F-SNDE-I	<i>caesa</i> Erichson, 1837	FKSNDEAI
<i>pilosicollis</i> (Brundin, 1952)	-K-----I	<i>sulcata</i> (Paykull, 1789) nec (Müller, 1776)	
<i>sylvicola</i> (Kraatz, 1856)	FKSNDEAI	<i>sulcatula</i> (Gravenhorst, 1806)	F-SNDEAI
<i>pygmaea</i> (Gravenhorst, 1802)	FKSNDEAI	<i>Myrmecopora</i> Saulcy, 1865	
<i>convergens</i> (Strand, 1958)	FKSND---	<i>sulcata</i> (Kiesenwetter, 1850)	--SND---
<i>obfuscata</i> (Gravenhorst, 1802)	F-SNDE-I	<i>simillima</i> (Wollaston, 1864)	
<i>troglodytes</i> (Motschulsky, 1858)	F-SNDE--	<i>lohmanderi</i> Bernhauer, 1927	
<i>consanguinea</i> (Eppelsheim, 1875)		<i>Borboropora</i> Kraatz, 1862	
<i>pseudotenera</i> (Cameron, 1933)	F-SND---	<i>Aneurota</i> Casey, 1893	
<i>rassii</i> Muona, 1993		<i>kraatzi</i> Fuss, 1862	--S-----
<i>parens</i> (Mulsant & Rey, 1852)	F-SNDE-I		
<i>muscorum</i> (Brisout de Barnevile, 1860)	FKSNDE-I		

Bohemiellina Machulka, 1941		<i>kangasi</i> Rutanen, 1994	F-----
<i>flavipennis</i> (Cameron, 1921)	F-SND---	<i>rousi</i> Dvořák, 1966	--S-----
<i>paradoxa</i> Machulka, 1941		<i>nana</i> (Paykull, 1800)	FKSNDEAI
Cordalia Jacobs, 1925	FKSNDEAI	<i>pseudonana</i> Strand, 1839	FKSND---
<i>obscura</i> (Gravenhorst, 1802)		<i>rugipennis</i> Mulsant & Rey, 1861	--S-----
Myrmecocephalus MacLeay, 1871	F-SND---	<i>gentilis</i> Erichson, 1839	FKSNDEAI
<i>concinnus</i> (Erichson, 1839)		<i>poweri</i> Crotch, 1866	FKSNDEAI
<i>longipes</i> (Wollaston, 1871)		<i>minima</i> Erichson, 1837	FKSNDEAI
Falagrioma Casey, 1906		<i>munsteri</i> Strand, 1935	F-SNDE-I
<i>Falagriusa</i> Ádám, 1987		<i>fasciata</i> (Marsham, 1802)	FKSNDEAI
<i>Stenagria</i> auct., nec Sharp, 1883		<i>laevipennis</i> Kraatz, 1856	
<i>thoracica</i> (Stephens, 1832)	FKSND---	<i>congrua</i> Erichson, 1837	FKSNDEA-
Anaulacaspis Ganglbauer, 1895	FKSNDEA-	<i>hanseni</i> Strand, 1946	----D---
<i>nigra</i> (Gravenhorst, 1802)		<i>williamsi</i> Strand, 1935	FKSND---
Lomechusini Fleming, 1821		<i>orientalis</i> Strand, 1938	FKS-----
Myrmedoniini Thomson, 1867		<i>bihamata</i> Thomson, 1867	FKSNDEAI
Drusilla Leach, 1819		<i>lucidula</i> Erichson, 1837	F-S-DE--
<i>Astibus</i> Dillwyn, 1829		<i>joyi</i> Wendeler, 1924	FKSNDEAI
<i>canaliculata</i> (Fabricius, 1787)	FKSNDEAI	<i>joyoides</i> Wüsthoff, 1937	FKSNDE-I
Zyras Stephens, 1835		<i>angustata</i> (Stephens, 1832)	FKSNDEAI
<i>collaris</i> (Paykull, 1800)		<i>manca</i> Erichson, 1839	
<i>limbatus</i> (Paykull, 1789)	FKSNDEAI	<i>strictula</i> Erichson, 1839	FKSNDE-I
<i>funestus</i> (Gravenhorst, 1806)	FKSNDEAI	<i>boleti</i> (Linnaeus, 1758)	FKSNDEAI
<i>humeralis</i> (Gravenhorst, 1802)	FKSNDEA-	Agaricochara Kraatz, 1856	
<i>cognatus</i> (Märkel, 1842)	FKSNDEAI	<i>latissima</i> (Stephens, 1832)	--SND---
<i>lugens</i> (Gravenhorst, 1802)	FKSNDEAI	<i>laevicollis</i> (Kraatz, 1854)	
<i>laticollis</i> (Märkel, 1842)	FKSNDEAI	Encephalus Stephens, 1832	
Lomechusoides Tottenham, 1939		<i>complicans</i> Stephens, 1832	FKSNDEAI
<i>strumosus</i> (Fabricius, 1793)	FKSNDE--	Bolitocharina Thomson, 1859	
<i>wellenii</i> (Palm, 1949)	FKS-----	Bolitochara Mannerheim, 1830	
<i>inflatus</i> (Zetterstedt, 1828)	FKS-----	<i>obliqua</i> Erichson, 1837	F-S-DEAI
<i>teres</i> (Eppelsheim, 1886)		<i>mulsanti</i> Sharp, 1875	FKSNDEAI
<i>mariae</i> (Palm, 1949)		<i>pulchra</i> (Gravenhorst, 1806)	FKSNDEAI
Lomechusa Gravenhorst, 1806		<i>lunulata</i> (Paykull, 1789) nec (Linnaeus, 1761)	
<i>Atemeles</i> Dillwyn, 1829		<i>bella</i> Märkel, 1844	----D---
<i>emarginata</i> (Paykull, 1789)	FKSNDEA-	<i>lucida</i> (Gravenhorst, 1802)	--SND-AI
<i>paradoxa</i> Gravenhorst, 1806	--SND-A-	Phymatura J.Sahlberg, 1876	
<i>pubicollis</i> Brisout de Barneville, 1860	FKSN----	<i>brevicollis</i> (Kraatz, 1856)	FKSN-E-I
Homalotini Heer, 1839		Leptusa Kraatz, 1856	
Gyrophaenina Kraatz, 1856		<i>Sipalia</i> auct., nec Mulsant & Rey, 1853	
Gyrophaena Mannerheim, 1830		<i>Pachygluta</i> Thomson, 1858	
<i>nitidula</i> (Gyllenhal, 1810)	-KS-----	<i>pulchella</i> (Mannerheim, 1830)	FKSNDEAI
<i>pulchella</i> Heer, 1839	FKSNDE--	<i>saalasi</i> Kangas, 1952	
<i>obsoleta</i> Ganglbauer, 1895	--SN----	<i>fuliginosa</i> (Aubé, 1850)	-----E--
<i>affinis</i> Mannerheim, 1830	FKSNDEAI	<i>norvegica</i> Strand, 1941	FKSND-A-
		<i>fumida</i> (Erichson, 1839)	F-SNDEAI

<i>ruficollis</i> (Erichson, 1839)	F-SNDE--	Autaliini Thomson, 1859	
Tachyusida Mulsant & Rey, 1872	--S-D-- I	<i>Autalia</i> Leach, 1819	
<i>gracilis</i> (Erichson, 1837)		<i>impressa</i> (Olivier, 1795)	FKSNDEA-
Euryusa Erichson, 1837		<i>longicornis</i> Scheerpeltz, 1947	F-SND---
<i>castanoptera</i> Kraatz, 1856	FKSNDEAI	<i>rivularis</i> (Gravenhorst, 1802)	FKSNDEAI
<i>optabilis</i> Heer, 1839	F-S-----	<i>puncticollis</i> Sharp, 1864	FKSNDEAI
<i>sinuata</i> Erichson, 1837	--S-D---		
<i>coarctata</i> Märkel, 1844	--S-----	Phytosini Thomson, 1867	
Heterota Mulsant & Rey, 1874	--S-----	Phytosus Curtis, 1838	
<i>plumbea</i> (Waterhouse, 1858)	--S-----	<i>spinifer</i> Curtis, 1838	--SND---
Silusina Fenyes, 1918		<i>balticus</i> Kraatz, 1859	--SND-- I
Silusa Erichson, 1837		Arena Fauvel, 1862	
<i>rubiginosa</i> Erichson, 1837	F-SNDE-I	<i>tabida</i> (Kiesenwetter, 1850)	----D---
<i>rubra</i> Erichson, 1839	-K---E--		
Homalotina Heer, 1839		Diglottini Jacobson, 1909	
Anomognathus Solier, 1849		Diglotta Champion, 1887	
<i>Theetura</i> Thomson, 1858	FKSNDEAI	<i>sinuaticollis</i> (Mulsant & Rey, 1870)	--SND---
<i>cuspidatus</i> (Erichson, 1839)		<i>submarina</i> auct nec (Fairmaire & Laboulbène, 1856)	
Thecturota Casey, 1893		<i>mersa</i> (Haliday, 1837)	----D---
<i>Pragensiella</i> Machulka, 1941		<i>submarina</i> (Fairmaire & Laboulbène, 1856)	
<i>marchii</i> (Dodero, 1922)	F-SNDE--		
Homalota Mannerheim, 1830		Hygronomini Thomson, 1859	
<i>plana</i> (Gyllenhal, 1810)	FKSNDEAI	Hygronoma Erichson, 1837	
Pseudomicrodota Machulka, 1935		<i>dimidiata</i> (Gravenhorst, 1806)	FKSNDEAI
<i>jelineki</i> (Krásá, 1914)	--SND---		
<i>flavicollis</i> (Brundin, 1948)		Hypocyphtini Laporte de Castelnau, 1835	
Rhopalocerina Reitter, 1909		Oligotini Thomson, 1859	
<i>clavigera</i> (Scriba, 1859)	--S-----	Holobus Solier, 1849	
Cyphea Fauvel, 1863	FKSNDE--	<i>apicatus</i> (Erichson, 1837)	FKSNDE--
<i>curtula</i> (Erichson, 1837)	FKSN-E--	<i>flavicornis</i> (Lacordaire, 1835)	F-SNDEAI
<i>latiuscula</i> Sjöberg, 1934		Oligota Mannerheim, 1830	
Placusini Mulsant & Rey, 1871		<i>granaria</i> Erichson, 1837	--SNDE - I
Placula Erichson, 1837		<i>parva</i> Kraatz, 1862	F-SNDE--
<i>complanata</i> Erichson, 1839	FKS--E-I	<i>inflata</i> (Mannerheim, 1830)	FKSNDEA-
<i>depressa</i> Mäklin, 1845	FKSNDE-I	<i>muensteri</i> Bernhauer, 1923	FKSN---
<i>tachyporoides</i> (Waltl, 1838)	FKSNDEAI	<i>tantilla</i> Mannerheim, 1843	FK-N---
<i>incompleta</i> Sjöberg, 1934	FKSNDEAI	<i>punctulata</i> Heer, 1839	----D-A-
<i>cribrata</i> Johnson & Lundberg, 1977	FKSN---	<i>ruficornis</i> Sharp, 1870	
<i>suecica</i> Johnson & Lundberg, 1977	F-SN----	<i>pusillima</i> (Gravenhorst, 1806)	FKSNDEAI
<i>atrata</i> (Mannerheim, 1830)	FKSNDEAI	<i>atomaria</i> Erichson, 1837	
<i>pumilio</i> (Gravenhorst, 1802)	--S-D--	<i>intermedia</i> Kangas, 1938	
<i>adscita</i> Erichson, 1839	F-----	<i>inexpectata</i> Williams, 1994	F-----
		<i>picipes</i> (Stephens, 1832)	----D---
		<i>pumilio</i> Kiesenwetter, 1858	--S-D-A-
		<i>uralensiscola</i> Kangas, 1982	F-----
		Cypha Samouelle, 1819	
		Hypocyphus Gyllenhal, 1827	
		<i>longicornis</i> (Paykull, 1800)	--S-DEA-
		<i>imitator</i> (Luze, 1902)	F-SNDEA-

<i>tarsalis</i> (Luze, 1902)	FKSNDE--	Deleaster Erichson, 1839	
<i>laeviuscula</i> (Mannerheim, 1830)	FKSND-AI	<i>dichrous</i> (Gravenhorst, 1802)	FKSNDEAI
<i>ovulum</i> (Heer, 1839)	FKSN----	Coprophilini Heer, 1839	
<i>discoidea</i> (Erichson, 1839)	F-S-D---	Coprophilus Latreille, 1829	
<i>suecica</i> (Palm, 1936)	FKSND---	<i>Elonium</i> Samouelle, 1819 (Suppr.)	
<i>nitida</i> (Palm, 1936)	-- SND---	<i>striatulus</i> (Fabricius, 1793)	FKSNDEAI
<i>pulicaria</i> (Erichson, 1839)	F-SND-AI	Thinobiini J.Sahlberg, 1876	
<i>hanseni</i> (Palm, 1949)	-KS-D---	Manda Blackwelder, 1952	
<i>seminulum</i> (Erichson, 1839)	F-S-D-AI	<i>Acrognathus</i> Erichson, 1839, nec Agassiz, 1826	
<i>punctum</i> (Motschulsky, 1857)	-- SND---	<i>mandibularis</i> (Gyllenhal, 1827)	-- S-DEAI
Myllaenini Ganglbauer, 1895		Planeustomus Jacquel du Val, 1857	
Myllaena Erichson, 1837	FKSNDEAI	<i>palpalis</i> (Erichson, 1839)	-- S-D---
<i>dubia</i> (Gravenhorst, 1806)	FKSNDEAI	Ochthephilus Mulsant & Ray, 1856	
<i>intermedia</i> Erichson, 1837	FKSNDEAI	<i>Ancyrophorus</i> Kraatz, 1857	
<i>kraatzi</i> Sharp, 1871	F-SN----	<i>omalinus</i> (Erichson, 1840)	FKSN-E--
<i>hyperborea</i> Strand, 1943	-- NDE--	<i>strandi</i> (Scheerpeltz, 1950)	FKSN----
<i>elongata</i> (Matthews, 1838)	FKSNDE-I	<i>praepositus</i> Mulsant & Rey, 1878	----D---
<i>brevicornis</i> (Matthews, 1838)	FKSNDE--	<i>longipennis</i> auct. nec (Fairmaire & Laboulbène, 1856)	
<i>gracilis</i> (Matthews, 1838)	FKSNDEAI	Thinobius Kiesenwetter, 1844	
<i>minuta</i> (Gravenhorst, 1806)	-- S-DE-I	<i>brundini</i> Scheerpeltz, 1959	-- SN----
<i>infuscata</i> Kraatz, 1853	-- ND---	<i>munsteri</i> Scheerpeltz, 1959	F-SN----
<i>masoni</i> A.Matthews, 1883		<i>longicornis</i> J.Sahlberg, 1874	-K-N----
Gymnusini Heer, 1839		<i>ciliatus</i> Kiesenwetter, 1844	FKSND---
Gymnusa Gravenhorst, 1806	FKSNDEAI	<i>praetor</i> Smetana, 1959	
<i>brevicollis</i> (Paykull, 1800)	FKSN----	<i>crinifer</i> Smetana, 1959	
<i>variegata</i> Kiesenwetter, 1845		ssp. <i>crinifer</i> Smetana, 1959	----D---
Deinopsini Sharp, 1883	FKSNDEAI	ssp. <i>strandi</i> Smetana, 1960	FKSN----
Deinopsis Matthews, 1838		<i>flagellatus</i> Lohse, 1984	FKS----
<i>erosa</i> (Stephens, 1832)		<i>pusillus</i> auct. nec (Heer, 1839)	
Scaphidiinae Latreille, 1807		<i>brevipennis</i> Kiesenwetter, 1850	F-SNDE--
Scaphidiini Latreille, 1807		Thinodromus Kraatz, 1857	
Scaphidium Olivier, 1790	FKSNDEAI	<i>hirticollis</i> Mulsant & Rey, 1879	-----E--
<i>quadrimaculatum</i> Olivier, 1790		<i>arcuatus</i> (Stephens, 1834)	FKSNDE--
Scaphisomatini Casey, 1894		Carpelimus Leach, 1819	
Scaphisoma Leach, 1815	FKSNDEAI	<i>Trogophloeus</i> Mannerheim, 1830	
<i>agaricinum</i> (Linnaeus, 1758)	FKSN--AI	<i>bilineatus</i> Stephens, 1834	FKSNDEAI
<i>inopinatum</i> Löbl, 1967	FKSNDEAI	<i>erichsoni</i> (Sharp, 1871)	-----A-
<i>boleti</i> (Panzer, 1793)	F-SN-EA-	<i>augustae</i> (Bernhauer, 1901)	
<i>subalpinum</i> Reitter, 1881	F-SN--A-	<i>rivularis</i> (Motschulsky, 1860)	FKSNDEAI
<i>balcanicum</i> Tamanini, 1954	FKSN--A-	<i>obesus</i> (Kiesenwetter, 1844)	FKSND-AI
<i>boreale</i> Lundblad, 1952	FKSNDEAI	<i>fuliginosus</i> (Gravenhorst, 1802)	F-SNDE-I
<i>assimile</i> Erichson, 1845		<i>nitidus</i> (Baudi, 1848)	-----I
Oxytelinae Fleming, 1821		<i>lindrothi</i> (Palm, 1943)	F-S-DEA-
Deleasterini Reitter, 1909		<i>impressus</i> (Lacordaire, 1835)	FKSNDEA-
Syntomium Curtis, 1828		<i>heidenereichi</i> (L.Benick, 1934)	-- S---A-
<i>aeneum</i> (Müller, 1821)	FKSNDEAI	<i>corticinus</i> (Gravenhorst, 1806)	FKSNDEAI

<i>subtilicornis</i> (Roubal, 1946)	FKSN-EA-	<i>bernhaueri</i> Poppius, 1909	FKSN----
<i>strandi</i> (Scheerpeltz, 1950)		<i>kutsae</i> Kangas, 1937	-KS-----
<i>foveolatus</i> (Sahlberg, 1832)	FKSNDEA-	<i>arcticus</i> J.Sahlberg, 1890	FKSN----
<i>halophilus</i> (Kiesenwetter, 1844)	FKS-DE--	<i>terebrans</i> (Schiödte, 1866)	FKSNDEA-
<i>despectus</i> (Baudi, 1870)	FKSNDEA-	<i>filipes</i> Sharp, 1911	-KS-DEA-
<i>zealandicus</i> (Sharp, 1900)	--S-----	<i>poppiusi</i> Bernhauer, 1902	FKSN----
<i>pusillus</i> (Gravenhorst, 1802)	FKSNDEAI	<i>fennicus</i> Kangas, 1937	FK-----
<i>lindbergi</i> (Scheerpeltz, 1937)		<i>vilis</i> Mäklin, 1876	FK-N-EAI
<i>gracilis</i> (Mannerheim, 1830)	FKSNDEAI	<i>longulus</i> Erichson, 1839	FKSNDEAI
<i>graciliformis</i> Konzelmann & Lohse, 1981		<i>lativentris</i> Jansson, 1928	F-SN----
<i>subtilis</i> (Erichson, 1839)	-KSNDE-I	<i>denticollis</i> Fauvel, 1872	FKSN-EA-
<i>elongatulus</i> (Erichson, 1839)	FKSNDEAI	<i>opacus</i> (Block, 1799)	FKSNDEAI
<i>subterraneus</i> (Smetana, 1960)	-----A-	<i>subsinuatus</i> Mulsant & Rey, 1878	
<i>schneideri</i> (Ganglbauer, 1895)	--S-D---	<i>baudii</i> Fauvel, 1872	--S-D---
<i>Aploderus</i> Stephens, 1833	FKSNDEAI	<i>pygmaeus</i> Erichson, 1839	----D---
<i>caelatus</i> (Gravenhorst, 1802)	-KS-DEA-	<i>agricultor</i> Heer, 1841	FKSND-AI
<i>caesus</i> (Erichson, 1839)		<i>pusillus</i> Erichson, 1839	
<i>Bledius</i> Leach, 1819		<i>erraticus</i> Erichson, 1839	
<i>tricornis</i> (Herbst, 1784)	FKSNDEAI	<i>bosnicus</i> auct. nec Bernhauer, 1902	
<i>limicola</i> Tottenham, 1940	F-S-DE--	<i>fontinalis</i> auct. nec Bernhauer, 1929	
<i>germanicus</i> Wagner, 1935, nec (Gravenhorst, 1806)		<i>fergussoni</i> Joy, 1912	FKSNDEAI
<i>spectabilis</i> Kraatz, 1857	----D---	<i>arenarius</i> (Paykull, 1800) nec (Geoffroy, 1785)	
<i>furcatus</i> (Olivier, 1811)	--S-D---	<i>subniger</i> Schneider, 1898	----D---
<i>bicornis</i> (Germar, 1823)	---D-A-	<i>frater</i> Kraatz, 1857	-----A-
<i>dama</i> Motschulsky, 1857		<i>tibialis</i> Heer, 1839	F-SND---
<i>jutlandensis</i> Herman, 1986			
<i>diota</i> Schiödte, 1866	F-S-DE--	<i>Oxytelini</i> Fleming, 1821	
<i>dissimilis</i> Erichson, 1840	-K--DEAI	<i>Oxytelus</i> Gravenhorst, 1802	FKSNDEAI
<i>occidentalis</i> Bondroit, 1907	F-SND--I	<i>sculptus</i> Gravenhorst, 1806	F-S-D--I
<i>crassicollis</i> auct. nec Lacordaire, 1835		<i>migrator</i> Fauvel, 1904	FKSNDEAI
<i>cribricollis</i> Heer, 1839	----D-A-	<i>fulvipes</i> Erichson, 1839	FKS-DEAI
<i>femoralis</i> (Gyllenhal, 1827)	--SND-AI	<i>piceus</i> (Linnaeus, 1767)	FKSNDEAI
<i>gallicus</i> (Gravenhorst, 1806)	FKSNDEAI	<i>laqueatus</i> (Marsham, 1802)	
<i>fracticornis</i> (Paykull, 1790) nec (Müller, 1776)			
<i>procerulus</i> Erichson, 1840	--S-----I	<i>Anotylus</i> Thomson, 1859	F-SNDEA-
<i>atricapillus</i> (Germar, 1825)	--S-D-A-	<i>insecatus</i> (Gravenhorst, 1806)	--S-DEAI
<i>praetermissus</i> Williams, 1929		<i>rugifrons</i> (Hochhuth, 1849)	FKSNDEAI
<i>nanus</i> Erichson, 1840	--S-D-A-	<i>rugosus</i> (Fabricius, 1775)	--SND-A-
<i>talpa</i> (Gyllenhal, 1810)	FKSNDEAI	<i>maritimus</i> Thomson, 1861	
<i>subterraneus</i> Erichson, 1839	FKSNDEAI	<i>perrisi</i> (Fauvel, 1862)	
<i>littoralis</i> Heer, 1839	-KSN-EA-	<i>inustus</i> (Gravenhorst, 1806)	--S-D-AI
<i>defensus</i> Fauvel, 1872	FK--DE-I	<i>sculpturatus</i> (Gravenhorst, 1806)	FKS-DEAI
<i>pallipes</i> (Gravenhorst, 1806)	FKSNDEAI	<i>mutator</i> (Lohse, 1963)	--S-D---
<i>larseni</i> Hansen, 1940		<i>politus</i> (Erichson, 1840)	-----A-
<i>rossicus</i> Bernhauer & Schubert, 1911	-----I	<i>nitidulus</i> (Gravenhorst, 1802)	FKSNDEAI
<i>fuscipes</i> Rye, 1865	FKSNDE--	<i>petzi</i> (Bernhauer, 1914)	--S-----
<i>condensus</i> Kangas, 1938	-K-----	<i>complanatus</i> (Erichson, 1839)	F-SNDEAI

<i>pumilus</i> (Erichson, 1839)	FKS-----	<i>boops</i> Ljungh, 1810	FKSNDEAI
<i>affinis</i> (Czwalina, 1870)	-----E--	<i>incrassatus</i> Erichson, 1839	FKSNDEAI
<i>hamatus</i> (Fairmaire & Laboulbène, 1856)	FKSN-EA-	<i>melanarius</i> Stephens, 1833	FKSNDEAI
<i>saulcyi</i> (Pandellé, 1867)	--S-D---	<i>subdepressus</i> Mulsant & Rey, 1861	----D---
<i>fairmairei</i> (Pandellé, 1867)	FKSNDEAI	<i>morio</i> Gravenhorst, 1806	FKSNDEAI
<i>clavatus</i> (Strand, 1946)	FKSN----	<i>excubitor</i> Erichson, 1839	FKS-DE--
<i>tetracarinatus</i> (Block, 1799)	FKSNDEAI	<i>rossicus</i> Bernhauer, 1903	
<i>tetratoma</i> (Czwalina, 1870)	FK-N----	<i>ampliventris</i> J.Sahlberg, 1890	FK-----
Platystethus Mannerheim, 1830		<i>atratus</i> Erichson, 1839	FKSNDEAI
<i>arenarius</i> (Geoffroy, 1785)	FKSNDEAI	<i>melanopus</i> (Marsham, 1802)	F-S-D-A-
<i>cornutus</i> (Gravenhorst, 1802)	F-S-DEAI	<i>canaliculatus</i> Gyllenhal, 1827	FKSNDEAI
<i>alutaceus</i> Thomson, 1861	FKSNDEAI	<i>nitens</i> Stephens, 1833	FKSNDEA-
<i>capito</i> Heer, 1839	FK---E--	<i>latipennis</i> J.Sahlberg, 1880	FK-----
<i>nodifrons</i> Mannerheim, 1830	FKSNDEAI	<i>confusus</i> J.Sahlberg, 1876	FKSN-E--
<i>nitens</i> (Sahlberg, 1832)	FKS-DEAI	<i>vinnulus</i> Casey, 1884	FKSN----
Oxyporinae Fleming, 1821		<i>confusoides</i> Renkonen, 1935	
Oxyporus Fabricius, 1775		<i>labilis</i> Erichson, 1840	FKSN----
<i>rufus</i> (Linnaeus, 1758)	FKSNDEAI	<i>fuscipes</i> Gravenhorst, 1802	FKSNDEAI
<i>mannerheimii</i> Gyllenhal, 1827	FK---EAI	<i>kongsbergensis</i> Munster, 1912	FKSN-E--
<i>maxillosus</i> Fabricius, 1793	FK--DEAI	<i>argus</i> Gravenhorst, 1806	FKSNDEAI
Steninae MaLeay, 1825		<i>ageus</i> Casey, 1884	FKSN-EA-
Stenus Latreille, 1797		<i>gerhardti</i> L. Benick, 1915	
<i>biguttatus</i> (Linnaeus, 1758)	FKSNDEAI	<i>europaeus</i> Puthz, 1966	FKSNDE-I
<i>comma</i> LeConte, 1863	FKSNDEAI	<i>cautus</i> Erichson, 1839	FKS-DEAI
<i>bipunctatus</i> Erichson, 1839, nec Ljungh, 1804		<i>vafellus</i> Erichson, 1839	
<i>longipes</i> Heer, 1839	-----AI	<i>mendicus</i> Erichson, 1840	-----A-
<i>guttula</i> Müller, 1821	--S-D-A-	<i>incanus</i> Erichson, 1839	-----EA-
<i>fossulatus</i> Erichson, 1840	FKSNDE--	<i>subarcticus</i> Poppius, 1907	FKSN----
<i>aterrimus</i> Erichson, 1839	FKSND--I	<i>pusillus</i> Stephens, 1833	FKSNDEAI
<i>juno</i> (Paykull, 1789)	FKSNDEAI	<i>nanus</i> Stephens, 1833	FKSNDEAI
<i>calcaratus</i> Scriba, 1864	-KS---AI	<i>assequens</i> Rey, 1884	FKSNDE--
<i>ater</i> Mannerheim, 1830	FKSNDEAI	<i>pusio</i> Casey, 1884	
<i>longitarsis</i> Thomson, 1851	FKSND-A-	<i>simillimus</i> L.Benick, 1949	
<i>bilineatus</i> J.Sahlberg, 1871	FKSN----	<i>circularis</i> Gravenhorst, 1802	FKSNDEAI
<i>fasciculatus</i> J.Sahlberg, 1871	FKSN----	<i>pumilio</i> Erichson, 1839	FKSND-A-
<i>lustrator</i> Erichson, 1839	FKSNDEAI	<i>humilis</i> Erichson, 1839	FKSNDEAI
<i>proditor</i> Erichson, 1839	FKSND-AI	<i>carbonarius</i> Gyllenhal, 1827	FKSNDEAI
<i>gallicus</i> Fauvel, 1873	--S-D---	<i>glabellus</i> Thomson, 1870	--S-D--I
<i>sylvester</i> Erichson, 1839	FKSNDEAI	<i>hyperboreus</i> J.Sahlberg, 1876	FKSN----
<i>clavicornis</i> (Scopoli, 1763)	FKSNDEAI	<i>eumerus</i> Kiesenwetter, 1850	-----A-
<i>providus</i> Erichson, 1839	FKSNDEAI	<i>scabriculus</i> J.Sahlberg, 1876	FKSN--A-
<i>rogeri</i> Kraatz, 1857		<i>opticlus</i> Gravenhorst, 1806	FKSNDEAI
<i>scrutator</i> Erichson, 1840	FKSNDEAI	<i>crassus</i> Stephens, 1833	FKSNDEAI
<i>bimaculatus</i> Gyllenhal, 1810	FKSNDEAI	<i>formicetorum</i> Mannerheim, 1843	FKSNDE-I
<i>palpus</i> Zetterstedt, 1828	FKSN-EAI	<i>intermedius</i> Rey, 1884	FKSND--I
<i>ruralis</i> Erichson, 1840	FKSN--A-	<i>problematicus</i> Kevan & Allen, 1962	
<i>strandi</i> L.Benick, 1937	FKSN-E--	<i>brunnipes</i> Stephens, 1833	F-SNDEAI
		<i>nigritulus</i> Gyllenhal, 1827	FKSNDEAI

<i>latifrons</i> Erichson, 1839	FKSNDEAI	Paederinae Fleming, 1821
<i>fulvicornis</i> Stephens, 1833	FKSND-AI	Paederidus Mulsant & Rey, 1877
<i>tarsalis</i> Ljungh, 1804	FKSNDEAI	<i>ruficollis</i> (Fabricius, 1781) -- S-D---
<i>bohemicus</i> Machulka, 1947	FKS-DEAI	
<i>oscillator</i> Rye, 1870	-- SND---	
<i>similis</i> (Herbst, 1784)	FKSNDEAI	Paederus Fabricius, 1775
<i>solutus</i> Erichson, 1840	-- S-D--I	<i>riparius</i> (Linnaeus, 1758) FKSND-EAI
<i>cicindeloides</i> (Schaller, 1783)	FKSNDEAI	<i>littoralis</i> Gravenhorst, 1802 -- S-DEAI
<i>kiesenwetteri</i> Rosenhauer, 1856	-K-----	<i>fuscipes</i> Curtis, 1826 F-SNDEAI
<i>fornicatus</i> Stephens, 1833	FKSND-AI	<i>brevipennis</i> Lacordaire, 1835 -----AI
<i>pallitarsis</i> Stephens, 1833	FKSNDEAI	
<i>niveus</i> Fauvel, 1865	FKSNDE--	
<i>binotatus</i> Ljungh, 1804	FKSNDEAI	Astenus Stephens, 1833
<i>pubescens</i> Stephens, 1833	FKS-DEAI	<i>procerus</i> (Gravenhorst, 1806) F-SND-AI
<i>umbratilis</i> Casey, 1884	FKSNDEA-	<i>filiformis</i> (Latrelle, 1806) nec (Fabricius, 1793)
<i>pseudopubescens</i> Strand, 1940	FKS-DEAI	<i>pulchellus</i> (Heer, 1839) FKSND-EAI
<i>flavipes</i> Stephens, 1833	FKSN----	<i>gracilis</i> (Paykull, 1789) FKSND-EAI
<i>audax</i> J.Sahlberg, 1900	-- SND---	
<i>nitidiusculus</i> Stephens, 1833	----DE--	
<i>picipennis</i> Erichson, 1840	FKSNDEAI	<i>angustatus</i> (Paykull, 1789) nec (Schrank, 1781)
<i>bifoveolatus</i> Gyllenhal, 1827	-KSND-E-I	<i>lyonessius</i> (Joy, 1908) F-S-DEAI
<i>picipes</i> Stephens, 1833		<i>longelytratus</i> Palm, 1936
<i>brevipennis</i> Thomson, 1851		<i>immaculatus</i> Stephens, 1833 -- S-D---
<i>foveicollis</i> Kraatz, 1857		
<i>impressus</i> Germar, 1824	FKSNDEAI	Rugilus Leach, 1819
<i>ludyi</i> Fauvel, 1886	FKSNDE--	
<i>ochropus</i> Kiesenwetter, 1858	-- SNDE-I	<i>Stilicus</i> Berthold, 1827
<i>fuscicornis</i> Erichson, 1840	-----I	
<i>palustris</i> Erichson, 1839	FKSNDE-I	<i>fragilis</i> (Gravenhorst, 1806) FKS--EAI
<i>flavipalpis</i> Thomson, 1860	FKSNDEAI	<i>angustatus</i> (Geoffroy, 1785) nec (Schrank, 1781)
<i>geniculatus</i> Gravenhorst, 1806	FKSNDEAI	<i>scutellatus</i> (Motschulsky, 1858)
<i>kolbei</i> Gerhardt, 1893	----E-I	
<i>pallipes</i> Gravenhorst, 1802	FKS-DEAI	<i>rufipes</i> Germar, 1836 FKSND-EAI
<i>noctivagus</i> Casey, 1884	FKSN---	<i>orbiculatus</i> (Paykull, 1789) FKSND-EAI
<i>sibiricus</i> auct. nec J.Sahlberg, 1880		<i>erichsonii</i> (Fauvel, 1867) FKSND-EAI
Dianous Samouelle, 1819		<i>similaris</i> (Erichson, 1839) FKSND-EAI
<i>coerulescens</i> (Gyllenhal, 1810)	FKSNDEA-	<i>geniculatus</i> (Erichson, 1839) -----DEAI
Euaesthetinae Thomson, 1859		
Edaphus Motschulsky, 1857		Medon Stephens, 1833
<i>beszedesi</i> Reitter, 1913	-----ea-	<i>apicalis</i> (Kraatz, 1857) F-SND---
<i>bluehweissi</i> Scheerpeltz, 1936		<i>rufiventris</i> (Nordmann, 1837) -- S-----
Euaesthetus Gravenhorst, 1806		<i>dilutus</i> (Erichson, 1839) -- S-----
<i>ruficapillus</i> (Lacordaire, 1835)	FKSNDEAI	<i>brunneus</i> (Erichson, 1839) -- S-D---
<i>laeviusculus</i> Mannerheim, 1844	FKSNDE-I	<i>castaneus</i> (Gravenhorst, 1802) -- S-D--I
<i>bipunctatus</i> (Ljungh, 1804)	FKSNDEAI	<i>ripicola</i> (Kraatz, 1854) -- S-D--I
		<i>fusculus</i> (Mannerheim, 1830) -- SN---I
		Sunius Stephens, 1829
		<i>Hypomedon</i> Mulsant & Rey, 1877
		<i>melanocephalus</i> (Fabricius, 1793) -- S-D-A-
		<i>bicolor</i> (Olivier, 1795) -- S-D---
		Pseudomedon Mulsant & Rey, 1877
		<i>obsoletus</i> (Nordmann, 1837) FKS-D---
		<i>obscurellus</i> (Erichson, 1840) FKSND-A-
		Lithocharis Dejean, 1833
		<i>nigriceps</i> Kraatz, 1859 FKSND-EA-
		<i>ochracea</i> (Gravenhorst, 1802) FKSND-A-
		<i>tricolor</i> auct. nec (Fabricius, 1787)

<i>Chloecharis</i> Lynch, 1884		<i>Staphylininae</i> Latreille, 1802
<i>debilicornis</i> (Wollaston, 1857)	--S-----	<i>Xantholinini</i> Erichson, 1839
<i>Scopaeus</i> Erichson, 1840		<i>Leptacinus</i> Erichson, 1839
<i>laevigatus</i> (Gyllenhal, 1827)	FKSNDEAI	<i>pusillus</i> (Stephens, 1833) FKSND-E-I
<i>sulcicollis</i> (Stephens, 1833)	--SNDE--	<i>linearis</i> (Gravenhorst, 1802) nec (Olivier, 1793)
<i>cognatus</i> Mulsant & Rey, 1855		<i>formicetorum</i> Märkel, 1841 FKSND-E-I
<i>minutus</i> Erichson, 1840	FKS-D---	<i>sulcifrons</i> (Stephens, 1833) F-SN-EAI
<i>pusillus</i> Kiesenwetter, 1843	F-SN---A-	<i>othioides</i> auct. nec Baudi, 1870
<i>ryei</i> Wollaston, 1872	----D---	<i>intermedius</i> Donisthorpe, 1936 FKSND-EAI
<i>minimus</i> auct. nec (Erichson, 1839)		<i>batychrus</i> (Gyllenhal, 1827) FKSND-EAI
<i>Lathrobium</i> Gravenhorst, 1802		<i>Phacophallus</i> Coiffait, 1956
<i>Tetartopeus</i> Czwalina, 1888	--SNDEAI	<i>parumpunctatus</i> (Gyllenhal, 1827) FKSND-EA-
<i>multipunctum</i> Gravenhorst, 1802		<i>Gauropterus</i> Thomson, 1860
<i>zetterstedti</i> Rye, 1872	FKSN-EA-	<i>fulgidus</i> (Fabricius, 1787) FKSND-EA-
<i>punctatum</i> Zetterstedt, 1828, nec (Goeze, 1785)		<i>Gyrohypnus</i> Leach, 1819
<i>rufonitidum</i> Reitter, 1909	F-S-DE--	<i>punctulatus</i> (Paykull, 1789) FKSND-EAI
<i>fennicum</i> Renkonen, 1938		<i>ater</i> auct. nec (Stephens, 1833)
<i>sphagnetorum</i> Muona, 1977	FKSN----	<i>fracticornis</i> (Müller, 1776) FKSND-EAI
<i>gracile</i> Hampe, 1866, nec Gravenhorst, 1802		<i>angustatus</i> Stephens, 1833 FKSND-EAI
<i>terminatum</i> Gravenhorst, 1802	FKSNDEAI	<i>liebei</i> (Scheerpeltz, 1926)
<i>quadratum</i> (Paykull, 1789)	FKSNDEAI	<i>scoticus</i> (Joy, 1913)
<i>scutellare</i> Nordmann, 1837	-----EAI	<i>atratus</i> (Heer, 1839) FKSND-E-I
<i>elongatum</i> (Linnaeus, 1767)	FKSNDEAI	<i>Nudobius</i> Thomson, 1860
<i>rufipenne</i> Gyllenhal, 1813	FKSNDEAI	<i>lentus</i> (Gravenhorst, 1806) FKSND-EAI
<i>geminum</i> Kraatz, 1857	FKSNDEAI	<i>Megalinus</i> Mulsant & Rey, 1877
<i>boreale</i> Hochhuth, 1851		<i>glabratulus</i> (Gravenhorst, 1802) --S-D--I
<i>volgense</i> Hochhuth, 1851		<i>Hypnogyra</i> Casey, 1906
<i>pallidipenne</i> Hochhuth, 1851	-K--D-A-	<i>Phalacrolinus</i> Coiffait, 1972
<i>ripicola</i> Czwalina, 1888		<i>angularis</i> (Ganglbauer, 1895) F-S--EAI
<i>castaneipenne</i> Kolenati, 1846	--S-DEA-	<i>glabra</i> (Gravenhorst, 1806) nec (Müller, 1776)
<i>fulvipenne</i> Gravenhorst, 1806	FKSNDEAI	<i>Leptophius</i> Coiffait, 1983
<i>brunnipes</i> (Fabricius, 1793)	FKSNDEAI	<i>flavocinctus</i> (Hochhuth, 1849) -----AI
<i>impressum</i> Heer, 1841	FKSNDEAI	<i>relucens</i> auct. nec (Gravenhorst, 1806)
<i>filiforme</i> Gravenhorst, 1806, nec (Fabricius, 1793)		<i>Xantholinus</i> Dejean, 1821
<i>fovulum</i> Stephens, 1833	FKSNDEAI	<i>linearis</i> (Olivier, 1794) FKSND-EAI
<i>longulum</i> Gravenhorst, 1802	FKSNDEAI	<i>longiventris</i> Heer, 1839 FKS-DEAI
<i>patris</i> Benick, 1950		<i>audrasi</i> Coiffait, 1956 --SN-E--
<i>pallidum</i> Nordmann, 1837	--SNDE--	<i>strandii</i> Coiffait, 1958
<i>dilutum</i> Erichson, 1839	F-SNDEAI	<i>gallicus</i> Coiffait, 1956 -----DEA-
<i>Achenium</i> Samouelle, 1819		<i>rhenanus</i> Coiffait, 1962 -----D---
<i>humile</i> (Nicolai, 1822)	--S-DE--	<i>dissimilis</i> Coiffait, 1956 -KS-DE--
<i>Ochthephilum</i> Stephens, 1829		<i>roubali</i> Coiffait, 1956 FKSND-EAI
<i>Cryptobium</i> Mannerheim, 1830		<i>tricolor</i> (Fabricius, 1787)
<i>fracticorne</i> (Paykull, 1800)	FKSNDEAI	<i>meyeri</i> Drugmand, 1994
<i>collare</i> (Reitter, 1884)	F-S-D---	

<i>laevigatus</i> Jacobsen, 1847	FKSNDEAI	<i>lividipes</i> (Baudi, 1848)	FKS----I
<i>clairei</i> Coiffait, 1956		<i>tirolensis</i> (Luzé, 1903)	--SN---
<i>distans</i> Mulsant & Rey, 1853	-----EAI	<i>piliger</i> Mulsant & Rey, 1876	--S-DE--
Othiini Thomson, 1859		<i>trossulus</i> (Nordmann, 1837)	FKSNDEAI
Othius Stephens, 1829		Bisnius Stephens, 1829	
<i>punctulatus</i> (Goeze, 1777)	FKSNDEAI	<i>nitidulus</i> (Gravenhorst, 1802)	FKSNDEAI
<i>lapidicola</i> Märkel & Kiesenwetter, 1847	FKSN-E-I	<i>scoticus</i> (Joy & Tomlin, 1910)	FKSN---
<i>laeviusculus</i> Stephens, 1832	-----I	<i>diversipennis</i> (Bernhauer, 1899)	FK-----
<i>angustus</i> Stephens, 1833	FKSNDEA-	<i>fimetarius</i> (Gravenhorst, 1802)	FKSNDEAI
<i>melanocephalus</i> (Gravenhorst, 1806) nec (Geoffroy, 1785)		<i>rigidicornis</i> (Gravenhorst, 1802)	
<i>volans</i> J.Sahlberg, 1876	FKSN-EA-	<i>puella</i> (Nordmann, 1837)	FKSNDEAI
<i>subuliformis</i> Stephens, 1833	FKSNDEAI	<i>subuliformis</i> (Gravenhorst, 1802)	FKSNDEAI
<i>myrmecophilus</i> Kiesenwetter, 1843		<i>fuscus</i> (Gravenhorst, 1802) nec (Gmelin, 1790)	
Atrecus Jacquel du Val, 1856		<i>spermophili</i> (Ganglbauer, 1897)	-----E--
Baptolinus Kraatz, 1858		<i>nigriventris</i> (Thomson, 1867)	FKSND-A-
<i>pilicornis</i> (Paykull, 1790)	FKSN-E-I	<i>sordidus</i> (Gravenhorst, 1802)	FKSNDEAI
<i>affinis</i> (Paykull, 1789)	FKSNDEAI	<i>pachycephalus</i> (Nordmann, 1837)	
<i>longiceps</i> (Fauvel, 1872)	FKSNDEAI	<i>varipennis</i> (Scriba, 1864)	-----I
Staphylinini Latreille, 1802		<i>scribai</i> (Fauvel, 1867)	
Philonthina Kirby, 1837		<i>parcus</i> (Sharp, 1874)	F-SND---
Erichsonius Fauvel, 1874		<i>pseudoparcus</i> (Brunne, 1976)	--SND---
Actobius Fauvel, 1876		<i>cephalotes</i> (Gravenhorst, 1802)	FKSNDEAI
<i>cinerascens</i> (Gravenhorst, 1802)	FKSNDEAI	Rabigus Mulsant & Rey, 1876	
Gabrius Stephens, 1829		<i>tenuis</i> (Fabricius, 1793)	FK---EAI
<i>nigritulus</i> (Gravenhorst, 1802)	FKSNDEAI	Gabronthus Tottenham, 1955	
<i>subnigritulus</i> Joy, 1913	-----E--	<i>thermarum</i> (Aubé, 1850)	F-SNDE--
<i>subnigrituloides</i> (Scheerpeltz, 1933)		<i>sulcifrons</i> (Sharp, 1889)	F-----
<i>appendiculatus</i> Sharp, 1910	FKSNDEAI	Philonthus Stephens, 1829	
<i>subnigritulus</i> (Reitter, 1909) (infrasubspec.)		Spatulonthus Tottenham, 1955	
<i>toxotes</i> Joy, 1913	FKS-DE--	Paragabrius Coiffait, 1963	
<i>sphagnicola</i> (Sjöberg, 1950)	FKSN-E--	<i>lepidus</i> (Gravenhorst, 1802)	FKSNDEAI
<i>austriacus</i> Scheerpeltz, 1947	FKSNDEAI	<i>rectangulus</i> Sharp, 1874	FKSNDEAI
<i>velox</i> auct. nec (Sharp, 1910)		<i>discoideus</i> (Gravenhorst, 1802)	F-SND-AI
<i>keysianus</i> Sharp, 1910	----D---	<i>salinus</i> Kiesenwetter, 1844	--S-D---
<i>breviventer</i> (Sperk, 1835)	FKSNDEAI	<i>quisquiliarius</i> (Gyllenhal, 1810)	FKSNDEAI
<i>coxalus</i> (Hochhuth, 1871)		<i>corvinus</i> Erichson, 1839	FKSNDEAI
<i>pennatus</i> Sharp, 1910		<i>sanguinolentus</i> (Gravenhorst, 1802)	FKSNDEAI
<i>splendidulus</i> (Gravenhorst, 1802)	FKSNDEAI	<i>binotatus</i> (Gravenhorst, 1802)	--S-DE-I
<i>expectatus</i> Smetana, 1952	FKSN-E--	<i>ventralis</i> (Gravenhorst, 1802)	FKSNDEAI
<i>bescidicus</i> Smetana, 1954	F-S-----	<i>intermedius</i> (Lacordaire, 1835)	--S-DEAI
<i>osseticus</i> (Kolenati, 1846)	FKSNDEAI	<i>laminatus</i> (Creutzer, 1799)	FKSNDEAI
<i>vernalis</i> (Gravenhorst, 1802) nec (Müller, 1776)		<i>politus</i> (Linnaeus, 1758)	FKSNDEAI
<i>dufbergi</i> Gillerfors, 1997	--S-----	<i>succicola</i> Thomson, 1860	FKSNDEAI
<i>exiguus</i> (Nordmann, 1837)	--S-DE--	<i>chalceus</i> Ganglbauer, 1895, nec Stephens, 1832	
<i>astutoides</i> (Strand, 1946)	F-SN----	<i>addendus</i> Sharp, 1867	FKSNDEAI
		<i>cyanipennis</i> (Fabricius, 1793)	-----A-

<i>caeruleascens</i> (Lacordaire, 1835)	-----A-	<i>rubripennis</i> Stephens, 1832	FKSNDEAI
<i>nitidus</i> (Fabricius, 1787)	FKSNDEAI	<i>fulvipes</i> (Fabricius, 1792) nec (Scopoli, 1763)	
<i>spinipes</i> Sharp, 1874	F-S-D--I	<i>furcifer</i> Renkonen, 1937	FKSNDE-I
<i>rotundicollis</i> (Ménétriés, 1832)	FKSN-EAI	<i>micans</i> (Gravenhorst, 1802)	FKSNDEAI
<i>temporalis</i> Mulsant & Rey, 1853	----EA-	<i>micantoides</i> Benick & Lohse, 1956	F--NDEAI
<i>tenuicornis</i> Mulsant & Rey, 1853	FKSNDEAI		
<i>carbonarius</i> (Gyllenhal, 1810) nec (Gravenhorst, 1802)			
<i>decorus</i> (Gravenhorst, 1802)	FKSNDEAI	<i>Neobisnius</i> Ganglbauer, 1895	
<i>cognatus</i> Stephens, 1832	FKSNDEAI	<i>villosulus</i> (Stephens, 1833)	FKSNDE-I
<i>fuscipennis</i> (Mannerheim, 1830) nec (Block, 1799)		<i>lathrobioides</i> (Baudi, 1848)	F-SNDE--
<i>mannerheimi</i> Fauvel, 1868	--SNDEAI	<i>cerrutii</i> Gridelli, 1943	
<i>cruentatus</i> (Gmelin, 1790)	FKSNDEAI	<i>prolixus</i> (Erichson, 1840)	F-----
<i>confinis</i> Strand, 1941	FKSNDE--	<i>procerulus</i> (Gravenhorst, 1806)	F-S-DE--
<i>isthmius</i> Kangas, 1979			
<i>varians</i> (Paykull, 1789)	FKSNDEAI	<i>Remus</i> Holme, 1837	
<i>pseudovarians</i> Strand, 1941	F--NDE--	<i>sericeus</i> Holme, 1837	--SND---
<i>jurgans</i> Tottenham, 1937	--S-D---		
<i>marginatus</i> (Müller, 1764)	FKSNDEAI	<i>Cafius</i> Stephens, 1826	
<i>lederi</i> Eppelsheim, 1893	FKS-----	<i>xantholoma</i> (Gravenhorst, 1806)	F-SNDEAI
<i>atratus</i> (Gravenhorst, 1802)	FKSNDEAI	<i>Staphylinina</i> Latreille, 1802	
<i>subvirescens</i> Thomson, 1884	FKSN-E-I	<i>Dinotherarus</i> Thomson, 1858	
<i>nitidicollis</i> (Lacordaire, 1835)	--S-DE-I	<i>pubescens</i> (DeGeer, 1774)	FKSNDEAI
<i>bimaculatus</i> (Gravenhorst, 1802) nec (Schrank, 1798)		<i>Ontholestes</i> Ganglbauer, 1895	
<i>carbonarius</i> (Gravenhorst, 1802)	FKSNDEAI	<i>tessellatus</i> (Geoffroy, 1785)	FKSNDEAI
<i>varius</i> (Gyllenhal, 1810)		<i>murinus</i> (Linnaeus, 1758)	FKSNDEAI
<i>alpinus</i> Eppelsheim, 1875	F-SNDE-I		
<i>albipes</i> (Gravenhorst, 1802)	FKSNDEAI	<i>Emus</i> Leach, 1819	
<i>caucasicus</i> Nordmann, 1837	FK-----	<i>hirtus</i> (Linnaeus, 1758)	--S-DEAI
<i>dimidiatus</i> (Sahlberg, 1830) nec (Panzer, 1796)		<i>Platydracus</i> Thomson, 1858	
<i>corruscus</i> (Gravenhorst, 1802)	--S-DE-I	<i>fulvipes</i> (Scopoli, 1763)	FKSNDEAI
<i>ebeninus</i> (Gravenhorst, 1802)	FKSNDEAI	<i>stercorarius</i> (Olivier, 1795)	FKSNDEAI
<i>concinnus</i> (Gravenhorst, 1802)	FKSNDEAI	<i>chalcocephalus</i> (Fabricius, 1801)	---DEA-
<i>ochropus</i> (Gravenhorst, 1802)		<i>latebricola</i> (Gravenhorst, 1806)	FKSNDEAI
<i>rufipes</i> (Stephens, 1832)	--S-D-AI	<i>Staphylinus</i> Linnaeus, 1758	
<i>immundus</i> (Gyllenhal, 1810) nec (Gravenhorst, 1806)		<i>erythropterus</i> Linnaeus, 1758	FKSNDEAI
<i>debilis</i> (Gravenhorst, 1802)	FKSNDEAI	<i>caesareus</i> Cederhjelm, 1798	FKSNDEAI
<i>splendens</i> (Fabricius, 1793)	FKSNDEAI	<i>dimidiaticornis</i> Gemminger, 1851	-KSNDEAI
<i>punctus</i> (Gravenhorst, 1802)	FKS-DEAI	<i>Ocyphus</i> Leach, 1819	
<i>linki</i> Solsky, 1866	-----I	<i>olens</i> (Müller, 1764)	--S-DE--
<i>fumarius</i> (Gravenhorst, 1806)	FKSNDEAI	<i>ophthalmicus</i> (Scopoli, 1763)	FKSNDEAI
<i>umbratilis</i> (Gravenhorst, 1802)	FKSNDEAI	<i>nitens</i> (Schrank, 1781)	FKS-DEAI
<i>nigrita</i> (Gravenhorst, 1806)	FKSNDEAI	<i>nero</i> (Faldermann, 1835)	
<i>laevicollis</i> (Lacordaire, 1835)	-----EAI	<i>similis</i> (Fabricius, 1792) nec (Herbst, 1784)	
<i>montivagus</i> Heer, 1839	-----AI	<i>brunnipes</i> (Fabricius, 1781)	FKSNDEAI
<i>longicornis</i> Stephens, 1832	FKSNDEAI	<i>fuscatus</i> (Gravenhorst, 1802)	FKSNDEAI
<i>coprophilus</i> Jarrige, 1949	-----AI	<i>picipennis</i> (Fabricius, 1793)	FKSNDEAI
<i>parvicornis</i> (Gravenhorst, 1802)	FKSNDEAI	<i>fulvipennis</i> Erichson, 1840	FK---EAI
<i>agilis</i> (Gravenhorst, 1806)		<i>aeneocephalus</i> (DeGeer, 1774)	FKSNDEAI

Tasgius Stephens, 1829		
<i>Alapsodus</i> Tottenham, 1939		
pedator (Gravenhorst, 1802)	--S-DEA-	
ater (Gravenhorst, 1802)	FKSNDEAI	
morsitans (Rossi, 1790)	--SND-- I	
<i>compressus</i> (Marsham, 1802) nec (Geoffroy, 1785)		
winkleri (Bernhauer, 1906)	--S-D---	
melanarius (Heer, 1839)	F-SNDEAI	
globulifer (Geoffroy, 1785)	--S-DEA-	
Creophilus Leach, 1819		
maxillosus (Linnaeus, 1758)	FKSNDEAI	
Quediina Kraatz, 1857		
Heterothops Stephens, 1829		
binotatus (Gravenhorst, 1802)	F-SNDE--	
stiglundbergi Israelson, 1979	FKSND-- I	
praevius Erichson, 1839	FKSNDE-I	
niger Kraatz, 1868	F-S-D-- I	
quadripunctulus (Gravenhorst, 1806)	FKSNDEAI	
dissimilis (Gravenhorst, 1802)	FKS-DEAI	
minutus Wollaston, 1860	--S-D---	
<i>brunneipennis</i> auct. nec Kiesenwetter, 1858		
Euryporus Erichson, 1839		
picipes (Paykull, 1800)	FKSNDEAI	
Velleius Leach, 1819		
dilatatus (Fabricius, 1787)	FKS-DEA-	
Quedius Stephens, 1829		
longicornis Kraatz, 1857	FKS-DEAI	
fulgidus (Fabricius, 1793)	FKSND-AI	
<i>assimilis</i> (Nordmann, 1837)	-KS-D-- I	
nigrocaeruleus Fauvel, 1874	FKSNDEAI	
mesomelinus (Marsham, 1802)	FKSNDEAI	
maurus (Sahlberg, 1830)	FKSND-AI	
cruentus (Olivier, 1795)	FKS-D---	
invrei Gridelli, 1924	--SND---	
ochripennis (Ménétriés, 1832)	----EAI	
brevicornis (Thomson, 1860)	FKSNDEAI	
puncticollis (Thomson, 1867)	FKS-D---	
brevis Erichson, 1840	FKSNDEAI	
vexans Eppelsheim, 1881	F-S---A-	
microps Gravenhorst, 1847	FKSNDE -I	
lundbergi Palm, 1972	F-S-----	
infuscatus Erichson, 1840	----DE--	
truncicola Fairmaire & Laboulbène, 1856	--S-D-- I	
<i>ventralis</i> (Aragona, 1830) nec (Gravenhorst, 1802)		
tenellus (Gravenhorst, 1806)	FKSN-E-I	
scitus (Gravenhorst, 1806)	FKSNDEAI	
xanthopus Erichson, 1839		FKSNDEAI
lateralis (Gravenhorst, 1802)	--S-DE--	
cinctus (Paykull, 1790)		FKSNDEAI
plagiatus Mannerheim, 1843		FKSN-EAI
<i>laevigatus</i> (Gyllenhal, 1810) nec (Marsham, 1802)		
fuliginosus (Gravenhorst, 1802)		FKSNDEAI
curtipennis Bernhauer, 1908		FKSNDEAI
levicollis (Brullé, 1832)		--SNDEAI
<i>tristis</i> (Gravenhorst, 1802) nec (Fabricius, 1793)		
balticus Korge, 1960		--S-DE -I
subunicolor Korge, 1961		FKSN---I
molochinus (Gravenhorst, 1806)		FKSNDEAI
<i>picipennis</i> (Paykull, 1800) nec (Fabricius, 1793)		
simplicifrons Fairmaire, 1861		----D---
<i>hispanicus</i> Bernhauer, 1898		
auricomus Kiesenwetter, 1850		----DE--
scintillans (Gravenhorst, 1806)		-S--DE -I
plancus Erichson, 1840		-----A-
lucidulus Erichson, 1839		FKSNDEAI
picipes (Mannerheim, 1830)		FKSNDEAI
humeralis Stephens, 1832		-----E -I
<i>oblitteratus</i> Erichson, 1840		
nemoralis Baudi, 1848		FKS-DE -I
umbrinus Erichson, 1839		FKSNDEAI
<i>maritimus</i> (J. Sahlberg, 1876)		
<i>pseudoumbrinus</i> Lohse, 1958		
suturalis Kiesenwetter, 1845		--S-DE -I
<i>humeralis</i> auct. nec (Stephens, 1832)		
fumatus (Stephens, 1833)		F-SNDE -I
sublimbatus Mäklin, 1853		FKSN---
<i>arcticus</i> Munster, 1920		
nigriceps Kraatz, 1857		F-SNDEAI
maurorufus (Gravenhorst, 1806)		F-S-DE -I
pseudolimbatus Strand, 1938		--SN---
limbatus (Heer, 1834)		FKSN-EAI
<i>limbatoides</i> Coiffait, 1963		
fellmani (Zetterstedt, 1838)		FKSN-E--
nitipennis (Stephens, 1833)		FKSNDEAI
<i>attenuatus</i> (Gyllenhal, 1808) nec (Gravenhorst, 1806)		
semiaeneus (Stephens, 1833)		--S-D---
semiobscurus (Marsham, 1802)		--S-D---
<i>rufipes</i> (Gravenhorst, 1802) nec (Linnaeus, 1758)		
paradisiyanus (Heer, 1839)		-----A-
persimilis Mulsant & Rey, 1876		--SND---
<i>aridulus</i> Jansson, 1939		
fulvicollis (Stephens, 1833)		FKSNDE -I
boopoides Munster, 1923		FKSNDE -I
boops (Gravenhorst, 1802)		FKSNDEAI

Acylophorus Nordmann, 1837		Scarabaeidae Latreille, 1802
<i>wagenschieberi</i> Kiesenwetter, 1850	FKSND-- I	Aegialinae Lacordaire, 1856
<i>glaberrimus</i> (Herbst, 1784)	--S-D-A-	Aegialia Latreille, 1807
Tanygnathinina Reitter, 1909		<i>arenaria</i> (Fabricius, 1787)
Atanygnathus Jacobson, 1909		F-SNDEAI
<i>terminalis</i> (Erichson, 1839)	F-S--E--	<i>rufa</i> (Fabricius, 1792)
SCARABAEOIDEA		--SND-A-
Lucanidae Latreille, 1806		<i>spissipes</i> LeConte, 1878
Aesalinae MacLeay, 1819		<i>rufina</i> Silfverberg, 1977
Aesalus Fabricius, 1801		<i>sabuleti</i> (Panzer, 1797)
<i>scarabaeoides</i> (Panzer, 1794)	--S-----	Aphodiinae Leach, 1815
Syndesinae MacLeay, 1819		Aphodiini Leach, 1815
Ceruchus MacLeay, 1819		Aphodius Illiger, 1798
<i>chrysomelinus</i> (Hochenwarth, 1785)	FKSN-EAI	<i>erraticus</i> (Linnaeus, 1758)
Sinodendron Schneider, 1791		FKSNDEAI
<i>cylindricum</i> (Linnaeus, 1758)	FKSNDEAI	<i>subterraneus</i> (Linnaeus, 1758)
Lucaninae Latreille, 1806		FKSNDEAI
Platycerus Geoffroy, 1762		<i>fossor</i> (Linnaeus, 1758)
<i>caprea</i> (DeGeer, 1774)	FKSN-EAI	<i>haemorrhoidalis</i> (Linnaeus, 1758)
<i>caraboides</i> (Linnaeus, 1758)	FKSNDEAI	FKSNDEAI
Dorcus MacLeay, 1819	--S-DEAI	<i>brevis</i> Erichson, 1848
<i>parallelepipedus</i> (Linnaeus, 1758)		FKSNDEAI
Lucanus Scopoli, 1763	--S-D-AI	<i>putridus</i> (Geoffroy, 1785)
<i>cervus</i> (Linnaeus, 1758)		<i>arenarius</i> (Olivier, 1789) nec (Fabricius, 1787)
Trogidae MacLeay, 1819		<i>rhododactylus</i> (Marsham, 1802)
Trox Fabricius, 1775		FKSNDEAI
<i>sabulosus</i> (Linnaeus, 1758)	FKSNDEAI	<i>rufipes</i> (Linnaeus, 1758)
<i>hispidus</i> (Pontoppidan, 1763)	--S-D---	FKSNDEAI
<i>scaber</i> (Linnaeus, 1767)	FKSNDEAI	<i>depressus</i> (Kugelann, 1792)
Geotrupidae Latreille, 1806		FKSNDEAI
Bolboceratinæ Mulsant, 1842		<i>luridus</i> (Fabricius, 1775)
Bolboceras Kirby, 1819		FKSNDEAI
<i>Odonteus</i> Samouelle, 1819		<i>bimaculatus</i> (Laxman, 1770)
<i>armiger</i> (Scopoli, 1772)	--S-DEAI	----EA-
Geotrupinæ Latreille, 1806		<i>zenkeri</i> Germar, 1813
Typhaeus Leach, 1815		--S-D---
<i>typhoeus</i> (Linnaeus, 1758)	--S-D---	<i>pusillus</i> (Herbst, 1789)
Geotrupes Latreille, 1796		FKSNDEAI
<i>mutator</i> (Marsham, 1802)	--S---AI	<i>coenosus</i> (Panzer, 1798)
<i>spiniger</i> (Marsham, 1802)	--SNDEAI	<i>tristis</i> (Zenker, 1801)
<i>stercorarius</i> (Linnaeus, 1758)	FKSNDEAI	FKSNDEAI
<i>stercorosus</i> (Scriba, 1791)	FKSNDEAI	<i>quadriguttatus</i> (Herbst, 1783)
<i>ernalis</i> (Linnaeus, 1758)	FKSNDEAI	--S-D-AI
		<i>quadrimaculatus</i> (Linnaeus, 1761)
		-K-----
		<i>obliteratus</i> Panzer, 1823
		----D---
		<i>contaminatus</i> (Herbst, 1783)
		F-SND--I
		<i>equestris</i> (Panzer, 1798)
		--SNDEAI
		<i>sticticus</i> (Panzer, 1798) nec (Linnaeus, 1767)
		--S-D-AI
		<i>conspurcatus</i> (Linnaeus, 1758)
		FKSNDEAI
		<i>paykulli</i> Bedel, 1908
		FKSNDEAI
		<i>tessulatus</i> (Paykull, 1798) nec (Moll, 1782)
		--S-D-A-
		<i>pictus</i> Sturm, 1805
		-----AI
		<i>melanostictus</i> Schmidt, 1840
		FKSNDEAI
		<i>distinctus</i> (Müller, 1776)
		FKSN-EA-
		<i>punctatosulcatus</i> Sturm, 1805
		<i>hirtipes</i> Fischer v. Waldheim, 1844
		FKSNDEAI
		<i>sabulicola</i> Thomson, 1868
		FKSNDEAI
		<i>sphacelatus</i> (Panzer, 1798)
		FKSNDEAI
		<i>prodromus</i> (Brahm, 1790)
		FK-----
		<i>serotinus</i> (Panzer, 1799)
		FKS-DEA-
		<i>tomentosus</i> (Müller, 1776)
		-----A-
		<i>obscurus</i> (Fabricius, 1792)

<i>porcus</i> (Fabricius, 1792)	--SNDE-I	Pleurophorus Mulsant, 1842
<i>scrofa</i> (Fabricius, 1787)	-KS-DEAI	<i>caesus</i> (Creutzer, 1796) --S---A-
<i>merdarius</i> (Fabricius, 1775)	FKSNDEAI	Rhyssemus Mulsant, 1842
<i>frater</i> Mulsant & Rey, 1872	--S----	<i>germanus</i> (Linnaeus, 1767) --S-D-AI
<i>foetidus</i> (Herbst, 1783)	--S-DEAI	<i>asper</i> (Fabricius, 1775)
<i>scybalarius</i> auct. nec (Fabricius, 1781)		
<i>fimetarius</i> (Linnaeus, 1758)	FKSNDEAI	Scarabaeinae Latreille, 1802
<i>foetens</i> (Fabricius, 1787)	FKSNDEAI	Copris Geoffroy, 1762 --SNDEAI
<i>aestivalis</i> Stephens, 1839		<i>lunaris</i> (Linnaeus, 1758)
<i>uliginosus</i> Hardy, 1847	FKSNDEAI	Oniticellus Dejean, 1821
<i>putridus</i> (Herbst, 1789) nec (Geoffroy, 1785)		<i>fulvus</i> (Goeze, 1777) -----I
<i>fasciatus</i> (Olivier, 1789) nec (Linnaeus, 1758)		Caccobius Thomson, 1859
<i>tenellus</i> auct. nec Say, 1823		<i>schreberi</i> (Linnaeus, 1767) --S-DEAI
<i>ater</i> (DeGeer, 1774)	FKSNDEAI	Onthophagus Latreille, 1802
<i>borealis</i> Gyllenhal, 1827	FKSNDEAI	<i>taurus</i> (Schreber, 1759) -----I
<i>nemoralis</i> Erichson, 1848	F-SNDEAI	<i>illyricus</i> (Scopoli, 1763) --S-----
<i>ardoei</i> Landin, 1954		<i>ovatus</i> (Linnaeus, 1767) --S-DEAI
<i>lapponum</i> Gyllenhal, 1806	FKSN----	<i>joannae</i> Goljan, 1953 --SND--I
<i>piceus</i> Gyllenhal, 1808	FKSN-E-I	<i>nuchicornis</i> (Linnaeus, 1758) FKSNEAI
<i>sordidus</i> (Fabricius, 1775)	FKSNDEAI	<i>vacca</i> (Linnaeus, 1767) --S-D-AI
<i>immundus</i> Creutzer, 1799	--S-DEAI	<i>gibbulus</i> (Pallas, 1781) FKS--EAI
<i>rufus</i> (Moll, 1782)	FKSNDEAI	<i>fracticornis</i> (Preyssler, 1790) FKSNEAI
<i>scybalarius</i> (Fabricius, 1781)		<i>similis</i> (Scriba, 1790) FKS-D--I
<i>lugens</i> Creutzer, 1799	-----EA-	<i>coenobita</i> (Herbst, 1787) --S-D-AI
<i>ictericus</i> (Laicharting, 1781)	FKSNDEAI	Sericinae Hope, 1837
<i>nitidulus</i> (Fabricius, 1792)		Serica MacLeay, 1819
<i>punctipennis</i> Erichson, 1848	-----I	<i>brunnea</i> (Linnaeus, 1758) FKSNEAI
<i>niger</i> (Panzer, 1797)	FKSN-EAI	Maladera Mulsant, 1871
<i>varians</i> Duftschmid, 1805	--S-DEAI	<i>holosericea</i> (Scopoli, 1772) --S-D-AI
<i>plagiatus</i> (Linnaeus, 1767)	FKSNDEAI	Omaloplia Schönherr, 1817
<i>lividus</i> (Olivier, 1789)	FKS--E-I	<i>nigromarginata</i> (Herbst, 1785) ----DEAI
<i>granarius</i> (Linnaeus, 1767)	FKSNDEAI	<i>occidentalis</i> Baraud, 1965
Heptaulacus Mulsant, 1842		<i>ruricola</i> auct. nec (Fabricius, 1775)
<i>sus</i> (Herbst, 1783)	-KS-DEAI	Melolonthinae Samouelle, 1819
<i>villosus</i> (Gyllenhal, 1806)	F-SNDEA-	Amphimallon Berthold, 1827
<i>testudinarius</i> (Fabricius, 1775)	--S-DEAI	<i>solstitialie</i> (Linnaeus, 1758) FKSNEAI
Oxyomus Dejean, 1833	F-S-DEAI	<i>fallenii</i> (Gyllenhal, 1817) --S-D---
<i>sylvestris</i> (Scopoli, 1763)		<i>?ochraceum</i> (Knoch, 1801)
Psammodiini Mulsant, 1842		Melolontha Fabricius, 1775
Psammodius Fallén, 1807		<i>hippocastani</i> Fabricius, 1801 FKSNEAI
<i>sulcicollis</i> (Illiger, 1802)	FKSNDEAI	<i>melolontha</i> (Linnaeus, 1758) f-S-DEAI
<i>asper</i> auct. nec (Fabricius, 1775)		
Diastictus Mulsant, 1842	--S-DEAI	Pollyphylla Harris, 1842
<i>vulneratus</i> (Sturm, 1805)		<i>fullo</i> (Linnaeus, 1758) --S-D-AI

Rutelinae MacLeay, 1819		Trichius Fabricius, 1787	
Anomala Leach, 1819		<i>fasciatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>dubia</i> (Scopoli, 1763)	FKSNDEAI	<i>zonatus</i> Germar, 1794	-----D---
Anisoplia Dejean, 1821			
<i>segetum</i> (Herbst, 1783)	-----I		
<i>agricola</i> (Poda, 1761)	-----I		
Phyllopertha Stephens, 1830			
<i>horticola</i> (Linnaeus, 1758)	FKSNDEAI	SCIRTOIDEA	
Hopliinae Latreille, 1829		Eucinetidae Lacordaire, 1857	
Hoplia Illiger, 1803		Eucinetus Germar, 1818	
<i>farinosa</i> (Linnaeus, 1761)	--S-D---	<i>haemorrhoidalis</i> (Germar, 1818)	FKS-DEAI
<i>philanthus</i> (Herbst, 1783) nec (Fuessly, 1775)		<i>haemorrhous</i> (Duftschmid, 1825)	
<i>parvula</i> Krynicki, 1832	----EA	Eucilodes Vit, 1985	
<i>zaitzevi</i> Jacobson, 1914	----EA-	<i>caucasicus</i> (Reitter, 1885)	FK-----
<i>praticola</i> Duftschmid, 1805	----A-	Clambidae Fischer v. Waldheim, 1821	
<i>graminicola</i> (Fabricius, 1792)	----DEAI	Calyptomerus Redtenbacher, 1849	
Dynastinae MacLeay, 1819		<i>dubius</i> (Marsham, 1802)	--SND---
Oryctes Illiger, 1798		Clambus Fischer v. Waldheim, 1821	
<i>nasicornis</i> (Linnaeus, 1758)	FKSNDEAI	<i>pubescens</i> Redtenbacher, 1849	FKSNDEAI
Cetoniinae Leach, 1815		<i>punctulum</i> (Beck, 1817)	FKSNDEAI
Oxythyrea Mulsant, 1842		<i>borealis</i> Strand, 1946	
<i>funesta</i> (Poda, 1761)	F---dEAI	<i>gibbulus</i> (LeConte, 1850)	F-SND-AI
Tropinota Mulsant, 1842		<i>radula</i> Endrödy-Younga, 1960	
<i>hirta</i> (Poda, 1761)	--S---AI	<i>pallidulus</i> Reitter, 1911	----D---
Cetonia Fabricius, 1775		<i>simsoni</i> Blackburn, 1902	--S-D---
<i>aurata</i> (Linnaeus, 1758)	FKSNDEAI	<i>armadillo</i> (DeGeer, 1774)	FKSNDEAI
Liocola Thomson, 1859		<i>nigrellus</i> Reitter, 1914	F-SND---
<i>marmorata</i> (Fabricius, 1792)	FKSNDEAI	<i>minutus</i> (Sturm, 1807)	-----I
<i>lugubris</i> (Herbst, 1786) nec (Fabricius, 1775)		Scirtidae Fleming, 1821	
Potosia Mulsant & Rey, 1871		Elodes Latreille, 1796	
<i>aeruginosa</i> (Drury, 1770)	-----I	<i>minuta</i> (Linnaeus, 1767)	FKSNDEAI
<i>fieberi</i> (Kraatz, 1880)	-----I	<i>pseudominuta</i> Klausnitzer, 1971	
<i>cuprea</i> (Fabricius, 1775)		<i>marginata</i> (Fabricius, 1798)	--SND---
ssp. <i>metallica</i> (Herbst, 1786)	FKSNDEAI	<i>elongata</i> Tournier, 1868	FKSNDE--
Valginae Mulsant, 1842		<i>tricuspis</i> Nyholm, 1985	
Valgus Scriba, 1790		Microcara Thomson, 1859	
<i>hemipterus</i> (Linnaeus, 1758)	----D-AI	<i>testacea</i> (Linnaeus, 1767)	FKSNDEAI
Trichiinae Fleming, 1821		<i>bohemanni</i> (Mannerheim, 1844)	
Osmoderma LePeletier & Audinet-Serville, 1828		Cyphon Paykull, 1799	
<i>eremita</i> (Scopoli, 1763)	F-SNDEAI	<i>coarctatus</i> Paykull, 1799	FKSNDEAI
Gnorimus LePeletier & Audinet-Serville, 1828		<i>palustris</i> Thomson, 1855	FKSNDEAI
<i>nobilis</i> (Linnaeus, 1758)	--SNDEA-	<i>ruficeps</i> Tournier, 1868	-----A-
<i>variabilis</i> (Linnaeus, 1758)	--S-DEAI	<i>kongsbergensis</i> Munster, 1924	FKSND-AI
<i>octopunctatus</i> (Fabricius, 1775)		<i>ochraceus</i> Stephens, 1830	FKSNDEAI
		<i>variabilis</i> (Thunberg, 1787)	FKSNDEAI
		<i>laevipennis</i> Tournier, 1868	F-SNDEAI
		<i>phragmiteticola</i> Nyholm, 1955	
		<i>pubescens</i> (Fabricius, 1792)	FKSNDEAI
		<i>punctipennis</i> Sharp, 1873	FKSNDEAI

<i>padi</i> (Linnaeus, 1758)	FKSNDEAI	<i>formaneki</i> Jacobson, 1913	FKS-----
<i>hilaris</i> Nyholm, 1944	F-S-D-AI	<i>Anthaxia</i> Eschscholtz, 1829	-----EAI
Prionocyphon Redtenbacher, 1858	--SND-AI	<i>manca</i> (Linnaeus, 1767)	-----EA-
<i>serricornis</i> (Müller, 1821)	--SND-AI	<i>salicis</i> (Fabricius, 1777)	-----EA-
Scirtes Illiger, 1807	FKSNDEAI	<i>nitidula</i> (Linnaeus, 1758)	-----EAI
<i>hemisphaericus</i> (Linnaeus, 1758)	--S-D-AI	<i>similaris</i> Saunders, 1871	--SN-EAI
<i>orbicularis</i> (Panzer, 1793)	FKSNDEAI	<i>morio</i> (Herbst, 1801) nec (Fabricius, 1792)	-----EA-
DASCILLOIDEA	FKSNDEAI	<i>helvetica</i> Stierlin, 1868	-----EA-
Dascillidae Guérin-Ménéville, 1843 (1836)	FKSNDEAI	<i>quadripunctata</i> (Linnaeus, 1758)	FKSNDEAI
Dascillus Latreille, 1796	FKSNDEAI	<i>godeti</i> Gory, 1841	F-SN--A-
<i>cervinus</i> (Linnaeus, 1758)	FKSNDEAI	<i>submontana</i> Obenberger, 1930	
BUPRESTOIDEA	FKSNdEAI	Chrysobothrini Laporte de Castelnau & Gory, 1839	
Buprestidae Leach, 1815	-KS-d---	Chrysobothris Eschscholtz, 1829	
Buprestinae Leach, 1815	FKSNdEAI	<i>chrysostigma</i> (Linnaeus, 1758)	FKSNdEAI
Buprestini Leach, 1815	FKSNdEAI	<i>affinis</i> (Fabricius, 1794)	--SNDEAI
<i>Chalcophora</i> Dejean, 1833	FKS?DEAI	Agrilinae Laporte de Castelnau, 1835	
<i>marianna</i> (Linnaeus, 1758)	FKSN-EAI	Agrilini Laporte de Castelnau, 1835	
Buprestis Linnaeus, 1758	--SN-EAI	Agrilus Curtis, 1825	
<i>splendens</i> Fabricius, 1775	FKSNdEAI	<i>guerini</i> Lacordaire, 1835	--S-----
<i>rustica</i> Linnaeus, 1758	FKSNdEAI	<i>ater</i> (Linnaeus, 1767)	FK---EAI
<i>haemorrhoidalis</i> Herbst, 1780	FKS?DEAI	<i>biguttatus</i> (Fabricius, 1777)	--SN-EAI
<i>novemmaculata</i> Linnaeus, 1767	FKSN-EAI	<i>pannonicus</i> (Piller & Mitterpacher, 1783)	
<i>octoguttata</i> Linnaeus, 1758	--SN-EAI	<i>subauratus</i> (Gebler, 1833)	FKS--EAI
Dicerca Eschscholtz, 1829	FKS--EAI	<i>convexicollis</i> Redtenbacher, 1849	--S-D-A-
<i>aenea</i> (Linnaeus, 1761)	FKS--EAI	<i>cyanescens</i> Ratzeburg, 1837	----DEAI
<i>alni</i> (Fischer v. Waldheim, 1823)	FKSN-EAI	<i>coeruleus</i> (Rossi, 1790) nec (Thunberg, 1789)	
<i>furcata</i> (Thunberg, 1787)	FKSN-EAI	<i>laticornis</i> (Illiger, 1803)	F-SNDEAI
<i>acuminata</i> (Pallas, 1782) nec (DeGeer, 1774)	--SN-EAI	<i>scaberrimus</i> Ratzeburg, 1837	
<i>moesta</i> (Fabricius, 1792)	FKSNdEAI	<i>angustulus</i> (Illiger, 1803)	--SNDEAI
Poecilonota Eschscholtz, 1829	FKSN-EAI	<i>sulcicollis</i> Lacordaire, 1835	FKSNDEAI
<i>Descarpentriesina</i> Leraut, 1983	FKSN-EAI	<i>mendax</i> Mannerheim, 1837	FKS--EAI
<i>variolosa</i> (Paykull, 1799)	FKSN-EAI	<i>sinuatus</i> (Olivier, 1790)	-----E--
Ovalisia Kerremans, 1900	FKSN-EAI	<i>roberti</i> Chevrolat, 1837	FKSN-EAI
<i>Scintillatrix</i> Obenberger, 1956	FKSN-EAI	<i>pratensis</i> (Ratzeburg, 1839)	
<i>Lampra</i> Lacordaire, 1835, nec Hübner, 1821	FKSN-EAI	<i>integerimus</i> (Ratzeburg, 1839)	FK---EAI
<i>rutilans</i> (Fabricius, 1777)	F-N----I	<i>auricollis</i> Kiesenwetter, 1857	-----A-
<i>dives</i> (Guillebeau, 1889)	-----A-	<i>delphinensis</i> Abeille de Perrin, 1897	FK---EAI
<i>decipiens</i> auct., nec (Gebler, 1847)		<i>pseudocyanus</i> auct. nec Kiesenwetter, 1857	
Anthaxiini Laporte de Castelnau & Gory, 1839		<i>betuleti</i> (Ratzeburg, 1837)	FKSNDEAI
Melanophila Eschscholtz, 1829		<i>foveicollis</i> Marseul, 1869	
<i>Oxypterus</i> Kirby, 1837		<i>viridis</i> (Linnaeus, 1758)	FKSNDEAI
<i>acuminata</i> (DeGeer, 1774)	FKSNDEAI	<i>populneus</i> Schaefer, 1946	F-SN--A-
Phaenops Dejean, 1833	FKSNdEAI	<i>suvorovi</i> auct. nec Obenberger, 1935	
<i>cyanaea</i> (Fabricius, 1775)	FKSNdEAI	<i>cuprescens</i> Ménétriés, 1832	FKSN-EAI
		<i>aurichalceus</i> Redtenbacher, 1849	
		<i>communis</i> Obenberger, 1924	

<i>paludicola</i> Krogerus, 1922	FKSN-E?-	<i>Porcinolus</i> Mulsant & Rey, 1869	
<i>olivicolor</i> Kiesenwetter, 1857	-KSN----	<i>murinus</i> (Fabricius, 1794)	FKSND-AI
<i>kaluganus</i> Obenberger, 1940	-----AI	Syncalyptinae Mulsant & Rey, 1869	
<i>hyperici</i> (Creutzer, 1799)	-----EAI	Chaetophora Kirby & Spence, 1823	
Coraebini Bedel, 1921		<i>Syncalypta</i> Dillwyn, 1829	
Coraebus Laporte de Castelnau & Gory, 1839		<i>spinosa</i> (Rossi, 1794)	FKS-D---
<i>undatus</i> (Fabricius, 1787)	-----A-	<i>Curimopsis</i> Ganglbauer, 1902	
<i>elatus</i> (Fabricius, 1787)	-----EAI	<i>paleata</i> (Erichson, 1846)	FKSN-EAI
Aphanisticini Jacquelin du Val, 1859		<i>setigera</i> (Illiger, 1798)	FKS-DEAI
Aphanisticus Latreille, 1810		<i>nigrita</i> (Palm, 1934)	-KS-D---
<i>emarginatus</i> (Olivier, 1790)	-----I	<i>cyclolepidia</i> (Münster, 1902)	FKSN----
<i>pusillus</i> (Olivier, 1790)	--S-DEAI		
Trachyini Laporte de Castelnau, 1835		DRYOPHOIDEA	
Trachys Fabricius, 1801		Elmidae Curtis, 1830	
<i>minutus</i> (Linnaeus, 1758)	FKSNDEAI	Stenelmis Dufour, 1835	
<i>troglodytes</i> Gyllenhal, 1817	--S-DEAI	<i>canaliculata</i> (Gyllenhal, 1808)	F-SN----
<i>scrobiculatus</i> Kiesenwetter, 1857	---ND--I	Elmis Latreille, 1798	
<i>pumilus</i> auct. nec Illiger, 1803		<i>maugetii</i> Latreille, 1798	-----A-
<i>fragariae</i> Brisout de Barneville, 1874	-----I	<i>aenea</i> (Müller, 1806)	FKSNDEAI
Habroloma Thomson, 1864		<i>obscura</i> (Müller, 1806)	-----A-
<i>nana</i> (Paykull, 1799)	FKSNDE--	Esolus Mulsant & Rey, 1872	
<i>geranii</i> (Silfverberg, 1977)		<i>pygmaeus</i> (Müller, 1806)	-----I
		<i>angustatus</i> (Müller, 1821)	--S---A-
BYRRHOIDEA		Oulimnius Des Gozis, 1886	
Byrrhidae Latreille, 1804		<i>tuberculatus</i> (Müller, 1806)	FKSNDEAI
Byrrhinae Latreille, 1804		<i>troglodytes</i> (Gyllenhal, 1827)	--S-D--I
Simplocaria Stephens, 1830		Limnius Illiger, 1802	
<i>semistriata</i> (Fabricius, 1794)	FKSNDEAI	<i>Latelmis</i> Reitter, 1883	
<i>elongata</i> J.Sahlberg, 1903	---N----	<i>volckmari</i> (Panzer, 1793)	FKSNDEAI
<i>arctica</i> Poppius, 1904	---N----	<i>muelleri</i> (Erichson, 1847)	-----AI
<i>metallica</i> (Sturm, 1807)	FKSN--A-	<i>intermedius</i> Fairmaire, 1881	----D---
Morychus Erichson, 1846		<i>opacus</i> Müller, 1806	-----A-
<i>aeneus</i> (Fabricius, 1775)	FKSNDEAI	Normandia Pic, 1900	
Arctobyrrhus Münster, 1902	F-SN---	<i>nitens</i> (Müller, 1817)	FKS--EAI
<i>dovrensis</i> Münster, 1902		Riolus Mulsant & Rey, 1872	
Lamprobyrrhulus Ganglbauer, 1902		<i>cupreus</i> (Müller, 1806)	--S-DEAI
<i>nitidus</i> (Schaller, 1783)	FK---EAI	Macronychus Müller, 1806	
Cytillus Erichson, 1846		<i>quadrituberculatus</i> Müller, 1806	-----AI
<i>sericeus</i> (Forster, 1771)	FKSNDEAI	Dryopidae Billberg, 1820	
<i>auricomus</i> (Duftschmid, 1825)	FKSNDEAI	Helichus Erichson, 1847	
Byrrhus Linnaeus, 1767		<i>substriatus</i> (Müller, 1806)	-----I
<i>fasciatus</i> (Forster, 1771)	FKSNDEAI	Dryops Olivier, 1791	
<i>arietus</i> Steffahny, 1842	FKSND-AI	<i>auriculatus</i> (Geoffroy, 1785)	FKSNDEAI
<i>pustulatus</i> (Forster, 1771)	FKSNDEAI	<i>anglicanus</i> Edwards, 1909	FKS-DE--
<i>pilula</i> (Linnaeus, 1758)	FKSNDEAI	<i>griseus</i> (Erichson, 1847)	FKSNDEA-

<i>similaris</i> Bollow, 1936	F-SNDE--	Epiphanini Muona, 1993
<i>ernesti</i> Des Gozis, 1886	FKSNDEAI	Hylis Des Gozis, 1886
<i>luridus</i> (Erichson, 1847)	--SNDEAI	Hypocaelus Guérin-Ménéville, 1843, nec Dejean, 1833
<i>nitidulus</i> (Heer, 1841)	--SNDE-I	<i>procerulus</i> (Mannerheim, 1823) FKSNEAI
<i>viennensis</i> (Laporte de Castelnau, 1840)	-----I	<i>cariniceps</i> (Reitter, 1902) F-SN----
<i>lutulentus</i> (Erichson, 1847)	-----E--	<i>foveicollis</i> (Thomson, 1874) FKS-D-A-
Limnichidae Erichson, 1846		<i>fleischeri</i> (Olexa, 1954)
Limnichus Dejean, 1821		<i>olexai</i> (Palm, 1955) --S-D-A-
<i>pygmaeus</i> (Sturm, 1807)	-KS-D-AI	Dirhagini Reitter, 1911
<i>sericeus</i> (Duftschmid, 1825)	FK---EA-	Microrhagini Fleutiaux, 1919
Heteroceridae MacLeay, 1825	--S-----	Clypeorhagus Olexa, 1975
Heterocerus Fabricius, 1792	FKSNDE-I	<i>clypeatus</i> (Hampe, 1850) -----A-
<i>fossor</i> Kiesenwetter, 1843	FKSNDEAI	Microrhagus Dejean, 1833
<i>flexuosus</i> Stephens, 1828	FK---DEAI	Dirhagus Latreille, 1834
<i>obsoletus</i> Curtis, 1828	F-SND-AI	<i>lepidus</i> Rosenhauer, 1847 FKSNAI
<i>marginatus</i> (Fabricius, 1787)	FKSNDEAI	<i>lindbergi</i> (Palm, 1958)
<i>fenestratus</i> (Thunberg, 1784)	FKSNDEAI	<i>pygmaeus</i> (Fabricius, 1793) FKSNEA-
<i>fusculus</i> Kiesenwetter, 1843	FKSND-AI	<i>emyi</i> (Rouget, 1855) --S-----
<i>hispidulus</i> Kiesenwetter, 1843	--S-----	Dirrhagofarsus Fleutiaux, 1935
<i>intermedius</i> Kiesenwetter, 1843	----D---	Attenuorhagus Olexa, 1975
<i>senescens</i> Kiesenwetter, 1865		<i>attenuatus</i> (Mäklin, 1845) FK-----
<i>aureolus</i> (Schiödte, 1866)		Rhacopus Hampe, 1855
Psephenidae Lacordaire, 1857		<i>sahlbergi</i> (Mannerheim, 1823) FKSNEA-
Eubria Germar, 1818		Eucneminae Eschscholtz, 1829
<i>palustris</i> Germar, 1818	FK--D-AI	Eucnemis Ahrens, 1812
ELATEROIDEA		<i>capucina</i> Ahrens, 1812 FKSND-AI
Eucnemidae Eschscholtz, 1829		Macraulacinae Fleutiaux, 1922
Melasinae Fleming, 1821		Macraulacini Fleutiaux, 1922
Melasini Fleming, 1821		Dromaeolini Leiler, 1976
Isorhipis Lacordaire, 1835	--SN-E--	Dromaeolus Kiesenwetter, 1858
<i>marmottani</i> Bonvouloir, 1871	F-SND---	<i>barnabita</i> (Villa, 1838) --S-----
Melasis Olivier, 1790		Throscidae Laporte de Castelnau, 1840
<i>buprestoides</i> (Linnaeus, 1761)		Aulonothroscus Horn, 1890
Hylocharini Jacquel du Val, 1859	FK---EA-	<i>laticollis</i> (Rybinski, 1897) FK-----
Hylochares Latreille, 1834		<i>brevicollis</i> (Bonvouloir, 1859) F-S---A-
<i>cruentatus</i> (Gyllenhal, 1808)		Trixagus Kugelann, 1794
Calyptocerini Muona, 1993		Throscus Latreille, 1796
Otho Lacordaire, 1857		<i>dermestoides</i> (Linnaeus, 1767) F-SNDEAI
<i>sphondyloides</i> (Germar, 1818)	-----A-	<i>carinifrons</i> (Bonvouloir, 1859) FKSNEDEAI
Xylobiini Reitter, 1911		<i>leseigneuri</i> Muona, 2002 F-S-----
Xylophilus Mannerheim, 1823		<i>elateroides</i> (Heer, 1841) -----A-
<i>Xylobius</i> Latreille, 1834		<i>exul</i> (Bonvouloir, 1859) F-S-D---
<i>corticalis</i> (Paykull, 1800)	F-SNDEA-	<i>duvalii</i> auct. nec (Bonvouloir, 1859) F-S-D---
		<i>atticus</i> Reitter, 1921
		<i>caucasicus</i> Reitter, 1921

Elateridae Leach, 1815		Denticollis Piller & Mitterpacher, 1783
Lissominae Laporte de Castelnau, 1840		<i>rubens</i> Piller & Mitterpacher, 1783
Drapetes Dejean, 1821		--SNDEA-
<i>mordelloides</i> (Host, 1789)	FKS-dEAI	<i>linearis</i> (Linnaeus, 1758)
<i>cinctus</i> (Panzer, 1796)		FKSNDEAI
<i>biguttatus</i> (Piller & Mitterpacher, 1783) nec (Fabricius, 1777)		<i>borealis</i> (Paykull, 1800)
Agrypninae Lacordaire, 1857		
Pyrophorinae Candeze, 1863		Cidnopus Thomson, 1859
Agrypnini Lacordaire, 1857		<i>pilosus</i> (Leske, 1785)
Agrypnus Eschscholtz, 1829		--SNDEAI
<i>murinus</i> (Linnaeus, 1758)	FKSNDEAI	<i>aeruginosus</i> (Olivier, 1790)
Adelocerini Bulyssen, 1893		F-S-DEAI
Lacon Laporte de Castelnau, 1838		<i>minutus</i> (Linnaeus, 1758)
Danosoma Thomson, 1859		<i>parvulus</i> (Panzer, 1799)
<i>punctatus</i> (Herbst, 1779)	--S-----	
<i>lepidopterus</i> (Panzer, 1801)	F-S-D-A-	Hypnoidus Dillwyn, 1829
<i>querceus</i> (Herbst, 1784)	--S----I	<i>riparius</i> (Fabricius, 1792)
<i>conspersus</i> (Gyllenhal, 1808)	FKSN-EA-	<i>rivularius</i> (Gyllenhal, 1808)
<i>fasciatus</i> (Linnaeus, 1758)	FKSN-EAI	<i>consobrinus</i> (Mulsant & Guillebeau, 1855)
Denticollinae Stein & Weise, 1877 (1856)		Ascoliocerus Mequignon, 1930
Athoinae Candeze, 1859		Berninelsonius Leseigneur, 1972
Denticollini Stein & Weise, 1877 (1856)		<i>hyperboreus</i> (Gyllenhal, 1827)
Hemicrepidius Germar, 1839		FKSN----
Pseudathous Méquignon, 1930		Prosternini Gistel, 1856
<i>hirtus</i> (Herbst, 1784)	--SNDEAI	Ctenicerini Fleutiaux, 1936 (1861)
<i>niger</i> (Linnaeus, 1758)	FKSNDEAI	Ctenicera Latreille, 1829
Crepidophorus Mulsant & Guillebeau, 1853		Corymbites Latreille, 1834
<i>mutilatus</i> (Rosenhauer, 1847)	F-SND-AI	<i>virens</i> (Schrank, 1781)
Athous Eschscholtz, 1829		-----E--
<i>vittatus</i> (Fabricius, 1792)	--SNDEAI	<i>pectinicornis</i> (Linnaeus, 1758)
<i>haemorrhoidalis</i> (Fabricius, 1801)	F-SNDEAI	FKSNDEAI
<i>subfuscus</i> (Müller, 1764)	FKSNDEAI	<i>cuprea</i> (Fabricius, 1775)
Limonius Eschscholtz, 1829		
Pheletes Kiesenwetter, 1858		Liotrichus Kiesenwetter, 1858
<i>aeneoniger</i> (DeGeer, 1774)	FKSNDE--	<i>affinis</i> (Paykull, 1800)
Limoniscus Reitter, 1905		FKSN-EAI
<i>violaceus</i> (Müller, 1821)	-----DE--	Orithales Kiesenwetter, 1858
Harminius Fairmaire, 1851		<i>serraticornis</i> (Paykull, 1800)
Diacanthous Reitter, 1905		FKSN-EAI
<i>undulatus</i> (DeGeer, 1774)	FKSN-EAI	Actenicerus Kiesenwetter, 1858
Stenagostus Thomson, 1859		<i>sjaelandicus</i> (Müller, 1764)
<i>rufus</i> (DeGeer, 1774)	--SN-EAI	FKSNDEAI
<i>rhombeus</i> (Olivier, 1790)	--S-D---	Prosternon Latreille, 1834
<i>villosus</i> auct. nec (Geoffroy, 1785)		<i>tessellatum</i> (Linnaeus, 1758)
		FKSNDEAI
		Anostirus Thomson, 1859
		<i>castaneus</i> (Linnaeus, 1758)
		FKSNDEAI
		<i>purpureus</i> (Poda, 1761)
		----DEAI
		Pseudanostirus Dolin, 1964
		<i>globicollis</i> (Germar, 1843)
		F-----
		Aplotarsus Stephens, 1830
		<i>incanus</i> (Gyllenhal, 1827)
		FKSNDEA-
		Selatosomus Stephens, 1830
		Mosotalesus Kishii, 1977
		FKSNDEAI
		<i>impressus</i> (Fabricius, 1792)
		FKSNDEAI
		<i>nigricornis</i> (Panzer, 1799)
		FKSNDEAI
		<i>cruciatus</i> (Linnaeus, 1758)
		FKSNDEAI
		<i>melancholicus</i> (Fabricius, 1798)
		FKSN----

<i>aeneus</i> (Linnaeus, 1758)	FKSNDEAI	<i>hjorti</i> (Rye, 1905)	--SND-A-
<i>gravidus</i> (Germar, 1843)	-----EAI	<i>triangularis</i> (Dorn, 1925)	--S-----
<i>latus</i> (Fabricius, 1801) nec (Fuessly, 1775)		<i>nemoralis</i> Bouwer, 1980	
<i>Hypoganus</i> Kiesenwetter, 1858		<i>elongatulus</i> (Fabricius, 1787)	-----EAI
<i>inunctus</i> (Lacordaire, 1835)	--SND---	<i>elegantulus</i> (Schönherr, 1817)	--S-D-A-
<i>cinctus</i> (Paykull, 1800) nec (Panzer, 1796)		<i>suecicus</i> Palm, 1976	FKSN--A-
<i>Calambus</i> Thomson, 1859		<i>borealis</i> (Palm, 1947) nec (Paykull, 1800)	
<i>bipustulatus</i> (Linnaeus, 1767)	--SND-AI	<i>balteatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>Eanus</i> LeConte, 1861		<i>lepidus</i> (Mäklin, 1876)	F-S-----
<i>Paranomus</i> Kiesenwetter, 1858, nec Chaudoir, 1842		<i>sorsakoskii</i> (Hellén, 1934)	
<i>costalis</i> (Paykull, 1800)	FKSN---	<i>praeustus</i> (Fabricius, 1792)	FKSNDEAI
<i>Negastriinae</i> Nakane, 1953		<i>cardinalis</i> (Schiödte, 1865)	--SND-A-
<i>Negastrius</i> Thomson, 1859		<i>tristis</i> (Linnaeus, 1758)	FKSN-EAI
<i>pulchellus</i> (Linnaeus, 1761)	FKSNDEAI	<i>erythrogonus</i> (Müller, 1821)	FKS-DEAI
<i>arenicola</i> (Boheman, 1853)	F-SND---	<i>nigrinus</i> (Herbst, 1784)	FKSNDEAI
<i>sabulicola</i> (Boheman, 1853)	--S-D-AI	<i>Brachygonus</i> Buysson, 1912	
<i>Zorochros</i> Thomson, 1859		<i>Reitterelater</i> Platia & Cate, 1990	
<i>minimus</i> (Lacordaire, 1835)	FKSNDEA-	<i>dubius</i> Platia & Cate, 1990	--S-----
<i>dermestoides</i> (Herbst, 1806) nec (Linnaeus, 1767)		<i>megerlei</i> auct. nec (Lacordaire, 1835)	
<i>Fleutiauxellus</i> Méquignon, 1930		<i>Ischnodes</i> Germar, 1844	
<i>maritimus</i> (Curtis, 1840)	F-SN----	<i>sanguinicollis</i> (Panzer, 1793)	--S-D---
<i>algidus</i> (J.Sahlberg, 1883)	FKSN---	<i>Elaterini</i> Leach, 1815	
<i>Oedostethus</i> LeConte, 1853		<i>Elater</i> Linnaeus, 1758	
<i>tenuicornis</i> (Germar, 1824)	-K---EAI	<i>Ludius</i> Berthold, 1827	
<i>quadripustulatus</i> (Fabricius, 1792)	-KS-DEAI	<i>ferrugineus</i> Linnaeus, 1758	--S-D---
<i>Neohypdonus</i> Stibick, 1971		<i>Sericus</i> Eschscholtz, 1829	
<i>arcticus</i> (Candeze, 1860)	FKSN---	<i>brunneus</i> (Linnaeus, 1758)	FKSNDEAI
<i>Elaterinae</i> Leach, 1815		<i>Melanotini</i> Candeze, 1859 (1856)	
<i>Megapenthini</i> Gurjeva, 1973		<i>Cratonychini</i> Gistel, 1856	
<i>Procræter</i> Reitter, 1905		<i>Melanotus</i> Eschscholtz, 1829	
<i>tibialis</i> (Lacordaire, 1835)	--SNDEAI	<i>villosus</i> (Geoffroy, 1785)	FKSNDEAI
<i>Ampedini</i> Gistel, 1856		<i>erythropus</i> (Gmelin, 1790)	
<i>Ampedus</i> Dejean, 1833		<i>rufipes</i> (Herbst, 1784) nec (Goeze, 1777)	
<i>Elater</i> auct., nec Linnaeus, 1758		<i>castanipes</i> (Paykull, 1800)	FKSNDEAI
<i>rufipennis</i> (Stephens, 1830)	--S-D---	<i>punctolineatus</i> (Pelerin, 1829)	--S-D-A-
<i>cinnabarinus</i> (Eschscholtz, 1829)	FKSNDEAI	<i>niger</i> (Fabricius, 1792) nec (Linnaeus, 1758)	
<i>sanguineus</i> (Linnaeus, 1758)	FKSNDEAI	<i>crassicollis</i> (Erichson, 1841)	-----EA-
<i>pomonae</i> (Stephens, 1830)	FKSNDEAI	<i>Agriotini</i> Laporte de Castelnau, 1840	
<i>quercicola</i> (Buysson, 1887)	----D---	<i>Agriotes</i> Eschscholtz, 1829	
<i>sanguinolentus</i> (Schrank, 1776)	FKSNDEAI	<i>gallicus</i> Lacordaire, 1835	-----A-
<i>nigerrimus</i> (Lacordaire, 1835)	--S-D---	<i>ustulatus</i> (Schaller, 1783)	F---DE-I
<i>nigroflavus</i> (Goeze, 1777)	FKSNDEAI	<i>pilosellus</i> (Schönherr, 1817)	--S-D---
<i>pomorum</i> (Herbst, 1784)	FKSNDEAI	<i>elongatus</i> auct. nec (Marsham, 1802)	
<i>ferrugatus</i> (Lacordaire, 1835)		<i>acuminatus</i> (Stephens, 1830)	--D--I
		<i>sputator</i> (Linnaeus, 1758)	-KSNDEAI
		<i>lineatus</i> (Linnaeus, 1767)	FKSNDEAI

<i>obscurus</i> (Linnaeus, 1758)	FKSNDEAI	<i>Lopheros</i> LeConte, 1884	
<i>Ectinus</i> Eschscholtz, 1829		<i>rubens</i> (Gyllenhal, 1817)	FKSN-EAI
<i>aterrimus</i> (Linnaeus, 1761)	FKSNDEAI	<i>Metriorrhynchinae</i> Kleine, 1926	
<i>Dalopius</i> Eschscholtz, 1829		<i>Xylobanellus</i> Kleine, 1930	
<i>marginatus</i> (Linnaeus, 1758)	FKSNDEAI	<i>Rossioptera</i> Kasantsev, 1988	
<i>Adrastus</i> Eschscholtz, 1829	-----I	<i>erythropterus</i> (Baudi, 1871)	-----A-
<i>limbatus</i> (Fabricius, 1777)	FKSNDEAI	<i>Calochrominae</i> Lacordaire, 1857	
<i>pallens</i> (Fabricius, 1792)	-----E-I	<i>Lygistopterus</i> Dejean, 1833	
<i>nitidulus</i> (Marsham, 1802) nec (Fabricius, 1787)	-K-----	<i>sanguineus</i> (Linnaeus, 1758)	FKSNDEAI
<i>rachifer</i> (Geoffroy, 1785)	-----E-I	<i>Lampyridae</i> Latreille, 1817	
<i>montanus</i> (Scopoli, 1763)	-----EA-	<i>Lampyris</i> Geoffroy, 1762	
<i>Synaptus</i> Eschscholtz, 1829	-----EA-	<i>noctiluca</i> (Linnaeus, 1758)	FKSNDEAI
<i>filiformis</i> (Fabricius, 1781)	-----EA-	<i>Phosphaenus</i> Laporte de Castelnau, 1833	
<i>Cardiophorinae</i> Candèze, 1859	-----EA-	<i>hemipterus</i> (Goeze, 1777)	FKS-DEAI
<i>Cardiophorus</i> Eschscholtz, 1829	-----EA-	<i>Cantharidae</i> Imhoff, 1856 (1815)	
<i>gramineus</i> (Scopoli, 1763)	--S---A-	<i>Cantharinae</i> Imhoff, 1856 (1815)	
<i>ruficollis</i> (Linnaeus, 1758)	FKSNDEAI	<i>Podabrus</i> Westwood, 1838	
<i>rufipes</i> (Goeze, 1777)	--S---A-	<i>alpinus</i> (Paykull, 1798)	FKSNDEAI
<i>widenfalki</i> Leiler, 1967	--S-----	<i>lapponicus</i> (Gyllenhal, 1810)	FKSN----
<i>atramentarius</i> Erichson, 1840	FKSN---	<i>obscuripes</i> J.Sahlberg, 1871	FKSN----
<i>ebeninus</i> (Germar, 1824)	----EA-	<i>Ancistronycha</i> Märkel, 1852	
<i>asellus</i> Erichson, 1840	FKS-DEA-	<i>cyanipennis</i> (Faldermann, 1835)	FKSNDEAI
<i>Dicronychus</i> Brullé, 1832	----EA-	<i>violacea</i> (Paykull, 1798) nec (Thunberg, 1784)	
<i>cinereus</i> (Herbst, 1784)	--S-D-AI	<i>Cantharis</i> Linnaeus, 1758	
<i>equiseti</i> (Herbst, 1784)	---N-EAI	<i>annularis</i> Ménétriés, 1836	----D---
<i>equisetoides</i> Lohse, 1976	-KS-D-A-	<i>fusca</i> Linnaeus, 1758	FKSNDEAI
<i>Paracardiophorus</i> Schwarz, 1895	-----I	<i>rustica</i> Fallén, 1807	FKSNDEAI
<i>musculus</i> (Erichson, 1840)	-----I	<i>obscura</i> Linnaeus, 1758	FKSNDEAI
CANTHAROIDEA		<i>pulicaria</i> Fabricius, 1781	F----EA-
Drilidae Blanchard, 1845		<i>nigricans</i> (Müller, 1776)	FKSNDEAI
<i>Drilus</i> Olivier, 1790		<i>pellucida</i> Fabricius, 1792	FKSNDEAI
<i>concolor</i> Ahrens, 1812	F-SNDE-I	<i>livida</i> Linnaeus, 1758	FKSNDEAI
<i>flavescens</i> (Geoffroy, 1785)	--S-----	<i>figurata</i> Mannerheim, 1843	FKSNDEAI
<i>Lycidae</i> Laporte de Castelnau, 1836		<i>decipiens</i> Baudi, 1871	--SND-A-
<i>Erotinae</i> LeConte, 1881		<i>quadripunctata</i> (Müller, 1776)	FKSNDEAI
<i>Dictyoptera</i> Latreille, 1829		<i>rufa</i> Linnaeus, 1758	FKSNDEAI
<i>aurora</i> (Herbst, 1784)	FKSNDEAI	<i>pallida</i> Goeze, 1777	--S-D-AI
<i>Pyropterus</i> Mulsant, 1838		<i>cryptica</i> Ashe, 1947	--S-D--
<i>nigroruber</i> (DeGeer, 1774)	FKSNDEAI	<i>flavilabris</i> Fallén, 1807	FKSNDEAI
<i>affinis</i> (Paykull, 1799)		<i>fulvicollis</i> Fabricius, 1792, nec Scopoli, 1763	
<i>Platycis</i> Thomson, 1859		<i>nigra</i> (DeGeer, 1774)	FKSNDEAI
<i>Glabroplatycis</i> Pic, 1914		<i>thoracica</i> (Olivier, 1790)	
<i>minuta</i> (Fabricius, 1787)	FKSNDEAI	<i>bicolor</i> Herbst, 1784 nec Linnaeus, 1763	
<i>cosnardi</i> (Chevrolat, 1829)	--S-D---	<i>paludosa</i> Fallén, 1807	FKSNDEAI
		<i>lateralis</i> Linnaeus, 1758	FKS-DEAI

Metacantharis Bourgeois, 1886		<i>guttifer</i> Kiesenwetter, 1852	FKSNDEAI
<i>clypeata</i> (Illiger, 1798)	-----E-I	<i>marginatus</i> (Latreille, 1806)	FKSNDEAI
<i>haemorrhoidalis</i> (Fabricius, 1792) nec (Gmelin, 1790)		<i>mysticus</i> Kiesenwetter, 1852	FKSNDEA-
Armidia Mulsant, 1863	-K-----	<i>pumilus</i> (Brébisson, 1835)	FKSNDEAI
<i>signata</i> (Germar, 1814)		<i>spathifer</i> Kiesenwetter, 1852	FKSNDEA-
Rhagonycha Eschscholtz, 1830	--SNDE--	<i>crassicornis</i> (Mäklin, 1846)	FKSND-A-
<i>lutea</i> (Müller, 1764)	-KSNDEAI	<i>dimidiatocollis</i> (Rosenhauer, 1847)	-----A-
<i>fulva</i> (Scopoli, 1763)		<i>brevicollis</i> (Paykull, 1798)	FKSNDEAI
<i>testacea</i> (Linnaeus, 1758)	FKSNDEAI		
<i>limbata</i> Thomson, 1864	FKSNDEAI		
<i>lignosa</i> (Müller, 1764)	FKSNDEAI		
<i>elongata</i> (Fallén, 1807)	FKSNDEAI		
<i>atra</i> (Linnaeus, 1767)	FKSNDEAI		
<i>fugax</i> Mannerheim, 1843	FK---EA-		
<i>nigripes</i> Redtenbacher, 1842	-----AI		
Absidia Mulsant, 1863			
<i>rufotestacea</i> (Letzner, 1845)	FKSNDEA-		
<i>schoenherri</i> (Dejean, 1837)	FKSNDEAI		
<i>pilosa</i> (Paykull, 1798) nec (Scopoli, 1763)			
Silinae Mulsant, 1862			
Silis Charpentier, 1825			
Crudosilis Kasantsev, 1994			
<i>ruficollis</i> (Fabricius, 1775)	F-S-D-AI		
<i>nitidula</i> (Fabricius, 1792)	-----EAI		
Malthininae Kiesenwetter, 1852			
Malthodinae Böving & Craighead, 1931			
Malthinus Latreille, 1806			
<i>biguttatus</i> (Linnaeus, 1758)	FKSNDEAI		
<i>biguttulus</i> (Paykull, 1800)			
<i>punctatus</i> (Geoffroy, 1785)	FKSNDEAI		
<i>flaveolus</i> (Herbst, 1786)			
<i>facialis</i> Thomson, 1864	--SND-- I		
<i>seriepunctatus</i> Kiesenwetter, 1851	--S-----		
<i>balteatus</i> Suffrian, 1851	--SN--A-		
<i>frontalis</i> (Marsham, 1802)	FKSNDEA-		
Malthodes Kiesenwetter, 1852			
<i>debilis</i> Kiesenwetter, 1852	-----A-		
<i>flavoguttatus</i> Kiesenwetter, 1852	FKSNDEAI		
<i>dispar</i> (Germar, 1824)	--S-D---		
<i>europaeus</i> Wittmer, 1970	-----A-		
<i>fibulatus</i> Kiesenwetter, 1852	FKSNDEA-		
<i>maurus</i> (Laporte de Castelnau, 1840)	FKSNDEA-		
<i>misellus</i> Kiesenwetter, 1852	F-----		
<i>fuscus</i> (Waltl, 1838)	FKSNDEA-		
<i>minimus</i> (Linnaeus, 1758)	F-SNDEAI		
		DERODONTOIDEA	
		Derodontidae LeConte, 1861	
		Laricobiinae Mulsant & Rey, 1864	
		Laricobius Rosenhauer, 1846	
		<i>erichsonii</i> Rosenhauer, 1846	--S-D---
		BOSTRICOIDEA	
		Nosodendridae Erichson, 1846	
		Nosodendron Latreille, 1804	--S-D--I
		<i>fasciculare</i> (Olivier, 1790)	
		Dermestidae Latreille, 1804	
		Dermestinae Latreille, 1804	
		Dermestes Linnaeus, 1758	
		<i>maculatus</i> DeGeer, 1774	F-SNDEAI
		<i>vulpinus</i> Fabricius, 1781	
		<i>frischii</i> Kugelann, 1792	f-snDeAI
		<i>murinus</i> Linnaeus, 1758	FKSNDEAI
		<i>laniarius</i> Illiger, 1801	F-SNDEAI
		<i>mustelinus</i> Erichson, 1846	-----EA-
		<i>gyllenhali</i> Laporte de Castelnau, 1840	FKS-DEAI
		<i>atomarius</i> Erichson, 1846	
		<i>szekessyi</i> Kalik, 1950	FKSND---
		<i>erichsoni</i> Ganglbauer, 1904	-----A-
		<i>tessellatus</i> Erichson, 1846, nec Fabricius, 1775	
		<i>ater</i> DeGeer, 1774	Fksndeai
		<i>cadaverinus</i> Fabricius, 1775	
		<i>haemorrhoidalis</i> Küster, 1852	f-snD---
		<i>peruvianus</i> Laporte de Castelnau, 1840	f-s-----
		<i>lardarius</i> Linnaeus, 1758	FKSNDEAI
		<i>palmi</i> Sjöberg, 1950	FKS-----
		Thorictinae Wollaston, 1854	
		Thaumaphrastini Anderson, 1949	
		Thorictodes Reitter, 1875	
		<i>heydeni</i> Reitter, 1875	--S-----
		Trinodinae Casey, 1900	
		Trinodes Dejean, 1821	
		<i>hirtus</i> (Fabricius, 1781)	--S-D-A-

Thylodriinae Semenov, 1912		<i>flavipes</i> LeConte, 1854	f---
Thylodrias Motschulsky, 1839		<i>verbasci</i> (Linnaeus, 1767)	f-snD-AI
<i>contractus</i> Motschulsky, 1839	FKSND---	<i>museorum</i> (Linnaeus, 1761)	FKSNDEAI
Attageninae Laporte de Castelnau, 1840		<i>olgae</i> Kalik, 1946	F-s---A-
Attagenus Latreille, 1802		<i>fuscus</i> Olivier, 1789	--SnDEAI
<i>schaeferi</i> (Herbst, 1792)	F-----AI	<i>polonicus</i> Mroczkowski, 1951	----EAI
<i>unicolor</i> (Brahm, 1791)	f-sn-eai		
<i>piceus</i> (Olivier, 1790) nec (Thunberg, 1781)			
<i>brunneus</i> Faldermann, 1835	-----A-	Bostrichidae Latreille, 1802	
<i>augustatus</i> Ballion, 1871	--s-----	Bostrichinae Latreille, 1802	
<i>smirnovi</i> Zhantiev, 1973	FKSND-a-	Bostichus Geoffroy, 1762	
<i>pellio</i> (Linnaeus, 1758)	FKSNDEAI	<i>capucinus</i> (Linnaeus, 1758)	f-SNd-A-
<i>punctatus</i> (Scopoli, 1772)	--S-----		
<i>bifasciatus</i> (Olivier, 1790)	----d---	Dinoderinae Thomson, 1863	
<i>fasciatus</i> (Thunberg, 1795)	f-----	Stephanopachys Waterhouse, 1888	FKSN-EA-
<i>woodroffei</i> Halstead & Green, 1979	F-SND---	<i>substriatus</i> (Paykull, 1800)	FKSN-EAI
<i>fasciatus</i> auct. nec (Thunberg, 1795)		<i>linearis</i> (Kugelann, 1792)	
<i>gloriosae</i> auct. nec (Fabricius, 1798)			
<i>trifasciatus</i> (Fabricius, 1787)	f-----	Rhyzopertha Stephens, 1830	
		<i>dominica</i> (Fabricius, 1793)	fkSnD-A-
Megatominae Leach, 1815		Dinoderus Stephens, 1830	
Megatomini Leach, 1815		<i>brevis</i> Horn, 1878	fks----
Trogoderma Dejean, 1821		<i>minutus</i> (Fabricius, 1775)	f-snd---
<i>variabile</i> Ballion, 1878	f-s----i		
<i>angustum</i> (Solier, 1849)	f-snD-A-	Lyctinae Billberg, 1820	
<i>versicolor</i> (Creutzer, 1799)	f-s-d-ai	Lyctus Fabricius, 1792	
<i>glabrum</i> (Herbst, 1783)	FK--d-AI	<i>brunneus</i> (Stephens, 1830)	fksnD---
<i>nigrum</i> (Herbst, 1797)	--snD---	<i>africanus</i> Lesne, 1907	f-----
<i>granarium</i> Everts, 1898		<i>linearis</i> (Goeze, 1777)	F-SND-AI
Reesa Beal, 1967			
<i>vespulae</i> (Milliron, 1939)	F-SND---	Minthea Pascoe, 1863	
Globicornis Latreille, 1829		<i>rugicollis</i> (Walker, 1858)	f-s-d---
<i>emarginata</i> (Gyllenhal, 1808)	FKSNDEAI	Trogoxylon LeConte, 1862	
<i>marginata</i> (Paykull, 1798) nec (Thunberg, 1781)		<i>impressum</i> (Comolli, 1837)	f-snd---
<i>corticalis</i> (Eichhoff, 1863)	--S-D---		
<i>nigripes</i> (Fabricius, 1792)	--S-----	Anobiidae Fleming, 1821	
<i>rufitarsis</i> (Panzer, 1796)		Eucradinae LeConte, 1861	
<i>fasciata</i> (Fairmaire, 1859)	----D---	Hedobiini Mulsant & Rey, 1868	
		Hedobia Dejean, 1821	
Megatoma Herbst, 1792	FKSNDEAI	<i>Ptinomorphus</i> Mulsant & Rey, 1868	
<i>undata</i> (Linnaeus, 1758)	F-SN--AI	<i>imperialis</i> (Linnaeus, 1767)	F-SNDEA-
<i>pubescens</i> (Zetterstedt, 1828)			
Ctesias Stephens, 1830	F-SNDEAI	Ptininae Latreille, 1802	
<i>serra</i> (Fabricius, 1792)		Gibbiini Jacquelin du Val, 1860	
Anthrenini Gistel, 1856		Gibbium Scopoli, 1777	--s-de--
Anthrenus Geoffroy, 1762	--S-DEAI	<i>psylloides</i> (Czempinski, 1778)	
<i>pimpinellae</i> Fabricius, 1775		Meium Curtis, 1828	
<i>scrophulariae</i> (Linnaeus, 1758)	F-SN-EAI	<i>affine</i> Boieldieu, 1856	f-s-----
		<i>sulcatum</i> (Fabricius, 1781)	--s-d---
		Sphaericini Bellés, 1982	
		Trigonogenius Solier, 1849	
		<i>globulus</i> Solier, 1849	fknsnd---

Sphaericus Wollaston, 1854		<i>explanatus</i> (Mannerheim, 1843)	FKSN-E--
<i>gibboides</i> (Boieldieu, 1854)	----D---	<i>gigas</i> (Mulsant & Rey, 1863)	-----I
Ptinini Latreille, 1802		<i>mollis</i> (Linnaeus, 1758)	FKSNDEAI
Niptus Boieldieu, 1856		<i>angusticollis</i> (Ratzeburg, 1847)	F-SND-AI
<i>hololeucus</i> (Faldermann, 1836)	FKSNDEAI	<i>tabidus</i> Kiesenwetter, 1877	
Epauloecus Mulsant & Rey, 1868		<i>abietinus</i> (Gyllenhal, 1808)	F-SNDEA-
<i>Tipnus</i> Thomson, 1859, nec Boieldieu, 1856		<i>abietis</i> (Fabricius, 1792)	F-SNDEAI
<i>unicolor</i> (Piller & Mitterpacher, 1783)	FKSNDEAI	<i>pini</i> (Sturm, 1837)	F-SNDEA-
Pseudeurostus Heyden, 1906		Anobiinae Fleming, 1821	
<i>hilleri</i> (Reitter, 1877)	f-S-d---	Oligomerus Redtenbacher, 1849	
Ptinus Linnaeus, 1767		<i>brunneus</i> (Olivier, 1790)	--S----I
<i>tectus</i> Boieldieu, 1856	F-SND---	Stegobium Motschulsky, 1860	
<i>dubius</i> Sturm, 1837	FKSNDEA-	<i>Sitodrepa</i> Thomson, 1863	
<i>sexpunctatus</i> Panzer, 1795	FKSNd-A-	<i>paniceum</i> (Linnaeus, 1758)	FKSNDEAI
<i>rufipes</i> Olivier, 1790	F-SNDEAI	Gastrallus Jacquelin du Val, 1860	
<i>lichenum</i> Marsham, 1802	--S-D---	<i>immarginatus</i> (Müller, 1821)	--SND-A-
<i>clavipes</i> Panzer, 1792	f---Deai	Anobium Fabricius, 1775	
<i>testaceus</i> Olivier, 1790, nec Thunberg, 1784		Hemicoelus LeConte, 1861	
<i>pusillus</i> Sturm, 1837	----D---	<i>punctatum</i> (DeGeer, 1774)	FKSNDEAI
<i>fur</i> (Linnaeus, 1758)	FKSNDEAI	<i>nitidum</i> Fabricius, 1792	FKSNDEA-
<i>bicinctus</i> Sturm, 1837	FKSNdEA-	<i>costatum</i> Aragona, 1830	--S-D---
<i>villiger</i> Reitter, 1884	FKSNd-AI	<i>fulvicorne</i> Sturm, 1837	F-SND--I
<i>balticus</i> Khnzorian & Karapetian, 1991		<i>rufipes</i> Fabricius, 1792	FKSN-EAI
<i>subpilosus</i> Sturm, 1837		<i>thomsoni</i> (Kraatz, 1881)	FKSN-EAI
<i>pilosus</i> Müller, 1821		Microbregma Seidlitz, 1889	
<i>raptor</i> Sturm, 1837		<i>emarginata</i> (Duftschmid, 1825)	FKSN--AI
Dryophilinae LeConte, 1861		Hadrobregmus Thomson, 1859	
Grynobius Thomson, 1859		<i>denticollis</i> (Creutzer, 1796)	----D-AI
<i>planus</i> (Fabricius, 1787)	--SND---	<i>pertinax</i> (Linnaeus, 1758)	FKSNDEAI
<i>tricolor</i> (Olivier, 1790)		<i>confusus</i> (Kraatz, 1881)	FKS---A-
Dryophilus Chevrolat, 1832		Priobium Motschulsky, 1845	
<i>pusillus</i> (Gyllenhal, 1808)	F-SNDEAI	<i>carpini</i> (Herbst, 1793)	FKS-DEAI
Ernobiinae Pic, 1912		Ptilininae Shuckard, 1840	
Ochina Sturm, 1826		Ptilinus Geoffroy, 1762	
<i>ptinoides</i> (Marsham, 1802)	----D--I	<i>pectinicornis</i> (Linnaeus, 1758)	--SND-AI
Xestobium Motschulsky, 1845	----D---	<i>fuscus</i> Geoffroy, 1785	FKSN-EA-
<i>plumbeum</i> (Illiger, 1801)	F-SND-A-	Pseudoptilinus Leiler, 1963	
<i>rufovillosum</i> (DeGeer, 1774)		<i>fissicollis</i> (Reitter, 1877)	--S-----
Episernus Thomson, 1863		Xyletininae Gistel, 1856	
<i>angulicollis</i> Thomson, 1863	FKSN----	Xyletinus Latreille, 1809	
<i>striatulus</i> Leinberg, 1904		<i>laticollis</i> (Duftschmid, 1825)	--SNDEAI
Ernobius Thomson, 1859		<i>ater</i> (Creutzer, 1796)	FKSNDEAI
<i>longicornis</i> (Sturm, 1837)	FKSNDEAI	<i>pectinatus</i> (Fabricius, 1792)	FKSN-EA-
<i>nigrinus</i> (Sturm, 1837)	FKSNDEAI	<i>vaederoensis</i> Lundberg, 1969	--S-----
<i>kiesenwetteri</i> Schilsky, 1898	-----AI		

<i>fibensis</i> Lundblad, 1949	F-S---	Trogossitidae Latreille, 1802
<i>gronblomi</i> Y.Kangas, 1955		Peltinae Kirby, 1837
<i>tremulicola</i> Y.Kangas, 1958	F-S-----	Peltis Kugelann, 1792
<i>longitarsis</i> Jansson, 1942	F-SN--A-	<i>grossa</i> (Linnaeus, 1758)
<i>hanseni</i> Jansson, 1947	FKSND---	Ostoma Laicharting, 1781
<i>planicollis</i> Lohse, 1957	F-S---A-	<i>ferruginea</i> (Linnaeus, 1758)
<i>suecicus</i> Lundberg, 1972		Thymalus Latreille, 1802
Lasioderma Stephens, 1835		<i>limbatus</i> (Fabricius, 1787)
<i>serricorne</i> (Fabricius, 1792)	f-snDeA-	<i>subtilis</i> Reitter, 1889
Dorcatominae Thomson, 1859		Lophocaterini Crowson, 1964
Stagetus Wollaston, 1861		Grynocharis Thomson, 1859
<i>Theca</i> Mulsant & Rey, 1860, nec Morris, 1845		<i>oblonga</i> (Linnaeus, 1758)
<i>borealis</i> Israelson, 1971	FKSN--A-	Lophocateres Olliff, 1883
<i>pilulus</i> auct. nec (Aubé, 1861)		<i>pusillus</i> (Klug, 1832)
Dorcatoma Herbst, 1792		Calitinae Reitter, 1922
<i>flavicornis</i> (Fabricius, 1793)	F-SNDEAI	Calitys Thomson, 1859
<i>ambjoerni</i> Baranowski, 1985	--S-----	<i>scabra</i> (Thunberg, 1784)
<i>chrysomelina</i> Sturm, 1837	F-SNDEAI	Trogossitinae Latreille, 1802
<i>janssoni</i> Büche & Lundberg, 2002	--S---A-	Nemozoma Latreille, 1804
<i>substriata</i> Hummel, 1829	F-S-DEA-	<i>elongatum</i> (Linnaeus, 1761)
<i>serra</i> (Panzer, 1795) nec (Fabricius, 1792)		Temnoscheila Westwood, 1835
<i>minor</i> Zahradník, 1993	--S-----	<i>caerulea</i> (Olivier, 1790)
<i>punctulata</i> Mulsant & Rey, 1864	FKSN-EA-	Tenebroides Piller & Mitterpacher, 1783
<i>dresdensis</i> Herbst, 1792	FKSNDEAI	<i>Trogossita</i> Olivier, 1790
<i>robusta</i> Strand, 1938	FKSNDEA-	<i>mauritanicus</i> (Linnaeus, 1758)
<i>lomnickii</i> Reitter, 1903	-----E--	Cleridae Latreille, 1802
Caenocara Thomson, 1859		Tillinae Leach, 1815
<i>bovistae</i> (Hoffmann, 1803)	FKSND-AI	Tillus Olivier, 1790
<i>affinis</i> (Sturm, 1837)	-----AI	<i>elongatus</i> (Linnaeus, 1758)
Anitys Thomson, 1863		Clerinae Latreille, 1802
<i>rubens</i> (Hoffmann, 1803)	--SND---	<i>Opilo</i> Latreille, 1802
LYMEXYLOIDEA		<i>mollis</i> (Linnaeus, 1758)
Lymexylidae Fleming, 1821		<i>domesticus</i> (Sturm, 1837)
Hylecoetinae Gistel, 1856		Thanasimus Latreille, 1806
Hylecoetus Latreille, 1806		<i>formicarius</i> (Linnaeus, 1758)
<i>Elateroides</i> Houlbert & Bétis, 1905	FKSNDEAI	Dermestoides Houlbert & Bétis, 1905
<i>dermestoides</i> (Linnaeus, 1761)	FK---	<i>aporthopleura</i> Barr, 1977
<i>flabellicornis</i> (Schneider, 1791)	EAI	<i>Dermestoides</i> Schäffer, 1771 – not binomial
Lymexylinae Fleming, 1821		<i>sanguinicollis</i> (Fabricius, 1787)
Lymexylon Fabricius, 1775		FKNDEAI
<i>navale</i> (Linnaeus, 1758)	--SNDEAI	
CLEROIDEA		
Phloiophilidae Kiesenwetter, 1863		
Phloiophilus Stephens, 1830		
<i>edwardsii</i> Stephens, 1830	--S-D---	

Tarsosteninae Jacquelin du Val, 1860		Psilothrix Redtenbacher, 1858	
Tarsostenus Spinola, 1844		<i>viridicoeruleus</i> (Geoffroy, 1785)	-- S-D---
<i>univittatus</i> (Rossi, 1792)	fk-----	<i>cyaneus</i> auct. nec (Fabricius, 1775)	
Korynetinae Laporte de Castelnau, 1836		Dolichosoma Stephens, 1830	
Korynetes Herbst, 1792		<i>lineare</i> (Rossi, 1792)	FKSNDEAI
<i>caeruleus</i> (DeGeer, 1775)	F-SND-AI	Malachiinae Fleming, 1821	
<i>ruficornis</i> Sturm, 1837	--S-----	Colotini Abeille de Perrin, 1890	
<i>obenbergeri</i> Jansson, 1936		Hypebaeus Kiesenwetter, 1863	
Necrobia Olivier, 1795		<i>flavipes</i> (Fabricius, 1787)	-- SN----
<i>ruficollis</i> (Fabricius, 1775)	FKSNDEAI	Charopus Erichson, 1840	
<i>violacea</i> (Linnaeus, 1758)	FKSNDEAI	<i>graminicola</i> (Dejean, 1833)	FKSNDEAI
<i>rufipes</i> (DeGeer, 1775)	F-SNDEAI	<i>flavipes</i> (Paykull, 1798) nec (Fabricius, 1787)	
Opetiopalpus Spinola, 1844		Attalini Abeille de Perrin, 1890	
<i>scutellaris</i> (Panzer, 1797)	-----E-I	Ebaeus Erichson, 1840	
Melyridae Leach, 1815		<i>lapplandicus</i> Evers, 1993	F-SND-AI
Rhadalinae LeConte, 1861		<i>pedicularius</i> auct. nec (Linnaeus, 1758)	
Aplocnemus Stephens, 1830		Nepachys Thomson, 1859	
<i>impressus</i> (Marsham, 1802)	F-SNDEA-	<i>cardiacae</i> (Linnaeus, 1761)	FKSN-EA-
<i>pini</i> (Redtenbacher, 1849)		Axinotarsus Motschulsky, 1854	
<i>nigricornis</i> (Fabricius, 1793)	FKSNDEAI	<i>ruficollis</i> (Olivier, 1790)	-- S-D---
<i>tarsalis</i> (Sahlberg, 1822)	FKSN-EAI	<i>pulicarius</i> (Fabricius, 1775)	-- SND-AI
Trichoceble Thomson, 1859		<i>marginalis</i> (Laporte de Castelnau, 1840)	-- S-D-AI
<i>floralis</i> (Olivier, 1790)	--SN---I	Malachiini Fleming, 1821	
<i>memnonia</i> (Kiesenwetter, 1861)	--SND--I	Cordylepherus Evers, 1985	
Dasytinae Laporte de Castelnau, 1840		<i>viridis</i> (Fabricius, 1787)	FKSNDEAI
Danacaeini Thomson, 1859		Malachius Fabricius, 1775	
Danacea Laporte de Castelnau, 1836		<i>scutellaris</i> Erichson, 1840	-----I
<i>pallipes</i> (Panzer, 1793)	--S-DE--	<i>rubidus</i> Erichson, 1840	-----I
<i>nigritarsis</i> (Küster, 1850)	--S-----	<i>aeneus</i> (Linnaeus, 1758)	FKSNDEAI
Dasytini Laporte de Castelnau, 1840		<i>bipustulatus</i> (Linnaeus, 1758)	FKSNDEAI
Dasytes Paykull, 1799		Clanoptilus Motschulsky, 1854	
<i>niger</i> (Linnaeus, 1761)	FKSNDEAI	<i>marginellus</i> (Olivier, 1790)	-- S-D-AI
<i>alpigradus</i> Kiesenwetter, 1863	-----E--	<i>barnevillei</i> (Puton, 1865)	-- S-D---
<i>obscurus</i> Gyllenhal, 1813	FKSN-EA-	Anthocomus Erichson, 1840	
<i>cyanus</i> (Fabricius, 1775)	F-SNDEAI	<i>rufus</i> (Herbst, 1784)	F-S-DEAI
<i>caeruleus</i> (DeGeer, 1774) nec (Linnaeus, 1758)		<i>coccineus</i> (Schaller, 1783) nec (Linnaeus, 1761)	
<i>nigrocyanus</i> Mulsant & Rey, 1868	--S-D---	<i>fasciatus</i> (Linnaeus, 1758)	F-SNDEAI
<i>virens</i> (Marsham, 1802)	-----EA-	<i>equestris</i> (Fabricius, 1781)	-- N-EAI
<i>flavipes</i> (Olivier, 1790) nec (Fabricius, 1781)		<i>bipunctatus</i> (Harrer, 1784)	
<i>aeratus</i> Stephens, 1830	--SNDE--	Cerapheles Mulsant & Rey, 1867	
<i>aerosus</i> Kiesenwetter, 1867		<i>terminatus</i> (Ménétriés, 1832)	-- d---
<i>plumbeus</i> (Müller, 1776)	FKSNDEAI		
<i>subaeneus</i> Schönherr, 1817	----d-A-		
<i>fusculus</i> (Illiger, 1801)	FKSNDEAI		

Laiini Jacobson, 1913		<i>hilleri</i> Reitter, 1877	-----DEA-
Paratinus Abeille de Perrin, 1891		<i>fageticola</i> Audisio, 1991	
<i>femoralis</i> (Erichson, 1840)	FKS-DEAI	<i>concurrrens</i> Sjöberg, 1939	FK-----
CUCUJOIDEA		<i>castanea</i> (Duftschmid, 1825) nec (Sahlberg, 1820)	
Sphindidae Jacquelin du Val, 1861		<i>neglecta</i> (Heer, 1841)	FKSNDEAI
Sphindus Megerle, 1821		<i>pallescens</i> (Stephens, 1832)	FKSNDEAI
<i>dubius</i> (Gyllenhal, 1808)	FKSNDE-I	<i>floreæ</i> Erichson, 1845	
Aspidiphoridae Ziegler, 1821		<i>abietina</i> J.Sahlberg, 1889	
<i>orbiculatus</i> (Gyllenhal, 1808)	FKSNDEAI	<i>laeviuscula</i> (Gyllenhal, 1827)	FKSNDE-I
Kateretidae Erichson, 1846		<i>rufobrunnea</i> Sjöberg, 1939	FK-----
Brachypteridae Erichson, 1845		<i>deubeli</i> Reitter, 1898	FKSNDE--
Kateretes Herbst, 1793		<i>thoracica</i> Tournier, 1872	FKSNDE--
<i>pedicularius</i> (Linnaeus, 1758)	FKSNDEAI	<i>angustula</i> Sturm, 1844	FKSNDE-I
<i>pusillus</i> (Thunberg, 1794)	FKSN-EAI	<i>oblonga</i> (Herbst, 1793)	FKSNDEAI
<i>bipustulatus</i> (Paykull, 1798) nec (Thunberg, 1781)	--S-D-AI	<i>danica</i> Sjöberg, 1939	
<i>rufilabris</i> (Latreille, 1807)		<i>longipennis</i> Sjöberg, 1939	FKSN----
Heterhelus Jacquelin du Val, 1858		<i>rugulosa</i> auct. nec J.Sahlberg, 1889	
<i>scutellaris</i> (Heer, 1841)	FKSNDEA-	<i>fussii</i> Reitter, 1875	FKSN-E--
Brachypterus Kugelann, 1794		<i>interjecta</i> Sjöberg, 1939	
<i>urticae</i> (Fabricius, 1792)	FKSNDEAI	<i>boreella</i> (Zetterstedt, 1828)	FKSNDEAI
<i>erythropus</i> (Marsham, 1802)	--S--EAI	<i>opalizans</i> J.Sahlberg, 1889	FKSNDE--
<i>fulvipes</i> Erichson, 1843	F-SNDEAI	<i>marseuli</i> Reitter, 1872	FKSNDEAI
<i>glaber</i> (Stephens, 1835)		<i>bickhardti</i> Saint-Claire Deville, 1906	
Brachypterolus Grouvelle, 1913		<i>acuta</i> Biström, 1977	
<i>pulicarius</i> (Linnaeus, 1758)	FKSNDEAI	<i>pusilla</i> (Illiger, 1798) nec (Thunberg, 1794)	
<i>linariae</i> (Stephens, 1830)	FKSNDEA-	<i>pygmaea</i> (Gyllenhal, 1808)	FKSNDEAI
<i>cornelii</i> Spornraft, 1966		<i>longula</i> Erichson, 1845	FKS-D-A-
<i>antirrhini</i> (Murray, 1864)	-----I	<i>binotata</i> Reitter, 1872	FKSNDEA-
<i>villiger</i> (Reitter, 1885)		<i>placida</i> Mäklin, 1853	FKSNDEA-
Nitidulidae Latreille, 1802		<i>terminalis</i> (Mannerheim, 1843)	FKSNDEAI
Carpophilinae Erichson, 1842		<i>adumbrata</i> Mannerheim, 1852	
Carpophilini Erichson, 1842		<i>tenenbaumi</i> Sjöberg, 1939	
Carpophilus Stephens, 1830		<i>longiclavis</i> Sjöberg, 1939	FKSN----
<i>ligneus</i> Murray, 1864		<i>distincta</i> (Grimmer, 1841)	F-----AI
<i>dimidiatus</i> (Fabricius, 1792)		<i>excisicollis</i> Reitter, 1872	--S-D---
<i>nepos</i> Murray, 1864		<i>biguttata</i> (Thunberg, 1784)	FKSNDEA-
<i>freemani</i> Dobson, 1956		<i>unicolor</i> (Olivier, 1790)	FKSNDEAI
<i>marginellus</i> Motschulsky, 1858		<i>x-rubrum</i> J.Sahlberg, 1911	
<i>obsoletus</i> Erichson, 1843		<i>variegata</i> (Herbst, 1793)	FKSNDEA-
<i>hemipterus</i> (Linnaeus, 1758)		<i>muehli</i> Reitter, 1908	FKSNDEA-
<i>mutilatus</i> Erichson, 1843		<i>silacea</i> (Herbst, 1784)	FKSNDEA-
Epuraeini Kirejtshuk, 1986		<i>deleta</i> Erichson, 1843	
Epuraea Erichson, 1843		<i>aestiva</i> (Linnaeus, 1758)	FKSNDEAI
<i>melanocephala</i> (Marsham, 1802)	--SNDE--	<i>depressa</i> (Illiger, 1798)	
<i>guttata</i> (Olivier, 1811)	F-SNDEAI	<i>melina</i> Erichson, 1843	FKSNDEA-
<i>fuscicollis</i> (Stephens, 1832)	--S-D---	<i>rufomarginata</i> (Stephens, 1830)	FKSNDEAI
		<i>contractula</i> J.Sahlberg, 1889	FKSN----
		<i>helleni</i> Sjöberg, 1939	

<i>silesiaca</i> Reitter, 1872	FKS--E--	<i>hoffmanni</i> Reitter, 1871	--S-----
<i>limbata</i> (Fabricius, 1787)	FKSNDEA-	<i>exilis</i> Sturm, 1845	FKS-DEA-
Meligethinae Thomson, 1859		<i>lugubris</i> Sturm, 1845	FKS-DEA-
Pria Stephens, 1830		<i>gagathinus</i> Erichson, 1845	F-S-DE--
<i>Laria</i> Scopoli, 1763 – suppr.		<i>norvegicus</i> Easton, 1959	---N----
<i>dulcamarae</i> (Scopoli, 1763)	--SND-AI	<i>egenus</i> Erichson, 1845	FKS---AI
Meligethes Stephens, 1830	--S---A-	<i>carinulatus</i> Förster, 1849	FKSNDEA-
<i>solidus</i> (Kugelann, 1794)	FKSN-EAI	<i>erythropus</i> auct. nec (Marsham, 1802)	
<i>denticulatus</i> (Heer, 1841)		<i>bidentatus</i> Brisout de Barneville, 1863	----D---
<i>hebes</i> Erichson, 1845		<i>nigrescens</i> Stephens, 1830	FKSNDEAI
<i>atratus</i> (Olivier, 1790)	FKSN-EA-	<i>sympyti</i> (Heer, 1841)	--S-DEA-
<i>flavimanus</i> Stephens, 1830	FKSNDEA-	<i>planiusculus</i> (Heer, 1841)	--S-D---
<i>lumbaris</i> Sturm, 1845		<i>tristis</i> Sturm, 1845	F-SNDEA-
<i>subrugosus</i> (Gyllenhal, 1808)	FKSNDEA-	Nitidulinae Latreille, 1802	
<i>corvinus</i> Erichson, 1845	F-SNDEAI	Omosita Erichson, 1843	
<i>caudatus</i> Guillebeau, 1897	--SND---	<i>depressa</i> (Linnaeus, 1758)	FKSNDEAI
<i>anthracinus</i> Brisout de Barneville, 1863	----E--	<i>discoidea</i> (Fabricius, 1775)	--SNDEAI
<i>subaeneus</i> Sturm, 1845	F-SN-E--	<i>colon</i> (Linnaeus, 1758)	FKSNDEAI
<i>matronalis</i> Audisio & Spornraft, 1990	--S-D---	Nitidula Fabricius, 1775	
<i>coracinus</i> Sturm, 1845	FKSNDEAI	<i>bipunctata</i> (Linnaeus, 1758)	FKSNDEAI
<i>coeruleivirens</i> Förster, 1849	FKSNDEA-	<i>rufipes</i> (Linnaeus, 1767)	FKSNDEAI
<i>aeneus</i> (Fabricius, 1775)	FKSNDEAI	<i>carnaria</i> (Schaller, 1783)	--S-DEAI
<i>czwalinai</i> Reitter, 1871	--S---A-	Amphotis Erichson, 1843	
<i>viridescens</i> (Fabricius, 1787)	FKSNDEAI	<i>marginata</i> (Fabricius, 1781)	--S-DEAI
<i>bidens</i> Brisout de Barneville, 1863	FKSNDEAI	Soronia Erichson, 1843	
<i>sulcatus</i> Brisout de Barneville, 1863	F---DEA-	<i>punctatissima</i> (Illiger, 1794)	FKSNDEAI
<i>atramentarius</i> Förster, 1849	--S-D-A-	<i>grisea</i> (Linnaeus, 1758)	FKSNDEAI
<i>difficilis</i> (Heer, 1841)	F-S-DEAI	Ipidia Erichson, 1843	
<i>kunzei</i> Erichson, 1845	----A-	<i>binotata</i> Reitter, 1875	FKSN-EAI
<i>ochropus</i> Sturm, 1845	F-SNDEAI	<i>quadriplagiata</i> Biström, 1978	
<i>morosus</i> Erichson, 1845	FKSNDEAI	<i>quadrimaculata</i> (Quensel, 1790) nec (Scopoli, 1772)	
<i>brunnicornis</i> Sturm, 1845	FKSNDEA-	<i>quadrinotata</i> (Fabricius, 1798) nec (Scriba, 1793)	
<i>haemorrhoidalis</i> Förster, 1849	--S-D-AI	<i>sexguttata</i> (F.Sahlberg, 1834)	FK-----I
<i>buyssoni</i> Brisout de Barneville, 1882	-----A-	Pocadius Erichson, 1843	
<i>persicus</i> Faldermann, 1837	FKSNDEAI	<i>ferrugineus</i> (Fabricius, 1775)	FKSNDEAI
<i>pedicularius</i> auct. nec (Gyllenhal, 1808)	--S-DEAI	<i>adustus</i> Reitter, 1888	--S-D---
<i>pedicularius</i> (Gyllenhal, 1808)		<i>lanuginosus</i> Franz, 1969	
<i>viduatus</i> (Heer, 1841)		Physoronia Reitter, 1884	
<i>serripes</i> (Gyllenhal, 1827)	FKS-----	<i>Pocadiodes</i> Ganglbauer, 1899	
<i>nanus</i> Erichson, 1845	--S-----	<i>wajdelota</i> (Wankowicz, 1869)	-----I
<i>ruficornis</i> (Marsham, 1802)	F-S-D---	Thalycra Erichson, 1843	
<i>flavipes</i> Sturm, 1845		<i>fervida</i> (Olivier, 1790)	FKSNDEAI
<i>ovatus</i> Sturm, 1845	FKSND-A-	Cylloides Erichson, 1843	
<i>maurus</i> Sturm, 1845	--SNDEA-	<i>ater</i> (Herbst, 1792)	FKS-DEAI
<i>incanus</i> Sturm, 1845	-----E--		
<i>umbrosus</i> Sturm, 1845	FKSNDEA-		
<i>distinctus</i> Sturm, 1845	--S-----		
<i>obscurus</i> auct. nec Erichson, 1845			

Cychramus Kugelann, 1794		<i>brevicollis</i> Aubé, 1837	F-SNDEA-
<i>variegatus</i> (Herbst, 1792)	FKSNDEAI	<i>bicolor</i> Villa, 1835	FKSNDEA-
<i>quadripunctatus</i> (Herbst, 1792)		<i>quadricollis</i> Aubé, 1837	F-S-D-
<i>luteus</i> (Fabricius, 1787)	FKSNDEAI	<i>gotzi</i> Holzschuh & Lohse, 1981	---D---
Cryptarchinae Thomson, 1859		<i>testacea</i> Motschulsky, 1845	F-SNDE--
Cryptarcha Shuckard, 1839		<i>longicollis</i> (Gyllenhal, 1827)	FKSNDE--
<i>strigata</i> (Fabricius, 1787)	FKSNDEAI	Phloeostichidae Reitter, 1911	
<i>undata</i> (Olivier, 1790)	F-SND-AI	Phloeostichus Redtenbacher, 1842	
Glischrochilus Reitter, 1873		<i>denticollis</i> Redtenbacher, 1842	----D---
<i>Librodor</i> Reitter, 1874		Silvanidae Kirby, 1837	
<i>quadriguttatus</i> (Fabricius, 1777)	F-SNDEAI	Brontinae Erichson, 1845	
<i>grandis</i> (Tournier, 1872)	-----A-	Uleiotinae Gistel, 1856	
<i>hortensis</i> (Geoffroy, 1785)	FKSNDEAI	Brontini Erichson, 1845	
<i>quadrisignatus</i> (Say, 1835)	----D---	Uleiota Latreille, 1796	
<i>quadripunctatus</i> (Linnaeus, 1758)	FKSNDEAI	<i>planata</i> (Linnaeus, 1761)	FKS-D-AI
Pityophagus Shuckard, 1839		Dendrophagus Schönherr, 1809	
<i>ferrugineus</i> (Linnaeus, 1761)	FKSNDEAI	<i>crenatus</i> (Paykull, 1799)	FKSN-EAI
Cybocephalinae Jacquelin du Val, 1858		Cryptamorphini Casey, 1884	
Cybocephalus Erichson, 1844		Psammoecus Latreille, 1829	
<i>politus</i> (Gyllenhal, 1813)	FKSNDEA-	<i>desjardinsi</i> Guérin-Ménéville, 1844	f-s-d---
Monotomidae Laporte de Castelnau, 1840		<i>bipunctatus</i> (Fabricius, 1792)	F-SNDEAI
Rhizophaginae Redtenbacher, 1845		Silvaninae Kirby, 1837	
Cyanostolus Ganglbauer, 1899		Airaphilus Redtenbacher, 1858	
<i>aeneus</i> (Richter, 1820)	FKSN-EAI	<i>elongatus</i> (Gyllenhal, 1813)	F-SN-EA-
Rhizophagus Herbst, 1793		<i>perangustus</i> Lindberg, 1943	F-----
<i>grandis</i> Gyllenhal, 1827	FKSNDEAI	Nausibius Redtenbacher, 1858	
<i>depressus</i> (Fabricius, 1793)	FKSNDEAI	<i>clavicornis</i> (Kugelann, 1794)	--snd---
<i>ferrugineus</i> (Paykull, 1800)	FKSNDEAI	Ahasverus Des Gozis, 1881	
<i>parallelocollis</i> Gyllenhal, 1827	FKSNDE-I	<i>advena</i> (Waltl, 1834)	FkSnDEA-
<i>perforatus</i> Erichson, 1845	F-SND-A-	Oryzaephilus Ganglbauer, 1899	
<i>picipes</i> (Olivier, 1790)	FKSNDEAI	<i>surinamensis</i> (Linnaeus, 1758)	F-SNDEAI
<i>dispar</i> (Paykull, 1800)	FKSNDEAI	<i>mercator</i> (Fauvel, 1889)	F-SNDEAI
<i>bipustulatus</i> (Fabricius, 1793)	FKSNDEAI	Silvanus Latreille, 1807	
<i>nitidulus</i> (Fabricius, 1798)	FKSNDEAI	<i>bidentatus</i> (Fabricius, 1792)	FKSNDEAI
<i>brancsiki</i> Reitter, 1905	--S----	<i>unidentatus</i> (Olivier, 1790)	FKSNDEAI
<i>parvulus</i> (Paykull, 1800)	FKSNDEAI	Silvanoprus Reitter, 1911	
<i>cribratus</i> Gyllenhal, 1827	FKSNDEAI	<i>fagi</i> (Guérin-Ménéville, 1844)	FKSNDEAI
<i>puncticollis</i> Sahlberg, 1837	FK-----	Cucujidae Latreille, 1802	
Monotominae Laporte de Castelnau, 1840		Cucujus Fabricius, 1775	
Monotoma Herbst, 1793		<i>cinnaberinus</i> (Scopoli, 1763)	FKSN-EAI
<i>quadrifoveolata</i> Aubé, 1837	--S-D---	<i>haematodes</i> Erichson, 1845	F----E-I
<i>conicicollis</i> Aubé, 1837	FKSNDEAI	Pediacus Shuckard, 1839	
<i>angusticollis</i> (Gyllenhal, 1827)	FKSNDEAI	<i>depressus</i> (Herbst, 1797)	FKSND--I
<i>spinicollis</i> Aubé, 1837	FKSNDE-I	<i>dermestoides</i> (Fabricius, 1793)	----D---
<i>picipes</i> Herbst, 1793	FKSNDEAI	<i>fuscus</i> Erichson, 1845	FKSN-EA-
<i>brevipennis</i> Kunze, 1839			

Laemophloeidae Ganglbauer, 1899			
Laemophloeus Dejean, 1835			
<i>monilis</i> (Fabricius, 1787)	--SNd---		-----A-
<i>muticus</i> (Fabricius, 1781)	FKSNdEA-		FKS-DEAI
Notolaemus Lefkovitch, 1959			FKSN-EA-
<i>castaneus</i> (Erichson, 1845)	--S----		F-SNDEAI
<i>unifasciatus</i> (Latreille, 1804)	--S-d--		FKS-DEA-
<i>bimaculatus</i> (Paykull, 1801) nec (Olivier, 1791)			FKSNDEAI
Cryptolestes Ganglbauer, 1899			
<i>duplicatus</i> (Waltl, 1839)	f-S-d--		
<i>ferrugineus</i> (Stephens, 1831)	F-SnD-AI		
<i>abietis</i> (Wankowicz, 1865)	FKSN-EAI		
<i>weisei</i> (Reitter, 1879)	FK-----		
<i>alternans</i> (Erichson, 1846)	FKSND--I		
<i>corticinus</i> (Erichson, 1846)	FKSNd-AI		
<i>spartii</i> (Curtis, 1834)	f-s--e--		
<i>ater</i> (Olivier, 1795) nec (Geoffroy, 1785)			
<i>capensis</i> (Waltl, 1832)	----d---		
<i>pusillus</i> (Schönherr, 1817)	f-snd---		
<i>minutus</i> (Olivier, 1791) nec (Geoffroy, 1785)			
<i>pusilloides</i> (Steel & Howe, 1952)	---d---		
<i>turcicus</i> (Grouvelle, 1876)	f-snD---		
Placonotus MacLeay, 1871			
<i>testaceus</i> (Fabricius, 1787)	----D---		
Phalacridae Leach, 1815			
Phalacrus Paykull, 1800			
<i>coruscus</i> (Panzer, 1797)	FKSNDEAI		
<i>fimetarius</i> auct. nec (Fabricius, 1775)			
<i>dieckmanni</i> Vogt, 1967	--S-D---		
<i>grossus</i> auct. nec Erichson, 1845			
<i>championi</i> Guillebeau, 1892	--S--EA-		
<i>suecicus</i> Palm, 1947			
<i>substriatus</i> Gyllenhal, 1813	FKSNDEAI		
<i>nigrinus</i> (Marsham, 1802)	FKSNDEAI		
<i>caricis</i> Sturm, 1807			
<i>fimetarius</i> (Fabricius, 1775)	--S-D-A-		
<i>brisouti</i> Rye, 1872			
Olibrus Erichson, 1845			
<i>aeneus</i> (Fabricius, 1792)	FKSNDEAI		
<i>baudueri</i> Flach, 1888	FKS-D---		
<i>millefolii</i> (Paykull, 1800)	FKSNDEAI		
<i>corticalis</i> (Panzer, 1797)	--SND-AI		
<i>pygmaeus</i> (Sturm, 1807)	--S-D-A-		
<i>flavicornis</i> (Sturm, 1807)	FKSN-EA-		
<i>norvegicus</i> Munster, 1901	FKSNDEA-		
<i>affinis</i> (Sturm, 1807)	--S-DEAI		
		<i>liquidus</i> Erichson, 1845	-----A-
		<i>bicolor</i> (Fabricius, 1792)	FKS-DEAI
		<i>bimaculatus</i> Küster, 1848	FKSN-EA-
		Stilbus Seidlitz, 1872	
		<i>testaceus</i> (Panzer, 1797)	F-SNDEAI
		<i>atomarius</i> (Linnaeus, 1767)	FKS-DEA-
		<i>oblongus</i> (Erichson, 1845)	FKSNDEAI
		Cryptophagidae Kirby, 1837	
		Hypocoprinae Reitter, 1880	
		Hypocorus Motschulsky, 1839	
		<i>latridiooides</i> Motschulsky, 1839	FKSNDE-I
		<i>quadricollis</i> Reitter, 1877	
		Cryptophaginae Kirby, 1837	
		Telmatophilini Jacquelin du Val, 1858	
		Telmatophilus Heer, 1841	
		<i>caricis</i> (Olivier, 1790)	FKSNDEAI
		<i>brevicollis</i> Aubé, 1862	----D---
		<i>typhae</i> (Fallén, 1802)	FKSNDEAI
		<i>schoenherrii</i> (Gyllenhal, 1808)	FKSND-A-
		Cryptophagini Kirby, 1837	
		Paramecosoma Curtis, 1833	
		<i>melanocephalum</i> (Herbst, 1793)	FKSNDE-I
		Henoticus Thomson, 1868	
		<i>serratus</i> (Gyllenhal, 1808)	FKSNDEAI
		<i>californicus</i> (Mannerheim, 1843)	f-s-d---
		Pteryngium Reitter, 1887	
		<i>crenatum</i> (Fabricius, 1798)	FKSNDEAI
		Micrambe Thomson, 1863	
		<i>bimaculata</i> (Panzer, 1798)	FKSNDEA-
		<i>lindbergorum</i> (Bruce, 1934)	FK---E--
		<i>villosa</i> (Heer, 1841)	-KSND---
		<i>abietis</i> (Paykull, 1798)	FKSNDEAI
		<i>longitarsis</i> (J.Sahlberg, 1900)	FKSN----
		Cryptophagus Herbst, 1792	
		<i>acutangulus</i> Gyllenhal, 1827	FKSNDEAI
		<i>parallelus</i> Brisout de Barneville, 1863	FKSNDEA-
		<i>angustus</i> Ganglbauer, 1899	
		<i>cylindrus</i> Kiesenwetter, 1858	--S-DE--
		<i>fallax</i> Balfour-Browne, 1953	FKSNDE--
		<i>fumatus</i> auct. nec Marsham, 1802	
		<i>quercinus</i> Kraatz, 1852	F-SN-EAI
		<i>badius</i> Sturm, 1845	FKSNDEAI
		<i>populi</i> Paykull, 1800	F-SNDEA-
		<i>lysholmi</i> Munster, 1932	F-SN----
		<i>quadrihamatus</i> Mäklin, 1853	FKSN----
		<i>plagiatus</i> Poppius, 1900	

<i>confertus</i> Casey, 1900	FKSN----	<i>sibirica</i> Reitter, 1889	F-SNDE--
<i>archangelicus</i> J.Sahlberg, 1926		<i>fleischeri</i> Reitter, 1889	
<i>lapponicus</i> Gyllenhal, 1827	FKSN-E--	<i>grandis</i> Thomson, 1892	
<i>subdepressus</i> Gyllenhal, 1827	FKSNDEA-	Atomariinae LeConte, 1861	
<i>tuberculosus</i> Mäklin, 1852	FKSN----	Atomariini LeConte, 1861	
<i>instabilis</i> Bruce, 1936		Atomaria Stephens, 1830	
<i>subfumatus</i> Kraatz, 1856	FKSNDE-I	<i>impressa</i> Erichson, 1846	FKSN-E--
<i>pubescens</i> Sturm, 1845	F-SND--I	<i>munda</i> Erichson, 1846	F-SNDE--
<i>micaceus</i> Rey, 1889	--SND---	<i>nigripennis</i> (Kugelann, 1794)	F-SNDE-I
<i>saginatus</i> Sturm, 1845	FKSNDEA-	<i>morio</i> Kolenati, 1846	FKSND-A-
<i>fuscicornis</i> Sturm, 1845	F-SN---I	<i>ornata</i> Heer, 1841	FKSND---
<i>labilis</i> Erichson, 1846	F-SNDEAI	<i>contaminata</i> Erichson, 1846	
<i>confusus</i> Bruce, 1934	FKSN-E--	<i>peltata</i> Kraatz, 1853	FKSNDE--
<i>intermedius</i> Bruce, 1934	--SNDE--	<i>peltataeformis</i> Sjöberg, 1947	FKSN-E--
<i>dentatus</i> (Herbst, 1793)	FKSNDE-I	<i>fuscipes</i> (Gyllenhal, 1808)	FKSNDEAI
<i>pseudodentatus</i> Bruce, 1934	FKSNDEA-	<i>pusilla</i> (Paykull, 1798)	FKSNDEAI
<i>dorsalis</i> Sahlberg, 1819	FKSNDEAI	<i>sodermani</i> Sjöberg, 1947	F-SNDE--
<i>subvittatus</i> Reitter, 1887	FK-----	<i>lundbergi</i> Johnson, 1978	F-S-----
<i>distinguendus</i> Sturm, 1845	FKSNDEAI	<i>clavigera</i> Ganglbauer, 1899	FKSND---
<i>quadrimaculatus</i> Reitter, 1877	F-----	<i>fuscata</i> (Schönherr, 1808)	FKSNDEAI
<i>falcozi</i> Roubal, 1927	----DE--	<i>agnita</i> Kangas, 1961	
<i>westi</i> Bruce, 1943		<i>zetterstedti</i> (Zetterstedt, 1838)	FKSNDEA-
<i>corticinus</i> Thomson, 1863	FKSND-A-	<i>lewisi</i> Reitter, 1877	F-SNDEA-
<i>scanicus</i> (Linnaeus, 1758)	FKSNDEAI	<i>pseudatra</i> Reitter, 1887	FKS-DE--
<i>pallidus</i> Sturm, 1845	FKSNDE-I	<i>reitteri</i> Lövendal, 1892	
<i>immixtus</i> Rey, 1889	--S-D---	<i>atra</i> (Herbst, 1793)	F-----A-
<i>postpositus</i> J.Sahlberg, 1903		<i>gutta</i> Newman, 1834	F-S-DEA-
<i>obsoletus</i> Reitter, 1879		<i>rhenonum</i> Kraatz, 1853	F-SND---
<i>scutellatus</i> Newman, 1834		<i>rhenana</i> Dohrn, 1853	
<i>lycoperdi</i> (Scopoli, 1763)		<i>basalis</i> Erichson, 1846	F-S-DEA-
<i>pilosus</i> Gyllenhal, 1827		<i>mesomela</i> (Herbst, 1792)	FKSNDEAI
<i>cellaris</i> (Scopoli, 1763)		<i>scutellaris</i> Motschulsky, 1849	--S---A-
<i>laticollis</i> Lucas, 1846		<i>rubella</i> Heer, 1841	FKSND-A-
<i>affinis</i> Sturm, 1845, nec F.Sahlberg, 1834		<i>berolinensis</i> Kraatz, 1853	
<i>setulosus</i> Sturm, 1845	FKSNDE-I	<i>atricapilla</i> Stephens, 1830	FKSNDEA-
<i>schmidti</i> Sturm, 1845	-----A-	<i>mongolica</i> Johnson, 1970	F-----
Spavius Motschulsky, 1844		<i>gravidula</i> Erichson, 1846	-----E--
<i>Emphyllus</i> Erichson, 1846		<i>nitidula</i> (Marsham, 1802)	FKSND-A-
<i>glaber</i> (Gyllenhal, 1808)		<i>borealis</i> Sjöberg, 1947	
Antherophagus Dejean, 1821		<i>analis</i> Erichson, 1846	--S-DEA-
<i>nigricornis</i> (Fabricius, 1787)	FKSNDEAI	<i>semitestacea</i> Reitter, 1887	FKSN---
<i>canescens</i> Grouvelle, 1916	--S-DE--	<i>rubida</i> Reitter, 1875	F-S-----
<i>pallens</i> (Linnaeus, 1758)	FKSNDEAI	<i>rubricollis</i> Brisout de Barnevile, 1863	FKS-DE--
Caenoscelini Falcoz, 1929		<i>hislopi</i> Wollaston, 1857	FKSN-E--
Caenoscelis Thomson, 1863		<i>attila</i> Reitter, 1878	----D---
<i>subdeplanata</i> Brisout de Barnevile, 1882	FKSNDE--	<i>turgida</i> Erichson, 1846	FKSNDEAI
<i>ferruginea</i> (Sahlberg, 1820)	FKSNDE-I	<i>apicalis</i> Erichson, 1846	FKSNDEA-

<i>testacea</i> Stephens, 1830	FKSNDEAI	Erotylidae Latreille, 1802
<i>ruficornis</i> (Marsham, 1802) nec (Gmelin, 1790)		Xenoscelinae Ganglbauer, 1899
<i>fimetarii</i> (Fabricius, 1792)	FKSND---	Xenoscelini Ganglbauer, 1899
<i>umbrina</i> (Gyllenhal, 1827)	FKSNDE-I	Zavaljus Reitter, 1880
<i>sjobergi</i> Palm, 1949		<i>Eicolycetus</i> J.Sahlberg, 1919
<i>diluta</i> Erichson, 1846	F-SND--I	<i>brunneus</i> (Gyllenhal, 1808)
<i>barani</i> Brisout de Barnevile, 1863	F-S-DE--	<i>fausti</i> Reitter, 1880
<i>lapponica</i> Johnson, 1978	FKS----	Cryptophilini Casey, 1900
<i>sparreschneideri</i> Munster, 1927	FKSN----	<i>Cryptophilus</i> Reitter, 1874
<i>nigriventris</i> Stephens, 1830	FKSNDE--	<i>integer</i> (Heer, 1838)
<i>punctithorax</i> Reitter, 1887	--S-D--	<i>obliteratus</i> Reitter, 1878
<i>consanguinea</i> Johnson, 1976		Erotylinae Latreille, 1802
<i>puncticollis</i> Thomson, 1868	FKSND--	Dacnini Gistel, 1856
<i>nigrirostris</i> Stephens, 1830	FKSNDEA-	<i>Dacne</i> Latreille, 1796
<i>fuscicollis</i> Mannerheim, 1852	--SNDEA-	<i>notata</i> (Gmelin, 1790)
<i>linearis</i> Stephens, 1830	FKSN----	<i>rufifrons</i> (Fabricius, 1775)
<i>alpina</i> Heer, 1841	FKSND--	<i>bipustulata</i> (Thunberg, 1781)
<i>subangulata</i> J.Sahlberg, 1926	F-S-----	Combocerus Bedel, 1867
<i>abietina</i> Reitter, 1887		<i>glaber</i> (Schaller, 1783)
<i>norica</i> Ganglbauer, 1899		Tritomini Curtis, 1834
<i>bescidica</i> Reitter, 1887	FKSN----	<i>Tritoma</i> Fabricius, 1775
<i>grossepunctata</i> Reitter, 1896	F-----	<i>bipustulata</i> Fabricius, 1775
<i>peltatula</i> auct. nec Reitter, 1887	FKSN----	<i>subbasalis</i> (Reitter, 1896)
<i>badia</i> Erichson, 1846		<i>jakowlewi</i> (Semenow, 1898)
<i>sahlbergi</i> Sjöberg, 1947		<i>Triplax</i> Herbst, 1793
<i>elongatula</i> Erichson, 1846	F-S-----	<i>aenea</i> (Schaller, 1783)
<i>affinis</i> (F.Sahlberg, 1834)	FKSN---I	<i>russica</i> (Linnaeus, 1758)
<i>pseudaffinis</i> Johnson & Strand, 1968	F-SN----	<i>scutellaris</i> Charpentier, 1825
<i>bella</i> Reitter, 1875	F-SNDE--	<i>rufipes</i> (Fabricius, 1781)
<i>lohsei</i> Johnson & Strand, 1968	----D---	Byturidae Jacquelin du Val, 1858
<i>wollastoni</i> Sharp, 1867	FKSND--	<i>Byturus</i> Latreille, 1796
<i>pulchra</i> Erichson, 1846	FKSN-EA-	<i>tomentosus</i> (DeGeer, 1774)
<i>atrata</i> Reitter, 1875	FKSN-EA-	<i>ochraceus</i> (Scriba, 1791)
<i>gracilicornis</i> Reitter, 1887	F-----	<i>aestivus</i> auct. nec (Linnaeus, 1758)
<i>strandi</i> Johnson, 1967	F-SND--	Biphyllidae Sharp, 1900
<i>procerula</i> Erichson, 1846	FKSND--	<i>Biphyllus</i> Dejean, 1821
<i>ihsseni</i> Johnson, 1978	F-----	<i>lunatus</i> (Fabricius, 1792)
Ephistemini Leng, 1920		F-SN?---
<i>Ootypus</i> Ganglbauer, 1899		Diplocoelus Guérin-Ménéville, 1844
<i>globosus</i> (Waltl, 1838)	FKSNDEAI	<i>fagi</i> Guérin-Ménéville, 1844
Ephistemus Stephens, 1829		--SND---
<i>globulus</i> (Paykull, 1798)	FKSNDEAI	Bothrideridae Erichson, 1845
<i>Curelius</i> Casey, 1900		Teredinae Seidlitz, 1888
<i>exiguus</i> (Erichson, 1846)	-----EA-	<i>Teredus</i> Dejean, 1835
		<i>cylindricus</i> (Olivier, 1790)
		Oxylaemus Erichson, 1845
		<i>variolosus</i> (Dufour, 1843)
		--S-----

Anommatinae Ganglbauer, 1899		Coccinellidae Latreille, 1807
Anommatus Wesmael, 1835		Coccidulinae Mulsant, 1846
<i>duodecimstriatus</i> (Müller, 1821)	--S-D---	Coccidula Kugelann, 1798
<i>diecki</i> Reitter, 1875	--S-D---	<i>scutellata</i> (Herbst, 1783)
		<i>rufa</i> (Herbst, 1783)
Bothriderinae Erichson, 1845		Rhyzobius Stephens, 1832
Bothridères Dejean, 1835		<i>litura</i> (Fabricius, 1787)
<i>contractus</i> (Geoffroy, 1785)	FKSNd-AI	<i>chrysomeloides</i> (Herbst, 1792)
<i>bipunctatus</i> (Gmelin, 1790)		
Cerylonidae Billberg, 1820		Scymninae Mulsant, 1846
Cerylon Latreille, 1802		Stethorini Dobzhansky, 1924
<i>fagi</i> Brisout de Barneville, 1867	F-SNDEAI	Stethorus Weise, 1885
<i>histeroides</i> (Fabricius, 1793)	FKSNDEAI	<i>punctillum</i> (Weise, 1891)
<i>ferrugineum</i> Stephens, 1830	FKSNDEAI	
<i>impressum</i> Erichson, 1845	FKSN-EAI	
<i>deplanatum</i> Gyllenhal, 1827	FKSNDEAI	
Alexiidae Imhoff, 1856		Scymnini Mulsant, 1846
Sphaerosomatidae Ganglbauer, 1899		Cryptolaemus Mulsant, 1850
Sphaerosoma Stephens, 1832		<i>montrouzieri</i> Mulsant, 1853
<i>pilosum</i> (Panzer, 1793)	F-SNDE--	
Endomychidae Leach, 1815		Scymnus Kugelann, 1794
Holoparamecinae Seidlitz, 1888		<i>Pullus</i> Mulsant, 1846
Holoparamecus Curtis, 1833		<i>nigrinus</i> Kugelann, 1794
<i>caularum</i> (Aubé, 1843)	--S-D---	
Leiestinae Thomson, 1863		<i>pallipediformis</i> Günther, 1958
Leistes Chevrolat, 1837		ssp. <i>apetzoides</i> Capra & Fürsch, 1967
<i>seminigra</i> (Gyllenhal, 1808)	FKSN-EAI	<i>apetzii</i> auct., nec Mulsant, 1846
Endomychinae Leach, 1815		<i>frontalis</i> (Fabricius, 1787)
Endomychus Panzer, 1795		<i>mimulus</i> Capra & Fürsch, 1967
<i>coccineus</i> (Linnaeus, 1758)	FKSNDEAI	<i>rufipes</i> auct. nec (Fabricius, 1798)
Lycoperdininae Redtenbacher, 1844		<i>jakowlewi</i> Weise, 1892
Lycoperdina Latreille, 1807		<i>triangularis</i> J.Sahlberg, 1914
<i>bovistae</i> (Fabricius, 1793)	--S-D---	<i>rubromaculatus</i> (Goeze, 1777)
<i>succincta</i> (Linnaeus, 1767)	F-SNDEAI	<i>femoralis</i> (Gyllenhal, 1827)
Mycetina Mulsant, 1846		<i>abietis</i> (Paykull, 1798)
<i>cruciata</i> (Schaller, 1783)	F-SNDEAI	<i>ferrugatus</i> (Moll, 1785)
Mycetaeinae Jacquelin du Val, 1858		<i>auritus</i> Thunberg, 1795
Mycetaea Stephens, 1830		<i>impexus</i> Mulsant, 1850
<i>subterranea</i> (Fabricius, 1801)	FKSNDEA-	<i>suturalis</i> Thunberg, 1795
<i>hirta</i> (Marsham, 1802) nec (Schaeffer, 1769)		<i>ater</i> Kugelann, 1794
Anamorphinae Strohecker, 1953		<i>haemorrhoidalis</i> Herbst, 1797
Symbiotes Redtenbacher, 1849	---D---	<i>limbatus</i> Stephens, 1832
<i>latus</i> Redtenbacher, 1849	---	<i>silesiacus</i> Weise, 1902
<i>gibberosus</i> (Lucas, 1849)	---	<i>stiglundbergi</i> Fürsch, 1969
		<i>fennicus</i> J.Sahlberg, 1886
		Nephus Mulsant, 1846
		<i>redtenbacheri</i> (Mulsant, 1846)
		F-SNDEAI
		<i>limonii</i> (Donisthorpe, 1903)
		F-SND---
		<i>rutaneni</i> Fürsch, 1986
		F-----
		<i>quadrimaculatus</i> (Herbst, 1783)
		--S---AI
		<i>bipunctatus</i> (Kugelann, 1794)
		FKSNDEAI
		<i>bisignatus</i> (Bohemian, 1850)
		FKSND---

Hyperaspini Mulsant, 1846		Hippodamia Chevrolat, 1837
Hyperaspis Chevrolat, 1837		Adonia Mulsant, 1846
<i>inexpectata</i> Günther, 1959	FK-----	Semiadalia Crotch, 1874
<i>pseudopustulata</i> Mulsant, 1853	FKSNDEAI	<i>tredecimpunctata</i> (Linnaeus, 1758) FKSND EAI
<i>reppensis</i> auct. nec (Herbst, 1783)		<i>septemmaculata</i> (DeGeer, 1775) FKSND EAI
<i>campestris</i> (Herbst, 1783)	-----EAI	<i>arctica</i> (Schneider, 1792) FKS N---
<i>concolor</i> Suffrian, 1843	--S----	<i>variegata</i> (Goeze, 1777) FKSND EAI
Chilocorinae Mulsant, 1846		<i>notata</i> (Laicharting, 1781) FK-N-EAI
Platynaspidini Mulsant, 1846		<i>undecimnotata</i> (Schneider, 1792) -----A-
Platynaspis Redtenbacher, 1843		Coccinella Linnaeus, 1758
<i>luteorubra</i> (Goeze, 1777)	FKSNDEAI	<i>undecimpunctata</i> Linnaeus, 1758 FKSND EAI
Chilocorini Mulsant, 1846		<i>saucerottii</i> Mulsant, 1850
Chilocorus Leach, 1815		ssp. <i>lutshniki</i> Dobzhansky, 1917 -----A-
<i>bipustulatus</i> (Linnaeus, 1758)	FKSNDEAI	<i>trifasciata</i> Linnaeus, 1758 FKS-EA-
<i>renipustulatus</i> (Scriba, 1790)	FKSNDEAI	<i>septempunctata</i> Linnaeus, 1758 FKSND EAI
Exochomus Redtenbacher, 1843		<i>magnifica</i> Redtenbacher, 1843 FKSND EAI
<i>quadripustulatus</i> (Linnaeus, 1758)	FKSNDEAI	<i>divaricata</i> auct. nec Olivier, 1808
<i>nigromaculatus</i> (Goeze, 1777)	FKS-DEAI	<i>distincta</i> Faldermann, 1837, nec Herbst, 1793
Coccinellinae Latreille, 1807		<i>hieroglyphica</i> Linnaeus, 1758 FKSND EAI
Coccinellini Latreille, 1807		<i>quinquepunctata</i> Linnaeus, 1758 FKSND EAI
Coccinula Dobzhansky, 1925		Oenopia Mulsant, 1850
<i>quatuordecimpustulata</i> (Linnaeus, 1758)	FKSNDEAI	Synharmonia Ganglbauer, 1899
Anisosticta Chevrolat, 1837		<i>conglobata</i> Linnaeus, 1758 FKS-?EAI
<i>novemdecimpunctata</i> (Linnaeus, 1758)	FKSNDEAI	Adalia Mulsant, 1850
<i>strigata</i> (Thunberg, 1795)	FKSN---	<i>conglomerata</i> (Linnaeus, 1758) FKS-EAI
Sospita Mulsant, 1846		<i>bipunctata</i> (Linnaeus, 1758)
<i>vigintiguttata</i> (Linnaeus, 1758)	FKSNDEAI	ssp. <i>bipunctata</i> (Linnaeus, 1758) FKSND EAI
Myzia Mulsant, 1846		ssp. <i>frigida</i> (Schneider, 1792) FKS---
<i>Neomysia</i> Casey, 1899		<i>decempunctata</i> (Linnaeus, 1758) FKSND EAI
<i>oblongoguttata</i> (Linnaeus, 1758)	FKSNDEAI	Harmonia Mulsant, 1846
Myrrha Mulsant, 1846		<i>quadripunctata</i> (Pontoppidan, 1763) F-S-DEAI
<i>octodecimguttata</i> (Linnaeus, 1758)	FKSNDEAI	<i>octomaculata</i> (Fabricius, 1781) --S----
Propylea Mulsant, 1846		<i>arcuata</i> (Fabricius, 1787)
<i>quatuordecimpunctata</i> (Linnaeus, 1758)	FKSNDEAI	<i>axyridis</i> (Pallas, 1773) F-----
Calvia Mulsant, 1846		Psylloborini Casey, 1899
<i>decemguttata</i> (Linnaeus, 1767)	F-S--EAI	Vibidia Mulsant, 1846
<i>quatuordecimguttata</i> (Linnaeus, 1758)	FKSNDEAI	<i>duodecimguttata</i> (Poda, 1761) --S-DEAI
<i>quindecimguttata</i> (Fabricius, 1777)	FK---EAI	Halyzia Mulsant, 1846
Anatis Mulsant, 1846		<i>sedecimguttata</i> (Linnaeus, 1758) FKSND EAI
<i>ocellata</i> (Linnaeus, 1758)	FKSNDEAI	Psyllobora Chevrolat, 1837
Aphidecta Weise, 1893		<i>Thea</i> Mulsant, 1846
<i>obliterata</i> (Linnaeus, 1758)	FKSNDEAI	<i>vigintiduopunctata</i> (Linnaeus, 1758) FKSND EAI
		Tytthaspidini Crotch, 1874
		<i>Tytthaspis</i> Crotch, 1874
		<i>sedecimpunctata</i> (Linnaeus, 1761) --SNDEAI

Epilachninae Mulsant, 1846		<i>nidicola</i> (Palm, 1944)	F-SND-A-
Epilachnini Mulsant, 1846		<i>brevicollis</i> (Thomson, 1868)	F-SND-A-
Subcoccinella Agassiz, 1846		Enicmus Thomson, 1859	--SN--A-
<i>vigintiquatuorpunctata</i> (Linnaeus, 1758)	FKSNDEAI	<i>brevicornis</i> (Mannerheim, 1844)	F-SN----
Cynegetini Thomson, 1866		<i>lundbladi</i> Palm, 1956	F-SN---
<i>Madaini</i> Gordon, 1975		<i>fungicola</i> Thomson, 1868	FKSNDEA-
Cynegetis Chevrolat, 1837		<i>planipennis</i> Strand, 1940	FKSN--A-
<i>impunctata</i> (Linnaeus, 1767)	F-SND-A-	<i>apicalis</i> J.Sahlberg, 1926	FKSN----
Corylophidae LeConte, 1852		<i>rugosus</i> (Herbst, 1793)	FKSNDEAI
Corylophinae LeConte, 1852		<i>testaceus</i> (Stephens, 1830)	--SND-A-
Corylophus Stephens, 1835		<i>atriceps</i> Hansen, 1962	--S-D---
<i>cassidoides</i> (Marsham, 1802)	F-S-DEAI	<i>transversus</i> (Olivier, 1790)	FKSNDEAI
Rypobiinae Paulian, 1950		<i>histrio</i> Joy & Tomlin, 1910	FKSNDEA-
Rypobius LeConte, 1852		Dienerella Reitter, 1911	
<i>praetermissus</i> Bowestead, 1999	--S-----	Cartodere Thomson, 1863, nec Thomson, 1859	
<i>ruficollis</i> auct. nec (Jacquelin du Val, 1854)		<i>elongata</i> (Curtis, 1830)	F-SNDEA-
Sericoderinae Matthews, 1888		<i>clathrata</i> (Mannerheim, 1844)	F-SND---
Sericoderus Stephens, 1829		<i>separanda</i> auct. nec (Reitter, 1887)	
<i>lateralis</i> (Gyllenhal, 1827)	F-SNDEAI	<i>ruficollis</i> (Marsham, 1802)	F-SND--I
Parmulinae Poey, 1854		<i>filiformis</i> (Gyllenhal, 1827)	F-SNDEA-
Clypastraea Haldeman, 1842		<i>argus</i> (Reitter, 1884)	F-----a-
<i>Sacium</i> LeConte, 1852		<i>filum</i> (Aubé, 1850)	FKSNDEA-
<i>pusilla</i> (Gyllenhal, 1810)	FKS---AI	<i>costulata</i> (Reitter, 1877)	----d-A-
Arthrolips Wollaston, 1854		<i>elegans</i> (Aubé, 1850)	--S-----
<i>obscura</i> (Sahlberg, 1833)	FKS----I	Adistemia Fall, 1899	f-snD---
Orthoperinae Jacquelin du Val, 1859		<i>watsoni</i> (Wollaston, 1871)	
Orthoperus Stephens, 1829		Stephostethus LeConte, 1878	
<i>brunnipes</i> (Gyllenhal, 1808)	FKSNDEA-	<i>Latridius</i> auct., nec Herbst, 1793	
<i>nigrescens</i> Stephens, 1829	F-S-D-A-	<i>lardarius</i> (DeGeer, 1775)	FKSNDEAI
<i>mundus</i> Matthews, 1885		<i>attenuatus</i> (Mannerheim, 1844)	F-----
<i>coriaceus</i> auct. nec Mulsant & Rey, 1861		<i>angusticollis</i> (Gyllenhal, 1827)	FKS?DEAI
<i>punctatus</i> Wankowicz, 1865	FKSN---AI	<i>kokujewi</i> (Semenow, 1898)	
<i>rogeri</i> Kraatz, 1874	F-SND-AI	<i>pandellei</i> (Brisout de Barneville, 1863)	FKSN-EAI
<i>punctulatus</i> Reitter, 1876		<i>cinnamopterus</i> (Mannerheim, 1853)	FKSN---
<i>atomus</i> (Gyllenhal, 1808)	FKSNDEA-	<i>sahlbergi</i> (Reitter, 1894)	
<i>corticalis</i> (Redtenbacher, 1849)	FKSND-A-	<i>variolosus</i> (Mannerheim, 1844)	FKSN----
<i>improvisus</i> Bruce, 1946		<i>alternans</i> (Mannerheim, 1844)	F-SND---
Latridiidae Erichson, 1842		<i>rugicollis</i> (Olivier, 1790)	FKSNDE--
Latridiinae Erichson, 1842		Thes Semenov-Tian-Shansky, 1910	
Latridiini Erichson, 1842		<i>bergrothi</i> (Reitter, 1880)	FKSNDEAI
Latridius Herbst, 1793		Aridius Motschulsky, 1866	
<i>hirtus</i> Gyllenhal, 1827	FKSNDEAI	<i>norvegicus</i> (Strand, 1940)	---n----
<i>consimilis</i> Mannerheim, 1844	FKSND---	<i>bifasciatus</i> (Reitter, 1877)	--S-D---
<i>anthracinus</i> Mannerheim, 1844	F-SND-A-	<i>nodifer</i> (Westwood, 1839)	F-SNDEA-
<i>minutus</i> (Linnaeus, 1767)	FKSNDEAI	Cartodere Thomson, 1859	
<i>pseudominutus</i> (Strand, 1958)	FKSND-A-	<i>constricta</i> (Gyllenhal, 1827)	FKSNDEAI

Corticariini Curtis, 1829		<i>suturalis</i> (Mannerheim, 1844)	F - S - D - - -
Corticaria Marsham, 1802		<i>distinguenda</i> (Comolli, 1837)	-- S - D - - -
<i>pubescens</i> (Gyllenhal, 1827)	FKSNDEAI	Migneauxia Jacquelin du Val, 1859	
<i>punctulata</i> Marsham, 1802	----D---	<i>orientalis</i> Reitter, 1877	-- S - D - - -
<i>dentiventris</i> Poppius, 1904	F-SN----	TENEBRIONOIDEA	
<i>pineti</i> Lohse, 1960	F-SND---	Mycetophagidae Leach, 1815	
<i>crenulata</i> (Gyllenhal, 1827)	FKSNDEA-	Triphylus Dejean, 1821	
<i>fulva</i> (Comolli, 1837)	FKSNDEAI	<i>bicolor</i> (Fabricius, 1777)	-- S - D - A -
<i>umbilicata</i> (Beck, 1817)	FKSNDEA-	Litargus Erichson, 1846	
<i>longicornis</i> (Herbst, 1793)	FKS--EA-	<i>connexus</i> (Geoffroy, 1785)	FKSNDEAI
<i>impressa</i> (Olivier, 1790)	FKSNDEAI	Mycetophagus Hellwig, 1792	
<i>lapponica</i> (Zetterstedt, 1838)	FKSNDE-	<i>quadripustulatus</i> (Linnaeus, 1761)	FKSNDEAI
<i>saginata</i> Mannerheim, 1844	FKSND---	<i>ater</i> (Reitter, 1879)	-----AI
<i>serrata</i> (Paykull, 1798)	FKSNDEAI	<i>piceus</i> (Fabricius, 1777)	FKSNDEAI
<i>planula</i> Fall, 1899	F-S-----	<i>salicis</i> Brisout de Barneville, 1862	---N---A-
<i>strandi</i> Palm, 1949, nec Roubal, 1934		<i>decempunctatus</i> Fabricius, 1801	FKSN-EAI
<i>orbicollis</i> Mannerheim, 1853	FKSN----	<i>atomarius</i> (Fabricius, 1787)	FKSNDE-I
<i>munsteri</i> Strand, 1937		<i>quadriguttatus</i> Müller, 1821	FKS-D-AI
<i>abietorum</i> Motschulsky, 1867	FKSNDEA-	<i>multipunctatus</i> Fabricius, 1792	FKSNDEA-
<i>interstitialis</i> Mannerheim, 1844	FKSN----	<i>fulvicollis</i> Fabricius, 1792	FKSNDEAI
<i>foveola</i> (Beck, 1817)	FKSND--I	<i>populi</i> Fabricius, 1798	FKSNDEAI
<i>rubripes</i> Mannerheim, 1844	FKSNDEA-	Typhaea Stephens, 1829	
<i>linearis</i> (Paykull, 1798) nec (Thunberg, 1784)		<i>stercorea</i> (Linnaeus, 1758)	FKSNDEAI
<i>polypori</i> J.Sahlberg, 1900	FKSN--A-	<i>decipiens</i> Lohse, 1989	F - S - D - - -
<i>eppelsheimeri</i> Reitter, 1886, nec Reitter, 1875		Ciidae Leach, 1819	
<i>alleni</i> Johnson, 1974	F-S-----	Cis Latreille, 1796	
<i>crenicollis</i> Mannerheim, 1844	FKSN----	<i>lineatocribratus</i> Mellié, 1848	FKSND-A-
<i>fennica</i> Johnson, 1974	F-S-----	<i>alter</i> Silfverberg, 1991	FKSNDEAI
<i>lateritia</i> Mannerheim, 1844	FKSN--A-	<i>nitidus</i> auct. nec (Fabricius, 1792)	
<i>longicollis</i> (Zetterstedt, 1838)	FKSNDEAI	<i>jacquemartii</i> Mellié, 1848	FKSNDEAI
<i>inconspicua</i> Wollaston, 1860	F-S-D--	<i>hanseni</i> Strand, 1965	FKS-D-A-
<i>elongata</i> (Gyllenhal, 1827)	FKSNDEAI	<i>glabratus</i> Mellié, 1848	FKSNDEA-
<i>obsoleta</i> Strand, 1940	FKSN----	<i>comptus</i> Gyllenhal, 1827	FKSNDEAI
<i>fagi</i> Wollaston, 1854	F-SND---	<i>striatulus</i> Mellié, 1848	-K-----
<i>ferruginea</i> Marsham, 1802	FKSNDEAI	<i>hispidus</i> (Paykull, 1798)	FKSNDEAI
Cortinicara Johnson, 1975	FKSNDEAI	<i>setiger</i> Mellié, 1848	- SND--AI
<i>gibbosa</i> (Herbst, 1793)		<i>metropolitanus</i> Jacobson, 1895	
Corticarina Reitter, 1880		<i>micans</i> (Fabricius, 1792)	FKSNDEAI
<i>similata</i> (Gyllenhal, 1827)	FKSNDEAI	<i>boleti</i> (Scopoli, 1763)	FKSNDEAI
<i>lambiana</i> (Sharp, 1910)	F-SND-A-	<i>rugulosus</i> Mellié, 1848	FKS-D-A-
<i>obfuscata</i> Strand, 1937	F-SN--A-	<i>quadridentulus</i> Perris, 1874	FKSN--AI
<i>truncatella</i> (Mannerheim, 1844)	F-SNDEAI	<i>fagi</i> Waltl, 1839	F-----
<i>fuscula</i> (Gyllenhal, 1827)	FKSNDEAI	<i>castaneus</i> Mellié, 1848	FKSND--I
<i>latipennis</i> (J.Sahlberg, 1871)	FKSN-EA-	<i>fusciclavis</i> Nyholm, 1954	-- S - D - A -
Melanophthalma Motschulsky, 1866			
<i>curticollis</i> (Mannerheim, 1844)	FKSNDEAI		
<i>transversalis</i> auct. nec (Gyllenhal, 1827)			

<i>dentatus</i> Mellié, 1848	FKSN--A-	Eustrophinae Gistel, 1856
<i>bidentatus</i> (Olivier, 1790)	FKSNDEAI	Eustrophus Latreille, 1809
<i>fissicornis</i> Mellié, 1848	FK---E-I	<i>dermestoides</i> (Fabricius, 1793) F----EA-
Ennearthron Mellié, 1847		Melandryinae Leach, 1815
<i>cornutum</i> (Gyllenhal, 1827)	FKSNDEAI	Orchesiini Lacordaire, 1859
<i>pruinosulum</i> (Perris, 1864)	--S-----	Orchesia Latreille, 1807
<i>laricinum</i> (Mellié, 1848)	FKSN-EAI	<i>micans</i> (Panzer, 1794) FKSNDDEAI
<i>palmi</i> Lohse, 1966	FKS-----	<i>fusiformis</i> Solsky, 1871 -----A-
<i>filum</i> auct. nec Abeille de Perrin, 1874		<i>luteipalpis</i> Mulsant & Guillebeau, 1857 --SND-A-
Orthocis Casey, 1898		<i>minor</i> Walker, 1837 FKSNDDEAI
<i>alni</i> (Gyllenhal, 1813)	FKSNDEAI	<i>fasciata</i> (Illiger, 1798) FKSNDDEAI
<i>linearis</i> (J.Sahlberg, 1900)	FKSN--A-	<i>undulata</i> Kraatz, 1853 F-SNDEA-
<i>perrisi</i> auct. nec (Abeille de Perrin, 1874)		Serropalpini Latreille, 1829
<i>pygmaeus</i> (Marsham, 1802)	--SND-A-	Anisoxya Mulsant, 1856
<i>rhododactylus</i> (Marsham, 1802)		<i>fuscula</i> (Illiger, 1798) --SND---
<i>vestitus</i> (Mellié, 1848)	F-SND-A-	Abdera Stephens, 1832
<i>pygmaeus</i> auct. nec (Marsham, 1802)		<i>affinis</i> (Paykull, 1799) FKSNDDEAI
<i>festivus</i> (Panzer, 1793)	FKSND-AI	<i>flexuosa</i> (Paykull, 1799) FKSNDDEA-
Hadreule Thomson, 1859		<i>biflexuosa</i> (Curtis, 1829) -----DE--
<i>elongatula</i> (Gyllenhal, 1827)	F-SN--AI	<i>triguttata</i> (Gyllenhal, 1810) FKSNDDEA-
Sulcasis Dury, 1917		Dircea Fabricius, 1798
<i>affinis</i> (Gyllenhal, 1827)	FKSNDEAI	<i>quadriguttata</i> (Paykull, 1798) FKS--EA-
<i>bidentulus</i> (Rosenhauer, 1847)	-K-----	<i>australis</i> Fairmaire, 1856 --S-----
<i>fronticornis</i> (Panzer, 1809)	FKSND-A-	Phloiotrya Stephens, 1832
Wagaicis Lohse, 1964		<i>rufipes</i> (Gyllenhal, 1810) F-SN--A-
<i>wagai</i> (Wankowicz, 1869)	FK-----I	Rushia Forel, 1893
Ropalodontus Mellié, 1847		<i>parreyssii</i> (Mulsant, 1856) --S-D-A-
<i>perforatus</i> (Gyllenhal, 1813)	--SND-A-	Xylita Paykull, 1798
<i>strandi</i> Lohse, 1969	FKSN----	<i>laevigata</i> (Hellenius, 1786) FKSNDDEAI
<i>baudueri</i> (Abeille de Perrin, 1874)	----D---	<i>livida</i> (Sahlberg, 1833) FKS--EA-
Xylographus Mellié, 1847		Serropalpus Hellenius, 1786
<i>bostrychooides</i> (Dufour, 1843)	----d---	<i>barbatus</i> (Schaller, 1783) FKSNDDEAI
Octotemnus Mellié, 1847		Hypulini Seidlitz, 1875
<i>glabriculus</i> (Gyllenhal, 1827)	FKSNDEAI	Hypulus Paykull, 1798
<i>mandibularis</i> (Gyllenhal, 1813)	F-SN--AI	<i>quercinus</i> (Quensel, 1790) --SNDEA-
Tetratomidae Billberg, 1820		<i>bifasciatus</i> (Fabricius, 1792) F-S-D--I
Tetratoma Fabricius, 1790		Zilora Mulsant, 1856
<i>fungorum</i> Fabricius, 1790	F-SNDEAI	<i>obscura</i> (Fabricius, 1807) -----EAI
<i>desmarestii</i> Latreille, 1807	--S-D---	<i>sericea</i> (Sturm, 1807)
<i>ancora</i> Fabricius, 1790	FKSNDEA-	ferruginea (Paykull, 1798) FKS-EA-
Melandryidae Leach, 1815		<i>elongata</i> J.Sahlberg, 1881 F----E--
Hallomeninae Mulsant, 1856		Melandryini Leach, 1815
Hallomenus Panzer, 1794		Melandrya Fabricius, 1801
<i>binotatus</i> (Quensel, 1790)	FKSNDEAI	<i>caraboides</i> (Linnaeus, 1761) --SND-A-
<i>axillaris</i> (Illiger, 1807)	FKSNDEA-	<i>barbata</i> (Fabricius, 1787) FKSND---

<i>dubia</i> (Schaller, 1783)	FKSNDEAI	<i>gemellata</i> Schilsky, 1899	-----E--
<i>Phryganophilus</i> Sahlberg, 1833		<i>brevicauda</i> (Bohemian, 1849)	--S-?-AI
<i>ruficollis</i> (Fabricius, 1798)	FKSN-EA-	<i>pseudobrevicauda</i> Ermisch, 1963	-----E--
<i>auritus</i> Motschulsky, 1860	-----E--	<i>stenidea</i> Mulsant, 1856	-----I-
<i>Osphyinae</i> Mulsant, 1856 (1840)		<i>reitteri</i> Schilsky, 1894	F-----
<i>Nothinae</i> Shuckard, 1840		<i>purpureonigrans</i> Ermisch, 1963	F-SNDE--
<i>Conopalpus</i> Gyllenhal, 1810		<i>dieckmanni</i> Ermisch, 1963	F-S-----
<i>testaceus</i> (Olivier, 1790)	--SND-A-	<i>pumila</i> (Gyllenhal, 1810)	FKSNDEAI
<i>Osphya</i> Illiger, 1807	--SND---	<i>pseudopumila</i> Ermisch, 1963	FKS-D---
<i>bipunctata</i> (Fabricius, 1775)		<i>koelleri</i> Ermisch, 1956	--S-----
<i>Mordellidae</i> Latreille, 1802		<i>pygmaeola</i> Ermisch, 1956	F-SN----
<i>Mordellinae</i> Latreille, 1802		<i>praesagita</i> Kangas, 1988	FKS-----
<i>Mordellini</i> Latreille, 1802		<i>dalmatica</i> auct. nec Ermisch, 1956	
<i>Tomoxia</i> Costa, 1854		<i>multicicatrix</i> Kangas, 1986	F-----
<i>bucephala</i> Costa, 1854	FKSNDEAI	<i>secreta</i> Horák, 1983	--SN----
<i>biguttata</i> (Gyllenhal, 1827) nec (Rossi, 1794)		<i>neuwaldeggiana</i> (Panzer, 1796)	--S-D---
<i>Variimorda</i> Méquignon, 1946	FKS--EAI	<i>variegata</i> (Fabricius, 1798)	F-SNDEAI
<i>villosa</i> (Schrank, 1781)		<i>humeralis</i> (Linnaeus, 1758)	FKSNDEAI
<i>fasciata</i> (Fabricius, 1775) nec (Forster, 1771)		<i>rufifrons</i> Schilsky, 1894	-----A-
<i>briantea</i> (Comolli, 1837)	-----EA-	<i>pseudonana</i> Ermisch, 1956	-----AI
<i>basalis</i> (Costa, 1854)	F-----	<i>nana</i> auct. nec Motschulsky, 1860	
<i>Mordella</i> Linnaeus, 1758		<i>Mordellochroa</i> Emery, 1876	
<i>huetheri</i> Ermisch, 1956	--SN----	<i>abdominalis</i> (Fabricius, 1775)	FKSNDEAI
<i>leucaspis</i> Küster, 1849	-----E--	<i>tournieri</i> (Emery, 1876)	FKS-----
<i>aculeata</i> Linnaeus, 1758	FKSNDEAI	<i>Rhipiphoridae</i> Laporte de Castelnau, 1840	
<i>holomelaena</i> Apfelbeck, 1914	FKSNDEAI	<i>Pelecotominae</i> Seidlitz, 1875	
<i>brachyura</i> Mulsant, 1856	F-SN---	<i>Pelecotoma</i> Fischer v. Waldheim, 1809	
<i>Hoshihananomia</i> Kono, 1935		<i>fennica</i> (Paykull, 1799)	FK---EAI
<i>perlata</i> (Sulzer, 1776)	FK---EAI	<i>Ripidiinae</i> Gerstaecker, 1855	
<i>Curtimorda</i> Méquignon, 1946	FKSNDEAI	<i>Ripidius</i> Thunberg, 1806	
<i>maculosa</i> (Naezen, 1794)		<i>quadriiceps</i> Abeille de Perrin, 1872	F-S-----
<i>Conalia</i> Mulsant & Rey, 1858		<i>apicippennis</i> Kraatz, 1892	
<i>baudii</i> Mulsant & Rey, 1858	F-----	<i>Rhipiphorinae</i> Laporte de Castelnau, 1840	
<i>Mordellistenini</i> Ermisch, 1941		<i>Metoecus</i> Dejean, 1834	
<i>Mordellistenua</i> Stshegoleva-Barovskaja, 1930		<i>paradoxus</i> (Linnaeus, 1761)	F-SNDEAI
<i>perrisi</i> (Mulsant, 1856)	--SND---	<i>Zopheridae</i> Solier, 1834	
<i>rectangula</i> (Thomson, 1868)		<i>Colydiinae</i> Erichson, 1842	
<i>Mordellistena</i> Costa, 1854		<i>Colydiini</i> Erichson, 1842	
<i>parvula</i> (Gyllenhal, 1827)	FKSNDE-I	<i>Colydium</i> Fabricius, 1792	
<i>falsoparvula</i> Ermisch, 1956	-----E--	<i>elongatum</i> (Fabricius, 1787)	--SND--I
<i>connata</i> Ermisch, 1969	FKS-----	<i>filiforme</i> Fabricius, 1792	--SN--A-
<i>thurepalmi</i> Ermisch, 1965	FKSN---	<i>Aulonium</i> Erichson, 1845	
<i>palmi</i> Ermisch, 1963, nec Liljeblad, 1945		<i>trisulcum</i> (Geoffroy, 1785)	----D--I
<i>rhenana</i> Ermisch, 1956	F----E--		
<i>carinthiaca</i> Ermisch, 1966	F-S-----		

Synchitini Erichson, 1845		Opatriini Hope, 1840	
<i>Diodesmini</i> Reitter, 1911		Opatrum Fabricius, 1775	
Synchita Hellwig, 1792		<i>riparium</i> Scriba, 1865	FKSNDEAI
<i>Cicones</i> Curtis, 1827		<i>sabulosum</i> (Linnaeus, 1761)	FKSNDEAI
<i>humeralis</i> (Fabricius, 1793)	FKSNDEAI		
<i>separanda</i> (Reitter, 1881)	--S----		
<i>variegata</i> Hellwig, 1792	--S-D--		
Bitoma Herbst, 1793		Ulomini Blanchard, 1845	
<i>Ditoma</i> Illiger, 1807		Uloma Dejean, 1821	
<i>crenata</i> (Fabricius, 1775)	FKSNDEAI	<i>culinaris</i> (Linnaeus, 1758)	--SNDEAI
Lasconotus Erichson, 1845		<i>rufa</i> (Piller & Mitterpacher, 1783)	FKSN-EAI
<i>Lado</i> Wankowicz, 1867		<i>perroudii</i> Mulsant & Guillebeau, 1855	
<i>jelskii</i> (Wankowicz, 1867)	FKS----I		
Xylolaemus Dejean, 1835	--S-----	Triboliini Mulsant, 1854	
<i>fasciculosus</i> (Gyllenhal, 1827)		Tribolium MacLeay, 1825	
Orthocerini Blanchard, 1845 (1820)		<i>madens</i> (Charpentier, 1825)	fkS-deai
Orthocerus Latreille, 1796		<i>castaneum</i> (Herbst, 1797)	FKSNDEAI
<i>clavicornis</i> (Linnaeus, 1758)	FKSNDEAI	<i>destructor</i> Uyttenboogart, 1934	FKSNDEAI
<i>crassicornis</i> (Erichson, 1845)	-----E--	<i>confusum</i> Jacquel du Val, 1863	FKSNDEAI
Zopherinae Solier, 1834		Palorus Mulsant, 1854	
Pycnomerini Erichson, 1845		<i>subdepressus</i> (Wollaston, 1864)	f-s-d---
Pycnomerus Erichson, 1842		<i>depressus</i> (Fabricius, 1790)	FKSN-EAI
<i>Penthelispa</i> Pascoe, 1860		<i>ratzeburgii</i> (Wissmann, 1848)	-ksnD--i
<i>inexpectus</i> Jacquel du Val, 1859	-----e--		
Tenebrionidae Latreille, 1802		Latheticus Waterhouse, 1880	
Lagriinae Latreille, 1825 (1820)		<i>oryzae</i> Waterhouse, 1880	fksnd-a-
Lagria Fabricius, 1775			
<i>hirta</i> (Linnaeus, 1758)	FKSNDEAI	Martianus Fairmaire, 1893	
Tenebrioninae Latreille, 1802		<i>dermestoides</i> (Chevrolat, 1878)	--S-----
Blaptini Leach, 1815		Tenebrionini Latreille, 1802	
Blaps Fabricius, 1775		Tenebrio Linnaeus, 1758	
<i>mortisaga</i> (Linnaeus, 1758)	FKSNDEAI	<i>opacus</i> Duftschmid, 1812	--S-D---
<i>lethifera</i> Marsham, 1802	f-SNDE--	<i>obscurus</i> Fabricius, 1792	FKSndE-I
<i>sinuatocollis</i> Solier, 1848	--S-----	<i>molitor</i> Linnaeus, 1758	FKSNDEAI
ssp. <i>suecica</i> Ferrer & Picka, 1990	f-Snd---	Neatus LeConte, 1862	
<i>mucronata</i> Latreille, 1804		<i>picipes</i> (Herbst, 1797)	-----EAI
<i>obtusa</i> Gyllenhal, 1813			
Platyscelidini Lacordaire, 1859		Bius Dejean, 1834	
Oodescelis Motschulsky, 1845		<i>thoracicus</i> (Fabricius, 1792)	FKSN-E--
<i>polita</i> (Sturm, 1807)	-----I		
Dendarini Español, 1945		Alphitobiini Reitter, 1917	
Phylan Dejean, 1821		Alphitobius Stephens, 1829	
<i>gibbus</i> (Fabricius, 1775)	--SND-AI	<i>diaperinus</i> (Panzer, 1797)	FkSnDeai
Pedinini Eschscholtz, 1829		<i>laevigatus</i> (Fabricius, 1781)	fkSndeai-
Pedinus Latreille, 1796			
<i>femoralis</i> (Linnaeus, 1767)	-----I	Helopini Latreille, 1802	
		Stenomax Allard, 1876	
		<i>aeneus</i> (Scopoli, 1763)	-----A-
		<i>lanipes</i> (Linnaeus, 1771)	
		Nalassus Mulsant, 1854	
		<i>dermestoides</i> (Illiger, 1798)	f-S---AI

Alleculinae Laporte de Castelnau, 1840		Bolitophagini Kirby, 1837
Alleculini Laporte de Castelnau, 1840		Bolitophagus Illiger, 1798
Allecula Fabricius, 1801		<i>reticulatus</i> (Linnaeus, 1767) FKS NDEAI
<i>morio</i> (Fabricius, 1787)	F-S-D-A-	
<i>rhenana</i> Bach, 1856	--S-D---	
Hymenophorus Mulsant, 1851		Eledonoprius Reitter, 1911
<i>doublieri</i> Mulsant, 1851	F-S-----	<i>armatus</i> (Panzer, 1799) --S-D---
Prionychus Solier, 1835		Eledona Latreille, 1796
<i>ater</i> (Fabricius, 1775)	FKSNDEAI	<i>agricola</i> (Herbst, 1783) FKS NDEAI
<i>melanarius</i> (Germar, 1813)	FKSN----	
Hymenalia Mulsant, 1856		Phaleriini Blanchard, 1845
<i>rufipes</i> (Fabricius, 1793)	--SND-A-	Phaleria Latreille, 1802
Pseudocistela Crotch, 1873	F-SNDEAI	<i>cadaverina</i> (Fabricius, 1792) --S-D---
<i>cerambooides</i> (Linnaeus, 1758)		
Gonodera Mulsant, 1856		Crypticini Mulsant, 1854
<i>luperus</i> (Herbst, 1783)	--S-DE--	Crypticus Latreille, 1817
Isomira Mulsant, 1856		<i>quisquilius</i> (Linnaeus, 1761) FKS NDEAI
<i>murina</i> (Linnaeus, 1758)	FKSNDEAI	Adelinini LeConte, 1862
Mycetochara Berthold, 1827		Gnatocerus Thunberg, 1814
<i>flavipes</i> (Fabricius, 1793)	FKSNDEAI	<i>cornutus</i> (Fabricius, 1798) F-SNDEA-
<i>axillaris</i> (Paykull, 1799)	FKSNDEAI	<i>maxillosus</i> (Fabricius, 1801) f-----
<i>humeralis</i> (Fabricius, 1787)	FKSNDEAI	
<i>obscura</i> (Zetterstedt, 1838)	FKSN--A-	Cynaeus LeConte, 1862
<i>linearis</i> (Illiger, 1794)	--SNDEA-	<i>angustus</i> (LeConte, 1851) F-S-----
Cteniopini Solier, 1835		<i>depressus</i> Horn, 1870 --S-----
Omophlini Mulsant, 1856		<i>opacus</i> Champion, 1886
Cteniopus Solier, 1835		Pentaphyllini Mulsant, 1854
<i>sulphureus</i> (Linnaeus, 1758)	F-SND-AI	Neomida Dahl, 1823
<i>flavus</i> (Scopoli, 1763)		Olocephala Laporte de Castelnau & Brullé, 1831
Omophlus Dejean, 1834		<i>haemorrhoidalis</i> (Fabricius, 1787) FKS NDEAI
<i>betulae</i> (Herbst, 1783)	-KS---AI	Scaphidema Redtenbacher, 1849
<i>rufitarsis</i> (Leske, 1785)		<i>metallicum</i> (Fabricius, 1793) FKS NDEAI
Diaperinae Latreille, 1802		Platydema Laporte de Castelnau & Brullé, 1831
Hypophlaeini Billberg, 1820		<i>violaceum</i> (Fabricius, 1790) FKS-DEAI
Corticeus Piller & Mitterpacher, 1783		Alphitophagus Stephens, 1832
Hypophlaeus Fabricius, 1790	--SNDEAI	<i>bifasciatus</i> (Say, 1823) F-SNDEAI
<i>unicolor</i> Piller & Mitterpacher, 1783	FKSN-EAI	Pentaphyllus Dejean, 1821
<i>longulus</i> (Gyllenhal, 1827)	FKSN-EAI	<i>testaceus</i> (Hellwig, 1792) F-S-DEA-
<i>fraxini</i> (Kugelann, 1794)	--S--EAI	Diaperini Latreille, 1802
<i>pini</i> (Panzer, 1799)	FKSN-EAI	Diaperis Geoffroy, 1762
<i>suturalis</i> (Paykull, 1800)	FKSNDEAI	<i>boleti</i> (Linnaeus, 1758) FKS NDEAI
<i>bicolor</i> (Olivier, 1790)	--S-DE-I	Myrmechixenini Jacquelin du Val, 1858
<i>fasciatus</i> (Fabricius, 1790)	FKSNDEAI	Myrmechixenus Chevrolat, 1835
<i>linearis</i> (Fabricius, 1790)		<i>subterraneus</i> Chevrolat, 1835 FKS NDEAI
		<i>vaporariorum</i> Guérin-Ménéville, 1843 F-S-D---
		Coelometopinae Lacordaire, 1859
		Menephilus Mulsant, 1854
		<i>cylindricus</i> (Herbst, 1784) --S-----

<i>Upis</i> Fabricius, 1792		<i>femorata</i> (Scopoli, 1763)	FKSNDEAI
<i>cerambooides</i> (Linnaeus, 1758)	FKSNDEAI	<i>flavescens</i> (Linnaeus, 1767)	
Prostomidae Thomson, 1859		Stenotrachelidae Thomson, 1859	
<i>Prostomis</i> Latreille, 1829		Cephaloidea LeConte, 1862	
<i>mandibularis</i> (Fabricius, 1801)	--S-D---	<i>Stenotrachelus</i> Berthold, 1827	
Oedemeridae Latreille, 1810		<i>aeneus</i> (Paykull, 1799)	FKSN----
Calopodinae Costa, 1852		<i>Scotodes</i> Eschscholtz, 1818	
<i>Calopus</i> Fabricius, 1775		<i>annulatus</i> Eschscholtz, 1818	FK---EA-
<i>serraticornis</i> (Linnaeus, 1758)	FKSN-EAI		
Oedemerinae Latreille, 1810		Meloidae Gyllenhal, 1810	
Nacerdini Mulsant, 1858		Meloinae Gyllenhal, 1810	
<i>Nacerdes</i> Dejean, 1834		Cerocomini Leach, 1815	
<i>Xanthochroa</i> Schmidt, 1844		<i>Cerocoma</i> Geoffroy, 1762	
<i>melanura</i> (Linnaeus, 1758)	FKSNDEAI	<i>schaefferi</i> (Linnaeus, 1758)	-----A-
<i>carniolica</i> (Gistl, 1832)	--S----	<i>Lyttini</i> Thomson, 1859	
<i>Anogcodes</i> Dejean, 1834		<i>Lytta</i> Fabricius, 1775	
<i>rufiventris</i> (Scopoli, 1763)	-KS--EAI	<i>vesicatoria</i> (Linnaeus, 1758)	--S-DEAI
<i>ustulatus</i> (Scopoli, 1763)	----EAI	<i>Meloini</i> Gyllenhal, 1810	
<i>ferrugineus</i> (Schrank, 1776)	--S--E-I	<i>Meloe</i> Linnaeus, 1758	
Ditylini Mulsant, 1858		<i>proscarabaeus</i> Linnaeus, 1758	FKSNDEAI
<i>Ditylus</i> Fischer v. Waldheim, 1817		<i>violaceus</i> Marsham, 1802	FKSNDEAI
<i>laevis</i> (Fabricius, 1787)	FK---EAI	<i>variegatus</i> Donovan, 1793	--S-D--I
<i>Chrysanthia</i> Schmidt, 1844		<i>brevicollis</i> Panzer, 1793	FKSNDEAI
<i>viridissima</i> (Linnaeus, 1758)	FKSN-EAI	Nemognathinae Laporte de Castelnau, 1840	
<i>viridis</i> (DeGeer, 1775)		Zonitidinae Lacordaire, 1857	
<i>geniculata</i> Heyden, 1877	FKSNDEAI	<i>Apalus</i> Fabricius, 1775	
<i>nigricornis</i> (Westhoff, 1881)		<i>bimaculatus</i> (Linnaeus, 1761)	FKSNDEA-
<i>viridis</i> Schmidt, 1846, nec (DeGeer, 1775)			
Asclerini Gistel, 1856		Mycteridae Blanchard, 1845	
<i>Ischnomera</i> Stephens, 1832		<i>Mycterus</i> Clairville & Schellenberg, 1798	
<i>Asclera</i> Dejean, 1834		<i>curculioides</i> (Fabricius, 1781)	-----A-
<i>sanguinicollis</i> (Fabricius, 1787)	--SND-AI		
<i>caerulea</i> (Linnaeus, 1758)	--SN----	Boridae Thomson, 1859	
<i>cyanea</i> (Fabricius, 1792)	--S-D---	<i>Boros</i> Herbst, 1797	
<i>cinerascens</i> (Pandellé, 1867)	--SND---	<i>schneideri</i> (Panzer, 1795)	FKS--EAI
Oedemerini Latreille, 1810		Pythidae Solier, 1834	
<i>Oedemera</i> Olivier, 1789		<i>Pytho</i> Latreille, 1796	
<i>flavipes</i> (Fabricius, 1792)	--SN--AI	<i>depressus</i> (Linnaeus, 1767)	FKSNDEAI
<i>croceicollis</i> (Gyllenhal, 1827)	F-S-DE--	<i>kolwensis</i> Sahlberg, 1833	FKS--E--
<i>podagrariae</i> (Linnaeus, 1767)	--S---AI	<i>abieticola</i> J.Sahlberg, 1875	FKSN----
<i>lurida</i> (Marsham, 1802)	FKSNDEAI	Pyrochroidae Latreille, 1807	
<i>virescens</i> (Linnaeus, 1767)	FKSNDEAI	<i>Pyrochroa</i> Geoffroy, 1762	
<i>physica</i> (Scopoli, 1763)	--S-d--	<i>coccinea</i> (Linnaeus, 1761)	FKSNDEAI
<i>subulata</i> Olivier, 1795		<i>serraticornis</i> (Scopoli, 1763)	----DEAI
<i>nobilis</i> (Scopoli, 1763)	----D---	<i>Schizotus</i> Newman, 1838	
		<i>pectinicornis</i> (Linnaeus, 1758)	FKSNDEAI

Salpingidae Leach, 1815		Omonadus Mulsant & Rey, 1866	
Agleninae Horn, 1878		<i>floralis</i> (Linnaeus, 1758)	FKSNDEAI
Aglenus Erichson, 1845		<i>formicarius</i> (Goeze, 1777)	FKSNDEAI
<i>brunneus</i> (Gyllenhal, 1813)	--S-D---	<i>quisquilius</i> (Thomson, 1864)	
Salpinginae Leach, 1815		<i>kolenati</i> (Kolenati, 1846)	--S-D---
Lissodemini Seidlitz, 1916		<i>bifasciatus</i> (Rossi, 1792) nec (Fabricius, 1792)	
Lissodema Curtis, 1833		Cordicomus Pic, 1894	
<i>cursor</i> (Gyllenhal, 1813)	F-SND---	<i>instabilis</i> (Schmidt, 1842)	--SND---
<i>denticolle</i> (Gyllenhal, 1813)	--S-D---	<i>gracilis</i> (Panzer, 1797)	-KSN---I
<i>quadripustulatum</i> (Marsham, 1802) nec (Fabricius, 1775)		<i>sellatus</i> (Panzer, 1797)	FKSNDEAI
Salpingini Leach, 1815		Stricticomus Pic, 1894	
Colposis Mulsant, 1859		<i>tobias</i> (Marseul, 1879)	F-S-DEAI
<i>mutilatus</i> (Beck, 1817)	-----AI	Hirticomus Pic, 1894	
Rabocerus Mulsant, 1859		<i>hispidus</i> (Rossi, 1792)	--S---A-
<i>foveolatus</i> (Ljungh, 1823)	FKSNDEAI	Anthicus Paykull, 1798	
<i>gabrieli</i> (Gerhardt, 1901)	FKSNDEAI	<i>flavipes</i> (Panzer, 1797)	FKSNDEAI
Sphaeriestes Stephens, 1829		<i>antherinus</i> (Linnaeus, 1761)	FKSNDEAI
<i>Salpingus</i> auct., nec Illiger, 1801		<i>axillaris</i> Schmidt, 1842	-KS--EAI
<i>castaneus</i> (Panzer, 1796)	F-SNDEAI	<i>ater</i> (Panzer, 1796)	FKSNDEAI
<i>bimaculatus</i> (Gyllenhal, 1810)	FKSN-EAI	<i>umbrinus</i> LaFerté-Sénectère, 1848	FKS---A-
<i>stockmanni</i> (Biström, 1977)	FKSNDEAI	<i>bimaculatus</i> (Illiger, 1801)	FKSNDEAI
<i>ater</i> (Paykull, 1798) nec (DeGeer, 1774)		Aderidae Winkler, 1927	
<i>reyi</i> (Abeille de Perrin, 1874)	F-SND---	Phytobaenini Báguena, 1948	
Vincenzellus Reitter, 1911		Phytobaenus F.Sahlberg, 1834	
<i>ruficollis</i> (Panzer, 1794)	--S-D---	<i>amabilis</i> F.Sahlberg, 1834	F-S--EA-
<i>viridipennis</i> (Latreille, 1804)		Aderini Winkler, 1927	
Salpingus Illiger, 1801		<i>Euglenesini</i> Seidlitz, 1875	
Rhinosimus Latreille, 1802		Aderus Stephens, 1829	
<i>aeneus</i> (Olivier, 1807)	-----EA-	Hylophilus Berthold, 1827, nec Temminck, 1822	
<i>planirostris</i> (Fabricius, 1787)	FKSNDEAI	<i>populneus</i> (Creutzer, 1796)	F-SNDEAI
<i>ruficollis</i> (Linnaeus, 1761)	FKSNDEAI	Euglenes Westwood, 1830	
Anthicidae Latreille, 1819		<i>pygmaeus</i> (DeGeer, 1775)	FKSN-EAI
Anthicinae Latreille, 1819		<i>lokvenci</i> (Roubal, 1938)	
Notoxini Sturm, 1826		<i>oculatus</i> (Paykull, 1798)	--SND-A-
Notoxus Geoffroy, 1762		Anidorus Mulsant & Rey, 1866	
<i>monoceros</i> (Linnaeus, 1761)	FKSNDEAI	<i>nigrinus</i> (Germar, 1831)	FKSNDEAI
Formicomini Bonadona, 1974		Vanonus Casey, 1895	
Anthelephila Hope, 1833		<i>brevicornis</i> (Perris, 1869)	--S-D---
<i>Formicomus</i> LaFerté-Sénectère, 1849	-----A-	Pseudeuglenes Pic, 1897	
<i>pedestris</i> (Rossi, 1790)		<i>pentatomus</i> (Thomson, 1864)	FKSN----
Anthicini Latreille, 1819		Scaptiidae Mulsant, 1856	
Cyclodinus Mulsant & Rey, 1866		Scaptiinae Mulsant, 1856	
<i>humilis</i> (Germar, 1824)	--S-D---	Scaptia Latreille, 1807	
<i>sibiricus</i> auct. nec (Pic, 1893)		<i>fuscula</i> Müller, 1821	F-SND-A-
		<i>innata</i> (Kangas, 1959)	

Anaspidinae Mulsant, 1856		<i>tristis</i> (Fabricius, 1787)	FKS-DEAI
Cyrtanaspis Emery, 1876		<i>ferus</i> (Mulsant, 1839)	
<i>phalerata</i> (Germar, 1831)	FKS--EA-	Asemum Eschscholtz, 1830	
Anaspis Geoffroy, 1762		<i>striatum</i> (Linnaeus, 1758)	FKSNDEAI
<i>fasciata</i> (Forster, 1771)	----D---	<i>tenuicorne</i> Kraatz, 1879	--S----
<i>humeralis</i> (Fabricius, 1775) nec (Linnaeus, 1758)		Tetropium Kirby, 1837	
<i>bohemica</i> Schilsky, 1898	FKSND-A-	<i>castaneum</i> (Linnaeus, 1758)	FKSNDEAI
<i>norvegica</i> Munster, 1924		<i>fuscum</i> (Fabricius, 1787)	FKSNDEAI
<i>lurida</i> Stephens, 1832	F-----A-	<i>gabrieli</i> Weise, 1905	f-s-D---
<i>viennensis</i> Schilsky, 1895	-----E--	<i>aquilonium</i> Plavistshikov, 1940	FKS-----
<i>frontalis</i> (Linnaeus, 1758)	FKSNDEAI	Lepturinae Latreille, 1802	
<i>maculata</i> Geoffroy, 1785	--S-D--	Rhagiini Kirby, 1837	
<i>marginicollis</i> Lindberg, 1925	FKSNDEA-	Stenocorini J.Thomson, 1860	
<i>schilskyana</i> Csiki, 1915 – infrasubsp.		Rhagium Fabricius, 1775	
<i>thoracica</i> (Linnaeus, 1758)	FKSNDEAI	<i>bifasciatum</i> Fabricius, 1775	---NDE-I
<i>ruficollis</i> (Fabricius, 1793)	----D-AI	<i>sycophanta</i> (Schranck, 1781)	--S-D-AI
<i>pulicaria</i> Costa, 1854	-----E-I	<i>mordax</i> (DeGeer, 1775)	FKSNDEAI
<i>regimbarti</i> Schilsky, 1895	--S-D---	<i>inquisitor</i> (Linnaeus, 1758)	FKSNDEAI
<i>arctica</i> Zetterstedt, 1828	FKSN-EA-	Rhamnusium Latreille, 1829	
<i>garneysi</i> Fowler, 1889	--S-D-A-	<i>bicolor</i> (Schranck, 1781)	F---dEAI
<i>rufilabris</i> (Gyllenhal, 1827)	FKSNDEAI	<i>gracilicorne</i> Théry, 1895	
<i>melanostoma</i> Costa, 1854	----D--I	Oxymirus Mulsant, 1863	
<i>costai</i> Emery, 1876	----D--	<i>cursor</i> (Linnaeus, 1758)	FKSNDEAI
<i>flava</i> (Linnaeus, 1758)	F-SND-AI	Stenocorus Geoffroy, 1762	
<i>brunnipes</i> (Mulsant, 1856)	FKS--EAI	<i>meridianus</i> (Linnaeus, 1758)	F-SNDEAI
<i>varians</i> (Mulsant, 1856)	-----EA-	Pachyta Dejean, 1821	
CHRYsomeLOIDEA		<i>quadrimaculata</i> (Linnaeus, 1758)	FK--DEAI
Cerambycidae Latreille, 1802		<i>lamed</i> (Linnaeus, 1758)	FKSNDEAI
Prioninae Latreille, 1802		Brachyta Fairmaire, 1864	
Ergates Audinet-Serville, 1832	--S-d-AI	<i>interrogationis</i> (Linnaeus, 1758)	FKSNdEAI
<i>faber</i> (Linnaeus, 1761)		Evodinus LeConte, 1850	
Prionus Geoffroy, 1762		<i>borealis</i> (Gyllenhal, 1827)	FKSN-EAI
<i>coriarius</i> (Linnaeus, 1758)	FKSNDEAI	Gaurotes LeConte, 1850	
Tragosoma Audinet-Serville, 1832		<i>Carilia</i> Mulsant, 1863	
<i>depsarius</i> (Linnaeus, 1767)	FKSN-EAI	<i>virginea</i> (Linnaeus, 1758)	FKSN-EAI
Spondylidinae Audinet-Serville, 1832		Acmaeops LeConte, 1850	
Spondylis Fabricius, 1775		<i>Dinoptera</i> Mulsant, 1863	
<i>buprestoides</i> (Linnaeus, 1758)	FKSNDEAI	<i>Gnathacmaeops</i> Linsley & Chemsak, 1972	
Aseminae J.Thomson, 1860		<i>septentrionis</i> (Thomson, 1866)	FKSN-E--
Nothorhina Redtenbacher, 1845		<i>marginata</i> (Fabricius, 1781)	FKSN-EAI
<i>punctata</i> (Fabricius, 1798)	FKSN-EAI	<i>smaragdula</i> (Fabricius, 1792)	FKSN---I
<i>muricata</i> (Dalman, 1817)		<i>pratensis</i> (Laicharting, 1784)	FKSN-EAI
Arhopalus Audinet-Serville, 1834		<i>collaris</i> (Linnaeus, 1758)	--SNDEAI
<i>Criocephalus</i> Dejean, 1835		Pidonia Mulsant, 1863	
<i>rusticus</i> (Linnaeus, 1758)	FKSNDEAI	<i>lurida</i> (Fabricius, 1787)	-----A-

Lepturini Latreille, 1802		<i>bifasciata</i> Müller, 1776	-----EAI
Cortodera Mulsant, 1863		<i>nigra</i> Linnaeus, 1758	--SNDEAI
<i>femorata</i> (Fabricius, 1787)	FKSN-EAI	Strangalia Audinet-Serville, 1835	FKSNDEAI
Grammoptera Audinet-Serville, 1835		<i>attenuata</i> (Linnaeus, 1758)	
<i>ustulata</i> (Schaller, 1783)	--SND---	Necydalini Latreille, 1825	
<i>ruficornis</i> (Fabricius, 1781)	--SNDEAI	Necydalis Linnaeus, 1758	
<i>abdominalis</i> (Stephens, 1831)	--S-D---	<i>major</i> Linnaeus, 1758	FKSNDEAI
Alosterna Mulsant, 1863		<i>ulmi</i> Chevrolat, 1836	-----AI
<i>tabacicolor</i> (DeGeer, 1775)	FKSNDEAI	Cerambycinae Latreille, 1802	
<i>erythropus</i> (Gebler, 1841)		Cerambycini Latreille, 1802	
ssp. <i>ingrica</i> Baeckmann, 1902	-----E-I	Cerambyx Linnaeus, 1758	
Nivellia Mulsant, 1863	FKSN---	<i>cerdo</i> Linnaeus, 1758	--S-d-AI
<i>sanguinosa</i> (Gyllenhal, 1827)	-K-----	<i>scopoli</i> Fuessli, 1775	--SND?-I
<i>extensa</i> (Gebler, 1841)		Graciliini Mulsant, 1839	
Anoplodera Mulsant, 1839		Gracilia Audinet-Serville, 1834	
<i>Corymbia</i> Des Gozis, 1886		<i>minuta</i> (Fabricius, 1781)	f-snd--i
<i>rufipes</i> (Schaller, 1783)	--S---A-	Axinopalpis Duponchel & Chevrolat, 1842	
<i>sexguttata</i> (Fabricius, 1775)	F-SNDEAI	<i>gracilis</i> (Krynicki, 1832)	-----I
<i>livida</i> (Fabricius, 1777)	-K---DEAI	Obriini Mulsant, 1839	
<i>fulva</i> (DeGeer, 1775)	-----I	Obrium Dejean, 1821	
<i>maculicornis</i> (DeGeer, 1775)	FKSNDEAI	<i>cantharinum</i> (Linnaeus, 1767)	FKS--EAI
<i>rubra</i> (Linnaeus, 1758)	FKSNDEAI	<i>brunneum</i> (Fabricius, 1792)	-KS-DEA-
<i>variicornis</i> (Dalman, 1817)	-K---EAI	Psebiini Lacordaire, 1869	
<i>scutellata</i> (Fabricius, 1781)	--S-D-A-	Nathrius Brèthes, 1916	
<i>sanguinolenta</i> (Linnaeus, 1761)	FKSNDEAI	<i>brevipennis</i> (Mulsant, 1839)	f-snd---
<i>dubia</i> (Scopoli, 1763)	-----I	Molorchini Mulsant, 1862	
<i>reyi</i> (Heyden, 1889)	FKSNdEAI	Molorchus Fabricius, 1792	
<i>inexpectata</i> (Jansson & Sjöberg, 1928)		<i>Glaphyra</i> Newman, 1840	
<i>virens</i> (Linnaeus, 1758)	FKSNdEAI	<i>minor</i> (Linnaeus, 1758)	FKSNDEAI
Judolia Mulsant, 1863		<i>umbellatarum</i> (Schreber, 1759)	--SNDEAI
<i>sexmaculata</i> (Linnaeus, 1758)	FKSNDEAI	Callichromatini Blanchard, 1845	
<i>cerambyciformis</i> (Schrank, 1781)	----D?AI	Aromia Audinet-Serville, 1833	
Leptura Linnaeus, 1758		<i>moschata</i> (Linnaeus, 1758)	FKSNDEAI
<i>Pedostrangalia</i> Sokolow, 1897		Compsocerini J.Thomson, 1864	
<i>revestita</i> Linnaeus, 1767	--S-D---	<i>Rosaliini</i> Fairmaire, 1864	
<i>pubescens</i> Fabricius, 1787	FKSN-EAI	Rosalia Audinet-Serville, 1833	
<i>nigripes</i> DeGeer, 1775	FKSN-EAI	<i>alpina</i> (Linnaeus, 1758)	--S-d---
<i>thoracica</i> Creutzer, 1799	FK---EAI	Callidiini Kirby, 1837	
<i>aurulenta</i> Fabricius, 1792	-----I	Hylotrupes Audinet-Serville, 1834	
<i>quadrifasciata</i> Linnaeus, 1758	FKSNDEAI	<i>bajulus</i> (Linnaeus, 1758)	F-SNDEAI
<i>annularis</i> Fabricius, 1801	-----EAI	Ropalopus Mulsant, 1839	
<i>mimica</i> Bates, 1884		<i>femoratus</i> (Linnaeus, 1758)	--S---A-
<i>arcuata</i> Panzer, 1793, nec Linnaeus, 1758		<i>macropus</i> (Germar, 1824)	--S----I
<i>aethiops</i> Poda, 1761	----DEAI	<i>clavipes</i> (Fabricius, 1775)	----D-AI
<i>maculata</i> Poda, 1761	F-SNDEAI		
<i>melanura</i> Linnaeus, 1758	FKSNDEAI		

<i>Leioderes</i> Redtenbacher, 1849		<i>Lamiini</i> Latreille, 1825
<i>kollari</i> Redtenbacher, 1849	--SN--AI	<i>Lamia</i> Fabricius, 1775
<i>Semanotus</i> Mulsant, 1839		<i>textor</i> (Linnaeus, 1758) FKSNDDEAI
<i>undatus</i> (Linnaeus, 1758)	FKSNdDEAI	
<i>Callidium</i> Fabricius, 1775		<i>Monochamus</i> Dejean, 1821
<i>coriaceum</i> Paykull, 1800	FKSN-EAI	<i>sartor</i> (Fabricius, 1787) -----I
<i>violaceum</i> (Linnaeus, 1758)	FKSNDEAI	<i>urussovii</i> (Fischer v. Waldheim, 1806) FKSNDDEAI
<i>aeneum</i> (DeGeer, 1775)	FKSN-EAI	<i>sutor</i> (Linnaeus, 1758) FKSNDDEAI
<i>Callidiellum</i> Linsley, 1940		<i>galloprovincialis</i> (Olivier, 1795) FKSN-EAI
<i>rufipenne</i> (Motschulsky, 1860)	----d---	<i>saltuarius</i> Gebler, 1830 -----I
<i>Pyrnidium</i> Fairmaire, 1864		
<i>sanguineum</i> (Linnaeus, 1758)	F-SND--I	<i>Mesosini</i> Mulsant, 1839
<i>Phymatodes</i> Mulsant, 1839		<i>Mesosa</i> Latreille, 1829
<i>testaceus</i> (Linnaeus, 1758)	F-SNDEAI	
<i>pusillus</i> (Fabricius, 1787)	--S----	<i>Aplocnemia</i> Stephens, 1831
<i>Poecilium</i> Fairmaire, 1864		<i>curculionoides</i> (Linnaeus, 1761) --Snd--I
<i>alni</i> (Linnaeus, 1767)	F-SNDEAI	<i>myops</i> (Dalman, 1817) F-S---A-
<i>Clytini</i> Mulsant, 1839		<i>nebulosa</i> (Fabricius, 1781) --SND---
<i>Xylotrechus</i> Chevrolat, 1860		
<i>Rusticoclytus</i> Vives Noguera, 1977		<i>Apodasyini</i> Lacordaire, 1872
<i>rusticus</i> (Linnaeus, 1758)	FKSNDEAI	<i>Rhodopini</i> Lacordaire, 1872
<i>pantherinus</i> (Savenius, 1825)	FKSN---	<i>Anaesthetis</i> Dejean, 1835
<i>antilope</i> (Schönherr, 1817)	--SN---	<i>testacea</i> (Fabricius, 1781) --S---EA-
<i>ibex</i> (Gebler, 1825)	F-----I	
<i>arvicola</i> (Olivier, 1795)	-----EAI	<i>Pogonocherini</i> Mulsant, 1839
<i>Clytus</i> Laicharting, 1784		<i>Pogonocherus</i> Dejean, 1821
<i>arietis</i> (Linnaeus, 1758)	F-SNDEAI	<i>Pityphilus</i> Mulsant, 1863
<i>rhamni</i> Germar, 1817	-----I	<i>Eupogonocherus</i> Linsley, 1935
<i>Cyrtoclytus</i> Ganglbauer, 1881		<i>hispidulus</i> (Piller & Mitterpacher, 1781) --SNDEAI
<i>capra</i> (Germar, 1824)	-----EAI	<i>hispidus</i> (Linnaeus, 1758) F-SNDEAI
<i>Plagionotus</i> Mulsant, 1842		<i>caroli</i> Mulsant, 1863 --S----
<i>detritus</i> (Linnaeus, 1758)	--S-DEAI	<i>fasciculatus</i> (DeGeer, 1775) FKSNDDEAI
<i>arcuatus</i> (Linnaeus, 1758)	F-SND?AI	<i>decoratus</i> Fairmaire, 1855 FKSNDDEAI
<i>floralis</i> (Pallas, 1773)	-----AI	<i>ovatus</i> (Goeze, 1777) -----AI
<i>Chlorophorus</i> Chevrolat, 1863		
<i>varius</i> (Müller, 1766)	--S----	<i>Acanthoderini</i> J.Thomson, 1860
<i>herbstii</i> (Brahm, 1790)	F-S--EAI	<i>Oplosia</i> Mulsant, 1863
<i>figuratus</i> (Scopoli, 1763)	-----AI	<i>cinerea</i> (Mulsant, 1839) F-SNDEAI
<i>Anaglyptus</i> Mulsant, 1839		<i>fennica</i> (Paykull, 1800) nec (Linnaeus, 1758)
<i>mysticus</i> (Linnaeus, 1758)	--SNDEAI	
<i>Lamiinae</i> Latreille, 1825		<i>Aegomorphus</i> Haldeman, 1847
<i>Dorcadiini</i> Latreille, 1825		<i>Acanthoderes</i> auct., nec Audinet-Serville, 1835
<i>Dorcadion</i> Dalman, 1817		<i>clavipes</i> (Schrank, 1781) FKSNDDEAI
<i>Iberodorcadion</i> Breuning, 1943		
<i>fuliginator</i> (Linnaeus, 1758)	-----A-	<i>Acanthocinini</i> J.Thomson, 1860
		<i>Leiopus</i> Audinet-Serville, 1835
		<i>nebulosus</i> (Linnaeus, 1758) F-SNDEAI
		<i>punctulatus</i> (Paykull, 1800) FKS---EAI
		<i>Acanthocinus</i> Dejean, 1821
		<i>aedilis</i> (Linnaeus, 1758) FKSNDDEAI
		<i>griseus</i> (Fabricius, 1792) FKSndDEAI
		<i>Exocentrus</i> Dejean, 1835
		<i>adspersus</i> Mulsant, 1846 --S-----

<i>lusitanus</i> (Linnaeus, 1767)	FKSNDEAI	<i>frontalis</i> Suffrian, 1840	--S-DEAI
Agapanthiini Mulsant, 1839		<i>flavicollis</i> auct. nec (Marsham, 1802)	
Agapanthia Audinet-Serville, 1835			
<i>villosoviridescens</i> (DeGeer, 1775)	FKSNDEAI		
Saperdini Mulsant, 1839			
Saperda Fabricius, 1775			
<i>Anaarea</i> Mulsant, 1839			
<i>Compsidia</i> Mulsant, 1839			
<i>carcharias</i> (Linnaeus, 1758)	FKSNDEAI		
<i>similis</i> Laicharting, 1784	FKSN-EAI		
<i>populnea</i> (Linnaeus, 1758)	FKSNDEAI		
<i>scalaris</i> (Linnaeus, 1758)	FKSNDEAI		
<i>perforata</i> (Pallas, 1773)	FKSN-EAI		
<i>punctata</i> (Linnaeus, 1767)	-----A-		
<i>octopunctata</i> (Scopoli, 1772)	--S----I		
Menesia Mulsant, 1856			
<i>bipunctata</i> (Zoubkoff, 1829)	-----EAI		
Phytoeciini Mulsant, 1839			
Oberea Dejean, 1835			
<i>pupillata</i> (Gyllenhal, 1817)	-----EAI		
<i>oculata</i> (Linnaeus, 1758)	FKSNDEAI		
<i>linearis</i> (Linnaeus, 1761)	--SND-A-		
<i>erythrocephala</i> (Schrank, 1776)	-----I		
Stenostola Dejean, 1835			
<i>dubia</i> (Laicharting, 1784)	F-SND-A-		
<i>ferrea</i> (Schrank, 1776)	--SNDEAI		
Phytoecia Dejean, 1835			
<i>affinis</i> (Harrer, 1784)	-----I		
<i>nigripes</i> (Panzer, 1794) nec (DeGeer, 1775)			
<i>nigricornis</i> (Fabricius, 1781)	FKS--EAI		
<i>cylindrica</i> (Linnaeus, 1758)	FKSNDEAI		
<i>pustulata</i> (Schrank, 1776)	-----I		
<i>virgula</i> (Charpentier, 1825)	-----AI		
<i>caerulea</i> (Scopoli, 1772)	-----I		
<i>coerulescens</i> (Scopoli, 1763)	-----I		
Tetraopini J.Thomson, 1860			
Tetrops Kirby, 1826			
<i>praeusta</i> (Linnaeus, 1758)	FKSNDEAI	<i>Plateumaris</i> Thomson, 1859	
<i>starkii</i> Chevrolat, 1859	--SND---	<i>discolor</i> (Herbst, 1795)	FKSNDEAI
Megalopodidae Latreille, 1802		<i>sericea</i> (Linnaeus, 1758)	FKSNDEAI
Zeugophorinae Böving & Craighead, 1931		<i>braccata</i> (Scopoli, 1772)	F-SNDEAI
Zeugophora Kunze, 1818		<i>consimilis</i> (Schrank, 1781)	--S-D--I
<i>scutellaris</i> Suffrian, 1840	FKSND-AI	<i>weisei</i> (Duvivier, 1885)	FKS-----
<i>subspinosa</i> (Fabricius, 1781)	FKSNDEAI	<i>affinis</i> (Kunze, 1818)	FKSNDEAI
<i>turneri</i> Power, 1863	F-SNDEAI	<i>rustica</i> (Kunze, 1818)	----DEAI

Criocerinae Latreille, 1807		<i>cordiger</i> (Linnaeus, 1758)	FKSNDEAI
Criocerini Latreille, 1807		<i>octopunctatus</i> (Scopoli, 1763)	FKS--EAI
Crioceris Geoffroy, 1762		<i>sexpunctatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>duodecimpunctata</i> (Linnaeus, 1758)	--S-DEAI	<i>distinguendus</i> Schneider, 1792	FKSNDEAI
<i>asparagi</i> (Linnaeus, 1758)	f-S-D-AI	<i>cruciger</i> Hellén, 1922	F-S----
Lilioceris Reitter, 1912		<i>bipunctatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>lili</i> (Scopoli, 1763)	F-SNDEAI	<i>biguttatus</i> (Scopoli, 1763)	FKS-DEAI
<i>merdigera</i> (Linnaeus, 1758)	FKSNDEAI	<i>aureolus</i> Suffrian, 1847	FKS-DEAI
Lemini Gyllenhal, 1813		<i>sericeus</i> (Linnaeus, 1758)	--SNDEAI
Lema Fabricius, 1798		<i>hypocoeridis</i> (Linnaeus, 1758)	FKSNDEAI
<i>cyanella</i> (Linnaeus, 1758)	FKSNDEAI	<i>violaceus</i> Laicharting, 1781	-----I
<i>puncticollis</i> (Curtis, 1830)		<i>elongatus</i> Germar, 1824	--S----
Oulema Des Gozis, 1886		<i>nitidus</i> (Linnaeus, 1758)	FKSNDEAI
<i>erichsonii</i> (Suffrian, 1841)	FKSNDEAI	<i>nitidulus</i> Fabricius, 1787	FKSN-EAI
<i>septentrionis</i> (Weise, 1880)		<i>parvulus</i> Müller, 1776	FKSNDEAI
<i>gallaeciana</i> (Heyden, 1870)	FKSNDEAI	<i>caerulescens</i> Sahlberg, 1838	FKS--EAI
<i>lichenis</i> (Weise, 1881)		<i>marginatus</i> Fabricius, 1781	F-----
<i>melanopus</i> (Linnaeus, 1758)	FKSNDEAI	<i>decemmaculatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>duftschmidi</i> (Redtenbacher, 1874)	--S-D---	<i>moraei</i> (Linnaeus, 1758)	FKSNDEAI
Clytrinae Kirby, 1837		<i>quadripustulatus</i> Fabricius, 1775	FKSN-E-I
Labidostomis Germar, 1817		<i>flavipes</i> Fabricius, 1781	F-S?DEAI
<i>tridentata</i> (Linnaeus, 1758)	FKSNDEAI	<i>signatifrons</i> Suffrian, 1847	-----A-
<i>humeralis</i> (Schneider, 1792)	--SN--AI	<i>vittatus</i> Fabricius, 1775	--S-D-AI
<i>lucida</i> (Germar, 1823)	-----A-	<i>pini</i> (Linnaeus, 1758)	FKSN-EAI
<i>longimana</i> (Linnaeus, 1761)	--SNDEAI	<i>frenatus</i> Laicharting, 1781	-----I
<i>lepidia</i> Lefèvre, 1872	-----A-	<i>punctiger</i> Paykull, 1799	FKSNDEA-
Clytra Laicharting, 1781		<i>pallifrons</i> Gyllenhal, 1813	FKS-DEAI
<i>quadripunctata</i> (Linnaeus, 1758)	FKSNDEAI	<i>janthinus</i> Germar, 1824	-----I
<i>laeviuscula</i> Ratzeburg, 1837	----EA-	<i>bilineatus</i> (Linnaeus, 1767)	FKSNDEAI
Smaragdina Chevrolat, 1837		<i>elegantulus</i> Gravenhorst, 1807	-----A-
<i>Gynandrophthalma</i> Lacordaire, 1848		<i>chrysopus</i> Gmelin, 1790	-----A-
<i>salicina</i> (Scopoli, 1763)	FKS-DEAI	<i>frontalis</i> Marsham, 1802	FKSNDEAI
<i>cyanea</i> (Fabricius, 1775)		<i>saliceti</i> Zebe, 1855	F-----
<i>flavicollis</i> (Charpentier, 1825)	FK---EAI	<i>ocellatus</i> Drapiez, 1819	-----EAI
<i>aurita</i> (Linnaeus, 1767)	--S-D---	<i>quercreti</i> Suffrian, 1848	FKSND-AI
<i>affinis</i> (Illiger, 1794)	FK---A-	<i>labiatus</i> (Linnaeus, 1761)	FKSNDEAI
Coptocephala Chevrolat, 1837		<i>exiguus</i> Schneider, 1792	FKSN-EAI
<i>unifasciata</i> (Scopoli, 1763)	----EA-	<i>pygmaeus</i> Fabricius, 1792	-----A-
Cryptocephalinae Gyllenhal, 1813		<i>fulvus</i> (Goeze, 1777)	FKSNDEAI
Pachybrachini Chapuis, 1874		<i>populi</i> Suffrian, 1848	-----A-
Pachybrachis Chevrolat, 1837		<i>pusillus</i> Fabricius, 1777	FKSNDEAI
<i>hieroglyphicus</i> (Laicharting, 1781)	FK---EAI	<i>rufipes</i> (Goeze, 1777)	----D-A-
Cryptocephalini Gyllenhal, 1813			
Cryptocephalus Geoffroy, 1762			
<i>coryli</i> (Linnaeus, 1758)	FKSNDEAI	Lamprosomatinae Lacordaire, 1849	
		<i>Oomorphus</i> Curtis, 1831	
		<i>concolor</i> (Sturm, 1807)	--S-D-A-

Synetinae Edwards, 1953		
Syneta Dejean, 1837		
<i>betulae</i> (Fabricius, 1792)	FKSN-EA-	- -----A-
Eumolpinae Hope, 1840		- ----D---
Eumolpini Hope, 1840		- KSNDEAI
Chrysochus Chevrolat, 1837		- ---D-A-
<i>asclepiadeus</i> (Pallas, 1776)		- ---DEAI
Adoxini Baly, 1863		FKSNDEAI
Pachnephorus Chevrolat, 1837		FKSNDEAI
<i>pilosus</i> (Rossi, 1790)		--S-DEAI
<i>tessellatus</i> (Duftschmid, 1825)		FKSNDEAI
Bromius Chevrolat, 1837		
<i>Adoxus</i> Kirby, 1837		
<i>obscurus</i> (Linnaeus, 1758)	FKSNDEAI	
Chrysomelinae Latreille, 1802		
Chrysomelini Latreille, 1802		
Leptinotarsa Chevrolat, 1837		
<i>decemlineata</i> (Say, 1824)	FKS-DEAI	
Chrysolina Motschulsky, 1860		
<i>Dlochrysa</i> Motschulsky, 1860		
<i>herbacea</i> (Duftschmid, 1825)	----D---	
<i>menthastris</i> (Suffrian, 1851)		- -----EAI
<i>caerulans</i> (Scriba, 1791)	----E--	FKSNDEAI
<i>graminis</i> (Linnaeus, 1758)	FKSNDEAI	FKSNDEAI
<i>politana</i> (Linnaeus, 1758)	FKSNDEAI	
<i>reitteri</i> (Weise, 1884)		
<i>ssp. saxonica</i> Silfverberg, 1977	----E-I	
<i>lurida</i> (Linnaeus, 1767) nec (Scopoli, 1763)		
<i>staphylaea</i> (Linnaeus, 1758)	FKSNDEAI	
<i>cerealis</i> (Linnaeus, 1767)	FK-DEAI	
<i>relucens</i> (Rosenhauer, 1847)	-K-----	
<i>rufa</i> (Duftschmid, 1825)	----EA-	
<i>oricalcia</i> (Müller, 1776)	--SND--I	
<i>haemoptera</i> (Linnaeus, 1758)	F-S-DEAI	
<i>fuliginosa</i> (Olivier, 1807)	-----A-	
<i>sturmi</i> (Westhoff, 1882)	--SNDEAI	
<i>diversipes</i> (Bedel, 1892)		
<i>violacea</i> auct. nec (Müller, 1776)		
<i>sanguinolenta</i> (Linnaeus, 1758)	FKSNDEAI	
<i>gypsophilae</i> (Küster, 1845)	FKSNDEAI	
<i>latecincta</i> (Demaison, 1896)		
<i>ssp. helliesenii</i> Silfverberg, 1977	---N----	
<i>crassicornis</i> (Helleisen, 1912) nec (Fabricius, 1775)		
<i>kuesteri</i> (Helleisen, 1911)	-----A-	
<i>varians</i> (Schaller, 1783)	FKSNDEAI	
<i>hyperici</i> (Forster, 1771)	F-SNDEAI	
<i>americanus</i> (Linnaeus, 1758)		
<i>brunsvicensis</i> (Gravenhorst, 1807)		
<i>geminata</i> (Paykull, 1799)		
<i>quadrigemina</i> (Suffrian, 1851)		
<i>carnifex</i> (Fabricius, 1792)		
<i>analis</i> (Linnaeus, 1767)		
<i>marginata</i> (Linnaeus, 1758)		
<i>limbata</i> (Fabricius, 1775)		
<i>fastuosa</i> (Scopoli, 1763)		
<i>ssp. speciosa</i> (Linnaeus, 1767)		
Oreina Chevrolat, 1837		
Chrysochloa Hope, 1840		
<i>luctuosa</i> (Olivier, 1807)		-K--D---
<i>rugulosa</i> (Suffrian, 1851) nec (Gebler, 1841)		
<i>suffriani</i> Bontems, 1984		
Colaphellus Weise, 1916		
<i>sophiae</i> (Schaller, 1783)		- ----D-AI
Gastrophysa Chevrolat, 1837		
<i>polygoni</i> (Linnaeus, 1758)		FKSNDEAI
<i>viridula</i> (DeGeer, 1775)		FKSNDEAI
Phaedon Megerle, 1823		
<i>laevigatus</i> (Duftschmid, 1825)		- -----EAI
<i>cochleariae</i> (Fabricius, 1792)		FKSNDEAI
<i>armoraciae</i> (Linnaeus, 1758)		FKSNDEAI
<i>concinus</i> (Stephens, 1831)		FKSNDE--
Hydrothassa Thomson, 1859		
<i>glabra</i> (Herbst, 1783)		FKSNDEAI
<i>marginella</i> (Linnaeus, 1758)		FKSNDEAI
<i>hannoveriana</i> (Fabricius, 1775)		FKS-DEAI
Prasocuris Latreille, 1802		
<i>junci</i> (Brahm, 1790)		--S-D-AI
<i>phellandrii</i> (Linnaeus, 1758)		FKSNDEAI
Plagioderma Chevrolat, 1837		
<i>versicolora</i> (Laicharting, 1781)		FKSNDEAI
Chrysomela Linnaeus, 1758		
<i>cuprea</i> Fabricius, 1775		FKSN-EAI
<i>lapponica</i> Linnaeus, 1758		FKSN-EAI
<i>collaris</i> Linnaeus, 1758		FKSNDEAI
<i>vigintipunctata</i> (Scopoli, 1763)		FKS--EAI
<i>populi</i> Linnaeus, 1758		FKSNDEAI
<i>tremula</i> Fabricius, 1787		FKSNDEAI
<i>saliceti</i> (Weise, 1884)		FKS-DEAI
Plagiosterna Motschulsky, 1860		
Linaeidea Motschulsky, 1860		
<i>aenea</i> (Linnaeus, 1758)		FKSNDEAI

Gonioctena Chevrolat, 1837		Lochmaea Weise, 1883	
<i>Phytodecta</i> Kirby, 1837		<i>caprea</i> (Linnaeus, 1758)	FKSNDEAI
<i>flavicornis</i> (Suffrian, 1851)	FK-N--AI	<i>suturalis</i> (Thomson, 1866)	FKSNDEAI
<i>viminalis</i> (Linnaeus, 1758)	FKSNDEAI	<i>crataegi</i> (Forster, 1771)	--S-D-AI
<i>decemnotata</i> (Marsham, 1802)	FKSNDEAI		
<i>rufipes</i> (DeGeer, 1775) nec (Linnaeus, 1758)		Galeruca Geoffroy, 1762	
<i>linnaeana</i> (Schranck, 1781)	FKSN-EAI	<i>tanaceti</i> (Linnaeus, 1758)	FKSNDEAI
<i>arctica</i> Mannerheim, 1853	FKSN---	<i>interrupta</i> Illiger, 1802	--S-D-AI
<i>affinis</i> (Gyllenhal, 1808) nec (Fabricius, 1787)		<i>circumdata</i> Duftschmid, 1825, nec Say, 1824	
<i>decaspilota</i> (Achard, 1924)	-K-----	<i>pomona</i> (Scopoli, 1763)	FKSNDEAI
<i>sundmani</i> (Jacobson, 1901)		<i>laticollis</i> Sahlberg, 1838	FKS-DEAI
<i>norvegica</i> (Strand, 1936)	FKSN----	<i>dahlii</i> (Joannis, 1865)	-----A-
<i>olivacea</i> (Forster, 1771)	----D---	<i>melanocephala</i> Ponza, 1805	FKS-D---
<i>quinquepunctata</i> (Fabricius, 1787)	FKSNDEAI		
<i>intermedia</i> (Helleisen, 1913)	FKSN-EA-	Hylaspiini Chapuis, 1875	
<i>pallida</i> (Linnaeus, 1758)	FKSNDEAI	Sermylella Reitter, 1912	
Phratora Chevrolat, 1837		<i>halensis</i> (Linnaeus, 1767)	--S-D-AI
<i>Phyllodecta</i> Kirby, 1837			
<i>vulgatissima</i> (Linnaeus, 1758)	FKSNDEAI	Agelastica Chevrolat, 1837	
<i>tibialis</i> (Suffrian, 1851)	----DEAI	<i>alni</i> (Linnaeus, 1758)	FKSNDEAI
<i>polaris</i> (Sparre Schneider, 1886)	FKSN--A-	Luperini Gistel, 1856	
<i>laticollis</i> (Suffrian, 1851)	FKSNDEAI	Phyllobrotica Chevrolat, 1837	
<i>vitellinae</i> (Linnaeus, 1758)	FKSNDEAI	<i>quadrimaculata</i> (Linnaeus, 1758)	FKSNDEAI
<i>atrovirens</i> (Cornelius, 1857)	FKSNDEAI	Calomicrus Dillwyn, 1829	
Entomoscelis Chevrolat, 1837		<i>pinicola</i> (Duftschmid, 1825)	FKS--EAI
<i>adonidis</i> (Pallas, 1771)	-k---AI		
Timarchini Motschulsky, 1860		Luperus Geoffroy, 1762	
Timarcha Dejean, 1821		<i>luperus</i> (Sulzer, 1776)	-----AI
<i>tenebricosa</i> (Fabricius, 1775)	-----A-	<i>longicornis</i> (Fabricius, 1781)	FKSNDEAI
<i>goettingensis</i> (Linnaeus, 1758)	-----AI	<i>flavipes</i> (Linnaeus, 1758)	FKSNDEAI
Galerucinae Latreille, 1802		Alticinae Newman, 1834	
Galerucini Latreille, 1802		Phyllotreta Chevrolat, 1837	
Galerucella Crotch, 1873		<i>vittula</i> (Redtenbacher, 1849)	FKSNDEAI
<i>nymphaeae</i> (Linnaeus, 1758)	FKSNDEAI	<i>armoraciae</i> (Koch, 1803)	F-S-DEAI
<i>aquatica</i> (Geoffroy, 1785)	F---D---	<i>nemorum</i> (Linnaeus, 1758)	FKSNDEAI
<i>sagittariae</i> (Gyllenhal, 1813)	FKSNDEAI	<i>undulata</i> Kutschera, 1860	FKSNDEAI
<i>kerstensi</i> Lohse, 1989		<i>tetrasigma</i> (Comolli, 1837)	FKSNDEAI
<i>grisescens</i> (Joannis, 1865)	FK---EAI	<i>dilatata</i> Thomson, 1866	--S-D---
<i>lineola</i> (Fabricius, 1781)	FKSNDEAI	<i>flexuosa</i> (Illiger, 1794)	FKSNDEAI
<i>calmariensis</i> (Linnaeus, 1767)	FKSNDEAI	<i>zimmermanni</i> (Crotch, 1873)	F-S-----
<i>pusilla</i> (Duftschmid, 1825)	FKSNDEAI	<i>striolata</i> (Fabricius, 1803)	FKSNDEAI
<i>tenella</i> (Linnaeus, 1761)	FKSNDEAI	<i>vittata</i> auct. nec (Fabricius, 1775)	
Pyrrhalta Joannis, 1865		<i>ochripes</i> (Curtis, 1837)	FKSND-AI
<i>viburni</i> (Paykull, 1799)	FKSNDEAI	<i>exclamationis</i> (Thunberg, 1784)	FKSNDEAI
Xanthogaleruca Laboissière, 1934		<i>atra</i> (Fabricius, 1775)	FKSNDEAI
<i>luteola</i> (Müller, 1766)	--S-D-AI	<i>diademata</i> Foudras, 1860	--S-----
		<i>cruciferae</i> (Goeze, 1777)	--S-D-AI
		<i>nigripes</i> (Fabricius, 1775)	FKS-DEAI

Aphthona Chevrolat, 1837			
<i>cyparissiae</i> (Koch, 1803)	-----A-	<i>atricillus</i> (Linnaeus, 1761)	FKSNDEAI
<i>abdominalis</i> (Duftschmid, 1825)	-----AI	<i>suturellus</i> (Duftschmid, 1825)	FKSNDEAI
<i>pallida</i> (Bach, 1856)	--SN--AI	<i>nasturtii</i> (Fabricius, 1792)	FKSNDEAI
<i>lutescens</i> (Gyllenhal, 1813)	FKSNDEAI	<i>quadriguttatus</i> (Pontoppidan, 1765)	--S-DEA-
<i>nigriceps</i> (Redtenbacher, 1842)	-----A-	<i>apicalis</i> (Beck, 1817)	FKSNDEA-
<i>violacea</i> (Koch, 1803)	--S--EAI	<i>holsaticus</i> (Linnaeus, 1758)	FKSNDEAI
<i>pygmaea</i> Kutschera, 1861	FKS--EAI	<i>luridus</i> (Scopoli, 1763)	FKSNDEAI
<i>atrocaerulea</i> (Stephens, 1831)	--SND--I	<i>fulgens</i> (Foudras, 1860)	F----A-
<i>cyanella</i> (Redtenbacher, 1849)		<i>brunneus</i> (Duftschmid, 1825)	FKSNDEAI
<i>venustula</i> Kutschera, 1861	--S--E-I	<i>minusculus</i> (Foudras, 1860)	-----A-
<i>euphorbiae</i> (Schrank, 1781)	FKSNDEAI	<i>fuscoaeneus</i> Redtenbacher, 1849	-----A-
<i>nonstriata</i> (Goeze, 1777)	FKSNDEAI	<i>echii</i> (Koch, 1803)	-----I
<i>coerulea</i> (Geoffroy, 1785)	FKSN-EAI	<i>niger</i> (Koch, 1803)	--S-DEAI
<i>erichsoni</i> (Zetterstedt, 1838)	--SNDEAI	<i>nigerrimus</i> (Gyllenhal, 1827)	FKSNDEAI
Longitarsus Berthold, 1827	F-SND-A-	<i>parvulus</i> (Paykull, 1799)	FKSNDEAI
<i>pellucidus</i> (Foudras, 1860)	--SNDEAI	<i>medvedevi</i> Shapiro, 1956	--S-----
<i>ochroleucus</i> (Marsham, 1802)	FKS-DEAI	<i>anchusae</i> (Paykull, 1799)	--S-DEAI
<i>jacobaeae</i> (Waterhouse, 1858)	--SNDEAI	<i>absynthii</i> Kutschera, 1862	F-S---A-
<i>sympyti</i> Heikertinger, 1912	-----AI	<i>obliteratus</i> (Rosenhauer, 1847)	-----AI
<i>succineus</i> (Foudras, 1860)	FKSNDEAI		
<i>aeruginosus</i> (Foudras, 1860)	-----A-	Altica Geoffroy, 1762	
<i>noricus</i> Leonardi, 1976	-----A-	<i>aenescens</i> Weise, 1888	FKS--EAI
<i>rubiginosus</i> (Foudras, 1860)	FKS-DEAI	<i>ampelophaga</i> (Guérin-Ménéville, 1858)	-----A-
<i>tabidus</i> (Fabricius, 1775)	FKSNDEAI	<i>lythri</i> Aubé, 1843	F---D--I
<i>nigrofasciatus</i> (Goeze, 1777)	---N--A-	<i>carduorum</i> (Guérin-Ménéville, 1858)	F-S---A-
<i>lycopi</i> (Foudras, 1860)	FKS-DEAI	<i>cirsii</i> Israelson, 1956	
<i>membranaceus</i> (Foudras, 1860)	-----A-	<i>brevicollis</i> Foudras, 1860	--S-DEA-
<i>ferrugineus</i> (Foudras, 1860)	--S-D-AI	<i>quercketorum</i> Foudras, 1860	
<i>nanus</i> (Foudras, 1860)	-----A-	<i>ssp. saliceti</i> Weise, 1888	F-SN--AI
<i>melanocephalus</i> (DeGeer, 1775)	FKSNDEAI	<i>tamaricis</i> Schrank, 1785	F---DEAI
<i>plantagomaritimus</i> Dollman, 1912	-KS-D---	<i>deserticola</i> Weise, 1889	-----A-
<i>kutscherai</i> (Rye, 1872)	FKSND--I	<i>engstromi</i> J.Sahlberg, 1893	FKSN-EAI
<i>curtus</i> (Allard, 1860)	FKSNDEAI	<i>oleracea</i> (Linnaeus, 1758)	FKSNDEAI
<i>exoletus</i> (Linnaeus, 1758)	--SNDEAI	<i>chamaenerii</i> Håkan Lindberg, 1926	FKSN-EAI
<i>pulmonariae</i> Weise, 1893	--D--	<i>palustris</i> Weise, 1888	FKSNDEAI
<i>longipennis</i> Kutschera, 1864	-----A-	<i>helianthemi</i> (Allard, 1859)	-----EAI
<i>lewisii</i> Baly, 1874	FK---EA-	<i>pusilla</i> Duftschmid, 1825, nec Gyllenhal, 1813	
<i>scutellaris</i> auct. nec (Rey, 1874)		<i>longicollis</i> (Allard, 1860)	FKSNDEA-
<i>pratensis</i> (Panzer, 1794)	F-SNDEAI	<i>britteni</i> Sharp, 1914	
<i>reichei</i> (Allard, 1860)	--SND--	<i>sandini</i> Kemner, 1919	
<i>ballotae</i> (Marsham, 1802)	-----A-	<i>opacifrons</i> Lindberg, 1938	FKS-----
<i>gracilis</i> Kutschera, 1864	--S-DEAI	<i>carinthiaca</i> Weise, 1888	F---N--A-
<i>longiseta</i> Weise, 1889	FKSN-EAI		
<i>ganglbaueri</i> Heikertinger, 1912	FKSN--AI	Hermaeophaga Foudras, 1860	--S-DE-I
<i>aeneicollis</i> (Faldermann, 1837)	-----EAI	<i>mercurialis</i> (Fabricius, 1792)	
<i>suturalis</i> (Marsham, 1802) nec (Fabricius, 1775)		Batophila Foudras, 1860	
		<i>rubi</i> (Paykull, 1799)	FKSNDEAI
		<i>fallax</i> Weise, 1888	-----A-

<i>Lythraria</i> Bedel, 1897		<i>tibialis</i> (Illiger, 1807)	F-----A-
<i>salicariae</i> (Paykull, 1800)	FKSNDEAI	<i>obesa</i> (Boieldieu, 1859)	-----A-
<i>Ochrosis</i> Foudras, 1860		<i>breviuscula</i> (Faldermann, 1837)	-----AI
<i>ventralis</i> (Illiger, 1807)	-----A-	<i>aerosa</i> (Letzner, 1846)	FKSN-EA-
<i>Neocrepidodera</i> Heikertinger, 1911		<i>aridula</i> (Gyllenhal, 1827)	FKSNDEAI
<i>Asiorestia</i> Jacobson, 1925		<i>confusa</i> (Bohemian, 1851)	--S-D-A-
<i>Crepidodera</i> auct., nec Chevrolat, 1837		<i>mannerheimii</i> (Gyllenhal, 1827)	FKS--EAI
<i>brevicollis</i> (Daniel, 1904)	--S-D---	<i>arida</i> Foudras, 1860	-----AI
<i>transversa</i> (Marsham, 1802)	--S-DEAI	<i>subcoerulea</i> (Kutschera, 1864)	F-S-D-A-
<i>impressa</i> (Fabricius, 1801)	--S-----	<i>hortensis</i> (Geoffroy, 1785)	FKSNDEAI
<i>interpunctata</i> (Motschulsky, 1859)	FK-ND-AI	<i>sahlbergii</i> (Gyllenhal, 1827)	FKSNDEAI
<i>motschulskii</i> (Konstantinov, 1991)	FKSNDEAI	<i>compressa</i> (Letzner, 1846)	-----A-
<i>sublaevis</i> auct. nec (Motschulsky, 1859)			
<i>crassicornis</i> (Faldermann, 1837)	-----A-	<i>Dibolia</i> Latreille, 1829	
<i>ferruginea</i> (Scopoli, 1763)	FKSNDEAI	<i>depressiuscula</i> Letzner, 1846	FKS-DEAI
<i>femorata</i> (Gyllenhal, 1813)	FKSNDE-I	<i>occultans</i> (Koch, 1803)	--S-DEA-
<i>nigritula</i> (Gyllenhal, 1813)	FKS--EAI	<i>timida</i> (Illiger, 1794)	-----A-
<i>Derocrepis</i> Weise, 1886		<i>cryptocephala</i> (Koch, 1803)	-----EAI
<i>rufipes</i> (Linnaeus, 1758)	-KS-DEAI	<i>cynoglossi</i> (Koch, 1803)	----DEA-
<i>Hippuriphila</i> Foudras, 1860			
<i>modeeri</i> (Linnaeus, 1761)	FKSNDEAI	<i>Sphaeroderma</i> Stephens, 1831	F-SNDEAI
<i>laevicollis</i> Hellén, 1933		<i>testaceum</i> (Fabricius, 1775)	--S-D-AI
<i>Crepidodera</i> Chevrolat, 1837		<i>rubidum</i> (Graëlls, 1858)	
<i>Chalcoides</i> Foudras, 1860			
<i>aurea</i> (Geoffroy, 1785)	----DEAI	<i>Argopus</i> Fischer v. Waldheim, 1824	
<i>fulvicornis</i> (Fabricius, 1792)	FKSNDEAI	<i>ahrensi</i> (Germar, 1817)	-----A-
<i>lapponica</i> (Heikertinger, 1950)			
<i>aurata</i> (Marsham, 1802)	FKSNDEAI	<i>Apteropeda</i> Chevrolat, 1837	
<i>plutus</i> (Latreille, 1804)	--S-D-A-	<i>splendida</i> Allard, 1860	----D---
<i>lamina</i> (Bedel, 1901)	--N--A-	<i>globosa</i> (Illiger, 1794)	----D---
<i>nitidula</i> (Linnaeus, 1758)	FKSNDEAI	<i>orbiculata</i> (Marsham, 1802)	----D---
<i>Epitrix</i> Foudras, 1860			
<i>pubescens</i> (Koch, 1803)	FKS-DEAI	<i>Mniophila</i> Stephens, 1831	--SND--I
<i>Podagrion</i> Chevrolat, 1837		<i>muscorum</i> (Koch, 1803)	
<i>fuscicornis</i> (Linnaeus, 1767)	----D---		
<i>Mantura</i> Stephens, 1831		<i>Psylliodes</i> Berthold, 1827	
<i>chrysanthemi</i> (Koch, 1803)	FKSNDEAI	<i>affinis</i> (Paykull, 1799)	FKSNDEAI
<i>obtusata</i> (Gyllenhal, 1813)	F-SNDEA-	<i>marcida</i> (Illiger, 1807)	FKSNDEAI
<i>ambigua</i> Kutschera, 1862		<i>luteola</i> (Müller, 1776)	-----EA-
<i>rustica</i> (Linnaeus, 1767)	FKSNDEAI	<i>picina</i> (Marsham, 1802)	FKSND-A-
<i>Chaetocnema</i> Stephens, 1831		<i>attenuata</i> (Koch, 1803)	FKS---AI
<i>semicoerulea</i> (Koch, 1803)	-K---EAI	<i>chrysoccephala</i> (Linnaeus, 1758)	FKSNDEAI
<i>concinna</i> (Marsham, 1802)	FKSNDEAI	<i>sophiae</i> Heikertinger, 1914	FKSNDE-I
<i>laevicollis</i> (Thomson, 1866)	FKSNDEAI	<i>napi</i> (Fabricius, 1792)	FKSNDEAI
<i>heikertingeri</i> Lubischev, 1963		<i>brisouti</i> Bedel, 1898	--S-----
		<i>cuprea</i> (Koch, 1803)	--S-DEAI
		<i>isatidis</i> Heikertinger, 1912	F-SN---
		<i>crambicola</i> Lohse, 1954	F-S-D---
		<i>cupreata</i> (Duftschmid, 1825)	-----AI
		<i>hyoscyami</i> (Linnaeus, 1758)	FKSNDEAI
		<i>chalcomera</i> (Illiger, 1807)	--S-DEAI
		<i>dulcamarae</i> (Koch, 1803)	FKS-DEAI

<i>cucullata</i> (Illiger, 1807)	FKSNDEAI	Acanthoscelidini Bridwell, 1946
<i>reitteri</i> Weise, 1888	-----A-	Acanthoscelides Schilsky, 1905
Hispinae Gyllenhal, 1813		<i>obtectus</i> (Say, 1831)
Hispa Linnaeus, 1767		<i>obsoletus</i> auct. nec (Say, 1831)
<i>atra</i> Linnaeus, 1767	--S-D-- I	
Cassidinae Stephens, 1831		Bruchidius Schilsky, 1905
Pilemostoma Desbrochers des Loges, 1891		<i>marginalis</i> (Fabricius, 1777)
<i>fastuosa</i> (Schaller, 1783)	--S-D-AI	
Hypocassida Weise, 1893		<i>unicolor</i> (Olivier, 1795)
<i>subferruginea</i> (Schrank, 1776)	FK--DEAI	
Cassida Linnaeus, 1758		<i>lividimanus</i> (Gyllenhal, 1833)
<i>viridis</i> Linnaeus, 1758	FKSNDEAI	
<i>hemisphaerica</i> Herbst, 1799	FKSNDEAI	<i>villosus</i> (Fabricius, 1792)
<i>murraea</i> Linnaeus, 1767	F-S-DEAI	
<i>nebulosa</i> Linnaeus, 1758	FKSNDEAI	<i>fasciatus</i> (Olivier, 1795)
<i>flaveola</i> Thunberg, 1794	FKSNDEAI	
<i>berolinensis</i> Suffrian, 1844	--S-----	Callosobruchus Pic, 1902
<i>lineola</i> Creutzer, 1799	-----A-	<i>chinensis</i> (Linnaeus, 1758)
<i>atrata</i> Fabricius, 1787	-----A-	
<i>seladonia</i> Gyllenhal, 1827	-----A-	<i>maculatus</i> (Fabricius, 1775)
<i>vibex</i> Linnaeus, 1767		
<i>pannonica</i> Suffrian, 1844		Amblycerini Bridwell, 1932
<i>panzeri</i> Weise, 1907		Spermophagus Schönherr, 1833
<i>ferruginea</i> Goeze, 1777		<i>sericeus</i> (Geoffroy, 1785)
<i>rubiginosa</i> Müller, 1776		
<i>stigmatica</i> Suffrian, 1844		CURCULIONOIDEA
<i>sanguinosa</i> Suffrian, 1844		Nemonychidae Bedel, 1882
<i>denticollis</i> Suffrian, 1844		Cimberidinae Des Gozis, 1882
<i>sanguinolenta</i> Müller, 1776		Cimberidini Des Gozis, 1882
<i>prasina</i> Illiger, 1798		Cimberis Des Gozis, 1881
<i>subreticulata</i> Suffrian, 1844		
<i>margaritacea</i> Schaller, 1783		<i>Rhinomacer</i> auct., nec Müller, 1764
<i>nobilis</i> Linnaeus, 1758		
<i>vittata</i> Villers, 1789		<i>attelaboides</i> (Fabricius, 1787)
Bruchinae Latreille, 1802		FKSNDEAI
Bruchini Latreille, 1802		
Bruchus Linnaeus, 1767		Doydirhynchini Pierce, 1916
<i>loti</i> Paykull, 1800		<i>Doydirhynchus</i> Dejean, 1821
<i>atomarius</i> (Linnaeus, 1761)		
<i>luteicornis</i> Illiger, 1794		<i>austriacus</i> (Olivier, 1807)
<i>rufimanus</i> Boheman, 1833		
<i>affinis</i> Frölich, 1799		Anthribidae Billberg, 1820
<i>viciae</i> Olivier, 1795		Anthribinae Billberg, 1820
<i>pisorum</i> (Linnaeus, 1758)		
		Tropiderini Lacordaire, 1866
		<i>Tropideres</i> Schönherr, 1823
		<i>albirostris</i> (Herbst, 1783)
		<i>dorsalis</i> (Thunberg, 1796)
		FKSN-EAI
		Stenocerini Kolbe, 1895
		<i>Allandrus</i> LeConte, 1876
		<i>Tropiderinus</i> auct., nec Reitter, 1916
		<i>undulatus</i> (Panzer, 1795)
		FKSNDE--
		Enedreytes Schönherr, 1839
		<i>sepicola</i> (Fabricius, 1792)
		Zygaenodini Lacordaire, 1866
		Rhaphitropis Reitter, 1916
		<i>marchicus</i> (Herbst, 1797)
		Dissoleucas Jordan, 1925
		<i>niveirostris</i> (Fabricius, 1798)
		FKSNDEAI

Platyrhinini Bedel, 1882		
<i>Platyrhinus</i> Clairville & Schellenberg, 1798		
<i>resinosus</i> (Scopoli, 1763)	FKSNDEAI	
Platystomini Pierce, 1916		
<i>Platystomos</i> Schneider, 1791		
<i>albinus</i> (Linnaeus, 1758)	FKSNDEAI	
Anthribini Billberg, 1820		
<i>Anthribus</i> Geoffroy, 1762		
<i>Brachytarsus</i> Schönherr, 1823		
<i>fasciatus</i> Forster, 1770	F-S?DEA-	
<i>scapularis</i> (Gebler, 1833)	FKSNDEAI	
<i>nebulosus</i> Forster, 1770	FKSNDEAI	
Choraginae Kirby, 1819		
<i>Araecerus</i> Schönherr, 1823		
<i>coffeae</i> (Fabricius, 1801)	f-snd---	
<i>fasciculatus</i> auct., nec (DeGeer, 1775)		
<i>Choragus</i> Kirby, 1819		
<i>sheppardi</i> Kirby, 1819	FKS-D---	
<i>horni</i> Wolfrum, 1930	--SND-A-	
Urodontinae Thomson, 1859		
<i>Bruchela</i> Dejean, 1821		
<i>Urodon</i> Schönherr, 1823		
<i>suturalis</i> (Fabricius, 1793)	-----I	
Attelabidae Billberg, 1820		
Rhynchitinae Gistel, 1848		
Rhynchitini Gistel, 1848		
<i>Lasiorhynchites</i> Jekel, 1860		
<i>sericeus</i> (Herbst, 1797)	----D---	
<i>cavifrons</i> (Gyllenhal, 1833)	----D---	
<i>olivaceus</i> (Gyllenhal, 1833)	--S-D---	
<i>coeruleocephalus</i> (Schaller, 1783)	-----I	
<i>Temnocerus</i> Thunberg, 1815		
<i>Pselaphorhynchites</i> Schilsky, 1903		
<i>nanus</i> (Paykull, 1792)	FKSNDEAI	
<i>tomentosus</i> (Gyllenhal, 1839)	FKSNDEAI	
<i>longiceps</i> (Thomson, 1888)	FKSND-AI	
<i>Neocoenorrhinus</i> Voss, 1952		
<i>Caenorhinus</i> auct., nec Thomson, 1859		
<i>germanicus</i> (Herbst, 1797)	FKSNDEAI	
<i>aeneovirens</i> (Marsham, 1802)	--SNDE-I	
<i>interpunctatus</i> (Stephens, 1831)	--S-DE--	
<i>pauxillus</i> (Germar, 1824)	--S-D--I	
<i>aequatus</i> (Linnaeus, 1767)	F-SNDEAI	
<i>Rhynchites</i> Schneider, 1791		
<i>cupreus</i> (Linnaeus, 1758)	FKSNDEAI	
		<i>auratus</i> (Scopoli, 1763) -----EAI
		<i>bacchus</i> (Linnaeus, 1758) -----I
		Byctiscini Voss, 1923
		<i>Byctiscus</i> Thomson, 1859
		<i>betulae</i> (Linnaeus, 1758) FKSND EAI
		<i>populi</i> (Linnaeus, 1758) FKSND EAI
		Deporaini Voss, 1929
		<i>Deporaus</i> Leach, 1819
		<i>Caenorhinus</i> Thomson, 1859
		<i>mannerheimii</i> (Hummel, 1823) FKSND EAI
		<i>betulae</i> (Linnaeus, 1758) FKSND EAI
		Attelabinae Billberg, 1820
		<i>Attelabus</i> Linnaeus, 1758
		<i>nitens</i> (Scopoli, 1763) --S-DEAI
		Apoderinae Jekel, 1860
		<i>Apoderus</i> Olivier, 1807
		<i>coryli</i> (Linnaeus, 1758) FKSND EAI
		<i>erythropterus</i> (Gmelin, 1790) -----AI
		Apionidae Schönherr, 1823
		<i>Apioninae</i> Schönherr, 1823
		<i>Apion</i> Herbst, 1797
		<i>laevigatum</i> (Paykull, 1792) FKSND --
		<i>sorbi</i> (Fabricius, 1792)
		<i>dispar</i> Germar, 1817 --S-DEA-
		<i>hookerorum</i> Kirby, 1808 FKSND EAI
		<i>onopordi</i> Kirby, 1808 FKSND EAI
		<i>penetrans</i> Germar, 1817 --S-DEAI
		<i>basicorne</i> Illiger, 1807 -KS-D---
		<i>alliariae</i> auct. nec (Linnaeus, 1758)
		<i>carduorum</i> Kirby, 1808 --S-D---
		<i>gibbirostre</i> Gyllenhal, 1813 FKSND EAI
		<i>carduorum</i> auct. nec Kirby, 1808 --S-DE--
		<i>armatum</i> Gerstaeker, 1854 -----DEA-
		<i>austriacum</i> Wagner, 1904 FKSND EAI
		<i>confluens</i> Kirby, 1808 FKSND EAI
		<i>stolidum</i> Germar, 1817 FKSND EAI
		<i>detritum</i> Mulsant & Rey, 1859 -----D---
		<i>suclifrons</i> Herbst, 1797 --S-DEAI
		<i>aeneum</i> (Fabricius, 1775) --S-D--I
		<i>radiolus</i> (Marsham, 1802) FKSND EAI
		<i>holosericeum</i> Gyllenhal, 1833 -----A-
		<i>minimum</i> Herbst, 1797 FKSND EAI
		<i>elongatum</i> Germar, 1817 -----EAI
		<i>cineraceum</i> Wencker, 1864 FKS--E-I
		<i>flavimanum</i> Gyllenhal, 1833 --S-DE--
		<i>vicinum</i> Kirby, 1808 FKSND --

<i>origani</i> Planet, 1918	--S-----	<i>rubiginosum</i> Grill, 1893	FKSNDEAI
<i>atomarium</i> Kirby, 1808	FKS-DEA-	<i>sanguineum</i> auct. nec (DeGeer, 1775)	
<i>oblivium</i> Schilsky, 1902	--S-D---	<i>rubens</i> Stephens, 1839	FKSNDEAI
<i>hoffmanni</i> Wagner, 1930	F-S-----	<i>seniculus</i> Kirby, 1808	FKSNDEAI
<i>pallipes</i> Kirby, 1808	--S-DEA-	<i>meieri</i> (Desbrochers des Loges, 1901)	FKSNDE--
<i>urticarium</i> (Herbst, 1784)	FKSNDEAI	<i>pubescens</i> Kirby, 1811	--S-DE--
<i>rufirostre</i> (Fabricius, 1775)	--S-D---	<i>simile</i> Kirby, 1811	FKSNDEAI
<i>compactum</i> Desbrochers des Loges, 1888	----D---	<i>tenue</i> Kirby, 1808	--SNDEAI
<i>difficile</i> Herbst, 1797	----D---	<i>meliloti</i> Kirby, 1808	F-SNDEA-
<i>elongatum</i> Desbrochers des Loges, 1891	-----I	<i>loti</i> Kirby, 1808	FKSNDEAI
<i>fuscirostre</i> (Fabricius, 1775)	--S-D---	<i>modestum</i> Germar, 1817	--S-D---
<i>astragali</i> (Paykull, 1800)	--SNDEAI	<i>plumbeomicans</i> auct. nec Rosenhauer, 1856	
<i>gracilipes</i> Dietrich, 1857	F-S----I	<i>sicardi</i> auct. nec Desbrochers des Loges, 1893	
<i>fulvipes</i> (Geoffroy, 1785)	FKSNDEAI	<i>virens</i> Herbst, 1797	FKSNDEAI
<i>dichroum</i> Bedel, 1885		<i>atratulum</i> Kirby, 1808	----D---
<i>flavipes</i> (Paykull, 1792) nec (DeGeer, 1775)	--S-DEA-	<i>ebeninum</i> Kirby, 1808	FKSNDEAI
<i>nigritarse</i> Kirby, 1808	--S-DEAI	<i>pisi</i> (Fabricius, 1801)	F-S-DEAI
<i>filirostre</i> Kirby, 1808	FKSNDEAI	<i>aestimatum</i> Faust, 1890	-----AI
<i>trifolii</i> (Linnaeus, 1768)		<i>aethiops</i> Herbst, 1797	FKSNDEAI
<i>aestivum</i> Germar, 1817		<i>ononis</i> Kirby, 1808	--S-D--I
<i>ruficrus</i> Germar, 1817	-----EA-	<i>pavidum</i> Germar, 1817	-----EAI
<i>interjectum</i> Desbrochers des Loges, 1895	FKSND---	<i>immune</i> Kirby, 1808	-----D---
<i>boreum</i> Gönget, 1997		<i>punctirostre</i> Gyllenhal, 1839	-----I
<i>apricans</i> Herbst, 1797	FKSNDEAI	<i>scandinavicum</i> Dieckmann, 1977	F-SN----
<i>varipes</i> Germar, 1817	-KSND-I	<i>brundini</i> Wagner, 1943	FKSN----
<i>assimile</i> Kirby, 1808	FKSNDEAI	<i>columbinum</i> Germar, 1817	F-SNDE--
<i>ononidis</i> Gyllenhal, 1827	-KSND-EA-	<i>spencii</i> Kirby, 1808	FKSNDEAI
<i>ononicola</i> Bach, 1854		<i>afer</i> Gyllenhal, 1833	FKSN-EA-
<i>dissimile</i> Germar, 1817	--S-DEA-	<i>platalea</i> auct. nec Germar, 1817	
<i>brevirostre</i> Herbst, 1797	----D---	<i>gnarum</i> Faust, 1890	-K-----
<i>sumum</i> Germar, 1817	FKS-DEAI	<i>gyllenhali</i> Kirby, 1808	FKSNDEAI
<i>violaceum</i> Kirby, 1808	FKSNDEAI	<i>subulatum</i> Kirby, 1808	FKSNDEAI
<i>hydrolapathi</i> (Marsham, 1802)	--S-D---	<i>opeticum</i> Bach, 1854	FKS-DEAI
<i>laticeps</i> Desbrochers des Loges, 1870	FK-----	<i>craccae</i> (Linnaeus, 1767)	--SNDEAI
<i>lindbergi</i> Wagner, 1943		<i>cerdo</i> Gerstaecker, 1854	FKSNDEAI
<i>marthicum</i> Herbst, 1797	FKSNDEAI	<i>pomonae</i> (Fabricius, 1798)	--S-D-AI
<i>affine</i> Kirby, 1808	FKSNDEA-	<i>flavifemoratum</i> Herbst, 1797	-----D---
<i>sedi</i> Germar, 1818	FKSNDEAI	<i>viciae</i> (Paykull, 1800)	FKSNDEAI
<i>curtirostre</i> Germar, 1817	FKSNDEAI	<i>voisini</i> (Ehret, 1997)	
<i>oblongum</i> Gyllenhal, 1827	-----A-	<i>ervi</i> Kirby, 1808	FKSNDEAI
<i>frumentarium</i> (Linnaeus, 1758)	--SNDEAI	<i>melancholicum</i> Wencker, 1864	F-SND-A-
<i>sanguineum</i> (DeGeer, 1775)		<i>vorax</i> Herbst, 1797	--S-D-AI
<i>miniatum</i> Germar, 1833		<i>punctigerum</i> (Paykull, 1792)	F-SNDE-I
<i>haematodes</i> Kirby, 1808	FKSNDEAI	<i>facetum</i> Gyllenhal, 1839	FKSNDEA-
<i>frumentarium</i> (Paykull, 1792) nec (Linnaeus, 1758)		<i>Nanophyinae</i> Gistel, 1848	
<i>cruentatum</i> Walton, 1844	F-SNDEAI	<i>Nanophyes</i> Schönherr, 1838	
		<i>Nanodes</i> Schönherr, 1825	
		<i>circumscriptus</i> Aubé, 1864	F-S--EA-

<i>marmoratus</i> (Goeze, 1777)	FKSNDEAI	<i>rectus</i> Thomson, 1865	F-SND---
<i>globulus</i> (Germar, 1821)	--S----	<i>laticollis</i> auct. nec Boheman, 1843	--S-D-A-
<i>sahlbergi</i> (Sahlberg, 1835)	FKS-DE--	<i>spinimanus</i> Germar, 1824	--S-DEA-
Circulionidae Latreille, 1802		<i>digitalis</i> (Gyllenhal, 1827)	--S-D---
Entiminae Schönherr, 1823		<i>heymesi</i> Hybenthal, 1934	-KS-DE-I
Otiorhynchini Schönherr, 1826		<i>scabriculus</i> (Linnaeus, 1771)	FKSNDEAI
Otiorhynchus Germar, 1822		<i>bifoveolatus</i> (Beck, 1817)	-KS-D-A-
<i>lugdunensis</i> Boheman, 1843	--S-DEA-	<i>angustisetulus</i> Hansen, 1915	FKSNDEAI
<i>fusipes</i> (Olivier, 1807)	----dE--	<i>aristatus</i> (Gyllenhal, 1827)	
<i>arcticus</i> (O. Fabricius, 1780)	FKSnd---		
<i>politus</i> Gyllenhal, 1834	FK-----		
<i>raucus</i> (Fabricius, 1777)	FKSNDEAI		
<i>nodosus</i> (Müller, 1764)	FKSNDEAI		
<i>dubius</i> (Ström, 1783)	--SND---		
<i>rugosostriatus</i> (Goeze, 1777)	F-SNDE--		
<i>porcatus</i> (Herbst, 1795)	FKSNDEAI		
<i>scaber</i> (Linnaeus, 1758)	----D---	Phyllobiini Schönherr, 1826	
<i>uncinatus</i> Germar, 1824	--SND---	Phyllobius Germar, 1824	
<i>ligneus</i> (Olivier, 1807)	FKSNDEAI	<i>cinerascens</i> (Fabricius, 1792)	-----I
<i>singularis</i> (Linnaeus, 1767)	--SN----	<i>viridicollis</i> (Fabricius, 1792)	FKSNDEA-
<i>lepidopterus</i> (Fabricius, 1794)		<i>brevis</i> Gyllenhal, 1834	-----I
<i>salicis</i> (Ström, 1788) nec (Linnaeus, 1758)		<i>roboretanus</i> Gredler, 1882	-----E-I
<i> sulcatus</i> (Fabricius, 1775)	F-SNDEA-	<i>parvulus</i> (Olivier, 1807) nec (Fabricius, 1792)	
<i>rugifrons</i> (Gyllenhal, 1813)	FKSND-A-	<i>virideae</i> (Laicharting, 1781)	FKSNDEAI
<i>smreczynskii</i> Cmoluch, 1968	----D---	<i>oblongus</i> (Linnaeus, 1758)	FKSNDEAI
<i>rotundus</i> Marseul, 1872	-----I	<i>pyri</i> (Linnaeus, 1758)	FKSNDEAI
<i>rotundatus</i> Siebold, 1837, nec (Gmelin, 1790)	FKSNDEA-	<i>vespertinus</i> (Fabricius, 1792)	--S-DEA-
<i>desertus</i> Rosenhauer, 1847	----D---	<i>maculicornis</i> Germar, 1824	FKSNDEAI
<i>crataegi</i> Germar, 1824	FKSNDEAI	<i>argentatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>ovatus</i> (Linnaeus, 1758)	F-S-DEAI	<i>betulinus</i> (Bechstein & Scharfenberg, 1805)	-----AI
<i>tristis</i> (Scopoli, 1763)	-----A-	<i>betulae</i> (Fabricius, 1801) nec (Linnaeus, 1758)	
<i>aurosparsus</i> Germar, 1824	FKSNDEAI	<i>arborator</i> (Herbst, 1797)	FK---EAI
<i>ligustici</i> (Linnaeus, 1758)	--SND--I	<i>scutellaris</i> Redtenbacher, 1849	-K-----
<i>atroapterus</i> (De Geer, 1775)	--S-----	<i>glaucus</i> (Scopoli, 1763)	FKSNDEAI
<i>dieckmanni</i> Magnano, 1979	-----A-	<i>calcaratus</i> (Fabricius, 1792)	
<i>conspersus</i> (Herbst, 1795)	-----I	<i>pomaceus</i> Gyllenhal, 1834	FKSNDEAI
<i>orbicularis</i> (Herbst, 1795)		<i>urticae</i> (De Geer, 1775) nec (Scopoli, 1763)	
Peritelini Lacordaire, 1863			
Simo Dejean, 1821			
<i>Homorhythmus</i> Bedel, 1883		Polydrosini Schönherr, 1823	
<i>Peritelus</i> auct., nec Germar, 1824		Polydrusus Germar, 1817	
<i>hirticornis</i> (Herbst, 1795)	--SND--	<i>marginatus</i> Stephens, 1831	---N----
<i>variegatus</i> (Bohemian, 1843)	----D---	<i>pallidus</i> (Gyllenhal, 1834)	----DEAI
Trachyphloeini Lacordaire, 1863		<i>atomarius</i> (Olivier, 1807) nec (Linnaeus, 1761)	
Trachyphloeus Germar, 1817		<i>pterygomalis</i> Boheman, 1840	-KS-DEA-
<i>alternans</i> Gyllenhal, 1834	--S-D---	<i>corruscus</i> Germar, 1824	-----EAI
		<i>flavipes</i> (De Geer, 1775)	FKSNDEAI
		<i>impressifrons</i> Gyllenhal, 1834	--S---A-
		<i>cervinus</i> (Linnaeus, 1758)	F-SNDEAI
		<i>pilosus</i> Gredler, 1866	FKSN-EAI
		<i>pulchellus</i> Stephens, 1831	----D---

<i>confluens</i> Stephens, 1831	----D---	Philopedon Schönherr, 1826	
<i>undatus</i> (Fabricius, 1781)	FKSNDEAI	<i>plagiatus</i> (Schaller, 1783)	FKSNDEAI
<i>fulvicornis</i> (Fabricius, 1792)	FKSN-EAI	Geonemini Gistel, 1856	
<i>ruficornis</i> (Bonsdorff, 1785) nec (Linnaeus, 1758)		<i>Barynotus</i> Germar, 1817	
<i>picus</i> (Fabricius, 1792)	-----I	<i>obscurus</i> (Fabricius, 1775)	FKSNDEAI
<i>formosus</i> (Mayer, 1779)	--S-D--I	<i>squamosus</i> Germar, 1824	--SND---
<i>splendidus</i> (Herbst, 1784)		<i>moerens</i> (Fabricius, 1792)	FKSNDEA-
<i>sericeus</i> (Schaller, 1783) nec (Goeze, 1777)			
<i>mollis</i> (Ström, 1768)	FKSNDEAI	Tropiphorini Marseul, 1863	
Sciaphilini Sharp, 1891		Tropiphorus Schönherr, 1842	
Sciaphobus Daniel, 1904		<i>elevatus</i> (Herbst, 1795)	FKSNDEAI
<i>rubi</i> (Gyllenhal, 1813)	--S-----	<i>carinatus</i> (Müller, 1776) nec (Linnaeus, 1767)	
Sciaphilus Schönherr, 1823		<i>terricola</i> (Newman, 1838)	F-S-D---
<i>asperatus</i> (Bonsdorff, 1785)	FKSNDEAI	<i>tomentosus</i> (Marsham, 1802) nec (Olivier, 1790)	
Brachysomus Schönherr, 1823		<i>obtusus</i> (Bonsdorff, 1785)	-KSNDE-I
<i>echinatus</i> (Bonsdorff, 1785)	FKSNDEAI		
Foucartia Jacquelain du Val, 1854		Tanymecini Lacordaire, 1863	
<i>squamulata</i> (Herbst, 1795)	--S-----	Cycloderes Sahlberg, 1823	
Barypeithes Jacquelain du Val, 1854		<i>pilosulus</i> (Herbst, 1795)	-----I
<i>chevrolati</i> (Boheman, 1843)	--S-----	Chlorophanus Sahlberg, 1823	
<i>pellucidus</i> (Boheman, 1834)	FKSNDEA-	<i>viridis</i> (Linnaeus, 1758)	FK--DEAI
<i>trichopterus</i> (Gautier des Cottes, 1863)	--S-DEAI	<i>graminicola</i> (Schönherr, 1832)	-----EAI
<i>mollicomus</i> (Ahrens, 1812)	FKSNDE--	Tanymecus Germar, 1817	
<i>araneiformis</i> (Schrank, 1781)	--SNDE--	<i>palliatus</i> (Fabricius, 1787)	FKS-DEAI
Brachyderini Schönherr, 1826		Sitonini Gistel, 1856	
Brachyderes Schönherr, 1823		Sitona Germar, 1817	
<i>icanus</i> (Linnaeus, 1758)	FKSNDEAI	<i>gressorius</i> (Fabricius, 1792)	--S----I
Strophosoma Billberg, 1820		<i>griseus</i> (Fabricius, 1775)	--SNDEAI
<i>Neliocarus</i> Thomson, 1859		<i>cambricus</i> Stephens, 1831	---DE--
<i>fulvicorne</i> Walton, 1848	F-SND-A-	<i>cinerascens</i> (Fåhraeus, 1840)	--S-D---
<i>curvipes</i> Thomson, 1865		<i>regensteinensis</i> (Herbst, 1797)	F-S-D---
<i>melanogrammum</i> (Forster, 1771)	F-SNDEAI	<i>striatellus</i> Gyllenhal, 1834	-K--DEAI
<i>septentrionale</i> Pelletier, 1995		<i>tibialis</i> (Herbst, 1795) nec (Sparrman, 1787)	
<i>capitatum</i> (DeGeer, 1775)	FKSNDEAI	<i>lineatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>rufipes</i> Stephens, 1831		<i>inops</i> Schönherr, 1832	-----EA-
<i>faber</i> (Herbst, 1785)	--SND-AI	<i>suturalis</i> Stephens, 1831	FKSNDEAI
<i>sus</i> Stephens, 1831	--SND---	<i>lateralis</i> Gyllenhal, 1834	FKSND-A-
<i>laterale</i> (Paykull, 1792) nec (Panzer, 1789)		<i>ononidis</i> Sharp, 1866	
Cneorhinini Lacordaire, 1863		<i>sulcifrons</i> (Thunberg, 1798)	FKSNDEAI
Liophloeus Germar, 1817		<i>puncticollis</i> Stephens, 1831	FKSNDEAI
<i>tessulatus</i> (Müller, 1776)	F-SNDEAI	<i>lepidus</i> Gyllenhal, 1834	FKSNDEAI
Attagenetus Tournier, 1876		<i>flavescens</i> (Marsham, 1802) nec (Fabricius, 1787)	
<i>Cneorhinus</i> auct., nec Schönherr, 1823		<i>longulus</i> Gyllenhal, 1834	-----EA-
<i>plumbeus</i> (Marsham, 1802)	--S-D---	<i>lineellus</i> (Bonsdorff, 1785)	FKSNDEAI
<i>exaratus</i> (Marsham, 1802) nec (Gmelin, 1790)		<i>decipiens</i> Lindberg, 1933	
		<i>ambiguus</i> Gyllenhal, 1834	FKSNDEAI
		<i>macularius</i> (Marsham, 1802)	FK--DEAI
		<i>crinitus</i> (Herbst, 1795) nec (Gmelin, 1790)	

<i>waterhousei</i> Walton, 1846	----D---	Cyclominae Schönherr, 1826
<i>hispidulus</i> (Fabricius, 1777)	FKSNDEAI	Rhytirrhinini Lacordaire, 1863
<i>cylindricollis</i> (Fåhraeus, 1840)	F-SNDEAI	Gronops Schönherr, 1823
<i>humeralis</i> Stephens, 1831	F-SNDEAI	<i>lunatus</i> (Fabricius, 1775) --S-DE--
Lixinae Schönherr, 1823		<i>inaequalis</i> Boheman, 1842 FKS-DEAI
Lixini Schönherr, 1823		
Larinus Dejean, 1821		Hyperinae Marseul, 1863
<i>planus</i> (Fabricius, 1792)	--NDEAI	Hypera Germar, 1817
<i>sturnus</i> (Schaller, 1783)	FKS--EAI	<i>Phytonomus</i> Schönherr, 1823
<i>jaceae</i> (Fabricius, 1775)	-----EA-	<i>zoilus</i> (Scopoli, 1763) FKSNDEAI
Lixus Fabricius, 1801	FKS-DEAI	<i>punctata</i> (Fabricius, 1775)
<i>paraplecticus</i> (Linnaeus, 1758)	FKSNDEAI	<i>vidua</i> Gené, 1837 --SN----
<i>iridis</i> Olivier, 1807	-----I	<i>dauci</i> (Olivier, 1807) -KS-DEAI
<i>albomarginatus</i> Boheman, 1843		<i>fasciculata</i> (Herbst, 1795) nec (DeGeer, 1775)
<i>ascanii</i> auct. nec Linnaeus, 1767		<i>arundinis</i> (Paykull, 1792) --S-DEAI
<i>myagri</i> Olivier, 1807	----D---	<i>pollux</i> (Fabricius, 1796) FKSNDEAI
<i>punctiventris</i> Boheman, 1836	-----?	<i>adspersa</i> (Fabricius, 1793) nec (Fabricius, 1775)
<i>bardanae</i> (Fabricius, 1787)	---SN-EAI	<i>rumicis</i> (Linnaeus, 1758) FKSNDEAI
Rhinocyllini Lacordaire, 1863		<i>contaminata</i> (Herbst, 1795) -----A-
Rhinocyllus Germar, 1819		<i>meles</i> (Fabricius, 1792) FKSNDEAI
<i>conicus</i> (Frölich, 1792)	-----E-I	<i>fornicata</i> (Penecke, 1928) F-S-----
Cleonini Schönherr, 1826		<i>arator</i> (Linnaeus, 1758) FKSNDEAI
Temnorhinus Chevrolat, 1873		<i>diversipunctata</i> (Schrank, 1798) FKSNDEAI
<i>hololeucus</i> (Pallas, 1781)	-----I	<i>elongata</i> (Paykull, 1792) nec (Fabricius, 1775)
Coniocleonus Motschulsky, 1860		<i>suspiciosa</i> (Herbst, 1795) FKSNDEAI
<i>hollbergi</i> (Fåhraeus, 1842)	FKSNDEAI	<i>pedestris</i> (Paykull, 1792) nec (Poda, 1761)
<i>turbatus</i> (Fåhraeus, 1842)		<i>obovata</i> (Csiki, 1934) -KS-DEAI
<i>glaucus</i> (Fabricius, 1787) nec (Scopoli, 1763)		<i>denominanda</i> (Capiomont, 1868) FKSND---
<i>nebulosus</i> (Linnaeus, 1758)	FKSNDEAI	<i>postica</i> (Gyllenhal, 1813) FKSNDEAI
Stephanocleonus Motschulsky, 1860		<i>variabilis</i> (Herbst, 1795) nec (Fabricius, 1777)
<i>tetragrammus</i> (Pallas, 1781)	-----A-	<i>fuscocinerea</i> (Marsham, 1802) -KS-DEAI
Bothrynoderes Schönherr, 1823		<i>murina</i> (Fabricius, 1793) nec (Müller, 1764)
Chromoderus Motschulsky, 1860		<i>plantaginis</i> (DeGeer, 1775) F-SNDEAI
<i>affinis</i> (Schrank, 1781)	FKSNDEAI	<i>nigrirostris</i> (Fabricius, 1775) FKSNDEAI
<i>fasciatus</i> (Müller, 1776) nec (Scopoli, 1763)		<i>venusta</i> (Fabricius, 1781) --SNDEAI
Pseudocleonus Chevrolat, 1873		<i>trilineata</i> (Marsham, 1802)
<i>grammicus</i> (Panzer, 1789)	--S-----	<i>viciae</i> (Gyllenhal, 1813) FKSNDEAI
<i>cinereus</i> (Schrank, 1781)	-----I	
Cyphocleonus Motschulsky, 1860		Limobius Schönherr, 1847
<i>dealbatus</i> (Gmelin, 1790)	----DEAI	<i>borealis</i> (Paykull, 1792) FKSNDE--
<i>tigrinus</i> (Panzer, 1789) nec (Geoffroy, 1785)		
<i>trisulcatus</i> (Herbst, 1795)	FKS-DE-I	Erirhininae Schönherr, 1825
Cleonis Dejean, 1821		Erirhinini Schönherr, 1825
<i>pigra</i> (Scopoli, 1763)	FKSNDEAI	Notarini Zumpt, 1926

<i>festucae</i> (Herbst, 1795)	FKSNDEAI	<i>majalis</i> (Paykull, 1792)	FKSNDEA-
<i>nereis</i> (Paykull, 1800)	FKSNDEAI	<i>dorsalis</i> (Linnaeus, 1758)	FKSNDEAI
<i>scirrhosus</i> (Gyllenhal, 1836)	FKSNDEA-		
Notaris Germar, 1817	-KSNDEAI	Styphlini Jekel, 1861	
<i>bimaculatus</i> (Fabricius, 1787)	FKSNDEAI	Comasinus Dejean, 1821	
<i>scirpi</i> (Fabricius, 1792)	FKSNDEAI	<i>Orthochaetes</i> Germar, 1824	--S-D---
<i>acridulus</i> (Linnaeus, 1758)	FKSNDEAI	<i>setiger</i> (Beck, 1817)	
<i>aethiops</i> (Fabricius, 1792)	FKSNDEAI	Pseudostyphlus Tournier, 1874	
<i>maerkeli</i> (Boheman, 1843)	-----EAI	<i>pillumus</i> (Gyllenhal, 1836)	FKS-DEA-
Tanysphyrinae Gistel, 1856			
Tanysphyrus Germar, 1817		Smicronychini Seidlitz, 1891	
<i>lemnæ</i> (Paykull, 1792)	FKSNDEAI	Smicronyx Schönherr, 1843	
<i>callae</i> Voss, 1943		<i>reichii</i> (Gyllenhal, 1836)	--S-----
<i>ater</i> Blatchley, 1928	FKS-----	<i>jungermanniae</i> (Reich, 1797)	--SND---
<i>makolskii</i> Smreczynski, 1957		<i>smreczynskii</i> Solari, 1952	FKS-D---
Curculioninae Latreille, 1802		<i>politus</i> Thomson, 1865, nec Boheman, 1843	
Ellescini Thomson, 1859		<i>coecus</i> (Reich, 1797)	----DE--
<i>Ellescus</i> Dejean, 1821			
<i>scanicus</i> (Paykull, 1792)	FKSNDEAI	Cionini Schönherr, 1825	
<i>bipunctatus</i> (Linnaeus, 1758)	FKSNDEAI	Cionus Clairville & Schellenberg, 1798	
<i>infirmitus</i> (Herbst, 1795)	-----EAI	<i>alauda</i> (Herbst, 1784)	---N----
Dorytomus Germar, 1817		<i>tuberculosus</i> (Scopoli, 1763)	FKSNDEAI
<i>longimanus</i> (Forster, 1771)	--S-D-AI	<i>scrophulariae</i> (Linnaeus, 1758)	FKSNDEAI
<i>schoenherri</i> Faust, 1882	-----EAI	<i>hortulanus</i> (Geoffroy, 1785)	FKSNDEAI
<i>nordenskioldi</i> Faust, 1882	-K---E-I	<i>longicollis</i> Brisout de Barneville, 1863	FKSN-EAI
<i>tremulae</i> (Fabricius, 1787)	FKSNDEAI	<i>montanus</i> Wingelmüller, 1914	
<i>tortrix</i> (Linnaeus, 1761)	FKSNDEAI	<i>olivieri</i> Rosenschöeld, 1838	-----EA-
<i>filirostris</i> (Gyllenhal, 1836)	--S-DE--	<i>nigritarsis</i> Reitter, 1904	FKSNDEA-
<i>minutus</i> (Gyllenhal, 1836)	-----EA-	Stereonychus Suffrian, 1854	
<i>suratus</i> (Gyllenhal, 1836)	-----AI	<i>fraxini</i> (DeGeer, 1775)	FKS-DEAI
<i>flavipes</i> (Panzer, 1797) nec (DeGeer, 1775)		Cleopus Dejean, 1821	
<i>lapponicus</i> J.Sahlberg, 1892	F-SN----	<i>pulchellus</i> (Herbst, 1795)	F-SNDEA-
<i>ictor</i> (Herbst, 1795)	F-S-D-AI	<i>solani</i> (Fabricius, 1792)	-----A-
<i>validirostris</i> (Gyllenhal, 1836)			
<i>hirtipennis</i> (Bedel, 1884)	F-SNDE-I	Tychiini Gistel, 1848	
<i>edoughensis</i> Desbrochers des Loges, 1875	FKSNDEAI	Tychius Germar, 1817	
<i>affinis</i> (Paykull, 1800) nec (Schrank, 1781)		<i>quinquepunctatus</i> (Linnaeus, 1758)	FKSNDEAI
<i>reussi</i> Formanek, 1908	-----A-	<i>parallelus</i> (Panzer, 1794)	--S-D--I
<i>dejeani</i> Faust, 1882	F-SNDEAI	<i>venustus</i> (Fabricius, 1787) nec (Fabricius, 1781)	
<i>taeniatus</i> (Fabricius, 1781)	FKSNDEAI	<i>polylineatus</i> (Germar, 1824)	FKSNDEAI
<i>occallescens</i> (Gyllenhal, 1836)	-----A-	<i>schneideri</i> (Herbst, 1795)	-KS-D-AI
<i>melanophthalmus</i> (Paykull, 1792)	FKSNDEAI	<i>squamulatus</i> Gyllenhal, 1836	--SND-AI
<i>rufatus</i> (Bedel, 1886)	FKSNDEAI	<i>flavicollis</i> auct. nec Stephens, 1831	
<i>rufulus</i> (Bedel, 1884) nec (Mannerheim, 1853)		<i>medicaginis</i> Brisout de Barneville, 1862	-----A-
<i>salicinus</i> (Gyllenhal, 1827)	FKSNDEA-	<i>aureolus</i> Kiesenwetter, 1851	-----A-
<i>salicis</i> Walton, 1851	FKSNDEAI	<i>trivialis</i> Boheman, 1843	----DE--
		<i>kiesenwetteri</i> Tournier, 1873	
		<i>crassirostris</i> Kirsch, 1871	----D---
		<i>junceus</i> (Reich, 1797)	--S-D-AI

<i>breviusculus</i> Desbrochers des Loges, 1873	F-S--EAI	Curculionini Latreille, 1802
<i>micaceus</i> Rey, 1895		<i>Curculio</i> Linnaeus, 1758
<i>haematopus</i> auct. nec Gyllenhal, 1836		<i>venosus</i> (Gravenhorst, 1807) --S-D-AI
<i>meliloti</i> Stephens, 1831	F-SNDEAI	<i>nucum</i> Linnaeus, 1758 F-SNDEAI
<i>stephensi</i> Gyllenhal, 1836	FKSNDEAI	<i>glandium</i> Marsham, 1802 -----DEAI
<i>tomentosus</i> (Herbst, 1795) nec (Olivier, 1790)		<i>villosus</i> Fabricius, 1781 --SNDEAI
<i>sharpi</i> Tournier, 1873	-----EA-	<i>betulae</i> (Stephens, 1831) FKSNDDEAI
<i>picrostris</i> (Fabricius, 1787)	FKSNDEAI	<i>cerasorum</i> Paykull, 1792, nec Fabricius, 1775
<i>lineatulus</i> Stephens, 1831	--S-DEA-	<i>rubidus</i> (Gyllenhal, 1836) -----I
<i>Sibinia</i> Germar, 1817		<i>Archarius</i> Gistel, 1848
<i>sodalis</i> Germar, 1824	----D---	<i>crux</i> (Fabricius, 1777) FKSND-AI
<i>phalerata</i> (Gyllenhal, 1836)	--S-DE-I	<i>salicivorus</i> (Paykull, 1792) FKSNDDEAI
<i>primita</i> (Herbst, 1795)	FKSND-A-	<i>pyrrhoceras</i> (Marsham, 1802) --SNDEAI
<i>pyrrhodactyla</i> (Marsham, 1802)	FKSND-AI	
<i>potentillae</i> Germar, 1824		<i>Rhamphini</i> Rafinesque, 1815
<i>pellucens</i> (Scopoli, 1772)	FK---EAI	<i>Rhynchaenus</i> Clairville & Schellenberg, 1798
<i>viscariae</i> (Linnaeus, 1761)	FKSN-EAI	<i>Orchestes</i> Illiger, 1804
Acalyptini Thomson, 1859		<i>rufus</i> (Schrank, 1781) --S-D-AI
<i>Acalyptus</i> Schönherr, 1833		<i>alni</i> (Linnaeus, 1758) -K--DEAI
<i>carpini</i> (Fabricius, 1792)	FKSNDEAI	<i>saltator</i> (Geoffroy, 1785)
<i>sericeus</i> Gyllenhal, 1836	FKS-D---	<i>pilosus</i> (Fabricius, 1781) --SNDEAI
Anthonomini Thomson, 1859		<i>quercus</i> (Linnaeus, 1758) FKSND-AI
<i>Anthonomus</i> Germar, 1817		<i>signifer</i> (Creutzer, 1799) --SND-AI
<i>Furcipes</i> Desbrochers des Loges, 1868		<i>avellanae</i> (Donovan, 1797) nec (Paykull, 1792)
<i>pomorum</i> (Linnaeus, 1758)	-KSNDEAI	<i>iota</i> (Fabricius, 1787) FKSNDDEAI
<i>humeralis</i> (Panzer, 1795)	FKSNDEA-	<i>lonicerae</i> (Herbst, 1795) FK---EAI
<i>piri</i> Kollar, 1837	--S---AI	<i>fagi</i> (Linnaeus, 1758) F-SNDEA-
<i>ulmi</i> (DeGeer, 1775)	--S-DEAI	<i>testaceus</i> (Müller, 1776) FKSNDDEAI
<i>bituberculatus</i> Thomson, 1868	--SNDE--	<i>calceatus</i> (Germar, 1821) FKSND--
<i>spilotus</i> Redtenbacher, 1849	--S-----	<i>rusci</i> (Herbst, 1795) FKSNDDEAI
<i>undulatus</i> Gyllenhal, 1836	FKSN-E--	<i>pratensis</i> (Germar, 1821) -----AI
<i>pedicularius</i> (Linnaeus, 1758)	FKSNDEAI	<i>ermischii</i> Dieckmann, 1958 -----E--
<i>conspersus</i> Desbrochers des Loges, 1868	F-SNDEA-	<i>cinereus</i> Fåhraeus, 1843 -----I
<i>rufus</i> Gyllenhal, 1836	--S-D--I	<i>Tachyerges</i> Schönherr, 1826
<i>sorbi</i> Germar, 1821	F-S-DEA-	<i>decoratus</i> (Germar, 1821) FKSNDDEAI
<i>rubi</i> (Herbst, 1795)	FKSNDEAI	<i>rufitarsis</i> (Germar, 1821) F-SND-AI
<i>brunnipennis</i> Curtis, 1840	FKSNDEAI	<i>salicis</i> (Linnaeus, 1758) FKSNDDEAI
<i>phyllocola</i> (Herbst, 1795)	FKSNDEAI	<i>stigma</i> (Germar, 1821) FKSNDDEAI
<i>varians</i> (Paykull, 1792) nec (Gmelin, 1790)		<i>pseudostigma</i> (Tempère, 1982) F-SND-A-
<i>pinivorax</i> Silfverberg, 1977	FKS--EAI	<i>Isochnus</i> Thomson, 1859
<i>pubescens</i> (Paykull, 1792) nec (Fabricius, 1775)		<i>populicola</i> (Silfverberg, 1977) FKSNDDEAI
<i>rectirostris</i> (Linnaeus, 1758)	FKSNDEAI	<i>populi</i> (Fabricius, 1793) nec (Linnaeus, 1758)
<i>Brachonyx</i> Schönherr, 1825		<i>foliorum</i> (Müller, 1764) FKSNDDEAI
<i>pineti</i> (Paykull, 1792)	FKSNDEAI	<i>saliceti</i> (Paykull, 1792)
<i>Bradybatus</i> Germar, 1824		<i>flagellum</i> (Ericson, 1902) FKSND---
<i>kellneri</i> Bach, 1854	--SNDEAI	<i>angustifrons</i> (West, 1917) ---ND---

Rhamphus Clairville & Schellenberg, 1798		
<i>pulicarius</i> (Herbst, 1795)	FKSNDEAI	
<i>oxyacanthalae</i> (Marsham, 1802)	FKSND-A-	
<i>subaeneus</i> (Illiger, 1807)	-----I	
Mecinini Gistel, 1848		
Gymnetron Schönherr, 1825		
<i>rostellum</i> (Herbst, 1795)	FKS-DEA-	
<i>stimulosum</i> (Germar, 1821)	-----A-	
<i>melanarium</i> (Germar, 1821)	F-SNDEAI	
<i>vilosulum</i> Gyllenhal, 1838	--S-DEAI	
<i>beccabungae</i> (Linnaeus, 1761)	FKSNDEAI	
<i>veronicae</i> (Germar, 1821)	FKSNDEA-	
Rhinusa Stephens, 1829		
<i>tetrum</i> (Fabricius, 1792)	-----I	
<i>antirrhini</i> (Paykull, 1800)	FKSNDEAI	
<i>hispida</i> (Brullé, 1832)	--S-D---	
<i>netum</i> (Germar, 1821)	-----I	
<i>thapsicola</i> (Germar, 1821)	--S-D--I	
<i>collina</i> (Gyllenhal, 1813)	-KSNEA-	
<i>linariae</i> (Panzer, 1793)	-KSNEAI	
Mecinus Germar, 1821		
<i>collaris</i> Germar, 1821	FKSNDEAI	
<i>ianthinus</i> Germar, 1821	--S---A-	
<i>heydeni</i> Wencker, 1866	--S-D-A-	
<i>pyraster</i> (Herbst, 1795)	--SNDEAI	
Miarini Pierce, 1919		
Miarus Schönherr, 1826		
<i>labilis</i> (Herbst, 1795)	--SNDEAI	
<i>pascuorum</i> (Gyllenhal, 1813)	FKS-DEAI	
<i>portai</i> Solari, 1947	--SN---	
<i>confusus</i> Kangas, 1976	FK-----	
<i>thuleus</i> Kangas, 1980	FKSND-EAI	
<i>campanulae</i> (Linnaeus, 1767)		
<i>frigidus</i> Franz, 1947	--S-DEA-	
<i>fennicus</i> Kangas, 1978	FK---EAI	
Cleopomiarus Pierce, 1919		
Miaromimus Solari, 1947		
<i>micros</i> (Germar, 1821)		
<i>distinctus</i> (Boheman, 1845)		
<i>longirostris</i> auct. nec Gyllenhal, 1813		
<i>graminis</i> (Gyllenhal, 1813)	FKSNDEAI	
<i>dulcinasutus</i> (Kangas, 1976)	FK-----	
<i>graminoides</i> (Kangas, 1976)	F-----	
Anoplini Bedel, 1884		
Anoplus Germar, 1820		
<i>plantaris</i> (Naezen, 1794)	FKSNDEAI	
<i>roboris</i> Suffrian, 1840		FKSNDEAI
<i>setulosus</i> Kirsch, 1870		-----I
Bagoinae Thomson, 1859		
Dicranthus Motschulsky, 1845		
<i>elegans</i> (Fabricius, 1801)		--S-DE-I
Hydronomus Schönherr, 1825		
<i>alismatis</i> (Marsham, 1802)		FKSNDEA-
Bagous Germar, 1817		
Ephimeropus Hochhuth, 1847		
<i>petro</i> (Herbst, 1795)		F-S-DEA-
<i>tubulus</i> Caldara & O'Brien, 1994		--S-D-AI
<i>scanicus</i> Silfverberg, 1997		
<i>angustus</i> Silfverberg, 1977, nec Tanner, 1954		
<i>cylindrus</i> (Paykull, 1800) nec (Fabricius, 1781)		
<i>friwaldszkyi</i> Tournier, 1874		-K---E--
<i>binodulus</i> (Herbst, 1795)		-KS-D-AI
<i>nodosus</i> Gyllenhal, 1836		--S-DE--
<i>argillaceus</i> Gyllenhal, 1836		--S-DE--
<i>limosus</i> (Gyllenhal, 1827)		F-SNDE--
<i>subcarinatus</i> Gyllenhal, 1836		--S-DE--
<i>longitarsis</i> Thomson, 1868		FKS-DE--
<i>collignensis</i> (Herbst, 1797)		F-S-D---
<i>claudicans</i> Boheman, 1845		--S-----
<i>frit</i> (Herbst, 1795)		FKSNDE--
<i>lutulosus</i> (Gyllenhal, 1827)		FKSNDEA-
<i>brevis</i> Gyllenhal, 1836		F-SND---
<i>diglyptus</i> Boheman, 1845		--SNDE--
<i>curtus</i> Gyllenhal, 1845		
<i>brevitarsis</i> Hansen, 1917		
<i>tempestivus</i> (Herbst, 1795)		FKS-DEA-
<i>thomsoni</i> Bruce, 1968		
<i>sjobergi</i> Bruce, 1968		
<i>czwalinai</i> Seidlitz, 1891		F-S-D---
<i>lutosus</i> (Gyllenhal, 1813)		FKSNDEAI
<i>puncticollis</i> Boheman, 1845		F-S-D---
<i>robustus</i> Brisout de Barneville, 1863		F-S-D---
<i>lутulentus</i> (Gyllenhal, 1813)		FKSNDEAI
<i>glabrirostris</i> (Herbst, 1795)		FKSNDEA-
Dryophthorinae Schönherr, 1825		
Dryophthorus Germar, 1824		
<i>corticalis</i> (Paykull, 1792)		FKSNDEAI
Cossoninae Schönherr, 1825		
Pentarthrini Lacordaire, 1866		
Pentarthrum Wollaston, 1854		
<i>huttoni</i> Wollaston, 1854		----D---

<i>Euophryum</i> Broun, 1909		<i>violacea</i> (Linnaeus, 17587)	FKSNDEAI
<i>rufum</i> (Broun, 1880)	---nD---	<i>armigera</i> (Geoffroy, 1785)	--SND-AI
<i>confine</i> (Broun, 1881)	---nD---	<i>carbonaria</i> (Linnaeus, 1758)	FKSNDEAI
Cossonini Schönherr, 1825		<i>caucasica</i> Tournier, 1872	-----A-
Rhopalomesites Wollaston, 1873		<i>cerasi</i> (Linnaeus, 1758)	--SNDE-I
<i>tardii</i> (Curtis, 1825)	---N----	<i>exarata</i> (Brisout de Barnevile, 1862)	----D---
Cossonus Clairville & Schellenberg, 1798		<i>fuscicornis</i> (Desbrochers des Loges, 1870)	-----I
<i>linearis</i> (Fabricius, 1775)	--S-D--I	<i>barbicornis</i> (Latreille, 1804)	F-SNDEA-
<i>parallelepipedus</i> (Herbst, 1795)	FKSNDEAI	<i>mixta</i> (Desbrochers des Loges, 1870)	
<i>cylindricus</i> Sahlberg, 1835	FKS--EAI	<i>flavicornis</i> (Gyllenhal, 1836)	--S-D--I
Rhyncolini Gistel, 1848		<i>ruficornis</i> (Linnaeus, 1758)	FKSNDEAI
Rhyncolus Germar, 1817		<i>nitidipennis</i> (Bohemian, 1843)	-----I
<i>Eremotes</i> Wollaston, 1861			
<i>reflexus</i> Boheman, 1838	-----EA-	Molytinae Schönherr, 1823	
<i>elongatus</i> (Gyllenhal, 1827)	FKSN-EAI	Lepyrini Kirby, 1837	
<i>ater</i> (Linnaeus, 1758)	FKSNDEAI	Lepyrus Germar, 1817	
<i>chloropus</i> auct. nec (Linnaeus, 1758)		<i>palustris</i> (Scopoli, 1763)	----DEAI
<i>punctatulus</i> Boheman, 1838	--S-----	<i>capucinus</i> (Schaller, 1783)	--S-DEAI
<i>sculpturatus</i> Waltl, 1839	FKSNdEA-	<i>arcticus</i> (Paykull, 1792)	FKSN----
<i>nitidipennis</i> Thomson, 1868			
Phloeophagus Schönherr, 1838		Hylobiini Kirby, 1837	
<i>lignarius</i> (Marsham, 1802)	F-SNDEA-	<i>Hylobius</i> Germar, 1817	
<i>turbatus</i> Schönherr, 1845	FKSN-EA-	<i>piceus</i> (DeGeer, 1775)	FKSN-EAI
<i>thomsoni</i> (Grill, 1896)	--S-DE--	<i>abietis</i> (Linnaeus, 1758)	FKSNDEAI
Onycholipini Wollaston, 1873		<i>pinastri</i> (Gyllenhal, 1813)	FKSNDEAI
Brachytemnus Wollaston, 1873		<i>transversovittatus</i> (Goeze, 1777)	FKSND---
<i>porcatus</i> (Germar, 1824)			
Stereocorynes Wollaston, 1873		Molytini Schönherr, 1823	
<i>truncorum</i> (Germar, 1824)	--S-d-AI	<i>Liparini</i> Latreille, 1828	
Pselactus Broun, 1886		<i>Liparus</i> Olivier, 1807	
<i>spadix</i> (Herbst, 1795)	-KS-DEAI	<i>coronatus</i> (Goeze, 1777)	--S-DEAI
Pseudophloeophagus Wollaston, 1873		<i>glabrirostris</i> Küster, 1849	----d--I
<i>Caulotrupodes</i> Voss, 1955	-----I		
<i>aeneopiceus</i> (Bohemian, 1845)		Leiosoma Stephens, 1829	
Mesoptiliinae Lacordaire, 1863		<i>deflexum</i> (Panzer, 1795)	--SND---
Magdalidini Pascoe, 1870			
Magdalidis Germar, 1817		Pissodini Gistel, 1848	
<i>phlegmatica</i> (Herbst, 1797)	FKSNDE-I	<i>Pissodes</i> Germar, 1817	
<i>rufa</i> Germar, 1824	-----A-	<i>piceae</i> (Illiger, 1807)	-----AI
<i>nitida</i> (Gyllenhal, 1827)	FKSN-EAI	<i>castaneus</i> (DeGeer, 1775)	FKSNDEAI
<i>memnonia</i> (Gyllenhal, 1837)	----DEAI	<i>notatus</i> (Fabricius, 1787) nec (Bonsdorff, 1785)	
<i>linearis</i> (Gyllenhal, 1827)	FKSNDEAI	<i>pini</i> (Linnaeus, 1758)	FKSNDEAI
<i>duplicata</i> Germar, 1819	FKSNDEAI	<i>gyllenhalii</i> (Sahlberg, 1834)	FKSN-E--
<i>weisei</i> Schreiner, 1882		<i>validirostris</i> (Sahlberg, 1834)	FKSNDEAI
<i>frontalis</i> (Gyllenhal, 1827)	FKSNDEAI	<i>harcyniae</i> (Herbst, 1795)	FKSN-EAI
		<i>piniphilus</i> (Herbst, 1797)	FKSNdEAI
		Trachodini Gistel, 1848	
		<i>Trachodes</i> Germar, 1824	
		<i>hispidus</i> (Linnaeus, 1758)	FKSNDEAI

Cryptorhynchinae Schönherr, 1825		<i>quadricorniger</i> (Colonnelli, 1986) -KS-DEAI
Cryptorhynchus Illiger, 1807		<i>quadricornis</i> (Gyllenhal, 1813) nec (Paykull, 1792)
<i>lapathi</i> (Linnaeus, 1758)	FKSNDEAI	
Acalles Schönherr, 1825	--SND-- I	
<i>roboris</i> Curtis, 1835	--S-DEAI	
<i>camelus</i> (Fabricius, 1792)	FKSNDEAI	
<i>echinatus</i> (Germar, 1824)	--SN--- I	
<i>parvulus</i> Boheman, 1837	----D---	
<i>turbatus</i> Boheman, 1844	--SND---	
<i>misellus</i> Boheman, 1844		
<i>ptinoides</i> (Marsham, 1802)		
Baridinae Schönherr, 1836		
Baridini Schönherr, 1836		
Baris Germar, 1817		
<i>artemisiae</i> (Herbst, 1795)	F-SN-EAI	
<i>spitzyi</i> Motschulsky, 1847	-----E--	
<i>dalmatina</i> Brisout de Barnevile, 1870	-----A-	
<i>laticollis</i> (Marsham, 1802)	--S-D-AI	
<i>carbonaria</i> (Boheman, 1836)	-----AI	
<i>lepidii</i> Germar, 1824	--S-D-AI	
<i>coerulescens</i> (Scopoli, 1763)	-----I	
<i>timida</i> (Rossi, 1792)	-----A-	
Madopterini Lacordaire, 1866		
Limnobaris Bedel, 1885		
<i>t-album</i> (Linnaeus, 1758)	FKSNDEAI	
<i>pilistriata</i> (Stephens, 1831)	FKSNDEAI	
<i>reitteri</i> Munster, 1928	F-SNDEA-	
Ceutorhynchinae Gistel, 1848		
Mononychini LeConte, 1876		
Mononychus Germar, 1824		
<i>punctumalbum</i> (Herbst, 1784)	-----AI	
Phytobiini Gistel, 1848		
Eubrychius Thomson, 1859		
<i>velutus</i> (Beck, 1817)	FKSNDEA-	
Phytobius Schönherr, 1833		
<i>Liodactylus</i> Redtenbacher, 1845		
<i>leucogaster</i> (Marsham, 1802)	FKSNDE--	
Pelenomus Thomson, 1859		
<i>Phytobius</i> Dejean, 1835		
<i>comari</i> (Herbst, 1795)	FKSNDEAI	
<i>waltoni</i> (Boheman, 1843)	FKSND-AI	
<i>canaliculatus</i> (Fåhraeus, 1843)	FKSNDEAI	
<i>quadrituberculatus</i> (Fabricius, 1787)	FKSNDE- I	
<i>zumpti</i> (Wagner, 1939)	----D---	
<i>olssoni</i> (Israelson, 1972)	--S-D---	
<i>velaris</i> (Gyllenhal, 1827)	FKSN-EA-	
Neophytobius Wagner, 1936		
<i>muricatus</i> (Brisout de Barnevile, 1867)	FKSNDE- I	
<i>quadrinodosus</i> (Gyllenhal, 1813)	FKSNDEA-	
Rhinoncus Schönherr, 1825		
<i>albicinctus</i> Gyllenhal, 1837	-----A-	
<i>perpendicularis</i> (Reich, 1797)	FKSNDEAI	
<i>inconspicetus</i> (Herbst, 1795)	FKSNDEAI	
<i>gramineus</i> (Fabricius, 1793) nec (Gmelin, 1790)		
<i>pericarpinus</i> (Linnaeus, 1758)	FKSNDEAI	
<i>bruchoides</i> (Herbst, 1784)	FKSNDEAI	
<i>castor</i> (Fabricius, 1792)	FKSNDEAI	
Cnemogonini Colonnelli, 1979		
Auleutes Dietz, 1896		
<i>epilobii</i> (Paykull, 1800)		FKSNDEA-
Scleropterini Schultze, 1902		
Rutidosoma Stephens, 1831		
<i>globulus</i> (Herbst, 1795)		FKSNDEAI
<i>fallax</i> (Otto, 1897)		--S-D-A-
Scleropterus Schönherr, 1825		
<i>serratus</i> (Germar, 1824)		F-S--EAI
Ceutorhynchini Gistel, 1848		
Amalus Schönherr, 1825		
<i>scortillum</i> (Herbst, 1795)		FKSNDEAI
<i>haemorrhous</i> (Herbst, 1795) nec (Gmelin, 1790)		
Amalorrhynchus Reitter, 1913		
<i>melanarius</i> (Stephens, 1831)		--S-D---
Poophagus Schönherr, 1837		
<i>sisymbrii</i> (Fabricius, 1777)		F-S-DEAI
Tapeinotus Schönherr, 1826		
<i>sellatus</i> (Fabricius, 1794)		FKSNDEAI
Coeliodes Schönherr, 1837		
<i>rubicundus</i> (Herbst, 1795)		FKSNDEAI
<i>nigritarsis</i> Hartmann, 1895		FKSNDE- I
<i>rana</i> (Fabricius, 1787)		F-SNDEAI
<i>dryados</i> (Gmelin, 1790)		
<i>quercus</i> (Fabricius, 1787) nec (Linnaeus, 1758)		
<i>trifasciatus</i> Bach, 1854		----EA-
<i>ruber</i> (Marsham, 1802)		F-SNDE- I
<i>transversealbofasciatus</i> (Goeze, 1777)		--SNDE- I
<i>erythroleucus</i> (Gmelin, 1790)		
<i>cinctus</i> (Geoffroy, 1785) nec (Drury, 1782)		

<i>Thamiocolus</i> Thomson, 1859		
<i>viduatus</i> (Gyllenhal, 1813)	FKSNDEA-	F-SNDEA-
<i>sahlbergi</i> (Sahlberg, 1845)	FK--DEA-	--S-D-AI
<i>Micrelus</i> Thomson, 1859		
<i>ericae</i> (Gyllenhal, 1813)	FKSNDEAI	F-S-E---
<i>Zacladus</i> Reitter, 1913		
<i>geranii</i> (Paykull, 1800)	FKSNDEAI	granulicollis Thomson, 1865, nec (Schönherr, 1837)
<i>affinis</i> (Paykull, 1792) nec (Schrank, 1781)		querceti (Gyllenhal, 1813)
<i>Ceutorhynchus</i> Germar, 1824		FKNDE--
<i>Ceuthorhynchidius</i> Jacquelin du Val, 1854		<i>typhae</i> (Herbst, 1795)
<i>Neosirocalus</i> Wagner, 1944		FKNDEAI
<i>scapularis</i> Gyllenhal, 1837	FKS-DE--	<i>floralis</i> (Paykull, 1792) nec (Olivier, 1790)
<i>pallipes</i> Crotch, 1866	FKNDEAI	<i>cakilis</i> (Hansen, 1917)
<i>minutus</i> (Reich, 1797) nec (Drury, 1773)		F-SNDE--
<i>contractus</i> (Marsham, 1802) nec (Geoffroy, 1785)		<i>posthumus</i> Germar, 1824
<i>erysimi</i> (Fabricius, 1787)	FKSNDEAI	--S-D-A-
<i>viridanus</i> Gyllenhal, 1837	--N---	<i>pumilio</i> (Gyllenhal, 1827)
<i>ignitus</i> Germar, 1824	FKSNDEA-	--S-D---
<i>pervicax</i> Weise, 1883	FKS-DEAI	<i>hampei</i> Brisout de Barneville, 1869
<i>barbareae</i> Suffrian, 1847	FK---EA-	FKNDEAI
<i>chalybaeus</i> Germar, 1824	F-SNDEAI	<i>pulvinatus</i> Gyllenhal, 1837
<i>thomsoni</i> Kolbe, 1900	F-SND---	<i>rhenanus</i> Schultze, 1895
<i>pectoralis</i> Weise, 1895	-K---DEA-	pyrrhorhynchus (Marsham, 1802)
<i>hirtulus</i> Germar, 1824	F-SNDEAI	<i>suturalis</i> (Fabricius, 1775)
<i>sulcicollis</i> (Paykull, 1800)	FKNDEAI	<i>denticulatus</i> (Schrank, 1781)
<i>pallidactylus</i> (Marsham, 1802)	FKNDEAI	<i>pollinarius</i> (Forster, 1771)
<i>quadridens</i> (Panzer, 1795) nec (Fabricius, 1775)		<i>distinctus</i> Brisout de Barneville, 1870
<i>atomus</i> Boheman, 1845	F-SND---	<i>simillimus</i> Edwards, 1911
<i>cochleariae</i> (Gyllenhal, 1813)	FKSNDEAI	<i>marginatus</i> (Paykull, 1792) nec (Olivier, 1790)
<i>constrictus</i> (Marsham, 1802)	F-S-D---	<i>mollerii</i> Thomson, 1868
<i>plumbeus</i> Brisout de Barneville, 1869	-----EA-	FKS-DE--
<i>unguicularis</i> Thomson, 1871	F-SNDE--	<i>punctiger</i> (Sahlberg, 1835)
<i>curvirostris</i> Schultze, 1898		FKNDEAI
<i>pleurostigma</i> (Marsham, 1802)	FKS-DEAI	<i>fennicus</i> Faust, 1895
<i>assimilis</i> (Paykull, 1792) nec (Fabricius, 1775)		FKNDE--
<i>dubius</i> Brisout de Barneville, 1883	-----A-	<i>arquatus</i> (Herbst, 1795)
<i>sophiae</i> Gyllenhal, 1837	-KS----I	F----E-I
<i>roberti</i> Gyllenhal, 1837	FKSN----	<i>angulosus</i> Boheman, 1845
<i>alliariae</i> Brisout de Barneville, 1860	--S-D---	<i>melanostictus</i> (Marsham, 1802)
<i>puncticollis</i> Boheman, 1845	F-S--E-I	<i>urticae</i> Boheman, 1845
<i>napi</i> Gyllenhal, 1837	-K---DE-I	<i>rugulosus</i> (Herbst, 1795)
<i>rapae</i> Gyllenhal, 1837	FKNDEAI	FKNDEAI
<i>obstrictus</i> (Marsham, 1802)	FKNDEAI	<i>figuratus</i> Gyllenhal, 1837
<i>assimilis</i> auct. nec (Paykull, 1792), nec (Fabricius, 1775)		<i>triangulum</i> Boheman, 1845
<i>gallorhenanus</i> Hoffmann, 1954	F-S--EA-	--S-DE-I
<i>griseus</i> Brisout de Barneville, 1869	F-S-D---	FK---DEAI
<i>parvulus</i> Brisout de Barneville, 1869	----D---	<i>litura</i> (Fabricius, 1775)
		FKNDEAI
		<i>euphorbiae</i> Brisout de Barneville, 1866
		--SNDEA-
		<i>abbreviatulus</i> (Fabricius, 1792)
		-----I
		<i>pallidicornis</i> Gougelet & Brisout de
		Barneville, 1860
		F-S-D---
		<i>asperifoliarum</i> (Gyllenhal, 1813)
		FKNDEAI
		<i>crucifer</i> (Pallas, 1781)
		--SND-AI
		<i>cruciger</i> (Herbst, 1784)
		--S-DE--
		<i>javetii</i> Gerhardt, 1867
		F---D--I
		<i>larvatus</i> Schultze, 1897
		--S-D--I
		<i>geographicus</i> (Goeze, 1777)
		<i>Sirocalodes</i> Voss, 1958
		<i>depressicornis</i> (Gyllenhal, 1813)
		FKSND-AI
		<i>nigrinus</i> (Marsham, 1802) nec (Herbst, 1795)
		<i>quercicola</i> (Paykull, 1792)
		FKNDEAI

Calosirus Thomson, 1859		<i>opacus</i> Erichson, 1836	FKSNDEAI
<i>terminatus</i> (Herbst, 1795)	--S-DEA-	<i>obscurus</i> Chapuis, 1875	-K-----
<i>apicalis</i> (Gyllenhal, 1827)	F-SNDE--	<i>septentrionalis</i> Eggers, 1923	
Trichosirocalus Colonna, 1979			
<i>Ceuthorhynchidius</i> auct., nec Jacquelin du Val, 1854			
<i>troglodytes</i> (Fabricius, 1787)	F-SNDEAI		
<i>thalhammeri</i> (Schultze, 1906)	--S-D---		--S-D-A-
<i>barnevillei</i> (Grenier, 1866)	FKSNDEAI		-----AI
Stenocarus Thomson, 1859			
<i>umbrinus</i> (Gyllenhal, 1827)	--S-DE--		
<i>fuliginosus</i> (Marsham, 1802) nec (Gmelin, 1790)			
<i>cardui</i> (Herbst, 1784)	--S-D---		
Nedyus Schönherr, 1825			
<i>Cidnorhinus</i> Thomson, 1859			
<i>quadrivaculatus</i> (Linnaeus, 1758)	FKSNDEAI		
Coeliastes Weise, 1883			
<i>lamii</i> (Fabricius, 1792)	----DEAI		
Conoderinae Schönherr, 1833			
Coryssomerini Thomson, 1859			
Coryssomerus Schönherr, 1825			
<i>capucinus</i> (Beck, 1817)	--S-DEAI		
Euryommatus Roger, 1857			
<i>mariae</i> Roger, 1857	-----A-		
Orobitidinae Thomson, 1859			
Orobitis Germar, 1817			
<i>cyanus</i> (Linnaeus, 1758)	FKSNDEAI		
Rhynchophorinae Schönherr, 1833			
Sitophilus Schönherr, 1838			
<i>granarius</i> (Linnaeus, 1758)	F-SNDEAI		
<i>oryzae</i> (Linnaeus, 1763)	f-snDeA-		
<i>zeamais</i> Motschulsky, 1855	fksnD---		
Scolytinae Latreille, 1807			
Hylastini LeConte, 1876			
Hylurgops LeConte, 1876			
<i>glabratulus</i> (Zetterstedt, 1828)	FKSN-EA-		
<i>palliatus</i> (Gyllenhal, 1813)	FKSNDEAI		
Hylastes Erichson, 1836			
<i>ater</i> (Fabricius, 1792)	F-S-D-AI		
<i>brunneus</i> Erichson, 1836	FKSNDEA-		
<i>aterrimus</i> Eggers, 1933			
<i>cunicularius</i> Erichson, 1836	FKSNDEAI		
<i>starki</i> (Eggers, 1933)			
<i>attenuatus</i> Erichson, 1836	--SN-EAI		
<i>scandinavicus</i> Lekander, 1955			
<i>angustatus</i> (Herbst, 1793)	FKSNDEAI		
Hylesinini Erichson, 1836			
Hylastinus Bedel, 1888			
<i>obscurus</i> (Marsham, 1802)			--S-D-A-
Pteleobius Bedel, 1888			
<i>vittatus</i> (Fabricius, 1787)			-----AI
Hylesinus Fabricius, 1801			
<i>Leperisinus</i> Reitter, 1913			
<i>crenatus</i> (Fabricius, 1787)			F-SNDEAI
<i>oleiperda</i> (Fabricius, 1792)			--SND-A-
<i>fraxini</i> (Panzer, 1799)			FKSNDEAI
<i>varius</i> (Fabricius, 1775)			F-SNDE--
<i>orni</i> Fuchs, 1906			
Tomicini Shuckard, 1840			
Xylechinus Chapuis, 1869			
<i>pilosus</i> (Ratzeburg, 1837)			FKSNDEA-
Hylurgus Latreille, 1807			
<i>ligniperda</i> (Fabricius, 1787)			--S-DEAI
Tomicus Latreille, 1802			
<i>Blastophagus</i> Eichhoff, 1864			
<i>minor</i> (Hartig, 1834)			FKSNDEAI
<i>piniperda</i> (Linnaeus, 1758)			FKSNDEAI
Dendroctonus Erichson, 1836			
<i>micans</i> (Kugelann, 1794)			FKSNDEAI
Phloeotribini Chapuis, 1869			
Phloeotribus Latreille, 1796			
<i>rhododactylus</i> (Marsham, 1802)			--S-D-A-
<i>spinulosus</i> (Rey, 1883)			FKSNDEAI
Polygraphini Chapuis, 1869			
Polygraphus Erichson, 1836			
<i>subopacus</i> Thomson, 1871			FKSN-EA-
<i>poligraphus</i> (Linnaeus, 1758)			FKSNDEAI
<i>griseus</i> Eggers, 1923			
<i>punctifrons</i> Thomson, 1886			FKSN-E--
Carphoborus Eichhoff, 1864			
<i>cholodkovskyi</i> Spessivtsev, 1916			FKS--E--
<i>rossicus</i> Semenov, 1902			FKS-----
<i>minimus</i> (Fabricius, 1798)			F-----
<i>teplouchovi</i> Spessivtsev, 1916			-KS-----
Scolytini Latreille, 1807			
Scolytus Geoffroy, 1762			
<i>multistriatus</i> (Marsham, 1802)			--S-DEAI
<i>pygmaeus</i> (Fabricius, 1787)			--S----I

<i>scolytus</i> (Fabricius, 1775)	----DEAI	<i>autographus</i> (Ratzeburg, 1837)	FKSNDEAI
<i>triarmatus</i> (Eggers, 1912)	--SND---	<i>suecicus</i> Eggers, 1923	
<i>ratzeburgi</i> Janson, 1856	FKSNDEAI	<i>hectographus</i> Reitter, 1913	FKSN-EAI
<i>laevis</i> Chapuis, 1873	--SNDEA-		
<i>mali</i> (Bechstein & Scharfenberg, 1805)	F-S-DEAI	Crypturgini LeConte, 1876	
<i>intricatus</i> (Ratzeburg, 1837)	FKSNDEAI	Crypturgus Erichson, 1836	
<i>carpini</i> (Ratzeburg, 1837)	--S--EA-	<i>subcribrosus</i> Eggers, 1933	FKSNDEAI
<i>morawitzi</i> Semenov, 1902	-K-----	<i>cinereus</i> (Herbst, 1793)	FKSN-EAI
<i>rugulosus</i> (Ratzeburg, 1837)	FKSNDEAI	<i>pusillus</i> (Gyllenhal, 1813)	FKSNDEAI
Ipini Latreille, 1807		<i>hispidulus</i> Thomson, 1870	FKSNDEAI
Pityogenes Bedel, 1888			
<i>chalcographus</i> (Linnaeus, 1761)	FKSNDEAI	Xyloterini Lindemann, 1876	
<i>monacensis</i> Fuchs, 1911	--S----I	Trypodendron Stephens, 1830	
<i>irkutensis</i> Eggers, 1910	FKS-----	<i>Xyloterus</i> Erichson, 1836	
<i>saalasi</i> Eggers, 1914	FKS-----	<i>domesticum</i> (Linnaeus, 1758)	F-SNDEAI
<i>trepanatus</i> (Nördlinger, 1848)	FKSNDEA-	<i>laeve</i> Eggers, 1939	FKSN-E--
<i>quadridens</i> (Hartig, 1834)	FKSNDEAI	<i>piceum</i> Strand, 1946	
<i>bidentatus</i> (Herbst, 1783)	FKSNDEAI	<i>proximum</i> auct. nec (Niijima, 1909)	
Pityokteines Fuchs, 1911	-----AI	<i>lineatum</i> (Olivier, 1795)	FKSNDEAI
<i>curvidens</i> (Germar, 1824)		<i>signatum</i> (Fabricius, 1792)	FKSNDEAI
Orthotomicus Ferrari, 1867			
<i>longicollis</i> (Gyllenhal, 1827)	FKSNdEAI	Xyleborini LeConte, 1876	
<i>starki</i> Spessivtseff, 1926	-K-----I	Xyleborus Eichhoff, 1864	
<i>proximus</i> (Eichhoff, 1868)	FKSNDEAI	<i>Anisandrus</i> Ferrari, 1867	
<i>suturalis</i> (Gyllenhal, 1827)	FKSNDEAI	<i>dispar</i> (Fabricius, 1792)	FKSNDEAI
<i>laricis</i> (Fabricius, 1792)	FKSNDEAI	<i>cryptographus</i> (Ratzeburg, 1837)	FKSNDEAI
Ips DeGeer, 1775	-KS-D---	<i>monographus</i> (Fabricius, 1792)	--S-DEAI
<i>cembrae</i> (Heer, 1836)		Xyleborinus Reitter, 1913	
<i>subelongatus</i> Motschulsky, 1860	FKSNDEAI	<i>saxesenii</i> (Ratzeburg, 1837)	--SND--I
<i>acuminatus</i> (Gyllenhal, 1827)	FKSNdEAI	Cryphalini Lindemann, 1876	
<i>sexdentatus</i> (Börner, 1776)	FKSN-EAI	Trypophloeus Fairmaire, 1868	
<i>duplicatus</i> (Sahlberg, 1836)	FKSNDEAI	<i>alni</i> (Lindemann, 1875)	FK-N-E--
<i>typographus</i> (Linnaeus, 1758)	FKSNDEAI	<i>bispinulus</i> Eggers, 1927	FKSN--A-
<i>amitinus</i> (Eichhoff, 1872)	FKS--EAI	<i>granulatus</i> (Ratzeburg, 1837)	
Dryocoetini Lindemann, 1876		ssp. <i>granulatus</i> (Ratzeburg, 1837)	-----I
Lymantor Lövendal, 1889		ssp. <i>grothii</i> (Hagedorn, 1904)	--SND---
<i>coryli</i> (Perris, 1855)	FKSNDEAI	<i>asperatus</i> (Gyllenhal, 1813)	FKSN-EA-
<i>aceris</i> (Lindemann, 1875)	-----AI	<i>discedens</i> Palm, 1950	F-S---EA-
Xylocleptes Ferrari, 1867		<i>palmi</i> Hansen, 1955	
<i>bispinus</i> (Duftschmid, 1825)	---D---	Ernopericus Berger, 1917	
Taphrorychus Eichhoff, 1878		<i>Ernopocerus</i> Wood, 1954	
<i>bicolor</i> (Herbst, 1793)	--SND--I	<i>caucasicus</i> (Lindemann, 1876)	F-SND---
Dryocoetes Eichhoff, 1864		<i>fagi</i> (Fabricius, 1798)	--S-D---
<i>baikalicus</i> Reitter, 1900	-K-----	Ernopus Thomson, 1859	
<i>villosus</i> (Fabricius, 1792)	--SND-AI	<i>tiliae</i> (Panzer, 1793)	F-SNDEAI
<i>alni</i> (Georg, 1856)	FKSNDEAI	Cryphalus Erichson, 1836	
		<i>piceae</i> (Ratzeburg, 1837)	-----AI
		<i>abietis</i> (Ratzeburg, 1837)	FKSNDEAI
		<i>saltuarius</i> Weise, 1891	FKSN-E--

Corthylini LeConte, 1876	
Pityophthorus Eichhoff, 1864	
<i>micrographus</i> (Linnaeus, 1758)	FKSN-EAI
<i>lichtensteinii</i> (Ratzeburg, 1837)	FKSNDEAI
<i>pubescens</i> (Marsham, 1802)	--SND--
<i>morosovi</i> Spessivtseff, 1926	FKS---A-
<i>glabratulus</i> Eichhoff, 1878	FKSND--I
<i>tragardhi</i> Spessivtseff, 1921	FKSN-E--
<i>lapponicus</i> Stark, 1952	-K-----
Gnathotrichus Eichhoff, 1868	F-S-----
<i>materiarius</i> (Fitch, 1855)	
Platypodidae Shuckard, 1840	--S-d-A-
Platypus Herbst, 1793	
<i>cylindrus</i> (Fabricius, 1792)	

Appendix 1. The following species have been reported from Finland, but the information has not yet been published. The details will be provided by the discoverers in forthcoming reports.

- Microderes brachypus* (Dej.) - S. Karjalainen
Bradyellus csikii Laczo - H. Lappalainen
Bradyellus verbasci (Duft.) - P. Rassi
Hydrochus elongatus (Schall.) - S. Karjalainen
Marginotus terricola (Germ.) - P. Martikainen
Aloeochara haematodes Kr. - T. Clayhills
Philhygra pseudoelongatula (Bernh.) - P. Rassi
Atheta (Microdota) indubia (Sharp) - J. Muona
Bolitochara obliqua (Er.) - M. Landvik
Tachinus schneideri Luze - I. Rutanen
Gabronthus sulcifrons (Sharp) - I. Rutanen
Philonthus alpinus Epp. - P. Rassi
Quedius vexans Epp. - P. Rassi
Attagenus trifasciatus (F.) - J. Muona
Dorcatoma flavigornis (F.) - J. Mattila,
 P. Ahlroth & M. v.Numers
Cryptarcha undata (Ol.) - J. Mattila & P. Ahlroth
Monotoma quadricollis Aubé - I. Rutanen
Cryptolestes weisei (Rtt.) - I. Rutanen
Atomaria pseudatra Rtt. - I. Rutanen
Calvia decemguttata (L.) - S. Karjalainen
Dienerella ruficollis (Marsh.) - I. Rutanen
Corticarina truncatella (Mannh.) -
 P. Martikainen
Stricticomus tobias (Mars.) - S. Karjalainen
Otiorhynchus lugdunensis Boh. -
 I. Mannerkoski
Ceutorhynchus arquatus (Hbst.) - P. Rassi

Hakemisto — Index

<i>Abax</i>	11	<i>Agaricochara</i>	36	<i>Ancyrophorus</i>	38
<i>Abdera</i>	70	<i>Agaricophagus</i>	21	<i>Aneurota</i>	35
<i>Ablattaria</i>	23	<i>Agathidium</i>	21	<i>Anidorus</i>	75
<i>Abraeus</i>	17	<i>Agelastica</i>	82	<i>Anisandrus</i>	98
<i>Absidia</i>	55	<i>Aglenus</i>	75	<i>Anisodactylus</i>	14
<i>Acalles</i>	95	<i>Agonum</i>	12	<i>Anisoplia</i>	48
<i>Acalyptus</i>	92	<i>Agrilus</i>	49	<i>Anisosticta</i>	67
<i>Acanthocinus</i>	78	<i>Agriotes</i>	53	<i>Anisotoma</i>	21
<i>Acanthoderes</i>	78	<i>Agrypnus</i>	52	<i>Anisoxya</i>	70
<i>Acanthoscelides</i>	85	<i>Agyrtes</i>	20	<i>Anitys</i>	58
<i>Achenium</i>	42	<i>Ahasverus</i>	62	<i>Anobium</i>	57
<i>Acidota</i>	25	<i>Airaphilus</i>	62	<i>Anogcodes</i>	74
<i>Acilius</i>	8	<i>Alaoibia, subg.</i>	33	<i>Anomala</i>	48
<i>Aclypea</i>	23	<i>Alapsodus</i>	45	<i>Anommatus</i>	66
<i>Acmaeops</i>	76	<i>Aleochara</i>	29	<i>Anomognathus</i>	37
<i>Acritus</i>	17	<i>Alevonota</i>	35	<i>Anopleta</i>	35
<i>Acrognathus</i>	38	<i>Alianta</i>	35	<i>Anoplodera</i>	77
<i>Acrolocha</i>	24	<i>Allandrus</i>	85	<i>Anoplus</i>	93
<i>Acrostiba</i>	30	<i>Allecula</i>	73	<i>Anostirus</i>	52
<i>Acrotona</i>	35	<i>Aloconota</i>	32	<i>Anotylus</i>	39
<i>Acrotrichis</i>	20	<i>Alosterna</i>	77	<i>Anthaxia</i>	49
<i>Acrulia</i>	24	<i>Alphitobius</i>	72	<i>Anthelephila</i>	75
<i>Actenicerus</i>	52	<i>Alphitophagus</i>	73	<i>Antherophagus</i>	64
<i>Actidium</i>	19	<i>Altica</i>	83	<i>Anthicus</i>	75
<i>Actinopteryx</i>	20	<i>Amalorrhynchus</i>	95	<i>Anthobium</i>	23
<i>Actobius</i>	43	<i>Amalus</i>	95	<i>Anthobium</i>	25
<i>Actophylla</i>	35	<i>Amara</i>	12	<i>Anthocomus</i>	59
<i>Acupalpus</i>	14	<i>Amarochara</i>	31	<i>Anthonomus</i>	92
<i>Acylophorus</i>	46	<i>Amauronyx</i>	26	<i>Anthophagus</i>	25
<i>Adalia</i>	67	<i>Amidobia, subg.</i>	33	<i>Anthracus</i>	14
<i>Aderus</i>	75	<i>Amischa</i>	35	<i>Anthrenus</i>	56
<i>Adistemia</i>	68	<i>Ampedus</i>	53	<i>Anthribus</i>	86
<i>Adonia</i>	67	<i>Amphicyllis</i>	21	<i>Apalus</i>	74
<i>Adoxus</i>	81	<i>Amphimallon</i>	47	<i>Aphanisticus</i>	50
<i>Adrastus</i>	54	<i>Amphotis</i>	61	<i>Aphidecta</i>	67
<i>Aegialia</i>	46	<i>Anacaena</i>	16	<i>Aphodius</i>	46
<i>Aegomorphus</i>	78	<i>Anaarea</i>	79	<i>Aphthona</i>	83
<i>Aeletes</i>	17	<i>Anaesthetis</i>	78	<i>Apion</i>	86
<i>Aepus</i>	10	<i>Anaglyptus</i>	78	<i>Aplocnemia</i>	78
<i>Aesalus</i>	46	<i>Anaspis</i>	76	<i>Aplocnemus</i>	59
<i>Agabus</i>	7	<i>Anatis</i>	67	<i>Aploderus</i>	39
<i>Agapanthia</i>	79	<i>Anaulacaspis</i>	36	<i>Aplotarsus</i>	52
		<i>Anchomenus</i>	12	<i>Apoderus</i>	86
		<i>Ancistronycha</i>	54	<i>Aporthopleura</i>	58

<i>Apteropeda</i>	84	<i>Baptolinus</i>	43	<i>Brachypterus</i>	60
<i>Araecerus</i>	86	<i>Baranowskiella</i>	19	<i>Brachysomus</i>	89
<i>Archarius</i>	92	<i>Baris</i>	95	<i>Brachyta</i>	76
<i>Arctobyrrhus</i>	50	<i>Barynotus</i>	89	<i>Brachytarsus</i>	86
<i>Arena</i>	37	<i>Barypeithes</i>	89	<i>Brachytemnus</i>	94
<i>Argopus</i>	84	<i>Batophila</i>	83	<i>Brachyusa</i>	31
<i>Arhopalus</i>	76	<i>Batrisodes</i>	26	<i>Bradybatus</i>	92
<i>Aridius</i>	68	<i>Batrissus</i>	26	<i>Bradycellus</i>	14
<i>Armidia</i>	55	<i>Bembidion</i>	10	<i>Bromius</i>	81
<i>Aromia</i>	77	<i>Berninelsonius</i>	52	<i>Broscus</i>	9
<i>Arpedium</i>	25	<i>Berosus</i>	15	<i>Bruchela</i>	86
<i>Arrhenopeplus</i>	26	<i>Bessobia</i> , subg.	34	<i>Bruchidius</i>	85
<i>Arthrolips</i>	68	<i>Bibloplectus</i>	26	<i>Bruchus</i>	85
<i>Asaphidion</i>	10	<i>Bibloporus</i>	26	<i>Brundinia</i>	31
<i>Asclera</i>	74	<i>Bidessus</i>	5	<i>Bryaxis</i>	26
<i>Ascoliocerus</i>	52	<i>Biphyllus</i>	65	<i>Brychius</i>	27
<i>Asemum</i>	76	<i>Bisnius</i>	43	<i>Bryocaris</i>	27
<i>Asiorestia</i>	84	<i>Bitoma</i>	72	<i>Bryophacis</i>	27
<i>Aspidiphorus</i>	60	<i>Bius</i>	72	<i>Bryoporus</i>	27
<i>Astenus</i>	41	<i>Blaps</i>	72	<i>Buprestis</i>	49
<i>Astilbus</i>	36	<i>Blastophagus</i>	97	<i>Byctiscus</i>	86
<i>Atanygnathus</i>	46	<i>Bledius</i>	39	<i>Byrrhus</i>	50
<i>Atemeles</i>	36	<i>Blemus</i>	10	<i>Bythinus</i>	26
<i>Atheta</i>	33	<i>Blethisa</i>	9	<i>Byturus</i>	65
<i>Atheta</i> , subg.	34	<i>Blitophaga</i>	23	<i>Caccobius</i>	47
<i>Atholus</i>	18	<i>Bohemellina</i>	36	<i>Cadaverota</i>	32
<i>Athous</i>	52	<i>Bolboceras</i>	46	<i>Caenocara</i>	58
<i>Atomaria</i>	64	<i>Bolitobius</i>	28	<i>Caenorhinus</i>	86
<i>Atrecus</i>	43	<i>Bolitobius</i>	28	<i>Caenorhinus</i>	86
<i>Attactagenus</i>	89	<i>Bolitochara</i>	36	<i>Caenoscelis</i>	64
<i>Attagenus</i>	56	<i>Bolitophagus</i>	73	<i>Cafius</i>	44
<i>Attelabus</i>	86	<i>Borboropora</i>	35	<i>Calambus</i>	53
<i>Attenuorhagus</i>	51	<i>Boreophilus</i>	25	<i>Calathus</i>	11
<i>Auleutes</i>	95	<i>Boreophilia</i> , subg.	34	<i>Calitys</i>	58
<i>Aulonium</i>	71	<i>Boreostiba</i> , subg.	34	<i>Callicerus</i>	32
<i>Aulonothroscus</i>	51	<i>Boros</i>	74	<i>Callidiellum</i>	78
<i>Autalia</i>	37	<i>Bostrichus</i>	56	<i>Callidium</i>	78
<i>Axinopalpis</i>	77	<i>Bothrideres</i>	66	<i>Callosobruchus</i>	85
<i>Axinotarsus</i>	59	<i>Bothrynoderes</i>	90	<i>Calodera</i>	30
<i>Badister</i>	13	<i>Brachinus</i>	15	<i>Calodromius</i>	15
<i>Badura</i> , subg.	33	<i>Brachonyx</i>	92	<i>Calomicrus</i>	82
<i>Baeckmanniolus</i>	17	<i>Brachyderes</i>	89	<i>Calopus</i>	74
<i>Baeocrara</i>	20	<i>Brachygluta</i>	27		
<i>Bagous</i>	93	<i>Brachygonus</i>	53		

<i>Calosirus</i>	97	<i>Chilopora</i>	30	<i>Colon</i>	21
<i>Calosoma</i>	8	<i>Chlaenius</i>	13	<i>Colpodota</i>	35
<i>Calvia</i>	67	<i>Chloecharis</i>	42	<i>Colposis</i>	75
<i>Calyptomerus</i>	48	<i>Chlorophanus</i>	89	<i>Colydium</i>	71
<i>Cantharis</i>	54	<i>Chlorophorus</i>	78	<i>Colymbetes</i>	8
<i>Carabus</i>	8	<i>Choleva</i>	22	<i>Comasinus</i>	91
<i>Carcinops</i>	17	<i>Choragus</i>	86	<i>Combocerus</i>	65
<i>Cardiophorus</i>	54	<i>Chromoderus</i>	90	<i>Compsidia</i>	79
<i>Carilia</i>	76	<i>Chrysanthia</i>	74	<i>Conalia</i>	71
<i>Carpelimus</i>	38	<i>Chrysobothris</i>	49	<i>Coniocleonus</i>	90
<i>Caphacis</i>	28	<i>Chrysochloa</i>	81	<i>Conopalpus</i>	71
<i>Caphoborus</i>	97	<i>Chrysochus</i>	81	<i>Conosoma</i>	28
<i>Carpophilus</i>	60	<i>Chrysolina</i>	81	<i>Copelatus</i>	5
<i>Cartodere</i>	68	<i>Chrysomela</i>	81	<i>Copris</i>	47
<i>Cartodere</i>	68	<i>Cicindela</i>	9	<i>Coproceramius</i>	34
<i>Cassida</i>	85	<i>Cicones</i>	72	<i>Coprophilus</i>	38
<i>Catops</i>	22	<i>Cidnopus</i>	52	<i>Coproporus</i>	28
<i>Caulotrupodes</i>	94	<i>Cidnorhinus</i>	97	<i>Coprothassa</i>	35
<i>Centrotoma</i>	27	<i>Cilea</i>	29	<i>Coptocephala</i>	80
<i>Cephalocousya</i>	30	<i>Cillenus</i>	10	<i>Coraebus</i>	50
<i>Cephennium</i>	22	<i>Cimberis</i>	85	<i>Cordalia</i>	36
<i>Cerambyx</i>	77	<i>Cionus</i>	91	<i>Cordicomus</i>	75
<i>Cerapheles</i>	59	<i>Cis</i>	69	<i>Cordylepherus</i>	59
<i>Cercyon</i>	16	<i>Clambus</i>	48	<i>Corticaria</i>	69
<i>Cerocoma</i>	74	<i>Clanoptilus</i>	59	<i>Corticarina</i>	69
<i>Ceruchus</i>	46	<i>Claviger</i>	27	<i>Corticeus</i>	73
<i>Cerylon</i>	66	<i>Cleonis</i>	90	<i>Cortinicara</i>	69
<i>Cetonia</i>	48	<i>Cleopomiarus</i>	93	<i>Cortodera</i>	77
<i>Ceuthorhynchidius</i>	96	<i>Cleopus</i>	91	<i>Corylophus</i>	68
<i>Ceuthorhynchidius</i>	97	<i>Clivina</i>	9	<i>Corymbia</i>	77
<i>Ceutorhynchus</i>	96	<i>Clypastraea</i>	68	<i>Corymbites</i>	52
<i>Chaetabraeus</i>	17	<i>Clypeorhagus</i>	51	<i>Coryphiomorphus</i>	25
<i>Chaetarthria</i>	16	<i>Clytra</i>	80	<i>Coryphium</i>	25
<i>Chaetida</i> , subg.	33	<i>Clytus</i>	78	<i>Coryssomerus</i>	97
<i>Chaetocnema</i>	84	<i>Cneorhinus</i>	89	<i>Cossonus</i>	94
<i>Chaetophora</i>	50	<i>Coccidula</i>	66	<i>Cratarea</i>	30
<i>Chalcionellus</i>	17	<i>Coccinella</i>	67	<i>Creophilus</i>	45
<i>Chalcoides</i>	84	<i>Coccinula</i>	67	<i>Crepidodera</i>	84
<i>Chalcophora</i>	49	<i>Coelambus</i>	6	<i>Crepidodera</i>	84
<i>Chanoma</i>	30	<i>Coeliastes</i>	97	<i>Crepidophorus</i>	52
<i>Charopus</i>	59	<i>Coeliodes</i>	95	<i>Criocephalus</i>	76
<i>Chennium</i>	27	<i>Coelostoma</i>	16	<i>Crioceris</i>	80
<i>Chilocorus</i>	67	<i>Colaphellus</i>	81	<i>Crudosilis</i>	55
<i>Chilomorpha</i>	30	<i>Colenis</i>	21	<i>Cryphalus</i>	98

<i>Cryptarcha</i>	62	<i>Dadobia</i>	32	<i>Dilacra</i>	32
<i>Crypticus</i>	73	<i>Dalopius</i>	54	<i>Dimetrota</i> , subg.	34
<i>Cryptobium</i>	42	<i>Danacea</i>	59	<i>Dinaraea</i>	35
<i>Cryptocephalus</i>	80	<i>Danosoma</i>	52	<i>Dinarda</i>	31
<i>Cryptolaemus</i>	66	<i>Dascillus</i>	49	<i>Dinoderus</i>	56
<i>Cryptolestes</i>	63	<i>Dasyglossa</i>	30	<i>Dinoptera</i>	76
<i>Cryptophagus</i>	63	<i>Dasygnypeta</i>	31	<i>Dinothenarus</i>	44
<i>Cryptophilus</i>	65	<i>Dasytes</i>	59	<i>Diplocoelus</i>	65
<i>Cryptopleurum</i>	16	<i>Datomicra</i> , subg.	33	<i>Dircaea</i>	70
<i>Cryptorhynchus</i>	95	<i>Datostiba</i>	33	<i>Dirhagus</i>	51
<i>Crypturgus</i>	98	<i>Deinopsis</i>	38	<i>Dirrhagofarsus</i>	51
<i>Ctenicera</i>	52	<i>Deleaster</i>	38	<i>Disopora</i>	32
<i>Cteniopus</i>	73	<i>Deliphrosoma</i>	25	<i>Dissoleucas</i>	85
<i>Ctesias</i>	56	<i>Deliphrum</i>	25	<i>Diricta</i>	72
<i>Cucujus</i>	62	<i>Demetrias</i>	14	<i>Ditylus</i>	74
<i>Curculio</i>	92	<i>Dendroctonus</i>	97	<i>Dlochrysa</i>	81
<i>Curelius</i>	65	<i>Dendrophagus</i>	62	<i>Dochmonota</i>	31
<i>Curimopsis</i>	50	<i>Dendrophilus</i>	17	<i>Dolichosoma</i>	59
<i>Curtimorda</i>	71	<i>Dendroxena</i>	23	<i>Dolichus</i>	12
<i>Cyanostolus</i>	62	<i>Denticollis</i>	52	<i>Donacia</i>	79
<i>Cybister</i>	8	<i>Deporaus</i>	86	<i>Dorcadion</i>	78
<i>Cybocephalus</i>	62	<i>Dermestes</i>	55	<i>Dorcatoma</i>	58
<i>Cychramus</i>	62	<i>Dermestoides</i>	58	<i>Dorus</i>	46
<i>Cychrus</i>	9	<i>Dermestoides</i>	58	<i>Dorytomus</i>	91
<i>Cycloderes</i>	89	<i>Derocrepis</i>	84	<i>Doydirhynchus</i>	85
<i>Cyclodinus</i>	75	<i>Deronectes</i>	7	<i>Drapetes</i>	52
<i>Cylindera</i>	9	<i>Descarpentriesina</i>	49	<i>Drepanocerida</i>	22
<i>Cylister</i>	18	<i>Deubelia</i>	30	<i>Drilus</i>	54
<i>Cylletron</i>	24	<i>Devia</i>	30	<i>Dromaeolus</i>	51
<i>Cyllodes</i>	61	<i>Dexiogyia</i>	30	<i>Dromius</i>	15
<i>Cymbiodyta</i>	16	<i>Diacanthous</i>	52	<i>Drusilla</i>	36
<i>Cymindis</i>	15	<i>Diacheila</i>	9	<i>Dryocoetes</i>	98
<i>Cynaeus</i>	73	<i>Diachromus</i>	14	<i>Dryophilus</i>	57
<i>Cynegetis</i>	68	<i>Dianous</i>	41	<i>Dryophthorus</i>	93
<i>Cypha</i>	37	<i>Diaperis</i>	73	<i>Dryops</i>	50
<i>Cyphaea</i>	37	<i>Diastictus</i>	47	<i>Dyschirius</i>	9
<i>Cyphocleonus</i>	90	<i>Dibolia</i>	84	<i>Dytiscus</i>	8
<i>Cyphon</i>	48	<i>Dicerca</i>	49	<i>Eanus</i>	53
<i>Cyrtanaspis</i>	76	<i>Dicheirotrichus</i>	14	<i>Ebaeus</i>	59
<i>Cyrtoclytus</i>	78	<i>Dicranthus</i>	93	<i>Ecanus</i>	20
<i>Cyrtusa</i>	21	<i>Dicronychus</i>	54	<i>Ectinus</i>	54
<i>Cytillus</i>	50	<i>Dictyoptera</i>	54	<i>Edaphus</i>	41
<i>Dacne</i>	65	<i>Dienerella</i>	68	<i>Eicolycetus</i>	65
<i>Dacrila</i>	31	<i>Diglotta</i>	37	<i>Elaphrus</i>	9

Elater	53	<i>Euglenes</i>	75	<i>Gnathotrichus</i>	99
<i>Elater</i>	53	<i>Euophryum</i>	94	<i>Gnatocerus</i>	73
Elateroides	58	<i>Euplectus</i>	26	<i>Gnorimus</i>	48
<i>Eledona</i>	73	<i>Eupogonocherus</i>	78	<i>Gnypeta</i>	31
<i>Eledonoprius</i>	73	<i>Eurylister</i>	18	<i>Gonioctena</i>	82
<i>Ellescus</i>	91	<i>Eurymniusa</i>	31	<i>Gonodera</i>	73
<i>Elmis</i>	50	<i>Euryommatus</i>	97	<i>Gracilia</i>	77
<i>Elodes</i>	48	<i>Euryporus</i>	45	<i>Grammoplectus</i>	26
<i>Elonium</i>	38	<i>Euryptilium</i>	19	<i>Grammoptera</i>	77
<i>Emphylus</i>	64	<i>Euryusa</i>	37	<i>Grammostethus</i>	18
<i>Emus</i>	44	<i>Eusphalerum</i>	23	<i>Graphoderus</i>	8
<i>Enalodroma</i> , subg.	35	<i>Eustrophus</i>	70	<i>Graptodytes</i>	6
<i>Encephalus</i>	36	<i>Eutheia</i>	22	<i>Gronops</i>	90
<i>Endomychus</i>	66	<i>Euthiconus</i>	22	<i>Grynobius</i>	57
<i>Enedreytes</i>	85	<i>Evanystes</i>	32	<i>Grynocharis</i>	58
<i>Enicmus</i>	68	<i>Evodinus</i>	76	<i>Grypus</i>	90
<i>Ennearthron</i>	70	<i>Exocentrus</i>	78	<i>Guignotus</i>	6
<i>Enochrus</i>	16	<i>Exochomus</i>	67	<i>Gymnetron</i>	93
<i>Entomoscelis</i>	82	<i>Falagria</i>	35	<i>Gymnusa</i>	38
<i>Eocatops</i>	22	<i>Falagrioma</i>	36	<i>Gynandrophthalma</i>	80
<i>Epauloecus</i>	57	<i>Falagriusa</i>	36	<i>Gyrinus</i>	5
<i>Ephimeropus</i>	93	<i>Fleutiauxellus</i>	53	<i>Gyrohypnus</i>	42
<i>Ephistemus</i>	65	<i>Formicomus</i>	75	<i>Gyrophaena</i>	36
<i>Episernus</i>	57	<i>Foucartia</i>	89	<i>Habrocerus</i>	29
<i>Epitrix</i>	84	<i>Furcipes</i>	92	<i>Habroloma</i>	50
<i>Epuraea</i>	60	<i>Gabrius</i>	43	<i>Hadreule</i>	70
<i>Erchromus</i>	28	<i>Gabronthus</i>	43	<i>Hadrobregmus</i>	57
<i>Eremotes</i>	94	<i>Galeruca</i>	82	<i>Haemonia</i>	79
<i>Ergates</i>	76	<i>Galerucella</i>	82	<i>Haliplus</i>	5
<i>Erichsonius</i>	43	<i>Gastrallus</i>	57	<i>Hallomenus</i>	70
<i>Ernobius</i>	57	<i>Gastrophysa</i>	81	<i>Halobrecta</i>	35
<i>Ernopocerus</i>	98	<i>Gauropterus</i>	42	<i>Halyzia</i>	67
<i>Ernoporicus</i>	98	<i>Gaurotes</i>	76	<i>Hapalaraea</i>	24
<i>Ernoporos</i>	98	<i>Geodromicus</i>	25	<i>Haploglossa</i>	30
<i>Esolus</i>	50	<i>Georissus</i>	15	<i>Harminius</i>	52
<i>Euaesthetus</i>	41	<i>Geostiba</i>	32	<i>Harmonia</i>	67
<i>Eubria</i>	51	<i>Geotrupes</i>	46	<i>Harpalus</i>	13
<i>Eubrychius</i>	95	<i>Gibbium</i>	56	<i>Hedobia</i>	56
<i>Eucilodes</i>	48	<i>Glabroplatycis</i>	54	<i>Helichus</i>	50
<i>Eucinetus</i>	48	<i>Glaphyra</i>	77	<i>Helochares</i>	16
<i>Eucnecosum</i>	25	<i>Glischrochilus</i>	62	<i>Helophorus</i>	15
<i>Eucnemis</i>	51	<i>Globicornis</i>	56	<i>Hemicoelus</i>	57
<i>Euconnus</i>	23	<i>Gnathacmaeops</i>	76	<i>Hemicrepidius</i>	52
<i>Eudectus</i>	25	<i>Gnathoncus</i>	17	<i>Henoticus</i>	63

<i>Heptaulacus</i>	47	<i>Hylochares</i>	51	<i>Laccornis</i>	5
<i>Hermaeophaga</i>	83	<i>Hylophilus</i>	75	<i>Lacon</i>	52
<i>Hetaerius</i>	18	<i>Hylotrupes</i>	77	<i>Lado</i>	72
<i>Heterhelus</i>	60	<i>Hylurgops</i>	97	<i>Laemophloeus</i>	63
<i>Heterocerus</i>	51	<i>Hylurgus</i>	97	<i>Laemostenus</i>	12
<i>Heterota</i>	37	<i>Hymenalia</i>	73	<i>Lagria</i>	72
<i>Heterothops</i>	45	<i>Hymenophorus</i>	73	<i>Lamia</i>	78
<i>Hippodamia</i>	67	<i>Hypebaeus</i>	59	<i>Lampra</i>	49
<i>Hippuriphila</i>	84	<i>Hypera</i>	90	<i>Lamprinodes</i>	28
<i>Hirticomus</i>	75	<i>Hyperaspis</i>	67	<i>Lamprinus</i>	28
<i>Hispa</i>	85	<i>Hyphydrus</i>	6	<i>Lamprobyrrhulus</i>	50
<i>Hister</i>	18	<i>Hypnogyra</i>	42	<i>Lampyris</i>	54
<i>Holobus</i>	37	<i>Hypnoidus</i>	52	<i>Laria</i>	61
<i>Hololepta</i>	18	<i>Hypocacculus</i>	17	<i>Laricobius</i>	55
<i>Holoparamecus</i>	66	<i>Hypococcus</i>	17	<i>Larinus</i>	90
<i>Homalota</i>	37	<i>Hypocaelus</i>	51	<i>Lasconotus</i>	72
<i>Homorhythmus</i>	88	<i>Hypocassida</i>	85	<i>Lasioderma</i>	58
<i>Hoplia</i>	48	<i>Hypocoprus</i>	63	<i>Lasiorhynchites</i>	86
<i>Hoshikananomia</i>	71	<i>Hypocyphus</i>	37	<i>Latelmis</i>	50
<i>Hydaticus</i>	8	<i>Hypoganus</i>	53	<i>Latheticus</i>	72
<i>Hydnobius</i>	20	<i>Hypomedon</i>	41	<i>Lathrimaeum</i>	25
<i>Hydraena</i>	18	<i>Hypophlaeus</i>	73	<i>Lathrobium</i>	42
<i>Hydrobius</i>	16	<i>Hypopycna</i>	24	<i>Latridius</i>	68
<i>Hydrochara</i>	16	<i>Hypulus</i>	70	<i>Latridius</i>	68
<i>Hydrochus</i>	15	<i>Iberodorcadion</i>	78	<i>Lebia</i>	14
<i>Hydrocolus</i>	6	<i>Ilybius</i>	7	<i>Leiestes</i>	66
<i>Hydroglyphus</i>	6	<i>Ilyobates</i>	31	<i>Leioderes</i>	78
<i>Hydronomus</i>	93	<i>Ipidea</i>	61	<i>Leiodes</i>	20
<i>Hydrophilus</i>	16	<i>Ips</i>	98	<i>Leiopus</i>	78
<i>Hydroporus</i>	6	<i>Ischnodes</i>	53	<i>Leiosoma</i>	94
<i>Hydrosmecta</i>	31	<i>Ischnoglossa</i>	30	<i>Leistus</i>	8
<i>Hydrosmectina</i>	31	<i>Ischnomera</i>	74	<i>Lema</i>	80
<i>Hydrothassa</i>	81	<i>Ischnopoda</i>	31	<i>Leperisinus</i>	97
<i>Hydrous</i>	16	<i>Ischnosoma</i>	27	<i>Leptacinus</i>	42
<i>Hydrovatus</i>	5	<i>Isochnus</i>	92	<i>Leptinotarsa</i>	81
<i>Hygronomia</i>	37	<i>Isomira</i>	73	<i>Leptinus</i>	22
<i>Hygropora</i>	30	<i>Isorhipis</i>	51	<i>Leptophius</i>	42
<i>Hygrotus</i>	6	<i>Ityocara</i>	30	<i>Leptoplectus</i>	26
<i>Hylastes</i>	97	<i>Judolia</i>	77	<i>Leptura</i>	77
<i>Hylastinus</i>	97	<i>Kateretes</i>	60	<i>Leptusa</i>	36
<i>Hylecoetus</i>	58	<i>Korynetes</i>	59	<i>Lepyrus</i>	94
<i>Hylesinus</i>	97	<i>Labidostomis</i>	80	<i>Lesteva</i>	25
<i>Hylis</i>	51	<i>Laccobius</i>	16	<i>Leucoparyphus</i>	29
<i>Hylobius</i>	94	<i>Laccophilus</i>	5	<i>Librodor</i>	62

<i>Licinus</i>	13	<i>Lytta</i>	74	<i>Microbregma</i>	57
<i>Lilioceris</i>	80	<i>Macronychus</i>	50	<i>Microcara</i>	48
<i>Limnebius</i>	18	<i>Macroplea</i>	79	<i>Microderes</i>	14
<i>Limnichus</i>	51	<i>Magdalis</i>	94	<i>Microdota</i> , subg.	33
<i>Limnius</i>	50	<i>Malachius</i>	59	<i>Microglotta</i>	30
<i>Limnobaris</i>	95	<i>Maladera</i>	47	<i>Microlestes</i>	15
<i>Limnoxenus</i>	16	<i>Malthinus</i>	55	<i>Microlomalus</i>	18
<i>Limobius</i>	90	<i>Malthodes</i>	55	<i>Micropeplus</i>	26
<i>Limoniscus</i>	52	<i>Manda</i>	38	<i>Microptilium</i>	19
<i>Limonius</i>	52	<i>Mannerheimia</i>	24	<i>Microrhagus</i>	51
<i>Linaeidea</i>	81	<i>Mantura</i>	84	<i>Microscydmus</i>	23
<i>Liocola</i>	48	<i>Margarinotus</i>	18	<i>Microsporus</i>	5
<i>Liocyrтusa</i>	21	<i>Martianus</i>	72	<i>Migneauxia</i>	69
<i>Liodopria</i>	21	<i>Masoreus</i>	14	<i>Millidium</i>	19
<i>Liogluta</i>	32	<i>Mecinus</i>	93	<i>Minthea</i>	56
<i>Lionychus</i>	15	<i>Medon</i>	41	<i>Miscodera</i>	9
<i>Liophloeus</i>	89	<i>Megalinus</i>	42	<i>Mniophila</i>	84
<i>Liotrichus</i>	52	<i>Megarthrus</i>	25	<i>Mniusa</i>	30
<i>Liparus</i>	94	<i>Megasternum</i>	16	<i>Mocyta</i> , subg.	33
<i>Lissodema</i>	75	<i>Megatoma</i>	56	<i>Molorchus</i>	77
<i>Litargus</i>	69	<i>Melandrya</i>	70	<i>Monochamus</i>	78
<i>Lithocharis</i>	41	<i>Melanimon</i>	72	<i>Mononychus</i>	95
<i>Litodactylus</i>	95	<i>Melanophila</i>	49	<i>Monotoma</i>	62
<i>Lixus</i>	90	<i>Melanophthalma</i>	69	<i>Mordella</i>	71
<i>Lochmaea</i>	82	<i>Melanotus</i>	53	<i>Mordellistena</i>	71
<i>Lomechusa</i>	36	<i>Melasis</i>	51	<i>Mordellistenula</i>	71
<i>Lomechusoides</i>	36	<i>Meliceria</i>	26	<i>Mordellochroa</i>	71
<i>Longitarsus</i>	83	<i>Meligethes</i>	61	<i>Morychus</i>	50
<i>Lopheros</i>	54	<i>Meloe</i>	74	<i>Mosotalesus</i>	52
<i>Lophocateres</i>	58	<i>Melolontha</i>	47	<i>Mycetaea</i>	66
<i>Lordithon</i>	28	<i>Menephilus</i>	73	<i>Mycetina</i>	66
<i>Loricera</i>	9	<i>Menesia</i>	79	<i>Mycetochara</i>	73
<i>Lucanus</i>	46	<i>Meotica</i>	31	<i>Mycetophagus</i>	69
<i>Ludius</i>	53	<i>Mesosa</i>	78	<i>Mycetoporus</i>	27
<i>Lundbergia</i>	32	<i>Metacantharis</i>	55	<i>Mycetota</i> , subg.	33
<i>Luperus</i>	82	<i>Metoecus</i>	71	<i>Mycterus</i>	74
<i>Lycoperdina</i>	66	<i>Metopsia</i>	25	<i>Myllaena</i>	38
<i>Lyctus</i>	56	<i>Mezium</i>	56	<i>Myrmechixenus</i>	73
<i>Lygistorpterus</i>	54	<i>Miaromimus</i>	93	<i>Myrmecocephalus</i>	36
<i>Lymantor</i>	98	<i>Miarus</i>	93	<i>Myrmecopora</i>	35
<i>Lymexylon</i>	58	<i>Micralymma</i>	24	<i>Myrmecetes</i>	17
<i>Lypoglossa</i> , subg.	33	<i>Micrambe</i>	63	<i>Myrrha</i>	67
<i>Lyprocorhe</i>	35	<i>Micrelus</i>	96	<i>Myzia</i>	67
<i>Lythraria</i>	84	<i>Micridium</i>	19	<i>Nacerdes</i>	74

<i>Nalassus</i>	72	<i>Notolaemus</i>	63	<i>Ootypus</i>	65
<i>Nanodes</i>	87	<i>Notothecta</i> , subg.	33	<i>Opatrium</i>	72
<i>Nanophyes</i>	87	<i>Notoxus</i>	75	<i>Opetiopalpus</i>	59
<i>Nanoptilium</i>	19	<i>Nudobius</i>	42	<i>Ophonus</i>	13
<i>Nargus</i>	22	<i>Oberea</i>	79	<i>Opilo</i>	58
<i>Nartus</i>	7	<i>Obrium</i>	77	<i>Oplocephala</i>	73
<i>Nathrius</i>	77	<i>Ocalea</i>	31	<i>Oplosia</i>	78
<i>Nausibius</i>	62	<i>Ochina</i>	57	<i>Orchesia</i>	70
<i>Neatus</i>	72	<i>Ochrosis</i>	84	<i>Orchestes</i>	92
<i>Nebria</i>	8	<i>Ochthebius</i>	18	<i>Orectochilus</i>	5
<i>Nebrioporus</i>	7	<i>Ochthephilum</i>	42	<i>Oreina</i>	81
<i>Necrobia</i>	59	<i>Ochthephilus</i>	38	<i>Oreodytes</i>	6
<i>Necrodes</i>	23	<i>Octotemnus</i>	70	<i>Orithales</i>	52
<i>Necydalis</i>	77	<i>Ocypus</i>	44	<i>Orobitis</i>	97
<i>Nedyus</i>	97	<i>Ocys</i>	10	<i>Orochares</i>	24
<i>Negastrius</i>	53	<i>Ocyusa</i>	30	<i>Orsodacne</i>	79
<i>Nehemitropia</i>	35	<i>Odacantha</i>	14	<i>Orthocerus</i>	72
<i>Neliocarus</i>	89	<i>Odonteus</i>	46	<i>Orthochaetes</i>	91
<i>Nemadus</i>	22	<i>Oedemera</i>	74	<i>Orthocis</i>	70
<i>Nemozoma</i>	58	<i>Oedostethus</i>	53	<i>Orthoperus</i>	68
<i>Neobisnius</i>	44	<i>Oenopia</i>	67	<i>Orthotomicus</i>	98
<i>Neocoenorrhinus</i>	86	<i>Oiceoptoma</i>	23	<i>Oryctes</i>	48
<i>Neocrepidodera</i>	84	<i>Olibrus</i>	63	<i>Oryzaephilus</i>	62
<i>Neohilara</i> , subg.	33	<i>Oligella</i>	19	<i>Osmoderma</i>	48
<i>Neohypdonus</i>	53	<i>Oligomerus</i>	57	<i>Osphya</i>	71
<i>Neomida</i>	73	<i>Oligota</i>	37	<i>Ostoma</i>	58
<i>Neomysia</i>	67	<i>Olisthaerus</i>	27	<i>Othius</i>	43
<i>Neophytobius</i>	95	<i>Olisthopus</i>	12	<i>Otho</i>	51
<i>Neosirocalus</i>	96	<i>Olophrum</i>	25	<i>Otiorhynchus</i>	88
<i>Nepachys</i>	59	<i>Omalium</i>	24	<i>Oulema</i>	80
<i>Nephanes</i>	19	<i>Omaloplia</i>	47	<i>Oulimnius</i>	50
<i>Nephus</i>	66	<i>Omiamima</i>	88	<i>Ousipalia</i>	32
<i>Nevraphes</i>	23	<i>Omias</i>	88	<i>Ovalisia</i>	49
<i>Nicrophorus</i>	23	<i>Omonadus</i>	75	<i>Oxylaemus</i>	65
<i>Niptus</i>	57	<i>Omophlus</i>	73	<i>Oxymirus</i>	76
<i>Nitidula</i>	61	<i>Omophron</i>	8	<i>Oxyomus</i>	47
<i>Nivellia</i>	77	<i>Omosita</i>	61	<i>Oxypoda</i>	29
<i>Normandia</i>	50	<i>Oniticellus</i>	47	<i>Oxyporus</i>	40
<i>Nosodendron</i>	55	<i>Ontholestes</i>	44	<i>Oxypselaphus</i>	12
<i>Nossidium</i>	19	<i>Onthophagus</i>	47	<i>Oxypteris</i>	49
<i>Notaris</i>	91	<i>Onthophilus</i>	18	<i>Oxytelus</i>	39
<i>Noterus</i>	5	<i>Oodes</i>	13	<i>Oxythyrea</i>	48
<i>Nothrhina</i>	76	<i>Oodescelis</i>	72	<i>Pachnephorus</i>	81
<i>Notiophilus</i>	8	<i>Oomorphus</i>	80	<i>Pachnida</i>	35

<i>Pachyatheta</i>	35	<i>Phaleria</i>	73	<i>Pityokteines</i>	98
<i>Pachybrachis</i>	80	<i>Pheletes</i>	52	<i>Pityophagus</i>	62
<i>Pachygluta</i>	36	<i>Philhygra</i>	32	<i>Pityophthorus</i>	99
<i>Pachyta</i>	76	<i>Philonthus</i>	43	<i>Pityphilus</i>	78
<i>Paederidus</i>	41	<i>Philopedon</i>	89	<i>Placonotus</i>	63
<i>Paederus</i>	41	<i>Philorhizus</i>	15	<i>Placusa</i>	37
<i>Palorus</i>	72	<i>Philorinum</i>	24	<i>Plagioderma</i>	81
<i>Panagaeus</i>	13	<i>Phloeobium</i>	25	<i>Plagionotus</i>	78
<i>Paracardiophorus</i>	54	<i>Phloeocharis</i>	27	<i>Plagiosterna</i>	81
<i>Paracymus</i>	16	<i>Phloeodroma</i>	31	<i>Planeustomus</i>	38
<i>Paradromius</i>	15	<i>Phloeonomus</i>	24	<i>Platambus</i>	7
<i>Paragabrius</i>	43	<i>Phloeophagus</i>	94	<i>Platarea, subg.</i>	34
<i>Paralister</i>	18	<i>Phloeopora</i>	31	<i>Plateumaris</i>	79
<i>Paramecosoma</i>	63	<i>Phloeostiba</i>	24	<i>Platycerus</i>	46
<i>Parameotica, subg.</i>	33	<i>Phloeostichus</i>	62	<i>Platycis</i>	54
<i>Paranchus</i>	12	<i>Phloeotribus</i>	97	<i>Platydema</i>	73
<i>Paranomus</i>	53	<i>Phloiphilus</i>	58	<i>Platyderus</i>	12
<i>Paranopleta</i>	32	<i>Phloiotrya</i>	70	<i>Platydracus</i>	44
<i>Paratachys</i>	11	<i>Phosphaenus</i>	54	<i>Platylomalus</i>	17
<i>Paratinus</i>	60	<i>Phosphuga</i>	23	<i>Platynaspis</i>	67
<i>Parocyusa</i>	30	<i>Phratora</i>	82	<i>Platynus</i>	12
<i>Paromalus</i>	18	<i>Phryganophilus</i>	71	<i>Platypyllus</i>	22
<i>Patrobus</i>	9	<i>Phylan</i>	72	<i>Platypus</i>	99
<i>Pediacus</i>	62	<i>Phyllobia</i>	88	<i>Platyrhinus</i>	86
<i>Pedinus</i>	72	<i>Phyllobrotica</i>	82	<i>Platysoma</i>	18
<i>Pedius</i>	11	<i>Phyllodecta</i>	82	<i>Platystethus</i>	40
<i>Pedostrangalia</i>	77	<i>Phyllodrepa</i>	24	<i>Platystomos</i>	86
<i>Pelecotoma</i>	71	<i>Phyllodrepoidea</i>	25	<i>Plectophloeus</i>	26
<i>Pelenomus</i>	95	<i>Phyllopertha</i>	48	<i>Plegaderus</i>	17
<i>Pelophila</i>	8	<i>Phyllotreta</i>	82	<i>Pleurophorus</i>	47
<i>Peltis</i>	58	<i>Phymatodes</i>	78	<i>Pocadiodes</i>	61
<i>Peltodytes</i>	5	<i>Phymatura</i>	36	<i>Pocadius</i>	61
<i>Pentanota</i>	31	<i>Physoronia</i>	61	<i>Podabrus</i>	54
<i>Pentaphyllus</i>	73	<i>Phytobaenus</i>	75	<i>Podagriva</i>	84
<i>Pentarthrum</i>	93	<i>Phytobius</i>	95	<i>Poecilium</i>	78
<i>Penthelispa</i>	72	<i>Phytobius</i>	95	<i>Poecilonota</i>	49
<i>Perigona</i>	14	<i>Phytodecta</i>	82	<i>Poecilus</i>	11
<i>Perileptus</i>	10	<i>Phytoecia</i>	79	<i>Pogonocherus</i>	78
<i>Peritelus</i>	88	<i>Phytonomus</i>	90	<i>Pogonus</i>	10
<i>Phacophallus</i>	42	<i>Phytosus</i>	37	<i>Polydrusus</i>	88
<i>Phaedon</i>	81	<i>Pidonia</i>	76	<i>Polygraphus</i>	97
<i>Phaenops</i>	49	<i>Pilemostoma</i>	85	<i>Polyphylla</i>	47
<i>Phalacrolinus</i>	42	<i>Pissodes</i>	94	<i>Poophagus</i>	95
<i>Phalacrus</i>	63	<i>Pityogenes</i>	98	<i>Porcinolus</i>	50

<i>Porhydrus</i>	6	<i>Ptenidium</i>	19	<i>Rhizophagus</i>	62
<i>Poromniusa</i>	31	<i>Pteroloma</i>	20	<i>Rhopalocerina</i>	37
<i>Porotachys</i>	11	<i>Pteronius</i>	25	<i>Rhopalomesites</i>	94
<i>Porrhodites</i>	24	<i>Pterostichus</i>	11	<i>Rhynchaenus</i>	92
<i>Potamonectes</i>	7	<i>Pteryngium</i>	63	<i>Rhynchites</i>	86
<i>Potosia</i>	48	<i>Pteryx</i>	19	<i>Rhyncolus</i>	94
<i>Pragensiella</i>	37	<i>Ptilinus</i>	57	<i>Rhysodes</i>	10
<i>Prasocuris</i>	81	<i>Ptiliola</i>	19	<i>Rhyssemus</i>	47
<i>Pria</i>	61	<i>Ptilolum</i>	19	<i>Rhyzobius</i>	66
<i>Priobium</i>	57	<i>Ptilium</i>	19	<i>Rhyzopertha</i>	56
<i>Prionocyphon</i>	49	<i>Ptinella</i>	19	<i>Riolus</i>	50
<i>Prionus</i>	76	<i>Ptinomorphus</i>	56	<i>Ripidius</i>	71
<i>Prionychus</i>	73	<i>Ptinus</i>	57	<i>Ropalodontus</i>	70
<i>Pristonychus</i>	12	<i>Ptomaphagus</i>	22	<i>Ropalopus</i>	77
<i>Procræterus</i>	53	<i>Pullus</i>	66	<i>Rosalia</i>	77
<i>Propylea</i>	67	<i>Pycnoglypta</i>	24	<i>Rossioptera</i>	54
<i>Prosternon</i>	52	<i>Pycnomerus</i>	72	<i>Rugilus</i>	41
<i>Prostomis</i>	74	<i>Pycnota</i>	35	<i>Rushia</i>	70
<i>Proteinus</i>	25	<i>Pyrochroa</i>	74	<i>Rusticoclytus</i>	78
<i>Psammodius</i>	47	<i>Pyroglossa</i>	30	<i>Rutidosoma</i>	95
<i>Psammoecus</i>	62	<i>Pyropterus</i>	54	<i>Rybaxis</i>	27
<i>Pselactus</i>	94	<i>Pyrrhalta</i>	82	<i>Rypobius</i>	68
<i>Pselaphaulax</i>	27	<i>Pyrrhidium</i>	78	<i>Sacium</i>	68
<i>Pselaphorhynchites</i>	86	<i>Pytho</i>	74	<i>Salpingus</i>	75
<i>Pselaphus</i>	27	<i>Quedius</i>	45	<i>Salpingus</i>	75
<i>Psephidonus</i>	25	<i>Rabigus</i>	43	<i>Saperda</i>	79
<i>Pseudanostirus</i>	52	<i>Rabocerus</i>	75	<i>Saprinus</i>	17
<i>Pseudaphana</i>	30	<i>Reesa</i>	56	<i>Saulcyella</i>	26
<i>Pseudathous</i>	52	<i>Reichenbachia</i>	27	<i>Scaphidema</i>	73
<i>Pseudeuglenes</i>	75	<i>Reitterelater</i>	53	<i>Scaphidium</i>	38
<i>Pseudeurostus</i>	57	<i>Remus</i>	44	<i>Scaphisoma</i>	38
<i>Pseudocistela</i>	73	<i>Rhacopus</i>	51	<i>Scarodytes</i>	7
<i>Pseudocleonus</i>	90	<i>Rhagium</i>	76	<i>Schistoglossa</i>	32
<i>Pseudomedon</i>	41	<i>Rhagocneme</i> , subg.	33	<i>Schizotus</i>	74
<i>Pseudomicrodota</i>	37	<i>Rhagonycha</i>	55	<i>Sciaphilus</i>	89
<i>Pseudoophonus</i>	13	<i>Rhamnusium</i>	76	<i>Sciaphobus</i>	89
<i>Pseudophloeophagus</i>	94	<i>Rhamphus</i>	93	<i>Scintillatrix</i>	49
<i>Pseudoplectus</i>	26	<i>Rhantus</i>	7	<i>Sciodrepa</i>	22
<i>Pseudoptilinus</i>	57	<i>Rhaphitropis</i>	85	<i>Sciodrepoides</i>	22
<i>Pseudostyphlus</i>	91	<i>Rhinocyllus</i>	90	<i>Scirtes</i>	49
<i>Psilothrrix</i>	59	<i>Rhinomacer</i>	85	<i>Scleropterus</i>	95
<i>Psylliodes</i>	84	<i>Rhinoncus</i>	95	<i>Scolytus</i>	97
<i>Psyllobora</i>	67	<i>Rhinosimus</i>	75	<i>Scopaeus</i>	42
<i>Pteleobius</i>	97	<i>Rhinusa</i>	93	<i>Scotodes</i>	74

<i>Scaptia</i>	75	<i>Sphaerius</i>	5	<i>Synharmonia</i>	67
<i>Scydmaenus</i>	23	<i>Sphaeroderma</i>	84	<i>Syntomium</i>	38
<i>Scydmoraphes</i>	23	<i>Sphaerosoma</i>	66	<i>Syntomus</i>	15
<i>Scymnus</i>	66	<i>Sphindus</i>	60	<i>Synuchus</i>	12
<i>Selatosomus</i>	52	<i>Sphodrus</i>	12	<i>Tachinus</i>	28
<i>Semanotus</i>	78	<i>Spondylis</i>	76	<i>Tachyerges</i>	92
<i>Semiadalia</i>	67	<i>Stagetus</i>	58	<i>Tachyporus</i>	28
<i>Semiphonus</i>	13	<i>Staphylinus</i>	44	<i>Tachys</i>	11
<i>Sepedophilus</i>	28	<i>Stegobium</i>	57	<i>Tachyta</i>	11
<i>Serica</i>	47	<i>Stenagostus</i>	52	<i>Tachyura</i>	11
<i>Sericoda</i>	12	<i>Stenagria</i>	36	<i>Tachyusa</i>	31
<i>Sericoderus</i>	68	<i>Stenelmis</i>	50	<i>Tachyusida</i>	37
<i>Sericus</i>	53	<i>Stenichnus</i>	23	<i>Tanymecus</i>	89
<i>Sermylassa</i>	82	<i>Stenister</i>	18	<i>Tanysphyrus</i>	91
<i>Serropalpus</i>	70	<i>Stenocarus</i>	97	<i>Tapeinotus</i>	95
<i>Sibinia</i>	92	<i>Stenocorus</i>	76	<i>Taphrorychus</i>	98
<i>Silis</i>	55	<i>Stenolophus</i>	14	<i>Tarsostenus</i>	59
<i>Silpha</i>	23	<i>Stenomax</i>	72	<i>Tasgius</i>	45
<i>Silusa</i>	37	<i>Stenostola</i>	79	<i>Telmatophilus</i>	63
<i>Silvanoprus</i>	62	<i>Stenotrachelus</i>	74	<i>Temnocerus</i>	86
<i>Silvanus</i>	62	<i>Stenus</i>	40	<i>Temnorhinus</i>	90
<i>Simo</i>	88	<i>Stephanocleonus</i>	90	<i>Temnoscheila</i>	58
<i>Simplocaria</i>	50	<i>Stephanopachys</i>	56	<i>Tenebrio</i>	72
<i>Sinodendron</i>	46	<i>Stephostethus</i>	68	<i>Tenebroides</i>	58
<i>Sipalia</i>	32	<i>Stereocorynes</i>	94	<i>Teredus</i>	65
<i>Sipalia</i>	36	<i>Stereonychus</i>	91	<i>Teretrius</i>	17
<i>Sirocalodes</i>	96	<i>Stethorus</i>	66	<i>Tetartopeus</i>	42
<i>Sitodrepa</i>	57	<i>Stichoglossa</i>	30	<i>Tetraplatypus</i>	14
<i>Sitona</i>	89	<i>Stictotarsus</i>	7	<i>Tetratoma</i>	70
<i>Sitophilus</i>	97	<i>Stilbus</i>	63	<i>Tetropium</i>	76
<i>Smaragdina</i>	80	<i>Stilicus</i>	41	<i>Tetrops</i>	79
<i>Smicronyx</i>	91	<i>Stomis</i>	11	<i>Thalycra</i>	61
<i>Smicrus</i>	20	<i>Strangalia</i>	77	<i>Thamiaraea</i>	35
<i>Sogda</i>	20	<i>Stricticomus</i>	75	<i>Thamiocolus</i>	96
<i>Soronia</i>	61	<i>Strophosoma</i>	89	<i>Thanasimus</i>	58
<i>Sospita</i>	67	<i>Subcoccinella</i>	68	<i>Thanatophilus</i>	23
<i>Spatulonthus</i>	43	<i>Sulcacis</i>	70	<i>Thea</i>	67
<i>Spavius</i>	64	<i>Sunius</i>	41	<i>Theca</i>	58
<i>Spercheus</i>	15	<i>Suphydrutes</i>	6	<i>Thecturota</i>	37
<i>Spermophagus</i>	85	<i>Symbiotes</i>	66	<i>Theetura</i>	37
<i>Sphaericus</i>	57	<i>Synaptus</i>	54	<i>Thes</i>	68
<i>Sphaeridium</i>	17	<i>Syncalypta</i>	50	<i>Thiasophila</i>	30
<i>Sphaeriestes</i>	75	<i>Synchita</i>	72	<i>Thinobaena, subg.</i>	35
<i>Sphaerites</i>	17	<i>Syneta</i>	81	<i>Thinobius</i>	38

<i>Thinodromus</i>	38	<i>Trogoderma</i>	56	<i>Xylodromus</i>	24
<i>Thorictodes</i>	55	<i>Trogophloeus</i>	38	<i>Xylographus</i>	70
<i>Throscus</i>	51	<i>Trogossita</i>	58	<i>Xylolaemus</i>	72
<i>Thryogenes</i>	90	<i>Troxoxylon</i>	56	<i>Xylophilus</i>	51
<i>Thyasophila</i>	30	<i>Tropideres</i>	85	<i>Xylostiba</i>	24
<i>Thylodrias</i>	56	<i>Tropiderinus</i>	85	<i>Xyloterus</i>	98
<i>Thymalus</i>	58	<i>Tropinota</i>	48	<i>Xylotrechus</i>	78
<i>Tillus</i>	58	<i>Tropiphorus</i>	89	<i>Zabrus</i>	13
<i>Timarcha</i>	82	<i>Trox</i>	46	<i>Za cladus</i>	96
<i>Tinotus</i>	29	<i>Trypodendron</i>	98	<i>Zavaljus</i>	65
<i>Tipnus</i>	57	<i>Trypophloeus</i>	98	<i>Zeugophora</i>	79
<i>Tomicus</i>	97	<i>Tychius</i>	91	<i>Zilora</i>	70
<i>Tomoglossa</i>	32	<i>Tychus</i>	26	<i>Zorochros</i>	53
<i>Tomoxia</i>	71	<i>Typhaea</i>	69	<i>Zyras</i>	36
<i>Trachodes</i>	94	<i>Typhaeus</i>	46		
<i>Trachypachus</i>	5	<i>Tyrus</i>	27		
<i>Trachyphloeus</i>	88	<i>Tytthaspis</i>	67		
<i>Trachys</i>	50	<i>Uleiota</i>	62		
<i>Tragosoma</i>	76	<i>Uloma</i>	72		
<i>Traumoezia</i> , subg.	34	<i>Upis</i>	74		
<i>Trechicus</i>	14	<i>Urodon</i>	86		
<i>Trechoblemus</i>	10	<i>Wagaicis</i>	70		
<i>Trechus</i>	10	<i>Valgus</i>	48		
<i>Triarthron</i>	20	<i>Vanonus</i>	75		
<i>Tribolium</i>	72	<i>Variimorda</i>	71		
<i>Trichius</i>	48	<i>Velleius</i>	45		
<i>Trichiusa</i>	35	<i>Veraphis</i>	22		
<i>Trichoceble</i>	59	<i>Vibidia</i>	67		
<i>Trichocellus</i>	14	<i>Vincenzellus</i>	75		
<i>Trichodes</i>	58	<i>Xanthochroa</i>	74		
<i>Trichohydnobius</i>	20	<i>Xanthogaleruca</i>	82		
<i>Trichomicra</i>	31	<i>Xantholinus</i>	42		
<i>Trichonyx</i>	26	<i>Xanthosphaera</i>	21		
<i>Trichophya</i>	29	<i>Xenota</i> , subg.	33		
<i>Trichosirocalus</i>	97	<i>Xestobium</i>	57		
<i>Trigonogenius</i>	56	<i>Xyleborinus</i>	98		
<i>Trimium</i>	26	<i>Xyleborus</i>	98		
<i>Trinodes</i>	55	<i>Xylechinus</i>	97		
<i>Triphyllus</i>	69	<i>Xyletinus</i>	57		
<i>Triplax</i>	65	<i>Xylita</i>	70		
<i>Trissemus</i>	27	<i>Xylobanellus</i>	54		
<i>Tritoma</i>	65	<i>Xylobius</i>	51		
<i>Trixagus</i>	51	<i>Xylocleptes</i>	98		
<i>Trochanterella</i> , subg.	33	<i>Xylodrepa</i>	23		