

Catalogue of Palaearctic Coleoptera

VOLUME 2/1

The titles published in this series are listed at brill.com/cpc

Hydrophiloidea – Staphylininoidea


Revised and Updated Edition

VOLUME 1

Edited by

I. Löbl

D. Löbl



Pseudobironium confusum Löbl & Tang, 2013



BRILL


LEIDEN | BOSTON

Cover illustration: *Pseudobironium confusum* Löbl & Tang, 2013, photo Liang Tang.

Date of Publication: 28 August 2015

The index of the species-group names is available on site of Koninklijke Brill NV, Leiden (<http://booksandjournals.brillonline.com/>).

The publication of the work was supported by the "Muséum de la Ville de Genève", Geneva, Switzerland.



Library of Congress Cataloging-in-Publication Data

Catalogue of Palaearctic Coleoptera / edited by I. Löbl, D. Löbl. -- Revised and updated edition.
volumes cm

Includes bibliographical references and index.

Contents: -- volume 2. Hydrophiloidea-Staphylinoidea

ISBN 978-90-04-28992-5 (vol. 2 : hardback : alk. paper) -- ISBN 978-90-04-29685-5 (vol. 2 : e-book : alk. paper)

1. Beetles--Eurasia. 2. Beetles--Africa, North. I. Löbl, Ivan II. Löbl, D. (Daniel)

QL593.E83C38 2015

595.76095--dc23

2015018977

This publication has been typeset in the multilingual "Brill" typeface. With over 5,100 characters covering Latin, IPA, Greek, and Cyrillic, this typeface is especially suitable for use in the humanities. For more information, please see www.brill.com/brill-typeface.

ISBN 978-90-04-28992-5 (hardback set)

ISBN 978-90-04-30276-1 (hardback, vol. 1)

ISBN 978-90-04-30277-8 (hardback, vol. 2)

ISBN 978-90-04-29685-5 (e-book)

Copyright 2015 by Koninklijke Brill NV, Leiden, The Netherlands.

Koninklijke Brill NV incorporates the imprints Brill, Brill Hes & De Graaf, Brill Nijhoff, Brill Rodopi and Hotei Publishing.

All rights reserved. No part of this publication may be reproduced, translated, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission from the publisher.

Authorization to photocopy items for internal or personal use is granted by Koninklijke Brill NV provided that the appropriate fees are paid directly to The Copyright Clearance Center, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA.

Fees are subject to change.

This book is printed on acid-free paper.



Contents

VOLUME 1

Introduction IX

Taxonomic Information XII

Distributional Information XIV

Bibliographic Information XX

Acknowledgements XXII

Editors and Authors XXIII

New Nomenclatural and Taxonomic Acts, and Comments 1

Catalogue 25

Helophoridae 25

Epimetopidae 33

Georissidae 33

Hydrochidae 35

Spercheidae 36

Hydrophilidae 37

Sphaeritidae 76

Syntelidae 76

Histeridae 76

Hydraenidae 130

Ptiliidae 162

Agyrtidae 177

Leiodidae 180

Silphidae 291

Staphylinidae 304

VOLUME 2

Staphylinidae 901

References 1135

Index to family-group names 1664

Index to genus-group names 1668

lata Motschulsky, 1845c: 527 (*Ptilium*) [HN]

plumigera L'Hermina, 1791: 206 (*Ips*) [DA]

sanctae-helenae Johnson, 1972a: 94 E: AZ DE FR GB GE IT NL PT SV SZ N: CI MR AFR

subgenus *Flachiana* Sundt, 1969: 50 type species *Acrotrichis kubotai* Sundt, 1969

cursitans Nietner, 1856: 527 (*Trichopteryx*) A: HUB JA AFR ORR

brunnea Britten, 1926c: 91

immatura Nietner, 1856: 527 (*Trichopteryx*)

errata Sundt, 1969: 51 A: JA

kubotai Sundt, 1969: 50 A: FE JA TAI

latipedes Y. Sawada & Hirowatari, 2002: 99 A: JA

lewisii A. Matthews, 1884: 79 (*Trichopteryx*) A: FE JA SCH

similaris Sundt, 1969: 52 A: FE JA

yazakii Sundt, 1969: 52 A: JA NP SCH

satsumanis Yazaki, 1925: 22 [DA]

genus *Actinopteryx* A. Matthews, 1872: 148 type species *Trichopteryx fucicola* Allibert, 1844

fucicola Allibert, 1844a: 52 (*Trichopteryx*) E: AZ BH CR DE FR GB GR IR IT MA ME NL SP ST SV UK N: CI EG

MO TU A: CY IS SI YE AFR NAR NTR

dilaticollis Motschulsky, 1869a: 181 (*Acratrichis*)

littoralis Motschulsky, 1869a: 181 (*Acratrichis*)

marina Motschulsky, 1845c: 525 (*Ptilium*)

maritima Motschulsky, 1869a: 181 (*Acratrichis*)

mollis Haliday, 1855: 123 (*Trichopteryx*)

parallela Britten, 1926a: 51 A: FE HEB JA AUR ORR

kubotai Waltz, 1984: 255 (*Acrotrichis*) [RN] [HN]

longipennis Kubota, 1943: 5 (*Acrotrichis*) [HN]

reflexa Britten, 1926a: 50 A: SI YE AFR AUR

acuminata Britten, 1926c: 91

torretassoi Rosskothén, 1937: 198

tribe Nephanini Portevin, 1929

genus *Baeocrara* Thomson, 1859: 62 type species *Trichopteryx littoralis* Thomson, 1855 (= *Ptilium variolosum*

Mulsant & Rey, 1861)

japonica A. Matthews, 1884: 81 (*Trichopteryx*) E: AU BY CT CZ DE FI GE HU LA NR SK SV A: FE JA

parvula Johnson, 1986: 81 A: NP ORR

vaga Johnson, 1986: 82 A: NP ORR

variolosa Mulsant & Rey, 1861d: 187 (*Ptilium*) E: AU BE BY CZ DE FI FR GB GE IR IT LA LT NL NR NT PL SK SP

SV SZ A: FE JA

littoralis Thomson, 1855b: 336 (*Trichopteryx*) [HN]

silbermanni Wencker, 1866: 128 (*Trichopteryx*)

thomsoni Sharp, 1866a: 230 (*Trichopteryx*) [RN]

genus *Nephanes* Thomson, 1859: 62 type species *Trichopteryx abbreviatella* Heer, 1841 (= *Trichopteryx titan* Newman, 1834)

Elachys A. Matthews, 1860: 7066 [RN] type species *Trichopteryx abbreviatella* Heer, 1841 (= *Trichopteryx titan* Newman, 1834)

Titan A. Matthews, 1858b: 6108 type species *Trichopteryx abbreviatella* Heer, 1841 (= *Trichopteryx titan* Newman, 1834)

Zamenhofia Vuillet, 1911b: 219 type species *Zamenhofia marchali* Vuillet, 1911

euphorbiicola Israelson, 1976: 232 N: CI

titan Newman, 1834: 201 (*Trichopteryx*) E: AU AZ CR CT CZ DE FI FR GB GE HU IR IT LA LS LT NL NR NT PL

PT RO SK SL SP SV SZ UK N: AG CI MO MR TU AFR AUR NAR

abbreviatella Heer, 1841: 375 (*Trichopteryx*)

curta Allibert, 1844a: 52 (*Trichopteryx*)

genus *Smicrus* A. Matthews, 1872: 59 type species *Ptilium filicorne* Fairmaire & Laboulbène, 1855

filicornis Fairmaire & Laboulbène, 1855: 338 (*Ptilium*) E: AU BH CR CT CZ DE FI FR GB GE HU IT LA LU NL

NR NT PL PT SK SL SV SZ UK NAR NTR

cinerascens Motschulsky, 1869a: 184 (*Micrus*)

rivalis Motschulsky, 1869a: 176 (*Acratrichis*)

family AGYRTIDAE Thomson, 1859

subfamily Necrophilinae Newton, 1997

genus *Necrophilus* Latreille, 1829: 500 type species *Silpha subterranea* Dahl, 1807

Necrobius Gistel, 1834b: 147 type species *Silpha subterranea* Dahl, 1807

Paranecrophilus Shibata, 1969: 47 type species *Paranecrophilus nomurai* Shibata, 1969

Pseudosilpha Schawaller, 1978a: 103 type species *Pseudosilpha roderi* Schawaller, 1978

nomurai Shibata, 1969: 48 (*Paranecrophilus*) A: JA (Amami-ôshima, Toku-no-shima)

roderi Schawaller, 1978a: 104 (*Pseudosilpha*) A: BT

rupinensis Schawaller, 1986: 314 A: NP XIX

sichuanensis Nikolaev, 2003: 149 A: SCH

chinensis Zhou, 2005: 63

subterraneus Dahl, 1807: 363 (*Silpha*) E: AU CR CZ FR GE IT PL RO SK SL SP SZ UK

subfamily Agyrtinae Thomson, 1859

genus *Agyrtes* Frölich, 1799: 15 type species *Mycetophagus castaneus* Fabricius, 1792

subgenus *Agyrtes* Frölich, 1799: 15 type species *Mycetophagus castaneus* Fabricius, 1792

alutaceus Reitter, 1901e: 102 A: TR

castaneus Fabricius, 1792b: 499 (*Mycetophagus*) E: CT CZ FR GE GR HU IT LU MD NL PL RO SK ST SZ UK A:

IN JO TR

spinipes Panzer, 1794d: no. 20 (*Mycetophagus*)

vespertinus Frölich, 1799: 18

ferrugineus Solsky, 1874: 220 A: KI KZ TD UZ

rufus Reitter, 1895a: 150

subgenus *Agyrtecanus* Reitter, 1901e: 102 type species *Agyrtes bicolor* Laporte, 1840

Lendomus Casey, 1924: 184 type species *Lendomus politus* Casey, 1924 (= *Agyrtes longulus* (LeConte, 1859))

bicolor Laporte, 1840b: 7 E: AU BE CZ DE FR HU IT NL PL RO SK SV

noheli Hlisnikovský, 1964p: 275

kashmirensis Schawaller, 1979b: 399 A: KA

sichuanensis Schawaller, 1999: 714 A: SCH

genus *Ecanus* Stephens, 1839: 133 type species *Tritoma glabra* Fabricius, 1787

Hadrambe Thomson, 1859: 57 type species *Tritoma glabra* Fabricius, 1787

glaber Fabricius, 1787: 44 (*Tritoma*) E: FI SV A: ES

genus *Ipelates* Reitter, 1885a: 90 type species *Hadrambe latissima* Reitter, 1884

Brachyloma Portevin, 1919: 218 [HN] type species *Brachyloma curtum* Portevin, 1914

Necrophilodes Champion, 1923a: 49 type species *Necrophilus castaneicolor* Champion, 1923

Pelates Horn, 1880: 244 [HN] type species *Necrophilus latus* Mannerheim, 1852

Pelatinus Cockerell, 1906: 240 [RN] type species *Necrophilus latus* Mannerheim, 1852

Sphaeroloma Portevin, 1905b: 422 type species *Sphaeroloma sikkimensis* Portevin, 1905

altaicus Nikolaev, 2002: 29 A: WS (Altay)

castaneicolor Champion, 1923a: 48 (*Necrophilus*) A: NP SD

curtus Portevin, 1919: 218 A: JA (Honshu)

himalajanus Schawaller, 1979a: 230 A: HP

indicus Hlisnikovský, 1963c: 314 (*Necrophiloides*) A: NP SCH ORR

jumlanus Schawaller, 2005: 121 A: NP

latissimus Reitter, 1884c: 55 (*Hadrambe*) E: GR (Pelopónnisos)

ruficollis Fairmaire, 1895: cix A: TR

ruzickai Schawaller, 2005: 122 A: NP

schmidtii Schawaller, 2005: 122 A: NP

schuelkei Růžička & Pütz, 2009: 633 A: YUN

sikkimensis Portevin, 1905b: 422 (*Sphaeroloma*) A: AP FUJ NP SD UP YUN ORR

sinensis Portevin, 1919: 219 (*Brachyloma*)

striatipennis Lewis, 1893b: 356 (*Pelates*) A: JA (Honshu)

calathoides Portevin, 1905b: 421 (*Pteroloma*)

yamauchii Nakane, 1988: 3

genus *Lyrosoma* Mannerheim, 1853: 174 type species *Pteroloma pallidum* Eschscholtz, 1829

opacum Mannerheim, 1853: 175 A: FE (Kamchatka, Komandorskie ostrova, Kurilskie ostrova) NAR

snowi Lewis, 1893b: 355

tripartitum Lewis, 1893b: 354

pallidum Eschscholtz, 1829: 7 (*Pteroloma*) A: FE (Kamchatka, Kurilskie ostrova, Magadan, Sakhalin) JA

(Honshu, Hokkaido) SC

chujoi Mroczkowski, 1959: 49

ituropense Hlisnikovský, 1964d: 40

ovipenne Lewis, 1893b: 355

suturale Lewis, 1893b: 355

subfamily **Pterolomatinae** Thomson, 1862

genus *Apteroloma* Hatch, 1927: 12 type species *Necrophilus tenuicornis* LeConte, 1859

Alloloma A.P. Semenov, 1932: 339 type species *Pteroloma sallaei* A. Matthews, 1888

Garytes Mroczkowski, 1966: 434 type species *Garytes coreanus* Mroczkowski, 1966 (= *Apteroloma kozlovi* A.P. Semenov & Znojko, 1932)

Pterolorica Hlisnikovský, 1968a: 113 type species *Pterolorica kashmirensis* Hlisnikovský, 1968

anglorossicum A.P. Semenov, 1891: 297 (*Pteroloma*) A: AF KA KI PA TD TM UZ

jankovskii A.P. Semenov & Znojko, 1932: 340

klapperichi Hlisnikovský, 1964c: 27 (*Pteroloma*)

belousovi Růžička & Pütz, 2009: 640 A: SCH

davidis Fairmaire, 1891: cxc1 (*Pteroloma*) A: SCH

discicollis *discicollis* Lewis, 1893b: 356 (*Pteroloma*) A: JA (Honshu)

discicollis *kinkiense* Nakane, 1988: 2 A: JA (Honshu)

discicollis *kyushuense* Nakane, 1988: 2 A: JA (Kyushu)

dolpoense Schawaller, 1978b: 173 (*Pteroloma*) A: NP

gibbum Champion, 1923a: 49 (*Necrophilus*) A: NP UP

latum Schawaller, 1978b: 172 (*Pteroloma*)

harmandi Portevin, 1903b: 334 (*Pteroloma*) A: AF HP KA NP PA SD

heinzi Schawaller, 1991: 14

jelineki Růžička & Pütz, 2009: 641 A: YUN

jinfo Růžička, Schneider & Háva, 2004: 116 A: CHQ HUB HUN

kashmirensis Hlisnikovský, 1968a: 113 (*Pterolorica*) A: HP KA

kozlovi A.P. Semenov & Znojko, 1932: 341 A: BEI FE HEB NC QINSC SHA SHX

coreanum Mroczkowski, 1966: 434 (*Garytes*)

lagnaense Schawaller, 2005: 119 A: NP

longulum Schawaller, 1979a: 226 (*Pteroloma*) A: PA

neelumense Schawaller, 1991: 16 A: PA

potanini A.P. Semenov, 1893: 338 (*Pteroloma*) A: GAN HEB HEN HUB NIN SCH SHA

qinligense Rougemont, 2001b: 351 A: SHA

rosti Portevin, 1907b: 252 (*Pteroloma*) A: KA PA

sankhaense Schawaller, 2005: 120 A: NP

schawalleri Růžička, Schneider & Háva, 2004: 124 A: SCH

sillemi Jeannel, 1935: 285 A: KI PA

turkestanicum A.P. Semenov, 1893: 340 (*Pteroloma*) A: PA TD TM

zhejiangense Tang, Li & Růžička, 2011: 42 A: ZHE

genus *Pteroloma* Gyllenhal, 1827: 418 type species *Harpalus forstromii* Gyllenhal, 1810

Adolus Fischer von Waldheim, 1828: 242 type species *Adolus brunneus* Fischer von Waldheim, 1828 (= *Pteroloma forstromii* (Gyllenhal, 1810))

Holocnemis Schilling, 1829: 93 type species *Holocnemis gravenhorstii* Schilling, 1829 (= *Pteroloma forstromii* (Gyllenhal, 1810))

altaicum Nikolaev, 1989: 298 A: ES KZ WS

forstromii Gyllenhal, 1810: 111 (*Harpalus*) E: AU CT CZ EN FI GE HU NR NT PL SK SV UK A: ES FE JIL HEI MG NC

brunneum Fischer von Waldheim, 1828: 243 (*Adolus*) [RN]

gravenhorstii Schilling, 1829: 93 (*Holocnemis*)

koebelei Van Dyke, 1928: 25 A: JA (Honshu, Kyushu) SC

gotoi Nakane, 1955: 29 (*Apteroloma*)

japonicum Hlisenikovský, 1963a: 80

magnificum Hlisenikovský, 1963a: 80

kurosawai Nishikawa, 2002a: 102 A: JA (Honshu)

nigromontanum Lafer, 2002: 51 A: FE (Primorye)

plutenkoi Růžička & Schneider, 1995: 111 (*Apteroloma*) A: FE (Primorye)

rufovittatum Nakane, 1955: 30 (*Apteroloma*) A: JA (Honshu, Kyushu, Shikoku)

mirandum Hlisenikovský, 1963a: 78

sibiricum Székessy, 1935: 175 A: ES FE JA (Hokkaido) MG WS

family Agyrtidae, species incertae sedis

Agyrtes pilosus Motschulsky, 1845a: 51 A: WS (Irtysch)

Necrophilus picipes Motschulsky, 1845a: 52 A: ES (Transbaikalia: "Daourie")

family LEIODIDAE Fleming, 1821

subfamily Catopocerinae Hatch, 1927

tribe Catopocerini Hatch, 1927

genus *Perkovskius* Lafer, 1989: 318 type species *Perkovskius ussuriensis* Lafer, 1989

kovalevi Perkovsky, 1989a: 85 (*Catopocerus*) A: FE

ussuriensis Lafer, 1989: 318 A: FE

zerchei Perreau & Růžička, 2007: 261 A: FE (Primorie)

subfamily Cholevinae Kirby, 1837

tribe Anemadini Hatch, 1928

subtribe Anemadina Hatch, 1928

genus *Anemadiola* Szymczakowski, 1963b: 112 type species *Anemadiola inordinata* Szymczakowski, 1963

inordinata Szymczakowski, 1963b: 114 A: JA

itotatoi Hayashi, 1990a: 31 A: TAI

kurbatovi Perreau, 1996b: 942 A: GUX

smetanai Perreau, 1996a: 290 A: TAI

genus *Anemadus* Reitter, 1885a: 58 type species *Catops strigosus* Kraatz, 1852

Namadeus Jeannel, 1936a: 201 type species *Catops acicularis* Kraatz, 1852

achilleus Giachino & Vailati, 1993: 153 A: TR

acicularis Kraatz, 1852b: 406 (*Catops*) E: AL BH CR FR GR IT MC TR SZ YU A: CY TR

maritimus Reitter, 1885a: 60 (*Anemadus*)

anatolicus Jeannel, 1936a: 209 (*Namadeus*) E: GR (Ródos) A: TR

anomalus Baudi di Selve, 1864: 229 (*Choleva*) A: CY

cyprius Henrot, 1964: 105 (*Namadeus*)

arcadius Reitter, 1885a: 59 E: GR

striatulus Jeannel, 1936a: 203

asperatus Champion, 1923a: 48 A: UP

besucheti Giachino & Vailati, 1993: 77 A: PA

cavazzutii Giachino & Vailati, 1993: 132 A: TR (Tunceli)

ciamliyaylae Giachino & Vailati, 1993: 125 A: TR (Mersin)

creticus L. Heyden, 1883: 368 (*Ptomaphagus*) E: GR (Kriti)

paganetti Obenberger, 1917a: 18

cribratostriatus Ganglbauer, 1900a: 147 A: LE TR

graecus Kraatz, 1870a: 99 (*Choleva*) E: AL GR MC ME A: CY

hirsutus Giachino & Vailati, 1993: 149 A: TR (Mersin)

hubeiensis Perreau, 2004a: 207 A: HUB

italicus Zoia, 1990: 234 (*Namadeus*) E: IT

kabaki Perreau, 2009: 9 A: SCH

karamani Ganglbauer, 1899: 139 E: BH CR FR IT SL SZ YU

bianchii Reitter, 1906e: 129

kladeci Giachino, Latella & Vailati, 2013: 382 A: SY (Latakia)

kuluensis Champion, 1927b: 246 A: HP

leonhardi Reitter, 1904e: 154 E: BH ME

loebli Giachino & Vailati, 1993: 108 A: TR (Muğla)

lucarellii Giachino, Latella & Vailati, 2013: 379 A: TR (Konia)

macedo Jeannel, 1936a: 209 (*Namadeus*) E: GR

minus Frank, 1991: 147 (*Namadeus*) A: TR

nipponensis Perreau, 1996a: 294 A: JA (Honshu)

osellai Giachino & Vailati, 1993: 104 E: IT (Sicilia)

pellitus Reitter, 1885a: 60 E: AL GR

europaeus Coiffait, 1955h: 207 (*Namadeus*)

ponticus Vailati, 1984: 195 (*Namadeus*) A: TR

pugillator Giachino & Vailati, 1993: 101 A: IS LE

ruzickai Perreau, 2002: 42 A: SCH

schuelkei Perreau, 2002: 44 A: SHA

sengleti Giachino & Vailati, 1993: 138 A: IN (Lorestan)