

Catalogue of Palaearctic Coleoptera

VOLUME 2/1

The titles published in this series are listed at brill.com/cpc

Hydrophiloidea – Staphylinoidea

Revised and Updated Edition

VOLUME 1

Edited by

I. Löbl

D. Löbl



BRILL


LEIDEN | BOSTON

Cover illustration: *Pseudobironium confusum* Löbl & Tang, 2013, photo Liang Tang.

Date of Publication: 28 August 2015

The index of the species-group names is available on site of Koninklijke Brill nv, Leiden (<http://booksandjournals.brillonline.com/>).

The publication of the work was supported by the "Muséum de la Ville de Genève", Geneva, Switzerland.



Library of Congress Cataloging-in-Publication Data

Catalogue of Palaearctic Coleoptera / edited by I. Löbl, D. Löbl. -- Revised and updated edition.
volumes cm

Includes bibliographical references and index.

Contents: -- volume 2. Hydrophiloidea-Staphylinoidea

ISBN 978-90-04-28992-5 (vol. 2 : hardback : alk. paper) -- ISBN 978-90-04-29685-5 (vol. 2 : e-book : alk. paper)

1. Beetles--Eurasia. 2. Beetles--Africa, North. I. Löbl, Ivan II. Löbl, D. (Daniel)

QL593.E83C38 2015

595.76095--dc23

2015018977

This publication has been typeset in the multilingual "Brill" typeface. With over 5,100 characters covering Latin, IPA, Greek, and Cyrillic, this typeface is especially suitable for use in the humanities. For more information, please see www.brill.com/brill-typeface.

ISBN 978-90-04-28992-5 (hardback set)

ISBN 978-90-04-30276-1 (hardback, vol. 1)

ISBN 978-90-04-30277-8 (hardback, vol. 2)

ISBN 978-90-04-29685-5 (e-book)

Copyright 2015 by Koninklijke Brill nv, Leiden, The Netherlands.

Koninklijke Brill nv incorporates the imprints Brill, Brill Hes & De Graaf, Brill Nijhoff, Brill Rodopi and Hotei Publishing.

All rights reserved. No part of this publication may be reproduced, translated, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission from the publisher.

Authorization to photocopy items for internal or personal use is granted by Koninklijke Brill nv provided that the appropriate fees are paid directly to The Copyright Clearance Center, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA.

Fees are subject to change.

This book is printed on acid-free paper.

substriatum Faldermann, 1838: 8 E: AB AR AU AZ BH BU CR CZ DE FR GE GR HU IT LT MC ME PL SK ST UK
N: AG EG TU A: ES FE IS KA KZ LIA MG NE NMO SHX TD TM TR WS

atratum Ragusa, 189: 136

genus *Sphaeridium*, **nomina dubia** (possibly not Hydrophiloidea)

bipunctatum Thunberg, 1794c: 102 [DA] E: SV

bipustulatum Thunberg, 1794c: 102 [HN] [DA] E: SV

inquinatum Kugelann, 1798: 69 [DA] E: PL

pellucidum P. Rossi, 1794: 83 [DA] E: IT

plagiatum Thunberg, 1794c: 101 [DA] E: SV

punctiforme Schrank, 1798: 444 [DA] E: GE

rubrum Thunberg, 1794c: 100 [DA] E: SV

ruficollis Frölich, 1792: 121 [HN] [DA] E: GE

rufipes Schrank, 1785: 315 [DA] E: GE

rufipes Thunberg, 1794c: 101 [HN] [DA] E: SV

testudineum P. Rossi, 1794: 83 [DA] E: IT

vaccarium Kugelann, 1798: 69 [DA] E: PL

family SPHAERITIDAE Shuckard, 1839

genus *Sphaerites* Duftschmid, 1805: 205 type species *Hister glabratus* Fabricius, 1792

dimidiatus Jureček, 1934: 45 A: GAN SCH SHA

glabratus Fabricius, 1792a: 73 (*Hister*) E: AU BE BU BY CT CZ DE EN FI FR GB GE HU IT LA LS LT LU NL NR

NT PL RO SK SL SV SZ UK A: ES FE JA JIL MG WS

involutilis Gusakov, 2004: 182 A: SCH

nitidus Löbl, 1996: 196 A: GAN SCH

opacus Löbl & Háva, 2002: 179 A: SHA

family SYNTELIIDAE Lewis, 1882

genus *Syntelia* Westwood, 1864: 11 type species *Syntelia indica* Westwood, 1864

davidis Fairmaire, 1889a: 11 A: SCH

histeroides Lewis, 1882: 137 A: FE JA

indica Westwood, 1864: 11 A: NP SD

mazuri Zhou, 2003: 269 A: SCH

sinica Zhou, 2003: 267 A: SCH

family HISTERIDAE Gyllenhal, 1808



subfamily *Abraeinae* W.S. Macleay, 1819

tribe *Abraeini* W.S. Macleay, 1819

genus *Abraeus* Leach, 1817: 76 type species *Hister globosus* Hoffmann, 1803 (= *Hister perpusillus* Marsham, 1802)

subgenus *Abraeus* Leach, 1817: 76 type species *Hister globosus* Hoffmann, 1803 (= *Hister perpusillus* Marsham, 1802)

Habraeus Agassiz, 1846: 170 [unjustified emendation]

areolatus Reitter, 1884a: 7 E: AB A: IN

loebli Gomy & Ôhara, 2001: 3 A: JA

perpusillus Marsham, 1802: 99 (*Hister*) E: AB AL AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR HU IR IT LS LT LU MC MD ME NL NR PL SB SK SL ST SV SZ UK N: MO

brevissimus Roubal, 1930b: 507

globosus Hoffmann, 1803: 110 (*Hister*) [HN]

roubali Olexa, 1958: 41 E: CZ FR HU SB SK SL A: TR

subgenus *Postabraeus* M. Secq, 1997: 151 type species *Abraeus granulum* Erichson, 1839

granulum Erichson, 1839b: 686 E: AU BE BH BU BY CR CZ DE FR GB GE GG GR HU IT MC ME NL NR NT PL RO SB SK SL SP ST SV SZ UK

punctatissimus Reitter, 1877a: 15

parvulus Aubé, 1842: 232 E: AU BE CZ FR GE GR IT NL PL PT RO SK SV

parvulus Marseul, 1863: 720 [RN]

genus *Chaetabraeus* Portevin, 1929: 614 type species *Hister globulus* Creutzer, 1799

subgenus *Chaetabraeus* Portevin, 1929: 614 (*Chaetabraeus*) type species *Hister globulus* Creutzer, 1799

bacchusi Gomy, 1985: 382 A: UP ORR

bonzicus Marseul, 1873: 226 (*Abraeus*) A: FE FUJ GUA JA SC TAI

cohaeres Lewis, 1898: 181 (*Abraeus*) A: HKG TAI

globulus Creutzer, 1799: 83 (*Hister*) E: AL AU BE BH BU BY CR CT CZ DE EN FR GE GR HU IT KZ LT MC PL PT SB SK SL SP ST SV SZ UK A: AF ES FE KI KZ UZ TD WS

granosus Motschulsky, 1863: 449 (*Abraeus*) A: GUA ORR

lucidus Peyerimhoff, 1917: 137 (*Abraeus*) E: IT (Calabria) FR (Corse) GR (Kriti) N: AG MO TU A: IQ SY TR YE AFR

orientalis Lewis, 1907b: 319 (*Abraeus*) A: HKG JA (Ryukyus) TAI UP ORR

setulosus Fähræus, 1851: 547 (*Abraeus*) A: YE AFR

subgenus *Mazureus* Gomy, 1991: 444 type species *Abraeus controversus* Cooman, 1936

bacanioformis Bickhardt, 1911a: 6 (*Abraeus*) A: YE AFR

csikii Bickhardt, 1918b: 288 (*Acritus*)

garambicus Théron, 1959: 11 (*Abraeus*)

convexus Reitter, 1884b: 8 (*Abraeus*) E: BU GR SB UK (Krym) A: IQ IS JO SY TR

kanaari Gomy, 1992a: 1 A: NP

paria Marseul, 1856: 585 (*Abraeus*) A: PA TAI ORR

indicus Lewis, 1888d: 645 (*Abraeus*)

schawalleri Gomy, 1992a: 3 A: NP

subconvexus Kryzhanovskij, 1976: 96 (*Abraeus*) A: KI KZ TD UZ

genus *Spelaeabraeus* Moro, 1957: 9 type species *Spelaeabraeus agazzii* Moro, 1957

agazzii agazzii Moro, 1957: 12 E: IT (Veneto)

agazzii cavallensis R.V. Rossi, 1967: 89 E: IT (Udine)

agazzii ciaurlecensis Gomy & Vienna, 1999: 4 E: IT (Treviso)

georgii Vienna, 1981: 128 E: IT (Treviso)

infidus Busulini, 1959: 17 E: IT (Treviso)

tormenei Daffner, 1988a: 15 E: IT (Belluno)

tribe Acritini Wenzel, 1944

genus *Abaeletes* Cooman, 1940: 32 type species *Aeletes perroti* Cooman, 1940
perroti Cooman, 1940: 31 (*Aeletes*) A: NP TAI ORR

genus *Acritus* LeConte, 1853: 288 type species *Hister nigricornis* Hoffmann, 1803
subgenus *Acritus* LeConte, 1853: 288 type species *Hister nigricornis* Hoffmann, 1803

Ittrion Deane, 1932b: 334 type species *Ittrion prosternalis* Deane, 1932

Phloeocritus Houlbert & Monnot, 1923: 73 type species *Hister minutus* Herbst, 1791

alutaceus Théron, 1961: 105 A: YE AFR

analisis LeConte, 1853: 290 Ni: CI NAR NTR

corpuseculus Lewis, 1888c: 241

cooteri Gomy, 1999: 379 A: ZHE

copricola Cooman, 1932b: 402 A: AE IN NP YE AFR ORR

exquisitus Cooman, 1932b: 399 A: UP ORR

hopffgarteni Reitter, 1878b: 49 E: AU BH BU CZ FR GR HU IT PL SB SK SL TR UK A: TR

italicus Reitter, 1904e: 155 E: GR IT N: MO

komai Lewis, 1879b: 461 E: BE CZ FR GE GR IT NL SL SP SZ UK (Krym) N: MO TU A: AE HKG JA NP AFR AUR
 NAR NTR ORR

apicestrigosus Bickhardt, 1921: 103

duchainei Cooman, 1935a: 92

insularis Sharp, 1885a: 129

optatus Cooman, 1947: 423

oregonensis Hatch, 1962: 255

volitans Fall, 1901: 238

minutus Herbst, 1791: 41 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT ME
 NL NR NT PL RO SB SK SL SP ST SV SZ TR UK N: AG MO A: CY KZ TR WS

atomarius Kugelann, 1792: 305 (*Hister*)

baleareicus L.W. Schaufuss, 1882b: 529

fulvus Marseul, 1856: 607

nigricornis Hoffmann, 1803: 127 (*Hister*) E: AL AN AU AZ BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR
 HU IR IT KZ LA LS LT MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG CI LB MO MR
 TU A: IS KZ TD TR WS AFR AUR NAR NTR ORR

affinis Gerhardt, 1900: 70

caelator Casey, 1894: 574

microscopicus Reitter, 1877a: 16

semen Marseul, 1863: 720 [RN]

seminulum Küster, 1848c: no. 27 (*Abraeus*)

sulcipennis Fuss, 1868a: 312

termitophilus Wasmann, 1902a: 16 (*Bacanius*)

pascuarum Cooman, 1947: 421 A: AP BEI ORR

pectinatus Cooman, 1932b: 400 A: GUA AFR ORR

endroedyi Théron, 1967b: 276

tataricus Reitter, 1878a: 51 E: AB GG A: IN

tazekae Gomy, 1980b: 215 N: MO

tuberisternus Cooman, 1932b: 397 A: AE JA (Ryukyus) TAI ORR

udege Gomy & Tishechkin, 1993: 13 A: FE (Primorsky Krai)

subgenus *Pycnacritus* Casey, 1916: 253 type species *Acritus discus* LeConte, 1853

homoeopathicus Wollaston, 1857: 77 E: AB AL AR AU BU CZ DE DK FR GB GE GG GR HU IT NL NR PL RO SB

SK SL SP ST SZ UK N: AG MO TU A: CY FE JA

rhenanus Fuss, 1868b: 356

shogunus Lewis, 1892e: 357

nepalensis Gomy, 1977b: 263 A: NP UP

shirozui Hisamatsu, 1965: 131 A: TAI

genus *Aeletes* Horn, 1873b: 356 type species *Acritus politus* LeConte, 1853

atomarius Aubé, 1842: 231 (*Abraeus*) E: AU BU CZ DE FR GB GE GG GR HU IT PL RO SK SL SP ST SV SZ UK

(Krym) N: AG TU A: TD

clarulus Reitter, 1884a: 7 (*Acritus*) E: AB GG

gemma Wollaston, 1865: 29 [appendix] (*Acritus*) N: CI

viti Español, 1980: 149 (*Spelaeacritus*)

oromii Yélamos, 1995a: 88 N: CI

genus *Anophtaeletes* Olexa, 1976: 416 type species *Anophtaeletes rousi* Olexa, 1976

rousii Olexa, 1976: 416 E: GG ST

genus *Halacritus* J. Schmidt, 1893: ciii type species *Abraeus punctum* Aubé, 1842

Paracritus Brèthes, 1924: 40 type species *Paracritus australis* Brèthes, 1924 (= *Acritus instabilis* Marseul, 1869)

algarum J. Schmidt, 1893: ciii (*Acritus*) A: IN YE AFR ORR

lewisi Wenzel, 1944: 61

atlanticus Chobaut, 1923: 77 (*Acritus*) N: MO

beneteaui Gomy, 1978b: 188 A: YE AFR

condenti Gomy, 1990: 418 A: YE AFR

courayei Gomy, 2004a: 112 N: EG

punctum Aubé, 1842: 232 (*Abraeus*) E: AL BE BH BU CR FR GB GR IT NL PT RO SP TR UK (Krym) N: AG CI LB TU

littoralis Ferrari, 1866: 367 (*Acritus*)

nigritulus J. Sahlberg, 1913a: 18 (*Teretrius*)

viennai Gomy, 1978a: 78

genus *Iberacritus* Yélamos, 1995c: 492 type species *Spelaeacritus vivesi* Español, 1974

ortunoi Yélamos, 1995c: 493 E: SP (Cataluña)

vivesi Español, 1974: 72 (*Spelaeacritus*) E: SP (Cataluña)

genus *Spelaeacritus* Jeannel, 1934f: 166 type species *Spelaeacritus anophthalmus* Jeannel, 1934

anophthalmus Jeannel, 1934f: 169 A: TR

tribe Acritomorphini Wenzel, 1944

genus *Acritomorphus* Wenzel, 1944: 55 type species *Acritomorphus praecursor* Wenzel, 1944

Macroabraeus Ôhara, 1999b: 125 type species *Macroabraeus akiyamai* Ôhara, 1999
akiyamai Ôhara, 1999b: 126 (*Macroabraeus*) A: JA (Ryukyus)

tribe Plegaderini Portevin, 1929

genus *Eubrachiium* Wollaston, 1862: 159 type species *Eubrachiium ovale* Wollaston, 1862

Chaetoderus Portevin, 1929: 602 type species *Hister pusillus* Rossi, 1792 (= *Teretrius hispidulus* Bremsi-Wolf, 1855)
Politululus Ragusa, 1892d: 267 type species *Hister pusillus* Rossi, 1792 (= *Teretrius hispidulus* Bremsi-Wolf, 1855)
adaustum Peyerimhoff, 1949c: 264 N: MO
hispidulum Bremsi-Wolf, 1855: 198 (*Teretrius*) E: AL AU BH BU FR GR HU IT SB SK SP N: AG MO TU A: TR
pusillum P. Rossi, 1792: 15 (*Hister*) [HN]
ovale Wollaston, 1862: 161 N: CI MR
politum Wollaston, 1862: 163 N: CI
punctatum Wollaston, 1862: 162 N: CI

genus *Plegaderus* Erichson, 1834: 203 type species *Hister caesus* Herbst, 1791

subgenus *Hemitrichoderus* Reichardt, 1941: 100 type species *Plegaderus adonis* Marseul, 1876

adonis Marseul, 1876: 40 A: CY SY TR

subgenus *Plegaderus* Erichson, 1834: 203 type species *Hister caesus* Herbst, 1791

caesus Herbst, 1791: 40 (*Hister*) E: AB AU BE BH BU BY CZ DE EN FI FR GE GG HU IT LA LT NL NR PL RO SB
 SK SL SP ST SV SZ UK A: IN TR

discisus Erichson, 1839b: 683 E: AL AU BU CR CZ FR GE GG GR IT PL SB SK SL SP SZ A: TR

dissectus Erichson, 1839b: 684 E: AU BE BU BY CR CZ DE FR GB GE GR HU IT MC NL PL RO SB SK SL SP ST
 SV SZ A: IN TR

rumaniae Lewis, 1905c: 610

fortesculptus Reitter, 1897c: 124 E: AB A: IN

marseuli Reitter, 1877c: 371 A: JA SC

otti Marseul, 1856: 271 E: CR CZ FR GR IT SP N: AG TUA: IS TR

sanatus sanatus Truqui, 1852: 64 E: CR FR GR IT SP N: AG MO

barani Marseul, 1857b: 449

sanatus gobanzi J. Müller, 1903c: 220 E: BU CR CZ FR GR IT MC MC SK SV UK (Krym)

haraldi Jansson, 1930: 191

saucius Erichson, 1834: 204 E: AU BE BY CR CT CZ EN FI FR GE GR HU IT LA LT NR NT PL SK SL SP ST SV SZ
 UK A: TR

meridionalis J. Müller, 1908c: 339

shikokensis Hisamatsu, 1985: 5 A: JA

vulneratus Panzer, 1797: no. 6 (*Hister*) E: AU BE BU BY CT CZ DE EN FI FR GB GE HU IT LA LT ME NR NT PL
 SB SK SL SP ST SV SZ UK A: ES FE (Sakhalin) HEI WS

tribe Teretriini Bickhardt, 1914

genus *Stenopleurum* J. Müller, 1937a: 98 type species *Paromalus rothi* Rosenhauer, 1856

Pleuroleptus J. Müller, 1937d: 337 [RN] type species *Paromalus rothi* Rosenhauer, 1856

rothi Rosenhauer, 1856: 91 (*Paromalus*) E: AL CR FR (Corse) GR IT TR N: AG TU A: CY LE SY TR

mulsanti Marseul, 1863: 674 (*Teretrius*)

quercum Marseul, 1864c: 362 (*Teretrius*)

genus *Teretrius* Erichson, 1834: 201 type species *Hister picipes* Fabricius, 1792 (= *Teretrius fabricii* S. Mazur, 1972)

subgenus *Neoteretrius* Kryzhanovskij & Reichardt, 1976: 83 type species *Teretrius parasita* Marseul, 1863

Cyclosternum J. Müller, 1937a: 98 [unavailable HN]

Neotepetrius J. Müller, 1937d: 337 [unavailable RN]

cylindricus Wollaston, 1864: 164 N: CI

formosus Lewis, 1915: 54 (*Teretiosoma*) A: TAI

gussakovskii Kryzhanovskij, 1976: 83 A: KI KZ TD

intrusus Marseul, 1870: 120 A: PA ORR

kraatzi Marseul, 1863: 669 N: AG EG MO AFR

mogul Lewis, 1911: 78 A: AE IN PA

parasita Marseul, 1863: 670 E: GR FR IT (Sardegna) PT SP N: AG MO TU A: YE AFR

punctulatus Fähræus, 1851: 546 A: YE AFR

shibatai Ôhara, 2008: 84 A: TAI

stebbingii Lewis, 1901b: 380 (*Teretiosoma*) A: NP ORR

cristatus Lewis, 1901b: 381 (*Teretiosoma*)

subgenus *Teretrius* Erichson, 1834: 201 type species *Hister picipes* Fabricius, 1792 (= *Teretrius fabricii* S. Mazur, 1972)

accaciae Reitter, 1900b: 83 A: IS N: AG MO TU AFR

alfierii Pic, 1910a: 9 N: EG

angelae Gomy, 2007: 114 N: MO

corticalis Wollaston, 1867: 81 N: MO AFR

fabricii S. Mazur, 1972a: 137 [RN] E: AU BE BH BU BY CR CT CZ EN FI FR GB GE GG GR HU IT LA LT MC NL

NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO A: IN IS KZ MG SY UZ

picipes Fabricius, 1792a: 77 (*Hister*) [HN]

insinuans Marseul, 1863: 675 A: YE AFR

marginatus Lewis, 1910: 49 A: NP

marshali Lewis, 1902: 276 A: YE AFR

poneli Gomy, 2005: 265 N: MR

pulex Fairmaire, 1877a: 141 N: AG EG LB MO TU A: AE OM SA SY AFR

brunneus Lewis, 1879a: 78

taichii Ôhara, 2008: 93 A: TAI

subfamily Chlamydopsinae Bickhardt, 1914

genus *Eucurtiopsis* Silvestri, 1926: 265 type species *Eucurtiopsis mirabilis* Silvestri, 1926

Boreochlamydydus Sawada, 1994: 359 type species *Boreochlamydydus ohtanii* Sawada, 1994

hiranoi Nishikawa, 1995b: 259 A: JA (Okinawa-jima)

mirabilis Silvestri, 1926: 268 A: TAI
ohtanii Sawada, 1994: 359 (*Boreochlamydeus*) A: JA

genus *Orectoscelis* Lewis, 1903: 426 type species *Orectoscelis humeralis* Lewis, 1903
shihoeae Nishikawa, 2002b: 182 A: JA (Ryukyus)

subfamily **Dendrophilinae** Reitter, 1909

tribe **Anapleini** Olexa, 1982

genus *Anapleus* Horn, 1873b: 311 type species *Bacanius marginatus* LeConte, 1853

Abraeodes Reitter, 1886e: 272 type species *Abraeus raddei* Reitter, 1877

Sphaeroderma LeConte, 1861: 76 [HN] type species *Bacanius marginatus* LeConte, 1853

Tadzhister Kryzhanovskij, 1966: 55 type species *Tadzhister gracilipes* Kryzhanovskij, 1966

cyclonotus Lewis, 1892a: 35 (*Triballus*) A: NP ORR

davidneelae Gomy, 1995: 630 A: NP UP

gracilipes Kryzhanovskij, 1966: 55 (*Tadzhister*) A: TD

hagai Ôhara, 1994: 162 A: JA

jelineki Olexa, 1982a: 38 A: IN TR

monticola S. Mazur, 1987b: 661 A: PA

nakanei Ôhara, 1994: 159 A: JA

nomurai Ôhara, 1994: 161 A: JA

raddei Reitter, 1877b: 292 (*Abraeus*) E: AB AR GG RO ST A: IN IS TR

semen Lewis, 1884b: 137 (*Triballus*) A: FE JA

japonicus Nakane, 1961: 4

wewalkai Olexa, 1982a: 39 E: IT A: CY SY TR

tribe **Bacaniini** Kryzhanovskij, 1976

genus *Abraeomorphus* Reitter, 1886e: 273 type species *Abraeus minutissimus* Reitter, 1884

atomarius Sharp, 1885a: 128 (*Bacanius*) A: NP AFR AUR ORR

besucheti S. Mazur, 1977: 297 A: IS LE

formosanus Hisamatsu, 1965: 130 (*Bacanius*) A: TAI

himalayae Gomy, 1980a: 171 A: NP

indus S. Mazur, 1987b: 663 A: PA

minutissimus Reitter, 1884a: 7 (*Abraeus*) E: AB RO ST A: LE

zoppae Penecke, 1901: 16 (*Abraeus*)

punctulus Reitter, 1884a: 7 (*Abraeus*) E: AB

topali Gomy, 1981: 80 A: NP ORR

genus *Antongilus* Gomy, 1969: 73 type species *Bacanius terricola* Gomy, 1969

Anaplaodes Gomy, 1977a: 109 type species *Anapleus biroi* Thérond, 1965

bengalensis S. Mazur, 1989: 729 A: NP SD ORR

genus *Bacanius* LeConte, 1853: 291 type species *Bacanius tantillus* LeConte, 1853
subgenus *Bacanius* LeConte, 1853: 291 type species *Bacanius tantillus* LeConte, 1853
collettei Gomy, 1999: 376 A: SCH
consobrinus Aubé, 1850: 323 (*Abroeus*) [RN] E: AB BU CR FR GG IT RO SP ST
kapleri Gomy, 1999: 375 A: ZHE
kurbatovi Gomy & Tishechkin, 1993: 15 A: FE
lableri Reichardt, 1941: 126 (*Abraeomorphus*) A: FE
incognitus Krása, 1944: 83 (*Abraeomorphus*)
martensi Gomy, 1992a: 4 A: NP
mikado Lewis, 1892e: 356 (*Abraeus*) A: ANH JA TAI

genus *Cyclobacanius* J. Müller, 1925b: 19 type species *Bacanius soliman* Marseul, 1863
medvidovici Reitter, 1912b: 251 (*Bacanius*) E: CR BH BU FR GG (Abkhazia) IT
soliman Marseul, 1863: 687 (*Bacanius*) E: AB BH BU CR CZ GG GR HU IT RO SK SL ST TR UK (Krym) A: IN

genus *Mullerister* Cooman, 1936a: 137 type species *Abraeus rombophorus* Aubé, 1843
christinae S. Mazur, 1989: 730 (*Bacanius*) A: SD
lotus Marseul, 1880: 154 (*Bacanius*) A: NP ORR
niponicus Lewis, 1879b: 461 (*Bacanius*) A: JA SC TAI
rombophorus Aubé, 1843a: 75 (*Abraeus*) Ei: AU BE CR FR GE NARi ORR
inopinatus J. Schmidt, 1893: cii (*Bacanius*)
tonkinensis Cooman, 1936a: 135 (*Bacanius*) A: NP TAI ORR

genus *Neobacanius* J. Müller, 1925b: 20 type species *Bacanius solarii* J. Müller, 1925
laurentii Magrini, 2005: 55 E: IT (Lazio)
solarii J. Müller, 1925b: 18 (*Bacanius*) E: IT (Valle Lucano)

genus *Sardulus* Patrizi, 1955: 47 type species *Sardulus spelaeus* Patrizi, 1955
incrassatus Magrini & Fancello, 2005: 102 E: IT (Sardegna)
onnisi Magrini, Casale & Marcia, 2012: 142 E: IT (Sardegna)
sacerensis Casale & Marcia, 2006: 202 E: IT (Sardegna)
spelaeus Patrizi, 1955: 51 E: IT (Sardegna)

genus *Tribalodes* J. Schmidt, 1885c: 444 type species *Tribalus acritoides* Reitter, 1884
acritoides Reitter, 1884c: 75 (*Tribalus*) E: GR A: TR

tribe Dendrophilini Reitter, 1909

genus *Dendrophilus* Leach, 1817: 77 type species *Hister punctatus* Herbst, 1791
subgenus *Dendrophilus* Leach, 1817: 77 type species *Hister punctatus* Herbst, 1791
punctatus championi Lewis, 1886b: 280 E: BU GR IT RO TR UK (Krym)

punctatus punctatus Herbst, 1791: 41 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT
LA LT MC MD ME NL NR PL PT SB SK SL SP ST SV SZ TR UK NAR

cooperi Stephens, 1830: 159

corticalis Paykull, 1798: 50 (*Hister*)

latipes Bonelli, 1812: 161 (*Hister*) [DA]

punctatus C.R. Sahlberg, 1819: 31 (*Hister*) [HN]

punctidorsus Marseul, 1863: 713 [RN]

punctulatus Say, 1825a: 45 (*Hister*) [HN]

sahlbergi Marseul, 1863: 711 (*Hister*) [RN]

pygmaeus Linnaeus, 1758: 173 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT LA LT
MC MD ME NL NR NT PL RO SB SK SL SV SZ TR UK A: FE KZ

dubius Herbst, 1791: 53 (*Hister*)

formicetorum Aubé, 1833b: 95 (*Hister*)

milleri Stephens, 1830: 161

picipes Olivier, 1789: 18 (*Hister*)

sheppardi Curtis, 1826: pl. 131

tubercularis Lackner, 2005: 43 N: TU

xavieri Marseul, 1873: 226 E: GBi A: FE GAN GUA GUI GUX HAI HEB HUB JA JIX NMO SC SHA SHG TAI XIN
YUN ZHE NARi

sexstriatus Hatch, 1938a: 18

subgenus *Dendrophilopsis* J. Schmidt, 1889a: 11 type species *Hister pusio* Ménétrés, 1847 (= *Dendrophilus sul-*
catus Motschulsky, 1845)

proditor Reichardt, 1925b: 61 (*Dendrophilopsis*) E: KZ A: ES KZ MG NMO

sulcatus Motschulsky, 1845a: 55 E: AR GG ST A: KZ TM TR UZ

pusio Ménétrés, 1849: 54 (*Hister*)

genus *Kissister* Marseul, 1862a: 7 type species *Dendrophilus minimus* Laporte, 1840

fuentei Reitter, 1896c: 269 (*Carcinops*) E: IT (Sardegna) SP

minimus Laporte, 1840b: 29 (*Dendrophilus*) E: BE CR FR GB GE IT MA NL PT SP SZ N: AG MO MR TU

corpusculus Marseul, 1863: 712 (*Carcinops*) [RN]

minimus Aubé, 1850: 322 (*Paromalus*) [HN]

vaulogeri Théry, 1901: 237 (*Carcinops*) N: AG MO TU

tribe Paromalini Reitter, 1909

genus *Carcinops* Marseul, 1855a: 83 type species *Hister troglodytes* Paykull, 1811

penatii Zhang & Zhou, 2007b: 5 A: SCH YUN

punilio Erichson, 1834: 169 (*Paromalus*) E: AL AN AU AZ BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR
HU IR IT LA LS LT LU MA MC MD ME NL NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG CI EG LB MO
MR TU A: CY FE JA NO SC TAI UZ AFR AUR NAR ORR

krujanensis Mader, 1921: 181 (*Epierus*)

nanus J.E. LeConte, 1845: 61 (*Hister*) [HN]

quatuordecimstriatus Stephens, 1835: 412 (*Dendrophilus*)

sinensis Lewis, 1909: 299 A: ANH JIA

trogodytes Paykull, 1811: 56 (*Hister*) E: AZ N: CI MR A: AE SA TAI AFR AUR NTR ORR

minutus Fähræus, 1851: 551 (*Dendrophilus*)

palans Marseul, 1862a: 9 [RN]

rubripes Boheman, 1858: 37 (*Epierus*)

genus *Coomanister* Kryzhanovskij, 1972: 21 type species *Xestipyge scrobipygum* Cooman, 1932

scolyti S. Mazur, 2007a: 68 A: TAI ORR

scrobipygus Cooman, 1932a: 202 (*Xestipyge*) A: BT ORR

genus *Cryptomalus* S. Mazur, 1993b: 216 type species *Australomalus kuscheli* S. Mazur, 1981

mingh S. Mazur, 2007b: 170 A: YUN

montivagus Lewis, 1892a: 37 (*Paromalus*) A: JA

schawalleri S. Mazur, 1991: 4 (*Australomalus*) A: NP

sherpa S. Mazur, 1991: 4 (*Australomalus*) A: NP

genus *Diplostix* Bickhardt, 1921: 147 type species *Carcinops togoensis* Lewis, 1895

cavifrons J. Müller, 1946: 533 A: YE AFR

karenensis Lewis, 1891d: 31 (*Carcinops*) A: TAI ORR

mayeti Marseul, 1870: 94 (*Carcinops*) A: SA Ei: FR (Marseille) N: EG AFR

minutissima Vienna, 2007: 209 N: EG

vicaria Cooman, 1936b: 221 (*Carcinops*) A: TAI YUN ORR

genus *Eulomalus* Cooman, 1937: 97 type species *Eulomalus vermicipygus* Cooman, 1937

amplipes Cooman, 1937: 109 A: NP YUN ORR

brevipes Lewis, 1892a: 33 (*Paromalus*) A: NP ORR

lombokanus Cooman, 1937: 109 A: JA (Ryukyus) TAI ORR

pupulus Cooman, 1937: 101 A: HAI NP TAI UP YUN ORR

rugosus Zhang & Zhou, 2007b: 23 A: HAI

tardipes Lewis, 1892a: 35 (*Paromalus*) A: JA (Ryukyus) TAI ORR

vermicipygus Cooman, 1937: 98 A: YUN ORR

genus *Eutriptus* Wollaston, 1862: 157 type species *Eutriptus putricola* Wollaston, 1862

jirinae Lackner & Kapler, 2007: 118 A: YE (Soqotra)

punctatostriatus Olexa, 1989: 309 A: NP

putricola Wollaston, 1862: 159 N: CI MO MR

xerxes S. Mazur, 1987b: 665 A: PA

genus *Pachylomalus* J. Schmidt, 1897: 295 type species *Paromalus leo* Marseul, 1879

subgenus *Canidius* Cooman, 1941: 292 type species *Pachylomalus opulentus* Cooman, 1932

andrewesi Lewis, 1904: 147 A: UP ORR

deficiens Cooman, 1933: 196 A: YU ORR

musculus Marseul, 1873: 225 (*Paromalus*) A: JA TAI ORR

inops Cooman, 1933: 195

genus *Paromalus* Erichson, 1834: 167 type species *Hister flavicornis* Herbst, 1791

subgenus *Isolomalus* Lewis, 1907b: 316 type species *Paromalus verminosus* Lewis, 1888 (= *Paromalus malus* Marseul, 1862)

luderti Marseul, 1862a: 25 Ei: FR SP Ni: CI NTR

punctatus Har. Lindberg, 1950: 2 (*Eutriptus*)

schaufussi Marseul, 1870: 107

subgenus *Paromalus* Erichson, 1834: 167 type species *Hister flavicornis* Herbst, 1791

Micrololomalus Lewis, 1907b: 318 type species *Hister flavicornis* Herbst, 1791

acutangulus Zhang & Zhou, 2007b: 31 A: YUN

babaulti Cooman, 1935c: 177 (*Micrololomalus*) A: AP KA NP PA ORR

filum Reitter, 1884j: 256 E: AL BH BU CR FR GR (Kriti) IT SK SB SP A: TR

flavicornis Herbst, 1791: 40 (*Hister*) E: AB AL AU BH BU BY CT CZ DE FI FR GB GE GG GR HU IT MC MD NL NR PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO MR TU A: AF IN

parvulus P. Rossi, 1792: 14 (*Hister*)

omineus Lewis, 1892a: 36 A: JA

parallelepipedus Herbst, 1791: 37 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ EN FI FR GB GE GG GR HU IT LA LS LT MC ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK A: ES HEI IN JA WS

pusillus Kugelann, 1792: 305 (*Hister*) [HN]

picturatus Kapler, 1999a: 217 A: YUN

simplicistrius J. Schmidt, 1885a: 237 E: GR (Kriti) A: TR

tibetanus Zhang & Zhou, 2007b: 34 A: XIZ

ussuricus Kapler, 1993: 28 A: FE

vernalis Lewis, 1892a: 35 A: FE JA TAI

genus *Platylomalus* Cooman, 1948: 134 type species *Hister complanatus* Panzer, 1797

calcuttanus Ôhara, 1989b: 34 A: HP ORR

ceylanicus Motschulsky, 1863: 456 (*Paromalus*) A: HAI ORR

commeatus Lewis, 1888d: 640 (*Paromalus*)

locellus Lewis, 1885c: 466 (*Paromalus*)

oblisus Lewis, 1885c: 466 (*Paromalus*)

pygostriatus Desbordes, 1919c: 405 (*Paromalus*)

complanatus Panzer, 1797: no. 7 (*Hister*) E: AU BE BH BU BY CR CT CZ DE EN FI FR GE GG GR HU IT LA LT MC NR PL PT RO SB SK SL SP ST SV SZ TR UK N: AG A: CY IN SY

nassatus Panzer, 1799c: no. 8 (*Hister*)

theyana Reitter, 1890b: 168 (*Platysoma*)

digitatus Wollaston, 1867: 88 (*Paromalus*) A: AE AFR

fujisanus Lewis, 1892a: 34 (*Paromalus*) A: JA

gardineri Scott, 1913: 226 (*Paromalus*) E: FR SP N: MO A: NP YE AFR AUR

goliath Lewis, 1891a: 187 (*Paromalus*) A: NP ORR

- indicus* Lewis, 1892a: 32 (*Paromalus*) A: NP ORR
inflexus Zhang & Zhou, 2007b: 15 A: HAI
kabakovi Kryzhanovskij, 1976: 274 A: FE
kusuii Ôhara, 1994: 190 A: JA (Ogasawara-shotô)
mendicus Lewis, 1892a: 33 (*Paromalus*) A: BEI FE HEI HUB JA LIA SCH SHG TAI TIA UP YUN ORR
niponensis Lewis, 1899: 21 (*Paromalus*) A: HUB JA SCH TAI
oceanitis Marseul, 1855a: 110 (*Paromalus*) A: SD TAI ORR AUR
 biarculus Marseul, 1870: 96 (*Paromalus*)
 vermiculatus Lewis, 1891a: 33 (*Paromalus*)
persimilis Lewis, 1888d: 641 (*Paromalus*) A: JA NP ORR
 annellus Lewis, 1888d: 641 (*Paromalus*)
sauteri Bickhardt, 1912a: 125 (*Paromalus*) A: SCH TAI ORR
sinuaticeps Cooman, 1937: 146 (*Paromalus*) A: YE ORR
submetallicus Lewis, 1892a: 34 (*Paromalus*) A: SD TAI YUN ORR
tcibodae Marseul, 1879: 278 (*Paromalus*) A: AP ORR
tonkinensis Cooman, 1937: 151 (*Paromalus*) A: NP TAI YUN ORR
viaticus Lewis, 1892a: 33 (*Paromalus*) A: FE JA SC TAI

genus *Xestipyge* Marseul, 1862a: 6 type species *Carcinops radula* Marseul, 1862

- Homalister* Reitter, 1881^e: 512 type species *Homalister ornatus* Reitter, 1881
currax Marseul, 1870: 93 (*Carcinops*) N: AG MO TU
 boiteli Normand, 1926: 82 (*Carcinops*)
ornatum Reitter, 1881e: 513 (*Homalister*) E: AB AR CZi GG A: IN
puncticulatum Desbordes, 1919b: 206 E: AR ST A: TR

subfamily **Haeteriinae** Marseul, 1857

genus *Eretmotus* Lacordaire, 1854: 267 type species *Eretmotus lucasii* Lacordaire, 1854

- Dimerocerus* Coquerell, 1859: 788 type species *Dimerocerus sociator* Coquerell, 1859
Eretmotus Marseul, 1855a: 141 [HN] type species *Eretmotus lucasii* Marseul, 1855 (= *Eretmotus lucasii* Lacordaire, 1854)
alluaudi Théry, 1925: 346 N: MO
bedeli Lewis, 1892c: 235 N: AG
 obscurus Pic, 1894: 248
carinatus Lewis, 1891c: 394 N: AG MO
 foveisternus Lewis, 1907a: 106
cirtensis Lewis, 1892c: 233 N: AG TU
cobosi Yélamos, 1992a: 13 E: PT SP
corpulentus Lewis, 1892c: 233 N: AG
eurysternus Yélamos, 1992a: 21 N: AG MO
ibericus Brisout de Barneville, 1866: 366 E: SP
kabylliae Lewis, 1892c: 234 N: AG
leprieuri Marseul, 1862a: 47 N: AG TU
 approximans Fairmaire, 1884: lx

lucasii Lacordaire, 1854: 268 N: AG
lucasii Marseul, 1855a: 144 [HN]
major Lewis, 1902b: 265 N: AG
peyerimhoffi Théry, 1918: 332 N: MO
planifrons Lewis, 1907a: 106 N: AG
sinuaticollis Lewis, 1902b: 266 N: AG
sociator Coquerel, 1859: 790 (*Dimerocerus*) N: AG
caesariensis Lewis, 1902b: 267
tangerianus Marseul, 1862a: 44 E: PT SP N: MO
valens Lewis, 1894a: 180 N: AG

genus *Haeterius* Dejean, 1833: 128 type species *Hister quadratus* Kugelann, 1794 (= *Hister ferrugineus* Olivier, 1789)

Eupelogonus Gistel, 1856: 363 [RN] type species *Hister quadratus* Kugelann, 1794 (= *Hister ferrugineus* Olivier, 1789)
ferrugineus Olivier, 1789: 19 (*Hister*) E: AL AR AU BE BH BU BY CR CZ DE FR GB GE GG GR HU IT KZ LA LS
 LT LU MD ME NL PL RO SB SK SL ST SV SZ UK A: TD
marseulii L.W. Schaufuss, 1863b: 120
quadratus Kugelann, 1794: 519 (*Hister*)
sesquicornis Preyssler, 1792: 3 (*Hister*)
flavohirtus Krása, 1941a: 3 A: FE (Vladivostok)
gratus Lewis, 1884b: 137 A: JA
optatus Lewis, 1884b: 137 A: JA SC TAI
ottomanus S. Mazur, 1981: 186 A: TR
plicicollis Fairmaire, 1876b: 49 N: AG
chobauti Théry, 1897a: 26

genus *Satrapes* J. Schmidt, 1885c: 441 type species *Hetaerius sartorii* L. Redtenbacher, 1857

maghrebinus Yélamos, 1997: 64 N: MO
reitteri Lewis, 1888b: 153 E: AB A: IN JO TD
sartorii L. Redtenbacher, 1857: 311 (*Hetaerius*) [RN] E: AU BU CR CZ FR HU IT KZ SB SK ST UK A: TR
peyerimhoffi Bedel, 1899: 184
rayei Marseul, 1864c: 348 (*Eretmotes*)
subglaber J. Müller, 1937c: 134 A: TD UZ
talyschensis Reitter, 1883c: 143 (*Eretmotes*) E: AB AR A: IN JO TM TR

genus *Sternocoelis* Lewis, 1888b: 144 type species *Hetaerius acutangulus* Lewis, 1887

acutangulus Lewis, 1887a: 164 (*Hetaerius*) E: SP N: MO
alluaudi Théry, 1921: 19 N: MO
loustali Kocher, 1956: 367
variolosus Théry, 1921: 20

- arachnoides* Fairmaire, 1876c: 98 (*Hetaerius*) E: SP N: MO
bedeli Lewis, 1884a: 83 (*Hetaerius*) N: AG MO TU
cancer Lewis, 1888b: 147
extractisternum Lewis, 1888b: 150
pectoralis Lewis, 1888b: 152
politus J. Schmidt, 1888b: 237 (*Hetaerius*)
sedilloti Lewis, 1889: 285
berberus Lackner & Yélamos, 2001: 100 N: MO
comosellus Fairmaire, 1883a: xlii (*Hetaerius*) N: AG
diversepunctatus Pic, 1911a: 137 E: GR A: CY TR
espadaleri Yélamos, 1995b: 164 N: MO
fuscus J. Schmidt, 1888b: 238 (*Hetaerius*) E: PT SP N: MO
aureopilosus Escalera, 1921: 128
mauritanicus Lewis, 1888b: 152
mendizabali Cobos, 1950: 578
grandis Reitter, 1883c: 143 (*Hetaerius*) E: AB A: IN JO
hispanus Rosenhauer, 1856: 89 (*Hetaerius*) E: PT SP N: MO
atlantis Théry, 1921: 17
gili Escalera, 1929: 376 (*Hetaerius*)
incisus J. Schmidt, 1885c: 440 (*Hetaerius*) E: SP
cruzi Escalera, 1929: 378 (*Hetaerius*)
micropilosus Escalera, 1929: 378 (*Hetaerius*)
laeviodorsis Fairmaire, 1876a: 37 (*Hetaerius*) N: AG TU
major Pic, 1905b: 129
semiopacus Normand, 1915: 256
lewisi Reitter, 1883c: 143 (*Hetaerius*) E: BU GR
marginalis Normand, 1915: 255 N: TU
marseulii Brisout de Barneville, 1866: 367 (*Hetaerius*) E: SP
durforti Español, 1970b: 93
merklü J. Schmidt, 1885a: 238 (*Hetaerius*) E: BU GR TR
otini Peyerimhoff, 1949c: 264 N: MO
pluristriatus Fairmaire, 1876c: 98 (*Hetaerius*) N: AG TU
puberulus Motschulsky, 1858f: 188 (*Haeterius*) E: FR (Corse) IT (Sardegna, Sicilia)
palumboi Ragusa, 1881a: 7 (*Eretmotes*)
punctulatus Lucas, 1855: iv (*Hoeterius*) N: AG
cavisternus Marseul, 1863: 713 (*Hetaerius*) [RN]
lioderus Fairmaire, 1876c: 98 (*Hetaerius*)
robustus Pic, 1910c: 33 A: CY
setulosus Reitter, 1872: 179 (*Hetaerius*) N: AG MO TU
bonnairei J. Schmidt, 1888b: 236 (*Hetaerius*)
fulvus Lewis, 1888b: 150
walkeri Lewis, 1888b: 149

slaoui Théry, 1921: 19 N: MO

cancriformis Escalera, 1921: 126

vaucheri Lewis, 1896: 62 N: MO

viaticus Lewis, 1892d: 263 N: AG

ovalis Lewis, 1900a: 252

yelamosi Lackner & Hlaváč, 2012: 14 N: MO

subfamily Haeteriinae, **species incertae sedis**

Sternoscoelis sulcaticollis Pic, 1937: 5 N: MO

subfamily **Histerinae** Gyllenhal, 1808

tribe Exosternini Bickhardt, 1914

genus *Anaglymma* Lewis, 1894b: 212 type species *Anaglymma cardoni* Lewis, 1894

circularis Marseul, 1864b: 286 (*Macrosternus*) A: TAI ORR

genus *Baconia* Lewis, 1885c: 462 type species *Baconia loricata* Lewis, 1885

Binhister Cooman, 1934: 122 type species *Binhister barbarus* Cooman, 1934

chujoi Cooman, 1941: 332 (*Binhister*) A: JA

genus *Canarinus* S. Mazur, 1993a: 5 type species *Platysoma demaisonii* Desbordes, 1920

demaisonii Desbordes, 1920a: 16 (*Platysoma*) N: CI

griffioenae Kanaar, 2008: 171 A: AE

genus *Coelocraera* Marseul, 1857b: 426 type species *Coelocraera costifera* Marseul, 1857

Epiersopsis Normand, 1919: 221 type species *Epiersopsis geminata* Normand, 1919

geminata Normand, 1919: 222 (*Epiersopsis*) N: TU AFR

genus *Epitoxus* Lewis, 1900b: 278 type species *Phelister circulifrons* Marseul, 1854

asiaticus Vienna, 1886: 93 A: SD TAI ORR

bullatus Marseul, 1870: 108 (*Notodoma*) A: TAI ORR

mazuri Yélamos & Tishechkin, 1999: 159 A: UP

genus *Exotoxus* S. Mazur, 1991: 7 type species *Exotoxus crypticus* S. Mazur, 1991

crypticus S. Mazur, 1991: 7 A: NP ORR

genus *Notodoma* Lacordaire, 1854: 266 type species *Notodoma globatum* Lacordaire, 1854

Notodoma Marseul, 1855a: 133 [HN] type species *Notodoma globatum* Marseul, 1855 (= *Notodoma globatum* Lacordaire, 1854)

fungorum Lewis, 1884b: 136 A: JA NC SC TAI ORR

formosanum Bickhardt, 1912a: 126

orientale Lewis, 1903: 425

saturum Lewis, 1902b: 267

lewisi Reitter, 1910g: 164 A: LE SY TR

genus *Pachycraerus* Marseul, 1854b: 447 type species *Platysoma chalybeum* Fähræus, 1851
desidiosus Marseul, 1854b: 457 A: SA YE AFR

arabicus Lewis, 1879a: 77

modestus Lewis, 1889: 281

genus *Paratropus* Gerstaecker, 1867: 32 type species *Phylloscelis ovides* Marseul, 1862

Lactholister Cooman, 1932c: 238 type species *Lactholister tricinctus* Cooman, 1932 (= *Spathochinus termitophilus* Desbordes, 1925)

Orphistes Reichardt, 1936: 32 type species *Orphistes femoralis* Reichardt, 1936

Parepitoxus Desbordes, 1924b: 246 type species *Parepitoxus lacustris* Desbordes, 1924

Phylloscelis Marseul, 1862a: 32 [HN] type species *Phylloscelis ovides* Marseul, 1862

Spathochinus Desbordes, 1925: 162 type species *Spathochinus termitophilus* Desbordes, 1925

himalayicus Reichardt, 1926b: 213 A: UP (Dehra Dun)

khandalensis Kanaar, 1997: 51 A: HKG ORR

termitophilus Desbordes, 1925: 162 (*Spathochinus*) A: UP

tricinctus Cooman, 1932c: 238 (*Lactholister*)

wenzeli Kanaar, 1997: 92 A: UP

genus *Phelister* Marseul, 1854b: 462 type species *Phelister haemorrhous* Marseul, 1854

canalis Lewis, 1888c: 193 Ei: SP NTR

canalis Marseul, 1889: cxxxix [HN]

haemorrhous Marseul, 1854b: 476 Ei: IT (Sardegna) NTR

egenus Marseul, 1854b: 480

vrouzeti Fairmaire, 1850: 421 (*Paromalus*) Ei: FR (Paris) NTR

aztecanus Casey, 1916: 233

pimalis Casey, 1916: 232

genus *Sitalia* Lewis, 1900b: 285 type species *Paratropus severini* Lewis, 1892

severini Lewis, 1892f: 142 (*Paratropus*) A: PA UP ORR

genus *Spathochus* Marseul, 1864c: 342 type species *Spathochus coyei* Marseul, 1864

coyei Marseul, 1864c: 342 E: AB GG A: CY IN IQ IS SY TR

nigrinus Reitter, 1906b: 32

tribe Histerini Gyllenhal, 1808

genus *Asiaster* Cooman, 1948: 123 type species *Asiaster calculator* Cooman, 1948

calculator Cooman, 1948: 124 A: TAI

cooteri Kapler, 1999b: 283 A: ZHE

hlavaci Lackner, 2004b: 107 A: FUJ

vestitus Lewis, 1891a: 187 (*Hister*) A: UP ORR

genus *Atholus* C.G. Thomson, 1859: 76 type species *Hister bimaculatus* Linnaeus, 1758

Atholister Reitter, 1909a: 286 type species *Hister scutellaris* Erichson, 1834

Euatholus Kryzhanovskij, 1976: 387 type species *Hister duodecimstriatus* Schrank, 1781

Peranus Lewis, 1906b: 401 type species *Hister scutellaris* Erichson, 1834

arrowi Desbordes, 1923: 62 (*Hister*) A: SD

astragali Olexa, 1987: 216 E: AR

bifrons Marseul, 1854: 545 (*Hister*) A: HKG TAI ORR

bimaculatus Linnaeus, 1758: 358 (*Hister*) E: AL AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR HU
IR IT KZ LA LT MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG CI LB MO TU A: AF CY
ES FE IN IQ IS JA JO KI KZ NC NE OM SA SC SHA SY TD TM TR UZ YE AFR NAR NTR ORR

apicatus Schrank, 1798: 452 (*Hister*) [RN]

erythropterus Fabricius, 1798: 38 (*Hister*)

morio J. Schmidt, 1885b: 296 (*Hister*)

obliquus Say, 1825a: 37 (*Hister*)

spissatus Rey, 1888f: 4

coelestis Marseul, 1857b: 416 (*Hister*) A: GUA JA NP TAI TD ORR

femorialis Motschulsky, 1863: 449 (*Hister*)

confinis Erichson, 1834: 154 (*Hister*) A: TAI YE AFR NTR

rothkirchi Bickhardt, 1919: 143

corvinus Germar, 1817: 185 (*Hister*) E: AL AU BE BH BU CR CT CZ DE EN FI FR GE GG GR HU IT LA LT NR PL
PT RO SB SK SL SP ST SV SZ TR UK N: AG A: IS SY TM TR UZ

daldorffi Bedel, 1906a: 91 (*Hister*) A: PA ORR

bipustulatus Fabricius, 1798: 38 (*Hister*) [HN]

tristiculus Reichardt, 1932b: 117 (*Hister*)

debeauxi Moro, 1942: 108 (*Hister*) E: FR (Corse) IT (Sardegna)

depistor Marseul, 1873: 224 (*Hister*) A: FE GUA HEI JA LIA NC TAI

duodecimstriatus duodecimstriatus Schrank, 1781: 39 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI
FR GB GE GG GR HU IR IT LA LT MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG MO
TU A: AF AP IN IS SA SY TAI TR UZ

narbonnensis Auzat, 1924: 95 (*Hister*)

puncticollis Rey, 1888f: 4 (*Hister*) [HN]

strigosus Kugelann, 1792: 301 (*Hister*)

duodecimstriatus quatuordecimstriatus Gyllenhal, 1808: 83 (*Hister*) E: AU BU CZ GR FI FR GE HU IT (Sardegna)
KZ NR PL RO SK SL SV SZ UK N: MO A: AF AP JA KI MG NE SE SC TAI TD TM UZ

quinquestriatus Motschulsky, 1862a: 13 (*Hister*)

erichsoni Lundgren, 1991: 12 A: YE AFR

geminus Erichson, 1834: 154 (*Hister*) [HN]

euphorbiae Peyerimhoff, 1925b: 8 (*Platysoma*) N: MO

holzschuhi Olexa, 1988: 469 A: IN

khzoriani Olexa, 1982b: 202 E: AR A: IN

levis S. Mazur, 2015 [see New Acts] A: NP TAI ORR

levis S. Mazur, 2013: 195 [unavailable]

- maindronii* Lewis, 1901a: 243 (*Hister*) A: AF NP PA UP **ORR**
- paganetti* Bickhardt, 1911b: 108 (*Hister*) E: IT (Sardegna) PT SP N: AG
- peloponnesus* Kapler, 1992: 361 E: GR
- philippinensis* Marseul, 1854: 547 (*Hister*) A: HAI SD TAI **ORR**
- sectator* Lewis, 1901b: 375 (*Hister*)
- pirithous* Marseul, 1873: 224 (*Hister*) A: AF ES FE GUA JA OM NC NP SC SHG TAI UP **ORR**
- ixion* Lewis, 1892a: 30 (*Hister*)
- reitteri* Bickhardt, 1918a: 231 (*Hister*)
- praetermissus* Peyron, 1856b: 727 (*Hister*) E: AU BE BH BU BY CR CT CZ DE EN FR GE HU IT KZ MC MD NL
PL RO SB SK SL ST TR SZ UK N: AG LB MO TU A: ES FE KZ TR WS
- antoinei* J. Müller, 1937c: 130 (*Hister*)
- caramanus* Marseul, 1862b: 550 (*Hister*)
- irkutensis* Reichardt, 1922b: 509 (*Hister*)
- rudesculptus* Reichardt, 1922b: 509 (*Hister*) A: AF IN KI KZ TD TM UZ
- scutellaris* Erichson, 1834: 151 (*Hister*) E: AR CR GR IT N: EG A: AE CY IQ IS KZ OM SA SY TD TM TR UZ **AFR**
ORR
- foveicollis* Reiche & Saulcy, 1856: 367
- lentus* Marseul, 1854: 580 (*Hister*)
- siculus* Tourmier, 1869: 142 (*Hister*) E: AR BU IT (Sardegna, Sicilia) SK SP ST A: IN TR
- lineimargo* Reitter, 1898b: 118 (*Hister*)
- silvicola* Lewis, 1901b: 376 (*Hister*) A: SD **ORR**
- striatipennis* Lewis, 1892a: 31 (*Hister*) A: SD **ORR**
- torquatus* Marseul, 1854: 587 (*Hister*) A: HAI HEB NP SCH **ORR**
- genuae* Lewis, 1888d: 639 (*Hister*)
- mundulus* Lewis, 1902a: 238 (*Hister*)
- viennai* M. Secq, 1999: 262 E: FR
- yelamosi* Gomy, 2011a: 154 [RN] N: MO
- euphorbiae* Yélamos, 1993: 146 [HN]
- genus *Eudiplister* Reitter, 1909a: 286 type species *Hister smyrnaeus* Marseul, 1854 (= *Hololepta castanea* Ménériés, 1832)**
- castaneus* Ménériés, 1832: 171 (*Hololepta*) E: AB GG GR A: CY IN IQ IS JO LE SY TM TR
- smyrnaeus* Marseul, 1854: 308 (*Hister*)
- castus* Lewis, 1888c: 465 (*Hister*) A: OM SA **AFR**
- jemensis* Reichardt, 1938: 237 (*Hister*) A: SA YE
- micipsa* Marseul, 1862b: 536 (*Hister*) N: AG
- muelleri* Kryzhanovskij & Reichardt, 1976: 380 [RN] A: XIN
- concinus* J. Müller, 1937c: 123 (*Hister*) [HN]
- peyroni* Marseul, 1857b: 420 (*Hister*) E: KZ ST A: AF IN IS KI KZ SY TD TM TR UZ
- platysomoides* Peyron, 1858a: 407 (*Hister*) [RN]

planulus Ménériés, 1849: 54 (*Hister*) E: AB AR AU BU CR CZ GR HU KZ RO SK UK A: AF IN IQ IS KZ NW SY
TD TM

coquerelli Marseul, 1862b: 538 (*Hister*)

laco Marseul, 1862b: 539 (*Hister*)

pullus Kryzhanovskij, 1976: 381 A: UZ

genus *Hister* Linnaeus, 1758: 358 type species *Hister unicolor* Linnaeus, 1758

Camppylister Houlbert & Monnot, 1922: 34 type species *Hister quadrinotatus* L.G. Scriba, 1790

Histeranus Rafinesque, 1815: 112 [RN]

Humister Houlbert & Monnot, 1922: 23 type species *Hister lugubris* Truqui, 1852

Rhabdister Houlbert & Monnot, 1922: 27 type species *Hister helluo* Truqui, 1852

Spilister Houlbert & Monnot, 1922: 26 type species *Hister quadrimaculatus* Linnaeus, 1758

arboricavus S. Mazur, Öncül Abacigil, Vural Varli, Mokrzycki & Jansson, 2013: 52 A: TR

bipunctatus Paykull, 1811: 27 E: FR SP N: AG MO TU A: CY

bissexstriatus Fabricius, 1801a: 84 E: AL AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG HU IR IT KZ

LA LS LT MC MD ME NL NR NT PL PT SB SK SL SP ST SV SZ TR UK A: ES FE HEI IN JIL KI KZ TR

caliginosus Stephens, 1830: 152

nigrita Stephens, 1830: 149

parvus Marsham, 1802: 93

stephensi Marseul, 1863: 711 [RN]

bitumineus S. Mazur, 2011: 485 A: BT NP ORR

calidus Erichson, 1842: 6 N: AG AFR

compressus Desbrochers des Loges, 1871: 341 [HN]

striolatus Marseul, 1854a: 200

canariensis Wollaston, 1864: 165 N: CI

capsirensis Auzat, 1922: 57 E: AU FR IT PT SP N: MO

caucasicus Krása, 1944: 81 E: GG

concolor Lewis, 1884b: 135 A: FE JA LIA NO SC

congener J. Schmidt, 1885a: 242 A: BT FE JA JIL LIA NC SC

coreanus Ôhara & Paik, 1998: 15 A: NC SC

distans Fischer von Waldheim, 1823: pl. xxv [fig. 2]; [=1824: 205] A: ES FE HEI MG NMO SC

atramentarius Suffrian, 1855: 142

dauricus Marseul, 1862b: 533

encaustus Marseul, 1854a: 211 A: NP ORR

duplicatus Marseul, 1854a: 280

rugistrius Lewis, 1892e: 346

falsus Solsky, 1876a: 229 A: AF KZ TD UZ

funestus Erichson, 1834: 151 E: AB AU BE BH BU CR CT CZ DE EN FI FR GE GG GR HU IT KZ LA MC NR NT PL

SB SK SL SP ST SV SZ UK A: ES NO KI KZ WS

arenicola Thomson, 1867a: 394

cejkai Roubal, 1934c: 37

derancourti Auzat, 1920: 2

furcipes Marseul, 1854: 304 A: AF NP PA UP **ORR**

belli Lewis, 1904: 146

gehini Marseul, 1854: 306 N: AG A: SA YE **AFR**

berardi Desbrochers des Loges, 1871: 340

impressus Apetz, 1854: 14 [HN]

plebejus Klug, 1855: 649

simulator Lewis, 1910: 54

vadatus Lewis, 1908b: 14

grandicollis Illiger, 1807a: 30 E: FR IT (Sicilia, Sardegna) PT SL SP N: AG

langenhani Bickhardt, 1911b: 108

hanka Kapler, 1994: 128 A: CY TR

haroldi Marseul, 1864c: 344 E: SP N: MO

helluo Truqui, 1852: 61 E: AB AU BE BH BU BY CT CZ DE EN FI FR GE GG GR HU IT LA LT MC NL NT PL SB

SK SL SP ST SZ TR UK A: TR

modestus L. Redtenbacher, 1857: 308

silesiacus Roger, 1856: 53

veneti Auzat, 1920: 1

hipponensis Marseul, 1854: 201 N: AG TU

illigeri illigeri Duftschmid, 1805: 213 E: AB AL AU BE BH BU BY CR CZ FR GB GE GR HU IT KZ MC PL RO SB

SK SL SP ST SZ UK A: AF IN KI KZ TD TM TR UZ

arcuatus Kolenati, 1846b: 60 [HN]

arculus Marseul, 1863: 710 [RN]

humeralis Auzat, 1918: 43 [HN]

humeralis Fischer von Waldheim, 1824: 205 [RN]

parenthesis Lentz, 1857: 62

uncinatus Illiger, 1807a: 32 [RN]

velox Ménétrés, 1832: 170

illigeri reductus J. Müller, 1960: 52 N: TU A: IQ IS JO SY

impunctatus Osawa, 1952: 6 A: JA

inexpectatus Desbordes, 1923: 61 A: AP SD TAI **ORR**

aheneus Cooman, 1938: 186

japonicus Marseul, 1854: 201 A: FE FUJ GAN GUA JA JIX LIA NC SC SHG YUN ZHE **ORR**

fessus Marseul, 1862b: 515

javanicus Paykull, 1811: 30 E: AB A: FUJ HAI NP TAI **AFRi ORR**

angulicollis Bickhardt, 1919: 118

carnaticus Lewis, 1885a: 210

coracinus Erichson, 1834: 146

corax Marseul, 1862b: 537

fortedentatus Desbordes, 1915: 238

mandarinus Marseul, 1862b: 535

squalidus Erichson, 1834: 148

- judaicus* S. Mazur, 2008b: 146 A: IS
- limbatus* Truqui, 1852: 64 E: GR RO A: LE SY TR
atticus J. Schmidt, 1884a: 10
- lugubris* Truqui, 1852: 63 E: AU BU CR FR GR HU IT MC MD RO SB SK SL ST SZ UK A: CY IN TR
densepunctatus Roubal, 1937a: 14
jadrensis J. Müller, 1899: 150
- maroccanus* J. Schmidt, 1887: 353 E: SP N: MO
- mazuri* Kapler, 1997: 27 A: SCH
- mediterraneus* Lundgren, 1991: 13 [RN] E: FR IT (Sicilia) PT SP N: AG MO TU
sordidus Aubé, 1850: 322 [HN]
- megalonyx* Reichardt, 1922b: 507 E: KZ A: AF KZ TM UZ XIN
- melanarius* Erichson, 1834: 135 A: KA UP YE **ORR**
- moerens* Erichson, 1834: 150 E: AL CR FR GG ITPT RO SB SL SP N: AG MO TU A: TR
- mongol* Sokolov, 2012: 315 A: MG
- montenegrinus* J. Müller, 1900: 137 E: AL BU GR ME A: TR
- nepalensis* S. Mazur, 1997b: 29 A: NP
- paraincognitus* Chakraborty & Biswas, 2003: 51 A: SD
- pharaonis* Schmidt, 1889b: 90 N: EG **AFR**
masai Vienna, 1987: 225
pyxidatus Lewis, 1889: 283
schimperi Desbordes, 1917: 184
- pransus* Lewis, 1892a: 24 A: BEI GUX **ORR**
pauli Desbordes, 1916: 159
- pteromalus* Marseul, 1862b: 543 A: NP **ORR**
brahminius Lewis, 1900b: 281
divisifrons J. Schmidt, 1895a: 28
- pullatus* Erichson, 1834: 137 A: AF NP PA UP **ORR**
frontalis Lewis, 1900b: 282
scissifrons Marseul, 1854: 240
- punctifemur* S. Mazur, 2010a: 23 A: SCH
- pushtunus* Kryzhanovskij, 1980: 143 A: AF
- pustulosus* Gené, 1839: 61 E: FR (Corse) IT (Sardegna, Sicilia)
nigripennis Bickhardt, 1910a: 180
- quadrimaculatus* Linnaeus, 1758: 358 E: AL AN AR AU BE BH BU BY CR CZ FR GB GE GG GR HU IT MC MD
 ME PL PT RO SB SK SL SP ST SZ TR UK A: CY IN KI KZ TD TR
aethiops Heer, 1841: 453
bipunctulus Auzat, 1922: 57
caesaraugustanus Fuente, 1912: 360
cephallenicus Daniel, 1906: 174
comedo Voet, 1793: 47
contaminatus Daniel, 1906: 175

- crassimargo* Gozis, 1886b: 161
gagates Illiger, 1807a: 31
innominatus Fuente, 1912: 360
intermedius Fuente, 1903: 342
lunatus L.G. Scriba, 1790a: 46 [RN]
magnini Bettinger, 1922: 30
marshami Stephens, 1830: 144
pelopis Marseul, 1862b: 515
reniformis Olivier, 1789: 10
scapularis Fischer von Waldheim, 1823: pl. xxv [fig. 3]
semimarginatus Bickhardt, 1910a: 177
sinuatus Herbst, 1791: 43
quadrinotatus quadrinotatus L.G. Scriba, 1790a: 72 E: AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GG GR HU IT KZ LA LT MC MD ME NL PL RO SB SK SL SP ST SV SZ TR UK A: KZ TM
barthei Auzat, 1920: 2
innotatus Lokay, 1906: 9
quadrinotatus subalutaceus Reitter, 1913i: 169 A: AF IN TM TR
salebrosus salebrosus Schleicher, 1930: 132 A: NP
salebrosus subsolanus Newton, 1991: 13 [RN] (*Zabromorphus*) A: HKG GUA JA NP SC TAI ORR
punctulatus Wiedemann, 1819: 162 [HN]
sedakovii Marseul, 1862b: 548 A: ES FE HEI MG NC SC
czikanni Csiki, 1901: 106
fraudator Bickhardt, 1912b: 291
semenovi Reichardt, 1924: 162 A: IN KI KZ TM UZ
sepulchralis Erichson, 1834: 149 E: AL AU BH BU CR CZ GR HU MD PL RO SB SK SL ST UK A: IN JO LE SY TR
desbrochersi S enac, 1869: 139
shanghaiicus Marseul, 1862b: 544 A: FUJ GUA SHG ZHE ORR
sibiricus Marseul, 1854: 305 A: BEI ES FE HEI MG NMO
praeteritus Schleicher, 1930: 133
simplicisternus Lewis, 1879b: 461 A: JA JIA JIX LIA NC SC
pieli Cooman, 1941: 328 (*Eudiplister*)
togoii Lewis, 1914b: 286
spurius Marseul, 1862b: 525 A: SHG SCH YUN
teter Truqui, 1852: 62 E: AU BU CR CT GR FR IT ME SP ST SZ
thibetanus Marseul, 1857b: 412 A: AP GUA GUI HKG NP TAI YUN AFR ORR
dauphini Lewis, 1905b: 346
sohieri Marseul, 1870: 84
thoracicus Paykull, 1811: 20 E: IT PT SP N: AG MO TU
amplicollis Erichson, 1841: 169
thoracifer Marseul, 1863: 709 [RN]

tropicus Paykull, 1811: 18 N: AG A: SA AFR

abyssinicus Marseul, 1854: 222

calabaricus Marseul, 1857: 415

glabratus Roth, 1851: 122 [HN]

hottentota Erichson, 1834: 136

marseuli Desbrochers des Loges, 1871: 339

ovatulus Marseul, 1854a: 228

pavani Vienna, 1980a: 3 (*Contipus*)

regularis J.E. LeConte, 1860: 312 [HN]

subsulcatus Marseul, 1854: 221

torridus Marseul, 1854a: 230

turanus Solsky, 1876a: 223 A: AF KZ TD UZ

unicolor unicolor Linnaeus, 1758: 358 E: AB AL AN AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR

HU IR IT KZ LA LS LT MC ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: KZ MG TR WS

ater De Geer, 1774: 342 [RN]

obsoletus Rey, 1888f: 4

unicolor leonhardi Bickhardt, 1910a: 180 A: BEI ES FE JA MG NC NE NP SC

opimus Reichardt, 1976: 316

genus *Margarinotus* Marseul, 1854b: 549 type species *Hister scaber* Fabricius, 1787

subgenus *Asterister* Desbordes, 1920b: 95 type species *Asterister nilgirianus* Desbordes, 1920

curvicollis Bickhardt, 1913b: 172 (*Hister*) A: TAI

subgenus *Eucalohister* Reitter, 1909a: 283 type species *Hister binotatus* Erichson, 1834

binotatus Erichson, 1834: 145 (*Hister*) E: FR IT PT SP SZ

jacqueti Auzat, 1920: 2 (*Eucalohister*)

bipustulatus Schrank, 1781: 37 (*Hister*) E: AB AL AR AU BE BH BU BY CR CT CZ DE FR GE GG HU IT KZ LA LT

MC ME NL PL PT RO SB SK SL ST SZ TR UK A: TM

finetarius Herbst, 1792: 27 (*Hister*) [HN]

sinuatus Fabricius, 1792a: 75 (*Hister*) [HN]

scytha Marseul, 1864c: 344 (*Hister*)

gratiosus Mannerheim, 1852a: 296 (*Hister*) A: ES MG NMO

kurdistanus kurdistanus Marseul, 1857b: 418 (*Hister*) A: IN IQ IS JO SA SY TR

conjunctus J. Sahlberg, 1913c: 85 [HN]

halepensis J. Müller, 1937c: 122 (*Hister*)

kurdistanus lethierryi Marseul, 1862b: 530 (*Hister*) E: IT (Sicilia) SP N: AG EG LB MO TU

kurdistanus touthmosis Marseul, 1862b: 531 (*Hister*) N: AG EG LB TU AFR

lameerei Lewis, 1901a: 243 (*Hister*)

miniatus Karsch, 1881: 45 (*Hister*)

mateui Thérond, 1964: 152 (*Eudiplister*) N: AG AFR

mirabilis Iablokoff-Khnzorian, 1959a: 57 (*Hister*) E: AB AR

pseudomirabilis Kalashian, 1989: 142 E: AR IN

solskyi J. Schmidt, 1889a: 5 (*Hister*) E: KZ A: AF IN KZ TD TM TR UZ

subgenus *Grammostethus* Lewis, 1906b: 400 type species *Hister ruficornis* Grimm, 1852

birmanus Lundgren, 1991: 12 [RN] A: TAI ORR

gentilis Lewis, 1892a: 25 (*Hister*) [HN]

bueckingii Bickhardt, 1918a: 230 (*Hister*) A: PA TD UZ

formosanus Ôhara, 1999a: 7 A: TAI

fragosus Lewis, 1892a: 28 (*Hister*) A: YUN ORR

sodalis Lewis, 1906a: 343 (*Hister*)

impiger Lewis, 1905c: 609 (*Hister*) A: YUN

navus Marseul, 1854: 541 (*Hister*) A: BT NP SD ORR

indicus Lewis, 1885a: 209 (*Hister*)

niponicus Lewis, 1895: 188 (*Hister*) A: BEI FE HEB JA JIX NC SC SCH TAI

sinensis Lewis, 1906b: 401

occidentalis Lewis, 1885a: 211 (*Hister*) A: GUA GUI SHG

planiceps Lewis, 1888: 211 (*Hister*) A: SD ORR

ruficornis Grimm, 1852: 222 (*Hister*) E: AL AU BE BH BU CR CZ FR GE GG GR HU IT MC ME PL PT RO RU SB

SK SL SP ST SZ TR UK A: IS JO SY TR

myrmerophilus Mulsant & Rey, 1853c: 97 (*Hister*)

schneideri Kapler, 1996: 83 A: BEI GAN SCH

socius Lewis, 1907c: 345 A: KA ORR

taiwanus S. Mazur, 2008a: 91 A: TAI

subgenus *Kurilister* Tishechkin, 1992: 327 type species *Kurilister kurbatovi* Tishechkin, 1992

kurbatovi Tishechkin, 1992: 328 (*Kurilister*) A: FE (Kurilskie ostrova) JA

subgenus *Margarinotus* Marseul, 1854b: 549 type species *Hister scaber* Fabricius, 1787

scaber Fabricius, 1787: 32 (*Hister*) E: PT SP N: AG MO TU

niger Gmelin, 1790: 1609 (*Hister*)

subgenus *Myrmecohister* Ôhara, 1999b: 93 type species *Margarinotus maruyamai* Ôhara, 1999

maruyamai Ôhara, 1999b: 93 A: FE JA

subgenus *Paralister* Bickhardt, 1917: 188 type species *Hister carbonarius* Hoffmann, 1803

Coprister Houlbert & Monnot, 1922: 30 type species *Hister neglectus* Germar, 1813

aoudicus Marseul, 1862b: 528 (*Hister*) A: KA PA

carbonarius carbonarius Hoffmann, 1803: 54 (*Hister*) E: AL AB AN AR AU BE BH BU BY CR CT CZ DE EN FR

GB GE GG GR HU IR IR IT KZ LA LS LT MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A:

CY IS SY TR WS

chapmani Auzat, 1920: 2 (*Hister*)

nigellatus Germar, 1824: 88 (*Hister*)

quadridens Rey, 1888f: 4 (*Hister*)

samatanus Auzat, 1923a: 76 (*Hister*)

carbonarius macedonicus J. Müller, 1937c: 127 (*Hister*) E: GR MC TR A: IS

ignobilis Marseul, 1854: 532 (*Hister*) E: AL AU BE BU FR GE GR HU IT MA MD PL PT SL SP SZ UK N: AG MO

TU A: TR NTRi

- bahiensis* Lewis, 1908b: 148 (*Hister*)
breviusculus Rey, 1888f: 4 (*Hister*)
clermonti Bickhardt, 1908: 42 (*Hister*)
punctangulus Rey, 1888f: 4 (*Hister*)
schmidtianus Saint-Albin, 1942: 151 (*Hister*)
indiicola Desbordes, 1919a: 89 (*Hister*) A: AF HP NP PA
koenigi J. Schmidt, 1888a: 189 (*Hister*) A: FE HEI MG NC SC
laevifossa J. Schmidt, 1889a: 7 (*Hister*) A: ES KI KZ TM
longus Bickhardt, 1910a: 184 (*Hister*) E: GR (Kérkira)
neglectus Germar, 1813: 120 (*Hister*) E: AR AU BE BH BU BY CR CT CZ DE EN FR GB GE GG HU IR IT LA LT MC
 NL NR NT PL PT RO SK SL SP ST SV SZ TR UK N: AG A: ES FE KZ TR WS NTRi ORR
armeniacus J. Müller, 1937c: 126 (*Hister*)
leachii Stephens, 1830: 151 (*Hister*)
neotropicus S. Mazur, 1974: 57
quisquilius Stephens, 1830: 151 (*Hister*)
oblongulus J. Schmidt, 1892: 24 (*Hister*) A: KI KZ UZ
periphaerus S. Mazur, 2003: 163 A: BEI HEN SHA SHX
punctiventer Marseul, 1854: 543 (*Hister*) E: AB AR AU BE BH BU CR CZ FR GE GG GR HU IT MC MD ME NL
 PT SB SK SL SP ST SZ TR UK
stigmatosus Marseul, 1862b: 540 (*Hister*)
purpurascens Herbst, 1791: 42 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR HU IR
 IT KZ LS LA LT MC MD ME NL NR NT PL PT SB SK SL SP ST SV SZ UK A: ES FE KZ NC SC SY UZ WS NARi
castanipes Stephens, 1830: 152 (*Hister*)
christophi Reitter, 1879b: 209 (*Hister*)
mesmini Auzat, 1927: 74 (*Hister*)
niger J. Schmidt, 1885b: 327 (*Hister*) HN]
pueli Chobaut, 1922a: 65 (*Hister*)
strioliger Reichardt, 1921: 24 (*Hister*)
silantjevi Shirjajev, 1903: 16 (*Hister*) E: AR KZ ST UK
uncostratus Marseul, 1854: 532 (*Hister*) E: FR IT (Sicilia) PT SP N: AG MO TU
ventralis Marseul, 1854: 535 (*Hister*) E: AL AN AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG HU IT
 KZ LA LT LU MC ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK A: TR WS
subgenus *Promethister* Kryzhanovskij, 1966: 56 type species *Hister prometheus* Kryzhanovskij, 1966
jenisi Olexa, 1995: 105 A: NP
marginatus Erichson, 1834: 144 (*Hister*) E: AU BE BH BU BY CR CT CZ DE EN FR GB GE HU IT LS MC NL NR
 PL RO SB SK SL SP SV SZ UK
prometheus Kryzhanovskij, 1966: 57 (*Hister*) E: GG ST
subgenus *Ptomister* Houlbert & Monnot, 1922: 23 type species *Hister merdarius* Hoffmann, 1803
agnatus Lewis, 1884b: 135 (*Hister*) A: FE HEI JA HP "Himalaya" NP NC SC ZHE
balloui Wenzel, 1944: 129
arrosor Bickhardt, 1920b: 98 (*Hister*) A: FUJ

babai Ôhara, 1999a: 27 A: TAI

boleti Lewis, 1884b: 135 (*Hister*) A: FE (Kurilskie ostrova) JA TAI

brunneus Fabricius, 1775: 52 (*Hister*) E: AB AL AN AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU
IR IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ UK N: MO A: ES IN IS KZ TR
UZ WS NAR

aenigmaticus Wenzel, 1936: 267 (*Hister*)

ambiguus Auzat, 1928: 54 (*Hister*)

cadaverinus Hoffmann, 1803: 34 (*Hister*)

impressus Fabricius, 1798: 37 (*Hister*)

incompletus Roubal, 1937a: 14 (*Hister*)

kirbii Stephens, 1830: 151 (*Hister*)

lapponicus J. Sahlberg, 1889: 130 (*Hister*)

obtusatus Harris, 1837: 76 (*Hister*)

transversalis Duftschmid, 1805: 214 (*Hister*)

virginiae Casey, 1894: 541 (*Hister*)

cadavericola Bickhardt, 1920b: 99 (*Hister*) A: FE FUJ HEI JA

ussuriensis Reichardt, 1929: 285 (*Hister*)

distinctus Erichson, 1834: 143 (*Hister*) E: AU BE BU CZ FR GE GR HU IT KZ MC RO SK SL SP ST SZ UK A: TR

hailar Wenzel, 1944: 127 A: ES HEI MG NMO

immunis Erichson, 1834: 143 (*Hister*) Ei: SK NAR

incognitus Marseul, 1854: 289 (*Hister*) A: HP NP SCH TAI YUN

integer Brisout de Barneville, 1866: 365 (*Hister*) E: PT SP N: AG EG MO TU A: IS

kathmandu S. Mazur, 1984b: 163 A: NP

koltzei J. Schmidt, 1889d: 369 (*Hister*) A: FE HEI

marginepunctatus Lewis, 1879b: 461 (*Hister*) A: JA

merdarius Hoffmann, 1803: 39 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IT LA LT
LU MC ME NL NR NT PL SB SK SL SP ST SV SZ TR UK N: AG MO TU A: IN NAR

gerhardi Bickhardt, 1909a: 205 (*Hister*)

memnonius Say, 1825a: 32 (*Hister*)

omissus Bickhardt, 1909a: 205 (*Hister*)

multidens J. Schmidt, 1889b: 94 (*Hister*) A: FUJ GUX NP SCH TAI ORR

osawai Ôhara, 1999a: 23 A: TAI

reichardtī Kryzhanovskij, 1976: 339 A: BEI FE JA NC SC TAI

striola striola C.R. Sahlberg, 1819: 25 (*Hister*) E: CT FI NT A: ES FE HEI JA JIL NC SC

eschsoltzii Marseul, 1854: 282 (*Hister*)

japanus Motschulsky, 1862a: 13 (*Hister*)

striolides Wenzel, 1944: 129 (*Hister*)

striola succicola Thomson, 1862: 224 (*Hister*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE HU IR IT
LA LS LT LU MC ME NL NR NT PL RO SB SK SL SV SZ TR UK A: WS

gavoyi Auzat, 1920: 4

sutus Lewis, 1884b: 136 (*Hister*) A: JA LIA NC SC

terricola Germar, 1824: 87 (*Hister*) E: AB AE AR AU BE BH BU BY CR CT CZ DE EN FR GE HU IT LA LT MC ME
NL NT PL RO SB SK SL SP ST SV SZ TR UK A: IN TR

amicorum Bickhardt, 1918a: 229 (*Hister*)

mancus W. Kolbe, 1909: 22 (*Hister*) [HN]

tristriatus Wenzel, 1944: 130 A: BEI ES FE HEI

wenzeli S. Mazur, 1972a: 140 (*Hister*) [RN]

wenzelianus Kryzhanovskij, 1976: 417 A: FE HEI MG

distinctus Théron, 1967a: 72 (*Eudiplister*) [HN]

weymarni Wenzel, 1944: 127 A: BEI FE HEI JA SC

yezoensis Ôhara, 1989a: 27 A: JA

subgenus *Stenister* Reichardt, 1926c: 270 type species *Hister bickhardti* Reitter, 1910

atamuradovi Kryzhanovskij, 1993: 144 A: TM

bickhardti Reitter, 1910b: 38 (*Hister*) A: AF KZ TR UZ

graecus cyrenaicus J. Müller, 1937c: 126 (*Hister*) N: LB

graecus graecus Brullé, 1832: 157 (*Hister*) E: AL GR FR IT (Sicilia) A: CY IN IS JO LE SY TM

chobauti Auzat, 1920: 4 (*Hister*)

graecus Erichson, 1834: 142 (*Hister*) [HN]

graecus horni Bickhardt, 1912b: 291 (*Hister*) N: AG MO A: IS SY

graecus mauritanicus J. Müller, 1937c: 126 (*Hister*) N: MO

kabakovi Kryzhanovskij, 1980: 144 A: AF

obscurus Kugelann, 1792: 298 (*Hister*) E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR HU IT KA
KZ LA LS LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: MO A: IN IS KI KZ NE SY TM
TR UZ NARi

goetzelmanni Bickhardt, 1908: 41 (*Hister*)

inexpectatus Roubal, 1937a: 15 (*Hister*) [HN]

parallelogrammus Faldermann, 1835: 228 (*Hister*)

paralleloides Marseul, 1863: 710 (*Hister*) [RN]

parallelus Ménériés, 1832: 171 (*Hister*) [HN]

semisculptus LeConte, 1863: 60 (*Hister*)

stercorarius Hoffmann, 1803: 57 (*Hister*)

genus *Merohister* Reitter, 1909a: 282 type species *Hister ariasi* Marseul, 1864

aino Lewis, 1884b: 134 (*Hister*) A: JA

ariasi Marseul, 1864c: 342 (*Hister*) E: BU CR FR GR IT PT SP A: IS SY TR

jekeli Marseul, 1857b: 417 (*Hister*) A: FE FUJ GUA HEB JA JIX NC SC TAI ORR

jamatus Motschulsky, 1866: 169 (*Pactolinus*)

uenoi Ôhara, 1992: 495 A: JA

genus *Nasaltus* Mazur & Węgrzynowicz, 2008: 185 type species *Hister orientalis* Paykull, 1811

chinensis Quensel, 1806: 88b (*Hister*) A: AP HAI JA NP SC SD TAI UP AURi NTRi ORR

incisus Erichson, 1834: 134 (*Hister*)

mandibularis Guérin-Ménéville, 1834: pl. 17 (*Hister*)

marseuli Mazur & Węgrzynowicz, 2008: 188 [RN] A: PA UP ORR

orientalis Paykull, 1811: 17 (*Hister*) A: CH KA NP TAI UP AFRi ORR

elongatulus Marseul, 1854a: 194 (*Hister*)

parallelus Kollar & L. Redtenbacher, 1844: 514 (*Hister*) [HN]

genus *Neosantalus* Kryzhanovskij, 1972: 21 type species *Hister latitibius* Marseul, 1862
latitibius Marseul, 1862b: 527 (*Hister*) A: HAI ORR

genus *Pachylister* Lewis, 1904: 145 type species *Hister caffer* Erichson, 1834

subgenus *Pachylister* Lewis, 1904: 145 type species *Hister caffer* Erichson, 1834

Heterognathus Rey, 1888f: 4 [HN] type species *Hister inaequalis* Olivier, 1789

ceylanus ceylanus Marseul, 1862b: 509 (*Hister*) A: SHG ORR

ceylanus pygidialis Lewis, 1906b: 399 A: HP SC SHG YUN

distorsus Illiger, 1807a: 29 (*Hister*) A: AF NE PA SC UP ORR

bengalensis Wiedemann, 1821: 126 (*Hister*)

grandis Germar, 1824: 86 (*Hister*)

inaequalis Olivier, 1789: 7 (*Hister*) E: AL AN AU BH BU CR CT CZ FR GR HU IT KZ MC ME PT RO SB SK SL SP
ST SZ TR UK A: CY ES IN KI KZ MG SY TD TM TR UZ WS

elephas Ragusa, 1892d: 259 (*Hister*)

inaequalis Fabricius, 1798: 37 (*Hister*) [RN] [HN]

labiatus Motschulsky, 1845a: 55 (*Hister*)

laevus P. Rossi, 1790: 28 (*Hister*)

obliquatus Motschulsky, 1860d: 296 (*Hister*)

lutarius Erichson, 1834: 133 (*Hister*) A: FUJ GUA NC PA TAI ORR

reflexilabris Marseul, 1854: 187 (*Hister*) A: HP "Himalaya" PA ORR

scaevola Erichson, 1834: 134 (*Hister*) A: GUA ORR

mundissimus Walker, 1859: 53 (*Hister*)

subgenus *Sulcignathos* S. Mazur, 2010b: 210 type species *Hister scaevola* Erichson, 1834

baconi Marseul, 1854a: 198 (*Hister*) A: AF NP PA ORR

assamensis Marseul, 1857b: 409 (*Hister*)

luctuosus Marseul, 1854: 263 (*Hister*) A: IQ OM SA YE AFR

arabicus Marseul, 1854: 263 (*Hister*)

memnonius Erichson, 1834: 134 (*Hister*) [HN]

spinipes Marseul, 1854a: 199 (*Hister*)

scaevola Erichson, 1834: 134 (*Hister*) A: GUA ORR

mundissimus Walker, 1859: 53 (*Hister*)

genus *Pactolinus* Motschulsky, 1859b: 305 type species *Hister major* Linnaeus, 1767

Coptochilus Rey, 1888f: 4 [HN] type species *Hister major* Linnaeus, 1767

Macrolister Lewis, 1904: 145 type species *Hister gigas* Paykull, 1811

latipes Palisot de Beauvois, 1818: 179 (*Hister*) A: YE AFR

arcuatus Roth, 1851: 122 (*Hister*) [HN]

emarginatus Lewis, 1909: 297 (*Macrohister*)

gravis Fåhræus, 1851: 532 (*Hister*)

obscurus Reiche, 1850: 300 (*Hister*) [HN]

robustus Erichson, 1834: 130 (*Hister*)

major Linnaeus, 1767: 566 (*Hister*) E: AL AR BU CR CZ FR GG GR HU IT MA MC ME SB SK PT SP TR UK N: AG
CI EG LB MO TU A: CY IN IS KZ SY TR UZ AFR

quadristriatus Normand, 1935a: 114 (*Hister*)

tribe Hololeptini Hope, 1840

genus *Hololepta* Paykull, 1811: 101 type species *Hololepta planus* Sulzer, 1776

subgenus *Hololepta* Paykull, 1811: 101 type species *Hister planus* Sulzer, 1776

amurensis Reitter, 1879b: 213 A: ES FE HEI JA JIL NC SC TAI

baulnyi Marseul, 1857b: 399 A: NP PA ORR

cavata Lewis, 1912: 255 A: NP ORR

depressa Lewis, 1884b: 132 A: JA SC TAI

elongata Erichson, 1834: 92 A: AP NP UP ORR

feae Lewis, 1892a: 17 A: BT ORR

higoniae Lewis, 1894a: 174 [RN] A: JA TAI YUN ORR

parallela Lewis, 1884b: 132 [HN]

indica Erichson, 1834: 90 A: HAI NP SD ORR

aequa Lewis, 1885a: 204

batchiana Marseul, 1860: 588

manillensis Marseul, 1853: 145

menadia Marseul, 1864b: 279

laevigata Guérin-Méneville, 1833: 482 A: SD YUN ORR

procera Erichson, 1834: 91

nepalensis Lewis, 1910: 43 A: FUJ NP ORR

perraudieri Marseul, 1857b: 397 N: CI

plana Sulzer, 1776: 23 (*Hister*) E: AL AN AR AU BE BH BU BY CT CZ DE EN FI FR GB GE GG GR HU IT KZ LA
LS LT LU MC MD ME NL NR NT PL RO SB SK SL SP ST SV SZ TR UK A: ES FE KZ MG NC SC TD WS

appendiculata Auzat, 1918: 14

deficiens Roubal, 1925c: 89

desbordesii Auzat, 1919: 199

orientalis Roubal, 1925c: 89

plana Roemer, 1789: 3 (*Hister*) [DA] [HN]

rouquesi Auzat, 1919: 199

salva Lewis, 1914a: 235 A: SD

subgenus *Leionota* Dejean, 1833: 129 type species *Hister quadridentatus* Olivier, 1789

quadridentata Olivier, 1789: (8): 14 (*Hister*) Ei SP NAR NTR

bifoveolata Carnochan, 1917: 393

decimstriata Carnochan, 1917: 393

flagellata Kirby, 1819: 395

floridae Carnochan, 1917: 391

kahli Dillon, 1935: 465

minor Carnochan, 1917: 392

platysma Erichson, 1834: 95

quadridentata Palisot de Beauvois, 1818: 178 (*Hister*) [HN]

striatifera Carnochan, 1917: 392

surinamensis Herbst, 1792: 51 (*Hister*)

tribe Omalodini Kryzhanovskij, 1972

genus *Lewisister* Bickhardt, 1912c: 222 type species *Lewisister excellens* Bickhardt, 1912

excellens Bickhardt, 1912c: 223 A: NP TAI ORR

curvistrius Bickhardt, 1914: 313

tribe Platysomatini Bickhardt, 1914

genus *Afrosoma* S. Mazur, 1999: 4 type species *Hololepta capensis* Wiedemann, 1821

castanipes Marseul, 1853: 279 (*Platysoma*) N: AG EG MO AFR

nilotica Reitter, 1908c: 42 (*Platysoma*)

viatorium Lewis, 1911: 79 (*Platysoma*)

genus *Apobletes* Marseul, 1861b: 852 type species *Apobletes tener* Marseul, 1861 (= *Apobletes schaumei* Marseul, 1861)

cavifrons Lewis, 1900b: 269 A: NP ORR

marginicollis Lewis, 1888d: 633 A: AP HAI SD UP ORR

nirvanum Lewis, 1892a: 20 [DA] A: BT ORR

planidorsum Bickhardt, 1912c: 219 [DA] A: AP SD ORR

schaumei Marseul, 1861b: 857 A: HAI JA NP TAI UP YUN ORR

tener Marseul, 1861b: 859

genus *Eblisia* Lewis, 1889: 280 type species *Phelister lunaticus* Marseul, 1864

subgenus *Chronus* Lewis, 1914b: 285 type species *Platysoma exortivum* Lewis, 1888

scaliformis Desbordes, 1923: 60 (*Chronus*) A: SD ORR

subgenus *Eblisia* Lewis, 1889: 280 type species *Phelister lunaticus* Marseul, 1864

pagana Lewis, 1902a: 229 A: TAI ORR

pygmaea Bickhardt, 1913b: 170 (*Nicotikis*) A: TAI ORR

sauteri Bickhardt, 1912a: 124 (*Platysoma*) A: TAI ORR

larnaudiei Desbordes, 1919c: 381 (*Nicotikis*)

sumatrana Bickhardt, 1912c: 228 (*Nicotikis*) A: TAI ORR

beatula Lewis, 1913: 355

liopygiformis Desbordes, 1924a: 115 (*Atholus*)

genus *Eurosomides* Newton, nom. nov. [see New Acts] type species *Hister minor* Rossi, 1792

Eurosoma Mazur & Ôhara, 2009: 236 [HN] type species *Hister minor* Rossi, 1792

minor P. Rossi, 1792: 13 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GE GR HU IT KZ LA LT LU

MC MD ME NL NT PL PT RU SB SK SL SP ST SV SZ UK A: ES FE SC WS

betulinum Hochhuth, 1872b: 219 (*Platysoma*)

cavifrons Leoni, 1907: 189 (*Hister*) [HN]

decemstriatus C.G. Thomson, 1867a: 397 (*Platysoma*)

delati Baudi di Selve, 1864: 231 (*Platysoma*)

frontalis Paykull, 1798: 40 (*Hister*)

leonii Bickhardt, 1910b: 224 (*Hister*) [RN]

marginatus C.G. Thomson, 1867a: 397 (*Platysoma*)

puncticollis Heer, 1841: 457 (*Hister*)

rufus Schilsky, 1908: 601 (*Platysoma*)

genus *Eurylister* Bickhardt, 1920c: 213 type species *Platysoma sincerum* J. Schmidt, 1892

crassus Bickhardt, 1913a: 123 (*Platysoma*) A: NP ORR

duplicans Cooman, 1955: 47 (*Platysoma*) A: BT NP ORR

integrus J. Schmidt, 1889c: 334 (*Platysoma*) A: NP ORR

satzumae Lewis, 1899: 8 (*Platysoma*) A: JA TAI

scalptus Lewis, 1902a: 226 (*Platysoma*) A: BT ORR

silvestris J. Schmidt, 1897: 291 (*Platysoma*) A: BT NP TAI ORR

bonifacyi Desbordes, 1919c: 360 (*Platysoma*)

genus *Kanaarister* S. Mazur, 1999: 10 type species *Platysoma latisternum* Marseul, 1853

assamensis Lewis, 1900b: 273 (*Platysoma*) A: FUJ NP TAI ORR

celatus Lewis, 1884b: 134 (*Platysoma*) A: GUA GUI JA NP SE TAI ZHE

genus *Mendelius* Lewis, 1908b: 141 type species *Eblisia tenuipes* Lewis, 1905

tenuipes Lewis, 1905b: 345 (*Eblisia*) A: YUN

genus *Nicotikis* Marseul, 1883: lxviii type species *Platysoma incisipyge* Marseul, 1883

gratus Cooman, 1941: 315 A: NP ORR

genus *Niposoma* S. Mazur, 1999: 10 type species *Platysoma lewisi* Marseul, 1873

lewisi Marseul, 1873: 222 (*Platysoma*) A: FUJ GUA JA JIX SC TAI ORR

schenklingi Bickhardt, 1913b: 170 (*Platysoma*) A: GUA TAI

stackelbergi Kryzhanovskij, 1976: 396 (*Platysoma*) A: FE SHA

taiwanum Hisamatsu, 1965: 133 (*Platysoma*) A: TAI

vagans Lewis, 1884b: 133 (*Platysoma*) A: JA

genus *Plaesius* Erichson, 1834: 101 type species *Plaesius javanus* Erichson, 1834

subgenus *Hyposolenus* Lewis, 1907a: 97 type species *Plaesius laevigatus* Marseul, 1853

bengalensis Lewis, 1906a: 338 A: SD ORR

subgenus *Plaesius* Erichson, 1834: 101 type species *Plaesius javanus* Erichson, 1834
javanus Erichson, 1834: 102 A: TAI AFRi AURi NTRi ORR

genus *Platylister* Lewis, 1892b: 103 type species *Platysoma ovatum* Erichson, 1834

subgenus *Platylister* Lewis, 1892b: 103 type species *Platysoma ovatum* Erichson, 1834
atratus Erichson, 1834: 110 (*Platysoma*) A: JA NP SE TAI UP ORR

buteanus Desbordes, 1922a: 7 (*Platysoma*)

birmanus Marseul, 1861a: 151 (*Platysoma*) A: HAI NP ORR

semistriatus Motschulsky, 1863: 452 (*Platysoma*)

subquadratus Motschulsky, 1863: 450 (*Platysoma*)

borneolus Marseul, 1861a: 143 (*Platysoma*) A: SD ORR

cambodjensis Marseul, 1864b: 300 (*Platysoma*) A: AP BT HAI JA NP TAI ORR

niponensis Lewis, 1906b: 398

cathayi Lewis, 1900b: 271 A: GUA HKG SCH

horni Bickhardt, 1913b: 169 (*Platysoma*) A: JA TAI

kempi Bickhardt, 1913a: 123 (*Platysoma*) A: NP ORR

gibbosus Desbordes, 1919c: 356 (*Platysoma*)

neogii Chakraborty & Biswas, 2000: 110 A: AP ORR

oberthuri Cooman, 1948: 132 (*Platysoma*) [DA] [RN] A: JA

mimicus Desbordes, 1922b: 235 (*Platysoma*) [HN]

odiosus Marseul, 1861: 145 (*Platysoma*) A: UP ORR

dissimilis Motschulsky, 1863: 451 (*Platysoma*)

marseulii Candèze, 1861: 336 (*Platysoma*)

ovatus Erichson, 1834: 108 (*Platysoma*) A: NP ORR

pini Lewis, 1884b: 133 (*Platysoma*) A: PA JA TAI

sororius Lewis, 1904: 142 A: NP UP ORR

strialis Marseul, 1864b: 301 (*Platysoma*) A: AP BT NP SD ORR

suturalis Lewis, 1888d: 636 (*Platysoma*) A: NP ORR

subgenus *Popinus* S. Mazur, 1999: 16 type species *Platysoma luzonicum* Erichson, 1834

algoricus Lucas, 1846: 231 (*Platysoma*) E: IT (Sicilia, Sardegna) PT SP N: AG MO TU A: IN

algoricus Marseul, 1863: 705 (*Platysoma*) [RN]

laevicollis Küster, 1850: 2 (*Platysoma*)

confucii Marseul, 1857b: 404 (*Platysoma*) A: AP GUA HAI NP SD TAI UP ORR

hageni Marseul, 1884: 161 (*Platysoma*)

quinquestriatus Motschulsky, 1863: 454 (*Platysoma*)

simeani Mulsant & Godart, 1875: 419 (*Platysoma*) E: AR GR A: AE LE TR

unicus Bickhardt, 1912a: 124 (*Platysoma*) A: JA NP TAI

genus *Platysoma* Leach, 1817: 77 type species *Hister depressus* Fabricius, 1787 (= *Hister compressus* Herbst, 1783)

subgenus *Cylister* Cooman, 1941: 307 type species *Hister elongates* Olivier, 1789 (= *Platysoma filiforme* Erichson, 1834)

afghanum Kryzhanovskij, 1980: 146 (*Cylister*) A: AF

angustatum Hoffmann, 1803: 102 (*Hister*) E: AL AU BE BH BU BY CT CZ DE FI FR GE HU IT LA LT MC ME NL
NR NT PL SB SK SL SV SZ UK A: ES FE WS

ferrugineum Thunberg, 1794a: 66 (*Hister*) [HN]

pfefferi Roubal, 1943: 57

cornix Marseul, 1861a: 153 E: GR A: CY IS LE SY TR

elongatum elongatum Thunberg, 1787: 33 (*Hister*) E: AL AU BH BU BY CR CT CZ EN FI FR GB GE GR HU IT LA
LT MC ME NR NT PL PT RU SB SK SL SP ST SV SZ UK A: ES EF HEI JAI KZ MG NMO TR WS

georgianum Leach, 1830: 157 (*Abbotia*)

intermedium J. Sahlberg, 1913c: 85

oblongum Fabricius, 1792a: 75 (*Hister*)

elongatum aubei Marseul, 1861a: 152 N: AG MO TU

filiforme Erichson, 1834: 114 E: AL CR GR IT PT SP N: AG MO TU A: TR

elongatum Olivier, 1789: 16 (*Hister*) [HN]

dalmatinum Küster, 1850: 5

lineare Erichson, 1834: 113 E: AL AU BE BH BU BY CR CT CZ DE FI FR GE GR HU IT LA LT MC ME PL SB SK SL
ST SV SZ UK RU UK A: ES FE NO WS

lineicolle Marseul, 1873: 223 A: FE JA SC TAI

yunnanum Kryzhanovskij, 1972: 23 (*Cylister*) A: FUJ YUN ZHE

subgenus *Platysoma* Leach, 1817: 77 type species *Hister depressus* Fabricius, 1787 (= *Hister compressus* Herbst, 1783)

Abbotia Leach, 1830: 155 type species *Abbotia paykulliana* Leach, 1830 (= *Hister compressus* Herbst, 1783)

Platysomum Gistel, 1856: 363 [unjustified emendation]

beybienkoi Kryzhanovskij, 1972: 22 A: TAI YUN

brahmani Lewis, 1910: 51 A: BT NP SD UP ORR

brevistriatum Lewis, 1888d: 637 A: NP SD ORR

chinense Lewis, 1894a: 176 A: SHN TAI

cerylonoides Bickhardt, 1912a: 123

compressum Herbst, 1783: 20 (*Hister*) E: AB AL AN AR AU BE BH BU BY CR CT CZ DE EN FI FR GE GG GR HU
IT LA LT LU MC MD ME NL NT PL PT RO SB SE SK SL SP ST SZ TR UK A: IN SY TR

agnusi Auzat, 1926a: 73

depressum Fabricius, 1787: 32 (*Hister*)

longestriatum Roubal, 1933c: 139

paykulliana Leach, 1830: 156 (*Abbotia*)

coomani Théron, 1955: 124 A: BT ORR

deplanatum Gyllenhal, 1808: 85 (*Hister*) E: AU BY CT CZ DE EN FI GE HU LA LT NR NT PL SK SV A: ES FE JA
MG NC NE SC WS

sibiricum Reitter, 1879b: 209

dufali Marseul, 1864b: 310 A: HAI SD ORR

scitulum Lewis, 1889: 280

inexpectatum Lackner, 2004b: 109 A: SY TR
koreanum S. Mazur, 1999: 6 A: BEI NC
minax S. Mazur, 1999: 7 A: NP SD UP ORR
rasile Lewis, 1884b: 134 A: JA SC TAI
rimarium Erichson, 1834: 112 A: AF NP PA YUN ORR
rimae Lewis, 1905b: 343
rufopygum Lewis, 1905c: 606 A: NP ORR
sichuanum S. Mazur, 2007: 172 A: SCH
takehikoi Ôhara, 1986: 102 A: JA TAI
genus *Platysoma*, species *incertae sedis*
tsushimae Ôhara, 1986: 94 A: JA (Tsushima)

genus *Sibelia* Mazur & Ôhara, 2009: 234 type species *Eblisia coreana* Ôhara & Paik, 1998
coreana Ôhara & Paik, 1998: 5 (*Eblisia*) A: SC

genus *Silinus* Lewis, 1907c: 343 type species *Platysoma pinnigerum* Lewis, 1898
mirabilis Lewis, 1900a: 225 (*Platylister*) A: SD UP ORR
palmipes Lewis, 1889: 278 (*Platysoma*) A: SD ORR
procerus Lewis, 1911: 79 (*Platylister*) A: CE NP SCH SD UP YUN
reichardti Kryzhanovskij, 1972: 24

subfamily **Niponiinae** Fowler, 1912

genus *Niponius* Lewis, 1885b: 333 type species *Niponius impressicollis* Lewis, 1885
Arunus Sen Gupta & Pal, 1995: 142 type species *Arunus magnus* Sen Gupta & Pal, 1995
canalicollis Lewis, 1901b: 370 A: AP HP PA (Baluchistan) TAI UP ORR
furcatus Lewis, 1885b: 333 A: JA
himalayensis Gardner, 1926: 195 A: UP
impressicollis Lewis, 1885b: 333 A: FE JA NE NP TAI
obtusiceps Lewis, 1885b: 334 A: JA
osorioceps Lewis, 1885b: 333 A: FE JA SC
itoi Chûjô, 1955: 57
piceae Reichardt, 1933a: 90 A: FE
substriatus Gardner, 1926: 197 A: UP
tamanukii Kôno, 1937: 74 A: FE (Sakhalin)
yamasakii Miwa, 1934: 258 A: TAI

subfamily **Onthophilinae** W.S. Macleay, 1819

genus *Epiechinus* Lewis, 1891b: 319 type species *Onthophilus costipennis* Fähræus, 1851
arboreus Lewis, 1884b: 139 (*Onthophilus*) A: JA TAI
fulvosetosus J. Sahlberg, 1913a: 20 (*Onthophilus*) E: BU GG TR
caucasicola Bickhardt, 1918a: 227

hispidus Paykull, 1811: 98 (*Hister*) A: AE NP UP AFR ORR

birmanus Lewis, 1892e: 356

marseuli Lewis, 1900b: 290 A: TAI ORR

hispidus Marseul, 1864b: 340 (*Onthophilus*) [HN]

taprobanae Lewis, 1892e: 355 A: NP ORR

genus *Glymma* Marseul, 1856: 279 type species *Glymma candezii* Marseul, 1856

candezii Marseul, 1856: 282 E: BEi (Liège) N: MR AFR

genus *Onthophilus* Leach, 1817: 76 type species *Hister sulcatus* Moll, 1784 (= *Scolytus punctatus* O.F. Müller, 1776)

Hypsenor A. Villa & G.B. Villa, 1833a: 14 type species *Hister striatus* Forster, 1771

Scolytus O.F. Müller, 1776: xxii [HN]] type species *Scolytus punctatus* O.F. Müller, 1776

affinis L. Redtenbacher, 1847: 239 E: AL AU BH BU CR CZ GE GR HU IT MC ME RO SB SK SL SP SZ TR UK A: IS SY TR

costatus Kiesenwetter, 1858c: 131

costulatus Marseul, 1863: 687 [RN]

aonoi Ôhara & Nakane, 1986: 6 A: JA

bickhardti Reitter, 1909^e: 180 A: IS LE TR

convictor Normand, 1919: 225 E: GG N: MO TU A: SY

extraordinarius Reichardt, 1941: 344 A: FE

flavicornis Lewis, 1884b: 139 A: JA SC TAI

foveipennis Lewis, 1885c: 472 A: BEI FE GAN HEI

globulosus Olivier, 1789: 16 (*Hister*) E: FR IT PT SP N: AG LB MO TU

exaratus Illiger, 1807a: 48 (*Hister*)

interruptus Reitter, 1872: 168

heilongjiangensis J. Li, 1993: 115 A: HEI

jakli Kapler, 1993: 25 A: FE

kamiyai Adachi, 1930: 250 A: JA

lijiangensis Zhou & Luo, 2002: 508 A: YUN

melampus Reichardt, 1933b: 142 A: FE

niponensis Lewis, 1907a: 107 A: JA

ordinarius Lewis, 1879a: 78 A: ES FE HEI JA

ostreatus Lewis, 1879a: 78 A: FUJ GUA HKG JA SC TAI YUN

punctatus caucasicus Reitter, 1890g: 389 E: GG UK (Krym) A: IS TM TR

punctatus cicatricosus Reitter, 1884c: 76 E: CR GR IT TR

punctatus punctatus O.F. Müller, 1776: 57 (*Scolytus*) E: AU BE BH CR CZ DE FR GB GE GR HU IT MC ME NL

PL SB SK SL SP SZ TR UK A: AG MO SY

nanus Piller & Mitterpacher, 1783: 34 (*Hister*)

sulcatus Moll, 1784: 172 (*Hister*)

sulcatus Geoffroy, 1785: 13 (*Scarabaeus*) [HN]

sculptilis Lewis, 1892e: 354 A: NP SD **ORR**

rugatus Théron, 1978: 238

silvae Lewis, 1884b: 139 A: BEI FE JA

smetanai S. Mazur, 1994a: 43 A: TAI

striatus inconditus Reichardt, 1941: 89 A: CY IS JO LE SY TR

striatus striatus Forster, 1771: 11 (*Hister*) E: AB AR AU BE BH BU CR CZ DE EN FI FR GB GE GG HU IR IT LU

MC MD ME NL PL PT RO SB SK SL SP ST SV SZ UK

tuberculatus Lewis, 1892e: 353 A: YUN **ORR**

subfamily **Saprininae** C.É. Blanchard, 1845

genus *Alienocacculus* Kanaar, 2008: 187 type species *Hypocacculus neftensis* Olexa, 1984

lecomtei Peyerimhoff, 1946: 119 (*Saprinus*) N: AG MO

neftensis Olexa, 1984b: 377 (*Hypocacculus*) N: TU **AFR**

peyerimhoffi Chobaut, 1922c: 296 (*Styphrus*) N: AG LB **AFR**

vanharteni Kanaar, 2008: 188 A: AE IS SA

genus *Ammostyphrus* Reichardt, 1924: 164 type species *Ammostyphrus cerberus* Reichardt, 1924

cerberus Reichardt, 1924: 165 A: KZ TM UZ

genus *Axelinus* Kryzhanovskij, 1976: 215 type species *Axelinus ghilarovi* Kryzhanovskij, 1976

ghilarovi Kryzhanovskij, 1976: 216 A: TM UZ

genus *Chalcionellus* Reichardt, 1932a: 16 type species *Saprinus amoenus* Erichson, 1834

Eosaprinus Kozminykh, 2000: 23 type species *Eosaprinus frontalis* Kozminykh, 2000

Ispaniolus S. Mazur, 1972b: 363 type species *Saprinus condolens* Marseul, 1864

aemulus Illiger, 1807a: 42 (*Hister*) E: AB AL AR BU CR FR GR IT MC ME PT SP TR N: AG EG LB MO TU A: IN IS
JO LE TM TR

mediocris Marseul, 1855a: 679 (*Saprinus*)

quadrilineatus Walzl, 1839a: 63 (*Hister*)

amoenus Erichson, 1834: 190 (*Saprinus*) E: AL AR AU BH BU CR FR GG GR HU IT KZ MC MD ME PT RO SB SK
ST TR UK A: AF HEI IN IQ KI KZ NMO SHA SY TD TM TR UZ

micans Hochhuth, 1872b: 228 (*Saprinus*)

sabuleti Rosenhauer, 1847: 24 (*Saprinus*)

blanchii blanchii Marseul, 1855a: 461 (*Saprinus*) E: AR GR MC ST UK N: EG LB TU A: AF CY GAN HEI IN IQ IS
LE KI SCH SY TD TM TR UZ

blanchii tauricus Marseul, 1862a: 476 (*Saprinus*) E: KZ ST A: FE HEI KI KZ MG TM TR WS

cupreus Dahlgren, 1971b: 263 A: TM

cyrenaicus J. Müller, 1929b: 243 (*Saprinus*) N: LB

decemstriatus decemstriatus P. Rossi, 1792: 13 (*Hister*) E: AB AL AN AU BE BH BU BY CR CT CZ DE EN FR GE
GG GR HU IT KZ LA LS LT LU MC MD ME NL PL PT RO SB SK SL SP ST SV SZ TR UK A: AF CY IN IQ IS KI
KZ SY TD TM TR UZ WS

conjungens Paykull, 1798: 44 (*Hister*)

frontalis Kozminykh, 2000: 23 (*Eosaprinus*)

perpusillus J. Sahlberg, 1913c: 88

rotundatus Fiori, 1906: 4 (*Xenonychus*)

decemstriatus tingitanus Reichardt, 1932a: 90 E: FR (Var) N: AG MO TU

geminus Dahlgren, 1969: 59 N: AG LB MO TU A: YE

hauseri J. Schmidt, 1894: 42 (*Saprinus*) A: IN KZ MG SA TM UZ

mongolorum Kryzhanovskij, 1974: 105 (*Paravolvulus*)

ibericus Dahlgren, 1969: 60 E: PT SP N: MO

kryzhanovskii Tishechkin, 1992: 325 A: IN

libanicola Marseul, 1870: 113 (*Saprinus*) A: LE SY TR

mersinae Marseul, 1857b: 441 (*Saprinus*) [DA] A: SY TR

mersinae Peyron, 1858a: 409 (*Saprinus*) [DA] [HN]

olexai Lackner, 2003: 21 A: KI

orcinus Reichardt, 1932a: 91 E: ST A: KI KZ TR UZ

palaestinensis J. Schmidt, 1890b: 86 (*Saprinus*) N: AG MO TU A: IS SY TR AFR

persicus Lackner, 2003: 22 A: IN

prolixus Reichardt, 1932a: 85 E: FR (Var) IT (Sicilia) PT SP N: LB MO

pulchellus Fabricius, 1798: 38 (*Hister*) A: AF PA ORR

sibiricus Dahlgren, 1969: 61 A: ES GAN MG QIN

suspectus J. Schmidt, 1890b: 85 (*Saprinus*) N: EG LB A: AF IN PA TD TM

tunisius Marseul, 1875: xxxv (*Saprinus*) N: AG EG LB MO TU A: JO OM SA SY YE

turcicus Marseul, 1857b: 438 (*Saprinus*) E: AR KZ ST A: AF IN KI KZ MG NMO SY TD TR UZ WS XIN

netuschili Reitter, 1904b: 33 (*Saprinus*)

strigicollis J. Schmidt, 1889a: 17 (*Saprinus*)

tyrius Marseul, 1857b: 439 (*Saprinus*) E: AR GR ST A: AF CY IN IQ JO KZ TD TM SY TR UZ WS

marseulii Peyron, 1858a: 410 (*Saprinus*) [RN]

genus *Chivaenius* Olexa, 1980b: 252 type species *Chivaenius kryzhanovskii* Olexa, 1980

kryzhanovskii Olexa, 1980b: 254 A: UZ

genus *Ctenophilothis* Kryzhanovskij, 1987: 25 type species *Xenonychus chobauti* Théry, 1900

altus Lewis, 1885c: 468 (*Xenonychus*) N: EG

chobauti Théry, 1900: 32 (*Xenonychus*) N: AG MO

genus *Dahlgrenius* Penati & Vienna, 1996: 40 type species *Hypocacculus aurosus* Bickhardt, 1921

arabicus Reichardt, 1932a: 61 (*Hypocacculus*) A: SA

barbieri Peyerimhoff, 1946: 118 (*Saprinus*) N: AG MO

hilaris J. Schmidt, 1890b: 82 (*Saprinus*) N: EG

reichardtii J. Müller, 1937c: 117 (*Hypocacculus*) A: IQ

genus *Eopachylopus* Reichardt, 1926a: 14 type species *Pachylopus ripae* Lewis, 1885
ripae Lewis, 1885c: 469 (*Pachylopus*) A: FE HKG JA SC
rufofasciatus Osawa, 1952: 4 (*Neopachylopus*)

genus *Erebidus* Reichardt, 1941: 170 type species *Gnathoncus vlasovi* Reichardt, 1941
reichardtii Tishechkin & Lackner, 2012: 5 A: TM
vlasovi Reichardt, 1941: 170 (*Gnathoncus*) A: KZ TM UZ

genus *Euspilotus* Lewis, 1907b: 320 type species *Euspilotus zonalis* Lewis, 1907

subgenus *Neosaprinus* Bickhardt, 1909c: 243 type species *Saprinus gnathoncoides* Bickhardt, 1909 (= *Saprinus rubriculus* Marseul, 1855)

Myrmeosaprinus S. Mazur, 1974: 55 type species *Myrmeosaprinus brasiliensis* S. Mazur, 1974 (= *Saprinus pipitzi* Marseul, 1887)
perrisi Marseul, 1872b: 415 (*Saprinus*) E: AR BU FR (Corse) HU SK SP ST A: KZ TD TM UZ
pseudognathoncus Reitter, 1904b: 34 (*Saprinus*)

genus *Exaesiopus* Reichardt, 1926a: 14 type species *Saprinus grossipes* Marseul, 1855

atrovirens Reichardt, 1926a: 17 E: AB AR GG ST UK A: AF KZ TD TM TR

grossipes Marseul, 1855a: 718 (*Saprinus*) E: AB AU BH BU FR GR HU IT MD SB SK SL SP ST UK N: AG CI LB MO
 TU A: IQ

berberus Peyerimhoff, 1936a: 227

henoni J. Schmidt, 1896: 206 (*Pachylopus*) N: AG LB MO A: AE AFR

torvus Reichardt, 1926a: 17 E: ST A: KZ UZ

genus *Gnathoncus* Jacquelin du Val, 1857: 112 type species *Hister rotundatus* Kugelann, 1792

baeckmanni Reichardt, 1941: 167 A: KZ

brevisternus Lewis, 1907b: 321 A: YUN

buyssoni Auzat, 1917: 184 E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE HU IT LT LU MA MC MD ME NL
 NR NT PL RO SB SK SL SP SV SZ UK A: ES FE WS

cavicola Normand, 1949: 66 N: TU

cerberus Auzat, 1923b: 145 E: BU IT (Sardegna) SB

communis Marseul, 1862a: 501 (*Saprinus*) E: AL AU BE BH BU BY CR CT CZ DE FI FR GB GE HU IT MA MC
 MD ME NL NR NT PL SB SK SL SP SV SZ TR UK N: EG TU A: FE JA KZ AUR NAR

auzati Pic, 1918a: 9

idiopygus Casey, 1916: 255

nidicola Joy, 1907b: 133

schmidti Reitter, 1894f: 239

disjunctus disjunctus Solsky, 1876a: 242 A: KZ UZ TM

robustus Kryzhanovskij, 1987: 36

disjunctus suturifer Reitter, 1896e: 308 E: AR AU CT CZ GG HU KZ SK ST SZ UK A: LE KI KZ NMO SY TM TR UZ

ibericus Yélamos, 1992b: 78 E: SP

- kiritshenkoi* Reichardt, 1929: 302 E: ST A: KZ MG NMO TM UZ
unituberculatus Schleicher, 1930: 134
moradii Vienna & Ratto, 2013: 30 A: IN
nannetensis Marseul, 1862a: 499 (*Saprinus*) E: AL AU BE BH BU BY CR CT CZ DE EN GB GE GR HU IR IT KZ
 LT LU MC MD NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: TU A: FE GUA IN JA KI KZ MG TM TR
suturalis Ganglbauer, 1899: 380
urganensis Reitter, 1896c: 307
nidorum Stockmann, 1957: 76 E: AU BU BY CT CZ FI FR GE IT (Sardegna) LT NR NT PL SK SL ST SV SZ A: KZ
 GAN WS
potanini Reitter, 1896e: 308 A: GAN MG NC
punctator Reitter, 1896e: 307 E: AB A: TM
pygmaeus Kryzhanovskij, 1976: 120 E: KZ ST A: KZ MG TM
rhodiorum Marseul, 1862a: 502 (*Saprinus*) [DA] E: GR A: TR
rotundatus Kugelann, 1792: 304 (*Hister*) E: AB AL AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG HU
 IR IT KZ LA LT LU MA MC MD ME NL NR NT PL PT SB SK SL SP ST SV SZ TR UK N: AG CI EG LB MO TU
 A: AF FE GAN IN IS JA KI KZ MG SY TAI TM TR UZ AFR AURi NAR NTR ORR
conjugatus Illiger, 1807a: 42 (*Hister*)
deletus J.E. LeConte, 1844: 186 (*Saprinus*)
ignobilis Wollaston, 1864: 173 (*Saprinus*)
nanus L.G. Scriba, 1790a: 73 (*Hister*) [HN]
ovulatus Casey, 1916: 256
piceus Marsham, 1802: 97 (*Hister*)
procerulus Erichson, 1834: 175 (*Saprinus*)
punctatus Thunberg, 1794a: 64 (*Hister*) [HN]
punctulatus C.G. Thomson, 1862: 24
pygidialis Ganglbauer, 1899: 380
quadristriatus Thunberg, 1794a: 65 (*Hister*)
quadristriatus Wollaston, 1869: 310 (*Tribalus*) [HN]
subsuturalis Reitter, 1896e: 307
wollastoni Marseul, 1864c: 353 (*Saprinus*)
semimarginatus Bickhardt, 1920b: 29 A: CH
turkmenicus transcaucasicus Olexa, 1992b: 50 E: AR
turkmenicus turkmenicus Olexa, 1992b: 46 A: TM
wassilieffi Normand, 1935a: 111 N: AG MO TU
- genus *Hemisaprinus* Kryzhanovskij, 1976: 182** type species *Hister subvirescens* Ménétré, 1832
cyprius Dahlgren, 1981: 112 (*Saprinus*) A: CY
lutschniki Kryzhanovskij, 1976: 183 (*Saprinus*) E: KZ ST A: KZ WS
subvirescens Ménétré, 1832: 171 (*Hister*) E: AB AR GG ST A: AF CY IN IQ IS JO KI KZ MG PA SCH SY TD TM
 TR UP UZ ORR
foveisternus J. Schmidt, 1884a: 9 (*Saprinus*)

syriacus Marseul, 1855a: 469 (*Saprinus*)

viridulus Marseul, 1855a: 468 (*Saprinus*)

genus *Hypocacculus* Bickhardt, 1914: 311 type species *Saprinus metallescens* Erichson, 1834

subgenus *Colpellus* Reichardt, 1932a: 31 type species *Saprinus praecox* Erichson, 1834

biskrensis Marseul, 1876: 39 (*Saprinus*) E: GR SP N: AG LB TU A: KA KZ SY TD TM TR UZ AFR ORR

deuvei Gomy & Vienna, 1998: 119 N: AG LB

infensus J. Müller, 1937a: 113 N: AG EG

praecox Erichson, 1834: 193 (*Saprinus*) E: BU CR GR FR (Corse) IT PT SP TR N: AG CI EG LB MO TU A: AE AF
CY IN IS LE OM SA SI SY TM TR YE

minyops Wollaston, 1864: 174 (*Saprinus*)

novellus Marseul, 1875: xxxvi (*Saprinus*)

solieri Marseul, 1862a: 487 (*Saprinus*) E: IT (Sardegna) SP N: AG CI EG LB MO TU A: JO

ruginosus Marseul, 1875: xxxvi (*Saprinus*)

subgenus *Hypocacculus* Bickhardt, 1914: 311 type species *Saprinus metallescens* Erichson, 1834

atrocyaneus J. Schmidt, 1888a: 190 (*Saprinus*) A: KZ SY TD TM UZ

elongatulus elongatulus Rosenhauer, 1856: 92 (*Saprinus*) E: GR FR IT (Sardegna, Sicilia) PT SP N: AG LB MO
TU

andalusius Marseul, 1862a: 506 (*Saprinus*) [RN]

mocquerysi Marseul, 1863: 717 (*Saprinus*) [RN]

elongatulus portusmagni Coquerel, 1859: 787 (*Saprinus*) E: SP N: AG MO TU

harmonicus Marseul, 1869b: 291 (*Saprinus*) A: OM SA YE AFR

metallescens Erichson, 1834: 192 (*Saprinus*) E: AL AR BU CR FR GR HU IT RO SB SP TR N: AG CI EG LB MO TU
A: AF CY IS IN IQ KZ OM SA SY TM AFR NAR

arachidarum Marseul, 1876: 39 (*Saprinus*)

geminatus Wollaston, 1867: 86 (*Saprinus*)

marqueti Théron, 1948: 124

simulans Vienna, 1993: 51 A: YE AFR

spretulus Erichson, 1834: 192 (*Saprinus*) E: AB AL AR BU CR FR (Corse) GG GR HU IT KZ MA MD PT RO SB SP
ST TR UK (Krym) N: AG LB MO A: AF GAN IN IQ KI SA TD TM TR UZ ORR

fulvipes Marseul, 1855a: 680 (*Saprinus*)

virens Dahlgren, 1973: 194 A: MG

genus *Hypocaccus* C.G. Thomson, 1867a: 400 type species *Hister quadristriatus* Hoffmann, 1803 (= *Hister rugiceps* Duftschmid, 1805)

subgenus *Baeckmanniolus* Reichardt, 1926a: 14 type species *Hister dimidiatus* Illiger, 1807

dimidiatus dimidiatus Illiger, 1807a: 41 (*Hister*) E: AL AZ BU CR FR GE GR IT MA ME RO PT SP UK N: AG CI
LB MO TU A: TR

camarguensis Théron, 1948: 126 (*Baeckmanniolus*)

convexicollis J. Müller, 1937c: 118 (*Baeckmanniolus*)

dimidiatus Paykull, 1811: 73 (*Hister*) [HN]

- hummleri* J. Müller, 1899: 154 (*Saprinus*)
lobatus Wollaston, 1864: 178 (*Saprinus*)
semiaeneus Brullé, 1832: 195 (*Hister*)
dimidiatus maritimus Stephens, 1830: 155 (*Hister*) E: BE DE GB GE IR NL PT SP SV N: MO
sabulosus Fairmaire, 1853: 688 (*Saprinus*)
janatii Gomy, 2014: 41 N: MO
schmidti Théry, 1897b: 67 (*Pachylopus*) N: AG
theryi Bickhardt, 1910b: 225 (*Saprinus*) [RN]
varians continentalis Reichardt, 1941: 327 (*Baeckmanniolus*) A: CH FE (Primorsky Krai)
varians hatsune Nakane, 1977: 157 (*Baeckmanniolus*) A: JA (Ogasawara-shotô)
varians varians J. Schmidt, 1890a: 55 (*Saprinus*) A: FE JA SC SE TAI AUR ORR
virescens Théron, 1963: 110 (*Baeckmanniolus*) A: BA IN AFR
subgenus *Hypocaccus* C.G. Thomson, 1867a: 400 type species *Hister quadristriatus* Hoffmann, 1803 (= *Hister rugiceps* Duftschmid, 1805)
rhytidoprinus Houlbert, 1923: 46 type species *Hister rugiceps* Duftschmid, 1805
ainu Lewis, 1899: 24 A: JA
axeli Kryzhanovskij, 1976: 222 A: FE (Primorsky Krai) JA
brasiliensis Paykull, 1811: 66 (*Hister*) E: AZ BU CR FR GR IT KZ MA PT SP SZ N: AG CI EG LB MO MR TU A: AF
 CY FUJ IS OM SA SI TD TR AFR AUR NAR NTR ORR
apricarius Erichson, 1834: 194 (*Saprinus*)
bistrigifrons Marseul, 1855a: 729 (*Saprinus*)
dentipes Marseul, 1855a: 728 (*Saprinus*)
laxatus Casey, 1894: 527 (*Saprinus*)
permixtus LeConte, 1878a: 401 (*Saprinus*)
piscarius Blackburn, 1903: 108 (*Saprinus*)
probans Théron, 1948: 125
pseudoradius Théron, 1948: 125
crassipes Erichson, 1834: 195 (*Saprinus*) E: AL BE BU FR GB GR IT NL PT SP N: AG TU A: SI SY TR
honorabilis Théron, 1948: 126
dauricus Reichardt, 1930b: 52 A: ES FE HEI MG
erosus Wollaston, 1864: 177 (*Saprinus*) N: CI
fochi Auzat, 1921b: 191 (*Pachylopus*) N: AG EG MO TU A: AE IN JO OM SA SI YE AFR
formosus Reichardt, 1941: 313 E: ST UK A: KZ
lewisii J. Schmidt, 1890a: 52 (*Saprinus*) A: FE JA NC SC
lopatini Tishechkin, 2005: 352 A: MG
metallicus Herbst, 1791: 32 (*Hister*) E: AB AL AU BE BH BU BY CR CT CZ DE EN FR GB GE GR HU IT KZ LT MD
 NL NR NT PL PT SB SK SL ST SV SZ UK
herbeus Marseul, 1855a: 689 (*Saprinus*)
pullus Rosenhauer, 1847: 25 (*Saprinus*)
minor Dahlgren, 1985: 161 N: AG

- mundus* Wollaston, 1864: 176 (*Saprinus*) N: CI
- pelleti* Marseul, 1862a: 493 (*Saprinus*) E: FR (Corse) IT
primintegra Théron, 1948: 124
- rugiceps* Duftschmid, 1805: 225 (*Hister*) E: AL AU BE BH BY CR CT CZ DE EN FI FR GB GE IR IT KZ LA LT MA
 MC MD NL NT PL RO SB SK SL SP SV SZ UK A: MG TR WS
ermolajevi Kozminykh, 2006: 59
- rugifrons* Paykull, 1798: 47 (*Hister*) E: AB AL AU AZBE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT
 KZ LA LT MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG EG TU A: FE HEI IN KZ TM
 TR WS
- barani* Auzat, 1920: 4 (*Saprinus*)
- completus* Normand & Théron, 1952: 177
- girondinus* Auzat, 1922: 57 (*Saprinus*)
- orphanus* Théron, 1948: 125
- radiosus* Marseul, 1855a: 724 (*Saprinus*)
- rasilis* Marseul, 1862a: 495 (*Saprinus*)
- semistriatus* Stephens, 1830: 156 (*Hister*) [HN]
- subtilis* J. Schmidt, 1884b: 238 (*Saprinus*)
- violaceus* Marsham, 1802: 96 (*Hister*)
- schulzei* J. Schmidt, 1887: 355 (*Saprinus*) N: AG MO A: AE AFR
- sinae* Marseul, 1862a: 469 (*Saprinus*) A: AF AP FE IN JA SC SD SHG TAI AUR ORR
- specularis* Marseul, 1855a: 704 (*Saprinus*) E: AR AU BH CZ FR GE GR IT PL SK SP SZ TR
- speculum fretus* Reichardt, 1941: 319 E: GG A: TR
- speculum speculum* J. Schmidt, 1884a: 9 (*Saprinus*) E: BH BU FR HISTERIDAE GR KZ MD SK ST UK A: KZ TR
 UZ
- meridianus* Fauvel, 1891d: 314 (*Saprinus*)
- subaeneus* J. Schmidt, 1890a: 53 (*Saprinus*) A: JA SC
- subgenus** *Nessus* Reichardt, 1932a: 61 type species *Saprinus rubripes* Erichson, 1834
- angulosus* Wollaston, 1864: 175 (*Saprinus*) N: CI
- ascendens ascendens* Reichardt, 1932a: 50 (*Hypocacculus*) E: FR (Corse) IT (Sardegna) PT SP N: EG MO A: TR AFR
- ascendens kanaari* Newton, **nom. nov.** [see New Acts] A: AE
desertorum Kanaar, 2008: 185 (*Hypocacculus*) [HN]
- asticus* Lewis, 1911: 89 A: JA SC TAI
- akanensis* Ôhara, 1994: 255
- balux* Reichardt, 1932a: 62 (*Hypocacculus*) A: ES KZ MG NMO
- baudii* J. Schmidt, 1890b: 86 (*Saprinus*) A: CY SY IS LE
- canariensis* Théron, 1966: 14 (*Hypocacculus*) N: CI
- controversus* J. Müller, 1937c: 115 (*Hypocacculus*) E: GR ME SP N: MO A: JO TR SA
- cupreolus* Penati & Vienna, 1993: 55 (*Hypocacculus*) Ei: IT (Emilia-Romagna) AFR
- emendatus* Peyerimhoff, 1917: 136 (*Saprinus*) N: AG LB TU A: AE
- eremobius* Reichardt, 1932a: 46 (*Hypocacculus*) A: KZ MG NW TD TM
- ferreri* Yélamos, 1992b: 74 (*Hypocacculus*) E: FR IT SP N: AG EG MO TU AFR

- gridellii* J. Müller, 1929b: 244 (*Saprinus*) E: GR (Kríti) N: LB
groscloedei Normand, 1935a: 110 (*Exaesiopus*) N: AG MO
hosseinius Théry, 1921: 16 (*Saprinus*) E: SP (Andalucía) A: IN N: EG MO A: OM SA
interpunctatus interpunctatus J. Schmidt, 1885b: 313 (*Saprinus*) E: IT (Sicilia) A: MG SY TR AFR AURi
erythraeus J. Müller, 1944b: 139 (*Hypocacculus*)
japhonis J. Schmidt, 1890b: 83 (*Saprinus*) N: EG A: IS SY
kiseritzkyi Reichardt, 1932a: 41 (*Hypocacculus*) A: AF TM UZ
mongolicus Reichardt, 1932a: 40 (*Hypocacculus*) A: GAN MG
occator Reichardt, 1932a: 45 (*Hypocacculus*) A: KZ MG UZ
orbis Reichardt, 1932a: 45 (*Hypocacculus*) A: KZ UZ E: KZ
oxytropis Reichardt, 1932a: 39 (*Hypocacculus*) A: TM
persanus Marseul, 1876: 39 (*Saprinus*) A: IN
phasanicus Peyerimhoff, 1946: 117 (*Saprinus*) N: AG
puncticollis Küster, 1849a: no. 30 (*Saprinus*) E: FR GR IT (Sardegna, Sicilia) MA PT SP N: AG EG LB TU A: CY
 TR
cribellaticollis Jacquelin du Val, 1858: 99 (*Saprinus*)
kuesteri Marseul, 1863: 715 (*Saprinus*) [RN]
revisus Marseul, 1876: 39 (*Saprinus*)
sicanus Marseul, 1862a: 490 (*Saprinus*)
rubripes Erichson, 1834: 193 (*Saprinus*) E: AB AL AU BH BU CR CT CZ FR GG GR HU IT KZ MC MD ME NL PL
 PT RO SB SK SL SP ST SZ TR UK N: AG EG LB MO TU A: AF CY FE IN KI KZ MG SA SI SY TM TR UZ AFR
 ORR
arenarius Marseul, 1855a: 691 (*Saprinus*)
clermonti Auzat, 1920: 4 (*Saprinus*)
corsicus Marseul, 1855a: 688 (*Saprinus*)
granarius Erichson, 1834: 191 (*Saprinus*)
rufipes Kugelann, 1792: 304 (*Hister*) E: AR AU BU CR CT CZ DE EN FR GE GG GR HU IT KZ LA LT MD PL RO
 SB SK SL ST SV SZ UK A: IN KZ UZ
antiquulus Illiger, 1807a: 43 (*Hister*)
longistrius Marseul, 1855a: 684 (*Saprinus*)
tigris araxis Reichardt, 1932a: 46 (*Hypocacculus*) E: AB A: IN
tigris tigris Marseul, 1862a: 483 (*Saprinus*) E: ST N: MO A: IN IQ KZ MG NMO TM TR UZ AFR ORR
transbaicalicus Reichardt, 1932a: 41 (*Hypocacculus*) A: ES
vethi Bickhardt, 1912b: 294 (*Saprinus*) N: AG MO TU
vlasovi Kryzhanovskij, 1966: 51 (*Hypocacculus*) A: TM
- genus *Hypocaccus*, species incertae sedis
curtus Rosenhauer, 1847: 26 (*Saprinus*) E: HU
- genus *Microsaprinus* Kryzhanovskij, 1976: 184 type species *Saprinus therondianus* Dahlgren, 1973
bonnairii Fairmaire, 1884: lx (*Saprinus*) E: SP (Mallorca) N: AG CI MO TU

canariensis Yélamos & Ferrer, 1989: 146 (*Saprinus*)

gomyi M. Secq & B. Secq, 1995: 30 (*Saprinus*) E: FR IT MA

pastoralis Jacquelin du Val, 1853: 704 (*Saprinus*) E: FR

therondianus Dahlgren, 1973: 190 (*Saprinus*) A: IN KZ MG TM UZ

pastoralis Reichardt, 1941: 259 (*Saprinus*) [HN]

genus *Myrmetes* Marseul, 1862a: 511 type species *Hister piceus* Paykull, 1809 (= *Myrmetes paykulli* Kanaar, 1979)

paykulli Kanaar, 1979: 24 [RN] E: AL AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG HU IR IT LA LS LT LU
MC MD NL NR NT PL RO SB SK SL ST SV SZ TR UK A: AF ES KZ WS

piceus Paykull, 1809: 231 (*Hister*) [HN]

genus *Neopachylopus* Reichardt, 1926a: 13 type species *Saprinus sulcifrons* Mannerheim, 1843

pakistanicus Lackner, 2002: 143 A: PA (Baluchistan)

secqi Kanaar, 1998: 45 A: BA IN YE AFR

genus *Orateon* Lackner & Ratto, 2014: 516 type species *Orateon praestans* Lackner & Ratto, 2014

praestans Lackner & Ratto, 2014: 519 A: YE

genus *Orenemus* Kozminykh, 2007: 171 Type species *Orenemus aituaricus* Kozminykh, 2007: 171

aituaricus Kozminykh, 2007: 171 E: ST (Orenburskaya oblast)

genus *Paravobvulus* Reichardt, 1932a: 31 type species *Saprinus ovillum* Solsky, 1876

assimilis Kryzhanovskij, 1987: 29 A: KZ

binaevulus Reitter, 1887d: 287 (*Saprinus*) A: AF IN KI TM UZ

fausti J. Schmidt, 1885b: 314 (*Saprinus*) E: AB AR A: IN TR

laterimargo Reitter, 1904b: 32 (*Saprinus*) A: UZ

lateristrius Solsky, 1876a: 249 (*Saprinus*) A: AF KI KZ TD UZ

massagetus Kryzhanovskij, 1976: 238 A: KZ UZ

occidentalis S. Mazur, 1981: 179 A: IQ JO

offensus Reichardt, 1932a: 32 (*Hypocacculus*) A: TM UZ

ovillum Solsky, 1876a: 240 (*Saprinus*) A: KZ TM UZ

refector Reitter, 1904b: 32 (*Saprinus*) A: AF KI KZ TM UZ

syphax Reitter, 1904b: 30 (*Saprinus*) N: AG LB MO TU A: KU SA SY

chobauti Desbordes, 1918: 58 (*Pachylopus*)

genus *Philothis* Reichardt, 1929: 293 type species *Philothis arcanus* Reichardt, 1929

subgenus *Atavinus* Olexa, 1990: 148 type species *Philothis atavus* Reichardt, 1931

arabicus S. Mazur, 1994b: 73 A: OM

arnoldii Kryzhanovskij, 1976: 248 A: KZ TM UZ

atavus Reichardt, 1931: 308 A: TM UZ

olexai Gomy, 1992b: 49 A: IN

pierrei Théron, 1963: 69 N: AG

subgenus *Farabius* Reichardt, 1929: 299 type species *Philothis hexeris* Reichardt, 1929

hexeris Reichardt, 1929: 299 A: KZ TM UZ

reichardti Kryzhanovskij, 1966: 54 A: TM

subgenus *Philothis* Reichardt, 1929: 293 type species *Philothis arcanus* Reichardt, 1929

alsiosus Peyerimhoff, 1936a: 219 N: AG MO

arcanus Reichardt, 1929: 295 A: TM UZ

asper Kryzhanovskij, 1982: 5 A: KZ

bidens Peyerimhoff, 1900b: 202 (*Xenonychus*) N: AG

generator generator Reichardt, 1929: 297 E: AB A: KZ TM UZ

generator validus Kryzhanovskij, 1976: 247 A: KZ

medvedevi Kryzhanovskij, 1966: 53 A: TM UZ

suturalis Reichardt, 1929: 298 A: KZ TM UZ

genus *Pholioxenus* Reichardt, 1932a: 26 type species *Hypocacculus phoenix* Reichardt, 1930

boillyi Gomy, 2014: 40 N: MO

castilloi Yélamos, 2001: 92 E: SP

chavanoni Gomy, 2011: 43 N: MO

gobicus Kryzhanovskij, 1974: 104 A: MG (Gobi)

kamenskii Kryzhanovskij, 1987: 32 A: KZ

kodymi Olexa, 1984a: 124 A: AE IQ SA SY

krali Olexa, 1984a: 117 N: EG MO TU A: SY

mesopotamicus Olexa, 1984a: 123 A: IQ KU SA

normandi Olexa, 1984a: 115 N: AG MO TU

olexai Kryzhanovskij, 1987: 33 A: SA

orichalceus Reichardt, 1941: 278 A: KZ TM UZ

orion Reichardt, 1932a: 27 A: MG NMO

parthorum Kryzhanovskij, 1976: 416 A: TM

phoenix Reichardt, 1929: 291 (*Hypocacculus*) A: KZ TM UZ

pickai Olexa, 1984a: 121 N: AG EG MO TU

quedenfeldti J. Schmidt, 1887: 355 (*Saprinus*) N: AG MO TU

rutilus Erichson, 1834: 190 (*Saprinus*) N: AG EG LB MO TU AFR

schatzmayri J. Müller, 1910: 190 (*Saprinus*) E: AB AL AR AU BU GR HU IT MC RO SB SK ST TR UK (Krym) A:
TM TR

steinbergi Kryzhanovskij, 1982: 3 (*Hypocacculus*)

schawalleri S. Mazur, 1987a: 28 N: MO

genus *Reichardtiolus* Kryzhanovskij, 1959: 217 type species *Saprinus duriculus* Reitter, 1904

aldhaferi Lackner, 2014: 14 A: SA

duriculus Reitter, 1904b: 31 (*Saprinus*) E: KZ A: KZ NWTM UZ

pavlovskii Kryzhanovskij, 1959: 216 (*Exaesiopus*) A: TM

perses Lackner, 2014: 17 A: IN

sphingis Peyerimhoff, 1936a: 221 (*Saprinus*) N: EG A: JO

genus *Saprinillus* Kryzhanovskij, 1974: 105 type species *Saprinillus paromaloides* Kryzhanovskij, 1974

kryzhanovskyi Lackner, 2009: 109 A: MG

paromaloides Kryzhanovskij, 1974: 106 A: KZ MG TM

genus *Saprinus* Erichson, 1834: 172 type species *Hister nitidulus* Fabricius, 1801 (= *Hister semistriatus* L.G. Scriba, 1790)

subgenus *Phaonius* Reichardt, 1941: 188 type species *Saprinus pharao* Marseul, 1855

pharao Marseul, 1855a: 399 E: AB BU FR GR HU PT SK SP ST UK (Krym) N: AG CI EG LB MO TU A: AF CY IN
IS KI KZ MG SY TM TR UZ AFR

subgenus *Saprinus* Erichson, 1834: 172 type species *Hister nitidulus* Fabricius, 1801 (= *Hister semistriatus* L.G. Scriba, 1790)

Plesioprinus Houlbert & Monnot, 1923: 72 type species *Hister maculatus* P. Rossi, 1792

Syrinus Erichson, 1841: 152 type species *Hister cruciatus* Fabricius, 1792

acuminatus acuminatus Fabricius, 1798: 37 (*Hister*) E: AL AZ BU CR FR GR IT MD PT RO SB SP ST TR N: AG CI
LB MO TU A: AF SY TR

berardi Théron, 1948: 123

subnitidus Marseul, 1855a: 404

subsulcatus Schleicher, 1935: 290

acuminatus maroccanus J. Müller, 1937a: 104 N: MO

addendus Dahlgren, 1964: 162 A: XIN

aegialius Reitter, 1884c: 76 E: AB AL AR AU BH BU CR FR GR HU IT MD ME RO SK PT SP ST SZ N: MO A: LE
IN SY

incognitus Dahlgren, 1964: 152

therondi Auzat, 1931: 60

aegyptiacus Marseul, 1855a: 455 N: AG EG LB MO TU A: IN SA TM AFR

solskyi Reiche, 1862: 371

aeneolus Marseul, 1870: 111 E: KZ A: AF BEI FE GAN HEB IN KA KI KZ MG NC NP NMO SC SCH TR UZ

schmidtianus Reitter, 1887b: 218

turkestanicus J. Schmidt, 1886: 185

aeneus Fabricius, 1775: 53 (*Hister*) E: AL AN AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GR HU IR IT
KZ LA LT LU MC MD ME NL NR NT PL PT SB SK SL SP ST SV SZ TR UK N: MO A: ES IN KI KZ SY TR UZ
WS

fulminans Koltze, 1862: 58

garnieri Théron, 1948: 123

klickai Lokay, 1919a: 20

punctulatus Brahm, 1790: 83 (*Hister*) [HN]

- aeratus* Erichson, 1834: 183 E: ST A: IN KZ TD TM UZ
- algericus* Paykull, 1811: 60 (*Hister*) E: AB AL BU CR FR GR IT ME PT SP TR UK (Krym) N: AG MO TU A: CY IN
JO TM TR
- antennatus* Kozminykh, 2001: 113 A: WS (Chelyabinskaya oblast)
- apteli* Chobaut, 1922b: 233 N: AG EG TU A: KZ AFR
- austerus* Reichardt, 1930a: 15 A: AF KI PA TD UZ
- basalis* Fairmaire, 1898: 323 N: MO AFR
- beduinus* Marseul, 1862a: 446 E: IT SP N: AG CI EG LB MO TU
- bedeli* Auzat, 1926b: 83
- osculans* Wollaston, 1864: 168
- bicolor* Olivier, 1789: 13 (*Hister*) A: OM SA YE AFR
- gabonensis* Marseul, 1862a: 468
- lautus* Wollaston, 1869: 311 [HN]
- biguttatus* Steven, 1806: 159 (*Hister*) E: AB KZ ST A: AF GAN IN JIL KZ MG TM UZ
- bimaculatus* Dahlgren, 1964: 158 A: KZ MG NW TM UZ
- biplagiatus* Ballion, 1871: 330 A: AF IN KI KZ TD UZ
- bousaadensis* Dahlgren, 1974: 46 N: AG A: JO
- brenskiei* Reitter, 1884c: 75 E: AR GR A: TR
- buqueti* Marseul, 1855b: 696 N: AG MO TU A: YE AFR
- caerulescens caerulescens* Hoffmann, 1803: 73 (*Hister*) E: AB AL AR AU AZ BU CR CT CZ FR GE GG GR HU IT
KZ MA MC MD ME RO PT SB SK SL SP ST SZ TR UK N: AG EG LB MO MR TU A: AF CY IN IS KZ SA SY TD
TM TR UZ WS XIN AFR NTRi
- chobauti* Auzat, 1926a: 73
- semipunctatus* Fabricius, 1792a: 73 (*Hister*) [HN]
- caerulescens punctisternus* Lewis, 1900b: 287 A: BEI ES MG NMO SC SHX
- lukjanovitshi* Reichardt, 1941: 207
- calatravensis* Fuente, 1899: 30 E: AB AR BU GR IT ME PT SP A: AF IN IS KZ OM SA SY TD TM TR UZ
- angoranus* Bickhardt, 1911b: 110
- centralis* Dahlgren, 1971a: 45 A: ES MG NW
- chalcites* Illiger, 1807a: 40 (*Hister*) E: AB AL AR AZ BU CR FR GR IT MA PT SL SP ST TR N: AG CI EG LB MO
MR SY TU A: AF CY HAI IN IQ IS JO KA KU KZ MG OM PA SA TM TR UZ YE AFR AUR ORR
- affinis* Paykull, 1811: 76 (*Hister*)
- aerosus* Normand & Thérond, 1952: 175
- certus* Lewis, 1888d: 643
- melanocephalus* Normand & Thérond, 1952: 175
- prolongatus* Normand & Thérond, 1952: 176
- scapularis* Normand & Thérond, 1952: 176
- concinus* Gebler, 1830: 92 (*Hister*) E: GR A: ES MG NO SY TR
- confalonieri* J. Müller, 1933: 188 N: AG EG LB TU A: AE OM SA AFR
- cribellatus* Marseul, 1862a: 442 E: BG HU KZ MD SK ST UK (Krym) A: KZ TM TR
- cruciatus* Fabricius, 1792a: 75 (*Hister*) E: IT (Sardegna) PT SP N: AG LB MO TU

- cupratus* Kolenati, 1846b: 62 E: AR A: KI TM
- cupreus* Erichson, 1834: 182 A: YE AFR AUR ORR
natalensis Fähræus, 1851: 543
- cyaneus auricollis* Marseul, 1855a: 390 A: JA ORR
cyaneocupreus Marseul, 1864b: 337
- degallieri* Gomy & Vienna, 1998: 115 N: AG MO
- delta* Marseul, 1862a: 452 N: AG EG TU A: IQ SY
- detersus* Illiger, 1807a: 36 (*Hister*) E: CR FR GR IT PT SP N: AG LB MO TU
elainae Théron, 1948: 121
mariei Méquignon, 1940: 24
martinae Théron, 1948: 121
nisetei J. Müller, 1899: 152
- divergens* Dahlgren, 1967: 217 A: MG UZ
- diversegenitalis* Olexa, 1992a: 7 A: NP PA UP ORR
- dussaulti* Marseul, 1870: 110 A: SCH YUN ORR
subglaber Schleicher, 1932: 61
- externus* Fischer von Waldheim, 1823: pl. xxv [fig. 9] [=1824: 207] (*Hister*) E: AR GG KZ ST UK (Krym) A: AF IN
 JO SY TD TM TR UZ
- fallaciosus* J. Müller, 1937a: 104 N: AG LB MO TU
veneriatus Normand, 1938b: 357
- figuratus* Marseul, 1855a: 409 E: IT SP N: AG CI EG LB MO TU A: IS JO OM SA SY
- flavipennis* Péringuey, 1885: 85 A: YE AFR
punctipennis J. Müller, 1937a: 100
- interruptus* Paykull, 1811: 50 (*Hister*) E: AR ST A: AF IN IQ KZ OM PA TD TM TR XIZ YE ORR
flexuosofasciatus Motschulsky, 1845a: 55
- frontistrius* Marseul, 1855a: 450 A: HKG ORR
- furvus* Erichson, 1834: 180 E: AL AU BH BU CR FR GR HU IT MC ME PT RO SB SK SP TR UK (Krym) N: MO A:
 TR
cabanesi Théron, 1931: 60
- gageti* Peyerimhoff, 1943: 8 N: AG LB MO TU A: YE AFR
gilviqueti Dégallier & Gomy, 1996: 77
- georgicus* Marseul, 1862a: 471 E: AB AL AR BH BU CR FR GG GR HU IT KZ MC MD ME PL PT SB SP ST SZ TR
 UK N: AG EG LB MO TU A: AF IN IQ IS JO KI KZ TM TR UZ
- gilvicornis* Erichson, 1834: 184 E: ST N: AG EG LB MO A: AE KZ OM PA SA TM AFR
- godet* Brullé, 1832: 158 (*Hister*) E: AB FR GG GR IT KZ PT SP TR A: KZ MG SA TR UZ
biterrensis Marseul, 1862a: 474
godetii Marseul, 1857b: 64 [emendation]
pseudolautus Reitter, 1904b: 33
- graculus* Reichardt, 1929: 289 A: ES FE MG NMO
- havajirii* Kapler, 2000: 67 A: SHA ORR
- himalajicus* Dahlgren, 1971b: 264 A: XIZ

- immundus* Gyllenhal, 1827: 266 (*Hister*) E: AB AL AR AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR HU IR IT KZ LA LT LU NL NT PL SB SK SL SP ST SV SZ TR UK N: AG TU A: GAN IN KI KZ MG NMO TR
saubnieri Théron, 1948: 123
- intractabilis* Reichardt, 1929: 286 E: KZ A: HEI IQ KZ MG NMO SY TM UZ
- jacobsoni* Reichardt, 1923: 243 E: AR A: AF IN KI KZ TM UZ
- kaszabianus* Dahlgren, 1971a: 44 A: MG
- kazakhstanicus* Kozminykh, 2000: 110 A: KZ
- labriquei* Gomy, 2014: 36 N: MO TU
- lateralis* Motschulsky, 1849: 95 E: GG KZ A: AF IN KA TD TM TR UZ
bilateralis Marseul, 1862a: 454 [RN]
subattenuatus Motschulsky, 1849: 95
- lautus arkaimicus* Kozminykh, 2000: 111 A: WS (Chelyabinskaya oblast')
- lautus lautus* Erichson, 1839b: 675 E: AU BH BU CR CZ FR GE GR HU IT KZ MC PL SB SK SP ST SZ TR UK A: FE KI KZ TR UZ WS
- lopatini* Kryzhanovskij & Tishechkin, 1994: 93 A: KZ TD TM UZ
- lucenseductus* Kanaar, 2008: 181 A: AE
- lugens* Erichson, 1834: 181 Ei: FR (Toulouse) IT PT SP NAR NTR
californicus Mannerheim, 1843b: 259
consimilis Walker, 1866: 319
pseudodetersus Dahlgren, 1964: 157
- maculatus* P. Rossi, 1792: 12 (*Hister*) E: AB AL AR BU CR FR GG GR HU IT MA PT RO SB SK SL SP ST UK (Krym) A: AF CY IN IQ IS KZ SY TD TM TR UZ
obscuripennis J. Müller, 1899: 152
personatus Fischer von Waldheim, 1823: pl. xxv [fig. 5] [=1824: 206] (*Hister*) [HN]
pseudocruciata Auzat, 1920: 3
- magnoguttatus* J. Müller, 1937a: 100 E: AB A: IN IQ LE SY TR
- melas* Küster, 1849a: no 29(bis): E: FR PT SP N: AG TU
bipartitus Marseul, 1855a: 752
dayremi Auzat, 1915: 34
fontisbellaquaei Auzat, 1920: 3
navasi Fuente, 1900: 188
tripartitus Motschulsky, 1849: 98
- melyakhi* Kozminykh, 2000: 111 A: WS (Yekaterinburg env.)
- moyses* Marseul, 1862a: 479 E: GR N: AG CI EG LB MO TU A: IN IQ JO KU SA SY TR
fortunatus Wollaston, 1864: 172
innesbeyi Reitter, 1915e: 137
- niger* Motschulsky, 1849: 95 E: AB AR GG GR KZ PT SP N: AG LB MO TU A: AF IN IQ IS JO KZ PA SY TM TR ZU
- ORR**
gangeticus Marseul, 1855a: 398
- niponicus* Dahlgren, 1962: 245 A: BEI FE HEB GAN GUX JA JIL LIA NC SC
- nobilis* Wollaston, 1864: 167 N: CI

optabilis Marseul, 1855a: 438 A: GUA HKG NP TAI YUN ORR

dives Lewis, 1911: 88

orenburgensis Kozminykh, 2001: 121 E: ST (Orenburgskaya oblast')

ornatus Erichson, 1834: 176 E: ST A: AF IN IQ IS JO KI KU KZ MG PA SA SI SY TD TM TR UZ XIN N: AG EG LB
MO TU AFR

equestris Erichson, 1843: 226

fasciolatus Gebler, 1845: 100 (*Hister*)

fasciolatus Marseul, 1862a: 440 (*Hister*) [HN]

osiris Marseul, 1862a: 440

pamiricus Reichardt, 1930a: 10 A: AF KI TD UZ

pecuinus Marseul, 1855a: 391 A: HKG

planiusculus Motschulsky, 1849: 97 E: AB AL AN AR AU AZ BE BH BU BY CR CT CZ DE EN FI FR GB GE GR
HU IT KZ LA LS LT LU MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: AG CI EG MO TU
A: AF ES FE GAN HEB IN JA KI NC SC SHN SY TM TR UZ XIN ZHE

cuspidatus Ihssen, 1949b: 183

politus politus Brahm, 1790: 102 (*Hister*) E: AL AU BU CR FR GE GR IT MC MD NL PT RO SB SL SP SZ TR UK N:
LB MO A: AF IN IS SY TR

buyssoni Auzat, 1928: 54

ericeticola Gistel, 1857a: 547 (*Hister*)

foveola Fiori, 1915: 77

personatus Illiger, 1807a: 39 (*Hister*)

pulcherrimus Weber, 1801: 37 (*Hister*)

speculifer Latreille, 1806: 48 (*Hister*)

politus similis J. Müller, 1900: 141 E: SP (Zaragoza) N: AG EG LB MO TU

prasinus aeneomicans G. Müller, 1960: 46 A: IS SY

prasinus prasinus Erichson, 1834: 182 E: AR BU GR IT (Sardegna) A: CYIN JO LE SY TR

proximus proximus Wollaston, 1864: 170 N: CI

atlantis J. Schmidt, 1895b: 177

proximus simillimus Wollaston, 1865: 170 N: AG CI LB MO TU

bisuturatus Normand, 1951: 28

demofysi Normand, 1938b: 359

strigatipennis Normand, 1951: 26

punctatissimus Erichson, 1834: 181 N: EG LB TU AFR

quadriguttatus Fabricius, 1798: 39 (*Hister*) A: AF NP PA TAI ORR

lateralis Desbordes, 1919c: 411 [HN]

robustus Krása, 1944: 82 E: AB BU GG GR HU IT RO SL UK (Krym) A: CYIN IS JO LE SY TM TR

vermiculatus Dahlgren, 1964: 160

ruber gemmingeri Marseul, 1864c: 349 N: EG A: IS SY

pilimargo Reitter, 1915: 137

ruber ruber Marseul, 1855a: 373 N: AG LB MO TU

rugifer Paykull, 1809: 230 (*Hister*) E: AU BY CT CZ DE DK FI GE HU KZ LA LT NL NR NT PL SK ST SV SZ A: WS

sedakovii Motschulsky, 1860b: 131 A: ES FE GAN HEB HEI KI MG NC NMO SC XIZ NAR

aspermatus Marseul, 1862a: 465

gelidus Reichardt, 1925c: 112

semiopacus J. Schmidt, 1894: 41 A: TD TM

semistriatus L.G. Scriba, 1790a: 72 (*Hister*) E: AL AN AU BE BH BU BY CR CT CZ DE EN FI FR GB GE GG GR
HU IR IT KZ LA LS LT LU MA MC MD ME NL NR NT PL PT RO SB SK SL SP ST SV SZ TR UK N: CI EG MO
MR A: AF ES FE KI HEI IN IS TR

asphaltinus Hochhuth, 1872b: 226

hochhuthi Reitter, 1906a: 267 [RN]

incrassatus Ménériés, 1832: 170 (*Hister*) [HN]

incrassatus Faldermann, 1835a: 227 (*Hister*) [HN]

krynickii Krynicky, 1832: 113 (*Hister*)

nitidulus Fabricius, 1801a: 85 (*Hister*)

punctatostratus Marseul, 1862a: 459

punctatus W. Kolbe, 1911: 10

rugipennis Hochhuth, 1872b: 225 [HN]

sparsipunctatus Motschulsky, 1849: 97

uralensis Motschulsky, 1849: 98

simplicifrons J. Müller, 1944b: 138 A: SA YE AFR

peezi Vienna, 1980b: 28

sinaiticus Crotch, 1872: 266 N: AG LB MO TU A: IQ IS SY

pseudofiguratus Auzat, 1920: 3

spemax Marseul, 1862a: 462 A: ES GAN HEI JIL MG NMO QIN SHG XIN

splendens Paykull, 1811: 53 (*Hister*) A: AE AF JA KA NP OM PA SA SC TAI UP YE AFR AUR ORR

advena Marseul, 1855a: 335

ater W.J. Macleay, 1864: 118

elegans Paykull, 1811: 57 (*Hister*)

ovalis Marseul, 1855a: 382

rasselas Marseul, 1855a: 379

speciosus Erichson, 1834: 179

speciosus Boisduval, 1835: 148 (*Hister*) [HN]

viridicupreus C.É. Blanchard, 1853: 57

steppensis Marseul, 1862a: 460 E: AB AR GG A: IN KI KZ TM TR

genitalis Reichardt, 1941: 216

sternifossa J. Müller, 1937a: 107 A: IN KZ PA TM UZ XIN

sternalis Dahlgren, 1967: 214

strigil Marseul, 1855a: 444 E: MA N: EG A: CY IN IQ IS OM SA SY YE AFR

stussineri Reitter, 1909d: 99 E: AB AL AR BU CR GR MC A: IN SY TR

hubenthalii Bickhardt, 1909b: 220

subcoerulus Thérond, 1978: 236 A: NP XIZ

submarginatus J. Sahlberg, 1913a: 15 E: AB AR GR (Kriti) N: AG A: AF IN IS SY TR YE

subnitescens Bickhardt, 1909b: 221 E: AB AL AU AZ BH BU CR CT CZ DE FR GB GE GG GR HU IT KZ MA MC MD ME NL PL PT RO SB SK SL SP ST SZ TR UK N: AG CI EG LB MO MR TU A: AF CY IN IQ IS LE KI KZ SY TD TM TR UZ NARI

fagniezi Auzat, 1921a: 10

lecontei Casey, 1916: 262

meridionalis Ihssen, 1949b: 183

simulans J. Sahlberg, 1913c: 87

suturalis Marseul, 1862a: 451 E: GG A: AF IN KA KZ

duplicatus Dahlgren, 1962: 245

tenuistrius sparsulos Solsky, 1876a: 238 E: AB AL AR AU BE BH BU BY CR CZ FR GE GR HU IT KZ MA MC MD PL PT RO SB SK SL SP ST SZ TR UK N: CI A: AF IN IQ IS KA KZ MG NP SCH SY TD TM TR UZ

brunnensis A. Fleischer, 1883: 179

tenuistrius tenuistrius Marseul, 1855a: 458 N: EG LB MO TU A: OM YE AFR

manes Marseul, 1869a: 172

turcomanicus Ménériés, 1849: 55 E: AR KZ ST A: TM

concinus Marseul, 1855a: 400 [HN]

uvarovi J. Müller, 1954: 308 A: AE AF PA SA

muelleri S. Mazur, 1997a: 225 [RN]

therondi Dahlgren, 1968: 260 [HN]

vatovai J. Müller, 1944b: 136 A: SA [tentative] AFR

virescens Paykull, 1798: 48 (*Hister*) E: AU BE BH BU BY CR CT CZ DE EN FR GB HU IT KZ LA LT NL PL SK SL ST SV SZ UK A: FE KZ TM TR WS

geminus Duftschmid, 1805: 224 (*Hister*)

violaceus Hochhuth, 1872: 226

viridis Duftschmid, 1805: 224 (*Hister*) [RN]

viridicatus J. Schmidt, 1894: 42 E: ST KZ A: KI KZ TM TR UZ

genus *Saprinus*, species incertae sedis

aequalis Walker, 1871: 15 A: SA

rufulus Faldermann, 1835a: 6 (*Hister*) A: IN

persicus Marseul, 1862a: 489 [RN]

walkeri Bickhardt, 1910a: 186 [RN] A: SA

rubripes Walker, 1871: 11 [HN]

genus *Styphrus* Motschulsky, 1845a: 54 type species *Styphrus corpulentus* Motschulsky, 1845

corpulentus Motschulsky, 1845a: 54 E: ST A: KI KZ TM UZ

akinini J. Schmidt, 1889a: 19 (*Saprinus*)

laevidorsis Reitter, 1910a: 13 (*Xenonychus*)

mimulus Reitter, 1904b: 29 (*Saprinus*)

rugosipennis Dahlgren, 1971a: 50 (*Saprinus*)

genus *Turanostyphrus* Tishechkin, 2005: 348 type species *Turanostyphrus ignoratus* Tishechkin, 2005
ignoratus Tishechkin, 2005: 349 A: TM
kizilkumis Tishechkin, 2005: 351 A: UZ

genus *Xenonychus* Wollaston, 1864: 179 type species *Xenonychus fossor* Wollaston, 1864 (= *Saprinus tridens* Jacquelin du Val, 1853)
aralocaspius Kryzhanovskij, 1976: 416 E: AB A: IN KZ MG TM UZ
tridens Jacquelin du Val, 1853: 703 (*Saprinus*) E: FR GR IT PT SP N: AG CI EG LB MO TU A: AE CY IS OM SA SY
TR AFR
ciliaris Mulsant & Rey, 1853c: 99 (*Saprinus*)
fossor Wollaston, 1864: 181
serripes Marseul, 1855a: 677 (*Saprinus*)

genus *Xenophilothis* Kryzhanovskij, 1987: 25 type species *Philothis choumovitchi* Théron, 1965
choumovitchi Théron, 1965: 858 (*Philothis*) N: AG MO A: AE OM SA

genus *Xenosaprinus* Wenzel, 1962: 374 type species *Saprinus lubricus* LeConte, 1851
russatus Marseul, 1855a: 466 (*Saprinus*) N: EG A: TR

genus *Zorius* Reichardt, 1932a: 25 type species *Saprinus funereus* J. Schmidt, 1890
exilis Reichardt, 1932a: 26 A: IS
funereus J. Schmidt, 1890b: 82 (*Saprinus*) A: IS JO
sublaevis J. Sahlberg, 1913a: 17 (*Saprinus*)

subfamily **Tribalinae** Bickhardt, 1914

genus *Epierus* Erichson, 1834: 158 type species *Hister fulvicornis* Fabricius, 1801
comptus Erichson, 1834: 162 E: AL AB AR AU BH BU CR CZ FR GE GG GR HU IT MC ME PT RO SB SK SL RO
 SL SP ST TR UK A: IN SY TR
russicus Marseul, 1855b: 698
lucus Lewis, 1884b: 136 A: JA
nemoralis Lewis, 1892e: 347 A: NP **ORR**
coomani Desbordes, 1924c: 141
sauteri Bickhardt, 1913b: 173 A: TAI
uenoi Ôhara, 1994: 80 A: JA (Ryukyus)

genus *Parepierus* Bickhardt, 1913a: 124 type species *Epierus amandus* J. Schmidt, 1892
amandus J. Schmidt, 1892: 25 (*Epierus*) A: AP NP **ORR**
pluristriatus Lewis, 1895: 189 (*Triballus*)
chaostrius Cooman, 1935b: 105 A: NP **ORR**
chinensis Zhang & Zhou, 2007c: 254 A: YUN
corticicola Bickhardt, 1913a: 124 A: AP NP UP

inaequispinus Zhang & Zhou, 2007c: 256 A: HAI
lewisi Bickhardt, 1913b: 173 A: TAI
pectinispinus Zhang & Zhou, 2007c: 258 A: YUN
salvazai Desbordes, 1919c: 406 (*Anaglymma*) A: NP ORR

genus *Pseudepierus* Casey, 1916: 240 type species *Epierus obesulus* Casey, 1916 (= *Hister gentilis* Horn, 1883)
italicus Paykull, 1811: 47 (*Hister*) E: AL BH BU CR CZ FR GG GR HU IT RO SK SL SP ST TR UK
mundus C. Hampe, 1850: 354 (*Dendrophilus*)
paoli Binaghi, 1943a: 32 [RN] (*Epierus*)
retusus Erichson, 1834: 160 (*Epierus*)

genus *Tribalus* Erichson, 1834: 164 type species *Hister capensis* Paykull, 1811
subgenus *Eutribalus* Bickhardt, 1921: 164 type species *Tribalus agrestis* Marseul, 1855
colombius Marseul, 1864b: 335 A: AP SD TAI UP ORR
koenigi Marseul, 1864b: 334 A: HAI NP UP AUR ORR
ogieri Marseul, 1864b: 335 A: NP SE ORR
subgenus *Tribalus* Erichson, 1834: 164 type species *Hister capensis* Paykull, 1811
algericus Olexa, 1980a: 98 N: AG TU
anatolicus Olexa, 1980a: 100 E: BU GR TR N: TU A: CY TR
asiaticus S. Mazur, 1987b: 667 A: PA
atlantis Yélamos, 1992: 437 N: MO
bicarinatus Lewis, 1908b: 152 A: HP
freyi J. Müller, 1937c: 119 A: IN IQ SA
castaneus Lewis, 1885a: 212
maroccanus Olexa, 1980a: 98 E: IT (Sicilia) SP N: MO
minimus P. Rossi, 1790: 30 (*Hister*) E: AL BU CR FR GR IT RO SP TR A: TR
olexai Lackner, 2004a: 47 A: TR
pakistanicus S. Mazur, 1987b: 665 A: BT NP PA
punctillatus Bickhardt, 1913b: 174 A: TAI ORR
rougemonti Gomy, 2004b: 415 A: YE
scaphidiformis Illiger, 1807a: 47 (*Hister*) E: FR IT PT SP N: AG MO TU A: CY
mauritanicus Lucas, 1846: 230 (*Saprinus*)
yamauchii Ôhara, 1999: 79 A: JA

subfamily **Trypeticinae** Bickhardt, 1913

genus *Trypeticus* Marseul, 1864b: 281 type species *Trypanaeus gilolous* Marseul, 1864
beelsoni Desbordes, 1922a: 8 A: AP NP ORR
namdaphaicus Pal & Biswas, 1985: 130
canalifrons Bickhardt, 1913b: 167 A: TAI
dohertyi Lewis, 1891a: 188 (*Trypanaeus*) A: NP SD ORR
fagi Lewis, 1884b: 138 (*Trypanaeus*) A: JA SC

fissirostrum Zhang & Zhou, 2007a: 243 A: HAI
nepalensis Kanaar, 2003: 188 A: BT NP
nemorivagus Lewis, 1892e: 351 A: TAI ORR
sauteri Bickhardt, 1913b: 167 A: FUJ TAI
smetanai Kanaar, 2003: 232 A: NP
venator Lewis, 1884b: 138 (*Trypanaeus*) A: JA TAI
yunnanensis Zhang & Zhou, 2007a: 244 A: YUN

family Histeridae, **nomina dubia**

Attelabus cupreus Geoffroy, 1785: 17 E: FR [*Attelabus* sensu Geoffroy = *Hister* s.l.; probably a *Saprinus*]
Hister atomos P. Rossi, 1792: 15 E: IT
Hister planus Roemer, 1789: 3 E: "Rhaetia" [pl. 2, f. 9] [it could be a synonym of *Hololepta plana*]

superfamily STAPHYLINOIDEA Latreille, 1802

family HYDRAENIDAE Mulsant, 1844

subfamily Hydraeninae Mulsant, 1844

tribe Hydraenini Mulsant, 1844

genus *Hydraena* Kugelann, 1794: 578 type species *Hydraena riparia* Kugelann, 1794

subgenus *Hydraena* Kugelann, 1794: 578 type species *Hydraena riparia* Kugelann, 1794

Amphibolus G.R. Waterhouse, 1833: 292 [HN] type species *Amphibolus atricapillus* Waterhouse, 1833

Grammhydraena Kuwert, 1888b: 119 type species *Hydraena flavipes* Sturm, 1836

Hadrenya Rey, 1886: 96 type species *Amphibolus atricapillus* Waterhouse, 1833

Haenydra Rey, 1886: 95 type species *Hydraena gracilis* Germar, 1824

Holcohydraena Kuwert, 1888b: 115 type species *Hydraena rugosa* Mulsant, 1844

Hoplydraena Kuwert, 1888b: 115 type species *Hydraena armipes* Rey, 1886

Phothydraena Kuwert, 1888b: 114 type species *Hydraena testacea* Curtis, 1830

Spanglerina Perkins, 1980: 212 type species *Spanglerina ingens* Perkins, 1980

Sphaenhydraena Kuwert, 1888b: 118 type species *Hydraena gracilis* Germar, 1824

Taenhydraena Kuwert, 1888b: 114 type species *Hydraena exarata* Kiesenwetter, 1866

abbasigili Jäch, 1988b: 759 E: AR A: TR

achaica Jäch, 1995a: 40 E: GR (Pelopónnisos)

aethaliensis Breit, 1917: 72 E: IT (Isola d'Elba)

affusa d'Orchymont, 1936b: 27 E: SP

africana Kuwert, 1888b: 122 N: MO

akbesiana Audisio, De Biase & Jäch, 1993: 490 (*Haenydra*) A: TR

albai Sáinz-Cantero, 1993: 129 E: SP

alcantarana Ienișteea, 1985: 631 E: SP

algerina Kaddouri, 1992: 205 N: AG

alia d'Orchymont, 1934c: 168 E: IT

aliciae Jäch & Diaz, 2005: 58 A: FUJ

allomorpha Lagar & Fresneda, 1990: 150 E: SP N: MO

maroccana Kaddouri, 1992: 208