

Results of bird trapping and ringing by the Biological Station Rybacy on the Courish Spit in 2016

Anatoly P. Shapoval, Dmitry Yu. Leoke & Nadejda P. Zelenova

Abstract: Shapoval, A.P., Leoke D.Yu. & N.P. Zelenova: Results of bird trapping and ringing by the Biological Station Rybacy on the Courish Spit in 2016.

In 2016, a grand total of 39,351 birds of 92 species were trapped and ringed by the Biological Station Rybacy in the framework of long- and short-term research projects. A total of 1,577 ringed birds of 56 species produced 2,435 recaptures. In 2016, 268 birds of 31 species ringed on the Courish Spit in previous years were retrapped. Between 15.03.2016 and 15.03.2017, 74 birds of 24 species ringed on the Courish Spit were reported as recovered more than 20 km from the ringing site. In 2016, 139 birds of 21 species ringed outside the Courish Spit were controlled. A review of research projects is given, along with main trapping techniques. A complete list of long-distance recoveries is provided.

Keywords: bird ringing, retraps, long-distance recoveries, research projects

Address: Biological station Rybacy, Zoological Institute, Rybacy 238535, Kaliningrad Region, Russia. E-mail: apshap@mail.ru; dleoke@mail.ru; nzelenova@hotmail.com

This annual report is the 19th one in the series of ringing reports published by the Biological Station Rybacy (Bolshakov et al. 1999; 2000; 2002a, b; 2003; 2004; 2005; 2008; 2009a, b, c; 2010; 2011; 2012; 2013; 2014; Shapoval et al. 2017; 2018) and consists of two parts. The first part contains a short review of research projects, description of trapping techniques used and main ringing results (Tab.1), retraps and control captures (Tab.2) during the current year. The second part contains a full list of birds ringed by the station and recovered outside the Courish Spit based on the data received from the Russian Ringing Centre in Moscow. We also present the data on birds ringed outside the Courish Spit and controlled by us in the current year.

1. Current research projects using bird trapping and ringing

1.1 Long-term monitoring of the timing of spring and autumn migration, breeding, post-breeding and post-fledging dispersal, numbers of breeding and passage bird populations on the Courish Spit of the Baltic Sea (field site Fringilla)

This project has been under way without interruption since 1958 at the field site Fringilla ($55^{\circ} 05' N$, $20^{\circ} 44' E$). Birds are trapped in specially designed, large permanent traps (the so-called "Rybacy-type" traps), ringed and measured. For a detailed description of the traps see Paynevsky (2000). At present a unique data set is available that has made it possible to describe long-term trends in the timing of migration, breeding, post-fledging dispersal, and numbers of local and passage populations for nearly 40 passerines species in the second half of the 20th century and in the first decade of the 21st century. These data have also allowed us to discover the

main factors that affect the underlying trends (Chernetsov et al. 2006; Sinelschikova & Sokolov 2004; Sokolov 1999; 2006; Sokolov et al. 1998 a, b; 2000; 2001a, b; 2002a, b; 2003 a, b; 2004; 2008; 2012; Sokolov & Payevsky 1998; Payevsky 2005; 2006 a, b; 2008; 2009; Payevsky et al. 2003; 2005; Sparks et al. 2005). Within the framework of this project two traps were operated at Fringilla in 2015: trap 4 (NE orientation of entrance) – from March 31 until September 19, trap 5 (SW orientation of entrance) – from March 31 until October 26. In the spring, summer and during a part of the autumn, the traps allowed us to control movement along the Courish Spit in both directions.

1.2. Long-term dynamics of numbers, energy condition, moult and biometrics of passerines in NE Europe (field site Rybachy)

A joint research programme of Max Planck Institute for Ornithology (Germany) and Biological Station Rybachy was launched in 1993 at the field site Rybachy on Cape Rossitten ($55^{\circ}09'N$, $20^{\circ}51'E$). It is an area of heavy concentration of nocturnal passerine migrants at daytime stopovers, both in spring and in autumn. Trapping is done in mist nets, each 7 m long. Trapping, ringing and biometrics followed the guidelines of the MRI and ESF programmes (Berthold et al. 1991; Bairlein et al. 1995).

In 2016, 25 nets placed in 2 lines were open 24 hrs a day from March 27 until November 1 with a standard gap from June 11 until June 30.

1.3. Population structure, philopatry and dispersal of passerines on the Courish Spit

This project was launched in 1973. The data were largely obtained by trapping and ringing juveniles and adults in Rybachy-type traps (field site Fringilla) and mist nets (field site Rybachy). Additional mist nets were used near water pools at field site Fringilla and the surrounding area. Pulli and adults were ringed at nests (incl. nest-boxes) at different sites on the Courish Spit. Adults were trapped at the nest (nest-box) using various techniques, incl. mist nets, walopper (butterfly-type net), semi-automatic traps, etc.

2. Results of bird ringing in 2016

Overall, 39,351 birds of 92 species were trapped and ringed by the Biological Station Rybachy in the framework research projects. A total of 18,421 birds of 75 species were trapped and ringed in Rybachy-type traps and the field site Fringilla, and 15,514 birds of 70 species were trapped and ringed in mist nets at the field site Rybachy. In 2016, 625 pulli of 12 species and 51 adults of 4 species were ringed at nests. Finally, 4,740 birds of 64 species were trapped and ringed by other methods in the framework of short-term research projects in 2016, including trapping by mist-nets near water pools in Fringilla. A more detailed account of ringing results is presented in Tab. 1.

Apart from the EURING code, scientific and English names of a species, the following information is given: (1) trapping figures at Fringilla field site by Rybachy-type traps; (2) trapping figures at Rybachy field site; (3) the number of pulli and adults ringed at nests; (4) the number of birds trapped by other methods in different research projects (incl. a small number of birds captured and ringed incidentally); (5) overall ringing figures for 2016. Additionally, the grand ringing totals for 1956–2016 are presented for each species.

Numbers of retraps and controls at the place of ringing are presented in first three columns of Tab. 3. A total of 1,577 individuals of 56 species ringed in 2016 produced 2,435 retraps. In addition, 268 controls (31 species) were obtained from birds ringed in previous years.

3. List of long-distance recoveries reported in 2016

The number of recoveries for each species is presented in Tab. 2 (columns 4 and 5). The lists include: birds ringed by the station on the Courish Spit and subsequently recovered more than 20km from the ringing site (section 3.1); controls of birds ringed outside the Russian part of the Courish Spit (section 3.2). In sections 3.1 and 3.2, we present all recoveries that were reported to the station between 15.03.2016 and 15.03.2017. The sequence of species follows EURING (1979).

3.1. Long-distance recoveries of birds ringed on the Courish Spit

For each species, EURING code, scientific and English name and number of recoveries (in parenthesis) are presented.

Explanation of line contents.

Every individual has data on two lines: on the upper one are ringing information (ring No, ringing date, sex, age [see below], ringing place with coordinates). If a bird was retrapped at the site of ringing, place and date of the last retrap are given in brackets. The sign “–” before the ring number showed that there is no series letter. In this and previous reports (Bolshakov et al. 1999, 2000, 2002a, b, 2003, 2004, 2005, 2008, 2009a, b, c, 2010, 2011, 2012, 2013, 2014) rings with series “C”, “E”, “M”, “O”, “P”, “R”, “S”, “FS”, “KS”, “MB”, “N”, “PB”, “RZ”, “VD”, “VF”, “VK”, “VN”, “VS”, “VT”, “TA”, “XA”, “XB”, “XC”, “XD”, “XE”, “XF”, “XG”, “XH”, “XK”, “XL”, “XN”, “XR”, “XS”, “XT”, “XX”, “XY” and “XZ” bear the inscription “Moskwa”.

On the lower line, recovery information (recovery date; sex; age; place of recovery – country, province, nearest site; coordinates, printed in parenthesis if only very roughly estimated); circumstances of recovery (see below); time elapsed between ringing and recovery dates in days; distance in km and direction in degrees (North – 0°, East – 90°). Distance was estimated according to the orthodrome, the great circle route and direction was estimated according to the loxodrome. If a bird was retrapped several times at the place of ringing, the latest retrap was used for calculating the time elapsed. If a ring was added, ringing scheme and new ring no. are given.

Codes:

SEX – M – male; F – female; I – unknown.

AGE:

0 – age unknown, i.e. not recorded.

1 – pullus: nestling or chick, unable to fly freely, still able to be caught by hand.

2 – full-grown: able to fly freely but age otherwise unknown.

3 – first-year: full-grown bird hatched in the breeding season of this calendar year.

4 – after first year: full-grown bird hatched before this calendar year, year of birth otherwise unknown.

5 – second year: a bird born last calendar year and now in its second calendar year.

6 – after second year: full-grown bird born before last calendar year, year of birth otherwise unknown.

Circumstances of recovery:

x – found dead

(x) – found sick or wounded, later died

xA – found dead long ago, remnants only: skeleton, leg with ring

xE – hit overhead wires or electrocuted

xG – collided with window, glasshouse, etc.

xN – found dead in fish nets

+ – shot

(+) – killed by man

+K – killed by cat

+M – killed by other mammal

+Ac – killed by raptor

+T – victim of traffic

V – controlled: trapped and released with the same ring

() – caught alive and released with another ring or ring removed

C? – caught, further fate unknown

r – ring only found

! – ring read

rAc – ring found in a raptor pellet

/ ? / – manner of recovery unknown

& – ring added

(15.03.1999) – finding date is not known exactly, date when recovery letter was send is given.

In cases when the exact date is not known:

00.03.1998 – exact date (day) of recovery is not known

beg.03.1998 – bird found in the beginning of the month

mid.03.1998 – bird found in the middle of the month

end.03.1998 – bird found in the end of the month

In such cases time elapsed is recorded as 00.

In total, between 15.03.2016 and 15.03.2017, we received from the national Ringing Centre in Moscow information on 74 recoveries of birds of 24 species, ringed on the Courish Spit (see 3.1, the list of long-distance recoveries of birds ringed on the Courish Spit).

3.2. Controls of birds ringed outside the Courish Spit

In 2016 the station controlled a total of 139 birds of 21 species ringed outside the Courish Spit. The line structure is the same: after the ring number, we give the ringing scheme (see 3.2, controls of birds ringed outside of the Courish Spit).

4. Participants

The following members of the Biological Station, students, colleagues and amateur bird ringers participated in bird trapping and ringing in 2013 (listed by alphabetical order): N. Chernetsov, D. Leoke, Y. Loschagina, M. Markovets, A. Mukhin, M. Paranicheva, L. Roberts, A. Sinelschikova, A. Shapoval, E. Shapoval, N. Shapoval, L. Sokolov, N. Sosedova, E. Tronikova, A. Tsvey.

References

- Bairlein, F., Jenni, I., Kaiser, A., Karlsson, L., van Noordwijk, A., Peach, W., Pilastro, A., Spina, F & Walinder, G. 1995. European-African Songbird Migration Network. Manual of Field Methods: 1–34. Wilhelmshaven.
- Berthold, P., Fliege, G., Heine, G., Querner, U. & Schlenker, R. 1991. Wegzug, Rastverhalten, Biometrie und Mauser von Kleinvögeln in Mitteleuropa. Vogelwarte 36 (Sonderheft): 1–221.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 1999. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 1998. Avian Ecol. Behav. 2: 105–150.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2000. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 1999. Avian Ecol. Behav. 4: 85–145.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2002a. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2000. Avian Ecol. Behav. 8: 109–166.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2002b. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2001. Avian Ecol. Behav. 9: 67–114.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2003. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2002. Avian Ecol. Behav. 10: 67–114.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2004. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2003. Avian Ecol. Behav. 12: 77–132.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2005. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2004. Avian Ecol. Behav. 13: 47–95.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2008. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2005. Avian Ecol. Behav. 14: 49–100.

- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2009a. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2006. *Avian Ecol. Behav.* 15: 49–85.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2009b. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2007. *Avian Ecol. Behav.* 16: 21–51.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2009c. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2008. *Avian Ecol. Behav.* 16: 53–89.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2010. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2009. *Avian Ecol. Behav.* 17: 25–60.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2011. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2010. *Avian Ecol. Behav.* 20: 9–52.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2012. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2011. *Avian Ecol. Behav.* 22: 55–100.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2013. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2012. *Avian Ecol. Behav.* 23: 51–91.
- Bolshakov, C.V., Shapoval, A.P & Zelenova, N.P. 2014. Results of bird trapping and ringing by the Biological Station “Rybachi” on the Courish Spit in 2013. *Avian Ecol. Behav.* 25: 27–60.
- Chernetsov N., Sokolov L.V., Kosarev V., Leoke D., Markovets M., Tsvey A. & Shapoval A.P. 2006. Sex-related natal dispersal of Pied Flycatchers: How far away from home? *Condor.* 108: 711–716.
- EURING manual: new EURING. BTO publ., 1979.
- Jonsson L. 1992. Birds of Europe. Christopher Helm, A & C. Black, London. 559 p.
- Payevsky, V.A. 1973. Atlas of bird migrations according to banding data on the Courland Spit. In: Bykhovsky, B.E. (ed.) Bird migration – ecological and physiological factors. John Wiley & Sons, Ltd, NY.
- Payevsky, V.A. 2000. Rybachi-type trap. In: Busse P. (ed.). Bird Station Manual, Gdansk University press: 20–24.
- Payevsky V.A. 2005. Population numbers of long-distant bird migrants: vulnerable periods in annual cycles. *Zool. Sessions. Annual reports. Proceed. Zool. Inst. Russ. Acad. Sci.* 308: 57–64.
- Payevsky. 2006a. Mechanisms of population dynamics in trans-Saharan migrant birds: A review. *Entomol. Rev.* 86. Suppl. 1: 82–94.
- Payevsky V.A. 2006b. Mortality rate and population density regulation in the Great Tit *Parus major* L.: A review. *Russian Journal of Ecology.* 37, 3: 180–187.
- Payevsky V.A. 2008. Breeding, demographic parameters and range expansion of the Common Rosefinch (*Carpodacus erythrinus*). *The Ring.* 30, 1: 27–35.
- Payevsky V.A. 2009. Songbird Demography. Pensoft. Sofia–Moscow. 260 pp.
- Payevsky V.A., Vysotsky V.G. & Zelenova N.P. 2003. Extinction of a Barred Warbler *Sylvia nisoria* population in Eastern Baltic: long-term monitoring, demography, and biometry. *Avian Ecology and Behaviour.* 11: 89–105.
- Payevsky V., Shapoval A. & Vysotsky V. 2005. Spatial distribution of thrushes migrating through eastern Baltic area as shown by ringing recoveries. *OMPO Newsletter.* 25: 5–12.

- Shapoval A.P., Leoke D.Yu., & Zelenova, N.P. 2017. Results of bird trapping and ringing by the Biological Station "Rybachi" on the Courish Spit in 2014. *Rus. J. Ornithol.* 26 (1549): 5605–5627. (In Russian)
- Shapoval A.P., Leoke D.Yu., & Zelenova, N.P. 2018. Results of bird trapping and ringing by the Biological Station "Rybachi" on the Courish Spit in 2015. *Rus. J. Ornithol.* 27 (1561): 441–464. (in Russian)
- Sinelschikova A. & Sokolov L.V. 2004. Long-term monitoring of the timing of migration in thrushes (*Turdus philomelos*, *T. iliacus*) in the Eastern Baltic. *Avian Ecol. Behav.* 12: 11–30.
- Sokolov, L.V. 1999. Population dynamics in 20 sedentary and migratory passerine species on the Courish Spit on the Baltic Sea. *Avian Ecol. Behav.* 3: 23–50.
- Sokolov L.V. 2006. Effect of Global Warming on the Timing of Migration and Breeding of Passerine Birds in the 20th Century. *Entomol. Rev.* 86. Suppl. 1: 59–81.
- Sokolov, L.V. & Payevsky, V.A. 1998. Spring temperatures influence year-to-year variations in the breeding phenology of passersines on the Courish Spit, Eastern Baltic. *Avian Ecol. Behav.* 1: 22–36.
- Sokolov, L.V., Markovets, M.Yu., Shapoval, A.P. & Morosov, Yu.G. 1998 a. Long-term trends in the timing of spring migration of passersines on the Courish Spit of the Baltic Sea. *Avian Ecol. Behav.* 1: 1–21.
- Sokolov, L.V., Markovets, M.Yu. & Morosov, Yu.G. 1998 b. Long-term dynamics of the mean date of autumn migration in passersines of the Courish Spit of the Baltic Sea. *Avian Ecol. Behav.* 2: 1–18.
- Sokolov, L.V., Yefremov, V.D., Markovets, M.Yu., Shapoval, A.P. & Shumakov, M.E. 2000. Monitoring of numbers of passage populations of passersines over 42 years (1958–1999) on the Courish Spit of the Baltic Sea. *Avian Ecol. Behav.* 4: 31–53.
- Sokolov, L.V., Baumanis, J., Leivits, A., Poluda, A.M., Yefremov, V.D., Markovets, M.Yu., Morosov, Yu.G. & Shapoval, A.P. 2001a. Changes in numbers of passersines in Europe in the second half on 20th century. *Proc. Intern. Ornithol. Conference. Kazan*, 187–212.
- Sokolov, L.V., Baumanis, J., Leivits, A., Poluda, A.M., Yefremov, V.D., Markovets, M.Yu., Morosov, Yu.G. & Shapoval, A.P. 2001b. Comparative analysis of long-term monitoring data on numbers of passersines in nine European countries in the second half on 20th century. *Avian Ecol. Behav.* 7: 41–74.
- Sokolov, L.V., Markovets, M.Yu., Yefremov, V.D. & Shapoval, A.P. 2002a. Long-term monitoring of number of irruptions species on the Courish Spit of the Baltic Sea. *Proc. Intern. Symposium. Kazan*, 18–29.
- Sokolov, L.V., Markovets, M.Yu., Yefremov, V.D. & Shapoval, A.P. 2002 b. Irregular migrations (irruptions) in six bird species on the Courish Spit of the Baltic Sea in 1957–2002. *Avian Ecol. Behav.* 9: 39–53.
- Sokolov, L.V., Kosarev, V.V., Fedoseeva, N.V., Markovets, M.Yu., Shapoval, A.P. & Yefremov, V.D. 2003 a. Relationship between autumn numbers of the Coal Tit *Parus ater*, air temperatures and North Atlantic Oscillation index. *Avian Ecol. Behav.* 11: 71–88.
- Sokolov, L.V., Yefremov, V.D. & Shapoval, A.P. 2003 b. Long-term monitoring of number of irruption species – long-tailed tit (*Aegithalos caudatus*) on the Courish Spit of the Baltic Sea. Abstract Volume 4th Conference of the European Ornithologists' Union, Germany, 2003: 77–78.
- Sokolov L.V., Shapoval A.P., Yefremov V.D., Kosarev V.V. & Markovets M.Yu. 2004. Timing and dynamics of autumn passage of the Long-Tailed Tits (*Aegithalos caudatus*) on the Courish Spit, eastern Baltic. *Avian Ecol. Behav.* 12: 31–52.
- Sokolov L.V., Shapoval A.P., Yefremov V.D., Kosarev, Markovets M.Yu. & Gavrilov V.V. 2008. Relationship between invasions of the Long-Tailed Tits (*Aegithalos caudatus*) and air

- temperatures and North Atlantic Oscillation index in the Eastern Baltic. *Avian Ecol. Behav.* 14: 35–47.
- Sokolov L.V., Shapoval A.P. & Morozov Yu.G. 2012. Impact of climate change on the timing of migration, dispersal, and numbers of the Sparrowhawk *Accipiter nisus* in the Baltic region. *Avian Ecol. Behav.* 22: 3–34.
- Sparks T.H., Bairlein F., Bojarinova J.G., Huppop O., Lehikoinens E.A., Rainio K., Sokolov L.V. & Walker D. 2005. Examining the total arrival distribution of migratory birds. *Global Change Biology*. 11: 22–30.

Table 1. Numbers of birds ringed by Biological station Rybachi in 2016.

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybachi")	Nests	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
				Nestlings	Adults		
00030	<i>Gavia arctica</i> Black-throated Diver	—	—	—	—	—	1
00090	<i>Podiceps cristatus</i> Great Crested Grebe	—	—	—	—	—	1
00720	<i>Phalacrocorax carbo</i> Cormorant	—	—	—	—	—	5
00950	<i>Botaurus stellaris</i> Bittern	—	—	—	—	—	2
00980	<i>Ixobrychus minutus</i> Little Bittern	—	—	—	—	—	1
01220	<i>Ardea cinerea</i> Grey Heron	—	—	—	—	—	375
01340	<i>Ciconia ciconia</i> White Stork	—	—	—	—	—	364
01840	<i>Anas crecca</i> Teal	—	—	—	—	—	3
01860	<i>Anas platyrhynchos</i> Mallard	—	—	—	—	—	5
01910	<i>Anas querquedula</i> Garganey	—	—	—	—	—	6
02150	<i>Melanitta fusca</i> Velvet Scoter	—	—	—	—	—	1
02310	<i>Pernis apivorus</i> Honey Buzzard	—	—	—	—	—	17
02380	<i>Milvus migrans</i> Black Kite	—	—	—	—	—	1
02430	<i>Haliaeetus albicilla</i> White-tailed Eagle	—	—	—	—	—	1
02600	<i>Circus aeruginosus</i> Marsh Harrier	—	—	—	—	—	4
02610	<i>Circus cyaneus</i> Hen Harrier	—	—	—	—	—	69
02620	<i>Circus macrourus</i> Pallid Harrier	—	—	—	—	—	1
02630	<i>Circus pygargus</i> Montagu's Harrier	—	—	—	—	—	5

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests Nestlings	Adults	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
02670	<i>Accipiter gentilis</i> Goshawk	—	—	—	—	—	—	51
02690	<i>Accipiter nisus</i> Sparrowhawk	26	—	—	—	1	27	7550
02870	<i>Buteo buteo</i> Common Buzzard	—	—	—	—	—	—	23
02900	<i>Buteo lagopus</i> Rough-legged Buzzard	—	—	—	—	—	—	2
03040	<i>Falco tinnunculus</i> Kestrel	—	—	—	—	—	—	18
03070	<i>Falco vespertinus</i> Red-footed Falcon	—	—	—	—	—	—	4
03090	<i>Falco columbarius</i> Merlin	—	—	—	—	—	—	36
03100	<i>Falco subbuteo</i> Hobby	—	—	—	—	—	—	15
03200	<i>Falco peregrinus</i> Peregrine	—	—	—	—	—	—	1
03700	<i>Coturnix coturnix</i> Quail	—	—	—	—	—	—	2
04070	<i>Rallus aquaticus</i> Water Rail	1	—	—	—	—	1	22
04080	<i>Porzana porzana</i> Spotted Crake	—	—	—	—	—	—	9
04210	<i>Crex crex</i> Corncrake	—	—	—	—	—	—	17
04240	<i>Gallinula chloropus</i> Moorhen	—	—	—	—	—	—	5
04290	<i>Fulica atra</i> Coot	—	—	—	—	—	—	3
04690	<i>Charadrius dubius</i> Little Ringed Plover	—	—	—	—	—	—	2
04700	<i>Charadrius hiaticula</i> Ringed Plover	—	—	—	—	—	—	3
04930	<i>Vanellus vanellus</i> Lapwing	—	—	—	—	—	—	23
04960	<i>Calidris canutus</i> Knot	—	—	—	—	—	—	3

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests Nestlings	Adults	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
04970	<i>Calidris alba</i> Sanderling	—	—	—	—	—	—	6
05010	<i>Calidris minuta</i> Little Stint	—	—	—	—	—	—	1
05120	<i>Calidris alpina</i> Dunlin	—	—	—	—	—	—	7
05170	<i>Philomachus pugnax</i> Ruff	—	—	—	—	—	—	7
05180	<i>Lymnocryptes minima</i> Jack Snipe	—	—	—	—	—	—	18
05190	<i>Gallinago gallinago</i> Snipe	—	—	—	—	—	—	34
05290	<i>Scolopax rusticola</i> Woodcock	—	—	—	—	—	—	220
05410	<i>Numenius arquata</i> Curlew	—	—	—	—	—	—	1
05530	<i>Tringa ochropus</i> Green Sandpiper	—	—	—	—	—	—	22
05540	<i>Tringa glareola</i> Wood Sandpiper	—	—	—	—	—	—	18
05560	<i>Actitis hypoleucos</i> Common Sandpiper	—	—	—	—	—	—	45
05610	<i>Arenaria interpres</i> Turnstone	—	—	—	—	—	—	1
05820	<i>Larus ridibundus</i> Black-headed Gull	—	—	—	—	—	—	42
05900	<i>Larus canus</i> Common Gull	—	—	—	—	—	—	2
05910	<i>Larus fuscus</i> Lesser Black-backed Gull	—	—	—	—	—	—	3
05920	<i>Larus argentatus</i> Herring Gull	—	—	—	—	1	1	1
06000	<i>Larus marinus</i> Great Black-backed Gull	—	—	—	—	—	—	1
061150	<i>Sterna hirundo</i> Common Tern	—	—	—	—	—	—	1
06340	<i>Uria aalge</i> Guillemot	—	—	—	—	—	—	1

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests Nestlings	Adults	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
06650	<i>Columba livia</i> Rock Dove	1	—	—	—	—	1	16
06680	<i>Columba oenas</i> Stock Dove	—	—	—	—	—	—	17
06700	<i>Columba palumbus</i> Woodpigeon	—	—	—	—	—	—	67
06840	<i>Streptopelia decaocto</i> Collared Dove	—	—	—	—	—	—	34
06870	<i>Streptopelia turtur</i> Turtle Dove	—	—	—	—	—	—	125
07240	<i>Cuculus canorus</i> Cuckoo	17	1	—	—	8	26	1641
07350	<i>Tyto alba</i> Barn Owl	—	—	—	—	—	—	7
07500	<i>Surnia ulula</i> Hawk Owl	—	—	—	—	—	—	5
07570	<i>Athene noctua</i> Little Owl	—	—	—	—	—	—	1
07610	<i>Strix aluco</i> Tawny Owl	—	—	—	—	1	1	62
07670	<i>Asio otus</i> Long-eared Owl	—	—	—	—	—	—	3391
07680	<i>Asio flammeus</i> Short-eared Owl	—	—	—	—	—	—	57
07700	<i>Aegolius funereus</i> Tengmalm's Owl	1	1	—	—	—	2	349
07780	<i>Caprimulgus europaeus</i> Nightjar	3	—	—	—	2	5	433
07950	<i>Apus apus</i> Swift	6	—	—	—	1	7	677
08310	<i>Alcedo atthis</i> Kingfisher	—	7	—	—	—	7	245
08410	<i>Coracias garrulus</i> Roller	—	—	—	—	—	—	3
08460	<i>Upupa epops</i> Hoopoe	—	—	—	—	—	—	170

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
				Adults	Nestlings		
08480	<i>Jynx torquilla</i> Wryneck	1	1	—	—	—	2
08550	<i>Picus canus</i> Grey-headed Woodpecker	—	—	—	—	—	8
08560	<i>Picus viridis</i> Green Woodpecker	—	—	—	—	—	2
08630	<i>Dryocopus martius</i> Black Woodpecker	—	—	—	—	—	20
08760	<i>Dendrocopos major</i> Great Spotted Woodpecker	7	4	—	—	1	12
08830	<i>Dendrocopos medius</i> Middle Spotted Woodpecker	—	—	—	—	—	77
08840	<i>Dendrocopos leucotos</i> White-backed Woodpecker	—	—	—	—	—	4
08870	<i>Dendrocopos minor</i> Lesser Spotted Woodpecker	1	1	—	—	2	4
09740	<i>Lullula arborea</i> Woodlark	6	—	—	—	—	6
09760	<i>Alauda arvensis</i> Skylark	—	—	—	—	—	488
09780	<i>Eremophilla alpestris</i> Shore Lark	—	—	—	—	—	5
09810	<i>Riparia riparia</i> Sand Martin	1	—	—	—	—	1
09920	<i>Hirundo rustica</i> Swallow	27	13	51	—	16	107
10010	<i>Delichon urbica</i> House Martin	5	1	—	15	1	22
10020	<i>Anthus novaezealandiae</i> Richard's Pipit	—	—	—	—	—	3
10050	<i>Anthus campestris</i> Tawny Pipit	3	—	—	—	—	3
10090	<i>Anthus trivialis</i> Tree Pipit	14	—	—	—	24	38
10110	<i>Anthus pratensis</i> Meadow Pipit	—	—	—	—	—	11056

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybachi")	Nests Nestlings	Adults	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
10140	<i>Anthus spinosetta</i> Water Pipit	—	—	—	—	—	—	3
10142	<i>Anthus petrosus</i> Rock Pipit	—	—	—	—	—	—	1
10170	<i>Motacilla flava</i> Yellow Wagtail	2	2	—	—	—	4	2979
10180	<i>Motacilla citreola</i> Citrine Wagtail	—	—	—	—	—	—	1
10190	<i>Motacilla cinerea</i> Grey Wagtail	—	—	—	—	—	—	13
10200	<i>Motacilla alba</i> Pied Wagtail	183	23	11	—	3	220	13733
10480	<i>Bombycilla garrulus</i> Waxwing	—	12	—	—	—	12	1355
10500	<i>Cinclus cinclus</i> Dipper	—	—	—	—	—	—	1
10660	<i>Troglodytes troglodytes</i> Wren	222	665	—	—	33	920	15940
10840	<i>Prunella modularis</i> Dunnock	11	126	—	—	2	139	7025
10990	<i>Erithacus rubecula</i> Robin	856	3277	—	—	420	4553	205820
11030	<i>Luscinia luscinia</i> Thrush Nightingale	2	66	—	—	6	74	2832
11040	<i>Luscinia megarhynchos</i> Nightingale	—	1	—	—	—	1	1
11060	<i>Luscinia svecica</i> Bluethroat	—	3	—	—	—	3	234
11130	<i>Tarsiger cyanurus</i> Red-flanked Bluetail	—	—	—	—	—	—	3
11210	<i>Phoenicurus ochruros</i> Black Redstart	28	—	—	—	1	29	1695
11220	<i>Phoenicurus phoenicurus</i> Redstart	56	59	8	—	18	141	14540
11370	<i>Saxicola rubetra</i> Whinchat	10	2	—	—	—	12	3409
11390	<i>Saxicola torquata</i> Stonechat	—	—	—	—	—	—	3

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests Nestlings	Adults	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
11460	<i>Oenanthe oenanthe</i> Northern Wheatear	—	—	—	—	—	—	866
11860	<i>Turdus torquatus</i> Ring Ouzel	—	—	—	—	—	—	15
11870	<i>Turdus merula</i> Blackbird	25	201	—	—	30	256	16111
11980	<i>Turdus pilaris</i> Fieldfare	—	3	—	—	1	4	2567
12000	<i>Turdus philomelos</i> Song Thrush	36	190	—	—	10	236	30303
12010	<i>Turdus iliacus</i> Redwing	—	12	—	—	—	12	6339
12020	<i>Turdus viscivorus</i> Mistle Thrush	—	—	—	—	—	—	318
12360	<i>Locustella naevia</i> Grasshopper Warbler	7	1	—	—	—	8	801
12370	<i>Locustella fluviatilis</i> River Warbler	1	6	—	—	1	8	191
12380	<i>Locustella luscinioides</i> Savi's Warbler	—	3	—	—	—	3	96
12430	<i>Acrocephalus schoenobaenus</i> Sedge Warbler	1	179	—	—	31	211	11598
12470	<i>Acrocephalus agricola</i> Paddyfield Warbler	—	1	—	—	—	1	9
12480	<i>Acrocephalus dumetorum</i> Blyth's Reed Warbler	1	8	—	—	—	9	169
12500	<i>Acrocephalus palustris</i> Marsh Warbler	1	248	—	—	15	264	7538
12510	<i>Acrocephalus scirpaceus</i> Reed Warbler	3	337	—	—	40	380	23472
12530	<i>Acrocephalus arundinaceus</i> Great Reed Warbler	—	38	9	—	38	85	3664
12560	<i>Hippolais caligata</i> Booted Warbler	—	—	—	—	—	—	7
12590	<i>Hippolais icterina</i> Icterine Warbler	19	42			28	89	12518

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests Nestlings	Adults	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
12650	<i>Sylvia cantillans</i> Subalpine Warbler	—	—	—	—	—	—	4
12670	<i>Sylvia melanocephala</i> Sardinian Warbler	—	—	—	—	—	—	1
12730	<i>Sylvia nisoria</i> Barred Warbler	—	14	—	—	—	14	4030
12740	<i>Sylvia curruca</i> Lesser Whitethroat	36	161	5	—	18	220	20495
12750	<i>Sylvia communis</i> Whitethroat	59	104	—	—	19	182	14676
12760	<i>Sylvia borin</i> Garden Warbler	27	159	—	—	49	235	25471
12770	<i>Sylvia atricapilla</i> Blackcap	51	845	—	—	236	1132	31453
12930	<i>Phylloscopus trochiloides</i> Greenish Warbler	2	—	—	—	—	2	131
12980	<i>Phylloscopus proregulus</i> Pallas's Warbler	—	—	—	—	—	—	29
13000	<i>Phylloscopus inornatus</i> Yellow-browed Warbler	3	6	—	—	—	9	146
13010	<i>Phylloscopus schwarzi</i> Radde's Warbler	—	—	—	—	—	—	3
13030	<i>Phylloscopus fuscatus</i> Dusky Warbler	—	—	—	—	—	—	2
13070	<i>Phylloscopus bonelli</i> Bonelli's Warbler	—	—	—	—	—	—	1
13080	<i>Phylloscopus sibilatrix</i> Wood Warbler	38	202	—	—	39	279	18010
13110	<i>Phylloscopus collybita</i> Chiffchaff	81	210	—	—	16	307	13594
13120	<i>Phylloscopus trochilus</i> Willow Warbler	519	431	12	—	163	1125	163497
13140	<i>Regulus regulus</i> Goldcrest	1092	2075	—	—	39	3206	405065
13150	<i>Regulus ignicapillus</i> Firecrest	1	18	—	—	3	22	138
13350	<i>Muscicapa striata</i> Spotted Flycatcher	36	37	11	—	26	110	11144

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests		Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
				Nestlings	Adults			
13430	<i>Ficedula parva</i> Red-breasted Flycatcher	3	13	—	—	12	28	1316
13480	<i>Ficedula albicollis</i> Collared Flycatcher	—	—	—	—	—	—	29
13490	<i>Ficedula hypoleuca</i> Pied Flycatcher	54	125	114	20	110	423	31487
13640	<i>Panurus biarmicus</i> Bearded Tit	—	20	—	—	—	20	533
14370	<i>Aegithalos caudatus</i> Long-tailed Tit	1867	1519	—	—	34	3420	69124
14400	<i>Parus palustris</i> Marsh Tit	6	15	—	—	36	57	2541
14420	<i>Parus montanus</i> Willow Tit	8	—	—	—	8	16	2388
14540	<i>Parus cristatus</i> Crested Tit	10	—	—	—	11	21	849
14610	<i>Parus ater</i> Coal Tit	1322	8	18	—	71	1419	61252
14620	<i>Parus caeruleus</i> Blue Tit	2636	724	40	3	232	3635	103994
14640	<i>Parus major</i> Great Tit	5642	2122	343	13	186	8306	278694
14790	<i>Sitta europaea</i> Nuthatch	—	3	—	—	3	6	431
14860	<i>Certhia familiaris</i> Treecreeper	49	307	—	—	5	361	9820
14870	<i>Certhia brachydactyla</i> Short-toed Treecreeper	—	—	—	—	—	—	18
14900	<i>Remiz pendulinus</i> Penduline Tit	1	20	—	—	3	24	1510
15080	<i>Oriolus oriolus</i> Golden Oriole	—	—	—	—	—	—	299
15150	<i>Lanius collurio</i> Red-backed Shrike	15	15	—	—	3	33	3701
15200	<i>Lanius excubitor</i> Great Gray Shrike	1	—	—	—	—	1	116
15390	<i>Garrulus glandarius</i> Jay	36	13	—	—	1	50	6587

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests Nestlings	Adults	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
15490	<i>Pica pica</i> Magpie	—	1	—	—	1	2	91
15570	<i>Nucifraga caryocatactes</i> Nutcracker	—	—	—	—	1	1	473
15600	<i>Coloeus monedula</i> Jackdaw	—	—	—	—	—	—	82
15630	<i>Corvus frugilegus</i> Rook	—	—	—	—	—	—	60
15672	<i>Corvus corone cornix</i> Hooded Crow	—	—	—	—	—	—	74
15720	<i>Corvus corax</i> Raven	—	—	—	—	—	—	4
15820	<i>Sturnus vulgaris</i> Starling	631	26	—	—	26	683	110797
15910	<i>Passer domesticus</i> House Sparrow	—	—	—	—	—	—	1205
15980	<i>Passer montanus</i> Tree Sparrow	—	—	—	—	—	—	368
16360	<i>Fringilla coelebs</i> Chaffinch	1724	353	3	—	324	2404	774723
16380	<i>Fringilla montifringilla</i> Brambling	34	9	—	—	14	57	75151
16400	<i>Serinus serinus</i> Serin	2	—	—	—	—	2	479
16490	<i>Carduelis chloris</i> Greenfinch	2	15	—	—	—	17	8028
16530	<i>Carduelis carduelis</i> Goldfinch	2	1	—	—	4	7	3154
16540	<i>Carduelis spinus</i> Siskin	561	52	—	—	2105	2718	242880
16600	<i>Carduelis cannabina</i> Linnet	2	—	—	—	—	2	1658
16620	<i>Carduelis flavirostris</i> Twite	—	—	—	—	—	—	32
16630	<i>Carduelis flammea</i> Redpoll	1	10	—	—	7	18	13977
16640	<i>Carduelis hornemannii</i> Arctic Redpoll	—	—	—	—	—	—	18

Table 1. *Continued*

EURING code	Species	Rybachi-type traps ("Fringilla")	Mist-nets ("Rybacy")	Nests Nestlings	Adults	Other research projects and methods	Total ringed in 2016	Grand total 1956–2016
16650	<i>Loxia leucoptera</i> Two-barred Crossbill	—	—	—	—	—	—	25
16660	<i>Loxia curvirostra</i> Crossbill	8	—	—	—	116	124	17944
16680	<i>Loxia pytyopsittacus</i> Parrot Crossbill	—	—	—	—	—	—	19
16790	<i>Carpodacus erythrinus</i> Scarlet Rosefinch	1	40	—	—	7	48	7418
16990	<i>Pinicola enucleator</i> Pine Grosbeak	—	—	—	—	—	—	1
17100	<i>Pyrrhula pyrrhula</i> Bullfinch	252	256	—	—	39	547	15340
17170	<i>Coccothraustes coccothraustes</i> Hawfinch	2	11	—	—	30	43	1940
18470	<i>Calcarius lapponicus</i> Lapland Bbunting	—	—	—	—	—	—	3
18500	<i>Plectrophenax nivalis</i> Snow Bunting	—	—	—	—	—	—	1
18570	<i>Emberiza citrinella</i> Yellowhammer	19	—	—	—	8	27	4883
18660	<i>Emberiza hortulana</i> Ortolan Bunting	—	—	—	—	—	—	517
18730	<i>Emberiza rustica</i> Rustic Bunting	—	—	—	—	—	—	11
18740	<i>Emberiza pusilla</i> Little Bunting	1	—	—	—	—	1	12
18770	<i>Emberiza schoeniclus</i> Reed Bunting	—	40	—	—	—	40	2890
18810	<i>Emberiza melanocephala</i> Black-headed Bunting	—	—	—	—	—	—	1
18820	<i>Miliaria calandra</i> Corn Bunting	—	—	—	—	—	—	8
Total birds		18421	15514	625	51	4740	39351	3024429
Total species		75	70	12	4	64	92	202

Table 2. Retraps, controls, and recoveries of birds.

EURING code	Species	Retraps of birds ringed in 2016		Controls of birds ringed earlier than 2016	Recoveries of our birds outside the Courish Spit	Recoveries of birds ringed outside the Courish Spit
		birds	retraps			
02690	<i>Accipiter nisus</i> Sparrowhawk	—	—	—	1	—
05920	<i>Larus argentatus</i> Herring Gull	—	—	—	—	1
07240	<i>Cuculus canorus</i> Cuckoo	1	1	—	—	—
08760	<i>Dendrocopos major</i> Great Spotted Woodpecker	1	1	—	—	—
08870	<i>Dendrocopos minor</i> Lesser Spotted Woodpecker	1	1	2	—	—
09740	<i>Lullula arborea</i> Woodlark	1	1	—	—	—
09920	<i>Hirundo rustica</i> Swallow	7	10	3	—	1
10090	<i>Anthus trivialis</i> Tree Pipit	6	8	—	—	—
10200	<i>Motacilla alba</i> White Wagtail	8	11	12	—	1
10660	<i>Troglodytes troglodytes</i> Wren	52	73	2	1	1
10840	<i>Prunella modularis</i> Dunnock	1	1	—	—	—
10990	<i>Erythacus rubecula</i> Robin	204	290	1	4	2
11030	<i>Luscinia luscinia</i> Thrush Nightingale	19	35	5	—	—
11040	<i>Luscinia megarhynchos</i> Nightingale	1	1	—	—	—
11210	<i>Phoenicurus ochruros</i> Black Redstart	1	1	—	—	—
11220	<i>Phoenicurus phoenicurus</i> Redstart	8	15	1	—	—
11870	<i>Turdus merula</i> Blackbird	24	29	5	1	1
12000	<i>Turdus philomelos</i> Song Thrush	6	7	—	6	—
12020	<i>Turdus viscivorus</i> Mistle Thrush	—	—	—	1	—
12380	<i>Locustella lusciniooides</i> Savi's Warbler	1	1	—	—	—

Table 2. *Continued*

EURING code	Species	Retraps of birds ringed in 2016		Controls of birds ringed earlier than 2016	Recoveries of our birds outside the Courish Spit	Recoveries of birds ringed outside the Courish Spit
		birds	retraps			
12430	<i>Acrocephalus schoenobaenus</i> Sedge Warbler	17	23	4	—	—
12480	<i>Acrocephalus dumetorum</i> Blyth's Reed Warbler	1	1	—	—	—
12500	<i>Acrocephalus palustris</i> Marsh Warbler	56	73	6	1	1
12510	<i>Acrocephalus scirpaceus</i> Reed Warbler	104	150	9	1	1
12530	<i>Acrocephalus arundinaceus</i> Great Reed Warbler	22	45	2	—	3
12590	<i>Hippolais icterina</i> Icterine Warbler	7	10	6	—	—
12730	<i>Sylvia nisoria</i> Barred Warbler	2	3	—	—	—
12740	<i>Sylvia curruca</i> Lesser Whitethroat	27	52	10	2	2
12750	<i>Sylvia communis</i> Whitethroat	5	7	1	—	—
12760	<i>Sylvia borin</i> Garden Warbler	49	72	13	1	—
12770	<i>Sylvia atricapilla</i> Blackcap	155	215	20	1	—
13000	<i>Phylloscopus inornatus</i> Yellow-browed Warbler	—	—	—	1	—
13080	<i>Phylloscopus sibilatrix</i> Wood Warbler	16	17	—	—	1
13110	<i>Phylloscopus collybita</i> Chiffchaff	20	24	—	—	2
13120	<i>Phylloscopus trochilus</i> Willow Warbler	82	221	55	1	—
13140	<i>Regulus regulus</i> Goldcrest	28	33	—	1	—
13150	<i>Regulus ignicapillus</i> Firecrest	2	2	—	—	—
13350	<i>Muscicapa striata</i> Spotted Flycatcher	4	5	2	—	—
13430	<i>Ficedula parva</i> Red-breasted Flycatcher	1	1	—	—	—

Table 2. *Continued*

EURING code	Species	Retraps of birds ringed in 2016		Controls of birds ringed earlier than 2016	Recoveries of our birds outside the Courish Spit	Recoveries of birds ringed outside the Courish Spit
		birds	retraps			
13490	<i>Ficedula hypoleuca</i> Pied Flycatcher	12	16	3	—	—
13640	<i>Panurus biarmicus</i> Bearded Tit	3	3	—	1	—
14370	<i>Aegithalos caudatus</i> Long-tailed Tit	59	66	—	7	53
14400	<i>Parus palustris</i> Marsh Tit	23	57	4	—	—
14420	<i>Parus montanus</i> Willow Tit	1	1	—	—	—
14540	<i>Parus cristatus</i> Crested Tit	4	6	—	—	—
14610	<i>Parus ater</i> Coal Tit	4	4	1	1	4
14620	<i>Parus caeruleus</i> Blue Tit	125	189	5	12	25
14640	<i>Parus major</i> Great Tit	276	446	12	11	25
14790	<i>Sitta europaea</i> Nuthatch	3	3	—	—	—
14860	<i>Certhia familiaris</i> Treecreeper	23	38	1	—	—
14900	<i>Remiz pendulinus</i> Penduline Tit	—	—	—	—	1
15150	<i>Lanius collurio</i> Red-backed Shrike	1	1	—	—	—
15390	<i>Garrulus glandarius</i> Jay	—	—	—	1	—
15820	<i>Sturnus vulgaris</i> Starling	1	1	—	4	8
15910	<i>Passer domesticus</i> House Sparrow	—	—	1	—	—
16360	<i>Fringilla coelebs</i> Chaffinch	55	100	75	7	1
16380	<i>Fringilla montifringilla</i> Brambling	—	—	—	1	—
16540	<i>Carduelis spinus</i> Siskin	15	25	1	5	4
16630	<i>Carduelis flammea</i> Redpoll	—	—	—	1	—

Table 2. *Continued*

EURING code	Species	Retraps of birds ringed in 2016		Controls of birds ringed earlier than 2016	Recoveries of our birds outside the Courish Spit	Recoveries of birds ringed outside the Courish Spit
		birds	retraps			
16660	<i>Loxia curvirostra</i> Crossbill	1	2	1	–	–
16790	<i>Carpodacus erythrinus</i> Scarlet Rosefinch	7	7	3	–	–
17100	<i>Pyrrhula pyrrhula</i> Bullfinch	15	19	–	–	–
17170	<i>Coccothraustes coccothraustes</i> Hawfinch	4	5	–	–	–
18570	<i>Emberiza citrinella</i> Yellowhammer	4	5	2	–	–
18770	<i>Emberiza schoeniclus</i> Reed Bunting	1	1	–	–	1
Total birds		1 577	2 435	268	74	139
Total species		56	56	31	24	21

2.1 Long-distance recoveries of birds ringed on the Courish Spit

02690. <i>Accipiter nisus</i> , Sparrowhawk (1)						
PB 138561	20.09.2011	M	3	Russia, Fringilla	55.05N, 20.44E	
	01.12.2016	M	4	Germany, Nordrhein-Westfalen, Gesete-Stormede	51.38N, 8.28E	x 1899 days, 899 km, 245°
10660. <i>Troglodytes troglodytes</i> , Wren (1)						
VF 28493	24.10.2014	I	3	Russia, Rybachy	55.09N, 20.51E	
	13.10.2015	I	4	Poland, Zachodniopomorskie, Darlowo, Dabkowice	54.20N, 16.15E	V 354 days, 309 km, 253°
10990. <i>Erythacus rubecula</i> , Robin (4)						
XE 47525	04.04.2016	I	5	Russia, Fringilla	55.05N, 20.44E	
	18.05.2016			Finland, Uusimaa, Pormainen, Laukkoski	60.26N, 25.22E	+K 44 days, 655 km, 25°
XR 79518	09.04.2016	I	6	Russia, Rybachy	55.09N, 20.51E	
	26.10.2016	I	4	Germany, Mecklenburg-Vorpommern, Greifswalder Oie	54.15N, 13.55E	V 200 days, 456 km, 257°
XZ 82391	21.09.2016	I	3	Russia, Rybachy	55.09N, 20.51E	
	23.09.2016	I	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E	V 2 days, 44 km, 22°
XZ 84355	16.09.2016	I	3	Russia, Rybachy	55.09N, 20.51E	
	20.10.2016			Spain, San Vicente Del Raspeig	38.25N, 0.31W	x 34 days, 2469 km, 221°
11870. <i>Turdus merula</i> , Blackbird (1)						
PB 142328	17.08.2016	F	3	Russia, Rybachy	55.09N, 20.51E	
	21.10.2016	F		Belgium, Antwerpen, Herentals	51.09N, 4.50E	V 65 days, 1156 km, 247°
12000. <i>Turdus philomelos</i> , Song Thrush (6)						
TA 06877	19.07.2016	I	3	Russia, Rybachy	55.09N, 20.51E	
	12.01.2017			Spain, Cádiz, Jerez de la Frontera, San Gibalbin	36.40N, 5.38W	+ 177 days, 2900 km, 225°
TA 31441	24.09.2007	I	3	Russia, Rybachy	55.09N, 20.51E	
	(15.01.2008)			France, Pyrénées-Orientales, Ponteilla	42.38N, 2.49E	x 00 days, 1915 km, 223°
TA 43413	18.09.2004	I	3	Russia, Fringilla	55.05N, 20.44E	
	02.01.2015			Spain, Valencia, Beniganim, El Port	38.58N, 0.26W	x 3758 days, 2403 km, 222°
TA 80347	20.04.2013	I	5	Russia, Fringilla	55.05N, 20.44E	
	31.10.2016			Spain, Guipuzcoa, Eskoriatza	47.58N, 2.30W	+ 1290 days, 1790 km, 244°

TA 82262	25.09.2013 13.11.2016	I 1	3	Russia, Rybachy Spain, Catalonia, Provincia de Lérida, Juncosa	55.09N 20.51E 41.22N, 0.46E	+	1145 days, 2133 km, 224°
TA 82770	06.05.2015 09.01.2016	I 1	5	Russia, Rybachy Spain, Cádiz, San Juan Del Valle	55.09N 20.51E 36.41N, 6.08W	+	248 days, 2926 km, 23°
12020. <i>Turdus viscivorus</i>, Mistle Thrush (1)							
P 603939	13.10.1987 (27.10.2016)	I 1	3	Russia, Fringilla Russia, Kaliningrad reg., Bagrationovsk, Niven'skoye	55.05N 20.44E 54.35N, 20.34E	r	00 days, 57 km, 191°
12500. <i>Acrocephalus palustris</i>, Marsh Warbler (1)							
XR 47271	23.07.2014 09.07.2016	I M	3 6	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	55.09N 20.51E 55.21N, 21.12E	V	717 days, 31 km, 45°
12510. <i>Acrocephalus scirpaceus</i>, Reed Warbler (1)							
XR 56927	22.05.2015 25.05.2016	I 1	4 6	Russia, Rybachy Lithuania, Neringa, Juodkrante	55.09N 20.51E 55.31N, 21.07E	V	369 days, 44 km, 22°
12740. <i>Sylvia curruca</i>, Lesser Whitethroat (2)							
XH 38755	03.09.2011 04.05.2016	I 1	3 5	Russia, Rybachy Sweden, Blekinge, Utiklippa	55.09N, 20.51E 55.57N, 15.42E	V	1705 days, 336 km, 285°
XR 74613	04.08.2015 14.05.2016 02.06.2016	I F F	3 3 3	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas Lithuania, Šilutė, Ventes Ragas	55.09N, 20.51E 55.21N, 21.12E 55.21N, 21.12E	V V V	284 days, 31 km, 45° 303 days, 31 km, 45°
12760. <i>Sylvia borin</i>, Garden Warbler (1)							
XH 79357	22.05.2013 19.05.2016	I 1	4	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	55.09N 20.51E 55.21N, 21.12E	V	1093 days, 31 km, 45°
12770. <i>Sylvia atricapilla</i>, Blackcap (1)							
XZ 14011	09.08.2013 24.03.2014	M 1	3	Russia, Fringilla Spain, Andalucía, Málaga, Nerja	55.05N 20.44E 36.47N, 3.49W	x	227 days, 2781 km, 223°
13000. <i>Phylloscopus inornatus</i>, Yellow-browed Warbler (1)							
VF 80099	02.10.2016 08.10.2016	I 1	3	Russia, Fringilla Ireland, Waterford, Brownstown Head	55.05N, 20.44E 52.07N, 7.05W	V V	6 days, 1863 km, 260°

13120. *Phylloscopus trochilus*, Willow Warbler (1)

VN 81901	21.08.2014	M	3	Russia, Fringilla	55.05N, 20.44E
	13.05.2016			Norway, Hordaland, Bergen, Haukeland	60.22N, 5.27E

13140. *Regulus regulus*, Goldcrest (1)

VF83443	01.04.2016	M	5	Russia, Rybachy	55.09N, 20.51E
	29.10.2016	M	4	Germany, Münster, Horstel-Riesenbeck	52.16N, 7.39E

13640. *Panurus biarmicus*, Bearded Tit (1)

XZ 80401	27.10.2015	F	2	Russia, Rybachy	55.09N, 20.51E
	28.03.2016	F	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E

14370. *Aegithalos caudatus*, Long-tailed Tit (7)

VF 80627	04.10.2016	I	2	Russia, Fringilla	55.05N, 20.44E
	11.10.2016			Lithuania, Neringa, Joudkrantes Gaudykle	55.34N, 21.06E
VF 80628	04.10.2016	I	2	Russia, Fringilla	55.05N, 20.44E
	11.10.2016			Lithuania, Neringa, Joudkrantes Gaudykle	55.34N, 21.06E
VF 80633	04.10.2016	I	2	Russia, Fringilla	55.05N, 20.44E
	11.10.2016			Lithuania, Neringa, Joudkrantes Gaudykle	55.34N, 21.06E
VF 80634	04.10.2016	I	2	Russia, Fringilla	55.05N, 20.44E
	11.10.2016			Lithuania, Neringa, Joudkrantes Gaudykle	55.34N, 21.06E
VF 80635	04.10.2016	I	2	Russia, Fringilla	55.05N, 20.44E
	11.10.2016			Lithuania, Neringa, Joudkrantes Gaudykle	55.34N, 21.06E
VF 88826	07.10.2016	I	3	Russia, Rybachy	55.09N, 20.51E
	09.10.2016			Lithuania, Neringa, Joudkrantes Gaudykle	55.34N, 21.06E
VF 89665	11.10.2016	I	3	Russia, Rybachy	55.09N, 20.51E
	14.10.2016			Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E

14610. *Parus ater*, Coal Tit (1)

XE 50002	27.05.2016	I	1	Russia, Kaliningrad, Courish Spit	55.03N, 20.41E
	19.07.2016			Russia, Kaliningrad, Svetlogorsk, Otradnoye	54.56N, 20.06E

14620. *Parus caeruleus*, Blue Tit (12)

XE 14044	19.09.2015	M	4	Russia, Fringilla	55.05N, 20.44E
	13.03.2016	M	6	Belgium, Liège, Hockai	50.29N, 5.59E

V 211 days, 925 km, 25°
V 153 days, 31 km, 45°

V 176 days, 1115 km, 243°

XE 44194	19.09.2015	M	3	Russia, Fringilla Germany, Mecklenburg-Vorpommern, Greifswalder Oie	55.05N 20.44E
	16.03.2016	I	5	Belgium, Antwerpen, Retie	54.15N 13.55E
XE 45001	25.09.2015	F	3	Russia, Fringilla Poland, Pomorskie, Krynica Morska	55.05N 20.44E
	04.11.2015	I	3	Belgium, Antwerpen, Retie	51.16N 5.05E
XE 45220	26.09.2015	F	3	Russia, Fringilla Poland, Pomorskie, Krynica Morska	55.05N 20.44E
	30.09.2015	F	3	Belgium, Antwerpen, Retie	54.23N 19.27E
XE 45501	26.09.2015	F	3	Russia, Fringilla Lithuania, Šilutė, Ventes Ragas	55.05N 20.44E
	27.09.2016	F	4	Lithuania, Šilutė, Ventes Ragas	55.21N 21.12E
XE 45539	26.09.2015	F	4	Russia, Fringilla Belgium, Brabant, Ternat, Vlaams Brabant	55.05N 20.44E
	09.11.2015	I	4	Belgium, Brabant, Ternat, Vlaams Brabant	50.53N 4.10E
XE 45540	26.09.2015	F	3	Russia, Fringilla Poland, Pomorskie, Krynica Morska	55.05N 20.44E
	30.09.2015	F	3	Belgium, Brabant, Ternat, Vlaams Brabant	54.23N 19.27E
XR 68114	24.04.2015	F	5	Russia, Fringilla Germany, Sachsen-Anhalt, Radegast	55.05N 20.44E
	04.04.2016	F	5	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	51.39N 12.05E
XR 79820	18.04.2016	F	5	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	55.09N 20.51E
	10.09.2016	F	4	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	55.21N 21.12E
XX 22645	02.10.2016	F	3	Russia, Fringilla Poland, Elbląg, Krynica Morska, Siekierki	55.05N 20.44E
	12.10.2016	F	5	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	54.23N 19.27E
XZ 80560	27.03.2016	F	5	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	55.09N 20.51E
	23.10.2016	F	4	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	55.21N 21.12E
XZ 82610	22.09.2016	M	3	Russia, Rybachy Lithuania, Neringa, Juodkrante	55.09N 20.51E
	24.09.2016	M	3	Russia, Rybachy Lithuania, Neringa, Juodkrante	55.31N 21.07E
14640. <i>Parus major</i>, Great Tit (11)					
XE 44607	22.09.2015	F	3	Russia, Fringilla Poland, Pomorskie, Krynica Morska, Siekierki	55.05N 20.44E
	25.09.2015	F	3	Russia, Fringilla Poland, Pomorskie, Krynica Morska, Siekierki	54.22N 19.24E
XE 45921	30.09.2015	M	3	Poland, Szczecin, Miedzyzdroje, Warnaica	55.05N 20.44E
	19.03.2016	M	6	Poland, Szczecin, Miedzyzdroje, Warnaica	53.53N 14.26E
XE 46612	04.10.2015	F	3	Russia, Fringilla Poland, Koszalin, Darłowo, Dąbkowice	55.05N 20.44E
	19.10.2015	F	3	Poland, Koszalin, Darłowo, Dąbkowice	54.20N 16.15E
				V 15 days, 300 km, 254°	V 15 days, 300 km, 254°

XR 61833	05.10.2014 07.10.2016	M M	3 3	Russia, Fringilla Poland, Gdansk, Elblag, Mierzeja Wislana, Przebrno	55.05N 20.44E 54.22N, 19.22E	V	733 days, 118 km, 228°
XR 64718	13.10.2014 15.12.2015	M F	3 3	Russia, Fringilla Poland, Szczecin, Police, Przesocin	55.05N 20.44E 53.31N, 14.34E	V	428 days, 436 km, 246°
XX 18391	23.09.2016 17.01.2017	M Germany, Mecklenburg-Vorpommern, Kleppelshagen	3	Russia, Fringilla	55.05N 20.44E 53.34N, 13.45E	V	116 days, 483 km, 250°
XX 19561	26.09.2016 23.11.2016	F Germany, Niedersachsen, Hannover, Wunstorf	3	Russia, Fringilla	55.05N 20.44E 52.28N, 9.25E	xG	58 days, 798 km, 249°
XX 19708	27.09.2016 02.10.2016	F Poland, Gdansk, Elblag, Kryniczka, Lesniczowka	3	Russia, Fringilla	55.05N 20.44E 54.23N, 19.32E	V	5 days, 109 km, 225°
XX 20750	29.09.2016 02.10.2016	F Poland, Gdansk, Elblag, Kryniczka, Lesniczowka	3	Russia, Fringilla	55.05N 20.44E 54.23N, 19.32E	V	3 days, 109 km, 225°
XZ 77239	04.10.2016 04.11.2016	M Lithuania, Neringa, Juodkrante	3	Russia, Rybachy	55.09N 20.51E 55.31N, 21.07E	V	31 days, 44 km, 22°
XZ 80954	02.04.2016 29.09.2016	F Lithuania, Šilutė, Ventes Ragas	6	Russia, Rybachy	55.09N 20.51E 55.21N, 21.12E	V	180 days, 31 km, 45°
15390. <i>Garrulus glandarius</i>. Jay (1)							
M 682603	16.10.1985 01.05.2016– 31.05.2016	I	2	Russia, Fringilla Poland, Gdansk, Pomorskie, Malbork	55.05N 20.44E 54.02N, 19.02E	r	00 days, 160 km, 223°
15820. <i>Sturnus vulgaris</i>, Starling (4)							
TA 82407	10.06.2014 12.06.2016	M M	3 4	Russia, Rybachy Lithuania, Šilutė, Ventes Ragas	55.09N 20.51E 55.21N, 21.12E	V	733 days, 31 km, 45°
TA 84585	27.06.2013 07.06.2016	M M	3 6	Russia, Fringilla Lithuania, Šilutė, Ventes Ragas	55.05N 20.44E 55.21N, 21.12E	V	1076 days, 42 km, 45°
TC 00152	05.08.2014 24.05.2016	M M	3 6	Russia, Fringilla Lithuania, Neringa, Juodkrante	55.05N 20.44E 55.31N, 21.07E	V	658 days, 54 km, 27°
TC 14447	22.06.2016 07.01.2017	M France, Aquitaine, Gironde, Pellegrue	3	Russia, Fringilla	55.05N 20.44E 44.43N, 0.07E	+	199 days, 1872 km, 232°

16360. <i>Fringilla coelebs</i>, Chaffinch (7)							
KS 47803	01.10.2012	F	3	Russia, Fringilla	55.05N, 20.44E		
	10.11.2014	F	4	Spain, Avila, Candeleda	40.10N, 5.16W	V	770 days, 2557 km, 229°
KS 61704	10.09.2014	M	3	Russia, Rybachy	55.09N, 20.51E		
	01.04.2016	M	6	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E	V	569 days, 31 km, 45°
KS 61820	20.04.2015	F	6	Russia, Rybachy	55.09N, 20.51E		
	28.04.2016	F	6	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E	V	374 days, 31 km, 45°
KS 66288	07.04.2014	F	6	Russia, Fringilla	55.05N, 20.44E		
	07.02.2015	F	5	Spain, Zaragoza, Penallor De Zaragoza	41.46N, 0.48W	V	306 days, 2170 km, 227°
KS 67019	08.06.2014	F	5	Russia, Fringilla	55.05N, 20.44E		
	22.06.2016	F	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E	V	745 days, 42 km, 45°
KS 67864	28.09.2014	M	4	Russia, Fringilla	55.05N, 20.44E		
	16.03.2016	M	6	Belgium, Liege, Cokaifagne	50.30N, 5.58E	V	535 days, 1115 km, 243°
XZ 06240	10.10.2012	F	4	Russia, Fringilla	55.05N, 20.44E		
	08.02.2017	F	6	Germany, Rheinland-Pfälz, Hirschthal	49.03N, 7.45E	x	1582 days, 1112 km, 233°
16380. <i>Fringilla montifringilla</i>, Brambling (1)							
KS 44730	20.04.2012	F	6	Russia, Fringilla	55.05N, 20.44E		
	27.12.2015	F	6	Italy, Gorizia & Udine, San Giovanni Al Natisone, Grave	45.58N, 13.23E	V	1346 days, 1138 km, 207°
16540. <i>Carduelis spinus</i>, Siskin (5)							
XE 41542	20.08.2015	F	3	Russia, Fringilla	55.05N, 20.44E		
	24.03.2016	F	6	Belgium, Liege, Chevron	50.23N, 5.44E	V	217 days, 1136 km, 243°
XE 42576	03.09.2015	F	3	Russia, Fringilla	55.05N, 20.44E		
	10.01.2016	F	3	Spain, Barcelona, Sant Cugat del Valles	41.28N, 2.05E	V	129 days, 2047 km, 222°
XE 51253	25.06.2016	F	3	Russia, Fringilla	55.05N, 20.44E		
	08.10.2016	F	3	Switzerland, Valais, Col de Bretolet	46.09N, 6.48E	V	105 days, 1396 km, 225°
XR 69292	17.06.2015	F	3	Russia, Fringilla	55.05N, 20.44E		
	10.10.2015	F	4	Italy, Genova, Massa Carrara, Spezia, Mele, M. Ottine	44.29N, 8.45E	V	115 days, 1458 km, 216°
XR 72697	25.06.2015	M	3	Russia, Fringilla	55.05N, 20.44E		
	28.03.2016	M	6	Belgium, Antwerpen, Balen	51.10N, 5.10E	V	277 days, 1125 km, 247°
16630. <i>Carduelis flammea</i>, Redpoll (1)							
XR 79679	15.04.2016	M	5	Russia, Rybachy	55.09N, 20.51E		
	06.05.2016	F	6	Norway, Vestfold, Store Færder	59.04N, 10.32E	V	21 days, 759 km, 305°

2.2. Controls of birds ringed outside of the Courish Spit

05920. <i>Larus argentatus</i>, Herring Gull (1)								
PS00299 Croatia, Zagreb	22.03.2015	I	6	Croatia, Zagreb, Jakusevec	45.45N, 16.01E	V		
	07.01.2016			Poland, J. Maltanskie	52.24N, 16.57E	V		
	10.01.2016			Poland, J. Maltanskie	52.24N, 16.57E	V		
	10.04.2016–			Russia, Kaliningrad reg, Courish Spit, 7th km	55.00N, 20.33E	x	00 days, 742 km, 5°	
	20.04.2016							
09920. <i>Hirundo rustica</i>, Swallow (1)								
XE50697 Lithuania, Kaunas	01.09.2015	I	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E	V		
	20.05.2016	F	4	Russia, Rybachy	55.09N, 20.51E	V	262 days, 31 km, 225°	
10200. <i>Motacilla alba</i>, White Wagtail (1)								
VJ75472 Lithuania, Kaunas	11.07.2016	I	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.13E	V		
	28.07.2016	I	3	Russia, Fringilla	55.05N, 20.44E	V	17 days, 43 km, 226°	
10660. <i>Trochocetes trochocetes</i>, Wren (1)								
CS99338 Sweden, Stockholm	06.10.2015	I	3	Sweden, Hallands, Grotvik, Halmstadt	56.39N, 12.47E	V		
	22.04.2016			Russia, Rybachy	55.09N, 20.51E	V	199 days, 529 km, 108°	
10990. <i>Erythacus rubecula</i>, Robin (2)								
637143H Finland, Helsinki	25.04.2015	I	5	Finland, Uusimaa, Loviisa, Aspskär	60.15N, 26.25E	V		
	28.04.2016	I	6	Russia, Rybachy	55.09N, 20.51E	V	369 days, 656 km, 210°	
BE60795 Netherlands, Arnhem	27.10.2015			Netherlands, Noord-Holland, Bloemendaal, Parnassiaweg	52.25N, 4.34E			
	28.04.2016	I	5	Russia, Fringilla	55.05N, 20.44E	V	184 days, 1103 km, 74°	
11870. <i>Turdus merula</i>, Blackbird (1)								
24Z89510 Belgium, Bruxelles	30.10.2015	M	5	Belgium, Oost-Vlaanderen, Lebbeke	51.00N, 4.08E	V		
	25.06.2016	M	5	Russia, Fringilla	55.05N, 20.44E	V	239 days, 1198 km, 68°	
12500. <i>Acrocephalus palustris</i>, Marsh Warbler (1)								
VJ44625 Lithuania, Kaunas	02.06.2015	F	5	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E	V		
	03.07.2016	M	6	Russia, Rybachy	55.09N, 20.51E	V	397 days, 31 km, 225°	

12510. <i>Acrocephalus scirpaceus</i> , Reed Warbler (1)							
13861157 Belgium, Bruxelles	22.08.2015	1	3	Luxembourg, Schiffange	49.30N, 6.01E		
	29.05.2016	1	4	Russia, Rybachy	55.09N, 20.51E	V	281 days, 1187 km, 58°
12530. <i>Acrocephalus arundinaceus</i>, Great Reed Warbler (3)							
CA113497 Croatia, Zagreb	27.08.2014	1	4	Croatia, Pakostane, Vransko lake	43.53N, 15.33E		
	01.05.2016	1	4	Russia, Rybachy	55.09N, 20.51E	V	613 days, 1309 km, 17°
TA09895 Lithuania, Kaunas	01.05.2016	1	4	Lithuania, Neringa, Jodkrante	55.31N, 21.07E		
	22.05.2016	1	4	Russia, Kaliningrad, Courish Spit	55.09N, 20.49E	V	21 days, 45 km, 205°
TV14547 Lithuania, Kaunas	26.05.2016	F	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E		
	22.06.2016	M	4	Russia, Rybachy	55.09N, 20.51E	V	27 days, 31 km, 225°
12740. <i>Sylvia curruca</i>, Lesser Whitethroat (2)							
XE68231 Lithuania, Kaunas	03.05.2016	1	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E		
	04.05.2016	1	4	Russia, Fringilla	55.05N, 20.44E	V	1 day, 42 km, 225°
S38747 Slovakia, Bratislava	24.08.2015	1	3	Slovakia, Kosice, Drienovec	48.37N, 20.57E		
	29.04.2016	1	6	Russia, Rybachy	55.09N, 20.51E	V	249 days, 726 km, 359°
13080. <i>Phylloscopus sibilatrix</i>, Wood Warbler (1)							
KS32392 Slovenia, Ljubljana	25.08.2011	1	3	Slovenia, Nova Gorica, Bilje	45.56N, 13.39E		
	30.04.2016	1	4	Russia, Rybachy	55.09N, 20.51E	V	1710 days, 1143 km, 26°
13110. <i>Phylloscopus collybita</i>, Chiffchaff (2)							
EX4087 Germany, Hiddensee	13.04.2016	1	4	Germany, Mecklenburg-Vorpommern, Greifswalder Oie	54.15N, 13.55E		
	18.04.2016	1	4	Russia, Fringilla	55.05N, 20.44E	V	5 days, 448 km, 78°
TJ7242 Sweden, Stockholm	27.09.2015	1	3	Sweden, Skane, Bingsmarken, Skurup	55.23N, 13.30E		
	24.04.2016	1	4	Russia, Rybachy	55.09N, 20.51E	V	210 days, 466 km, 93°
13140. <i>Regulus regulus</i>, Goldcrest (1)							
69311U Finland, Helsinki	26.09.2014	F	3	Finland, Turku-Pori, Säpi, Luvia	61.29N, 21.21E		
	21.10.2014	F	3	Russia, Fringilla	55.05N, 20.44E	V	25 days, 712 km, 183°
14370. <i>Aegithalos caudatus</i>, Long-tailed Tit (53)							
XC80597 Estonia, Matsalu	27.09.2016	I	2	Estonia, Pärnu, Kabli	58.01N, 24.27E		
	09.10.2016			Russia, Fringilla	55.05N, 20.44E	V	12 days, 398 km, 215°

XC82155	Estonia, Matsalu	01.10.2016	Estonia, Pärnu, Kabli	58.01N, 24.27E	V	5 days, 387 km, 215°
XC82156	Estonia, Matsalu	06.10.2016	1 Russia, Rybachy	55.09N, 20.51E	V	5 days, 387 km, 215°
XC82157	Estonia, Matsalu	01.10.2016	Estonia, Pärnu, Kabli	58.01N, 24.27E	V	5 days, 387 km, 215°
XC82158	Estonia, Matsalu	06.10.2016	1 Russia, Rybachy	55.09N, 20.51E	V	5 days, 387 km, 215°
XC82163	Estonia, Matsalu	01.10.2016	Estonia, Pärnu, Kabli	58.01N, 24.27E	V	5 days, 387 km, 215°
XC82164	Estonia, Matsalu	06.10.2016	1 Russia, Rybachy	55.09N, 20.51E	V	5 days, 387 km, 215°
XC82166	Estonia, Matsalu	01.10.2016	Estonia, Pärnu, Kabli	58.01N, 24.27E	V	5 days, 387 km, 215°
XC82168	Estonia, Matsalu	06.10.2016	1 Russia, Rybachy	55.09N, 20.51E	V	5 days, 387 km, 215°
XC82169	Estonia, Matsalu	01.10.2016	Estonia, Pärnu, Kabli	58.01N, 24.27E	V	5 days, 387 km, 215°
XC82172	Estonia, Matsalu	06.10.2016	1 Russia, Rybachy	55.09N, 20.51E	V	5 days, 387 km, 215°
113525	Latvia, Riga	19.09.2016	Latvia, Liepaja, Pape	58.01N, 24.27E	V	5 days, 387 km, 215°
113617	Latvia, Riga	19.09.2016	Estonia, Pärnu, Kabli	55.09N, 20.51E	V	5 days, 387 km, 215°
113832	Latvia, Riga	30.09.2016	Latvia, Liepaja, Pape	56.09N, 21.01E	V	5 days, 120 km, 189°
113843	Latvia, Riga	21.09.2016	Latvia, Liepaja, Pape	55.05N, 20.44E	V	11 days, 120 km, 189°
114236	Latvia, Riga	26.09.2016	Russia, Fringilla	56.10N, 21.01E	V	5 days, 122 km, 188°
114264	Latvia, Riga	01.10.2016	Latvia, Liepaja, Pape	55.05N, 20.44E	V	5 days, 122 km, 188°
XE76605	Lithuania, Kaunas	05.10.2016	Russia, Fringilla	56.10N, 21.01E	V	4 days, 113 km, 185°
		30.09.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E	V	3 days, 42 km, 225°
		03.10.2016	Russia, Fringilla	55.05N, 20.44E	V	3 days, 42 km, 225°

XE80651 Lithuania, Kaunas	01.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	03.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 2 days, 42 km, 225°
XE80864 Lithuania, Kaunas	01.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	04.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 3 days, 42 km, 225°
XE80962 Lithuania, Kaunas	01.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	03.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 2 days, 42 km, 225°
XE81286 Lithuania, Kaunas	01.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	03.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 2 days, 42 km, 225°
XE81325 Lithuania, Kaunas	02.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	03.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 1 day, 42 km, 225°
XE81879 Lithuania, Kaunas	09.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	01.11.2016	1 3 Russia, Rybachy	55.09N, 20.51E V 23 days, 31 km, 225°
XE82131 Lithuania, Kaunas	02.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	03.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 1 day, 42 km, 225°
XE82383 Lithuania, Kaunas	09.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	10.10.2016	1 3 Russia, Rybachy	55.09N, 20.51E V 1 day, 31 km, 225°
XE82435 Lithuania, Kaunas	09.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	11.10.2016	1 3 Russia, Rybachy	55.09N, 20.51E V 2 days, 31 km, 225°
XE83629 Lithuania, Kaunas	02.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	03.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 1 day, 42 km, 225°
XE83843 Lithuania, Kaunas	02.10.2016	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	03.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 1 day, 42 km, 225°
XX50151 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	29.09.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 2 days, 54 km, 207°
XX50220 Lithuania, Kaunas	02.10.2016	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	03.10.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 1 day, 54 km, 207°
XX51288 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	29.09.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 2 days, 54 km, 207°
XX51290 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	29.09.2016	1 2 Russia, Fringilla	55.05N, 20.44E V 2 days, 54 km, 207°

XX51330 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	01.10.2016	1 2 Russia, Fringilla
XX51380 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	30.09.2016	1 2 Russia, Fringilla
XX51404 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	30.09.2016	1 2 Russia, Fringilla
XX51463 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	29.09.2016	1 2 Russia, Fringilla
XX51531 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	01.10.2016	1 2 Russia, Fringilla
XX51532 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	01.10.2016	1 2 Russia, Fringilla
XX51534 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	01.10.2016	1 2 Russia, Fringilla
XX51560 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	29.09.2016	1 2 Russia, Fringilla
XX51563 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	29.09.2016	1 2 Russia, Fringilla
XX51564 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	29.09.2016	1 2 Russia, Fringilla
XX51567 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	29.09.2016	1 2 Russia, Fringilla
XX51571 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	29.09.2016	1 2 Russia, Fringilla
XX51576 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	29.09.2016	1 2 Russia, Fringilla
XX51596 Lithuania, Kaunas	27.09.2016	Lithuania, Neringa, Juodkrante
	01.10.2016	1 2 Russia, Fringilla
XX51634 Lithuania, Kaunas	28.09.2016	Lithuania, Neringa, Juodkrante
	01.10.2016	1 2 Russia, Fringilla

XX51786 Lithuania, Kaunas	03.10.2016	1	2	Lithuania, Neringa, Juodkrante Russia, Fringilla	55.31N, 21.07E 55.05N, 20.44E	V	2 days, 54 km, 207°
XX51789 Lithuania, Kaunas	03.10.2016	1	2	Lithuania, Neringa, Juodkrante Russia, Fringilla	55.31N, 21.07E 55.05N, 20.44E	V	2 days, 54 km, 207°
XX51794 Lithuania, Kaunas	03.10.2016	1	2	Lithuania, Neringa, Juodkrante Russia, Fringilla	55.31N, 21.07E 55.05N, 20.44E	V	2 days, 54 km, 207°
XX51807 Lithuania, Kaunas	03.10.2016	1	2	Lithuania, Neringa, Juodkrante Russia, Fringilla	55.31N, 21.07E 55.05N, 20.44E	V	2 days, 54 km, 207°
XX51809 Lithuania, Kaunas	03.10.2016	1	2	Lithuania, Neringa, Juodkrante Russia, Fringilla	55.31N, 21.07E 55.05N, 20.44E	V	2 days, 54 km, 207°
XX51811 Lithuania, Kaunas	03.10.2016	1	2	Lithuania, Neringa, Juodkrante Russia, Fringilla	55.31N, 21.07E 55.05N, 20.44E	V	2 days, 54 km, 207°
XX51825 Lithuania, Kaunas	03.10.2016	1	2	Lithuania, Neringa, Juodkrante Russia, Fringilla	55.31N, 21.07E 55.05N, 20.44E	V	2 days, 54 km, 207°
14610. <i>Parus ater</i>, Coal Tit (4)							
J187003 Latvia, Riga	25.09.2016	M	3	Latvia, Liepaja, Pape Russia, Fringilla	56.10N, 21.01E 55.05N, 20.44E	V	2 days, 122 km, 188°
J187116 Latvia, Riga	27.09.2016	I	3	Latvia, Liepaja, Pape Russia, Fringilla	56.10N, 21.01E 55.05N, 20.44E	V	3 days, 122 km, 188°
J187129 Latvia, Riga	26.09.2016	I	3	Latvia, Liepaja, Pape Russia, Fringilla	56.10N, 21.01E 55.05N, 20.44E	V	3 days, 122 km, 188°
XE74524 Lithuania, Kaunas	21.09.2016	F	3	Lithuania, Šilute, Ventes Ragas Russia, Fringilla	55.21N, 21.12E 55.05N, 20.44E	V	5 days, 42 km, 225°
14620. <i>Parus caeruleus</i>, Blue Tit (25)							
14465722 Belgium, Bruxelles	16.11.2015	F	3	Belgium, Antwerpen, Blauberger Russia, Rybachy	54.05N, 4.56E 55.09N, 20.51E	V	149 days, 1155 km, 67°
VJ77544 Lithuania, Kaunas	13.04.2016	F	5	Lithuania, Šilute, Ventes Ragas Russia, Fringilla	55.21N, 21.12E 55.05N, 20.44E	V	3 days, 42 km, 225°
VJ77784 Lithuania, Kaunas	12.09.2016	F	3	Lithuania, Šilute, Ventes Ragas Russia, Fringilla	55.21N, 21.12E 55.05N, 20.44E	V	4 days, 42 km, 225°

VJ80019 Lithuania, Kaunas	10.09.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	15.09.2016	M	3	Russia, Fringilla	55.05N, 20.44E
VJ85603 Lithuania, Kaunas	21.09.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	23.09.2016	M	3	Russia, Fringilla	55.05N, 20.44E
VJ85731 Lithuania, Kaunas	21.09.2016	F	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	24.09.2016	F	4	Russia, Fringilla	55.05N, 20.44E
VJ85872 Lithuania, Kaunas	22.09.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	25.09.2016	M	3	Russia, Fringilla	55.05N, 20.44E
VJ86146 Lithuania, Kaunas	21.09.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	26.09.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VJ86202 Lithuania, Kaunas	21.09.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	26.09.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VJ88155 Lithuania, Kaunas	22.09.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	25.09.2016	M	3	Russia, Fringilla	55.05N, 20.44E
VJ89388 Lithuania, Kaunas	24.09.2016	F	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	25.09.2016	F	4	Russia, Fringilla	55.05N, 20.44E
VJ90053 Lithuania, Kaunas	23.09.2016	F	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	26.09.2016	F	4	Russia, Fringilla	55.05N, 20.44E
VJ90128 Lithuania, Kaunas	24.09.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	25.09.2016	M	3	Russia, Fringilla	55.05N, 20.44E
VJ91105 Lithuania, Kaunas	25.09.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	01.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VJ92112 Lithuania, Kaunas	27.09.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	02.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VJ92716 Lithuania, Kaunas	30.09.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	02.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VJ96607 Lithuania, Kaunas	02.10.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	03.10.2016	M	3	Russia, Fringilla	55.05N, 20.44E
VS23364 Lithuania, Kaunas	16.09.2016	M	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	20.09.2016	M	3	Russia, Fringilla	55.05N, 20.44E

VS25277 Lithuania, Kaunas	25.09.2016	F	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	01.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VS25285 Lithuania, Kaunas	25.09.2016	M	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	01.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VS25291 Lithuania, Kaunas	25.09.2016	M	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	02.10.2016	M	3	Russia, Fringilla	55.05N, 20.44E
VS25693 Lithuania, Kaunas	28.09.2016	F	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	01.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VS27980 Lithuania, Kaunas	16.10.2016	M	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	22.10.2016	M	3	Russia, Rybachy	55.09N, 20.51E
ZE05599 Lithuania, Kaunas	15.10.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	16.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
ZE07927 Lithuania, Kaunas	17.10.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	21.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
14640. <i>Parus major</i>, Great Tit (25)					
38V2607 Belgium, Bruxelles	21.10.2013	M		Belgium, Brabant, Glabbeek, Zunnemede	50.52N, 4.57E
	31.03.2016	M	6	Russia, Rybachy	55.09N, 20.51E
82102099 Germany, Helgoland	12.03.2016	F	5	Germany, Düsseldorf, Schonholz, Hilden-Haan	51.11N, 6.59E
	23.10.2016	F	4	Russia, Fringilla	55.05N, 20.44E
90447902 Germany, Helgoland	06.02.2016	M	5	Germany, Schleswig-Holstein, Itzehoe, Tonkuhle	53.57N, 9.30E
	27.03.2016	M	6	Russia, Rybachy	55.09N, 20.51E
J186703 Latvia, Riga	21.09.2016	M	3	Latvia, Liepaja, Pape	56.10N, 21.01E
	24.09.2016	M	3	Russia, Rybachy	55.09N, 20.51E
J187584 Latvia, Riga	13.10.2016	F	3	Latvia, Liepaja, Pape	56.10N, 21.01E
	23.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
J201413 Latvia, Riga	01.09.2016	F	3	Latvia, Kegums, Bizele	56.38N, 24.40E
	18.09.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VJ74573 Lithuania, Kaunas	25.09.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	27.09.2016	M	3	Russia, Fringilla	55.05N, 20.44E
					V 2 days, 42 km, 225°

VJ92738 Lithuania, Kaunas	30.09.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	01.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VJ94171 Lithuania, Kaunas	29.09.2016	F	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	02.10.2016	F	4	Russia, Fringilla	55.05N, 20.44E
VJ94961 Lithuania, Kaunas	01.10.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	02.10.2016	M	3	Russia, Fringilla	55.05N, 20.44E
VJ96010 Lithuania, Kaunas	01.10.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	02.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VL171385 Lithuania, Kaunas	04.10.2013	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	28.03.2016	F	6	Russia, Rybachy	55.09N, 20.51E
VS25374 Lithuania, Kaunas	25.09.2016	F	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	29.09.2016	F	3	Russia, Fringilla	55.05N, 20.44E
VS25380 Lithuania, Kaunas	25.09.2016	F	3	Lithuania, Neringa, Juodkrante	55.31N, 21.07E
	01.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
ZE01107 Lithuania, Kaunas	04.10.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	10.10.2016	F	3	Russia, Rybachy	55.09N, 20.51E
ZE02793 Lithuania, Kaunas	15.10.2016	M	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	17.10.2016	M	3	Russia, Fringilla	55.05N, 20.44E
ZE03868 Lithuania, Kaunas	18.10.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	23.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
ZE05106 Lithuania, Kaunas	15.10.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	16.10.2016	F	4	Russia, Fringilla	55.05N, 20.44E
ZE05355 Lithuania, Kaunas	15.10.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	16.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
ZE06299 Lithuania, Kaunas	15.10.2016	F	3	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	16.10.2016	F	3	Russia, Fringilla	55.05N, 20.44E
ZE09091 Lithuania, Kaunas	16.10.2016	F	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	23.10.2016	F	4	Russia, Fringilla	55.05N, 20.44E
ZE09526 Lithuania, Kaunas	18.10.2016	M	4	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E
	23.10.2016	M	4	Russia, Rybachy	55.09N, 20.51E

K3P2157 Poland, Gdansk	20.03.2016	M	6	Poland, Poznan, Miedzyzdroje, Wapnica	53.53N, 14.26E
	02.10.2016	M	4	Russia, Fringilla	55.05N, 20.44E
K7N4624 Poland, Gdansk	15.11.2013	F	3	Poland, Warszawa, Brwinow, Otrebusy	52.07N, 20.46E
	22.10.2016	F	4	Russia, Rybachy	55.09N, 20.51E
K9N2517 Poland, Gdansk	25.10.2015	F	3	Poland, Gdańsk, Mierzeja Wiślana-Siekierki	54.22N, 19.24E
	25.10.2016	F	4	Russia, Fringilla	55.05N, 20.44E
14900. <i>Remiz pendulinus</i>, Penduline Tit (1)					V
7685929 France, Paris	18.10.2015	F	3	France, Drone, Cheteau-neuf-sur-Isere, Les Iles	45.00N, 4.53E
	04.06.2016	F	4	Russia, Rybachy	55.09N, 20.51E
15820. <i>Sturnus vulgaris</i>, Starling (8)					V
KH36295 Lithuania, Kaunas	13.06.2016	F	3	Lithuania, Šilutė, Ventes Ragas	55.21N, 21.12E
	21.06.2016	F	3	Russia, Fringilla	55.05N, 20.44E
KH41816 Lithuania, Kaunas	17.06.2016	F	3	Lithuania, Šilutė, Ventes Ragas	55.21N, 21.12E
	29.06.2016	F	3	Russia, Fringilla	55.05N, 20.44E
KH43037 Lithuania, Kaunas	19.06.2016	M	3	Lithuania, Šilutė, Ventes Ragas	55.21N, 21.12E
	22.06.2016	M	3	Russia, Fringilla	55.05N, 20.44E
KH43750 Lithuania, Kaunas	19.06.2016	M	3	Lithuania, Šilutė, Ventes Ragas	55.21N, 21.12E
	21.06.2016	M	3	Russia, Fringilla	55.05N, 20.44E
KH44840 Lithuania, Kaunas	20.06.2016	F	3	Lithuania, Šilutė, Ventes Ragas	55.21N, 21.12E
	21.06.2016	F	3	Russia, Fringilla	55.05N, 20.44E
KH45733 Lithuania, Kaunas	20.06.2016	F	3	Lithuania, Šilutė, Ventes Ragas	55.21N, 21.12E
	22.06.2016	F	3	Russia, Fringilla	55.05N, 20.44E
KN49070 Lithuania, Kaunas	26.06.2016	F	3	Lithuania, Šilutė, Ventes Ragas	55.21N, 21.12E
	26.06.2016	F	3	Russia, Fringilla	55.05N, 20.44E
KN49087 Lithuania, Kaunas	27.06.2016	M	3	Lithuania, Šilutė, Ventes Ragas	55.21N, 21.12E
	30.06.2016	M	3	Russia, Fringilla	55.05N, 20.44E
16360. <i>Fringilla coelebs</i>, Chaffinch (1)					V
K1N8980 Poland, Gdansk	24.10.2014	F	4	Poland, Koszalin, Darlowo, Dabkowice	54.20N, 16.15E
	18.10.2016	F	4	Russia, Fringilla	55.05N, 20.44E
					V
					725 days, 300 km, 74°

16540. <i>Carduelis spinus</i>, Siskin (4)								
14168443 Belgium, Bruxelles	23.03.2016	M	6	Belgium, West-Vlaanderen, Zerkegem	51.10N, 3.04E			
	08.04.2016	F	6	Russia, Fringilla	55.05N, 20.44E	V	16 days, 1256 km, 70°	
XE67117 Lithuania, Kaunas	06.04.2016	F	6	Lithuania, Šilute, Ventes Ragas	55.21N, 21.12E			
	08.04.2016	F	6	Russia, Fringilla	55.05N, 20.44E	V	2 days, 42 km, 225°	
CU10234 Sweden, Stockholm	29.07.2014	F	3	Sweden, Västerbottens, Tjulträsk, Ammarnas	65.58N, 16.05E			
	01.05.2016	F	4	Russia, Fringilla	55.05N, 20.44E	V	642 days, 1236 km, 168°	
B516968 Switzerland, Sem-	20.10.2014	M	3	Switzerland, Vaud, Ollon	46.19N, 7.08E			
pach	12.10.2016	M	4	Russia, Fringilla	55.05N, 20.44E	V	723 days, 1365 km, 44°	
18770. <i>Emberiza schoeniclus</i>, Reed Bunting (1)								
1EP29843 Sweden, Stockholm	12.09.2014	M	3	Sweden, Norrbotten, Sjulnas, Ryggskatan, Piteå	65.20N, 20.26E			
	22.04.2016	M	4	Russia, Rybachy	55.09N, 20.51E	V	588 days, 1132 km, 179°	