

2003

Zoological Record

INSECTA

**PART B
COLEOPTERA**



Published by BIOSIS®

Compiled by the staff of BIOSIS, U.K.

- Brachyhedybius* Pic 1917
Syn nov
Carphurus (*Paracarphurus*) Wittmer 1953, p. 196 MAJER (2225)
Thoraxocarphurus Wittmer 1957, p. 196 MAJER (2225)
 Carphurinae Champion 1923
 Included taxa, p. 195 MAJER (2225)
 Taxonomic position, p. 195 MAJER (2225)
Carphuroides Champion 1923
Syn nov
Asiocarphurus Wittmer 1981, p. 196 MAJER (2225)
Carphuroides ovambo Wittmer 1985
 New synonym
 Of *Apteromalachius namibiensis* Wittmer 1960, p. 195 MAJER (2225)
Carphurus Erichson 1840
 Removal from synonymy
Microcarphurus Pic 1917, p. 197 MAJER (2225)
Carphurus (*Brevecarphurus*) Pic 1950
 New synonym
 Of *Microcarphurus* Pic 1917, p. 197 MAJER (2225)
Carphurus (*Paracarphurus*) Wittmer 1953
 New synonym
 Of *Brachyhedybius* Pic 1917, p. 196 MAJER (2225)
Cradytes Casey 1895
 Key to species
 Nearctic region
 Corrected, p. 181 MAWDSLEY (2325)
Danacea (*Allodanacea*) *thymi*
Sp nov
 Malta, p. 180 LIBERTI (2089)
Danacea eludens
Sp nov
 Malta, p. 179 LIBERTI (2089)
Dasytes gayi Guerin-Meneville 1844
 New synonym
 Of *Astylus trifasciatus* (Guerin-Meneville 1844), p. 52 ESTRADAM. (970)
 Dasytidae
 Malta
 Maltese archipelago
 Revision, zoogeography & ecology LIBERTI (2089)
 Dasytinae
 Pollination
 Importance & list of floral associates, Nearctic region MAWDSLEY (2323)
Dolichosoma lineare
 Spain
 Basque Country
 New record BAHILLODELA PUBBLA (213)
Engilempus Wittmer 1976
Syn nov
Flabellolempus Wittmer 1976, p. 192 MAJER (2225)
Oxylempus Wittmer 1976, p. 192 MAJER (2225)
Pygolempus Wittmer 1976, p. 192 MAJER (2225)
Falsoanthocomus Pic 1912
 New synonym
 Of *Amalthocus* Fairmaire 1886, p. 187 MAJER (2225)
Flabellolempus Wittmer 1976
 New synonym
 Of *Engilempus* Wittmer 1976, p. 192 MAJER (2225)
 Lemphinae Wittmer 1976
 Included taxa, p. 192 MAJER (2225)
 Raised from
 Lemphini, p. 191 MAJER (2225)
 Lemphini Wittmer 1976
 Raised to
 Lemphinae, p. 191 MAJER (2225)
 Malachiidae
 Included taxa
 Subfamilies, p. 182 MAJER (2225)
 Key to subfamilies, p. 182 MAJER (2225)
 Phylogeny MAJER (2225)
 Malachiinae
Stat nov, p. 189 MAJER (2225)
Mecoglossa rugosa Solier 1849
 New synonym
 Of *Astylus trifasciatus* (Guerin-Meneville 1844), p. 52 ESTRADAM. (970)
Microcarphurus Pic 1917
 Removal from synonymy
 With *Carphurus* Erichson 1840, p. 197 MAJER (2225)
Syn nov
Carphurus (*Brevecarphurus*) Pic 1950, p. 197 MAJER (2225)
Scelocarphurus Wittmer 1961, p. 197 MAJER (2225)
Oxylempus Wittmer 1976
 New synonym
 Of *Engilempus* Wittmer 1976, p. 192 MAJER (2225)
Oxylempus azureus Wittmer 1976
Syn nov
Pygolempus fossulatus Wittmer 1976, p. 192 MAJER (2225)
 Pagurodactylinae Constantin 2001
 Included taxa, p. 189 MAJER (2225)
 Raised from
 Pagurodactylini, p. 187 MAJER (2225)
 Pagurodactylini Constantin 2001
 Raised to
 Pagurodactylinae, p. 187 MAJER (2225)
Psilothrix viridicoeruleus
 Mating
 Copulation
 Male mating movements in relation to female size & mating success, functional inferences SHUKER (3295)
Pygolempus Wittmer 1976
 New synonym
 Of *Engilempus* Wittmer 1976, p. 192 MAJER (2225)
Pygolempus fossulatus Wittmer 1976
 New synonym
 Of *Oxylempus azureus* Wittmer 1976, p. 192 MAJER (2225)
Scelocarphurus Wittmer 1961
 New synonym
 Of *Microcarphurus* Pic 1917, p. 197 MAJER (2225)
Thoraxocarphurus Wittmer 1957
 New synonym
 Of *Brachyhedybius* Pic 1917, p. 196 MAJER (2225)
Trichocele floralis
 Austria
 Distributional records, notes on biology & illustrations of genitalia, forest PLONSKI (2874)
FAMILY TROGOSSITIDAE
 Key to genera
 USA
 P. 264
 Attributable to Leschen ARNETT (148)
Nemozoma elongatum
 Bulgaria
 Vitoshka Mountain, Bistrishko Branishte Biosphere Reserve
 New record GUEORGUIEV (1234)
Peltoschema bunyamontis
Sp nov
 Queensland, p. 430 DACCORDI (720)
Peltoschema cooki
Sp nov
 New South Wales, p. 384 DACCORDI (721)
Peltoschema vestalis
Sp nov
 Tasmania, p. 360 DACCORDI (723)
Tenebroides mauretanicus
 Biological notes POSPISCHIL (2894)
Thymalus thymallus
 Population dynamics
 Decline, effect of habitat destruction, river, conservational implications, Germany HARSANYI (1322)

SUPERFAMILY CUCUJOIDEA
 Belarus
 Annotated list of records including new, rare & excluded species POLYKSENOVA (2884)
 Palaearctic region
 Iberian Peninsula
 Distribution records with 4 new records OTERO (2750)
 Brachypteridae
 Key to genera
 Nearctic region
 P. 309
 Attributable to Habeck ARNETT (148)
FAMILY BIPHYLLIDAE
 Key to genera
 Nearctic region
 P. 356
 Attributable to Goodrich ARNETT (148)
Biphyllus lunatus
 Portugal
 New record GROSSO-SILVA (1224)
FAMILY BYTURIDAE
 Key to genera
 Nearctic region
 P. 355
 Attributable to Goodrich ARNETT (148)
 Mutualism
Wolbachia (bacteria)
 Endosymbiont multiple infections MALLOCH (2236)
 Phylogeny
 Inter-specific relationships indication from molecular data MALLOCH (2236)
Byturus tomentosus
 Trapping
 Chemical enhanced traps evaluation for adult activity monitoring in raspberry plantation, Scotland WOODFORD (3925)
FAMILY CERYLONIDAE
 Germany
 Thuringia
 Checklist KOPETZ (1910)
 Key to genera
 Nearctic region
 P. 363
 Attributable to Thomas ARNETT (148)
FAMILY COCCINELLIDAE
 Arachnid prey
 Acari

Natural enemy survey & population dynamics, fig orchards, Turkey				Annual & seasonal population trends		
Austria	GENCER (1124)			Biological control implications, citrus orchards, Spain	ALVIS (76)	
Carinthia				Population size		
Preliminary faunal list	WALLUSCHBEK-WALLFELD (3817)			On crop, effect of organic vs synthetic fertilizer use, cultivated land	YARDIM (3960)	IDRIS (1548)
Bibliographies				On plants, influence of plant architecture		
Duverger, C., 1983-2001	THOMAS (3593)			Relative abundance		
Biochemistry				Native species, effect of exotic <i>Coccinella septempunctata</i> , Manitoba	TURNOCK (3684)	
Defensive compounds, biosynthesis, review	LAURENT (2016)			Uzbekistan		
Climate and weather				Okhangaran oasis		
Global climate change				List of wintering species, zoogeographical significance	MANSUROV (2251)	
Geographical range prediction, critical comment	SUTHERST (3496)			Vertical distribution		
Geographical range prediction, critical response	SAMWAYS (3131)			On plants, influence of plant architecture	IDRIS (1548)	
Community structure				<i>Adalia bipunctata</i>		
Spruce forest, distributional characteristics relationships, Denmark	REDDERSEN (2975)			Arachnid parasites		
Corsica				<i>Coccipolipus hippodamiae</i>		
Annotated distributional checklist	CANOVAI (554)			Parasite life cycle notes, Austria	CHRISTIAN (636)	
Cultivated land habitat				Hymenopteran parasites		
Irrigated rice habitat				<i>Trichogramma brassicae</i>		
Relative abundance, diurnal activity & effect of pollen feeding on rice grain sterility, Bangladesh	AFSANA (13)			Effect of mass releases of parasite on predatory taxa in maize, Switzerland	BABENDREIER (196)	
Cuticle				Insect prey		
Structure & markings, changes during larval development, taxonomic significance	FRICHODKINA (2906)			<i>Brevicoryne brassicae</i> (Hemiptera)		
England				Unsuitable prey/plant host combination effects on reproduction & development	VANHAELEN (3736)	PUBLICANO (2819)
Essex & London				Life tables		
Faunal survey	MABBOTT (2195)			<i>Adonia variegata</i>		
Environmental indicators				Insect prey		
Biodescriptors for landscape planning & environmental analyses, evaluation criteria, Germany	KLAUSNITZER (1837)			<i>Helicoverpa armigera</i> (Lepidoptera)		
Farming and agriculture				Feeding rate, predator & prey abundance relations	FENGHONGBING (1021)	
Intercropping				<i>Brachiacaenitha decempustulata</i>		
Abundance effect	HEGDE (1374)			Minnesota		
Fertilizers and pesticides				New record	FAUSKE (1013)	
Foliar insecticides				<i>Brachiacaenitha tau</i>		
IPM compatibility, rating scale based on toxicity to beneficial taxa, Florida	MICHAUD (2396)			Minnesota		
Food plants				New record	FAUSKE (1013)	
<i>Ipomoea carnea</i>				North Dakota		
Taxa visiting extrafloral nectaries, survey, Indonesia	FUJIYAMA (1085)			New record	FAUSKE (1013)	
Guinea-Bissau				<i>Brunoides septentrionis davisi</i>		
Annotated distribution records including systematics & 17 new records	RAIMUNDO (2943)			Nearctic region		
Insect prey				North America		
Aphidoidea (Hemiptera)				Distribution & biology, including new records	WHEELER (3881)	
Chinese predatory species evaluation for biological control of greenhouse pests, Russia	KUZNETSOV (1981)			<i>Brunoides sauralis</i>		
Female predator foraging, oviposition & dispersal relationships, review	EVANS (976)			Relative abundance		
Prey population regulation, effects of weed species, lettuce fields, Germany	SENGONCO (3252)			Irrigated rice habitat, Bangladesh	AFSANA (13)	
Trophic significance, Uzbekistan	MANSUROV (2250)			<i>Bulaea lichatschovi</i>		
<i>Bemisia & Trialeurodes</i> (Hemiptera)				Food plants		
Natural enemies, Brazil	DEOLIVEIRA (783)			Trophic significance, Uzbekistan	MANSUROV (2250)	
<i>Cacopsylla pyri</i> (Hemiptera)				<i>Calvia quatuordecimguttata</i>		
Predator-prey dynamics relationship, pear orchards, Italy	CIVOLANI (650)			England		
<i>Ctenarytaina eucalyptii</i> (Hemiptera)				South Yorkshire, Sheffield		
Predators survey, Chile	SAIZ (3102)			Notes & observations	MABBOTT (2196)	
<i>Diuraphis noxia</i> (Hemiptera)				Carinodulini Gordon, Pakaluk & Slipinski 1989		
Natural enemies, tritrophic interactions with plant hosts, Idaho	BOSQUE-PEREZ (431)			Key to genus, p. 492	SLIPINSKI (3341)	
Regulation of prey population, wheat & maize fields, Hungary	FARKAS (1009)			<i>Carinodulinka</i>		
<i>Empoasca fabae</i> (Hemiptera)				Gen nov		
Cultural management effects on distribution, prey control implications, alfalfa fields, Iowa	WEISER (3862)			Of tribe Carinodulini		
<i>Myzus persicae</i> (Hemiptera)				Type species <i>Carinodulinka baja</i> , p. 489	SLIPINSKI (3341)	
Predator & prey populations interaction in crop field	CHEN (614)			<i>Carinodulinka baja</i>		
<i>Phytonomus</i> (Coleoptera)				Sp nov		
Predator feeding rate effect on prey population size, cultivated crops, Uzbekistan	SEAMURATOVA (3268)			Mexico, p. 491	SLIPINSKI (3341)	
Iran				<i>Ceratomegilla undecimnotata</i>		
Moghan region				Chemoreception		
Records including new records & sexing criteria	LOTFALIZADEH (2152)			Perception of oviposition deterring larval tracks	RUZICKA (3089)	
Japan				<i>Chellomenes lunata</i>		
Honshu, Nara, Kinki University Campus				England		
Faunal survey & life history notes	SAKURATANI (3113)			Didcot		
Key to genera				Correction of record	HARVEY (1325)	
Nearctic region				United Kingdom		
P. 374				Distributional records	MABBOTT (2194)	
Attributable to Vandenberg	ARNETT (148)			<i>Chilocorus bipustulatus</i>		
Key to subfamilies, p. 60	DUVERGER (923)			Insect prey		
Manitoba				<i>Aspidiotus nerii</i> (Hemiptera)		
New records for 11 species & 4 genera	WISE (3919)			Prey consumption, longevity & mortality	STATHAS (3436)	
Markings				<i>Ceroplastes sinensis</i> (Hemiptera)		
Elytral colour patterns				Greece	STATHAS (3438)	
Variability, classification schemes, environmental influences & possible functional significance	TINSLEY-MARSHALL (3608)			<i>Chilocorus kaovanae</i>		
Morphological variation				Insect prey		
Geographical variation, energetic & trophic adaptation relationships, Russia	PEKIN (2817)			<i>Unaspis euonymi</i> (Hemiptera)		
North Dakota				Introduced natural enemies, distribution & establishment, New Jersey	MATADHA (2309)	
Checklist including 5 new state records	FAUSKE (1013)			<i>Chilocorus rubidus</i>		
Obituaries				Distribution within habitat		
Duverger, C., 1922-2002	THOMAS (3593)			Spatial pattern, geostatistical analysis	HUANG (1512)	
Palearctic region				Insect prey		
Balkan Peninsula				<i>Diaesmococcus koreanus</i> (Hemiptera)		
List of recorded species, including new records	JORDANOVA (1696)			Functional response	CHEN (615)	
Phylogeny	DUVERGER (923)			Population density		
Population dynamics				Seasonal dynamics	CHEN (615)	
				Starvation		
				Endurance ability	HUANG (1511)	
				<i>Clitostethus arcuatus</i>		
				England		
				Suffolk, East Coddendam		
				New record	NASH (2572)	
				<i>Coccidophilus citricola</i>		
				Insect prey		
				<i>Aspidiotus nerii</i> (Hemiptera)		
				Development & predation behaviour relationships, control		

- implications DASILVA (718)
- Diaspis echinocacti* (Hemiptera) DEALMEIDA (750)
- Predator biology, plant host
- Coccinella magnifica*
- Associations
- Formicidae (Hymenoptera)
- Myrmecophily, relations with diet, Palaearctic region SLOGGETT (3344)
- Behaviour
- Larval response to aggression by *Formica rufa* (Hymenoptera), England SLOGGETT (3343)
- Breeding site
- Oviposition site location in response to aggression by *Formica rufa* (Hymenoptera), England SLOGGETT (3343)
- Insect prey
- Aphidoidea (Hemiptera)
- Relations with myrmecophily, Palaearctic region SLOGGETT (3344)
- Coccinella septempunctata*
- Arachnid prey
- Tetranychus urticae*
- Interactions between predator species LUCAS (2171)
- Behaviour
- Larval response to aggression by *Formica rufa* (Hymenoptera), England SLOGGETT (3343)
- Breeding site
- Oviposition site location in response to aggression by *Formica rufa* (Hymenoptera), England SLOGGETT (3343)
- Chemical signals
- Oviposition deterring effects of larval tracks RUZICKA (3090)
- Community structure
- Intraguild responses to invasion of exotic species, apple orchard, West Virginia BROWN (490)
- Conservation
- Proposals, Slovenia SNAJDER-KOSI (3365)
- Diapause
- Summer diapause
- Geographic & annual variation, Japan OHASHI (2699)
- Distribution within habitat
- Movements
- Vegetation diversity & spatial scale effects, control implications, agroecosystem, Washington BANKS (231)
- Egg laying
- Oviposition
- Deterring effects of larval tracks RUZICKA (3090)
- Enzymes
- ACHE
- Insecticides effect, beneficial species BOZSIK (453)
- Foraging
- Searching behaviour, effects of plant-plant odour interaction, barley field, Sweden NINKOVIC (2632)
- Genetic techniques
- RAPD analysis
- Use to study genetic variation, Belgium HAUBRUGE (1328)
- Hymenopteran parasites
- Tetrastichus coccinellae*
- Prevalence, cultivated land, Uttar Pradesh SINGH (3324)
- Trichogramma brassicae*
- Effect of mass releases of parasite on predatory taxa in maize, Switzerland BABENDREIER (196)
- Insect prey
- Acyrihosphon pisum* (Hemiptera)
- Predator role as intraguild predator of prey fungal pathogen, spatial heterogeneity effects ROY (3062)
- Acyrihosphon* & *Sitobion* (Hemiptera)
- Predator & fungal pathogen effects on prey distribution on plant hosts ROY (3063)
- Aphidoidea (Hemiptera)
- Biocontrol effectiveness, habitat management effects, spatially explicit population models use BIANCHI (337)
- Prey selection, effect on predator larval development & feeding capacity THALJI (3583)
- Prey species effects on predator development & reproduction OMKAR (2728)
- Aphis citricola* (Hemiptera)
- Interactions between predator species LUCAS (2171)
- Aphis gossypii* (Hemiptera)
- Disruption of prey-predator complex by hymenopteran associate of prey KAPLAN (1725)
- Multistage functional responses, laboratory & field studies, Henan XIA (3936)
- Lipaphis erysimi* (Hemiptera)
- Feeding rate, sex differences, Rajasthan GOUR (1204)
- Predation & searching efficiency related to predator & prey densities, larvae OMKAR (2730)
- Predator functional response to different prey densities OMKAR (2731)
- Spodoptera exigua* (Lepidoptera)
- Predator records, Turkey GOVEN (1206)
- Toxoptera aurantii* (Hemiptera)
- Enhanced response to interaction of prey kairomones & prey host plant synomones HAN (1295)
- Interspecific competition
- Exotic species effect on native coccinellid species abundance, Manitoba TURNOCK (3684)
- Larval development
- Duration, Rajasthan GOUR (1204)
- Life cycle and development
- Morphological characteristics, Slovenia SNAJDER-KOSI (3365)
- Mating
- Early record, England EVERETT (979)
- Population size
- Abundance response to hemipteran prey, within-field vegetation & landscape matrix, alfalfa fields, South Dakota ELLIOTT (940)
- Relative abundance
- Irrigated rice habitat, Bangladesh AFSANA (13)
- Reproduction OMKAR (2729)
- Coccinella septempunctata*
- Insect prey
- Lysiphlebus fabarum* (Hymenoptera)
- Intraguild predation, hemipteran colonies MBEYHOEFER (2389)
- Coccinella transversalis*
- Insect prey
- Acyrihosphon pisum* (Hemiptera)
- Spatial distribution of predator & prey, field pea crop, Meghalaya RAJASEKHARAO (2945)
- Relative abundance
- Irrigated rice habitat, Bangladesh AFSANA (13)
- Coccinella undecimpunctata*
- Chemical factors
- Plant extracts
- Biological effects FARAG (1007)
- Foraging
- Searching behaviour
- Attraction to kairomones produced by hemipteran prey & prey plant hosts significance EL-BATRAN (938)
- Coccinellina ancoralis*
- Chile
- La Araucania, IX Region
- New record AGUILERA P. (22)
- Coccinellinae
- Banding patterns
- C-banding patterns
- Forest habitats, Poland & Slovakia ROZEK (3066)
- Karyotype
- Forest habitats, Poland & Slovakia ROZEK (3066)
- Coleomegilla maculata*
- Arachnid prey
- Tetranychus urticae*
- Interactions between predator species LUCAS (2171)
- Chemical factors
- Transgenic plant toxin effects on nontarget organism fitness LUNDGREN (2178)
- Distribution within habitat
- Within plant distribution
- Potential intraguild predation, corn & sweet corn fields, New York MUSSER (2539)
- Egg laying
- Oviposition site selection
- Plant comparisons, corn fields, Kentucky GRIFFIN (1220)
- Possible influences, corn fields, Kentucky GRIFFIN (1221)
- Hymenopteran parasites
- Dinocampus coccinellae*
- Parasite mediated interactions between hosts, Minnesota HOOGENDOORN (1467)
- Insect prey
- Aphis citricola* (Hemiptera)
- Interactions between predator species LUCAS (2171)
- Heliothis virescens* (Lepidoptera)
- Non target impacts of recombinant viral pathogen used as control for prey BOUGHTON (440)
- Population dynamics
- Seasonal abundance
- Potential intraguild predation, corn & sweet corn fields, New York MUSSER (2539)
- Cryptolaemus montrouzieri*
- Fertilizers and pesticides
- Gibberellic acid
- Effect on survival & physiological condition, non target predators of Hemiptera KAPLAN (1726)
- Insect prey
- Aspidolotus destructor* (Hemiptera)
- New record, predation rate & temperature relationship ZHAO (4023)
- Curinus coeruleus*
- Fertilizers and pesticides
- Copper sulphate fungicide
- Sub-lethal effects on reproduction & larval development, comparative laboratory study MICHAUD (2397)
- Cycloneda limbifer*
- Chemical signals
- Oviposition deterring effects of larval tracks RUZICKA (3090)
- Chemoreception
- Perception of oviposition deterring larval tracks RUZICKA (3089)
- Egg laying
- Oviposition
- Deterring effects of larval tracks RUZICKA (3090)
- Cycloneda sanguinea*
- Diet
- Cannibalism
- Propensity, influencing factors & developmental consequences, comparative study, larvae MICHAUD (2394)
- Insect predators
- Harmonia axyridis* (Coleoptera)
- Intraguild predation by introduced competitor, invasion success relationship, Florida MICHAUD (2395)
- Insect prey
- Bemisia tabaci* (Hemiptera)
- Predatory behaviour evaluation, control implications FIGUEIRA (1046)
- Interspecific competition
- Niche overlap & asymmetric competition with introduced species, experimental analysis, Florida MICHAUD (2395)
- Cydonia oblonga*
- Hemipteran parasites
- Aphidoidea
- Key to parasite species BLACKMAN (368)
- Delphastus*
- Atlantic Ocean islands

Canary Islands, Gomera & Tenerife			Life cycle		
New records	EIZAGUIRRE	(934)	Iran	LOTFALIZADEH	(2154)
Balearic Islands			Population dynamics		
Majorca			Iran	LOTFALIZADEH	(2154)
New record	EIZAGUIRRE	(934)	<i>Harmonia Mulsant</i> 1850		
Spain			Key to species		
Malaga			Germany		
New record	EIZAGUIRRE	(934)	Larvae p. 181, adults, p. 180	KLAUSNITZER	(1831)
<i>Delphastus catalinae</i>			<i>Harmonia axyridis</i>		
Atlantic Ocean Islands			Arachnid prey		
Canary Islands, Gomera & Tenerife			Acari		
New records	EIZAGUIRRE	(934)	Sublethal effects of pesticide on intraguild predation in apple orchards, laboratory study, Quebec	PROVOST	(2910)
Balearic Islands			<i>Tetranychus urticae</i>		
Majorca			Interactions between predator species	LUCAS	(2171)
New record	EIZAGUIRRE	(934)	Community structure		
Development			Intraguild responses to invasion of exotic species, apple orchard, West Virginia	BROWN	(490)
Humidity effects	JING	(1669)	Development		
Insect prey			Temperature effects, sweet corn fields, Minnesota	KOCH	(1865)
<i>Aleurotuberculatus takahashii</i> (Hemiptera)			Diet		
New record & prey developmental rate model	FU	(1083)	Cannibalism		
<i>Aleurotuberculatus takahashi</i> (Hemiptera)			P propensity, influencing factors & developmental consequences, comparative study, larvae	MICHAUD	(2394)
Predation on different life stages	HUANG	(1514)	Distribution within habitat		
Spain			Within plant distribution		
Malaga			Potential intraguild predation, corn & sweet corn fields, New York	MUSSER	(2539)
New record	EIZAGUIRRE	(934)	Egg laying		
Survival			Oviposition		
Humidity effects	JING	(1669)	Conspecific & heterospecific faeces effects, hemipteran prey	AGARWALA	(15)
Trapping			Female oviposition strategy effects on sibling cannibalism, Japan	OSAWA	(2744)
Sticky traps			Enzymes		
Effectiveness, colour effects	SIMMONS	(3317)	Gut luminal digestive proteinases		
<i>Delphastus davidsoni</i>			Types & activity, influence of pH & temperature	KOO	(1908)
Insect prey			Fertilizers and pesticides		
<i>Bemisia tabaci</i> (Hemiptera)			Copper sulphate fungicide		
New prey record, Brazil	DE OLIVEIRA	(783)	Sub-lethal effects on reproduction & larval development, comparative laboratory study	MICHAUD	(2397)
<i>Epilachna</i>			Halofenozide & methoxyfenozide		
Hymenopteran parasites			Toxic effects on non-target organism	CARTON	(573)
<i>Pediobius nishidai</i>			Foraging		
New parasite species, Costa Rica	HANSSON	(1307)	Conspecific & heterospecific faeces effects, hemipteran prey	AGARWALA	(15)
<i>Epilachna argus</i>			Germany		
England			Distribution localities, dispersal notes & keys	KLAUSNITZER	(1831)
Middlesex			Hamburg		
New records	SUTTON	(3497)	Records, dispersal origins as exotic & description notes	TOLASCH	(3620)
<i>Epilachna borealis</i>			Hymenopteran parasites		
Biochemistry			<i>Dinocampus coccinellae</i>		
Azamacrolides			Parasite mediated interactions between hosts, Minnesota	HOOGENDOORN	(1467)
Defensive secretion levels, structure & biosynthesis	DONG	(890)	Insect predators		
<i>Epilachna chrysomelina</i>			<i>Podisus maculiventris</i> (Hemiptera)		
Temperature relationships			Intraguild predation	DECLERCQ	(767)
Thermal tolerance			Insect prey		
Response to heat during development	TILAVOV	(3604)	New natural enemy insecticide	TEZUKA	(3582)
<i>Epilachna pustulosa</i>			<i>Acyrtosiphon pisum</i> (Hemiptera)		
Food plants			Crop pest suppression by natural enemy assemblage, dynamics & implications	CARDINALE	(560)
Normal & novel plants, comparative genetic variation between populations, Japan	UENO	(3690)	Prey cornical ontogeny response	MONDOR	(2456)
<i>Cirsium kamschatcicum</i>			<i>Aphis citricola</i> (Hemiptera)		
Plant selection, Japan	FUJIYAMA	(1086)	Interactions between predator species	LUCAS	(2171)
Zoogeography			<i>Cycloneda sanguinea</i> (Coleoptera)		
Distribution pattern in relation to geological history, Japan	SHIMBO	(3289)	Intraguild predation on native competitor, invasion success relationship, Florida	MICHAUD	(2395)
<i>Epilachna varivestis</i>			<i>Danaus plexippus</i> (Lepidoptera)		
Biochemistry			Prey susceptibility to predation	KOCH	(1866)
9-Propyl-10-azacyclododecan-12-olide			Hemiptera & Lepidoptera		
Defensive secretion component, synthesis & activity	GLISAN KING	(1161)	Nutritional plasticity between natural & substitution prey	SPECTY	(3396)
Azamacrolides			<i>Myzus nicotianae</i> (Hemiptera)		
Defensive secretion levels, structure & biosynthesis	DONG	(890)	Predation rate at different densities & stages	DENG	(812)
Defensive alkaloids			<i>Plutella xylostella</i> (Lepidoptera)		
Structural determination, whole body extracts	SHI	(3286)	Trophic effects of transgenic plant on beneficial predator	FERRY	(1042)
Food plants			Interspecific competition		
Screening of plant extracts for antifeedant activity, Sri Lanka	JAYASINGHE	(1644)	Niche overlap & asymmetric competition with native species, experimental analysis, Florida	MICHAUD	(2395)
<i>Glycine max</i>			Laboratory culture		
Plant mineral nutrition effects on development	BEANLAND	(275)	Long term maintenance of unfed larvae, use of popcorn in containers to prevent cannibalism	SEO	(3255)
Hymenopteran parasites			Literature review		
<i>Pediobius foveolatus</i>			Biology, uses in biological control & non-target impacts, USA	KOCH	(1864)
Temperature effects on parasite longevity & fertility	MATSUMOTO	(2316)	Minnesota		
Transmission of viruses			Records & biology	HESLER	(1403)
Bean pod mottle virus & Southern bean mosaic virus			North Carolina		
Virus-infected food plant leaves, preference & enhancement of larval growth	MUSSER	(2540)	Pasquotank & Washington counties		
<i>Epilachna varivestis</i>			Seasonal abundance & crop exploitation during establishment in agroecosystem	NAULT	(2579)
Population dynamics			North Dakota		
On food plants with no resistance vs plants with induced or constitutive resistance, North Carolina	UNDERWOOD	(3711)	New record	FAUSKE	(1013)
<i>Exochomus flaviventris</i>			Population dynamics		
Insect prey			Seasonal abundance		
<i>Phenacoccus manihoti</i> (Hemiptera)			Potential intraguild predation, corn & sweet corn fields, New York	MUSSER	(2539)
Trophic interactions with plant hosts, antibiosis effects on life table statistics	LERU	(2026)	Sweet corn fields, Minnesota	KOCH	(1865)
<i>Exochomus quadripustulatus</i>			South Dakota		
England			Brookings County		
South Yorkshire, Sheffield			New record & biology	HESLER	(1403)
Notes & observations including new hymenopteran parasite record	MABBOTT	(2196)	<i>Harmonia axyridis</i> (Pallas 1773)		
Hymenopteran parasites			Diagnostic characters, p. 178	KLAUSNITZER	(1831)
<i>Aprostocetus neglectus</i>			<i>Harmonia sedecimnotata</i>		
New geographical record for parasite, England	MABBOTT	(2193)			
Insect prey					
<i>Ceroplastes sinensis</i> (Hemiptera)					
Greece	STATHAS	(3438)			
Irruption					
Recorded, England	MABBOTT	(2197)			

- Insect prey
Myzus persicae (Hemiptera)
 Prey odour as signal for termination of trophic diapause SEMYANOV (3251) Relative abundance, diurnal activity & effect of pollen feeding on rice grain sterility, Bangladesh AFSANA (13)
- Rearing techniques
 Reproductive biology & diet in captivity significance SEMYANOV (3250) Development
 Egg, larval, pupal & adult preoviposition period durations RAI (2942)
- Henosepilachna argus*
 England
 Middlesex
 Distribution & food plant records PRANCE (2898) Egg number RAI (2942)
- Henosepilachna chrysolina*
 Food plants
 Trophic significance, Uzbekistan MANSUROV (2250) Average fecundity RAI (2942)
- Henosepilachna vigintioctopunctata*
 Development
 Duration, food plant variety effects, hymenopteran parasite prevalence & sex ratio relations WANG (3827) Insect prey
 Cicadellidae & Delphacidae (Hemiptera) AFSANA (14)
- Feeding rate
 Feeding deterrent effect of neem oil, neem cake extract & insecticides, food plant SHANMUGAPPRIYAN (3270) Prey range, potential biocontrol agent LOPEZ (2140)
- Growth rate
 Food plant variety effects, hymenopteran parasite prevalence & sex ratio relations WANG (3827) *Nephaspis bicolor*
 Prey
 Arthropoda
 Prey range, potential biocontrol agent LOPEZ (2140)
- Hymenopteran parasites
Pediobius foveolatus
 Parasites prevalence & sex ratio, host food plant variety relations WANG (3827) *Nephaspis hydra*
 Insect prey
Bemisia tabaci (Hemiptera)
 New prey record, Brazil DEOLIVEIRA (783)
- Hippodamia convergens*
 Biophysics
 Attachment to plant surface waxes, influence of plant wax chemistry EIGENBRODE (931) *Nephus bisignatus*
 Insect prey
Planococcus voyae (Hemiptera)
 Record & predator dispersal implications, Italy DEMARZO (779)
- Food plants
Brassica napus & *Brassica rapa*
 Population density, plant wax bloom abundance relations, Idaho EIGENBRODE (932) *Nephus bisignatus* (Boheman)
 Description, p. P. 183 DEMARZO (779)
- Fungal diseases
Metarhizium anisopliae
 Pathogen effects on nontarget organisms GINSBERG (1151) *Nephus kiesenwetteri* form. *leblanci*
 New form, p. 119 COUTANCEAU (694)
- Insect prey
Acyrtosiphon pisum (Hemiptera)
 Larval predatory ability, reduced leaf wax plant cultivars relationships RUTLEDGE (3085) *Nephus ryugus*
 Development
 Development rate & temperature relationship LI (2087)
- Aphis gossypii* (Hemiptera)
 Disruption of prey-predator complex by hymenopteran associate of prey KAPLAN (1725) *Olla v-nigrum*
 Diet
 Cannibalism
 Propensity, influencing factors & developmental consequences, comparative study, larvae MICHAUD (2394)
- Bemisia tabaci* (Hemiptera)
 Predatory behaviour evaluation, control implications FIGUEIRA (1046) Fertilizers and pesticides
 Copper sulphate fungicide
 Sub-lethal effects on reproduction & larval development, comparative laboratory study MICHAUD (2397)
- Population size
 Abundance response to hemipteran prey, within-field vegetation & landscape matrix, alfalfa fields, South Dakota ELLIOTT (940) *Paraplatynaspis* Hoang 1984
 New synonym
 Of *Platynaspis* Redtenbacher 1843, p. 496 SLIPINSKI (3342)
- Hippodamia parenthesis*
 Population size
 Abundance response to hemipteran prey, within-field vegetation & landscape matrix, alfalfa fields, South Dakota ELLIOTT (940) *Penitilla*
 Insect prey
Diaspis echinocacti (Hemiptera)
 Predator biology, plant host DEALMEIDA (750)
- Hippodamia variegata*
 Insect prey
 Aphidoidea (Hemiptera)
 Prey selection, effect on predator larval development & feeding capacity THALJI (3583) *Pharoscyrnus taoi*
 Insect prey
Aspidiotus destructor (Hemiptera)
 New record, predation rate & temperature relationship ZHAO (4023)
- New South Wales
 Geographical & hemipteran prey records, introduced species FRANZMANN (1071) *Phymatosternus* Miyatake 1961
 New synonym
 Of *Platynaspis* Redtenbacher 1843, p. 496 SLIPINSKI (3342)
- Queensland
 Geographical & hemipteran prey records, introduced species FRANZMANN (1071) *Platynaspispidius* Miyatake 1961
 New synonym
 Of *Platynaspis* Redtenbacher 1843, p. 496 SLIPINSKI (3342)
- Hyperaspisidius wolcottii*
 Minnesota
 New record FAUSKE (1013) *Platynaspis Redtenbacher* 1843
Syn nov
Paraplatynaspis Hoang 1984, p. 496 SLIPINSKI (3342)
- Hyperaspis*
 Key to species
 South Africa, p. 325 FUERSCH (1084) *Phymatosternus* Miyatake 1961, p. 496 SLIPINSKI (3342)
- Hyperaspis asiatica*
 Japan
 Honshu, Osaka, Onosato River
 Biological notes, hemipteran prey YAMAZAKI (3952) *Platynaspispidius* Miyatake 1961, p. 496 SLIPINSKI (3342)
- Hyperaspis brunnescens*
 Minnesota
 New record FAUSKE (1013) *Platynaspis luteorubra*
 England
 Cornwall, Rock Dunes
 Rediscovery ALEXANDER (48)
- Hyperaspis inflexa*
 Minnesota
 New record FAUSKE (1013) *Propylea japonica*
 Distribution within habitat
 Cultivated land habitat QIU (2931)
- Hyperaspis kochi*
Sp nov
 South Africa, p. 323 FUERSCH (1084) Insect prey
Myzus persicae (Hemiptera)
 Age-stage two-sex life table construction & net predation rate determination, laboratory study CHI (625)
- Hyperaspis lateralis*
 North Dakota
 New record FAUSKE (1013) Sampling
 Cultivated land habitat QIU (2931)
- Hyperaspis proba*
 North Dakota
 New record FAUSKE (1013) *Propylea dissecta*
 Insect prey
Aphis craccivora (Hemiptera)
 Prey deprivation effects on predator pale morph biology OMKAR (2727)
- Leis axyridis*
 Insect prey
Toxoptera aurantii (Hemiptera)
 Natural enemy attraction to intact vs prey-damaged tea plant shoots, biocontrol implications HAN (1294) *Propylea japonica*
 Egg laying
 Oviposition
 Conspecific & heterospecific faeces effects, hemipteran prey AGARWALA (15)
- Micraspis crocea*
 Relative abundance
 Irrigated rice habitat, Bangladesh AFSANA (13) Foraging
 Conspecific & heterospecific faeces effects, hemipteran prey AGARWALA (15)
- Micraspis discolor*
 Cultivated land habitat
 Irrigated rice habitat *Pseudoscyrnus tsugae*
 Antennae
 Morphology, predator of hemipteran pest, implications for olfaction BROECKLING (484)
- Insect prey
Adelges tsugae (Hemiptera)
 Potential biocontrol agents evaluation, field & laboratory studies, Massachusetts BUTIN (524)
- Rhyzobius lophanthae*
 Rearing techniques
 Mass rearing technique
 Hemipteran prey GOMEZ VIVES (1176)
- Rodolia cardinalis*
 Fertilizers and pesticides
 Oikos

