

- RED Eléctrica de España, "We help you connect your installation to the network" (2020); www.ree.es/es/actividades/acceso-conexion-y-puesta-en-servicio [in Spanish].
- J. Traba, E. L. de la Morena, M. B. Morales, F. Suárez. *Biodivers. Conserv.* **16**, 3255 (2007).
- Asociación Empresarial Eólica, "Wind Energy Yearbook 2020: All the information on the sector in 2019" (2020); www.aeeolica.org/comunicacion/publicaciones-ae/anuarios/4264-anuario-eolico-20-toda-la-informacion-del-sector-en-el-ano-2019 [in Spanish].
- A. Sanz-Aguilar *et al.*, *Biol. Conserv.* **187**, 10 (2015).
- C. C. Voigt, L. S. Lehnert, G. Petersons, F. Adorf, L. Bach, *Eur. J. Wildl. Res.* **61**, 213 (2015).
- M. Ferrer *et al.*, *J. Appl. Ecol.* **49**, 38 (2012).
- E. B. Arnett, M. M. P. Huso, M. R. Schirmacher, J. P. Hayes, *Front. Ecol. Environ.* **9**, 209 (2011).
- C. Heuck *et al.*, *Biol. Conserv.* **236**, 44 (2019).
- Law 21/2013, of December 9, on Environmental Evaluation (2013); www.boe.es/eli/1/2013/12/09/21/con.

10.1126/science.abf6509

Small Aral Sea brings hope for Lake Balkhash

In the recent Letter "Save Kazakhstan's shrinking Lake Balkhash" (16 October, p. 303), A. Ussenaliyeva calls for international attention to the ecological crisis now facing Lake Balkhash. Similar problems face other water bodies without effluents, such as the Great Salt Lake (1) and Lake Urmia in Iran (2). A parallel crisis severely damaged the Aral Sea (2, 3), located between Kazakhstan and Uzbekistan. The action taken in response could provide a model for lakes suffering from desiccation.

Starting around 1960, diversion of inflowing water for irrigation purposes caused an accelerating regression and salinization of the Aral Sea (3). By 1990, the remaining waters sustained only organisms able to thrive in polyhaline conditions, and commercial fisheries, formerly of prime importance, had vanished (4). The desiccation also caused multiple severe health problems due to airborne dust (5). In 1992, a primitive dam was constructed across the Berg Strait to retain water in the northern Small Aral Sea, demonstrating a cost-effective way to maintain a low level of salinity. With financial help from the World Bank, the structure was later replaced by a stronger dam (3, 6), which succeeded in rapidly restoring the Small Aral.

With increasing water volume and decreasing salinity, species that had become extinct during the regression crisis repopulated the sea by natural means from refugia in the affluent Syr Darya river system (7). Commercial fisheries that depend on the lake are thriving again (7, 8). The Aral Sea crisis foreshadows what may face Lake Balkhash if no

timely action is taken. It also shows that a relatively small financial effort can yield substantial results. The Aral Sea is surrounded by several countries that should, jointly with the international community, take renewed action to preserve even more of this system. This coalition should also lend its expertise to determine how attention and investment can best prevent a similar ecological crisis at Lake Balkhash and the Great Salt Lake.

Nikolai V. Aladin¹, Jens T. Høeg^{2*}, Igor Plotnikov³

¹Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia. ²Department of Biology, University of Copenhagen, Copenhagen, Denmark. ³Zoological Institute, Russian Academy of Sciences, St. Petersburg, Russia. *Corresponding author. Email: jthoeg@bio.ku.dk

REFERENCES AND NOTES

- M. L. Wine *et al.*, *Climate* **7**, 67 (2019).
- S. Mischke, Ed., *Large Asian Lakes in a Changing World: Natural State and Human Impact* (Springer, Berlin, 2020).
- P. Micklin, *Ann. Rev. Earth Planetary Sci.* **35**, 47 (2007).
- I. S. Plotnikov, N. V. Aladin, A. A. Filippov, *Zool. Zhur.* **70**, 5 (1991) [in Russian].
- I. Small *et al.*, *Environ. Health Perspect.* **109**, 547 (2001).
- A. Ghany, A. S. Mohamed, "Project information document (concept stage)—Syr Darya control and Northern Aral Sea project, phase 2—P152001" (World Bank, 2014).
- I. S. Plotnikov *et al.*, *Lakes Reserv.* **21**, 315 (2016).
- D. H. Chen, "Once written off for dead, the Aral Sea is now full of life," *National Geographic* (2018).

10.1126/science.abf6682

Brazil's areas of not-so-permanent preservation

Recently, the National Council for the Environment in Brazil (CONAMA) repealed CONAMA Resolution 303/2002 (1), which has, for nearly two decades, set the rules for nation-wide Areas of Permanent Preservation (APPs). Unlike the Protected Areas officially set aside for conservation by the government or private property owners (2), APPs in Brazil require no governmental

intervention to remain protected. Those who favor this repeal argue that CONAMA 303/2002 and its rules for APPs have been overwritten by the Forest Act approved in 2012 as Federal Law 12.651 (3, 4). Although the Forest Act does cover the protection of some important ecosystems, such as mangroves (3), there are crucial environmental safeguards at risk should the repeal of CONAMA 303/2002 go into effect.

Under the Forest Act alone, coastal vegetation is an APP only if it acts to stabilize sand dunes, whereas CONAMA 303/2002 considers as APP all the coastal vegetation within 300 meters of the maximum height reached by a rising tide. Conversely, sand dunes will lose their protection as APPs unless they are stabilized by coastal vegetation. In addition, areas used for reproduction of migratory birds will no longer be classified as APPs. With the repeal of CONAMA 303/2002, habitat areas for threatened species will retain their categorization as APPs only if officially declared by the government, which rarely occurs.

After weeks under criticism (5), the repeal of CONAMA 303/2002 was temporarily suspended until the ultimate decision by the Supreme Federal Court in Brazil (6). We urge the Court to recognize the importance of these environmental safeguards remaining in place. In times of rapid climate change (7), sea level rise (8), and extinction crisis (9), the repeal of CONAMA 303/2002 will only jeopardize coastal management efforts and increase threats to species of conservation concern.

Milton A. U. de Andrade Junior¹ and Wagner Cleyton Fonseca^{2,3*}

¹State Department of Sustainable Economic Development, Florianópolis, Santa Catarina, Brazil.

²Environmental Institute of Santa Catarina, Itajaí, Santa Catarina, Brazil. ³Universidade do Vale do Itajaí, Itajaí, Santa Catarina, Brazil.

*Corresponding author.

Email: wagnerfonseca@univali.br



The sand dunes of Joaquina Beach in southern Brazil could soon lose their protected status.

Small Aral Sea brings hope for Lake Balkhash

Nikolai V. Aladin, Jens T. Høeg and Igor Plotnikov

Science **370** (6522), 1283.
DOI: 10.1126/science.abf6682

ARTICLE TOOLS	http://science.sciencemag.org/content/370/6522/1283.1
REFERENCES	This article cites 5 articles, 0 of which you can access for free http://science.sciencemag.org/content/370/6522/1283.1#BIBL
PERMISSIONS	http://www.sciencemag.org/help/reprints-and-permissions

Use of this article is subject to the [Terms of Service](#)

Science (print ISSN 0036-8075; online ISSN 1095-9203) is published by the American Association for the Advancement of Science, 1200 New York Avenue NW, Washington, DC 20005. The title *Science* is a registered trademark of AAAS.

Copyright © 2020 The Authors, some rights reserved; exclusive licensee American Association for the Advancement of Science. No claim to original U.S. Government Works